



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 15, 2019
Report Date: August 10, 2019
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000206.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-29
P.O. Number
Number of Samples: 57

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	54	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	57	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	57	Analysis sample split/packet			WHI
Split -150	57	Analysis sample split/packet			WHI
EN002	57	Environmental disposal charge-Fire assay lead waste			VAN
FS631	54	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	57	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	57	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 2 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000206.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1830885	Drill Core	4.53	416	0.029	0.03	<0.17	45.55	0.51	18.57	9.85	55.7	234	12.1	7.6	417	2.56	21.8	1.2	24.0	11.0	33.6
1830886	Drill Core	3.29	387	0.011	0.01	<0.17	36.09	0.80	8.17	40.07	49.8	445	8.0	5.0	404	1.86	7.5	1.0	9.5	12.8	20.0
1830887	Drill Core	4.16	474	0.007	<0.01	<0.17	27.69	0.68	12.11	22.21	56.9	228	7.9	6.5	397	2.08	10.3	1.2	7.6	12.9	29.2
1830888	Drill Core	5.08	455	0.007	<0.01	<0.17	34.05	0.71	16.42	9.67	68.7	255	11.1	8.2	437	2.58	12.5	1.2	5.9	11.1	32.1
1830889	Drill Core	2.92	434	<0.005	<0.01	<0.17	35.16	0.78	16.94	21.36	74.9	298	14.1	9.0	441	2.69	5.6	1.0	3.4	10.4	30.8
1830890	Drill Core	3.90	520	<0.005	<0.01	<0.17	52.67	0.72	19.91	18.46	63.7	292	12.8	8.5	438	2.37	9.6	1.0	3.5	10.8	37.6
1830891	Drill Core	3.99	445	<0.005	<0.01	<0.17	51.00	0.75	13.63	14.50	71.9	217	13.5	8.5	391	2.62	8.4	1.1	2.5	10.3	26.0
1830892	Drill Core	4.24	478	0.070	0.07	<0.17	51.58	0.95	19.15	8.00	61.6	322	12.1	7.6	377	2.35	11.0	1.1	77.0	10.1	47.4
1830893	Drill Core	5.62	500	<0.005	<0.01	<0.17	39.03	2.04	17.21	17.80	55.5	219	11.3	7.9	406	2.28	20.6	1.0	3.2	9.4	93.7
1830894	Drill Core	5.06	452	<0.005	<0.01	<0.17	25.27	1.52	17.28	16.47	56.7	148	12.2	7.2	558	2.53	24.2	1.3	2.3	10.3	94.0
1830895	Drill Core	5.17	458	0.016	0.01	<0.17	41.36	0.71	12.75	19.04	57.9	162	10.6	6.7	465	2.37	17.7	1.5	19.5	11.3	41.7
1830896	Drill Core	4.31	377	<0.005	<0.01	<0.17	33.45	0.42	12.55	27.46	63.1	137	11.2	6.8	560	2.53	8.7	1.1	2.3	10.9	64.6
1830897	Drill Core	4.78	433	<0.005	<0.01	<0.17	32.88	0.39	17.01	25.61	68.8	164	13.1	7.8	558	2.70	7.1	0.7	1.2	10.8	66.5
1830898	Drill Core	3.48	401	<0.005	<0.01	<0.17	36.81	0.38	14.71	21.64	65.5	131	11.5	7.3	624	2.61	6.7	0.7	1.1	10.4	80.7
1830899	Drill Core	4.34	556	<0.005	<0.01	<0.17	36.94	0.28	15.16	16.36	74.4	96	12.3	7.7	575	2.72	6.0	0.7	0.8	11.7	82.9
1830900	Rock Pulp	0.12	86	7.049				9.81	200.31	20.84	78.2	893	13.9	11.9	590	4.92	14.5	1.0	8279.7	3.2	77.1
1830901	Drill Core	5.18	432	<0.005	<0.01	<0.17	30.82	0.38	20.28	15.84	67.1	136	13.6	7.8	516	2.59	7.1	0.8	1.5	10.4	65.3
1830902	Drill Core	4.01	376	0.094	0.09	<0.17	36.96	0.38	14.87	11.13	71.9	134	12.4	8.4	633	2.71	4.9	0.8	72.0	10.9	89.2
1830903	Drill Core	5.49	422	0.010	<0.01	<0.17	38.73	0.34	16.06	13.00	70.1	148	12.9	8.3	572	2.63	4.8	0.8	5.6	10.7	104.9
1830904	Drill Core	4.78	424	<0.005	<0.01	<0.17	38.94	0.42	15.13	14.28	62.5	202	10.0	6.9	483	2.39	6.9	1.2	<0.2	11.0	63.3
1830905	Drill Core	5.15	488	0.244	0.27	0.48	49.66	0.83	21.93	27.13	51.6	650	9.8	6.2	467	2.01	13.8	1.4	222.3	9.3	78.5
1830906	Drill Core	4.26	399	0.100	0.12	0.24	57.37	0.68	15.08	18.73	54.1	471	10.2	7.0	440	2.04	26.6	1.6	64.8	10.0	64.5
1830907	Drill Core	5.53	544	<0.005	<0.01	<0.17	39.57	1.38	21.84	10.30	52.3	307	13.2	7.8	430	2.30	22.8	1.9	2.6	11.0	66.4
1830908	Drill Core	5.22	502	0.028	0.03	<0.17	47.59	0.99	11.75	8.74	78.8	229	11.9	8.2	558	2.66	28.1	1.9	29.8	12.2	80.0
1830909	Drill Core	4.25	409	0.005	<0.01	<0.17	25.47	0.82	14.71	20.45	50.6	296	10.9	6.6	454	2.09	22.4	1.5	7.4	9.2	60.4
1830910	Drill Core	4.38	436	0.423	0.42	0.41	46.53	0.79	18.84	21.77	57.9	547	11.6	7.7	493	2.56	440.7	2.5	395.9	11.1	57.6
1830911	Drill Core	4.89	400	0.007	<0.01	<0.17	48.18	0.96	14.56	19.83	60.8	228	10.6	6.9	478	2.34	34.6	1.4	1.3	9.4	68.0
1830912	Drill Core	2.68	507	0.085	0.08	<0.17	46.19	2.60	30.46	10.81	52.9	693	10.1	7.2	428	1.98	28.0	1.8	70.1	10.9	91.8
1830913	Drill Core	2.82	433	0.006	<0.01	<0.17	49.08	1.29	20.56	7.48	68.0	278	13.1	8.6	497	2.51	17.8	1.8	1.1	12.0	61.7
1830914	Drill Core	3.81	441	0.210	0.21	0.18	44.96	0.80	17.30	3.70	46.3	486	9.1	6.4	421	1.93	123.4	1.6	228.7	7.8	40.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 2 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000206.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830885	Drill Core	0.27	0.30	0.06	19	0.69	0.057	26.1	17.9	0.92	303.5	0.043	2	1.23	0.027	0.51	0.2	6.4	0.22	0.02	<5
1830886	Drill Core	0.53	0.24	0.49	12	0.21	0.042	26.9	12.8	0.73	276.0	0.025	2	0.99	0.029	0.40	0.6	2.8	0.16	<0.02	<5
1830887	Drill Core	0.54	0.30	0.20	13	0.43	0.047	28.1	12.7	0.80	299.2	0.038	2	1.08	0.026	0.50	0.4	3.3	0.22	<0.02	<5
1830888	Drill Core	0.37	0.32	0.08	20	0.53	0.058	23.7	19.9	1.07	324.1	0.055	1	1.35	0.027	0.61	0.5	4.6	0.32	<0.02	<5
1830889	Drill Core	0.33	0.26	0.17	22	0.37	0.061	22.6	25.0	1.29	259.4	0.059	2	1.49	0.028	0.56	0.3	4.2	0.31	<0.02	<5
1830890	Drill Core	0.44	0.33	0.13	15	0.48	0.058	24.0	16.7	1.08	329.1	0.064	2	1.32	0.014	0.71	0.4	3.6	0.40	<0.02	<5
1830891	Drill Core	0.37	0.42	0.19	16	0.38	0.062	21.6	18.0	1.29	263.4	0.036	2	1.48	0.020	0.56	0.2	3.5	0.30	<0.02	<5
1830892	Drill Core	0.43	0.44	0.09	15	0.99	0.058	22.0	15.5	0.89	266.4	0.052	1	1.12	0.015	0.59	0.4	3.9	0.34	<0.02	<5
1830893	Drill Core	0.26	0.25	0.24	13	1.69	0.057	23.4	15.0	0.70	277.6	0.018	1	1.06	0.016	0.35	<0.1	4.3	0.14	<0.02	<5
1830894	Drill Core	0.33	0.42	0.12	19	1.92	0.058	21.6	18.3	0.96	223.2	0.013	1	1.23	0.015	0.34	<0.1	5.6	0.14	<0.02	6
1830895	Drill Core	0.24	0.88	0.04	18	0.74	0.056	27.0	18.3	0.81	239.6	0.029	1	1.09	0.026	0.44	0.2	6.5	0.34	<0.02	<5
1830896	Drill Core	0.25	0.48	0.03	23	1.13	0.062	25.0	20.6	0.97	211.6	0.049	1	1.15	0.028	0.52	0.2	7.1	0.38	<0.02	<5
1830897	Drill Core	0.24	0.22	0.03	24	0.85	0.062	22.8	23.7	1.05	352.9	0.026	<1	1.17	0.033	0.39	<0.1	6.9	0.23	<0.02	<5
1830898	Drill Core	0.22	0.17	0.03	21	1.01	0.062	20.2	19.4	1.03	563.3	0.028	<1	1.07	0.029	0.42	<0.1	7.2	0.22	<0.02	<5
1830899	Drill Core	0.21	0.20	<0.02	26	0.99	0.062	24.6	25.4	1.10	444.9	0.032	1	1.22	0.031	0.45	<0.1	7.4	0.28	<0.02	<5
1830900	Rock Pulp	0.20	4.81	0.58	119	0.97	0.060	8.5	19.4	0.86	133.3	0.141	3	1.84	0.192	0.24	4.6	4.2	0.08	<0.02	198
1830901	Drill Core	0.23	0.34	<0.02	22	0.82	0.064	20.7	21.4	0.98	320.9	0.051	<1	1.09	0.027	0.53	<0.1	7.8	0.39	<0.02	<5
1830902	Drill Core	0.35	0.22	<0.02	21	1.18	0.060	21.8	21.5	1.09	456.8	0.039	<1	1.18	0.035	0.50	<0.1	6.4	0.27	<0.02	<5
1830903	Drill Core	0.24	0.19	<0.02	24	1.22	0.065	23.0	24.9	1.08	409.7	0.027	<1	1.17	0.031	0.40	<0.1	7.2	0.22	<0.02	<5
1830904	Drill Core	0.21	0.35	<0.02	19	0.86	0.059	25.2	17.4	0.93	284.4	0.047	<1	1.14	0.028	0.53	<0.1	6.1	0.26	<0.02	<5
1830905	Drill Core	0.31	0.43	0.14	11	1.00	0.067	22.5	11.9	0.67	208.0	0.030	1	0.90	0.021	0.44	0.2	4.2	0.18	<0.02	<5
1830906	Drill Core	0.39	0.87	0.08	12	0.95	0.061	23.3	12.8	0.69	229.2	0.033	<1	0.95	0.022	0.53	0.2	4.7	0.20	<0.02	<5
1830907	Drill Core	0.26	0.71	0.06	14	1.30	0.068	26.8	14.9	0.76	242.9	0.045	1	1.00	0.018	0.59	<0.1	6.0	0.24	<0.02	6
1830908	Drill Core	0.35	0.59	0.03	19	1.29	0.074	29.1	18.8	1.01	267.6	0.050	1	1.25	0.029	0.65	0.1	7.4	0.25	<0.02	<5
1830909	Drill Core	0.34	0.47	0.10	14	1.06	0.056	22.0	14.7	0.72	233.5	0.039	<1	0.94	0.021	0.53	0.1	5.5	0.20	<0.02	<5
1830910	Drill Core	0.30	0.76	0.10	17	0.97	0.058	28.6	17.1	0.93	242.2	0.040	1	1.17	0.033	0.60	0.2	6.7	0.22	<0.02	<5
1830911	Drill Core	0.29	0.43	0.09	17	1.23	0.053	20.7	17.7	0.95	191.2	0.044	<1	1.09	0.032	0.53	0.1	6.5	0.20	<0.02	<5
1830912	Drill Core	0.43	0.61	0.05	10	1.35	0.062	25.5	8.6	0.78	258.7	0.021	1	1.01	0.017	0.56	0.2	4.2	0.18	<0.02	7
1830913	Drill Core	0.26	0.70	<0.02	17	0.99	0.061	24.6	17.7	0.99	270.8	0.059	2	1.23	0.018	0.70	0.1	5.8	0.30	<0.02	<5
1830914	Drill Core	0.21	0.85	<0.02	11	0.66	0.054	18.6	10.2	0.63	235.4	0.027	1	0.91	0.015	0.52	0.2	3.7	0.21	<0.02	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 2 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000206.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1830885	Drill Core	0.3	<0.02	4.0	1.57	0.1	0.23	<0.02	23.9	0.5	<0.05	7.4	6.09	50.4	0.02	<1	0.5	8.8	<10	<2			
1830886	Drill Core	0.1	0.03	3.5	1.00	<0.1	0.44	<0.02	17.9	0.3	<0.05	12.0	4.99	52.4	<0.02	<1	0.3	7.9	<10	<2			
1830887	Drill Core	0.2	<0.02	3.9	1.90	<0.1	0.35	<0.02	23.6	0.4	<0.05	12.2	4.69	52.8	<0.02	<1	0.5	8.9	<10	<2			
1830888	Drill Core	0.2	<0.02	4.7	2.48	0.1	0.32	<0.02	33.5	0.3	<0.05	11.7	4.12	48.4	<0.02	<1	0.3	10.3	12	<2			
1830889	Drill Core	0.1	<0.02	5.1	1.91	0.1	0.43	<0.02	32.3	0.4	<0.05	13.1	4.19	44.8	0.03	<1	0.2	12.5	<10	<2			
1830890	Drill Core	0.1	<0.02	4.0	2.40	<0.1	0.42	<0.02	42.4	0.4	<0.05	15.0	4.04	48.2	<0.02	<1	0.5	9.8	<10	<2			
1830891	Drill Core	0.2	<0.02	4.6	2.38	<0.1	0.40	<0.02	28.2	0.4	<0.05	13.9	4.02	42.9	<0.02	1	0.4	12.0	<10	<2			
1830892	Drill Core	<0.1	<0.02	3.6	2.64	0.1	0.30	<0.02	33.3	0.2	<0.05	10.1	4.43	44.0	<0.02	<1	0.4	7.8	<10	<2			
1830893	Drill Core	0.4	<0.02	3.2	0.60	0.1	0.07	<0.02	14.0	0.3	<0.05	2.5	4.58	44.2	<0.02	<1	0.2	6.7	<10	<2			
1830894	Drill Core	0.1	<0.02	4.4	1.09	<0.1	0.14	<0.02	14.2	0.3	<0.05	4.4	5.75	42.9	0.02	<1	0.3	9.6	<10	<2			
1830895	Drill Core	0.1	<0.02	4.1	4.13	0.2	0.23	<0.02	25.3	0.4	<0.05	7.5	5.01	50.8	0.03	<1	0.3	8.0	<10	<2			
1830896	Drill Core	<0.1	<0.02	4.3	6.70	0.2	0.23	<0.02	40.0	0.5	<0.05	7.6	5.03	47.2	0.04	<1	0.5	8.7	<10	<2			
1830897	Drill Core	<0.1	<0.02	4.5	3.21	0.1	0.24	<0.02	19.8	0.3	<0.05	8.8	5.22	44.5	0.02	<1	0.4	8.3	<10	<2			
1830898	Drill Core	<0.1	<0.02	4.0	4.75	0.2	0.24	<0.02	21.2	0.4	<0.05	8.3	4.91	40.0	0.03	<1	0.4	6.8	<10	<2			
1830899	Drill Core	<0.1	<0.02	5.6	4.82	0.1	0.26	<0.02	27.0	0.4	<0.05	8.5	5.72	48.7	0.03	<1	0.4	9.5	<10	<2			
1830900	Rock Pulp	0.1	0.17	5.5	0.72	0.3	0.11	0.09	8.4	1.8	<0.05	2.1	5.71	17.1	0.05	<1	0.2	7.6	<10	2			
1830901	Drill Core	<0.1	<0.02	4.3	7.97	<0.1	0.27	<0.02	37.7	0.4	<0.05	9.3	4.25	39.7	0.03	<1	0.4	8.1	<10	<2			
1830902	Drill Core	<0.1	<0.02	4.4	5.41	<0.1	0.29	<0.02	28.2	0.3	<0.05	9.4	4.28	41.8	0.03	<1	0.4	9.0	<10	<2			
1830903	Drill Core	0.2	<0.02	4.7	4.45	0.1	0.24	<0.02	21.7	0.3	<0.05	8.6	4.95	43.7	0.03	<1	0.3	9.0	<10	<2			
1830904	Drill Core	<0.1	<0.02	4.3	4.38	0.1	0.29	<0.02	31.9	0.4	<0.05	9.1	5.19	48.9	0.03	<1	0.4	8.1	<10	<2			
1830905	Drill Core	0.1	<0.02	2.5	1.59	<0.1	0.14	<0.02	20.0	0.3	<0.05	4.4	5.67	44.8	0.02	<1	0.3	6.9	<10	<2			
1830906	Drill Core	<0.1	0.02	3.0	1.62	0.1	0.17	<0.02	22.4	0.5	<0.05	5.8	6.03	48.6	0.02	<1	0.3	7.2	<10	<2			
1830907	Drill Core	0.3	<0.02	3.0	2.50	<0.1	0.07	<0.02	27.0	0.4	<0.05	2.5	6.61	50.6	0.03	<1	0.3	7.7	<10	<2			
1830908	Drill Core	0.1	<0.02	3.8	2.60	0.2	0.12	<0.02	31.3	0.5	<0.05	5.0	7.44	55.2	0.02	<1	0.4	9.5	<10	<2			
1830909	Drill Core	<0.1	<0.02	2.9	1.91	0.1	0.13	<0.02	24.6	0.4	<0.05	3.8	5.55	44.2	0.03	<1	0.2	6.4	<10	<2			
1830910	Drill Core	0.2	<0.02	3.5	2.06	0.1	0.12	<0.02	27.7	0.5	<0.05	4.3	7.03	53.4	<0.02	<1	0.4	8.5	<10	<2			
1830911	Drill Core	0.1	0.02	3.2	2.31	0.2	0.10	<0.02	25.2	0.5	<0.05	4.2	5.95	39.9	0.03	<1	0.2	8.0	<10	<2			
1830912	Drill Core	0.1	<0.02	2.6	1.42	<0.1	0.05	<0.02	22.6	0.5	<0.05	1.9	6.00	48.3	<0.02	<1	0.4	7.5	<10	<2			
1830913	Drill Core	<0.1	<0.02	3.8	3.43	0.2	0.19	<0.02	35.9	0.6	<0.05	5.5	5.86	49.0	<0.02	<1	0.4	11.3	<10	<2			
1830914	Drill Core	<0.1	<0.02	2.5	1.98	<0.1	0.21	<0.02	23.6	0.3	<0.05	5.5	3.77	35.3	<0.02	<1	0.3	7.3	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000206.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1830915	Drill Core	3.47	391	2.338	3.11	8.67	47.87	0.78	14.52	7.10	36.7	1174	11.5	8.7	395	2.25	224.9	3.2	2163.0	12.6	45.8
1830916	Drill Core	5.35	464	0.043	0.04	<0.17	29.57	0.70	21.45	9.57	57.7	339	12.7	8.0	483	2.34	158.2	2.1	35.0	11.5	54.3
1830917	Drill Core	4.55	464	0.078	0.07	<0.17	29.54	0.90	24.85	16.97	53.2	384	12.0	8.0	393	2.30	289.5	1.9	72.7	10.9	56.0
1830918	Drill Core	5.42	457	0.015	0.01	<0.17	37.60	0.50	15.43	15.37	73.0	242	13.1	7.2	336	2.57	142.9	1.3	9.9	10.5	66.6
1830919	Drill Core	4.25	430	0.039	0.03	<0.17	48.87	0.29	7.70	16.11	66.8	187	10.5	6.6	425	2.51	53.6	1.2	4.4	11.5	74.2
1830920	Rock Pulp	0.12	86	0.507				2.37	424.04	19.00	47.3	278	597.9	26.7	424	2.61	19.2	0.6	466.7	2.0	56.8
1830921	Drill Core	2.27	467	0.012	0.01	<0.17	48.14	0.55	13.03	48.47	49.1	481	10.1	5.5	310	2.05	37.3	1.2	9.1	10.2	45.0
1830922	Drill Core	5.59	496	0.006	<0.01	<0.17	31.83	0.90	17.11	10.28	55.7	154	11.4	8.1	362	2.30	22.6	1.4	2.2	12.9	67.0
1830923	Drill Core	5.32	435	0.006	<0.01	<0.17	27.07	1.40	18.22	11.63	64.8	174	14.8	10.0	398	2.53	13.4	2.7	1.3	9.6	66.4
1830924	Drill Core	4.84	446	0.005	<0.01	<0.17	36.59	0.89	15.56	18.31	51.6	199	12.8	7.6	334	2.21	6.0	2.7	0.3	9.2	55.6
1830925	Drill Core	5.43	446	0.017	0.01	<0.17	48.03	0.59	14.90	20.40	60.9	229	13.2	8.2	410	2.44	59.8	2.0	2.6	10.9	77.1
1830926	Drill Core	4.95	468	0.008	<0.01	<0.17	45.62	0.54	14.49	7.56	58.4	194	11.8	7.9	794	2.22	32.3	1.6	1.4	10.9	123.7
1830927	Drill Core	4.35	386	0.007	<0.01	<0.17	44.21	0.37	16.53	11.47	75.2	161	11.4	7.3	352	2.30	24.5	1.0	<0.2	9.9	48.3
1830928	Drill Core	3.68	486	0.012	0.01	<0.17	38.53	1.14	33.10	2.66	66.9	237	15.7	11.4	348	2.50	156.9	2.7	6.0	12.5	60.0
1830929	Drill Core	5.64	498	0.006	<0.01	<0.17	43.85	0.88	23.26	9.33	53.4	175	12.7	8.3	336	2.12	10.4	1.9	<0.2	9.0	45.3
1830930	Drill Core	4.29	448	0.007	<0.01	<0.17	24.94	0.67	17.78	15.32	43.0	197	11.8	7.2	270	1.96	18.7	1.8	1.9	9.0	49.3
1830931	Drill Core	5.16	535	0.006	<0.01	<0.17	44.63	0.75	17.75	6.87	55.3	83	11.9	7.0	280	1.96	6.6	1.5	0.7	7.5	48.2
1830932	Drill Core	3.61	549	0.007	<0.01	<0.17	51.11	0.43	16.09	16.36	63.3	194	12.0	7.4	461	2.33	34.8	1.0	0.8	9.7	89.0
1830933	Drill Core	5.58	508	0.007	<0.01	<0.17	39.01	0.70	17.81	11.31	63.7	150	13.5	8.0	385	2.35	15.8	1.5	0.5	7.8	62.3
1830934	Drill Core	3.97	373	0.006	<0.01	<0.17	26.95	0.95	18.62	12.70	71.5	168	14.9	8.6	553	2.68	15.4	1.5	1.3	8.9	90.4
1830935	Drill Core	5.61	376	0.011	<0.01	<0.17	30.64	0.62	20.17	15.85	69.3	321	14.0	8.4	517	2.72	28.5	1.2	5.4	9.8	68.5
1830936	Drill Core	5.52	355	0.009	<0.01	<0.17	33.51	0.69	24.97	11.43	71.6	362	14.3	8.0	383	2.76	35.2	1.3	4.7	10.9	43.3
1830937	Drill Core	4.23	384	0.013	0.01	<0.17	31.21	0.81	23.49	13.09	62.5	517	12.4	8.1	454	2.45	21.6	1.8	6.1	10.5	63.6
1830938	Drill Core	5.49	499	1.460	1.48	1.86	23.71	1.07	17.66	15.46	68.8	1074	14.9	8.4	456	2.36	19.1	1.6	1444.3	9.1	52.1
1830939	Drill Core	3.63	398	0.057	0.06	<0.17	27.59	0.82	13.58	36.89	56.3	402	14.0	7.6	474	2.13	16.1	1.3	78.0	8.0	70.6
1830940	Rock Pulp	0.12	81	0.007				2.16	92.82	3.53	35.8	126	4.8	8.7	369	2.70	0.7	0.8	1.1	2.8	69.1
1830941	Drill Core	3.05	427	0.007	<0.01	<0.17	24.18	0.57	15.51	22.94	63.4	199	14.5	7.4	541	2.41	1.3	1.2	1.3	11.5	87.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000206.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830915	Drill Core	0.28	0.78	0.10	8	0.50	0.061	22.6	8.1	0.62	269.0	0.017	<1	0.78	0.012	0.47	0.3	3.2	0.16	<0.02	<5
1830916	Drill Core	0.28	0.81	0.06	14	1.25	0.073	25.4	15.2	0.82	249.3	0.048	<1	1.10	0.023	0.64	0.2	4.9	0.27	<0.02	<5
1830917	Drill Core	0.29	0.99	0.07	14	1.11	0.065	24.5	14.8	0.77	200.2	0.029	<1	1.01	0.017	0.48	0.3	4.7	0.23	<0.02	<5
1830918	Drill Core	0.31	0.75	0.08	20	1.22	0.067	21.6	20.2	1.17	169.6	0.025	<1	1.37	0.016	0.46	0.2	5.4	0.20	<0.02	<5
1830919	Drill Core	0.19	0.38	0.09	20	1.25	0.065	27.0	21.4	1.09	183.3	0.026	<1	1.37	0.033	0.39	0.2	5.1	0.15	<0.02	<5
1830920	Rock Pulp	0.18	0.34	0.28	53	1.34	0.029	4.2	99.2	1.74	71.9	0.075	1	1.99	0.198	0.15	1.3	2.6	0.09	0.20	19
1830921	Drill Core	0.24	0.44	0.59	14	0.80	0.060	23.3	14.2	0.77	196.9	0.018	<1	1.04	0.012	0.36	0.1	4.3	0.14	<0.02	<5
1830922	Drill Core	0.26	0.78	0.05	17	1.42	0.064	33.1	15.8	0.79	241.5	0.029	<1	1.18	0.028	0.41	<0.1	6.6	0.16	<0.02	<5
1830923	Drill Core	0.30	0.69	0.06	23	1.26	0.073	23.2	20.1	0.81	270.0	0.082	<1	1.19	0.022	0.33	0.1	7.6	0.13	<0.02	<5
1830924	Drill Core	0.26	0.39	0.08	16	1.02	0.066	21.1	16.0	0.60	336.6	0.102	<1	0.92	0.031	0.35	0.1	6.7	0.12	<0.02	<5
1830925	Drill Core	0.24	0.86	0.06	17	1.20	0.068	30.0	17.5	0.76	322.0	0.024	<1	1.20	0.025	0.33	<0.1	6.9	0.10	<0.02	8
1830926	Drill Core	0.24	0.39	<0.02	13	2.30	0.069	33.1	14.4	0.75	262.9	0.002	<1	1.17	0.019	0.30	<0.1	5.8	0.10	<0.02	<5
1830927	Drill Core	0.23	0.29	<0.02	18	1.00	0.061	28.4	19.4	0.83	273.3	0.003	<1	1.20	0.033	0.33	<0.1	5.4	0.10	<0.02	<5
1830928	Drill Core	0.30	1.90	<0.02	18	0.83	0.082	36.4	15.6	0.71	333.4	0.016	<1	1.18	0.016	0.38	<0.1	8.2	0.12	<0.02	<5
1830929	Drill Core	0.23	0.38	0.03	14	0.67	0.068	21.0	15.2	0.50	402.7	0.105	<1	0.77	0.034	0.33	0.1	6.1	0.13	<0.02	<5
1830930	Drill Core	0.25	0.45	0.08	14	0.74	0.066	19.9	12.7	0.60	334.9	0.106	<1	0.85	0.027	0.35	0.2	6.4	0.12	<0.02	<5
1830931	Drill Core	0.18	0.46	<0.02	15	0.85	0.074	14.9	14.0	0.61	344.9	0.082	1	0.89	0.022	0.36	0.1	6.0	0.16	<0.02	<5
1830932	Drill Core	0.24	0.49	0.08	17	1.37	0.062	23.8	16.5	0.89	225.8	0.035	<1	1.10	0.018	0.35	<0.1	6.6	0.15	<0.02	<5
1830933	Drill Core	0.21	0.47	0.05	18	0.98	0.073	18.3	19.0	0.71	365.6	0.105	<1	1.15	0.031	0.37	0.2	6.0	0.11	<0.02	<5
1830934	Drill Core	0.23	0.60	0.14	25	1.64	0.072	22.6	24.9	0.91	244.8	0.097	<1	1.40	0.036	0.28	0.1	6.8	0.08	<0.02	<5
1830935	Drill Core	0.35	0.33	0.10	22	1.55	0.075	25.5	24.1	0.89	211.3	0.016	<1	1.27	0.020	0.27	<0.1	5.6	0.08	<0.02	<5
1830936	Drill Core	0.26	0.37	0.06	21	0.95	0.076	28.1	22.9	0.82	282.2	0.006	<1	1.37	0.022	0.37	0.2	5.0	0.10	<0.02	<5
1830937	Drill Core	0.33	0.42	0.06	12	1.15	0.066	24.3	13.3	0.70	232.7	0.023	<1	1.10	0.020	0.40	<0.1	5.1	0.16	<0.02	<5
1830938	Drill Core	0.38	0.49	<0.02	10	1.30	0.062	22.3	11.0	0.70	242.6	0.009	<1	1.04	0.010	0.37	0.2	4.3	0.12	<0.02	<5
1830939	Drill Core	0.39	0.41	0.03	12	1.62	0.061	19.9	12.0	0.76	165.2	0.012	1	0.99	0.010	0.31	<0.1	3.8	0.12	<0.02	<5
1830940	Rock Pulp	0.07	0.12	0.02	98	0.87	0.062	6.9	9.8	0.74	120.1	0.109	3	1.52	0.161	0.22	3.2	2.4	0.04	<0.02	<5
1830941	Drill Core	0.27	0.22	<0.02	17	1.47	0.063	26.0	16.7	0.95	178.0	0.035	2	1.17	0.029	0.41	<0.1	5.9	0.18	<0.02	<5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000206.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1830915	Drill Core	0.2	0.07	2.0	1.54	<0.1	0.06	<0.02	20.4	0.4	<0.05	2.4	5.85	44.3	<0.02	<1	0.4	5.9	<10
1830916	Drill Core	<0.1	<0.02	3.0	3.08	<0.1	0.06	<0.02	34.8	0.3	<0.05	1.7	7.39	49.1	0.02	<1	0.3	6.5	<10
1830917	Drill Core	<0.1	<0.02	3.4	2.24	<0.1	0.07	<0.02	25.2	0.2	<0.05	3.2	6.70	47.6	0.04	<1	0.3	6.5	<10
1830918	Drill Core	<0.1	0.02	4.8	2.78	<0.1	0.26	<0.02	24.4	0.4	<0.05	8.9	6.45	43.1	0.03	<1	0.4	11.9	<10
1830919	Drill Core	<0.1	<0.02	4.9	1.21	<0.1	0.18	<0.02	17.3	0.2	<0.05	7.4	7.61	52.5	0.03	<1	0.2	10.6	<10
1830920	Rock Pulp	0.5	0.15	4.1	0.60	<0.1	0.06	<0.02	5.8	0.2	<0.05	1.4	3.37	8.7	<0.02	3	<0.1	7.6	255
1830921	Drill Core	<0.1	0.03	3.7	1.42	<0.1	0.06	<0.02	17.0	<0.1	<0.05	2.2	7.48	45.6	0.02	<1	0.4	9.4	<10
1830922	Drill Core	0.1	<0.02	4.9	1.05	<0.1	0.04	<0.02	18.0	0.4	<0.05	1.4	11.15	64.4	0.03	<1	0.4	8.3	<10
1830923	Drill Core	0.1	<0.02	4.5	1.01	<0.1	0.04	0.05	12.2	0.5	<0.05	1.5	13.14	46.0	0.03	<1	0.4	9.1	<10
1830924	Drill Core	0.2	0.02	3.1	1.35	<0.1	0.05	0.15	11.7	0.4	<0.05	1.6	11.37	40.6	0.03	1	0.5	7.8	<10
1830925	Drill Core	<0.1	<0.02	3.6	0.97	<0.1	0.09	<0.02	11.6	0.3	<0.05	3.0	12.74	58.8	0.04	<1	0.4	11.2	<10
1830926	Drill Core	<0.1	<0.02	3.5	1.46	<0.1	0.09	<0.02	12.0	0.2	<0.05	4.3	15.69	64.1	0.03	<1	0.4	12.6	<10
1830927	Drill Core	<0.1	<0.02	3.9	1.19	<0.1	0.09	<0.02	11.3	0.3	<0.05	4.0	8.64	55.5	0.02	<1	0.4	13.3	<10
1830928	Drill Core	0.3	<0.02	3.8	1.03	<0.1	0.07	<0.02	14.0	0.4	<0.05	2.5	15.99	69.1	0.03	<1	0.3	14.3	<10
1830929	Drill Core	<0.1	<0.02	2.5	2.15	<0.1	0.08	0.21	12.7	0.6	<0.05	2.3	11.80	42.5	0.03	<1	0.2	7.1	<10
1830930	Drill Core	<0.1	<0.02	2.8	1.15	<0.1	0.06	0.14	12.9	0.5	<0.05	1.9	11.89	39.7	0.02	<1	0.4	7.9	<10
1830931	Drill Core	<0.1	<0.02	3.0	1.25	<0.1	0.03	0.13	15.3	0.5	<0.05	1.3	8.86	30.4	0.03	<1	0.4	7.1	<10
1830932	Drill Core	<0.1	<0.02	3.8	1.92	<0.1	0.09	<0.02	18.3	0.2	<0.05	3.6	10.24	47.7	0.03	1	0.3	9.0	<10
1830933	Drill Core	<0.1	<0.02	4.1	1.36	<0.1	0.03	0.15	13.9	0.4	<0.05	2.5	10.59	34.7	0.03	<1	0.3	8.7	<10
1830934	Drill Core	<0.1	0.02	6.0	0.44	<0.1	0.03	0.08	11.0	0.6	<0.05	1.1	14.75	44.8	0.04	<1	0.2	12.1	<10
1830935	Drill Core	<0.1	0.02	5.4	0.96	<0.1	0.03	<0.02	11.2	0.3	<0.05	1.1	10.79	50.2	0.02	<1	0.3	10.6	<10
1830936	Drill Core	0.1	<0.02	5.3	0.94	<0.1	0.02	<0.02	14.8	<0.1	<0.05	2.3	11.26	56.6	0.03	<1	0.3	12.8	<10
1830937	Drill Core	0.2	<0.02	2.8	1.39	<0.1	0.12	<0.02	20.6	0.1	<0.05	4.0	8.42	46.2	0.02	1	0.5	9.3	<10
1830938	Drill Core	<0.1	0.05	3.0	1.26	<0.1	0.24	<0.02	18.9	<0.1	<0.05	8.9	8.27	43.9	<0.02	<1	0.3	10.9	<10
1830939	Drill Core	<0.1	0.05	3.0	1.36	<0.1	0.20	<0.02	15.1	<0.1	<0.05	7.4	7.10	38.1	<0.02	<1	0.5	9.3	12
1830940	Rock Pulp	<0.1	<0.02	4.4	0.29	0.1	0.07	0.03	6.7	<0.1	<0.05	1.4	4.41	14.5	<0.02	<1	0.1	6.7	<10
1830941	Drill Core	<0.1	<0.02	4.5	1.63	<0.1	0.27	<0.02	21.0	0.2	<0.05	9.2	6.32	52.1	0.02	<1	0.3	10.2	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000206.1

Method		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1830911	Drill Core	4.89	400	0.007	<0.01	<0.17	48.18	0.96	14.56	19.83	60.8	228	10.6	6.9	478	2.34	34.6	1.4	1.3	9.4	68.0
REP 1830911	QC	0.007																			
1830912	Drill Core	2.68	507	0.085	0.08	<0.17	46.19	2.60	30.46	10.81	52.9	693	10.1	7.2	428	1.98	28.0	1.8	70.1	10.9	91.8
REP 1830912	QC	2.54 31.89 11.14 52.1 678 9.9 7.4 438 2.05 29.9 1.9 114.4 11.0 95.1																			
1830939	Drill Core	3.63	398	0.057	0.06	<0.17	27.59	0.82	13.58	36.89	56.3	402	14.0	7.6	474	2.13	16.1	1.3	78.0	8.0	70.6
REP 1830939	QC	0.84 13.97 38.15 58.6 413 15.2 7.9 486 2.12 17.2 1.4 52.3 8.3 72.1																			
Core Reject Duplicates																					
1830890	Drill Core	3.90	520	<0.005	<0.01	<0.17	52.67	0.72	19.91	18.46	63.7	292	12.8	8.5	438	2.37	9.6	1.0	3.5	10.8	37.6
DUP 1830890	QC	449 0.009 <0.01 <0.17 35.61 0.73 19.79 16.57 67.9 294 12.2 8.0 436 2.35 9.1 0.9 7.1 9.9 35.7																			
1830924	Drill Core	4.84	446	0.005	<0.01	<0.17	36.59	0.89	15.56	18.31	51.6	199	12.8	7.6	334	2.21	6.0	2.7	0.3	9.2	55.6
DUP 1830924	QC	<0.01	402	0.007	<0.01	<0.17	33.86	0.89	16.52	19.01	52.8	189	12.9	8.1	329	2.26	6.1	2.9	0.6	9.3	56.4
Reference Materials																					
STD BVGEO01	Standard	10.75 4509.60 191.14 1743.0 2543 163.6 24.6 743 3.78 115.4 3.9 215.6 15.4 57.3																			
STD DS11	Standard	14.43 150.66 135.53 325.9 1675 79.2 13.4 991 3.13 42.5 2.6 66.8 8.3 66.6																			
STD OREAS262	Standard	0.68 120.05 60.41 160.7 487 61.5 28.1 589 3.46 38.2 1.3 52.8 10.6 37.5																			
STD OREAS262	Standard	0.61 119.86 56.25 149.6 453 65.7 27.5 547 3.42 36.1 1.2 55.0 9.9 36.8																			
STD OXC145	Standard	0.208																			
STD OXC145	Standard	0.215																			
STD OXH139	Standard	1.368																			
STD OXH139	Standard	1.295																			
STD OXN134	Standard	7.475																			
STD OXN134	Standard	7.576																			
STD OXQ90	Standard	25.26 30.60																			
STD OXQ90	Standard	25.35 29.70																			
STD OXQ90	Standard	25.49 29.86																			
STD OXQ90	Standard	24.97 30.00																			
STD BVGEO01 Expected		11.2 4415 187 1741 2530 163 25 733 3.7 121 3.77 219 14.4 55																			
STD DS11 Expected		14.6 149 138 345 1710 77.7 14.2 1055 3.1 42.8 2.59 79 7.65 67.3																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000206.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1830911	Drill Core	0.29	0.43	0.09	17	1.23	0.053	20.7	17.7	0.95	191.2	0.044	<1	1.09	0.032	0.53	0.1	6.5	0.20	<0.02	<5
REP 1830911	QC																				
1830912	Drill Core	0.43	0.61	0.05	10	1.35	0.062	25.5	8.6	0.78	258.7	0.021	1	1.01	0.017	0.56	0.2	4.2	0.18	<0.02	7
REP 1830912	QC	0.43	0.56	0.05	10	1.39	0.062	25.9	9.2	0.81	280.2	0.023	1	1.07	0.019	0.58	0.2	4.4	0.18	<0.02	<5
1830939	Drill Core	0.39	0.41	0.03	12	1.62	0.061	19.9	12.0	0.76	165.2	0.012	1	0.99	0.010	0.31	<0.1	3.8	0.12	<0.02	<5
REP 1830939	QC	0.39	0.44	0.04	12	1.60	0.060	19.6	12.7	0.75	167.1	0.012	2	0.97	0.009	0.31	<0.1	4.0	0.12	<0.02	<5
Core Reject Duplicates																					
1830890	Drill Core	0.44	0.33	0.13	15	0.48	0.058	24.0	16.7	1.08	329.1	0.064	2	1.32	0.014	0.71	0.4	3.6	0.40	<0.02	<5
DUP 1830890	QC	0.35	0.35	0.12	14	0.47	0.060	20.4	15.6	1.06	276.9	0.060	3	1.22	0.013	0.69	0.4	3.1	0.40	<0.02	<5
1830924	Drill Core	0.26	0.39	0.08	16	1.02	0.066	21.1	16.0	0.60	336.6	0.102	<1	0.92	0.031	0.35	0.1	6.7	0.12	<0.02	<5
DUP 1830924	QC	0.26	0.38	0.10	17	1.03	0.070	21.6	17.0	0.62	361.6	0.110	<1	0.98	0.036	0.36	0.1	6.9	0.13	<0.02	<5
Reference Materials																					
STD BVGEO01	Standard	6.55	2.90	24.21	78	1.37	0.074	25.8	203.5	1.30	252.7	0.249	4	2.35	0.200	0.93	4.8	6.5	0.62	0.67	99
STD DS11	Standard	2.33	8.51	11.75	50	1.07	0.075	18.7	59.0	0.84	357.3	0.101	6	1.20	0.071	0.40	3.1	3.4	4.76	0.28	265
STD OREAS262	Standard	0.63	3.74	1.07	24	3.24	0.041	17.9	44.5	1.22	278.2	0.003	5	1.44	0.070	0.33	0.2	3.7	0.49	0.26	196
STD OREAS262	Standard	0.63	3.89	1.06	23	3.21	0.042	18.0	43.8	1.21	251.3	0.004	6	1.41	0.070	0.33	0.2	3.5	0.46	0.27	148
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 10, 2019

Page:

1 of 2

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000206.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1830911	Drill Core	0.1	0.02	3.2	2.31	0.2	0.10	<0.02	25.2	0.5	<0.05	4.2	5.95	39.9	0.03	<1	0.2	8.0	<10	<2
REP 1830911	QC																			
1830912	Drill Core	0.1	<0.02	2.6	1.42	<0.1	0.05	<0.02	22.6	0.5	<0.05	1.9	6.00	48.3	<0.02	<1	0.4	7.5	<10	<2
REP 1830912	QC	<0.1	<0.02	2.9	1.42	0.2	0.05	<0.02	24.4	0.6	<0.05	1.7	6.35	52.4	<0.02	<1	0.3	7.7	<10	<2
1830939	Drill Core	<0.1	0.05	3.0	1.36	<0.1	0.20	<0.02	15.1	<0.1	<0.05	7.4	7.10	38.1	<0.02	<1	0.5	9.3	12	<2
REP 1830939	QC	<0.1	0.06	3.2	1.48	<0.1	0.22	<0.02	15.5	<0.1	<0.05	8.3	7.47	38.5	<0.02	1	0.4	9.6	<10	<2
Core Reject Duplicates																				
1830890	Drill Core	0.1	<0.02	4.0	2.40	<0.1	0.42	<0.02	42.4	0.4	<0.05	15.0	4.04	48.2	<0.02	<1	0.5	9.8	<10	<2
DUP 1830890	QC	0.1	0.02	3.7	2.57	0.1	0.43	<0.02	40.7	0.3	<0.05	14.5	3.56	39.6	<0.02	<1	0.4	9.8	<10	<2
1830924	Drill Core	0.2	0.02	3.1	1.35	<0.1	0.05	0.15	11.7	0.4	<0.05	1.6	11.37	40.6	0.03	1	0.5	7.8	<10	<2
DUP 1830924	QC	<0.1	<0.02	3.2	1.29	<0.1	0.05	0.15	11.9	0.5	<0.05	1.6	11.84	42.5	0.03	<1	0.4	7.8	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.8	0.97	7.4	7.31	0.3	0.35	0.26	94.4	5.4	<0.05	7.9	14.19	54.1	0.44	5	0.7	24.7	129	179
STD DS11	Standard	2.1	4.66	4.8	2.89	<0.1	0.09	1.47	33.0	1.6	<0.05	3.9	8.24	38.3	0.23	49	0.7	22.5	94	164
STD OREAS262	Standard	0.5	0.23	4.6	2.63	<0.1	0.28	<0.02	20.0	0.6	<0.05	8.6	11.40	36.6	0.04	2	1.1	15.6	<10	<2
STD OREAS262	Standard	0.3	0.24	4.0	2.57	<0.1	0.22	<0.02	19.0	0.6	<0.05	8.6	11.37	36.2	0.03	1	0.9	17.0	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000206.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.01	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	0.1	<0.5
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		392	<0.005	<0.01	<0.17	33.93	0.99	2.83	1.53	33.7	10	0.9	3.7	491	1.88	1.1	0.5	1.1	2.5	21.5
ROCK-WHI	Prep Blank		391	<0.005	<0.01	<0.17	47.20	1.22	4.96	1.35	33.9	9	1.2	4.5	491	2.07	1.6	0.5	1.9	2.8	23.9



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000206.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.05	0.03	<0.02	24	0.75	0.039	6.3	2.3	0.43	69.9	0.084	4	0.88	0.093	0.09	0.1	3.3	<0.02	<0.02	7
ROCK-WHI	Prep Blank	0.02	0.02	<0.02	29	0.66	0.042	6.6	2.9	0.47	67.8	0.087	4	1.02	0.106	0.10	<0.1	3.6	<0.02	<0.02	6



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000206.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
STD OXQ90 Expected																			
BLK	Blank	<0.1	<0.02	0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.3	0.13	<0.1	0.15	0.16	2.1	0.3	<0.05	2.9	8.28	13.0	<0.02	<1	0.1	1.8	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.15	<0.1	0.13	0.13	2.2	0.3	<0.05	3.1	8.79	13.5	<0.02	<1	0.2	2.0	<10