



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 16, 2019
Report Date: August 10, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000209.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-30
P.O. Number
Number of Samples: 120

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	115	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	120	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	120	Analysis sample split/packet			WHI
Split -150	120	Analysis sample split/packet			WHI
EN002	120	Environmental disposal charge-Fire assay lead waste			VAN
FS631	117	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	120	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	120	Per sample shipping charges for branch shipments			WHI

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Peter Tallman
Ian Perry
Graeme Joyce
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000209.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022458	Drill Core	2.95	482	<0.005	<0.01	<0.17	39.22	1.25	17.07	12.21	55.7	1071	11.8	6.1	551	2.28	25.8	1.1	1.0	8.2	136.8
2022459	Drill Core	3.00	441	<0.005	<0.01	<0.17	45.13	1.07	19.29	9.88	68.9	452	14.0	8.3	477	2.73	16.5	1.1	1.2	10.8	38.0
2022460	Core DUP		466	0.005	<0.01	<0.17	26.18	0.97	18.42	10.43	68.6	504	13.5	8.2	457	2.65	15.6	1.0	1.2	10.3	37.7
2022461	Drill Core	8.06	547	0.005	<0.01	<0.17	41.64	1.01	19.38	15.38	71.1	269	12.8	7.9	513	2.75	22.9	1.2	<0.2	10.6	44.0
2022462	Drill Core	5.35	474	0.005	<0.01	<0.17	46.05	1.25	13.13	22.55	81.9	238	13.5	9.1	750	2.90	8.1	1.3	3.2	10.7	31.5
2022463	Drill Core	4.51	422	0.006	<0.01	<0.17	33.52	1.15	6.96	22.34	81.2	250	13.6	9.5	628	2.81	10.5	1.5	1.6	10.8	25.4
2022464	Drill Core	4.27	447	0.006	<0.01	<0.17	28.07	1.43	8.92	17.80	72.8	213	12.1	7.8	486	2.66	5.7	1.5	2.2	11.8	18.2
2022465	Drill Core	5.70	529	<0.005	<0.01	<0.17	38.25	0.87	14.92	16.04	60.4	177	11.7	7.7	437	2.42	17.4	1.1	<0.2	10.8	44.9
2022466	Drill Core	3.46	459	<0.005	<0.01	<0.17	29.05	0.45	8.68	26.86	64.6	164	12.1	7.5	596	2.51	6.9	0.6	<0.2	9.8	73.3
2022467	Drill Core	4.77	456	<0.005	<0.01	<0.17	24.17	0.45	10.98	18.87	67.2	140	12.5	6.7	625	2.60	6.6	0.6	<0.2	10.1	85.4
2022468	Drill Core	4.69	462	0.005	<0.01	<0.17	37.34	0.64	13.52	17.50	67.8	197	10.7	7.4	744	2.44	7.7	0.9	<0.2	10.9	120.7
2022469	Drill Core	5.08	462	<0.005	<0.01	<0.17	39.20	0.36	17.52	11.14	67.1	164	12.3	7.7	575	2.52	8.2	0.8	<0.2	11.3	82.7
2022470	Drill Core	2.64	453	<0.005	<0.01	<0.17	31.22	0.46	13.85	12.48	67.3	147	12.7	7.5	593	2.45	9.3	0.7	<0.2	11.7	77.8
2022471	Drill Core	5.11	465	<0.005	<0.01	<0.17	34.05	0.51	13.25	19.60	61.9	165	10.1	6.1	561	2.31	9.1	0.9	0.3	11.1	80.9
2022472	Drill Core	5.28	469	<0.005	0.02	0.37	24.65	0.57	15.03	15.00	66.7	192	13.7	7.9	562	2.73	9.8	0.8	<0.2	11.4	82.3
2022473	Drill Core	4.86	444	0.005	<0.01	<0.17	20.51	0.96	12.72	15.47	65.8	206	13.0	7.3	621	2.66	9.1	0.8	1.1	10.7	108.6
2022474	Drill Core	5.21	480	<0.005	<0.01	<0.17	33.86	1.07	18.36	23.55	68.5	220	13.3	7.6	569	2.58	12.9	0.7	0.8	11.1	88.9
2022475	Drill Core	5.51	483	<0.005	<0.01	<0.17	49.32	0.90	16.40	12.31	60.0	166	13.1	7.6	513	2.48	15.6	2.1	<0.2	9.7	72.5
2022476	Drill Core	4.53	420	<0.005	<0.01	<0.17	37.33	1.25	11.65	5.31	69.8	132	13.2	7.6	566	2.61	7.7	2.0	<0.2	14.2	99.6
2022477	Drill Core	3.34	425	<0.005	<0.01	<0.17	41.96	0.83	11.75	6.54	72.3	178	15.2	8.9	585	2.76	8.1	2.0	<0.2	12.2	99.8
2022478	Drill Core	2.80	507	0.942	0.96	1.20	37.55	0.95	25.71	6.34	45.3	816	12.6	7.1	490	2.09	5.9	1.9	907.2	8.2	65.8
2022479	Drill Core	2.54	452	4.617	10.53	70.41	40.65	0.85	19.27	6.72	46.4	3769	11.4	7.4	523	2.13	10.3	2.2	15083.1	8.9	84.7
2022480	Rock	0.22	168	0.005	<0.01	<0.17	28.29	0.40	1.09	1.26	2.3	6	1.2	0.3	77	0.64	0.4	0.2	<0.2	1.2	2.3
2022481	Drill Core	2.72	484	0.214	0.77	7.05	39.59	1.42	25.92	2.63	42.4	556	13.1	8.1	515	2.17	12.8	2.0	334.8	10.6	67.9
2022482	Drill Core	2.81	515	1.391	2.53	13.97	46.66	0.73	23.41	3.70	36.3	1294	14.6	9.0	470	2.26	7.4	2.2	2072.4	9.7	47.0
2022483	Drill Core	5.37	463	0.020	0.02	<0.17	37.02	0.38	6.90	4.80	63.8	109	14.2	7.4	592	2.47	8.7	1.2	19.5	10.3	113.5
2022484	Drill Core	4.84	387	0.007	<0.01	<0.17	48.52	0.62	12.44	12.77	65.8	153	13.7	7.6	597	2.65	7.7	1.4	2.0	10.0	106.5
2022485	Drill Core	3.60	469	<0.005	<0.01	<0.17	22.87	0.67	13.98	17.12	70.1	208	13.5	7.0	525	2.63	10.3	1.7	<0.2	9.4	81.7
2022486	Drill Core	3.18	455	0.006	<0.01	<0.17	41.24	0.63	20.00	22.73	70.0	220	13.5	7.9	671	2.64	11.6	1.3	1.3	9.5	111.2
2022487	Drill Core	4.59	459	0.005	<0.01	<0.17	27.23	0.73	17.61	13.78	70.5	170	13.5	7.2	568	2.56	10.0	0.9	<0.2	10.6	91.7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000209.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022458	Drill Core	0.47	0.55	0.14	15	1.76	0.060	10.1	13.6	0.75	398.6	0.037	<1	0.92	0.015	0.55	3.4	6.4	0.31	0.06	<5
2022459	Drill Core	0.22	0.77	0.09	22	0.74	0.071	12.8	18.3	1.09	380.0	0.067	<1	1.28	0.021	0.83	0.8	8.4	0.55	0.10	9
2022460	Core DUP	0.29	0.75	0.10	22	0.72	0.072	13.4	18.0	1.10	375.4	0.068	2	1.28	0.018	0.81	0.9	9.2	0.51	0.09	<5
2022461	Drill Core	0.33	0.60	0.15	26	0.80	0.066	20.0	23.0	1.05	291.4	0.018	2	1.29	0.022	0.46	0.1	8.4	0.24	0.03	<5
2022462	Drill Core	0.37	0.30	0.12	36	0.86	0.072	21.0	35.9	1.26	191.0	0.003	2	1.43	0.032	0.20	<0.1	7.6	0.13	0.03	<5
2022463	Drill Core	0.39	0.36	0.12	26	0.37	0.066	21.1	25.1	1.00	233.1	0.004	1	1.29	0.030	0.29	<0.1	6.6	0.14	0.04	8
2022464	Drill Core	0.30	0.26	0.09	28	0.30	0.062	28.5	28.4	1.09	162.6	0.003	<1	1.35	0.027	0.20	<0.1	5.3	0.10	<0.02	<5
2022465	Drill Core	0.33	0.53	0.06	19	0.66	0.062	28.2	17.5	0.86	323.6	0.012	1	1.11	0.028	0.42	<0.1	6.1	0.20	0.08	<5
2022466	Drill Core	0.24	0.17	0.11	21	0.94	0.063	24.6	21.0	0.98	421.6	0.009	2	0.94	0.026	0.39	<0.1	7.1	0.17	<0.02	<5
2022467	Drill Core	0.32	0.14	0.10	22	1.02	0.070	27.9	21.5	0.95	486.1	0.003	1	0.96	0.031	0.37	<0.1	7.4	0.15	<0.02	<5
2022468	Drill Core	0.29	0.16	0.12	18	1.61	0.062	27.9	16.3	0.86	394.7	0.003	2	0.87	0.027	0.34	<0.1	6.7	0.15	0.02	<5
2022469	Drill Core	0.29	0.13	0.02	18	1.11	0.064	28.9	16.9	0.92	477.7	0.004	<1	0.95	0.031	0.41	<0.1	7.0	0.18	<0.02	6
2022470	Drill Core	0.25	0.20	0.03	16	0.89	0.067	31.8	14.8	0.89	533.6	0.006	<1	0.88	0.023	0.45	<0.1	7.5	0.25	<0.02	<5
2022471	Drill Core	0.25	0.23	0.10	16	1.00	0.058	30.3	14.9	0.83	504.7	0.008	1	0.81	0.030	0.41	<0.1	7.1	0.18	0.03	9
2022472	Drill Core	0.21	0.33	0.07	22	1.05	0.075	28.5	21.8	1.01	471.2	0.015	<1	1.10	0.026	0.48	<0.1	8.9	0.26	0.04	<5
2022473	Drill Core	0.25	0.22	0.06	25	1.46	0.077	27.7	29.2	1.04	369.5	0.006	<1	1.22	0.032	0.32	<0.1	6.8	0.17	<0.02	7
2022474	Drill Core	0.28	0.20	0.07	19	1.36	0.082	27.0	18.7	0.96	462.2	0.021	<1	1.13	0.021	0.50	<0.1	7.6	0.21	0.02	7
2022475	Drill Core	0.33	0.25	0.05	19	1.22	0.068	18.6	15.9	0.98	360.2	0.055	2	1.19	0.023	0.70	<0.1	8.0	0.32	0.09	<5
2022476	Drill Core	0.30	0.31	<0.02	23	1.61	0.112	37.0	21.9	1.03	272.0	0.037	2	1.43	0.021	0.59	0.1	6.9	0.26	<0.02	8
2022477	Drill Core	0.34	0.38	<0.02	20	1.27	0.104	27.6	21.4	1.03	231.2	0.043	<1	1.35	0.021	0.60	<0.1	6.3	0.26	<0.02	<5
2022478	Drill Core	0.32	0.39	0.03	11	1.03	0.058	19.5	11.2	0.64	237.7	0.033	1	0.89	0.016	0.51	0.2	3.8	0.19	0.07	8
2022479	Drill Core	0.24	0.44	<0.02	9	1.35	0.063	20.0	9.8	0.62	289.3	0.025	2	0.96	0.016	0.59	0.2	3.6	0.21	0.09	12
2022480	Rock	0.02	0.05	<0.02	1	0.02	0.002	2.2	3.3	0.02	12.1	0.002	<1	0.07	0.004	0.02	<0.1	0.4	<0.02	<0.02	<5
2022481	Drill Core	0.32	0.56	<0.02	10	1.40	0.070	25.3	11.7	0.68	317.6	0.033	1	1.02	0.013	0.65	0.2	4.3	0.21	0.11	6
2022482	Drill Core	0.30	0.46	<0.02	9	0.69	0.069	21.5	9.6	0.52	280.0	0.015	<1	0.76	0.015	0.46	0.2	4.1	0.15	0.05	15
2022483	Drill Core	0.29	0.24	<0.02	20	1.43	0.064	20.9	19.3	1.01	349.0	0.074	<1	1.24	0.023	0.75	<0.1	7.3	0.32	<0.02	<5
2022484	Drill Core	0.29	0.23	0.06	19	1.28	0.070	19.3	18.9	0.91	455.0	0.058	1	1.10	0.030	0.55	<0.1	8.0	0.27	<0.02	<5
2022485	Drill Core	0.30	0.28	0.10	21	1.25	0.064	22.1	19.3	0.89	350.6	0.036	<1	1.16	0.033	0.44	<0.1	8.5	0.22	<0.02	7
2022486	Drill Core	0.43	0.15	0.13	20	1.68	0.064	21.6	19.4	0.97	432.0	0.023	<1	1.15	0.029	0.35	<0.1	8.0	0.15	<0.02	<5
2022487	Drill Core	0.31	0.17	0.08	20	1.00	0.065	24.0	21.3	0.99	628.6	0.045	<1	1.11	0.031	0.57	<0.1	7.7	0.30	<0.02	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000209.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022458	Drill Core	0.5	<0.02	3.1	2.01	<0.1	0.38	0.03	31.9	0.7	<0.05	13.0	5.21	20.8	0.02	1	0.1	8.3	<10	<2			
2022459	Drill Core	0.1	<0.02	5.0	3.80	<0.1	0.43	<0.02	56.3	0.7	<0.05	16.6	5.82	25.3	0.04	<1	0.3	10.2	<10	<2			
2022460	Core DUP	0.3	0.03	4.4	3.76	<0.1	0.47	0.02	54.6	0.7	<0.05	16.5	5.88	26.1	0.03	1	0.3	10.3	<10	<2			
2022461	Drill Core	0.3	<0.02	5.3	2.02	<0.1	0.35	<0.02	24.3	0.4	<0.05	15.0	6.56	39.7	0.04	<1	0.2	12.2	<10	<2			
2022462	Drill Core	0.1	0.02	7.8	0.82	<0.1	0.19	<0.02	7.7	0.3	<0.05	10.5	9.00	40.6	0.03	<1	0.5	15.1	<10	<2			
2022463	Drill Core	<0.1	0.03	5.9	2.52	<0.1	0.29	<0.02	12.8	0.3	<0.05	14.0	7.46	41.7	0.03	<1	0.6	14.0	<10	3			
2022464	Drill Core	0.3	<0.02	7.2	1.52	<0.1	0.33	<0.02	9.3	0.4	<0.05	12.0	9.35	55.0	0.04	<1	0.5	20.3	14	<2			
2022465	Drill Core	0.4	<0.02	4.2	2.31	<0.1	0.37	<0.02	19.4	0.3	<0.05	14.4	9.58	54.4	0.02	1	0.5	10.3	<10	<2			
2022466	Drill Core	<0.1	<0.02	3.9	7.09	<0.1	0.30	<0.02	20.8	0.3	<0.05	10.6	7.24	47.8	0.03	<1	0.5	5.9	<10	<2			
2022467	Drill Core	<0.1	<0.02	4.4	8.16	<0.1	0.27	<0.02	18.9	0.3	<0.05	10.2	7.71	53.2	0.04	<1	0.1	6.7	<10	<2			
2022468	Drill Core	0.2	0.03	3.6	7.25	<0.1	0.22	<0.02	18.7	0.2	<0.05	10.4	8.91	53.5	0.03	1	0.4	6.9	<10	<2			
2022469	Drill Core	<0.1	<0.02	3.8	9.18	<0.1	0.24	<0.02	24.5	0.3	<0.05	10.5	9.05	55.9	0.03	<1	0.4	8.1	<10	<2			
2022470	Drill Core	0.3	<0.02	3.3	10.63	<0.1	0.28	<0.02	29.0	0.3	<0.05	12.5	9.16	60.7	0.04	<1	0.5	6.3	<10	<2			
2022471	Drill Core	0.2	<0.02	3.3	9.75	<0.1	0.21	<0.02	28.0	0.3	<0.05	8.8	9.45	57.1	0.05	<1	<0.1	5.7	12	<2			
2022472	Drill Core	0.1	<0.02	4.5	9.67	<0.1	0.17	0.02	36.2	0.2	<0.05	6.5	9.09	56.4	0.02	<1	0.2	7.2	<10	<2			
2022473	Drill Core	0.4	<0.02	5.5	3.77	<0.1	0.14	<0.02	16.9	0.2	<0.05	6.1	10.00	54.8	0.02	<1	0.6	9.4	<10	<2			
2022474	Drill Core	0.1	<0.02	4.4	5.57	<0.1	0.14	<0.02	28.6	0.5	<0.05	6.4	6.99	51.8	0.03	<1	0.4	7.8	<10	<2			
2022475	Drill Core	0.3	<0.02	3.8	6.24	0.1	0.15	0.05	38.1	0.3	<0.05	4.9	5.85	36.4	0.02	1	0.5	8.0	<10	<2			
2022476	Drill Core	<0.1	<0.02	5.6	3.52	<0.1	0.10	<0.02	29.9	0.3	<0.05	3.9	9.99	73.9	0.03	<1	0.6	11.7	<10	<2			
2022477	Drill Core	0.5	<0.02	4.3	3.30	<0.1	0.15	<0.02	34.1	0.3	<0.05	6.1	7.67	54.4	0.03	2	0.2	10.2	<10	<2			
2022478	Drill Core	0.2	0.02	2.8	1.89	<0.1	0.09	<0.02	23.2	0.2	<0.05	3.5	5.23	39.9	<0.02	<1	0.4	6.4	<10	<2			
2022479	Drill Core	0.2	<0.02	2.3	1.78	<0.1	0.04	0.03	24.1	0.3	<0.05	1.9	5.24	39.7	<0.02	<1	0.4	6.5	<10	<2			
2022480	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.10	<0.02	0.9	<0.1	<0.05	2.4	1.01	4.5	<0.02	<1	<0.1	1.2	<10	<2			
2022481	Drill Core	0.7	<0.02	2.6	2.27	<0.1	0.04	0.03	27.7	0.3	<0.05	2.2	6.27	48.8	<0.02	<1	<0.1	6.4	<10	<2			
2022482	Drill Core	0.4	0.16	2.3	1.49	<0.1	0.08	<0.02	18.4	0.2	<0.05	2.9	5.39	41.3	<0.02	<1	0.3	5.6	<10	<2			
2022483	Drill Core	0.3	<0.02	3.7	3.23	<0.1	0.22	<0.02	39.0	0.3	<0.05	8.0	5.11	41.8	0.04	<1	0.3	8.0	<10	<2			
2022484	Drill Core	0.2	<0.02	3.4	4.94	<0.1	0.24	<0.02	29.8	0.4	<0.05	9.1	4.49	37.1	0.04	<1	0.5	6.7	<10	<2			
2022485	Drill Core	0.1	<0.02	3.9	3.99	<0.1	0.27	<0.02	25.5	0.3	<0.05	8.7	4.71	43.5	0.04	4	0.4	5.4	<10	<2			
2022486	Drill Core	0.4	0.04	4.1	3.21	<0.1	0.21	<0.02	16.3	0.3	<0.05	8.0	5.85	40.7	0.03	<1	0.3	4.8	<10	<2			
2022487	Drill Core	0.1	0.04	4.2	5.21	<0.1	0.27	<0.02	31.9	0.4	<0.05	9.4	5.89	47.4	0.04	<1	0.2	6.3	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000209.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022488	Drill Core	5.04	436	<0.005	<0.01	<0.17	26.70	0.84	22.14	8.30	62.9	159	14.6	8.3	533	2.51	14.3	1.3	<0.2	10.8	62.3
2022489	Drill Core	4.67	434	<0.005	<0.01	<0.17	34.60	1.27	16.93	11.76	62.8	183	13.3	7.8	543	2.54	14.3	1.6	<0.2	10.5	91.3
2022490	Drill Core	5.16	422	<0.005	<0.01	<0.17	33.50	0.92	15.15	17.29	63.9	243	13.2	7.4	507	2.44	12.2	1.9	<0.2	10.6	97.0
2022491	Drill Core	3.07	400	0.015	0.08	0.88	29.56	0.96	16.69	12.55	54.9	272	12.0	7.2	478	2.33	9.9	1.9	6.3	9.9	103.0
2022492	Drill Core	4.81	411	0.156	0.20	0.60	36.66	1.12	14.19	8.54	46.7	255	11.7	7.3	575	2.37	9.7	2.2	91.5	8.9	131.7
2022493	Drill Core	4.60	434	<0.005	<0.01	<0.17	36.67	0.89	18.20	11.11	62.1	219	12.9	8.6	460	2.57	13.1	3.0	2.3	10.1	66.4
2022494	Drill Core	4.95	396	0.202	0.36	1.79	39.74	0.90	17.69	10.35	58.2	231	11.9	7.8	541	2.48	10.1	1.2	76.7	10.1	64.6
2022495	Drill Core	5.45	484	0.021	0.02	<0.17	25.84	0.65	15.52	13.77	60.7	162	13.1	7.9	509	2.53	15.7	0.9	15.1	10.7	60.3
2022496	Drill Core	5.10	441	0.010	<0.01	<0.17	47.72	0.34	11.86	9.20	56.2	121	12.4	7.6	538	2.48	9.5	0.8	10.1	11.2	64.0
2022497	Drill Core	5.85	528	<0.005	<0.01	<0.17	44.30	1.80	19.34	14.95	63.1	159	13.7	9.0	514	2.40	8.5	1.6	1.7	10.8	80.8
2022498	Drill Core	4.65	403	<0.005	<0.01	<0.17	50.19	1.08	16.43	4.11	74.8	124	15.3	9.2	544	2.84	9.7	1.6	0.7	11.9	71.2
2022499	Drill Core	5.15	468	<0.005	<0.01	<0.17	27.72	0.75	21.75	11.41	79.6	170	16.8	10.7	469	3.09	16.7	1.7	<0.2	14.8	39.9
2022500	Rock Pulp	0.12	87	6.832				9.59	182.16	19.91	74.9	901	13.5	10.9	578	4.75	13.7	0.9	7659.3	2.9	76.2
2022501	Drill Core	2.43	440	<0.005	<0.01	<0.17	22.18	0.78	4.72	16.35	42.5	153	8.1	5.2	470	1.70	10.0	1.2	<0.2	6.0	165.1
2022502	Drill Core	5.25	426	<0.005	<0.01	<0.17	28.01	1.16	29.09	15.57	66.5	360	15.8	9.4	394	2.62	18.6	3.5	1.9	12.5	38.6
2022503	Drill Core	2.68	494	0.006	<0.01	<0.17	25.69	0.80	18.91	12.23	56.2	275	12.2	7.8	513	2.41	9.3	3.2	1.9	10.5	96.1
2022504	Drill Core	2.59	466	0.132	0.13	<0.17	34.57	0.85	19.68	8.04	52.9	327	13.6	8.3	472	2.37	11.4	3.3	108.5	10.0	81.9
2022505	Drill Core	2.77	539	0.084	0.08	<0.17	32.54	0.85	15.98	10.38	51.6	288	12.3	7.6	579	2.27	8.4	2.7	66.6	9.5	115.0
2022506	Drill Core	4.83	445	0.005	<0.01	<0.17	32.54	0.95	18.63	13.16	55.0	258	13.2	8.4	525	2.36	10.5	2.7	5.1	10.3	94.2
2022507	Drill Core	5.19	433	<0.005	<0.01	<0.17	40.07	0.88	18.62	9.67	53.4	191	13.9	8.2	490	2.41	9.4	2.3	5.1	10.6	71.5
2022508	Drill Core	4.89	404	<0.005	<0.01	<0.17	33.28	0.69	12.40	18.76	61.5	148	11.9	8.0	497	2.44	7.7	2.3	3.4	10.8	81.0
2022509	Drill Core	4.88	463	<0.005	<0.01	<0.17	46.00	0.86	10.92	12.59	63.3	114	12.0	7.3	619	2.46	8.5	1.3	2.7	10.3	99.9
2022510	Drill Core	5.35	421	<0.005	<0.01	<0.17	31.11	1.51	19.91	18.67	61.4	225	11.9	7.7	557	2.48	9.6	2.0	4.5	10.4	103.9
2022511	Drill Core	2.45	473	0.032	0.03	<0.17	39.88	1.47	7.07	24.79	83.2	231	11.2	9.0	431	2.32	10.3	5.2	28.3	10.9	48.2
2022512	Drill Core	2.82	392	0.326	0.40	0.98	47.12	0.77	8.12	31.16	80.1	439	6.5	5.1	145	1.98	8.7	6.5	278.6	10.1	24.9
2022513	Drill Core	2.92	461	0.329	0.53	2.60	40.79	0.68	10.86	7.79	42.3	396	6.9	6.3	603	1.80	28.0	3.4	352.1	9.9	57.1
2022514	Drill Core	2.52	497	0.348	0.36	0.44	52.23	0.53	27.74	13.08	37.2	1065	7.1	6.6	751	1.89	40.5	2.9	334.9	11.0	115.2
2022515	Drill Core	2.15	429	0.194	0.19	0.18	38.13	0.49	27.52	8.56	35.1	1095	6.8	6.0	610	1.77	20.1	2.4	164.0	9.6	102.5
2022516	Drill Core	4.19	417	0.125	0.12	<0.17	45.39	0.43	19.84	8.57	41.2	707	9.9	8.4	575	2.21	15.9	3.1	130.1	10.7	81.8
2022517	Drill Core	2.51	446	0.019	0.02	<0.17	32.69	0.31	3.84	4.61	57.8	106	7.6	6.1	625	2.16	11.2	3.2	23.4	10.9	147.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000209.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022488	Drill Core	0.26	0.21	0.02	17	1.13	0.087	20.8	17.1	0.81	413.5	0.021	<1	1.07	0.018	0.42	<0.1	6.6	0.19	<0.02	<5			
2022489	Drill Core	0.30	0.25	0.07	18	1.51	0.069	17.2	18.4	0.82	409.2	0.021	<1	1.13	0.021	0.45	<0.1	6.8	0.17	0.06	<5			
2022490	Drill Core	0.26	0.28	0.14	17	1.60	0.071	16.4	16.2	0.87	323.0	0.033	<1	1.16	0.016	0.49	<0.1	6.9	0.21	0.05	8			
2022491	Drill Core	0.33	0.35	0.09	16	1.52	0.064	20.1	16.0	0.78	222.3	0.042	1	1.05	0.021	0.50	0.2	5.1	0.19	0.03	5			
2022492	Drill Core	0.29	0.25	0.07	15	1.92	0.065	17.7	15.3	0.81	291.4	0.016	1	1.10	0.019	0.40	0.2	4.6	0.12	0.13	16			
2022493	Drill Core	0.29	0.47	0.05	17	1.18	0.065	16.1	15.2	0.86	231.4	0.031	<1	1.17	0.021	0.45	<0.1	5.4	0.19	0.10	9			
2022494	Drill Core	0.29	0.25	0.06	15	1.19	0.065	17.2	14.7	0.76	444.9	0.012	1	1.07	0.025	0.37	0.1	5.5	0.13	0.06	<5			
2022495	Drill Core	0.17	0.21	0.06	22	0.94	0.063	21.8	19.5	0.98	492.0	0.013	<1	1.12	0.027	0.36	<0.1	7.4	0.13	<0.02	11			
2022496	Drill Core	0.16	0.23	0.03	22	0.95	0.064	26.1	21.0	1.01	629.6	0.012	<1	1.13	0.030	0.38	<0.1	7.7	0.13	<0.02	5			
2022497	Drill Core	0.32	0.40	0.09	18	1.43	0.070	28.8	16.2	0.80	475.1	0.026	<1	1.06	0.017	0.39	<0.1	6.5	0.19	<0.02	<5			
2022498	Drill Core	0.38	0.19	<0.02	29	1.28	0.067	32.3	26.4	1.14	348.7	0.007	<1	1.47	0.027	0.33	<0.1	8.1	0.13	<0.02	6			
2022499	Drill Core	0.22	0.31	0.04	25	0.64	0.074	32.7	21.3	1.30	242.3	0.005	<1	1.69	0.019	0.34	<0.1	7.2	0.12	<0.02	5			
2022500	Rock Pulp	0.20	5.00	0.58	114	0.95	0.063	8.0	17.1	0.86	129.3	0.116	3	1.84	0.192	0.23	4.4	3.5	0.08	<0.02	198			
2022501	Drill Core	0.19	0.28	0.05	11	1.51	0.041	15.5	10.5	0.53	146.5	0.002	<1	0.79	0.010	0.21	0.2	2.3	0.09	<0.02	<5			
2022502	Drill Core	0.45	0.43	0.03	19	0.76	0.077	31.8	17.4	0.86	268.9	0.019	2	1.35	0.015	0.45	0.2	5.9	0.16	<0.02	5			
2022503	Drill Core	0.33	0.40	0.06	16	1.58	0.066	24.5	15.4	0.85	236.1	0.038	<1	1.21	0.021	0.50	0.2	5.7	0.20	0.06	<5			
2022504	Drill Core	0.34	0.46	0.03	11	1.42	0.069	22.6	11.4	0.81	250.7	0.022	1	1.10	0.007	0.54	<0.1	4.1	0.21	0.03	14			
2022505	Drill Core	0.31	0.30	0.07	12	2.07	0.062	22.8	11.9	0.88	261.6	0.011	1	1.15	0.007	0.47	0.1	4.0	0.16	<0.02	12			
2022506	Drill Core	0.28	0.33	0.12	15	1.72	0.071	21.9	14.9	0.85	249.6	0.017	<1	1.19	0.009	0.43	0.1	4.8	0.15	0.04	9			
2022507	Drill Core	0.27	0.33	0.05	19	1.72	0.073	25.1	17.5	0.79	248.4	0.015	<1	1.24	0.016	0.41	0.1	5.7	0.14	<0.02	10			
2022508	Drill Core	0.20	0.23	0.03	17	1.18	0.063	23.6	16.6	0.88	311.7	0.020	<1	1.21	0.025	0.38	0.1	6.8	0.14	<0.02	7			
2022509	Drill Core	0.28	0.20	<0.02	15	1.24	0.067	20.8	16.0	0.88	483.2	0.023	2	1.06	0.029	0.42	<0.1	7.4	0.16	<0.02	11			
2022510	Drill Core	0.29	0.35	0.03	16	1.39	0.063	22.6	15.0	0.88	310.7	0.045	<1	1.18	0.028	0.56	<0.1	6.7	0.23	<0.02	5			
2022511	Drill Core	0.43	0.42	0.07	12	0.50	0.063	23.2	11.4	0.80	224.5	0.034	1	1.17	0.022	0.50	0.4	4.9	0.22	<0.02	7			
2022512	Drill Core	0.42	1.01	0.08	8	0.13	0.040	25.0	7.7	0.49	262.7	0.004	2	0.88	0.018	0.37	0.1	2.6	0.12	<0.02	19			
2022513	Drill Core	0.56	0.67	0.03	8	0.70	0.046	24.4	7.4	0.68	228.9	0.004	<1	0.92	0.013	0.34	<0.1	2.7	0.15	<0.02	9			
2022514	Drill Core	0.36	0.62	0.08	10	1.61	0.050	27.5	9.0	0.80	257.5	0.005	2	1.08	0.009	0.46	0.1	3.4	0.16	<0.02	7			
2022515	Drill Core	0.34	0.56	0.04	9	1.47	0.048	21.1	8.3	0.68	232.3	0.007	2	0.98	0.008	0.43	<0.1	2.9	0.15	0.05	10			
2022516	Drill Core	0.45	0.55	0.02	9	1.00	0.056	24.2	8.7	0.72	350.4	0.009	2	1.11	0.009	0.55	0.2	3.7	0.16	0.03	8			
2022517	Drill Core	0.31	0.43	0.03	9	1.67	0.065	25.1	9.7	0.74	240.3	0.019	2	1.08	0.023	0.43	0.2	3.9	0.16	<0.02	8			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: August 10, 2019

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000209.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022488	Drill Core	0.2	<0.02	3.6	3.50	<0.1	0.10	<0.02	21.3	0.2	<0.05	3.4	5.98	41.3	0.04	<1	0.3	6.2	<10	<2			
2022489	Drill Core	0.6	<0.02	4.0	2.95	<0.1	0.03	<0.02	22.2	0.2	<0.05	1.6	6.49	33.8	<0.02	<1	0.4	7.7	<10	<2			
2022490	Drill Core	0.2	<0.02	3.7	2.56	<0.1	0.05	<0.02	27.0	0.2	<0.05	1.9	5.50	31.1	0.03	<1	0.4	7.8	<10	<2			
2022491	Drill Core	0.2	<0.02	3.3	2.37	<0.1	0.03	0.04	29.3	0.4	<0.05	1.3	6.07	37.6	0.02	<1	0.2	7.7	<10	<2			
2022492	Drill Core	<0.1	0.03	3.7	0.91	<0.1	0.02	<0.02	16.4	0.3	<0.05	1.4	7.45	35.2	0.03	<1	0.4	8.0	<10	<2			
2022493	Drill Core	0.3	<0.02	3.4	2.26	<0.1	0.06	0.02	22.5	0.3	<0.05	2.6	5.25	32.3	0.02	<1	0.5	8.9	<10	<2			
2022494	Drill Core	<0.1	0.02	3.5	1.77	<0.1	0.13	<0.02	13.6	0.3	<0.05	2.0	5.70	33.9	0.03	2	<0.1	8.3	<10	<2			
2022495	Drill Core	<0.1	<0.02	4.0	3.02	<0.1	0.14	<0.02	16.1	0.3	<0.05	4.7	7.92	43.6	0.03	<1	0.3	8.7	<10	<2			
2022496	Drill Core	<0.1	<0.02	4.7	4.00	<0.1	0.13	0.03	19.7	0.3	<0.05	5.7	10.11	52.2	0.03	<1	0.3	7.7	<10	3			
2022497	Drill Core	<0.1	<0.02	3.8	3.47	<0.1	0.04	0.03	21.3	0.3	<0.05	1.9	10.33	56.1	0.03	<1	0.3	7.4	<10	<2			
2022498	Drill Core	<0.1	<0.02	5.4	2.15	<0.1	0.18	<0.02	15.3	0.4	<0.05	5.0	10.46	62.0	0.04	<1	0.2	12.7	<10	<2			
2022499	Drill Core	<0.1	<0.02	5.7	1.69	<0.1	0.09	<0.02	14.3	0.2	<0.05	3.9	9.86	65.6	0.03	<1	0.5	12.3	<10	<2			
2022500	Rock Pulp	<0.1	0.13	5.3	0.68	<0.1	0.10	0.07	8.2	1.8	<0.05	2.0	5.64	16.4	0.03	1	<0.1	6.9	<10	<2			
2022501	Drill Core	<0.1	0.04	3.2	2.09	<0.1	0.05	<0.02	10.0	0.2	<0.05	2.5	7.76	30.1	<0.02	<1	0.4	7.0	<10	<2			
2022502	Drill Core	<0.1	<0.02	4.5	2.61	<0.1	0.04	<0.02	24.2	0.2	<0.05	1.9	11.46	63.0	0.03	<1	0.4	12.9	<10	<2			
2022503	Drill Core	<0.1	0.02	3.6	1.78	<0.1	0.04	0.03	26.8	0.3	<0.05	2.0	9.14	47.9	0.03	<1	0.5	10.5	<10	<2			
2022504	Drill Core	0.1	0.02	2.7	2.09	<0.1	0.05	<0.02	27.9	0.2	<0.05	2.3	8.31	45.4	<0.02	<1	0.3	9.7	<10	<2			
2022505	Drill Core	<0.1	0.02	3.4	1.29	<0.1	0.06	<0.02	21.9	0.2	<0.05	2.0	8.62	47.3	<0.02	<1	0.3	10.0	<10	<2			
2022506	Drill Core	0.1	<0.02	3.4	0.94	<0.1	0.04	<0.02	19.0	0.2	<0.05	4.0	8.41	42.9	<0.02	3	0.4	10.5	<10	<2			
2022507	Drill Core	0.2	<0.02	4.4	0.78	<0.1	0.05	<0.02	17.0	0.2	<0.05	2.0	8.23	49.5	0.03	<1	0.1	9.1	<10	<2			
2022508	Drill Core	<0.1	0.02	3.8	1.65	<0.1	0.21	<0.02	17.9	0.3	<0.05	7.5	5.78	47.2	0.04	<1	0.4	7.8	<10	<2			
2022509	Drill Core	<0.1	<0.02	3.0	2.82	<0.1	0.19	<0.02	18.5	0.3	<0.05	7.4	5.44	41.3	0.03	1	0.4	6.6	<10	<2			
2022510	Drill Core	0.2	<0.02	3.3	2.43	<0.1	0.17	<0.02	29.6	0.4	<0.05	6.9	6.49	44.8	<0.02	2	0.5	7.4	<10	2			
2022511	Drill Core	<0.1	0.03	3.1	2.22	<0.1	0.20	<0.02	28.0	0.3	<0.05	8.2	7.41	46.6	0.02	<1	0.3	9.5	<10	<2			
2022512	Drill Core	0.3	0.04	2.4	2.68	<0.1	0.15	<0.02	16.1	0.2	<0.05	5.9	4.44	49.2	<0.02	<1	0.5	7.2	<10	<2			
2022513	Drill Core	<0.1	<0.02	2.5	2.01	<0.1	0.15	<0.02	15.1	0.1	<0.05	6.6	6.32	47.9	<0.02	<1	0.2	9.4	<10	<2			
2022514	Drill Core	0.1	0.05	3.1	2.05	<0.1	0.17	<0.02	20.4	0.2	<0.05	7.2	7.10	52.7	<0.02	<1	0.4	10.0	<10	<2			
2022515	Drill Core	0.2	<0.02	2.7	2.67	<0.1	0.13	<0.02	20.0	0.2	<0.05	5.6	6.16	41.6	<0.02	1	0.4	9.4	<10	<2			
2022516	Drill Core	0.2	0.03	2.8	1.72	<0.1	0.12	<0.02	21.9	0.2	<0.05	5.5	7.09	47.5	<0.02	<1	0.4	9.4	<10	<2			
2022517	Drill Core	<0.1	<0.02	2.7	1.70	<0.1	0.17	<0.02	20.6	0.3	<0.05	8.1	5.71	47.2	0.03	1	0.6	9.1	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000209.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022518	Drill Core	4.40	451	0.041	0.04	<0.17	26.04	0.65	20.12	25.67	59.5	319	13.2	8.3	484	2.43	14.9	3.2	27.6	10.5	89.1
2022519	Drill Core	3.48	428	0.127	0.14	0.41	24.51	0.62	16.76	33.07	54.8	404	12.1	7.7	489	2.24	13.4	1.9	118.4	9.7	134.3
2022520	Rock Pulp	0.12	86	0.501				2.32	406.59	19.76	47.7	294	606.1	25.0	419	2.53	18.5	0.6	532.5	1.8	57.0
2022521	Drill Core	3.76	439	0.196	0.22	0.60	26.68	0.69	8.18	27.03	39.9	319	7.7	5.4	487	1.65	7.4	1.4	219.9	6.8	136.4
2022522	Drill Core	5.97	477	0.008	<0.01	<0.17	37.20	1.43	16.18	71.63	39.5	502	8.5	5.6	582	1.71	14.6	1.5	3.4	7.0	143.4
2022523	Drill Core	4.54	428	0.059	0.05	<0.17	32.02	0.79	8.77	13.68	66.0	205	12.2	6.8	582	2.52	13.8	2.0	49.1	10.4	143.5
2022524	Drill Core	3.12	413	0.019	0.02	<0.17	22.41	0.65	18.23	16.83	62.6	427	12.3	7.8	534	2.68	13.8	2.2	15.2	10.5	125.2
2022525	Drill Core	2.21	414	0.104	0.10	<0.17	26.76	0.45	22.67	18.79	59.0	654	9.8	6.6	466	2.19	13.6	1.9	82.9	10.8	85.4
2022526	Drill Core	2.39	496	0.315	0.92	6.35	49.43	1.09	14.72	10.77	30.6	535	9.0	6.8	326	1.94	8.3	2.0	243.8	8.6	32.5
2022527	Drill Core	5.74	380	0.423	1.65	9.89	49.32	0.78	23.60	19.78	54.1	499	12.4	7.7	555	2.29	7.8	2.3	336.2	8.8	100.6
2022528	Drill Core	4.22	421	0.008	<0.01	<0.17	30.40	0.99	26.38	14.68	72.1	279	15.6	9.1	438	2.49	13.8	2.9	1.8	10.3	64.2
2022529	Drill Core	5.01	466	0.015	0.01	<0.17	43.32	0.68	14.20	15.92	70.6	192	14.3	8.4	519	2.60	7.5	2.7	8.5	9.1	97.1
2022530	Drill Core	5.62	506	<0.005	<0.01	<0.17	42.68	0.65	15.39	9.63	61.9	156	12.9	8.1	396	2.36	9.8	2.0	1.6	9.4	58.9
2022531	Drill Core	2.34	450	0.307	0.31	0.30	42.66	1.24	18.06	7.98	66.3	445	12.1	8.4	550	2.31	11.0	3.5	189.0	9.0	101.2
2022532	Drill Core	3.39	445	0.016	0.02	<0.17	30.69	0.60	12.41	15.79	37.8	526	8.2	5.1	370	1.59	8.7	1.4	25.6	6.0	56.9
2022533	Drill Core	3.58	360	0.099	0.09	<0.17	36.62	0.97	21.25	17.85	63.9	372	15.2	9.0	475	2.50	16.9	1.8	71.0	10.5	58.3
2022534	Drill Core	5.15	506	0.012	0.01	<0.17	49.23	0.47	15.21	9.96	66.8	180	14.4	8.5	520	2.52	14.8	1.7	14.7	9.4	81.7
2022535	Drill Core	5.54	457	0.029	0.03	<0.17	41.19	0.57	14.60	9.75	63.9	157	13.9	8.5	492	2.53	7.7	1.9	21.7	9.1	71.5
2022536	Drill Core	4.64	402	0.007	<0.01	<0.17	37.82	0.49	15.67	13.68	57.7	202	12.2	7.7	471	2.49	5.4	2.2	5.8	8.2	77.2
2022537	Drill Core	5.08	464	<0.005	<0.01	<0.17	24.61	0.54	10.85	11.16	68.3	156	14.1	8.6	608	2.79	6.0	1.2	0.8	10.1	110.8
2022538	Drill Core	4.85	445	<0.005	<0.01	<0.17	30.59	0.42	18.87	11.62	66.3	178	15.5	8.3	540	2.43	9.3	0.8	1.0	9.5	82.4
2022539	Drill Core	3.76	462	<0.005	<0.01	<0.17	33.40	0.41	11.53	9.18	60.4	107	14.2	7.7	460	2.35	8.7	0.7	2.1	9.4	55.8
2022540	Rock Pulp	0.12	81	<0.005				2.42	88.91	3.80	36.0	119	4.7	8.3	370	2.60	0.5	0.9	0.8	2.8	75.9
2022541	Drill Core	3.40	461	<0.005	<0.01	<0.17	22.50	0.56	12.29	17.97	58.8	155	13.2	6.9	459	2.29	9.1	0.7	<0.2	9.3	74.0
2022542	Drill Core	5.28	539	0.035	0.04	<0.17	44.52	0.51	21.25	23.66	62.2	252	15.2	8.9	515	2.44	10.6	0.8	19.3	9.6	80.0
2022543	Drill Core	4.78	483	<0.005	<0.01	<0.17	37.99	0.89	21.92	19.83	47.5	179	13.5	7.8	434	2.01	6.5	1.7	<0.2	8.5	93.6
2022544	Drill Core	5.42	472	0.160	0.16	0.21	42.33	0.96	15.25	18.69	57.9	300	12.0	7.7	544	2.43	7.3	0.9	229.3	8.7	90.1
2022545	Drill Core	5.26	498	<0.005	<0.01	<0.17	31.96	0.81	12.37	19.73	45.1	140	11.6	7.1	439	2.02	4.6	2.5	<0.2	8.8	68.9
2022546	Drill Core	5.42	480	<0.005	<0.01	<0.17	33.70	0.90	20.18	14.84	54.4	180	13.1	8.5	459	2.27	8.6	1.6	0.8	10.8	79.7
2022547	Drill Core	5.63	514	<0.005	<0.01	<0.17	33.65	0.66	13.07	10.91	60.1	149	13.3	8.3	518	2.58	13.3	1.0	2.8	9.8	100.0



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

CERTIFICATE OF ANALYSIS

WHI19000209.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022518	Drill Core	0.33	0.53	0.11	15	1.47	0.071	22.0	14.0	0.83	291.2	0.029	1	1.19	0.018	0.55	0.1	4.7	0.19	<0.02	<5			
2022519	Drill Core	0.34	0.48	0.18	14	1.90	0.060	21.4	13.9	0.94	235.8	0.029	1	1.10	0.028	0.50	0.1	5.7	0.16	0.07	11			
2022520	Rock Pulp	0.18	0.36	0.31	51	1.29	0.029	4.0	91.6	1.77	73.2	0.065	2	1.98	0.198	0.14	1.2	3.1	0.10	0.19	25			
2022521	Drill Core	0.31	0.44	0.16	7	1.77	0.057	16.0	7.6	0.61	201.3	0.017	1	0.75	0.022	0.41	0.2	3.1	0.13	<0.02	8			
2022522	Drill Core	0.36	0.62	0.41	9	2.04	0.055	17.2	9.1	0.57	192.7	0.023	<1	0.76	0.013	0.37	0.2	3.6	0.13	<0.02	9			
2022523	Drill Core	0.37	0.53	0.04	17	1.76	0.063	24.1	16.0	1.00	241.0	0.028	2	1.29	0.021	0.51	0.2	7.0	0.18	<0.02	<5			
2022524	Drill Core	0.33	0.39	0.05	19	1.58	0.076	27.8	19.5	1.03	255.5	0.024	1	1.34	0.021	0.43	0.3	6.3	0.13	<0.02	<5			
2022525	Drill Core	0.31	0.45	0.10	12	1.25	0.052	24.6	12.6	0.81	225.0	0.022	<1	1.11	0.029	0.43	0.3	5.1	0.13	<0.02	<5			
2022526	Drill Core	0.26	0.40	0.07	6	0.47	0.044	21.8	7.3	0.51	213.9	0.008	2	0.70	0.014	0.34	0.1	2.6	0.09	<0.02	<5			
2022527	Drill Core	0.29	0.32	0.12	15	1.52	0.060	23.3	14.9	0.78	282.4	0.017	1	1.12	0.020	0.42	0.1	4.6	0.13	<0.02	16			
2022528	Drill Core	0.39	0.56	0.03	18	0.99	0.076	25.3	17.8	0.84	229.1	0.042	2	1.19	0.019	0.57	0.2	6.5	0.23	<0.02	8			
2022529	Drill Core	0.30	0.34	0.04	22	1.10	0.075	25.3	23.3	1.03	249.0	0.006	<1	1.41	0.021	0.36	<0.1	6.1	0.13	<0.02	13			
2022530	Drill Core	0.25	0.37	0.03	19	0.97	0.069	22.1	18.4	0.84	262.8	0.043	2	1.10	0.025	0.55	<0.1	6.4	0.28	<0.02	10			
2022531	Drill Core	0.35	0.81	<0.02	22	1.34	0.048	23.1	20.7	0.89	264.2	0.006	<1	1.26	0.016	0.37	0.1	5.4	0.14	<0.02	18			
2022532	Drill Core	0.19	0.54	0.04	10	1.00	0.054	16.5	10.1	0.56	200.6	0.023	2	0.78	0.017	0.40	0.3	3.1	0.15	<0.02	6			
2022533	Drill Core	0.28	0.92	0.05	18	1.18	0.064	26.7	17.4	0.98	278.6	0.049	2	1.28	0.022	0.72	0.2	6.1	0.23	<0.02	5			
2022534	Drill Core	0.27	0.60	<0.02	21	1.42	0.067	21.9	18.9	1.08	236.5	0.049	1	1.25	0.023	0.70	0.1	7.1	0.25	<0.02	7			
2022535	Drill Core	0.31	0.41	0.05	26	1.16	0.065	22.1	23.4	0.94	255.0	0.044	2	1.19	0.033	0.58	0.1	8.1	0.27	<0.02	8			
2022536	Drill Core	0.28	0.32	0.07	25	1.37	0.060	22.1	28.0	0.87	219.1	0.033	<1	0.98	0.046	0.43	<0.1	7.6	0.24	<0.02	8			
2022537	Drill Core	0.24	0.17	0.07	37	1.71	0.068	28.5	38.7	1.07	371.5	0.008	1	1.24	0.035	0.30	<0.1	7.1	0.14	<0.02	5			
2022538	Drill Core	0.31	0.40	0.03	22	1.28	0.068	27.8	20.6	1.02	499.3	0.019	<1	1.07	0.020	0.57	<0.1	7.4	0.29	<0.02	<5			
2022539	Drill Core	0.17	0.32	0.04	19	0.82	0.070	26.1	16.2	0.95	636.1	0.085	<1	0.94	0.027	0.63	<0.1	7.6	0.36	<0.02	12			
2022540	Rock Pulp	0.05	0.13	0.05	90	0.90	0.057	6.8	9.9	0.74	128.7	0.102	2	1.58	0.180	0.21	3.4	2.8	0.05	<0.02	<5			
2022541	Drill Core	0.23	0.36	0.06	19	1.02	0.074	24.2	16.4	0.90	483.2	0.065	1	0.95	0.023	0.59	<0.1	7.6	0.32	<0.02	<5			
2022542	Drill Core	0.20	0.35	0.11	20	1.28	0.064	24.7	18.3	0.91	458.1	0.083	<1	1.05	0.023	0.56	0.2	7.3	0.25	0.15	9			
2022543	Drill Core	0.27	0.42	0.11	16	1.47	0.068	20.8	14.0	0.61	356.0	0.099	<1	0.81	0.022	0.44	0.1	6.1	0.26	0.23	6			
2022544	Drill Core	0.33	0.40	0.13	18	1.61	0.064	24.6	15.9	0.83	378.1	0.098	<1	1.01	0.022	0.55	0.2	6.1	0.27	0.03	6			
2022545	Drill Core	0.23	0.27	0.15	14	0.86	0.068	21.5	12.6	0.63	478.0	0.096	<1	0.73	0.024	0.48	0.1	5.1	0.23	0.13	<5			
2022546	Drill Core	0.29	0.43	0.07	16	0.95	0.073	26.4	14.9	0.79	438.8	0.090	<1	0.85	0.019	0.43	0.1	6.1	0.24	0.06	10			
2022547	Drill Core	0.24	0.24	0.09	24	1.03	0.067	26.0	21.8	1.00	425.0	0.041	<1	1.08	0.029	0.43	<0.1	7.2	0.19	<0.02	5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: August 10, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000209.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022518	Drill Core	<0.1	<0.02	3.4	1.71	<0.1	0.07	<0.02	25.3	0.3	<0.05	3.0	5.87	44.0	0.03	<1	0.5	7.8	<10	<2			
2022519	Drill Core	0.3	0.04	3.0	1.59	<0.1	0.08	<0.02	22.2	0.3	<0.05	3.1	6.19	41.4	0.03	<1	0.2	7.4	<10	<2			
2022520	Rock Pulp	0.6	0.19	4.0	0.62	<0.1	0.07	<0.02	5.8	0.4	<0.05	1.6	3.08	8.4	<0.02	3	<0.1	7.9	260	129			
2022521	Drill Core	<0.1	0.03	1.9	1.45	<0.1	0.10	<0.02	19.0	0.2	<0.05	3.6	4.93	31.6	<0.02	<1	0.3	4.4	<10	2			
2022522	Drill Core	0.5	0.06	2.2	1.28	<0.1	0.04	<0.02	16.6	0.2	<0.05	1.4	5.60	32.9	0.02	<1	0.2	5.2	<10	<2			
2022523	Drill Core	<0.1	<0.02	3.5	1.29	<0.1	0.10	<0.02	22.0	0.3	<0.05	4.1	6.29	48.6	<0.02	<1	0.2	7.8	<10	<2			
2022524	Drill Core	0.2	<0.02	4.0	0.91	<0.1	0.07	<0.02	17.3	0.3	<0.05	2.7	7.13	52.1	0.02	<1	0.2	9.6	<10	<2			
2022525	Drill Core	0.1	<0.02	3.4	0.93	<0.1	0.19	<0.02	17.3	0.3	<0.05	7.9	5.04	47.9	<0.02	<1	0.3	7.1	<10	<2			
2022526	Drill Core	0.1	0.04	2.1	0.60	<0.1	0.10	0.04	13.2	0.2	<0.05	3.1	4.76	40.2	<0.02	<1	0.4	5.2	<10	<2			
2022527	Drill Core	<0.1	<0.02	3.4	0.89	<0.1	0.06	0.03	16.2	0.3	<0.05	2.4	7.28	44.1	<0.02	<1	0.5	7.9	<10	<2			
2022528	Drill Core	<0.1	<0.02	3.6	2.06	<0.1	0.16	0.02	27.2	0.4	<0.05	6.2	6.43	48.7	0.03	1	0.5	9.2	<10	<2			
2022529	Drill Core	0.2	0.02	4.7	1.24	<0.1	0.15	<0.02	15.4	0.3	<0.05	6.4	10.20	47.9	0.03	<1	0.5	12.6	<10	<2			
2022530	Drill Core	<0.1	<0.02	3.1	2.91	<0.1	0.14	<0.02	29.2	0.3	<0.05	5.8	5.58	42.7	0.03	<1	0.4	7.4	<10	<2			
2022531	Drill Core	0.2	<0.02	3.9	3.50	<0.1	0.12	<0.02	16.9	0.3	<0.05	5.9	6.10	43.1	0.03	<1	0.8	13.2	<10	<2			
2022532	Drill Core	<0.1	<0.02	2.0	1.91	<0.1	0.08	<0.02	17.0	0.2	<0.05	3.8	3.33	31.2	<0.02	<1	0.2	5.8	<10	<2			
2022533	Drill Core	<0.1	0.03	3.1	3.09	<0.1	0.14	<0.02	29.8	0.3	<0.05	5.3	4.83	50.9	0.02	1	0.3	8.7	<10	<2			
2022534	Drill Core	0.3	0.03	3.4	3.99	<0.1	0.12	<0.02	30.7	0.4	<0.05	5.9	4.69	41.2	0.02	<1	0.6	8.4	<10	<2			
2022535	Drill Core	0.1	<0.02	4.2	4.17	<0.1	0.11	<0.02	29.2	0.4	<0.05	5.4	5.96	41.8	0.03	<1	0.4	8.1	<10	<2			
2022536	Drill Core	<0.1	<0.02	3.4	4.03	<0.1	0.09	<0.02	24.3	0.5	<0.05	2.7	7.51	42.9	0.03	<1	0.2	7.4	<10	<2			
2022537	Drill Core	<0.1	<0.02	6.0	2.65	<0.1	0.09	0.03	11.3	0.3	<0.05	3.3	11.67	55.2	0.03	<1	0.4	8.8	<10	<2			
2022538	Drill Core	<0.1	0.02	3.6	8.24	<0.1	0.14	0.03	37.9	0.3	<0.05	6.4	9.36	52.9	0.02	1	0.4	8.2	<10	<2			
2022539	Drill Core	<0.1	0.02	2.8	10.32	<0.1	0.18	0.15	55.2	0.4	<0.05	7.6	9.30	49.2	0.03	<1	0.3	6.0	<10	<2			
2022540	Rock Pulp	<0.1	<0.02	4.5	0.31	<0.1	0.07	0.09	6.5	0.3	<0.05	1.4	4.45	14.3	<0.02	<1	<0.1	7.4	<10	<2			
2022541	Drill Core	0.2	<0.02	3.1	5.91	0.1	0.14	0.12	34.6	0.4	<0.05	6.3	8.64	48.7	<0.02	<1	0.1	6.2	<10	<2			
2022542	Drill Core	0.5	0.04	3.5	5.32	<0.1	0.13	0.13	28.1	0.4	<0.05	3.4	10.02	47.4	<0.02	<1	0.3	5.8	<10	<2			
2022543	Drill Core	1.1	<0.02	2.9	4.51	<0.1	0.05	0.27	27.5	0.5	<0.05	1.5	10.87	39.6	0.02	2	0.3	5.1	<10	<2			
2022544	Drill Core	<0.1	0.05	3.2	4.69	<0.1	0.05	0.15	31.1	0.6	<0.05	1.9	11.28	46.6	0.03	1	0.6	6.1	<10	<2			
2022545	Drill Core	0.3	<0.02	2.6	7.58	<0.1	0.06	0.28	26.3	0.4	<0.05	2.1	10.60	41.4	0.04	2	0.3	3.5	<10	<2			
2022546	Drill Core	0.8	<0.02	2.9	5.90	<0.1	0.13	0.19	20.5	0.5	<0.05	3.7	11.10	50.4	0.04	<1	0.2	6.0	<10	<2			
2022547	Drill Core	<0.1	0.02	3.8	5.69	<0.1	0.10	0.05	21.0	0.4	<0.05	3.3	10.16	50.1	0.04	1	0.5	8.7	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000209.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2022548	Drill Core	5.13	445	<0.005	<0.01	<0.17	37.63	0.68	9.83	21.45	32.7	150	7.9	4.7	351	1.64	6.1	2.2	1.5	6.9	78.0
2022549	Drill Core	4.83	478	<0.005	<0.01	<0.17	40.16	0.90	12.88	13.63	55.0	132	10.9	7.0	502	2.47	6.2	1.9	0.4	9.6	109.0
2022550	Drill Core	6.07	444	<0.005	<0.01	<0.17	37.77	0.84	15.82	20.70	52.2	195	11.1	8.0	457	2.23	2.9	4.0	1.3	9.6	78.4
2022551	Drill Core	4.86	459	<0.005	<0.01	<0.17	33.39	1.86	17.63	9.42	61.4	130	12.9	8.1	454	2.48	7.6	1.5	1.0	11.1	68.0
2022552	Drill Core	5.51	433	<0.005	<0.01	<0.17	40.58	1.41	13.94	13.53	53.7	148	11.4	6.8	406	2.27	15.3	0.9	<0.2	10.0	63.2
2022553	Drill Core	5.04	433	<0.005	<0.01	<0.17	33.07	1.59	16.35	23.59	67.4	263	14.2	8.7	427	2.41	14.7	0.8	<0.2	11.2	64.3
2022554	Drill Core	5.38	499	<0.005	<0.01	<0.17	44.23	1.61	16.00	20.17	53.7	226	10.6	5.6	352	2.28	23.1	0.8	<0.2	10.0	88.1
2022555	Drill Core	5.08	432	0.005	<0.01	<0.17	35.20	1.00	17.15	19.06	55.8	257	11.6	6.4	363	2.37	32.5	0.9	3.7	10.3	53.8
2022556	Drill Core	3.87	434	<0.005	<0.01	<0.17	37.83	1.30	14.08	16.96	59.3	210	12.0	7.0	327	2.25	54.3	1.3	1.0	9.6	70.9
2022557	Drill Core	2.10	431	0.008	<0.01	<0.17	32.66	1.26	15.88	7.59	41.5	178	12.2	7.7	291	2.05	207.1	1.4	4.8	10.0	64.1
2022558	Drill Core	5.21	484	<0.005	<0.01	<0.17	44.95	1.29	15.69	9.82	47.1	172	12.1	6.7	431	2.22	20.7	1.3	<0.2	9.2	109.3
2022559	Drill Core	4.95	551	<0.005	<0.01	<0.17	48.11	1.64	15.83	8.48	53.9	226	12.5	8.2	432	2.51	15.0	2.0	<0.2	10.2	116.4
2022560	Core DUP		464	<0.005	<0.01	<0.17	32.09	1.58	15.01	8.23	53.7	214	12.9	8.2	434	2.51	14.9	2.0	0.7	10.2	112.2
2022561	Drill Core	2.43	467	0.285	0.28	0.27	41.12	0.98	19.32	1.88	37.5	312	15.1	9.5	354	2.55	11.7	1.6	235.8	12.5	91.2
2022562	Drill Core	2.58	434	2.092	2.54	6.94	39.92	0.41	6.37	3.20	38.4	717	13.6	9.3	486	2.40	8.2	3.3	1861.7	8.5	182.3
2022563	Drill Core	5.39	505	0.011	0.01	<0.17	39.53	0.49	18.82	18.84	64.8	304	13.2	8.6	409	2.66	11.9	2.0	5.9	9.4	104.1
2022564	Drill Core	5.05	476	<0.005	<0.01	<0.17	39.44	0.46	20.05	15.99	73.1	238	14.9	9.8	394	2.68	13.7	0.7	2.3	10.5	66.8
2022565	Drill Core	4.97	436	<0.005	<0.01	<0.17	32.16	0.46	22.92	15.09	59.5	179	13.0	7.6	418	2.59	17.5	2.0	1.2	10.5	77.6
2022566	Drill Core	4.45	408	<0.005	<0.01	<0.17	39.28	1.23	26.00	29.36	70.2	269	15.2	11.2	528	2.98	19.1	5.8	<0.2	11.1	67.1
2022567	Drill Core	3.32	471	<0.005	<0.01	<0.17	34.55	0.45	18.54	21.72	65.8	191	13.4	8.1	450	2.70	16.9	0.8	0.8	11.2	42.9
2022568	Drill Core	5.18	441	<0.005	<0.01	<0.17	36.97	0.39	11.00	22.26	68.9	171	13.6	8.8	571	2.57	12.0	0.5	1.2	10.3	103.8
2022569	Drill Core	4.49	422	<0.005	<0.01	<0.17	38.10	0.57	12.56	19.49	65.2	142	13.4	8.4	519	2.55	13.0	0.6	<0.2	10.2	75.7
2022570	Drill Core	6.94	449	<0.005	<0.01	<0.17	35.66	0.48	12.10	14.92	65.2	116	13.6	7.9	587	2.66	13.8	1.0	<0.2	11.4	74.2
2022571	Drill Core	5.11	453	<0.005	<0.01	<0.17	43.59	0.47	15.16	26.27	56.1	165	12.2	7.0	476	2.34	8.3	2.0	<0.2	10.1	111.4
2022572	Drill Core	5.04	468	<0.005	<0.01	<0.17	37.15	0.46	15.57	14.42	57.7	135	12.3	7.9	388	2.19	5.6	2.4	<0.2	10.8	45.3
2022573	Drill Core	5.74	503	<0.005	<0.01	<0.17	46.86	0.61	19.63	14.01	38.9	189	13.3	7.6	291	1.64	2.7	2.9	<0.2	10.3	37.1
2022574	Drill Core	5.27	453	<0.005	<0.01	<0.17	36.50	2.15	24.46	23.46	25.3	248	12.8	8.0	219	1.50	<0.1	2.3	0.8	9.0	33.4
2022575	Drill Core	2.53	507	<0.005	<0.01	<0.17	37.72	1.60	21.42	35.66	23.8	305	11.9	7.1	284	1.42	<0.1	1.3	0.5	6.2	54.3
2022576	Drill Core	4.96	455	<0.005	<0.01	<0.17	36.54	1.26	21.63	5.29	15.6	111	13.0	7.8	151	1.25	<0.1	1.0	<0.2	4.9	45.5
2022577	Drill Core	4.08	486	<0.005	<0.01	<0.17	47.31	0.85	16.48	14.46	16.6	156	9.2	5.5	282	1.05	<0.1	0.9	<0.2	3.8	76.9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000209.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022548	Drill Core				0.19	0.25	0.16	10	1.14	0.050	17.1	9.6	0.52	351.1	0.061	<1	0.57	0.017	0.36	<0.1	3.6	0.18	0.06	13
2022549	Drill Core				0.20	0.57	0.09	17	1.25	0.069	25.8	14.1	0.86	576.8	0.043	<1	0.90	0.024	0.56	<0.1	6.4	0.25	0.12	<5
2022550	Drill Core				0.34	0.49	0.18	15	1.22	0.063	27.8	12.8	0.87	384.9	0.076	2	0.93	0.017	0.57	<0.1	6.8	0.47	0.11	<5
2022551	Drill Core				0.31	0.98	0.08	18	1.11	0.076	30.2	16.0	1.13	348.5	0.082	<1	1.20	0.014	0.78	<0.1	8.9	0.56	<0.02	<5
2022552	Drill Core				0.21	0.67	0.11	18	1.19	0.064	18.7	15.0	1.07	254.3	0.043	<1	1.17	0.015	0.55	<0.1	7.2	0.31	<0.02	5
2022553	Drill Core				0.25	0.39	0.22	20	1.22	0.070	21.3	18.1	1.16	286.8	0.036	<1	1.36	0.019	0.55	<0.1	7.9	0.22	<0.02	<5
2022554	Drill Core				0.22	0.34	0.16	17	1.44	0.066	15.7	13.3	1.18	223.4	0.012	1	1.34	0.005	0.45	<0.1	6.6	0.16	0.06	<5
2022555	Drill Core				0.25	0.72	0.22	17	1.01	0.063	19.1	15.1	1.02	355.0	0.051	<1	1.26	0.019	0.72	0.1	7.3	0.33	0.05	5
2022556	Drill Core				0.21	0.53	0.16	16	1.07	0.066	23.0	13.8	1.00	259.9	0.039	2	1.23	0.008	0.66	0.1	6.7	0.29	<0.02	<5
2022557	Drill Core				0.17	0.63	0.06	12	0.90	0.074	23.1	11.2	0.64	272.8	0.024	<1	0.94	0.015	0.62	0.1	5.3	0.30	<0.02	<5
2022558	Drill Core				0.25	0.25	0.09	12	1.49	0.064	14.1	11.8	0.77	374.7	0.033	<1	0.98	0.015	0.58	<0.1	4.5	0.20	0.11	5
2022559	Drill Core				0.09	0.26	0.08	19	1.29	0.064	19.3	18.5	1.08	287.2	0.024	<1	1.31	0.014	0.48	<0.1	5.2	0.15	0.15	<5
2022560	Core DUP				0.13	0.26	0.07	19	1.29	0.068	19.2	18.5	1.07	300.0	0.024	<1	1.32	0.014	0.49	<0.1	5.4	0.15	0.15	<5
2022561	Drill Core				0.06	0.29	0.05	19	1.01	0.060	17.5	21.7	0.88	242.9	0.037	3	1.12	0.021	0.44	0.3	5.4	0.13	0.58	<5
2022562	Drill Core				0.18	0.32	0.04	16	2.10	0.039	9.8	19.3	0.94	241.3	0.023	2	0.93	0.017	0.48	0.3	5.0	0.16	0.75	<5
2022563	Drill Core				0.29	0.26	0.10	28	1.41	0.056	14.0	31.4	1.45	164.0	0.031	<1	1.44	0.022	0.39	0.1	6.3	0.15	0.08	<5
2022564	Drill Core				0.32	0.26	0.08	27	1.20	0.062	18.6	28.3	1.40	191.4	0.012	<1	1.59	0.028	0.35	<0.1	6.9	0.12	0.04	<5
2022565	Drill Core				0.25	0.41	0.08	24	1.13	0.061	13.8	22.8	1.18	339.3	0.028	<1	1.32	0.026	0.46	<0.1	7.0	0.18	0.10	<5
2022566	Drill Core				0.34	1.20	0.24	27	1.04	0.066	15.0	26.6	1.30	382.8	0.067	2	1.30	0.033	0.68	<0.1	8.8	0.33	0.31	<5
2022567	Drill Core				0.16	0.72	0.15	26	0.63	0.063	17.7	25.0	1.25	337.3	0.015	<1	1.35	0.023	0.39	<0.1	7.7	0.18	0.07	<5
2022568	Drill Core				0.15	0.47	0.15	27	1.49	0.061	19.5	25.7	1.31	281.0	0.010	<1	1.38	0.018	0.36	<0.1	7.1	0.16	<0.02	7
2022569	Drill Core				0.27	0.38	0.08	23	1.10	0.062	25.9	21.8	1.16	353.4	0.013	1	1.23	0.019	0.41	<0.1	6.9	0.23	<0.02	<5
2022570	Drill Core				0.25	0.57	0.08	23	0.98	0.069	26.8	22.6	1.16	499.2	0.042	<1	1.15	0.022	0.51	<0.1	8.0	0.30	<0.02	<5
2022571	Drill Core				0.23	0.62	0.13	22	1.25	0.060	19.7	22.1	1.07	335.6	0.049	1	1.06	0.019	0.35	<0.1	6.2	0.27	0.05	<5
2022572	Drill Core				0.21	0.24	0.09	20	0.54	0.070	22.7	22.0	0.98	351.5	0.087	<1	1.03	0.025	0.38	<0.1	5.0	0.24	0.05	<5
2022573	Drill Core				0.14	0.16	0.08	11	0.40	0.070	23.7	12.6	0.59	345.9	0.067	<1	0.65	0.019	0.39	<0.1	3.0	0.17	0.17	<5
2022574	Drill Core				0.20	0.23	0.16	10	0.41	0.076	18.5	9.8	0.39	385.1	0.098	<1	0.65	0.026	0.47	0.1	2.6	0.19	0.30	<5
2022575	Drill Core				0.21	0.30	0.22	7	0.74	0.061	12.1	7.6	0.30	340.9	0.085	<1	0.48	0.023	0.36	<0.1	1.9	0.18	0.31	<5
2022576	Drill Core				0.11	0.15	0.03	9	0.80	0.066	10.1	9.4	0.20	271.6	0.091	<1	0.46	0.029	0.33	<0.1	1.7	0.14	0.46	<5
2022577	Drill Core				0.18	0.16	0.09	6	1.55	0.047	7.6	6.4	0.19	235.6	0.070	<1	0.37	0.016	0.28	<0.1	1.4	0.13	0.25	<5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000209.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022548	Drill Core	0.2	<0.02	1.5	6.22	<0.1	0.06	0.21	21.7	0.3	<0.05	2.7	7.38	34.1	<0.02	<1	0.4	4.4	<10	<2
2022549	Drill Core	<0.1	0.03	2.6	9.89	<0.1	0.14	0.08	36.3	0.4	<0.05	1.9	11.03	48.1	0.03	<1	0.5	5.1	<10	<2
2022550	Drill Core	0.6	<0.02	3.0	6.73	<0.1	0.08	0.11	38.3	0.4	<0.05	2.9	11.16	51.4	0.03	4	0.4	5.4	<10	<2
2022551	Drill Core	0.3	<0.02	3.3	7.44	<0.1	0.12	0.07	58.4	0.5	<0.05	4.2	11.21	57.7	0.02	<1	0.5	7.4	<10	<2
2022552	Drill Core	0.3	<0.02	3.7	2.84	<0.1	0.09	0.04	30.5	0.4	<0.05	3.8	7.24	36.5	0.03	1	0.3	7.4	<10	<2
2022553	Drill Core	0.1	<0.02	4.7	1.91	<0.1	0.14	0.03	24.3	0.3	<0.05	5.4	8.45	41.6	0.03	<1	0.5	7.7	<10	<2
2022554	Drill Core	0.1	<0.02	5.2	0.85	<0.1	0.10	<0.02	18.7	0.2	<0.05	4.7	5.12	30.2	<0.02	2	0.4	12.0	<10	<2
2022555	Drill Core	0.2	<0.02	4.0	2.97	<0.1	0.10	0.05	36.9	0.4	<0.05	3.4	4.87	36.1	0.03	<1	0.4	8.3	<10	<2
2022556	Drill Core	<0.1	<0.02	3.8	4.85	<0.1	0.08	0.02	37.6	0.3	<0.05	3.9	5.19	43.6	0.03	2	0.4	9.7	<10	<2
2022557	Drill Core	<0.1	0.03	2.8	5.13	<0.1	0.08	<0.02	37.6	0.3	<0.05	3.2	4.60	43.7	0.02	<1	0.5	5.8	<10	<2
2022558	Drill Core	0.1	<0.02	2.7	2.60	<0.1	0.06	<0.02	23.8	0.2	<0.05	2.4	4.22	27.6	<0.02	<1	0.3	5.4	<10	<2
2022559	Drill Core	0.5	<0.02	4.4	1.41	<0.1	0.07	<0.02	19.8	0.3	<0.05	3.3	6.05	37.2	<0.02	1	0.4	11.9	<10	<2
2022560	Core DUP	0.2	<0.02	4.5	1.40	<0.1	0.07	<0.02	19.7	0.2	<0.05	3.5	6.07	38.8	0.04	1	0.5	11.0	<10	3
2022561	Drill Core	0.2	<0.02	4.1	1.41	<0.1	0.06	0.05	17.2	0.4	<0.05	2.4	6.04	34.0	0.03	4	0.4	9.6	<10	<2
2022562	Drill Core	0.2	0.03	3.7	1.96	<0.1	0.13	<0.02	18.5	0.3	<0.05	5.5	5.01	19.2	<0.02	1	0.5	7.5	<10	<2
2022563	Drill Core	<0.1	<0.02	5.3	2.06	<0.1	0.13	<0.02	18.3	0.3	<0.05	6.1	5.84	26.9	<0.02	<1	0.5	12.4	<10	<2
2022564	Drill Core	<0.1	<0.02	5.4	0.94	<0.1	0.19	<0.02	12.9	0.2	<0.05	7.1	5.37	35.5	0.04	<1	0.3	12.7	<10	<2
2022565	Drill Core	<0.1	<0.02	4.5	3.66	<0.1	0.14	<0.02	21.6	0.4	<0.05	5.4	5.44	27.3	0.02	2	0.4	8.4	<10	<2
2022566	Drill Core	0.5	<0.02	4.0	9.39	<0.1	0.15	0.05	41.4	0.4	<0.05	4.7	6.67	29.1	0.03	5	0.2	8.3	<10	<2
2022567	Drill Core	<0.1	<0.02	5.2	3.49	<0.1	0.15	<0.02	19.0	0.3	<0.05	5.9	4.80	33.2	0.03	3	0.6	10.3	<10	<2
2022568	Drill Core	<0.1	0.02	5.3	2.95	<0.1	0.11	<0.02	16.3	0.3	<0.05	4.7	6.59	37.5	0.03	<1	0.4	10.7	<10	<2
2022569	Drill Core	<0.1	<0.02	4.3	4.89	<0.1	0.11	<0.02	21.4	0.2	<0.05	5.4	7.54	48.7	0.03	<1	0.2	8.5	<10	2
2022570	Drill Core	<0.1	<0.02	3.7	7.46	<0.1	0.20	0.05	29.9	0.3	<0.05	6.3	9.94	52.6	<0.02	1	0.3	8.3	<10	<2
2022571	Drill Core	0.2	<0.02	4.0	6.13	<0.1	0.19	0.06	20.2	0.3	<0.05	5.6	9.99	38.6	<0.02	<1	0.2	8.2	<10	<2
2022572	Drill Core	<0.1	0.03	4.1	6.28	<0.1	0.18	0.22	22.0	0.4	<0.05	6.2	8.59	44.5	<0.02	3	0.3	8.1	<10	<2
2022573	Drill Core	0.4	0.04	2.2	6.15	<0.1	0.10	0.25	23.3	0.3	<0.05	3.5	7.72	45.1	<0.02	<1	0.3	4.5	<10	<2
2022574	Drill Core	0.4	<0.02	2.0	3.29	<0.1	0.05	0.46	21.5	0.3	<0.05	1.8	9.89	35.5	<0.02	1	0.3	4.4	<10	<2
2022575	Drill Core	0.4	0.05	1.6	3.55	<0.1	0.02	0.46	18.3	0.3	<0.05	1.1	7.41	23.8	0.02	2	0.3	3.4	<10	<2
2022576	Drill Core	0.2	<0.02	1.6	1.22	<0.1	0.03	0.56	13.0	0.3	<0.05	1.1	7.04	19.8	<0.02	3	0.3	3.5	<10	<2
2022577	Drill Core	0.3	0.02	1.3	1.67	<0.1	0.03	0.44	12.1	0.2	<0.05	0.7	5.72	15.2	<0.02	<1	0.3	3.0	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000209.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																						
2022458	Drill Core	2.95	482	<0.005	<0.01	<0.17	39.22	1.25	17.07	12.21	55.7	1071	11.8	6.1	551	2.28	25.8	1.1	1.0	8.2	136.8	
REP 2022458	QC	<0.005																				
2022468	Drill Core	4.69	462	0.005	<0.01	<0.17	37.34	0.64	13.52	17.50	67.8	197	10.7	7.4	744	2.44	7.7	0.9	<0.2	10.9	120.7	
REP 2022468	QC	0.71 14.23 18.14 68.7 193 10.8 7.6 754 2.45 7.7 0.9 <0.2 11.1 126.3																				
2022491	Drill Core	3.07	400	0.015	0.08	0.88	29.56	0.96	16.69	12.55	54.9	272	12.0	7.2	478	2.33	9.9	1.9	6.3	9.9	103.0	
REP 2022491	QC	0.010																				
2022501	Drill Core	2.43	440	<0.005	<0.01	<0.17	22.18	0.78	4.72	16.35	42.5	153	8.1	5.2	470	1.70	10.0	1.2	<0.2	6.0	165.1	
REP 2022501	QC	0.76 4.43 16.01 44.2 136 8.5 5.0 447 1.68 9.9 1.2 0.7 5.9 165.8																				
2022531	Drill Core	2.34	450	0.307	0.31	0.30	42.66	1.24	18.06	7.98	66.3	445	12.1	8.4	550	2.31	11.0	3.5	189.0	9.0	101.2	
REP 2022531	QC	0.291																				
2022536	Drill Core	4.64	402	0.007	<0.01	<0.17	37.82	0.49	15.67	13.68	57.7	202	12.2	7.7	471	2.49	5.4	2.2	5.8	8.2	77.2	
REP 2022536	QC	0.44 16.32 14.70 60.9 218 13.5 8.8 481 2.54 5.4 2.3 5.7 8.7 79.8																				
2022564	Drill Core	5.05	476	<0.005	<0.01	<0.17	39.44	0.46	20.05	15.99	73.1	238	14.9	9.8	394	2.68	13.7	0.7	2.3	10.5	66.8	
REP 2022564	QC	<0.005																				
2022566	Drill Core	4.45	408	<0.005	<0.01	<0.17	39.28	1.23	26.00	29.36	70.2	269	15.2	11.2	528	2.98	19.1	5.8	<0.2	11.1	67.1	
REP 2022566	QC	1.14 25.44 29.86 69.0 273 16.1 10.0 508 2.85 19.5 5.8 1.5 10.7 66.1																				
Core Reject Duplicates																						
2022490	Drill Core	5.16	422	<0.005	<0.01	<0.17	33.50	0.92	15.15	17.29	63.9	243	13.2	7.4	507	2.44	12.2	1.9	<0.2	10.6	97.0	
DUP 2022490	QC	414 <0.005 <0.01 <0.17 22.90 0.88 15.13 17.16 65.6 228 14.2 7.8 501 2.52 12.1 1.9 <0.2 10.7 95.7																				
2022524	Drill Core	3.12	413	0.019	0.02	<0.17	22.41	0.65	18.23	16.83	62.6	427	12.3	7.8	534	2.68	13.8	2.2	15.2	10.5	125.2	
DUP 2022524	QC	424 0.019 0.02 <0.17 30.43 0.62 18.74 16.49 60.4 446 13.2 8.0 546 2.60 14.1 2.2 19.4 10.8 123.4																				
2022558	Drill Core	5.21	484	<0.005	<0.01	<0.17	44.95	1.29	15.69	9.82	47.1	172	12.1	6.7	431	2.22	20.7	1.3	<0.2	9.2	109.3	
DUP 2022558	QC	552 <0.005 <0.01 <0.17 50.46 1.34 15.22 10.06 47.9 176 11.7 6.9 434 2.19 20.9 1.3 <0.2 9.6 107.8																				
Reference Materials																						
STD BVGEO01	Standard	10.82 4308.87 185.02 1762.1 2436 162.4 25.3 708 3.72 110.5 3.7 200.0 15.3 54.6																				
STD BVGEO01	Standard	10.11 4411.86 187.08 1718.3 2495 162.0 22.9 707 3.73 120.6 4.0 207.5 14.9 59.7																				
STD DS11	Standard	14.18 145.65 136.10 335.7 1639 74.1 12.8 1000 3.11 41.5 2.6 113.4 7.7 69.1																				
STD DS11	Standard	13.92 139.39 140.45 325.7 1661 77.3 12.9 985 3.09 42.8 2.7 75.1 8.2 65.8																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000209.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2022458	Drill Core	0.47	0.55	0.14	15	1.76	0.060	10.1	13.6	0.75	398.6	0.037	<1	0.92	0.015	0.55	3.4	6.4	0.31	0.06	<5
REP 2022458	QC																				
2022468	Drill Core	0.29	0.16	0.12	18	1.61	0.062	27.9	16.3	0.86	394.7	0.003	2	0.87	0.027	0.34	<0.1	6.7	0.15	0.02	<5
REP 2022468	QC	0.31	0.17	0.12	18	1.63	0.064	29.9	17.9	0.88	422.1	0.003	2	0.89	0.027	0.35	<0.1	6.9	0.16	0.02	10
2022491	Drill Core	0.33	0.35	0.09	16	1.52	0.064	20.1	16.0	0.78	222.3	0.042	1	1.05	0.021	0.50	0.2	5.1	0.19	0.03	5
REP 2022491	QC																				
2022501	Drill Core	0.19	0.28	0.05	11	1.51	0.041	15.5	10.5	0.53	146.5	0.002	<1	0.79	0.010	0.21	0.2	2.3	0.09	<0.02	<5
REP 2022501	QC	0.22	0.28	0.05	11	1.49	0.040	15.5	9.5	0.53	142.6	0.002	<1	0.78	0.009	0.21	0.1	2.4	0.08	<0.02	6
2022531	Drill Core	0.35	0.81	<0.02	22	1.34	0.048	23.1	20.7	0.89	264.2	0.006	<1	1.26	0.016	0.37	0.1	5.4	0.14	<0.02	18
REP 2022531	QC																				
2022536	Drill Core	0.28	0.32	0.07	25	1.37	0.060	22.1	28.0	0.87	219.1	0.033	<1	0.98	0.046	0.43	<0.1	7.6	0.24	<0.02	8
REP 2022536	QC	0.31	0.31	0.07	25	1.39	0.062	23.0	28.4	0.89	231.6	0.035	1	1.01	0.051	0.44	<0.1	8.3	0.26	<0.02	9
2022564	Drill Core	0.32	0.26	0.08	27	1.20	0.062	18.6	28.3	1.40	191.4	0.012	<1	1.59	0.028	0.35	<0.1	6.9	0.12	0.04	<5
REP 2022564	QC																				
2022566	Drill Core	0.34	1.20	0.24	27	1.04	0.066	15.0	26.6	1.30	382.8	0.067	2	1.30	0.033	0.68	<0.1	8.8	0.33	0.31	<5
REP 2022566	QC	0.35	1.23	0.24	25	1.02	0.064	13.2	25.3	1.24	344.5	0.061	1	1.26	0.032	0.66	<0.1	8.5	0.33	0.30	<5
Core Reject Duplicates																					
2022490	Drill Core	0.26	0.28	0.14	17	1.60	0.071	16.4	16.2	0.87	323.0	0.033	<1	1.16	0.016	0.49	<0.1	6.9	0.21	0.05	8
DUP 2022490	QC	0.27	0.28	0.16	17	1.62	0.069	18.4	16.7	0.88	357.3	0.034	<1	1.22	0.020	0.54	<0.1	7.3	0.21	0.04	13
2022524	Drill Core	0.33	0.39	0.05	19	1.58	0.076	27.8	19.5	1.03	255.5	0.024	1	1.34	0.021	0.43	0.3	6.3	0.13	<0.02	<5
DUP 2022524	QC	0.25	0.39	0.06	19	1.55	0.067	26.2	19.9	1.04	274.2	0.022	1	1.39	0.022	0.45	0.3	6.7	0.13	<0.02	8
2022558	Drill Core	0.25	0.25	0.09	12	1.49	0.064	14.1	11.8	0.77	374.7	0.033	<1	0.98	0.015	0.58	<0.1	4.5	0.20	0.11	5
DUP 2022558	QC	0.20	0.27	0.10	12	1.45	0.064	14.3	11.9	0.77	386.0	0.034	<1	0.98	0.015	0.58	<0.1	4.8	0.21	0.10	<5
Reference Materials																					
STD BVGEO01	Standard	6.21	3.33	23.87	74	1.34	0.068	26.3	197.7	1.31	277.8	0.245	4	2.39	0.197	0.88	4.8	5.8	0.59	0.68	84
STD BVGEO01	Standard	6.27	2.96	25.67	74	1.35	0.076	25.9	176.1	1.32	292.2	0.221	4	2.41	0.211	0.92	4.7	5.9	0.61	0.69	97
STD DS11	Standard	2.15	7.98	11.58	50	1.06	0.067	18.5	57.8	0.83	372.6	0.086	9	1.18	0.076	0.40	2.9	3.1	4.55	0.27	273
STD DS11	Standard	2.37	8.46	12.02	49	1.05	0.066	17.8	54.3	0.83	356.6	0.087	6	1.17	0.072	0.40	2.9	3.0	4.88	0.27	265



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 10, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000209.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2022458	Drill Core	0.5	<0.02	3.1	2.01	<0.1	0.38	0.03	31.9	0.7	<0.05	13.0	5.21	20.8	0.02	1	0.1	8.3	<10	<2
REP 2022458	QC																			
2022468	Drill Core	0.2	0.03	3.6	7.25	<0.1	0.22	<0.02	18.7	0.2	<0.05	10.4	8.91	53.5	0.03	1	0.4	6.9	<10	<2
REP 2022468	QC	<0.1	<0.02	3.7	7.62	<0.1	0.31	<0.02	19.2	0.3	<0.05	11.2	9.10	57.2	0.03	<1	0.4	7.8	<10	<2
2022491	Drill Core	0.2	<0.02	3.3	2.37	<0.1	0.03	0.04	29.3	0.4	<0.05	1.3	6.07	37.6	0.02	<1	0.2	7.7	<10	<2
REP 2022491	QC																			
2022501	Drill Core	<0.1	0.04	3.2	2.09	<0.1	0.05	<0.02	10.0	0.2	<0.05	2.5	7.76	30.1	<0.02	<1	0.4	7.0	<10	<2
REP 2022501	QC	<0.1	0.02	3.1	2.06	<0.1	0.04	<0.02	9.8	0.2	<0.05	2.5	7.40	30.5	<0.02	<1	0.3	7.8	<10	<2
2022531	Drill Core	0.2	<0.02	3.9	3.50	<0.1	0.12	<0.02	16.9	0.3	<0.05	5.9	6.10	43.1	0.03	<1	0.8	13.2	<10	<2
REP 2022531	QC																			
2022536	Drill Core	<0.1	<0.02	3.4	4.03	<0.1	0.09	<0.02	24.3	0.5	<0.05	2.7	7.51	42.9	0.03	<1	0.2	7.4	<10	<2
REP 2022536	QC	0.3	<0.02	3.7	4.32	<0.1	0.05	0.04	26.0	0.5	<0.05	2.8	7.37	44.1	0.03	2	0.4	8.0	<10	<2
2022564	Drill Core	<0.1	<0.02	5.4	0.94	<0.1	0.19	<0.02	12.9	0.2	<0.05	7.1	5.37	35.5	0.04	<1	0.3	12.7	<10	<2
REP 2022564	QC																			
2022566	Drill Core	0.5	<0.02	4.0	9.39	<0.1	0.15	0.05	41.4	0.4	<0.05	4.7	6.67	29.1	0.03	5	0.2	8.3	<10	<2
REP 2022566	QC	0.7	<0.02	4.3	9.37	<0.1	0.09	0.09	41.2	0.4	<0.05	4.1	6.39	26.4	0.04	9	0.6	8.1	<10	<2
Core Reject Duplicates																				
2022490	Drill Core	0.2	<0.02	3.7	2.56	<0.1	0.05	<0.02	27.0	0.2	<0.05	1.9	5.50	31.1	0.03	<1	0.4	7.8	<10	<2
DUP 2022490	QC	0.4	0.04	3.8	2.45	<0.1	0.04	<0.02	28.8	0.3	<0.05	1.8	5.76	35.3	0.03	<1	0.4	7.2	<10	<2
2022524	Drill Core	0.2	<0.02	4.0	0.91	<0.1	0.07	<0.02	17.3	0.3	<0.05	2.7	7.13	52.1	0.02	<1	0.2	9.6	<10	<2
DUP 2022524	QC	0.5	0.02	4.2	0.85	0.1	0.06	<0.02	18.1	0.3	<0.05	2.7	6.88	50.4	<0.02	<1	0.2	9.9	<10	<2
2022558	Drill Core	0.1	<0.02	2.7	2.60	<0.1	0.06	<0.02	23.8	0.2	<0.05	2.4	4.22	27.6	<0.02	<1	0.3	5.4	<10	<2
DUP 2022558	QC	<0.1	<0.02	3.0	2.67	<0.1	0.05	<0.02	23.7	0.3	<0.05	2.3	4.24	28.6	0.03	2	0.1	5.9	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.2	0.93	6.7	6.76	0.2	0.32	0.22	85.7	5.6	<0.05	8.3	13.81	52.2	0.41	3	0.6	19.3	128	169
STD BVGEO01	Standard	4.5	0.95	7.8	7.03	0.2	0.34	0.24	93.5	5.2	<0.05	9.4	14.16	52.5	0.43	4	0.9	19.8	146	186
STD DS11	Standard	2.1	4.54	4.6	2.71	<0.1	0.07	1.64	31.7	1.7	<0.05	3.1	7.74	36.3	0.24	40	1.0	24.0	97	171
STD DS11	Standard	2.3	4.83	5.0	2.96	0.1	0.08	1.58	32.9	1.7	<0.05	3.7	7.86	37.6	0.27	53	0.8	22.8	95	177



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000209.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.63	114.41	57.99	154.5	474	59.9	26.8	547	3.27	35.6	1.3	55.4	9.8	36.6
STD OREAS262	Standard							0.68	122.96	56.48	151.0	462	66.1	27.9	534	3.29	33.9	1.2	64.7	10.1	33.5
STD OREAS262	Standard							0.63	110.30	59.42	159.3	462	62.1	25.4	552	3.25	36.4	1.3	56.5	9.8	35.2
STD OREAS262	Standard							0.70	115.03	58.67	147.3	453	63.8	26.2	545	3.32	36.2	1.3	66.8	9.7	36.7
STD OXC145	Standard			0.210																	
STD OXC145	Standard			0.215																	
STD OXH139	Standard			1.328																	
STD OXH139	Standard			1.295																	
STD OXN134	Standard			7.355																	
STD OXN134	Standard			7.576																	
STD OXQ90	Standard					24.79	29.93														
STD OXQ90	Standard					25.29	29.89														
STD OXQ90	Standard					25.32	30.17														
STD OXQ90	Standard					25.22	30.02														
STD OXQ90	Standard					25.41	30.42														
STD OXQ90	Standard					25.21	30.15														
STD OXQ90	Standard					25.26	30.60														
STD OXQ90	Standard					25.35	29.70														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.03	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000209.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OREAS262	Standard	0.64	3.78	1.09	22	2.93	0.037	16.6	42.8	1.19	255.4	0.003	3	1.38	0.073	0.31	0.2	3.1	0.46	0.24	173
STD OREAS262	Standard	0.59	5.20	0.98	23	2.97	0.036	17.1	45.3	1.18	245.8	0.003	5	1.47	0.066	0.32	0.2	3.3	0.45	0.26	168
STD OREAS262	Standard	0.66	4.04	1.10	22	2.97	0.040	16.3	40.9	1.17	257.1	0.003	4	1.36	0.070	0.31	0.2	3.4	0.46	0.25	144
STD OREAS262	Standard	0.67	4.18	1.10	22	2.95	0.038	15.9	42.6	1.19	258.8	0.003	3	1.38	0.074	0.31	0.2	3.5	0.45	0.25	176
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000209.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OREAS262	Standard	0.5	0.19	3.9	2.49	<0.1	0.24	<0.02	18.6	0.5	<0.05	10.9	11.08	33.3	0.03	1	1.0	19.1	<10
STD OREAS262	Standard	0.4	0.28	3.8	2.79	<0.1	0.27	<0.02	18.0	0.6	<0.05	10.0	10.64	33.7	0.03	<1	0.9	18.1	<10
STD OREAS262	Standard	0.5	0.26	4.3	2.62	<0.1	0.28	<0.02	18.3	0.5	<0.05	10.7	10.86	33.8	0.03	3	1.3	17.0	<10
STD OREAS262	Standard	0.6	0.22	4.0	2.65	<0.1	0.27	<0.02	18.8	0.5	<0.05	10.6	10.88	33.0	0.03	1	0.9	17.8	<10
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
STD OXQ90 Expected																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000209.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		399	<0.005	<0.01	<0.17	24.90	0.81	1.66	1.26	27.5	9	0.6	3.4	475	1.91	0.6	0.4	2.2	2.6	22.6
ROCK-WHI	Prep Blank		389	<0.005	<0.01	<0.17	52.27	0.79	2.47	1.22	26.6	11	0.8	3.2	454	1.76	0.6	0.4	1.4	2.5	21.0



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000209.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.04	0.02	24	0.58	0.041	5.9	2.0	0.45	70.4	0.069	3	0.80	0.063	0.07	0.1	3.0	<0.02	<0.02	6
ROCK-WHI	Prep Blank	<0.01	0.03	<0.02	22	0.54	0.039	6.0	1.9	0.41	53.9	0.075	<1	0.83	0.085	0.08	<0.1	3.1	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 10, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000209.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.18	<0.1	0.12	0.16	2.0	0.4	<0.05	2.9	8.82	11.5	0.03	<1	0.3	2.3	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.14	<0.1	0.16	0.18	2.0	0.3	<0.05	3.5	8.50	12.3	<0.02	<1	0.2	2.2	<10