



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 18, 2019
Report Date: August 15, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000225.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-31
P.O. Number
Number of Samples: 92

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	89	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	92	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	92	Analysis sample split/packet			WHI
Split -150	92	Analysis sample split/packet			WHI
EN002	92	Environmental disposal charge-Fire assay lead waste			VAN
FS631	90	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	92	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	92	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


LILYBETH DE VERA-BOY
Fire Assay Spectroscopy Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: August 15, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000225.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828905	Drill Core	3.44	387	<0.005	<0.01	<0.17	44.04	1.25	12.99	13.87	57.4	577	12.4	7.7	323	2.16	4.8	1.5	1.8	9.1	32.6
1828906	Drill Core	6.14	501	0.024	0.02	<0.17	23.88	1.28	21.28	51.93	60.0	954	9.8	6.8	331	2.32	13.1	2.4	20.5	8.8	37.2
1828907	Drill Core	5.54	457	0.011	<0.01	<0.17	36.98	1.11	13.13	5.07	48.1	249	11.9	9.0	358	2.37	5.6	1.5	2.3	7.7	45.6
1828908	Drill Core	4.81	524	<0.005	<0.01	<0.17	47.01	0.49	16.31	2.66	46.5	142	12.6	8.7	304	2.26	4.3	1.5	1.2	8.0	54.9
1828909	Drill Core	4.83	438	<0.005	<0.01	<0.17	36.51	0.69	18.38	3.89	42.1	164	14.2	9.4	311	2.51	3.1	1.4	<0.2	7.5	32.1
1828910	Drill Core	3.82	448	<0.005	<0.01	<0.17	42.93	0.65	15.81	3.45	50.6	188	14.3	8.8	275	2.25	3.9	1.5	1.0	8.6	21.9
1828911	Drill Core	3.71	350	<0.005	<0.01	<0.17	37.03	0.97	16.81	25.33	103.3	271	12.9	8.2	399	2.23	4.3	1.3	0.4	8.5	26.8
1828912	Drill Core	2.78	498	<0.005	<0.01	<0.17	46.60	0.86	15.13	81.56	178.2	276	8.9	7.4	330	1.76	5.5	1.9	<0.2	10.3	47.3
1828913	Drill Core	4.56	500	<0.005	<0.01	<0.17	46.95	1.18	8.56	3.51	43.8	123	12.3	7.9	317	2.13	4.4	1.9	<0.2	9.2	29.3
1828914	Drill Core	5.22	498	<0.005	<0.01	<0.17	39.35	1.02	18.05	48.09	99.8	261	11.4	8.1	401	2.14	4.8	1.7	<0.2	8.6	61.3
1828915	Drill Core	4.74	436	<0.005	<0.01	<0.17	37.68	1.24	19.70	8.73	77.6	200	11.3	8.1	394	2.20	177.1	2.1	0.8	10.1	27.5
1828916	Drill Core	5.77	510	<0.005	<0.01	<0.17	44.67	0.97	15.74	39.00	77.5	191	12.7	8.6	469	2.23	21.6	1.7	1.0	8.0	75.2
1828917	Drill Core	5.36	511	<0.005	<0.01	<0.17	42.24	1.20	17.73	11.29	61.2	261	13.4	8.4	330	2.06	2.6	1.6	<0.2	9.2	28.4
1828918	Drill Core	5.09	464	<0.005	<0.01	<0.17	49.07	0.75	16.43	2.05	38.5	128	11.8	8.5	294	2.08	2.4	1.6	<0.2	8.8	24.8
1828919	Drill Core	5.35	469	<0.005	<0.01	<0.17	31.18	0.58	11.74	3.29	37.3	137	11.2	8.0	403	1.92	9.5	1.9	<0.2	9.9	35.0
1828920	Rock Pulp	0.12	82	0.508				2.59	448.74	20.15	49.8	283	604.3	27.7	398	2.60	19.6	0.6	501.4	1.9	59.7
1828921	Drill Core	5.03	488	<0.005	<0.01	<0.17	43.37	0.55	16.45	3.71	39.7	269	12.2	8.0	368	2.13	168.6	2.4	0.8	10.2	39.6
1828922	Drill Core	5.23	462	<0.005	<0.01	<0.17	45.66	0.86	14.38	5.74	65.3	220	11.0	7.5	337	1.93	195.1	3.4	0.4	9.2	99.1
1828923	Drill Core	5.02	459	0.007	<0.01	<0.17	41.57	0.63	21.56	11.74	95.0	264	10.6	7.6	362	2.00	44.9	4.3	1.7	9.6	44.8
1828924	Drill Core	4.80	426	0.007	<0.01	<0.17	49.95	0.87	15.99	21.26	158.0	379	8.3	6.1	292	2.02	59.7	4.1	3.6	11.3	32.2
1828925	Drill Core	5.06	442	<0.005	<0.01	<0.17	41.53	0.74	14.03	5.22	68.0	176	10.7	7.1	330	2.04	59.9	2.5	<0.2	11.0	35.5
1828926	Drill Core	4.35	426	<0.005	<0.01	<0.17	42.13	0.28	8.24	48.21	70.6	301	1.9	2.0	132	0.85	13.6	2.2	0.5	11.7	32.0
1828927	Drill Core	5.41	495	0.006	<0.01	<0.17	37.97	0.35	13.98	14.40	51.8	390	4.0	2.7	173	0.95	34.6	2.4	0.6	12.8	29.5
1828928	Drill Core	5.06	433	<0.005	<0.01	<0.17	38.53	0.31	2.32	19.60	29.6	159	1.0	0.9	128	0.48	10.1	1.4	0.7	13.4	17.4
1828929	Drill Core	4.65	404	<0.005	<0.01	<0.17	35.66	0.26	5.25	18.65	25.4	231	0.9	1.1	106	0.57	9.0	1.9	<0.2	12.9	17.3
1828930	Drill Core	5.03	460	0.005	<0.01	<0.17	41.59	0.24	3.22	20.55	26.4	271	0.6	0.6	114	0.47	7.7	1.6	0.4	11.4	11.5
1828931	Drill Core	5.20	500	<0.005	<0.01	<0.17	33.65	0.22	2.66	26.63	37.3	214	0.6	0.6	177	0.51	1.5	2.5	<0.2	13.8	21.1
1828932	Drill Core	5.22	460	0.005	<0.01	<0.17	46.36	0.19	1.77	19.71	34.8	141	0.5	0.5	165	0.47	2.1	2.2	<0.2	14.5	15.9
1828933	Drill Core	4.86	482	<0.005	<0.01	<0.17	38.50	0.20	5.03	14.46	43.6	190	1.8	1.8	233	0.81	5.6	3.1	<0.2	12.6	17.2
1828934	Drill Core	5.14	472	<0.005	<0.01	<0.17	44.25	0.21	6.03	9.89	52.3	153	1.5	1.5	244	0.92	5.7	3.2	<0.2	10.1	19.4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000225.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828905	Drill Core	0.19	0.70	0.17	25	0.28	0.060	17.4	26.8	0.96	672.9	0.116	<1	1.19	0.023	0.69	2.8	4.6	0.33	<0.02	<5			
1828906	Drill Core	0.26	0.96	0.13	22	0.27	0.063	14.6	24.1	0.93	261.9	0.093	<1	1.14	0.026	0.72	3.5	3.7	0.27	0.02	<5			
1828907	Drill Core	0.18	0.62	0.08	28	0.27	0.071	13.1	30.2	1.12	212.3	0.095	2	1.28	0.035	0.92	0.5	5.0	0.32	0.02	<5			
1828908	Drill Core	0.12	0.56	0.06	27	0.26	0.060	11.2	29.3	1.16	175.5	0.103	1	1.24	0.039	0.84	0.6	4.9	0.29	0.13	<5			
1828909	Drill Core	0.04	0.39	0.06	33	0.32	0.063	11.9	36.4	1.31	187.5	0.112	<1	1.34	0.054	1.01	0.5	5.1	0.39	0.11	<5			
1828910	Drill Core	0.06	0.26	0.06	28	0.26	0.061	10.7	28.2	1.16	248.0	0.108	<1	1.18	0.033	1.00	0.2	6.0	0.45	0.24	<5			
1828911	Drill Core	0.62	0.32	0.14	25	0.28	0.069	16.0	26.1	1.07	431.8	0.082	<1	1.09	0.041	0.91	0.2	5.1	0.44	0.22	<5			
1828912	Drill Core	1.72	0.29	0.23	17	0.45	0.053	22.2	20.1	0.90	315.1	0.066	<1	0.93	0.029	0.67	0.2	3.4	0.33	0.12	<5			
1828913	Drill Core	0.09	0.34	0.03	26	0.36	0.071	21.3	28.2	1.20	196.0	0.089	<1	1.28	0.035	0.97	0.2	4.3	0.42	0.05	<5			
1828914	Drill Core	0.68	0.41	0.14	20	0.67	0.066	21.4	23.3	1.01	297.7	0.053	<1	1.02	0.034	0.75	0.2	3.6	0.35	0.17	<5			
1828915	Drill Core	0.46	6.79	0.02	22	0.36	0.065	24.2	26.5	0.85	212.0	0.056	<1	1.11	0.047	0.62	0.2	5.3	1.08	0.17	47			
1828916	Drill Core	0.18	1.13	0.04	25	0.56	0.070	19.8	30.7	1.32	268.4	0.076	<1	1.32	0.042	0.82	0.3	5.0	0.42	0.16	6			
1828917	Drill Core	0.33	0.42	0.04	20	0.31	0.069	18.7	22.8	1.37	218.5	0.069	<1	1.32	0.021	1.01	0.2	4.6	0.37	0.09	<5			
1828918	Drill Core	0.05	0.45	0.02	24	0.36	0.065	18.3	26.3	1.09	205.1	0.084	<1	1.10	0.042	0.80	0.2	4.5	0.30	0.20	<5			
1828919	Drill Core	0.07	0.91	<0.02	23	0.56	0.061	20.3	26.3	0.99	216.5	0.085	<1	1.09	0.046	0.62	0.3	6.0	0.32	0.17	8			
1828920	Rock Pulp	0.18	0.39	0.32	53	1.32	0.029	4.2	98.6	1.82	75.9	0.076	4	2.06	0.207	0.15	1.3	2.7	0.10	0.20	15			
1828921	Drill Core	0.63	4.91	0.03	23	0.36	0.063	25.7	26.7	0.71	290.7	0.034	<1	1.18	0.040	0.46	0.3	5.6	0.42	0.06	57			
1828922	Drill Core	0.63	5.25	0.02	21	0.33	0.056	19.1	24.0	0.73	211.7	0.040	<1	1.14	0.021	0.52	0.2	4.8	0.55	0.03	62			
1828923	Drill Core	0.52	2.32	0.23	17	0.33	0.062	26.2	21.1	0.63	220.1	0.015	<1	1.14	0.023	0.43	0.6	4.8	0.50	<0.02	42			
1828924	Drill Core	0.53	2.64	0.84	14	0.28	0.057	32.9	15.5	0.63	338.0	0.012	<1	1.10	0.029	0.41	0.2	4.6	0.37	0.04	67			
1828925	Drill Core	0.64	2.11	0.08	16	0.25	0.058	25.5	17.0	0.82	211.1	0.021	<1	1.23	0.015	0.54	0.2	3.9	0.40	0.11	48			
1828926	Drill Core	0.17	0.89	0.40	3	0.11	0.020	32.9	4.3	0.32	197.5	0.003	<1	0.59	0.009	0.31	<0.1	2.2	0.16	0.04	39			
1828927	Drill Core	0.86	1.36	0.18	6	0.15	0.028	32.0	7.9	0.45	243.7	0.009	<1	0.72	0.019	0.40	0.1	2.7	0.28	0.11	28			
1828928	Drill Core	0.19	0.53	0.17	1	0.07	0.012	35.1	2.0	0.20	181.4	0.002	<1	0.40	0.007	0.25	<0.1	1.4	0.12	<0.02	20			
1828929	Drill Core	0.56	0.74	0.18	1	0.08	0.012	31.7	1.8	0.20	251.6	0.002	<1	0.47	0.021	0.30	<0.1	1.7	0.11	0.05	17			
1828930	Drill Core	0.22	0.52	0.32	<1	0.11	0.007	27.7	1.3	0.19	189.0	0.004	<1	0.38	0.009	0.22	<0.1	1.4	0.08	<0.02	22			
1828931	Drill Core	0.44	0.33	0.24	<1	0.20	0.008	32.5	1.3	0.37	232.2	0.011	<1	0.53	0.006	0.38	0.1	2.5	0.15	0.03	9			
1828932	Drill Core	0.31	0.25	0.15	<1	0.18	0.008	29.9	0.9	0.34	165.6	0.007	<1	0.48	0.004	0.29	<0.1	1.9	0.10	<0.02	26			
1828933	Drill Core	0.41	0.34	0.11	3	0.29	0.016	26.5	4.9	0.49	207.2	0.032	<1	0.59	0.015	0.35	0.1	2.9	0.19	0.09	12			
1828934	Drill Core	0.40	0.37	0.06	3	0.36	0.011	23.0	3.8	0.37	221.2	0.036	<1	0.54	0.033	0.28	0.1	2.5	0.15	0.15	9			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000225.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828905	Drill Core	<0.1	<0.02	4.2	3.87	<0.1	0.24	0.18	38.7	1.0	<0.05	7.8	6.58	32.0	<0.02	<1	0.4	10.6	<10	<2			
1828906	Drill Core	0.3	<0.02	4.0	3.18	<0.1	0.24	0.18	32.6	0.5	<0.05	8.2	5.96	27.1	<0.02	1	0.4	11.0	<10	<2			
1828907	Drill Core	0.1	<0.02	4.7	3.53	<0.1	0.20	0.05	42.7	0.5	<0.05	7.3	6.31	24.4	<0.02	1	0.7	13.1	<10	<2			
1828908	Drill Core	0.3	<0.02	5.0	3.55	<0.1	0.23	0.06	38.1	0.4	<0.05	7.9	7.13	20.8	<0.02	<1	0.5	13.5	<10	<2			
1828909	Drill Core	0.2	<0.02	5.0	4.36	<0.1	0.20	0.06	49.8	0.5	<0.05	7.0	7.59	22.7	<0.02	<1	0.4	12.0	<10	<2			
1828910	Drill Core	0.4	<0.02	4.5	5.11	<0.1	0.13	0.06	52.6	0.5	<0.05	5.3	8.57	20.1	<0.02	1	0.4	11.2	<10	<2			
1828911	Drill Core	0.3	<0.02	3.9	14.01	<0.1	0.15	0.06	49.4	0.5	<0.05	4.7	8.23	29.3	0.02	<1	0.7	9.3	<10	<2			
1828912	Drill Core	0.7	<0.02	3.2	7.74	<0.1	0.13	0.07	36.8	0.4	<0.05	3.5	9.59	40.6	<0.02	<1	0.2	7.5	<10	<2			
1828913	Drill Core	0.2	<0.02	4.3	6.71	<0.1	0.10	0.04	52.2	0.5	<0.05	2.8	10.08	40.1	<0.02	1	0.7	13.6	<10	<2			
1828914	Drill Core	0.6	0.02	3.7	8.96	<0.1	0.06	0.04	41.5	0.4	<0.05	2.7	9.23	39.5	<0.02	2	0.5	9.0	<10	<2			
1828915	Drill Core	0.4	<0.02	4.8	4.39	<0.1	0.10	0.06	30.0	0.5	<0.05	3.8	10.04	43.9	<0.02	1	0.5	18.5	<10	<2			
1828916	Drill Core	0.4	<0.02	4.4	4.15	<0.1	0.11	0.04	39.4	0.5	<0.05	4.0	10.48	36.3	<0.02	2	0.5	16.4	<10	<2			
1828917	Drill Core	0.2	<0.02	4.1	5.96	<0.1	0.17	0.02	48.5	0.4	<0.05	5.7	10.53	35.7	0.02	1	0.5	16.1	<10	<2			
1828918	Drill Core	0.2	<0.02	4.2	3.52	<0.1	0.07	0.06	38.0	0.4	<0.05	2.2	8.87	34.2	<0.02	2	0.3	10.9	<10	<2			
1828919	Drill Core	0.4	<0.02	4.7	2.56	<0.1	0.09	0.11	29.6	0.5	<0.05	2.9	10.98	36.3	<0.02	1	0.5	12.3	<10	<2			
1828920	Rock Pulp	0.6	0.16	4.1	0.60	<0.1	0.05	<0.02	5.8	0.5	<0.05	1.7	3.20	8.6	<0.02	3	0.1	8.0	262	122			
1828921	Drill Core	0.2	<0.02	5.5	5.21	<0.1	0.12	0.02	23.2	0.8	<0.05	4.9	13.10	47.1	<0.02	<1	0.6	20.9	<10	<2			
1828922	Drill Core	0.3	<0.02	5.1	4.85	<0.1	0.16	0.03	29.9	0.5	<0.05	5.8	11.35	35.6	<0.02	<1	0.5	20.8	<10	<2			
1828923	Drill Core	0.2	<0.02	5.7	5.58	<0.1	0.12	<0.02	25.0	0.5	<0.05	5.6	12.61	48.3	<0.02	<1	0.6	14.4	<10	<2			
1828924	Drill Core	0.2	0.02	5.5	4.70	<0.1	0.18	<0.02	24.7	0.6	<0.05	8.8	18.14	59.0	0.02	<1	0.9	19.9	<10	<2			
1828925	Drill Core	0.5	<0.02	5.3	4.32	<0.1	0.18	<0.02	29.8	0.5	<0.05	6.7	17.62	58.1	<0.02	<1	0.8	23.9	<10	<2			
1828926	Drill Core	<0.1	0.02	2.8	1.56	<0.1	0.16	<0.02	17.1	0.4	<0.05	8.8	18.78	66.7	0.02	<1	0.3	8.4	<10	<2			
1828927	Drill Core	0.4	<0.02	3.0	1.36	<0.1	0.17	0.03	21.0	0.4	<0.05	8.5	17.18	56.8	<0.02	<1	0.4	12.0	<10	<2			
1828928	Drill Core	0.2	<0.02	1.6	0.77	<0.1	0.27	<0.02	12.2	0.3	<0.05	12.7	18.97	65.8	<0.02	<1	0.3	5.8	<10	<2			
1828929	Drill Core	0.2	<0.02	1.7	0.68	<0.1	0.14	0.03	13.7	0.4	<0.05	8.3	17.44	57.0	<0.02	<1	0.3	5.9	<10	<2			
1828930	Drill Core	<0.1	<0.02	1.4	0.59	<0.1	0.06	0.10	10.3	0.3	<0.05	3.9	12.98	52.2	<0.02	<1	0.3	4.4	<10	<2			
1828931	Drill Core	0.2	<0.02	1.5	1.11	<0.1	0.19	0.18	20.5	0.3	<0.05	9.2	15.81	59.5	<0.02	<1	0.3	7.3	<10	<2			
1828932	Drill Core	<0.1	<0.02	1.6	1.06	<0.1	0.20	0.10	14.8	0.3	<0.05	11.2	15.08	53.8	<0.02	<1	0.4	7.7	<10	<2			
1828933	Drill Core	0.2	<0.02	2.5	1.64	<0.1	0.15	0.23	20.9	0.4	<0.05	5.3	17.40	48.9	<0.02	<1	0.3	10.8	<10	<2			
1828934	Drill Core	0.1	<0.02	2.2	1.27	<0.1	0.07	0.29	15.5	0.5	<0.05	3.0	16.56	42.9	<0.02	<1	0.4	10.6	<10	2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000225.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828935	Drill Core	4.84	444	<0.005	<0.01	<0.17	43.34	0.27	5.75	14.58	56.9	143	3.1	2.6	203	1.07	13.3	2.7	<0.2	12.0	19.8
1828936	Drill Core	5.12	447	<0.005	<0.01	<0.17	35.51	0.20	5.53	18.98	51.5	220	1.4	1.5	212	0.85	5.2	2.3	<0.2	11.6	19.7
1828937	Drill Core	4.64	436	<0.005	<0.01	<0.17	49.98	0.33	1.54	11.47	27.0	173	0.5	0.5	211	0.47	8.1	1.4	<0.2	13.0	27.7
1828938	Drill Core	4.74	480	<0.005	<0.01	<0.17	40.64	0.36	3.67	27.64	39.8	204	0.6	0.5	122	0.55	15.9	1.4	0.5	10.4	14.0
1828939	Drill Core	5.28	522	<0.005	<0.01	<0.17	43.42	0.27	6.06	27.71	45.0	294	1.2	1.3	217	0.65	10.8	1.8	0.3	12.0	17.4
1828940	Rock Pulp	0.12	82	0.010				2.27	91.91	3.86	34.7	131	4.5	8.4	344	2.41	0.7	0.9	1.4	2.2	62.4
1828941	Drill Core	5.21	512	<0.005	<0.01	<0.17	45.02	0.33	2.69	13.87	42.7	191	0.6	0.7	204	0.61	6.7	1.8	<0.2	14.2	26.6
1828942	Drill Core	4.82	469	<0.005	<0.01	<0.17	42.69	0.30	3.97	5.78	46.9	141	2.9	2.3	280	1.02	4.0	2.5	<0.2	14.2	24.2
1828943	Drill Core	5.20	560	<0.005	<0.01	<0.17	34.52	0.35	5.08	8.36	49.5	155	3.2	2.7	269	1.04	4.6	2.4	<0.2	14.0	27.6
1828944	Drill Core	4.88	506	<0.005	<0.01	<0.17	50.07	0.24	7.73	34.46	78.3	298	3.3	2.8	259	0.95	9.3	1.6	1.8	14.1	27.1
1828945	Drill Core	4.30	406	<0.005	<0.01	<0.17	36.84	0.84	3.35	6.03	26.7	161	3.6	2.4	167	0.87	12.1	2.8	<0.2	14.8	21.9
1828946	Drill Core	3.83	468	<0.005	<0.01	<0.17	42.09	0.76	15.37	3.73	52.6	261	11.0	7.7	361	1.90	15.8	2.2	0.3	12.7	43.2
1828947	Drill Core	4.79	464	<0.005	<0.01	<0.17	44.38	0.38	5.52	21.89	26.0	312	1.3	1.1	97	0.53	5.1	0.9	1.2	4.2	12.3
1828948	Drill Core	3.77	448	0.013	0.01	<0.17	47.64	0.73	5.15	10.56	25.5	311	2.3	1.7	120	0.88	38.1	3.1	8.4	13.8	13.9
1828949	Drill Core	2.56	493	0.007	<0.01	<0.17	47.57	0.33	1.38	5.14	4.5	132	0.5	0.2	43	0.34	4.0	1.0	3.4	8.4	3.2
1828950	Drill Core	2.38	497	0.005	<0.01	<0.17	38.97	0.16	1.47	21.25	8.5	183	0.2	0.1	98	0.20	2.9	1.3	1.4	14.9	24.4
1828951	Drill Core	2.79	514	<0.005	<0.01	<0.17	28.64	0.40	2.13	12.45	5.7	70	0.5	0.5	108	0.37	0.6	0.4	0.3	6.9	6.2
1828952	Drill Core	3.10	434	<0.005	<0.01	<0.17	40.49	0.42	1.68	20.42	6.0	150	0.3	0.2	65	0.30	0.8	2.3	0.5	17.0	13.8
1828953	Drill Core	2.48	496	<0.005	<0.01	<0.17	41.12	0.24	1.33	17.09	4.5	116	0.3	0.3	54	0.27	0.9	1.2	0.2	14.7	9.7
1828954	Drill Core	2.53	456	0.014	0.01	<0.17	41.24	0.22	1.68	23.52	7.0	156	0.3	0.2	69	0.30	1.3	2.8	10.5	17.3	15.1
1828955	Drill Core	2.95	547	0.008	<0.01	<0.17	43.84	0.24	1.42	17.87	7.0	148	0.2	0.2	82	0.26	1.2	1.7	3.3	17.8	22.0
1828956	Drill Core	3.08	490	0.007	<0.01	<0.17	37.79	0.34	3.49	7.84	8.5	112	0.5	0.2	78	0.41	1.4	1.3	3.0	14.1	3.8
1828957	Drill Core	4.01	384	<0.005	<0.01	<0.17	49.46	0.23	2.03	17.85	5.5	192	0.3	0.1	106	0.31	0.4	2.2	<0.2	16.9	37.4
1828958	Drill Core	2.20	442	0.007	<0.01	<0.17	28.47	0.44	1.14	10.78	7.4	92	0.7	0.2	97	0.56	0.7	0.9	1.6	7.4	7.4
1828959	Drill Core	2.38	542	0.008	<0.01	<0.17	52.53	0.92	1.03	27.83	20.7	170	2.9	2.3	185	0.68	1.0	3.5	2.2	18.1	36.0
1828960	Core DUP		538	0.010	<0.01	<0.17	42.46	0.92	0.98	27.36	21.9	174	2.9	2.2	177	0.64	1.3	3.4	3.0	17.6	36.7
1828961	Drill Core	3.24	513	0.005	<0.01	<0.17	51.98	0.57	0.84	5.85	29.6	66	8.7	3.8	324	1.26	1.4	4.2	0.7	17.4	60.1
1828962	Drill Core	2.33	466	0.006	<0.01	<0.17	34.07	0.33	1.40	4.51	8.2	122	0.5	0.3	86	0.38	1.2	1.3	1.8	12.5	2.5
1828963	Drill Core	3.25	480	0.006	<0.01	<0.17	49.86	0.34	2.05	29.02	13.3	220	0.4	0.2	113	0.36	1.6	1.6	2.4	16.7	17.5
1828964	Drill Core	3.21	527	<0.005	<0.01	<0.17	38.22	0.45	1.96	12.88	5.1	108	0.2	0.2	74	0.26	0.7	2.5	<0.2	16.9	24.9



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000225.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828935	Drill Core	0.45	0.70	0.05	7	0.19	0.023	25.2	10.3	0.58	184.3	0.029	<1	0.73	0.010	0.38	0.1	3.1	0.20	0.08	27
1828936	Drill Core	0.40	0.32	0.17	3	0.26	0.013	25.4	3.7	0.45	226.0	0.026	<1	0.63	0.024	0.34	0.1	2.4	0.15	0.10	11
1828937	Drill Core	0.22	0.34	0.16	<1	0.33	0.008	24.7	1.1	0.30	162.0	0.013	<1	0.45	0.005	0.25	<0.1	1.6	0.09	<0.02	25
1828938	Drill Core	0.46	0.74	0.17	<1	0.09	0.009	25.1	2.0	0.25	172.5	0.003	<1	0.42	0.010	0.25	<0.1	1.6	0.11	0.02	37
1828939	Drill Core	0.44	0.69	0.24	2	0.18	0.013	30.5	3.7	0.36	183.8	0.014	1	0.54	0.009	0.33	0.1	1.8	0.15	0.05	29
1828940	Rock Pulp	0.06	0.11	0.07	83	0.78	0.058	6.5	9.6	0.68	122.1	0.096	2	1.41	0.155	0.20	3.1	2.2	0.05	<0.02	7
1828941	Drill Core	0.35	0.43	0.17	<1	0.32	0.010	22.1	1.7	0.37	188.9	0.017	2	0.52	0.016	0.29	0.1	1.8	0.11	0.04	22
1828942	Drill Core	0.27	0.38	0.11	5	0.34	0.020	19.7	10.7	0.77	167.0	0.033	2	0.77	0.009	0.31	0.2	2.8	0.14	0.05	34
1828943	Drill Core	0.27	0.57	0.10	6	0.25	0.023	21.6	11.2	0.72	189.6	0.029	1	0.83	0.007	0.34	0.1	2.5	0.16	0.03	40
1828944	Drill Core	0.53	0.68	0.27	7	0.23	0.027	24.8	14.9	0.63	168.8	0.016	1	0.76	0.010	0.34	0.2	2.8	0.18	0.02	54
1828945	Drill Core	0.13	0.56	0.15	5	0.18	0.023	27.5	8.3	0.51	199.6	0.019	2	0.70	0.009	0.30	0.2	2.3	0.13	0.05	27
1828946	Drill Core	0.23	0.92	0.08	17	0.34	0.062	16.8	22.1	1.11	125.1	0.072	2	1.23	0.015	0.53	0.3	3.8	0.34	0.13	38
1828947	Drill Core	0.67	0.41	0.45	2	0.05	0.008	9.6	5.2	0.15	99.5	0.002	<1	0.27	0.006	0.16	<0.1	0.7	0.07	0.03	12
1828948	Drill Core	0.08	1.27	0.24	4	0.07	0.018	33.4	4.9	0.29	152.1	0.002	1	0.63	0.009	0.36	0.2	1.9	0.18	0.07	31
1828949	Drill Core	0.02	0.22	0.05	<1	0.01	0.004	17.1	3.1	0.04	56.2	<0.001	<1	0.18	0.004	0.16	<0.1	0.5	0.05	<0.02	8
1828950	Drill Core	0.09	0.25	0.07	<1	0.43	0.003	24.0	1.3	0.03	79.4	<0.001	2	0.19	0.016	0.20	0.1	0.4	0.05	0.05	12
1828951	Drill Core	0.10	0.26	0.04	<1	0.12	0.001	14.9	4.3	0.02	46.3	<0.001	<1	0.11	0.007	0.11	0.1	0.3	0.04	<0.02	<5
1828952	Drill Core	0.02	0.22	0.15	<1	0.26	0.005	34.7	1.8	0.06	110.3	<0.001	<1	0.27	0.026	0.26	0.1	0.6	0.06	0.03	10
1828953	Drill Core	0.02	0.18	0.13	<1	0.19	0.004	29.0	2.1	0.03	98.8	<0.001	<1	0.21	0.024	0.22	0.1	0.4	0.04	0.02	6
1828954	Drill Core	0.04	0.17	0.25	<1	0.27	0.004	36.4	1.7	0.08	105.6	<0.001	<1	0.29	0.029	0.25	0.2	0.6	0.06	<0.02	<5
1828955	Drill Core	0.03	0.18	0.19	<1	0.38	0.004	35.1	1.5	0.06	99.6	<0.001	<1	0.27	0.023	0.25	0.2	0.6	0.05	<0.02	<5
1828956	Drill Core	0.05	0.26	0.11	<1	0.06	0.004	26.8	2.3	0.06	80.7	<0.001	1	0.24	0.019	0.21	0.2	0.4	0.04	0.03	6
1828957	Drill Core	0.02	0.22	0.24	<1	0.61	0.004	31.3	1.8	0.06	118.2	<0.001	<1	0.27	0.025	0.26	0.3	0.6	0.05	<0.02	6
1828958	Drill Core	0.05	0.32	0.08	<1	0.17	0.001	9.6	4.3	0.07	41.1	<0.001	<1	0.16	0.008	0.10	0.1	0.5	0.02	0.12	<5
1828959	Drill Core	0.09	0.50	0.20	6	0.73	0.007	29.1	3.5	0.35	111.5	0.005	2	0.60	0.020	0.26	0.2	1.4	0.07	0.07	<5
1828960	Core DUP	0.08	0.49	0.20	5	0.72	0.007	27.4	3.4	0.35	97.5	0.005	2	0.58	0.018	0.24	0.2	1.2	0.05	0.07	9
1828961	Drill Core	0.06	0.95	0.06	15	1.06	0.018	32.6	7.5	0.90	110.8	0.015	1	1.14	0.028	0.24	0.2	2.5	0.06	<0.02	7
1828962	Drill Core	0.08	0.22	0.07	<1	0.03	0.003	27.0	3.1	0.08	68.7	<0.001	1	0.22	0.015	0.18	<0.1	0.4	0.05	<0.02	8
1828963	Drill Core	0.07	0.18	0.35	<1	0.29	0.004	36.3	2.0	0.10	186.6	<0.001	1	0.35	0.025	0.28	<0.1	0.7	0.06	<0.02	<5
1828964	Drill Core	0.03	0.12	0.18	<1	0.41	0.003	34.2	1.8	0.05	167.6	<0.001	<1	0.25	0.024	0.25	<0.1	0.6	0.04	0.02	<5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000225.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828935	Drill Core	0.3	<0.02	2.9	2.08	<0.1	0.10	0.10	23.6	0.5	<0.05	5.5	17.29	45.2	<0.02	<1	0.4	15.6	<10	<2			
1828936	Drill Core	0.2	<0.02	2.4	1.50	<0.1	0.10	0.22	18.4	0.5	<0.05	5.5	16.21	46.3	<0.02	<1	0.4	12.0	<10	<2			
1828937	Drill Core	<0.1	<0.02	1.5	0.84	<0.1	0.27	0.27	12.2	0.3	<0.05	12.1	15.70	45.4	<0.02	<1	0.4	7.5	<10	<2			
1828938	Drill Core	0.2	<0.02	1.7	0.92	<0.1	0.29	0.07	12.8	0.5	<0.05	13.5	13.27	46.7	<0.02	<1	0.4	6.9	<10	<2			
1828939	Drill Core	<0.1	<0.02	1.9	1.46	<0.1	0.43	0.15	17.1	0.4	<0.05	16.2	17.37	56.3	<0.02	1	0.2	9.2	<10	<2			
1828940	Rock Pulp	<0.1	<0.02	4.2	0.29	<0.1	0.06	0.08	6.2	0.3	<0.05	1.3	4.02	13.7	<0.02	<1	<0.1	6.6	<10	<2			
1828941	Drill Core	0.1	<0.02	1.7	1.04	<0.1	0.22	0.22	14.4	0.4	<0.05	9.4	14.87	40.9	<0.02	<1	0.3	9.8	<10	<2			
1828942	Drill Core	0.1	<0.02	2.6	1.86	<0.1	0.14	0.13	16.6	0.4	<0.05	4.8	15.81	36.0	<0.02	2	0.4	18.7	<10	<2			
1828943	Drill Core	<0.1	<0.02	2.7	1.77	<0.1	0.12	0.13	18.7	0.4	<0.05	7.0	16.43	39.8	<0.02	<1	0.6	14.6	<10	<2			
1828944	Drill Core	<0.1	<0.02	2.9	2.10	<0.1	0.13	0.07	21.4	0.4	<0.05	5.9	17.44	45.4	<0.02	<1	0.4	11.7	<10	<2			
1828945	Drill Core	0.3	<0.02	2.6	1.19	<0.1	0.15	0.09	14.7	0.4	<0.05	8.1	16.05	52.2	<0.02	2	0.4	9.3	<10	<2			
1828946	Drill Core	0.3	<0.02	4.5	4.30	<0.1	0.28	0.07	36.7	0.6	<0.05	10.0	15.65	30.2	<0.02	<1	0.6	21.2	<10	<2			
1828947	Drill Core	<0.1	<0.02	1.0	1.59	<0.1	0.13	<0.02	8.3	0.2	<0.05	4.5	5.56	18.3	<0.02	<1	0.2	3.4	<10	<2			
1828948	Drill Core	0.3	<0.02	2.6	6.67	<0.1	0.25	<0.02	21.1	0.5	<0.05	10.8	17.10	63.2	<0.02	<1	0.8	6.3	<10	<2			
1828949	Drill Core	<0.1	<0.02	0.7	2.23	<0.1	0.20	<0.02	7.3	0.1	<0.05	7.4	4.72	31.4	<0.02	<1	0.3	1.2	<10	<2			
1828950	Drill Core	<0.1	<0.02	0.7	0.80	<0.1	0.37	0.03	8.4	0.2	<0.05	12.2	5.50	46.4	<0.02	<1	0.1	1.6	<10	<2			
1828951	Drill Core	<0.1	<0.02	0.4	0.53	<0.1	0.20	<0.02	5.1	0.2	<0.05	6.3	3.30	28.0	<0.02	<1	<0.1	1.0	<10	<2			
1828952	Drill Core	0.1	<0.02	1.2	0.63	<0.1	0.32	0.03	11.0	0.2	<0.05	10.5	7.09	64.9	<0.02	<1	0.2	2.3	<10	<2			
1828953	Drill Core	<0.1	<0.02	0.8	0.47	<0.1	0.35	0.02	8.7	0.2	<0.05	11.8	4.73	56.2	<0.02	<1	0.3	1.5	<10	<2			
1828954	Drill Core	<0.1	<0.02	1.2	1.04	<0.1	0.36	0.03	10.6	0.2	<0.05	11.9	6.24	67.0	<0.02	<1	0.1	2.6	<10	<2			
1828955	Drill Core	<0.1	<0.02	1.0	0.86	<0.1	0.49	0.03	10.2	0.2	<0.05	16.8	6.67	64.6	<0.02	<1	0.2	2.4	<10	<2			
1828956	Drill Core	<0.1	<0.02	0.9	1.37	<0.1	0.38	<0.02	8.4	0.2	<0.05	13.6	5.51	50.8	<0.02	<1	0.4	2.1	<10	<2			
1828957	Drill Core	<0.1	<0.02	1.1	0.61	<0.1	0.38	0.02	10.2	0.3	<0.05	10.8	5.14	59.0	<0.02	<1	0.2	2.5	<10	<2			
1828958	Drill Core	<0.1	<0.02	0.8	1.30	<0.1	0.20	<0.02	5.0	0.1	<0.05	6.2	2.69	17.9	<0.02	<1	0.1	3.1	<10	<2			
1828959	Drill Core	0.2	<0.02	2.5	2.41	<0.1	0.45	0.02	11.0	0.3	<0.05	15.7	8.10	53.4	<0.02	<1	0.4	9.9	<10	<2			
1828960	Core DUP	<0.1	<0.02	2.3	2.29	<0.1	0.48	0.03	10.2	0.3	<0.05	15.4	8.12	50.8	<0.02	<1	0.5	10.1	<10	<2			
1828961	Drill Core	<0.1	<0.02	4.0	3.38	<0.1	0.47	0.03	11.2	0.4	<0.05	14.7	11.30	60.0	<0.02	<1	0.5	21.5	<10	<2			
1828962	Drill Core	0.2	<0.02	0.9	0.85	<0.1	0.41	<0.02	7.5	0.2	<0.05	13.5	4.98	51.3	<0.02	<1	<0.1	2.1	<10	<2			
1828963	Drill Core	0.1	<0.02	1.5	1.26	<0.1	0.45	<0.02	10.9	0.2	<0.05	14.5	5.77	68.7	<0.02	<1	0.3	3.8	<10	<2			
1828964	Drill Core	<0.1	<0.02	0.8	0.69	<0.1	0.30	0.03	9.8	0.2	<0.05	11.5	5.04	63.4	<0.02	<1	0.4	2.0	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000225.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828965	Drill Core	2.27	517	<0.005	<0.01	<0.17	48.33	0.32	2.97	23.52	10.2	136	0.4	0.2	109	0.42	0.9	1.1	1.1	20.9	14.0
1828966	Drill Core	2.49	466	0.010	<0.01	<0.17	47.55	0.28	1.64	11.66	5.1	105	0.2	0.1	105	0.30	2.1	1.0	6.3	17.4	26.6
1828967	Drill Core	2.89	475	0.014	0.01	<0.17	43.02	0.36	1.39	6.21	3.2	76	0.3	0.2	80	0.36	2.9	0.8	9.1	13.4	7.3
1828968	Drill Core	3.69	524	0.018	0.02	<0.17	44.60	0.44	1.66	15.86	6.1	189	0.2	0.1	101	0.30	2.3	1.3	11.7	16.3	27.5
1828969	Drill Core	2.62	429	0.033	0.03	<0.17	44.30	0.45	1.27	3.20	9.2	93	0.5	0.3	114	0.51	7.5	0.7	23.8	11.3	9.4
1828970	Drill Core	1.84	512	0.031	0.03	<0.17	36.68	0.35	1.06	7.44	8.8	100	0.4	0.3	62	0.56	6.7	1.0	32.1	15.5	4.3
1828971	Drill Core	4.39	438	0.011	<0.01	<0.17	35.83	0.26	2.13	17.31	6.1	100	0.2	<0.1	122	0.25	1.4	1.5	6.0	16.7	59.6
1828972	Drill Core	5.08	544	0.008	<0.01	<0.17	51.89	0.27	2.41	19.01	4.0	131	0.2	0.1	114	0.24	1.5	1.1	1.0	18.1	33.7
1828973	Drill Core	4.92	517	0.007	<0.01	<0.17	49.69	0.28	1.79	19.69	4.0	140	0.3	0.1	63	0.24	1.9	1.0	3.3	16.4	17.9
1828974	Drill Core	2.95	438	0.008	<0.01	<0.17	44.31	0.33	1.81	18.29	5.9	183	0.4	0.3	74	0.35	3.3	1.1	1.6	17.2	16.7
1828975	Drill Core	2.22	450	0.023	0.03	<0.17	42.22	0.44	1.79	12.19	6.0	213	0.3	0.2	63	0.37	6.4	0.9	32.1	16.1	6.9
1828976	Drill Core	5.45	475	0.013	0.01	<0.17	48.61	0.33	2.38	15.92	5.4	172	0.3	0.2	77	0.30	3.1	1.0	4.5	16.7	13.8
1828977	Drill Core	5.55	470	0.015	0.01	<0.17	50.67	0.46	2.30	17.08	6.0	193	0.3	0.2	112	0.31	3.6	1.2	6.4	17.3	19.2
1828978	Drill Core	2.72	450	0.126	0.13	<0.17	47.87	0.39	2.03	27.91	3.5	268	0.3	0.2	65	0.28	1.0	1.1	6.6	15.7	16.7
1828979	Drill Core	5.09	447	<0.005	<0.01	<0.17	44.40	0.47	2.36	19.28	4.0	75	0.3	0.1	131	0.28	0.8	1.7	0.6	16.4	55.0
1828980	Rock	0.22	176	<0.005	<0.01	<0.17	27.56	0.43	1.46	1.23	2.3	11	1.5	0.5	90	0.69	0.7	0.2	<0.2	1.9	1.6
1828981	Drill Core	5.25	452	0.005	<0.01	<0.17	43.47	0.32	1.62	17.46	4.1	18	0.3	0.1	95	0.26	0.8	1.9	<0.2	18.0	43.2
1828982	Drill Core	5.01	458	0.005	<0.01	<0.17	41.60	0.40	1.61	18.36	6.2	62	0.2	0.2	143	0.34	0.6	2.4	<0.2	17.7	49.8
1828983	Drill Core	4.84	500	<0.005	<0.01	<0.17	40.34	0.57	1.85	24.16	2.7	44	0.3	0.1	176	0.27	0.2	2.1	<0.2	17.6	57.2
1828984	Drill Core	4.97	467	<0.005	<0.01	<0.17	45.02	0.44	1.28	31.33	2.7	63	0.3	0.1	62	0.33	0.4	1.4	<0.2	17.0	33.0
1828985	Drill Core	4.85	455	0.005	<0.01	<0.17	38.97	0.65	1.69	17.44	3.0	46	0.4	0.2	63	0.27	0.4	1.7	<0.2	16.9	30.9
1828986	Drill Core	5.25	470	0.006	<0.01	<0.17	49.95	0.28	1.43	19.11	7.4	89	0.3	<0.1	77	0.25	1.4	1.9	0.6	24.8	35.9
1828987	Drill Core	3.29	454	0.027	0.02	<0.17	45.27	0.44	1.86	10.89	4.5	91	0.2	0.2	131	0.28	3.1	1.8	18.7	22.1	63.3
1828988	Drill Core	5.22	462	0.025	0.02	<0.17	33.61	0.64	1.54	17.27	4.2	131	0.5	0.1	76	0.35	2.7	1.8	19.8	17.0	19.9
1828989	Drill Core	2.22	437	0.044	0.04	<0.17	38.71	1.48	1.08	7.44	2.4	126	0.4	0.2	61	0.51	12.4	1.5	24.1	16.7	13.3
1828990	Drill Core	5.39	446	0.338	0.33	0.25	44.24	0.34	1.17	12.09	4.0	236	0.4	0.2	79	0.47	4.8	3.3	333.5	20.3	19.7
1828991	Drill Core	3.24	430	0.008	<0.01	<0.17	29.49	0.32	1.53	12.64	3.9	129	0.3	0.1	46	0.28	0.5	1.8	<0.2	16.1	17.1
1828992	Drill Core	2.45	456	0.026	0.02	<0.17	46.28	0.29	1.28	3.64	3.3	112	0.5	0.2	75	0.48	2.4	1.1	17.3	15.3	14.9
1828993	Drill Core	5.84	443	0.006	<0.01	<0.17	39.50	0.24	2.17	18.30	4.6	126	0.4	0.1	119	0.29	0.6	1.1	<0.2	18.2	41.8
1828994	Drill Core	4.90	505	0.006	<0.01	<0.17	47.72	0.63	1.31	16.04	3.2	66	0.3	0.2	119	0.29	0.7	1.9	<0.2	17.7	52.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: August 15, 2019

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000225.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828965	Drill Core	0.04	0.14	0.29	<1	0.23	0.005	44.6	2.1	0.10	105.1	<0.001	2	0.33	0.021	0.27	<0.1	0.7	0.07	<0.02	<5
1828966	Drill Core	0.03	0.19	0.09	<1	0.45	0.004	33.8	1.9	0.05	93.6	<0.001	1	0.26	0.016	0.24	<0.1	0.5	0.05	<0.02	<5
1828967	Drill Core	0.03	0.18	0.04	<1	0.11	0.003	25.6	2.6	0.02	135.6	<0.001	1	0.21	0.010	0.21	<0.1	0.4	0.04	<0.02	8
1828968	Drill Core	0.03	0.24	0.18	<1	0.48	0.003	29.9	1.9	0.07	107.0	<0.001	1	0.29	0.022	0.24	0.3	0.6	0.05	0.03	<5
1828969	Drill Core	0.05	0.26	<0.02	<1	0.20	0.002	19.1	3.2	0.07	71.6	<0.001	1	0.24	0.006	0.18	<0.1	0.5	0.04	0.03	7
1828970	Drill Core	0.05	0.23	0.04	<1	0.07	0.003	23.0	2.5	0.06	99.1	<0.001	2	0.29	0.008	0.25	0.2	0.6	0.05	0.15	14
1828971	Drill Core	0.04	0.13	0.14	<1	0.89	0.004	31.7	1.7	0.03	90.1	<0.001	<1	0.23	0.020	0.24	0.1	0.5	0.05	0.03	<5
1828972	Drill Core	0.01	0.16	0.23	<1	0.76	0.004	43.7	1.5	0.04	95.3	<0.001	<1	0.25	0.026	0.26	<0.1	0.6	0.05	<0.02	<5
1828973	Drill Core	<0.01	0.14	0.30	<1	0.33	0.004	43.0	0.9	0.04	93.4	<0.001	1	0.21	0.017	0.23	<0.1	0.5	0.06	<0.02	11
1828974	Drill Core	<0.01	0.19	0.31	<1	0.28	0.003	36.5	1.2	0.05	109.4	<0.001	2	0.25	0.024	0.24	<0.1	0.6	0.06	<0.02	<5
1828975	Drill Core	0.01	0.28	0.23	<1	0.15	0.003	35.9	1.1	0.04	82.2	<0.001	2	0.23	0.018	0.22	<0.1	0.6	0.05	<0.02	20
1828976	Drill Core	<0.01	0.27	0.23	<1	0.35	0.003	42.8	1.1	0.04	90.4	<0.001	<1	0.25	0.017	0.25	<0.1	0.5	0.06	<0.02	7
1828977	Drill Core	<0.01	0.26	0.28	<1	0.59	0.003	42.0	1.1	0.04	78.4	<0.001	<1	0.23	0.016	0.22	<0.1	0.5	0.06	<0.02	7
1828978	Drill Core	<0.01	0.13	0.48	<1	0.32	0.003	31.8	1.0	0.03	206.6	<0.001	<1	0.24	0.023	0.25	<0.1	0.6	0.06	<0.02	9
1828979	Drill Core	<0.01	0.08	0.31	<1	0.88	0.004	37.3	1.0	0.04	122.6	<0.001	<1	0.24	0.022	0.25	<0.1	0.5	0.06	0.04	<5
1828980	Rock	<0.01	0.04	<0.02	2	0.02	0.002	2.3	3.6	0.02	11.9	0.003	1	0.07	0.005	0.02	<0.1	0.3	<0.02	<0.02	<5
1828981	Drill Core	<0.01	0.07	0.21	<1	0.55	0.005	47.4	0.8	0.04	382.3	<0.001	<1	0.25	0.019	0.26	<0.1	0.7	0.06	0.03	<5
1828982	Drill Core	0.02	0.10	0.15	<1	0.71	0.004	43.2	1.1	0.08	213.6	0.001	<1	0.28	0.024	0.25	0.1	0.8	0.07	0.06	9
1828983	Drill Core	<0.01	0.09	0.05	<1	0.99	0.004	38.0	0.9	0.04	201.8	<0.001	<1	0.23	0.021	0.24	<0.1	0.5	0.05	0.05	8
1828984	Drill Core	<0.01	0.10	0.05	<1	0.33	0.003	38.7	1.2	0.04	212.0	<0.001	<1	0.25	0.021	0.25	<0.1	0.6	0.05	0.03	7
1828985	Drill Core	<0.01	0.13	<0.02	<1	0.35	0.003	39.8	1.1	0.04	138.7	<0.001	<1	0.26	0.018	0.26	<0.1	0.5	0.07	0.03	<5
1828986	Drill Core	0.04	0.19	0.06	<1	0.41	0.006	53.7	0.8	0.06	218.6	0.001	1	0.35	0.040	0.31	<0.1	0.7	0.08	<0.02	10
1828987	Drill Core	0.02	0.21	0.03	<1	0.81	0.004	41.1	0.8	0.06	223.1	<0.001	<1	0.32	0.025	0.29	0.1	1.0	0.06	0.05	<5
1828988	Drill Core	0.01	0.24	0.06	<1	0.32	0.003	32.4	1.2	0.07	153.3	0.001	<1	0.30	0.025	0.27	<0.1	0.7	0.06	0.08	<5
1828989	Drill Core	<0.01	0.21	0.04	<1	0.23	0.003	25.7	1.0	0.06	149.4	<0.001	<1	0.24	0.022	0.21	<0.1	0.6	0.05	0.29	<5
1828990	Drill Core	<0.01	0.18	0.03	<1	0.31	0.003	32.8	1.1	0.09	220.4	<0.001	2	0.35	0.027	0.28	0.1	1.0	0.06	0.16	<5
1828991	Drill Core	<0.01	0.14	0.04	<1	0.22	0.004	34.7	0.9	0.04	194.1	<0.001	<1	0.26	0.021	0.26	<0.1	0.5	0.05	0.05	6
1828992	Drill Core	<0.01	0.10	0.03	<1	0.25	0.002	30.2	1.4	0.08	109.3	<0.001	2	0.32	0.024	0.26	<0.1	0.7	0.05	0.08	<5
1828993	Drill Core	<0.01	0.10	0.06	<1	0.66	0.004	41.8	1.0	0.07	185.2	<0.001	<1	0.30	0.016	0.26	<0.1	0.7	0.06	0.02	9
1828994	Drill Core	<0.01	0.13	0.06	<1	0.70	0.005	43.1	1.0	0.07	344.6	<0.001	<1	0.29	0.019	0.27	0.1	0.6	0.05	0.03	6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000225.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828965	Drill Core	<0.1	<0.02	1.4	1.14	<0.1	0.44	<0.02	11.5	0.3	<0.05	13.5	6.59	83.1	<0.02	<1	0.3	3.4	<10	<2			
1828966	Drill Core	<0.1	<0.02	1.0	1.65	<0.1	0.45	<0.02	8.8	0.2	<0.05	15.9	5.26	63.6	<0.02	<1	0.3	1.6	<10	<2			
1828967	Drill Core	<0.1	<0.02	0.7	1.46	<0.1	0.43	<0.02	7.8	0.2	<0.05	13.4	3.38	49.6	<0.02	<1	0.1	1.0	<10	<2			
1828968	Drill Core	<0.1	<0.02	1.0	1.26	<0.1	0.47	0.02	9.3	0.2	<0.05	15.1	4.81	56.6	<0.02	<1	0.1	2.5	<10	<2			
1828969	Drill Core	<0.1	<0.02	0.8	2.38	<0.1	0.33	<0.02	7.3	0.2	<0.05	12.6	4.44	36.1	<0.02	<1	0.2	2.7	<10	<2			
1828970	Drill Core	<0.1	<0.02	0.9	2.63	<0.1	0.50	<0.02	9.4	0.2	<0.05	16.2	3.98	42.7	<0.02	<1	0.4	2.0	<10	<2			
1828971	Drill Core	<0.1	<0.02	0.9	0.77	<0.1	0.41	<0.02	9.4	0.2	<0.05	14.1	5.08	60.5	<0.02	<1	0.2	1.0	<10	<2			
1828972	Drill Core	<0.1	<0.02	1.0	0.46	<0.1	0.43	0.03	10.8	0.2	<0.05	13.3	7.16	81.2	<0.02	<1	0.3	1.3	<10	4			
1828973	Drill Core	<0.1	<0.02	1.1	0.67	<0.1	0.44	0.06	11.3	0.2	<0.05	7.6	6.11	85.1	0.03	2	0.2	1.4	<10	<2			
1828974	Drill Core	<0.1	<0.02	1.1	0.91	<0.1	0.66	0.05	11.7	0.3	<0.05	11.0	5.66	72.9	<0.02	<1	0.2	1.9	<10	<2			
1828975	Drill Core	<0.1	<0.02	1.1	1.77	<0.1	0.53	<0.02	10.5	0.2	<0.05	9.6	4.97	69.2	<0.02	<1	<0.1	1.8	<10	<2			
1828976	Drill Core	<0.1	<0.02	1.0	0.96	<0.1	0.45	0.04	11.9	0.2	<0.05	8.3	6.46	84.7	<0.02	<1	0.5	1.3	<10	<2			
1828977	Drill Core	<0.1	<0.02	1.1	1.12	<0.1	0.50	0.02	11.3	0.2	<0.05	9.4	7.28	85.3	<0.02	1	0.1	1.7	<10	<2			
1828978	Drill Core	<0.1	<0.02	1.0	0.55	<0.1	0.46	0.03	12.0	0.2	<0.05	9.5	4.43	64.3	<0.02	<1	<0.1	1.0	<10	<2			
1828979	Drill Core	<0.1	0.02	1.0	0.34	<0.1	0.35	0.03	11.4	0.2	<0.05	6.9	7.32	75.9	<0.02	1	0.3	1.4	<10	<2			
1828980	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.14	0.04	1.1	<0.1	<0.05	2.6	1.08	4.8	<0.02	2	<0.1	1.3	<10	<2			
1828981	Drill Core	<0.1	<0.02	1.3	0.33	<0.1	0.20	0.03	12.2	0.2	<0.05	5.3	8.34	92.2	<0.02	2	0.4	1.3	<10	<2			
1828982	Drill Core	<0.1	<0.02	1.3	0.82	<0.1	0.28	0.03	12.7	0.2	<0.05	5.0	10.01	85.7	<0.02	1	<0.1	2.8	<10	<2			
1828983	Drill Core	<0.1	<0.02	1.1	0.42	<0.1	0.27	0.04	11.3	0.2	<0.05	5.6	7.47	78.4	<0.02	2	0.2	1.1	<10	<2			
1828984	Drill Core	<0.1	<0.02	1.3	0.47	<0.1	0.32	<0.02	11.5	0.2	<0.05	6.0	6.29	77.1	<0.02	1	0.3	1.1	<10	<2			
1828985	Drill Core	<0.1	<0.02	1.1	0.28	<0.1	0.23	0.02	11.9	0.2	<0.05	5.5	7.36	76.6	<0.02	2	<0.1	1.8	<10	<2			
1828986	Drill Core	<0.1	<0.02	1.6	0.46	<0.1	0.40	0.04	14.6	0.3	<0.05	7.8	8.70	105.4	<0.02	1	0.3	2.7	<10	<2			
1828987	Drill Core	<0.1	<0.02	1.2	0.41	0.1	0.26	0.02	12.1	0.2	<0.05	5.4	5.23	83.7	<0.02	1	0.2	2.4	<10	<2			
1828988	Drill Core	<0.1	<0.02	1.3	0.48	<0.1	0.28	0.02	11.3	0.2	<0.05	6.3	4.64	66.1	<0.02	<1	0.2	2.3	<10	<2			
1828989	Drill Core	<0.1	0.02	1.0	0.99	<0.1	0.38	<0.02	8.9	0.1	<0.05	7.5	4.15	49.5	<0.02	5	<0.1	1.8	<10	<2			
1828990	Drill Core	<0.1	<0.02	1.5	1.03	<0.1	0.46	<0.02	11.5	0.2	<0.05	9.3	5.60	64.1	<0.02	1	0.3	3.4	<10	3			
1828991	Drill Core	<0.1	<0.02	1.1	0.66	<0.1	0.30	<0.02	11.0	0.3	<0.05	6.3	5.41	67.2	<0.02	3	0.3	1.7	<10	<2			
1828992	Drill Core	<0.1	0.03	1.4	1.25	<0.1	0.23	<0.02	11.2	0.2	<0.05	5.3	5.40	60.2	<0.02	1	0.2	2.8	<10	<2			
1828993	Drill Core	<0.1	<0.02	1.4	0.76	<0.1	0.36	<0.02	11.4	0.2	<0.05	6.7	7.41	73.3	<0.02	<1	0.2	2.9	<10	<2			
1828994	Drill Core	<0.1	0.02	1.2	0.58	<0.1	0.31	0.03	11.5	0.2	<0.05	6.8	7.05	78.7	<0.02	<1	0.1	2.2	<10	4			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000225.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1828995	Drill Core	5.42	425	0.007	<0.01	<0.17	37.29	0.64	1.32	14.02	3.9	156	0.3	0.2	127	0.28	0.4	2.3	6.2	16.7	57.4
1828996	Drill Core	5.22	473	<0.005	<0.01	<0.17	47.21	0.37	2.21	17.47	3.7	55	0.3	0.1	140	0.29	0.4	1.9	0.8	17.5	61.1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000225.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828995	Drill Core	0.02	0.13	0.11	<1	0.80	0.004	33.2	0.8	0.05	195.5	<0.001	<1	0.26	0.021	0.24	<0.1	0.7	0.04	0.07	6
1828996	Drill Core	<0.01	0.13	0.29	<1	0.87	0.004	42.8	1.1	0.06	176.7	0.001	<1	0.27	0.018	0.26	<0.1	0.6	0.05	<0.02	<5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000225.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1828995	Drill Core	<0.1	<0.02	1.2	0.83	<0.1	0.30	<0.02	10.7	0.3	<0.05	5.8	5.90	66.6	<0.02	1	0.2	1.5	<10
1828996	Drill Core	<0.1	<0.02	1.4	0.53	<0.1	0.34	0.02	11.9	0.2	<0.05	6.9	7.78	87.1	<0.02	3	<0.1	1.7	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 15, 2019

Page:

1 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000225.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1828919	Drill Core	5.35	469	<0.005	<0.01	<0.17	31.18	0.58	11.74	3.29	37.3	137	11.2	8.0	403	1.92	9.5	1.9	<0.2	9.9	35.0
REP 1828919	QC	<0.005																			
1828926	Drill Core	4.35	426	<0.005	<0.01	<0.17	42.13	0.28	8.24	48.21	70.6	301	1.9	2.0	132	0.85	13.6	2.2	0.5	11.7	32.0
REP 1828926	QC	<0.005																			
1828928	Drill Core	5.06	433	<0.005	<0.01	<0.17	38.53	0.31	2.32	19.60	29.6	159	1.0	0.9	128	0.48	10.1	1.4	0.7	13.4	17.4
REP 1828928	QC	0.33 2.29 19.01 29.2 164 1.0 0.9 123 0.49 10.4 1.3 0.7 14.1 17.3																			
1828962	Drill Core	2.33	466	0.006	<0.01	<0.17	34.07	0.33	1.40	4.51	8.2	122	0.5	0.3	86	0.38	1.2	1.3	1.8	12.5	2.5
REP 1828962	QC	0.34 1.37 4.35 8.5 107 0.4 0.3 85 0.38 1.2 1.2 1.3 12.4 2.4																			
1828992	Drill Core	2.45	456	0.026	0.02	<0.17	46.28	0.29	1.28	3.64	3.3	112	0.5	0.2	75	0.48	2.4	1.1	17.3	15.3	14.9
REP 1828992	QC	0.028																			
1828996	Drill Core	5.22	473	<0.005	<0.01	<0.17	47.21	0.37	2.21	17.47	3.7	55	0.3	0.1	140	0.29	0.4	1.9	0.8	17.5	61.1
REP 1828996	QC	0.38 1.99 16.76 3.6 51 0.4 0.1 129 0.27 0.3 1.8 1.9 16.8 57.1																			
Core Reject Duplicates																					
1828931	Drill Core	5.20	500	<0.005	<0.01	<0.17	33.65	0.22	2.66	26.63	37.3	214	0.6	0.6	177	0.51	1.5	2.5	<0.2	13.8	21.1
DUP 1828931	QC	525 <0.005 <0.01 <0.17 33.64 0.20 2.39 25.89 36.3 195 0.6 0.6 167 0.50 1.5 2.4 0.3 14.3 19.8																			
1828965	Drill Core	2.27	517	<0.005	<0.01	<0.17	48.33	0.32	2.97	23.52	10.2	136	0.4	0.2	109	0.42	0.9	1.1	1.1	20.9	14.0
DUP 1828965	QC	517 <0.005 <0.01 <0.17 45.61 0.26 2.73 25.38 9.4 168 0.5 0.2 99 0.37 0.7 1.0 0.3 19.0 12.9																			
Reference Materials																					
STD BVGEO01	Standard	11.31 4269.01 187.30 1777.3 2477 157.9 25.8 714 3.63 118.1 4.0 213.8 12.8 59.0																			
STD DS11	Standard	16.02 161.64 138.61 334.4 1676 77.3 14.4 1021 3.19 43.0 2.7 123.8 8.4 69.0																			
STD DS11	Standard	15.16 149.71 139.77 332.5 1674 81.5 13.1 1021 3.13 42.4 2.5 80.3 8.4 68.0																			
STD OREAS262	Standard	0.62 124.98 56.48 147.6 446 67.8 26.9 522 3.35 34.5 1.3 52.0 9.1 36.6																			
STD OREAS262	Standard	0.66 120.00 56.37 148.2 425 66.0 28.5 541 3.13 33.4 1.2 53.5 8.2 35.4																			
STD OREAS262	Standard	0.70 116.70 56.43 147.4 457 64.4 26.8 529 3.26 35.1 1.2 56.0 11.1 35.5																			
STD OXC145	Standard	0.214																			
STD OXC145	Standard	0.214																			
STD OXH139	Standard	1.335																			
STD OXH139	Standard	1.333																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 15, 2019

Page:

1 of 2

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000225.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1828919	Drill Core	0.07	0.91	<0.02	23	0.56	0.061	20.3	26.3	0.99	216.5	0.085	<1	1.09	0.046	0.62	0.3	6.0	0.32	0.17	8
REP 1828919	QC																				
1828926	Drill Core	0.17	0.89	0.40	3	0.11	0.020	32.9	4.3	0.32	197.5	0.003	<1	0.59	0.009	0.31	<0.1	2.2	0.16	0.04	39
REP 1828926	QC																				
1828928	Drill Core	0.19	0.53	0.17	1	0.07	0.012	35.1	2.0	0.20	181.4	0.002	<1	0.40	0.007	0.25	<0.1	1.4	0.12	<0.02	20
REP 1828928	QC	0.19	0.55	0.18	1	0.07	0.012	35.3	2.1	0.20	183.3	0.002	<1	0.40	0.007	0.24	<0.1	1.5	0.11	<0.02	16
1828962	Drill Core	0.08	0.22	0.07	<1	0.03	0.003	27.0	3.1	0.08	68.7	<0.001	1	0.22	0.015	0.18	<0.1	0.4	0.05	<0.02	8
REP 1828962	QC	0.06	0.23	0.07	<1	0.02	0.003	27.4	3.0	0.08	70.3	<0.001	1	0.22	0.015	0.18	<0.1	0.5	0.04	<0.02	8
1828992	Drill Core	<0.01	0.10	0.03	<1	0.25	0.002	30.2	1.4	0.08	109.3	<0.001	2	0.32	0.024	0.26	<0.1	0.7	0.05	0.08	<5
REP 1828992	QC																				
1828996	Drill Core	<0.01	0.13	0.29	<1	0.87	0.004	42.8	1.1	0.06	176.7	0.001	<1	0.27	0.018	0.26	<0.1	0.6	0.05	<0.02	<5
REP 1828996	QC	<0.01	0.12	0.31	<1	0.79	0.004	40.3	0.9	0.06	165.5	<0.001	<1	0.25	0.017	0.24	<0.1	0.6	0.05	<0.02	<5
Core Reject Duplicates																					
1828931	Drill Core	0.44	0.33	0.24	<1	0.20	0.008	32.5	1.3	0.37	232.2	0.011	<1	0.53	0.006	0.38	0.1	2.5	0.15	0.03	9
DUP 1828931	QC	0.47	0.30	0.22	<1	0.21	0.008	31.5	1.3	0.37	219.4	0.011	<1	0.53	0.006	0.37	0.1	2.2	0.14	0.03	7
1828965	Drill Core	0.04	0.14	0.29	<1	0.23	0.005	44.6	2.1	0.10	105.1	<0.001	2	0.33	0.021	0.27	<0.1	0.7	0.07	<0.02	<5
DUP 1828965	QC	0.03	0.13	0.35	<1	0.21	0.004	41.7	2.0	0.09	99.7	<0.001	<1	0.29	0.023	0.25	<0.1	0.7	0.05	<0.02	<5
Reference Materials																					
STD BVGEO01	Standard	6.42	3.24	25.95	71	1.34	0.069	26.7	178.5	1.28	272.1	0.243	3	2.33	0.188	0.87	4.7	5.8	0.61	0.64	86
STD DS11	Standard	2.28	8.36	11.80	51	1.08	0.071	20.0	63.0	0.85	377.4	0.101	7	1.22	0.080	0.41	2.9	3.6	4.81	0.28	261
STD DS11	Standard	2.50	8.00	12.17	48	1.03	0.064	18.8	61.3	0.84	368.9	0.093	8	1.19	0.070	0.39	2.9	3.0	5.06	0.28	275
STD OREAS262	Standard	0.64	3.89	1.05	24	2.96	0.038	17.1	44.4	1.18	240.8	0.003	4	1.42	0.072	0.32	0.1	3.5	0.46	0.26	148
STD OREAS262	Standard	0.63	3.94	1.02	21	2.97	0.037	16.1	43.3	1.15	242.2	0.003	4	1.31	0.065	0.30	0.1	3.0	0.44	0.25	152
STD OREAS262	Standard	0.61	3.79	1.08	22	2.96	0.037	17.1	45.3	1.17	245.6	0.003	4	1.41	0.066	0.32	0.1	3.3	0.48	0.26	181
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000225.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1828919	Drill Core	0.4	<0.02	4.7	2.56	<0.1	0.09	0.11	29.6	0.5	<0.05	2.9	10.98	36.3	<0.02	1	0.5	12.3	<10	<2
REP 1828919	QC																			
1828926	Drill Core	<0.1	0.02	2.8	1.56	<0.1	0.16	<0.02	17.1	0.4	<0.05	8.8	18.78	66.7	0.02	<1	0.3	8.4	<10	<2
REP 1828926	QC																			
1828928	Drill Core	0.2	<0.02	1.6	0.77	<0.1	0.27	<0.02	12.2	0.3	<0.05	12.7	18.97	65.8	<0.02	<1	0.3	5.8	<10	<2
REP 1828928	QC	0.2	<0.02	1.6	0.77	<0.1	0.25	<0.02	12.0	0.3	<0.05	12.1	18.72	65.6	<0.02	<1	0.2	6.3	<10	<2
1828962	Drill Core	0.2	<0.02	0.9	0.85	<0.1	0.41	<0.02	7.5	0.2	<0.05	13.5	4.98	51.3	<0.02	<1	<0.1	2.1	<10	<2
REP 1828962	QC	<0.1	<0.02	0.9	0.84	<0.1	0.48	<0.02	7.5	0.2	<0.05	13.8	4.94	50.2	<0.02	<1	0.3	2.0	<10	<2
1828992	Drill Core	<0.1	0.03	1.4	1.25	<0.1	0.23	<0.02	11.2	0.2	<0.05	5.3	5.40	60.2	<0.02	1	0.2	2.8	<10	<2
REP 1828992	QC																			
1828996	Drill Core	<0.1	<0.02	1.4	0.53	<0.1	0.34	0.02	11.9	0.2	<0.05	6.9	7.78	87.1	<0.02	3	<0.1	1.7	<10	<2
REP 1828996	QC	<0.1	0.03	1.2	0.52	<0.1	0.30	0.02	11.0	0.2	<0.05	6.4	7.32	79.6	<0.02	<1	0.3	1.4	<10	4
Core Reject Duplicates																				
1828931	Drill Core	0.2	<0.02	1.5	1.11	<0.1	0.19	0.18	20.5	0.3	<0.05	9.2	15.81	59.5	<0.02	<1	0.3	7.3	<10	<2
DUP 1828931	QC	0.1	<0.02	1.5	1.05	<0.1	0.15	0.16	19.1	0.3	<0.05	9.0	14.60	55.3	<0.02	<1	0.4	6.8	<10	<2
1828965	Drill Core	<0.1	<0.02	1.4	1.14	<0.1	0.44	<0.02	11.5	0.3	<0.05	13.5	6.59	83.1	<0.02	<1	0.3	3.4	<10	<2
DUP 1828965	QC	<0.1	<0.02	1.3	1.10	<0.1	0.43	<0.02	10.8	0.2	<0.05	13.7	6.10	77.7	<0.02	<1	0.2	3.0	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.9	0.96	7.0	6.97	0.2	0.33	0.21	90.2	6.0	<0.05	9.6	14.01	52.1	0.44	2	0.7	20.8	131	188
STD DS11	Standard	2.2	4.54	5.2	2.83	<0.1	0.08	1.64	33.4	1.9	<0.05	2.8	7.89	37.1	0.25	47	0.7	23.4	86	167
STD DS11	Standard	2.3	4.64	4.9	2.83	<0.1	0.09	1.62	33.9	2.0	<0.05	2.9	8.29	37.7	0.22	41	0.7	24.1	101	167
STD OREAS262	Standard	0.5	0.23	3.8	2.58	<0.1	0.22	<0.02	18.6	0.6	<0.05	11.1	10.61	33.4	0.04	<1	1.1	18.5	<10	3
STD OREAS262	Standard	0.6	0.21	3.8	2.45	<0.1	0.28	<0.02	17.7	0.5	<0.05	11.2	10.24	30.9	0.02	<1	1.0	17.1	<10	2
STD OREAS262	Standard	0.1	0.18	4.2	2.59	<0.1	0.25	<0.02	19.2	0.5	<0.05	8.8	10.73	34.8	0.02	5	1.1	18.6	12	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000225.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXN134	Standard			7.483																	
STD OXN134	Standard			7.758																	
STD OXQ90	Standard					25.22	30.05														
STD OXQ90	Standard					24.92	30.02														
STD OXQ90	Standard					25.25	30.02														
STD OXQ90	Standard					25.17	30.07														
STD OXQ90	Standard					25.06	30.25														
STD OXQ90	Standard					25.03	30.20														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	3	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.5	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.2	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.006																	
BLK	Blank			0.007																	
Prep Wash																					
ROCK-WHI	Prep Blank		405	<0.005	<0.01	<0.17	43.94	1.02	1.91	1.34	28.5	7	0.6	3.6	428	1.79	1.2	0.5	0.3	2.3	19.9
ROCK-WHI	Prep Blank		431	<0.005	<0.01	<0.17	50.20	0.70	3.43	1.03	28.1	5	0.6	3.7	453	1.84	0.9	0.4	0.8	1.9	21.7



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000225.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.01	0.04	0.03	24	0.61	0.041	6.9	2.2	0.41	52.5	0.072	4	0.87	0.099	0.09	<0.1	2.9	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	<0.01	0.03	0.02	25	0.64	0.044	5.9	2.0	0.44	51.7	0.072	2	0.96	0.111	0.10	<0.1	2.9	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000225.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	0.03	<0.02	<0.1	<0.1	<0.05	0.4	<0.01	<0.1	<0.02	2	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.3	0.19	<0.1	0.08	0.18	2.0	0.5	<0.05	3.7	8.39	13.1	0.03	<1	<0.1	2.5	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.3	0.16	<0.1	0.09	0.18	1.6	0.4	<0.05	4.1	7.83	11.6	<0.02	<1	0.1	1.6	<10	<2