



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 18, 2019
Report Date: August 18, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000226.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-31
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	133	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	138	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	138	Analysis sample split/packet			WHI
Split -150	138	Analysis sample split/packet			WHI
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
FS631	134	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	138	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000226.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832770	Drill Core	4.52	452	0.007	<0.01	<0.17	31.26	0.62	8.40	23.45	34.7	515	3.4	3.1	237	1.13	1.0	2.7	12.5	20.2
1832771	Drill Core	5.00	470	0.006	<0.01	<0.17	31.00	0.62	12.81	17.67	34.2	254	3.4	3.6	222	1.21	1.0	0.8	1.7	13.0
1832772	Drill Core	5.22	475	0.006	<0.01	<0.17	28.85	0.36	3.59	18.65	38.3	128	2.9	3.2	271	1.09	0.6	0.7	0.9	12.7
1832773	Drill Core	5.94	417	<0.005	<0.01	<0.17	34.50	0.48	3.66	20.98	30.1	125	2.4	3.0	381	1.07	0.1	0.9	1.1	11.1
1832774	Drill Core	5.00	530	0.007	<0.01	<0.17	35.01	0.62	6.99	17.49	24.7	129	2.0	3.0	375	0.98	0.7	1.3	0.9	12.2
1832775	Drill Core	4.68	437	0.006	<0.01	<0.17	35.24	0.61	6.22	13.12	18.9	164	2.2	3.2	242	0.90	1.1	0.9	0.7	12.4
1832776	Drill Core	5.62	525	0.005	<0.01	<0.17	45.95	0.52	7.42	10.93	14.2	128	1.8	3.0	194	0.74	0.9	1.2	0.4	13.0
1832777	Drill Core	5.15	519	0.005	<0.01	<0.17	26.02	0.77	8.98	10.37	19.1	128	2.2	3.3	287	0.97	0.8	0.9	0.2	13.9
1832778	Drill Core	5.15	473	0.006	<0.01	<0.17	34.71	0.64	5.66	14.52	28.3	112	2.4	3.1	219	1.04	1.4	1.4	1.3	13.6
1832779	Drill Core	5.12	500	<0.005	<0.01	<0.17	37.14	0.53	6.44	13.14	29.3	137	2.9	3.3	201	1.11	1.4	1.4	0.8	12.8
1832780	Rock	0.22	163	0.006	<0.01	<0.17	24.14	0.54	1.09	1.07	2.8	8	1.4	0.4	82	0.76	1.1	0.1	<0.2	1.8
1832781	Drill Core	4.81	482	0.005	<0.01	<0.17	35.51	0.63	9.99	8.30	36.3	132	4.4	4.6	249	1.33	1.5	1.5	0.4	11.0
1832782	Drill Core	5.07	525	<0.005	<0.01	<0.17	47.93	0.47	9.62	10.56	37.0	115	5.0	4.9	299	1.45	1.5	1.5	0.2	10.3
1832783	Drill Core	6.12	411	0.013	0.01	<0.17	28.79	0.62	9.74	12.15	41.3	172	5.5	5.5	291	1.64	1.8	1.3	2.8	11.1
1832784	Drill Core	4.90	477	0.007	<0.01	<0.17	51.50	0.46	10.85	9.15	41.0	188	4.9	4.6	234	1.46	3.1	1.3	2.0	11.8
1832785	Drill Core	5.11	443	0.021	0.02	<0.17	54.80	0.62	8.58	14.16	42.3	207	4.2	4.1	275	1.49	7.0	1.6	14.2	11.7
1832786	Drill Core	5.25	515	0.011	0.01	<0.17	12.12	0.28	7.82	19.29	32.1	158	3.3	3.4	250	1.30	3.5	2.6	5.2	12.6
1832787	Drill Core	5.36	477	0.008	<0.01	<0.17	17.35	0.23	6.96	16.24	29.5	135	2.8	3.3	263	1.13	2.2	2.7	2.5	12.1
1832788	Drill Core	5.84	438	0.007	<0.01	<0.17	21.32	0.28	6.97	18.73	29.8	145	3.2	3.7	258	1.16	2.3	3.3	1.5	12.7
1832789	Drill Core	5.06	414	0.008	<0.01	<0.17	19.26	0.35	6.98	23.70	30.2	190	3.0	3.4	247	1.10	2.1	1.8	4.2	10.6
1832790	Drill Core	2.81	491	0.008	<0.01	<0.17	20.67	0.61	5.20	12.19	25.8	129	2.7	3.2	168	1.11	3.1	1.0	2.0	12.8
1832791	Drill Core	2.51	485	0.108	0.18	1.02	40.28	0.49	11.22	5.13	41.7	203	3.4	3.2	167	1.55	2.5	1.5	66.8	10.4
1832792	Drill Core	1.90	397	0.070	0.07	<0.17	21.89	0.44	7.45	5.20	55.2	228	4.1	3.4	187	1.69	3.1	1.9	61.7	13.7
1832793	Drill Core	5.32	515	0.037	0.06	0.67	19.29	0.72	9.90	15.13	45.7	254	3.2	3.5	180	1.35	5.0	1.9	37.1	12.8
1832794	Drill Core	4.39	441	0.010	<0.01	<0.17	27.23	0.65	5.83	21.44	31.2	156	2.8	3.6	280	1.19	3.4	1.6	3.1	13.3
1832795	Drill Core	5.39	549	0.008	<0.01	<0.17	22.26	0.73	8.04	29.00	23.5	183	1.9	2.6	253	0.92	2.8	1.2	3.6	11.9
1832796	Drill Core	5.26	544	0.016	0.02	<0.17	36.08	0.56	9.06	21.80	25.4	149	2.3	3.5	204	0.95	3.7	1.6	3.2	12.4
1832797	Drill Core	4.73	419	0.027	0.02	<0.17	35.07	0.63	7.86	22.32	27.3	231	2.2	4.0	131	0.90	4.7	1.8	12.9	12.6
1832798	Drill Core	5.21	519	0.013	0.01	<0.17	33.44	0.94	7.91	29.63	58.3	281	2.8	3.4	133	1.10	5.1	1.8	6.2	12.0
1832799	Drill Core	4.20	384	0.022	0.02	<0.17	29.16	2.17	13.91	74.25	47.4	312	3.0	4.1	187	1.13	5.2	1.6	15.9	12.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000226.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832770	Drill Core	0.24	0.28	0.13	4	0.10	0.033	30.1	6.8	0.44	337.3	0.009	1	0.70	0.024	0.34	1.7	1.8	0.13	0.03	6			
1832771	Drill Core	0.21	0.27	0.09	4	0.19	0.034	32.9	7.2	0.46	281.9	0.008	1	0.75	0.029	0.36	0.5	1.9	0.12	0.08	<5			
1832772	Drill Core	0.21	0.30	0.14	4	0.49	0.034	32.3	6.0	0.52	259.5	0.011	2	0.81	0.026	0.40	0.2	1.9	0.15	<0.02	<5			
1832773	Drill Core	0.29	0.23	0.16	3	0.91	0.038	28.6	4.7	0.44	416.6	0.006	<1	0.69	0.024	0.33	<0.1	2.0	0.10	0.05	<5			
1832774	Drill Core	0.33	0.21	0.08	3	1.09	0.038	32.6	3.9	0.33	638.1	0.003	<1	0.64	0.023	0.36	0.1	2.1	0.10	0.13	<5			
1832775	Drill Core	0.22	0.17	0.08	3	0.45	0.035	31.3	4.7	0.30	277.1	0.003	<1	0.62	0.020	0.37	<0.1	1.7	0.09	0.22	<5			
1832776	Drill Core	0.13	0.16	0.07	3	0.34	0.035	33.2	5.1	0.23	305.2	0.003	1	0.58	0.016	0.40	<0.1	1.5	0.10	0.19	<5			
1832777	Drill Core	0.28	0.19	0.06	3	0.53	0.035	35.0	5.6	0.29	313.9	0.003	<1	0.65	0.026	0.41	<0.1	2.0	0.11	0.16	<5			
1832778	Drill Core	0.18	0.32	0.07	4	0.54	0.029	33.8	6.1	0.40	390.6	0.005	2	0.80	0.016	0.48	<0.1	2.7	0.18	0.04	9			
1832779	Drill Core	0.10	0.20	0.04	4	0.44	0.033	34.2	7.2	0.46	449.3	0.002	1	0.73	0.024	0.36	<0.1	3.2	0.11	0.12	8			
1832780	Rock	0.01	0.05	0.02	1	<0.01	0.001	1.7	6.2	0.01	21.4	0.002	1	0.07	0.005	0.02	<0.1	0.3	<0.02	<0.02	<5			
1832781	Drill Core	0.11	0.31	<0.02	6	0.62	0.040	32.3	8.2	0.54	335.1	0.004	1	0.89	0.027	0.40	0.1	3.7	0.13	0.09	10			
1832782	Drill Core	0.17	0.33	<0.02	8	0.93	0.048	28.4	9.2	0.60	719.6	0.006	<1	0.93	0.029	0.41	0.1	4.0	0.14	0.11	9			
1832783	Drill Core	0.15	0.36	<0.02	10	0.69	0.049	31.9	12.3	0.71	275.5	0.005	1	1.08	0.031	0.46	<0.1	4.5	0.18	0.09	15			
1832784	Drill Core	0.13	0.32	<0.02	7	0.37	0.045	30.0	10.4	0.65	174.6	0.002	2	1.03	0.020	0.43	<0.1	3.4	0.16	0.15	17			
1832785	Drill Core	0.16	0.76	0.03	6	0.39	0.033	27.7	9.3	0.63	256.1	0.002	3	1.00	0.013	0.40	<0.1	3.0	0.17	0.12	35			
1832786	Drill Core	0.17	0.43	0.08	4	0.50	0.024	23.6	6.7	0.55	510.6	0.002	3	0.88	0.019	0.37	<0.1	3.0	0.15	0.24	16			
1832787	Drill Core	0.20	0.42	0.06	3	0.55	0.024	21.1	5.5	0.52	349.7	0.002	2	0.74	0.019	0.32	<0.1	2.9	0.12	0.22	15			
1832788	Drill Core	0.25	0.30	0.08	3	0.52	0.032	19.8	5.8	0.53	437.7	0.002	1	0.76	0.022	0.35	<0.1	2.7	0.11	0.26	18			
1832789	Drill Core	0.17	0.22	0.13	3	0.39	0.031	16.3	5.7	0.56	848.4	0.002	1	0.75	0.017	0.31	<0.1	2.1	0.09	0.14	10			
1832790	Drill Core	0.10	0.23	0.05	3	0.12	0.032	27.3	7.2	0.50	172.9	0.002	1	0.76	0.014	0.35	<0.1	2.0	0.10	0.06	7			
1832791	Drill Core	0.11	0.33	<0.02	4	0.11	0.022	22.8	13.0	0.86	84.5	0.002	<1	0.85	0.075	0.11	<0.1	3.0	0.04	0.17	10			
1832792	Drill Core	0.10	0.31	0.03	6	0.12	0.028	28.5	10.6	0.86	140.8	0.002	1	1.06	0.041	0.26	<0.1	3.4	0.07	0.12	12			
1832793	Drill Core	0.16	0.47	0.05	4	0.12	0.027	30.8	8.2	0.62	146.6	0.001	2	0.96	0.017	0.35	<0.1	2.9	0.13	0.05	12			
1832794	Drill Core	0.22	0.42	0.08	3	0.48	0.029	27.5	5.2	0.50	212.9	0.001	2	0.79	0.010	0.34	0.1	2.3	0.14	0.10	14			
1832795	Drill Core	0.27	0.54	0.08	2	0.47	0.027	24.1	5.0	0.30	476.8	0.001	2	0.59	0.012	0.34	<0.1	2.0	0.13	0.12	25			
1832796	Drill Core	0.31	0.47	0.05	2	0.30	0.038	27.9	5.6	0.31	250.4	0.001	2	0.67	0.010	0.38	<0.1	2.1	0.14	0.09	17			
1832797	Drill Core	0.32	0.37	<0.02	3	0.11	0.031	33.7	6.5	0.26	150.6	<0.001	2	0.62	0.006	0.39	<0.1	2.0	0.13	0.02	8			
1832798	Drill Core	0.51	0.47	0.06	5	0.12	0.035	30.5	8.5	0.42	205.1	0.002	2	0.84	0.013	0.43	<0.1	2.3	0.13	0.04	9			
1832799	Drill Core	0.51	0.30	0.19	3	0.12	0.038	25.5	7.3	0.34	168.9	0.002	<1	0.65	0.021	0.37	<0.1	2.3	0.10	0.09	8			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000226.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832770	Drill Core	<0.1	<0.02	2.4	0.64	<0.1	0.28	0.04	14.8	0.5	<0.05	10.4	6.25	63.2	<0.02	<1	0.3	5.0	<10
1832771	Drill Core	<0.1	<0.02	2.7	0.64	<0.1	0.31	0.03	15.7	0.3	<0.05	11.8	6.44	66.4	<0.02	<1	0.3	5.2	<10
1832772	Drill Core	<0.1	<0.02	2.6	0.87	<0.1	0.33	0.04	17.7	0.4	<0.05	12.3	6.22	65.9	<0.02	<1	0.3	5.4	<10
1832773	Drill Core	<0.1	<0.02	2.2	0.52	<0.1	0.28	0.03	13.2	0.3	<0.05	10.8	6.47	58.2	<0.02	<1	0.2	4.1	<10
1832774	Drill Core	<0.1	<0.02	1.9	0.38	<0.1	0.29	<0.02	13.6	0.3	<0.05	11.2	7.54	66.9	<0.02	<1	0.3	3.7	<10
1832775	Drill Core	<0.1	<0.02	2.2	0.47	<0.1	0.24	<0.02	13.3	0.3	<0.05	10.2	8.29	64.7	<0.02	<1	0.3	3.8	<10
1832776	Drill Core	<0.1	<0.02	1.9	0.74	<0.1	0.23	<0.02	14.5	0.4	<0.05	8.1	6.15	67.2	<0.02	<1	0.3	3.1	<10
1832777	Drill Core	<0.1	<0.02	2.2	0.93	<0.1	0.27	0.02	15.8	0.3	<0.05	10.1	7.53	70.5	<0.02	<1	0.3	3.7	<10
1832778	Drill Core	<0.1	<0.02	2.7	2.07	<0.1	0.29	<0.02	23.3	0.4	<0.05	11.6	8.44	71.8	<0.02	<1	0.6	5.9	<10
1832779	Drill Core	<0.1	<0.02	2.5	0.81	<0.1	0.26	<0.02	14.9	0.3	<0.05	9.3	8.74	71.0	<0.02	<1	0.3	6.0	<10
1832780	Rock	<0.1	<0.02	0.3	0.11	<0.1	0.11	0.03	1.2	<0.1	<0.05	3.1	0.70	3.7	<0.02	<1	<0.1	1.0	<10
1832781	Drill Core	<0.1	<0.02	2.8	0.92	<0.1	0.17	<0.02	17.3	0.3	<0.05	6.4	9.07	66.6	<0.02	<1	0.3	7.4	<10
1832782	Drill Core	<0.1	<0.02	3.0	1.13	<0.1	0.10	<0.02	18.1	0.3	<0.05	3.8	9.94	59.1	<0.02	<1	0.4	7.1	<10
1832783	Drill Core	<0.1	<0.02	3.8	1.72	<0.1	0.17	<0.02	22.3	0.3	<0.05	6.2	11.22	67.3	<0.02	<1	0.4	9.1	<10
1832784	Drill Core	<0.1	<0.02	3.7	2.00	<0.1	0.15	<0.02	19.8	0.4	<0.05	6.2	8.93	62.4	<0.02	<1	0.4	9.4	<10
1832785	Drill Core	<0.1	<0.02	3.4	3.21	<0.1	0.22	<0.02	21.1	0.4	<0.05	8.8	9.28	57.2	<0.02	<1	0.7	8.8	<10
1832786	Drill Core	<0.1	<0.02	2.9	2.83	<0.1	0.18	<0.02	16.9	0.5	<0.05	6.8	8.02	48.4	<0.02	<1	0.6	7.3	<10
1832787	Drill Core	<0.1	<0.02	2.3	1.36	<0.1	0.18	<0.02	13.3	0.4	<0.05	7.0	5.25	43.1	<0.02	<1	0.3	6.3	<10
1832788	Drill Core	<0.1	<0.02	2.3	0.66	<0.1	0.24	<0.02	13.4	0.2	<0.05	8.4	4.75	40.8	<0.02	<1	0.3	6.6	<10
1832789	Drill Core	0.1	<0.02	2.3	0.40	<0.1	0.28	<0.02	10.9	0.2	<0.05	10.3	4.21	33.8	<0.02	<1	0.3	7.0	<10
1832790	Drill Core	<0.1	<0.02	2.6	0.50	<0.1	0.31	<0.02	12.7	0.2	<0.05	11.3	6.31	54.9	<0.02	<1	0.4	7.0	<10
1832791	Drill Core	0.1	<0.02	2.9	0.24	<0.1	0.28	<0.02	4.2	0.3	<0.05	8.3	4.61	47.0	<0.02	<1	0.2	8.9	<10
1832792	Drill Core	0.2	<0.02	3.6	0.61	<0.1	0.34	<0.02	10.4	0.4	<0.05	12.3	5.06	59.9	<0.02	<1	0.3	10.7	<10
1832793	Drill Core	<0.1	<0.02	3.0	2.93	<0.1	0.25	<0.02	19.6	0.3	<0.05	10.2	7.62	62.1	<0.02	<1	0.7	9.4	<10
1832794	Drill Core	<0.1	<0.02	2.4	2.24	<0.1	0.26	<0.02	16.7	0.2	<0.05	10.6	7.85	56.2	<0.02	<1	0.6	7.0	<10
1832795	Drill Core	<0.1	<0.02	1.8	1.28	<0.1	0.27	<0.02	14.2	0.2	<0.05	9.7	6.01	49.0	<0.02	<1	0.4	4.8	<10
1832796	Drill Core	<0.1	<0.02	1.8	1.54	<0.1	0.24	<0.02	16.3	0.7	<0.05	10.6	7.39	57.5	<0.02	<1	0.5	5.2	<10
1832797	Drill Core	<0.1	<0.02	1.9	2.23	<0.1	0.26	<0.02	18.9	0.4	<0.05	10.6	7.65	67.0	<0.02	<1	0.7	5.2	<10
1832798	Drill Core	0.1	<0.02	3.0	1.98	<0.1	0.26	<0.02	19.5	0.3	<0.05	10.9	8.20	61.4	<0.02	<1	0.8	6.9	<10
1832799	Drill Core	<0.1	<0.02	2.0	0.67	0.1	0.32	<0.02	13.7	0.2	<0.05	13.3	5.63	51.4	<0.02	<1	0.3	5.5	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000226.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832800	Rock Pulp	0.13	94	7.126			10.00	177.12	19.82	75.3	857	13.4	11.5	604	4.72	14.5	0.9	7251.3	2.9	82.2
1832801	Drill Core	5.05	409	0.007	<0.01	<0.17	23.40	0.76	5.15	16.98	26.8	119	2.4	2.9	133	1.01	2.5	1.3	1.7	14.0
1832802	Drill Core	4.77	430	0.037	0.04	<0.17	21.29	0.63	5.38	17.27	21.8	120	2.4	2.8	122	0.96	14.4	1.4	30.0	13.6
1832803	Drill Core	4.35	440	0.008	<0.01	<0.17	28.23	0.52	6.93	20.23	30.5	95	2.3	3.0	164	0.95	2.1	4.1	1.8	15.0
1832804	Drill Core	3.62	427	0.007	<0.01	<0.17	39.23	1.02	7.22	19.05	41.9	81	3.3	4.5	362	1.16	2.1	1.9	1.9	15.4
1832805	Drill Core	5.11	445	0.006	<0.01	<0.17	42.54	0.35	6.96	11.77	63.6	100	5.2	5.2	278	1.49	1.6	1.4	1.9	13.6
1832806	Drill Core	4.80	458	0.043	0.04	<0.17	39.53	0.29	10.36	18.52	44.3	152	4.7	5.2	283	1.44	1.4	1.3	35.3	13.0
1832807	Drill Core	4.49	429	0.007	<0.01	<0.17	29.13	0.58	10.56	9.90	46.7	112	6.0	5.9	258	1.51	1.8	2.6	1.0	14.2
1832808	Drill Core	5.31	462	0.007	<0.01	<0.17	51.40	0.31	5.71	12.09	42.8	111	5.0	5.2	241	1.45	1.8	2.9	1.4	12.9
1832809	Drill Core	4.81	380	0.301	0.38	1.00	40.99	0.28	24.63	23.97	43.4	370	4.7	5.1	236	1.38	1.6	3.5	327.2	13.7
1832810	Drill Core	4.93	456	0.013	0.01	<0.17	38.97	0.27	10.49	15.24	46.0	250	4.9	5.0	216	1.57	3.7	1.6	7.2	14.5
1832811	Drill Core	5.15	463	0.013	0.01	<0.17	41.10	0.40	14.53	19.24	54.9	326	6.2	5.3	335	1.80	6.3	2.0	6.6	13.7
1832812	Drill Core	4.68	433	0.007	<0.01	<0.17	35.41	0.22	8.51	14.72	37.8	130	5.5	4.6	238	1.43	1.5	2.5	1.7	15.4
1832813	Drill Core	3.16	418	0.005	<0.01	<0.17	43.67	0.26	6.94	20.61	41.2	101	5.3	4.5	306	1.35	0.8	1.5	0.5	14.0
1832814	Drill Core	3.30	515	0.007	<0.01	<0.17	43.24	0.32	11.98	31.36	28.3	171	3.1	3.6	182	1.04	1.1	2.7	2.4	12.2
1832815	Drill Core	5.30	428	0.015	0.01	<0.17	48.03	0.28	7.08	21.34	23.6	113	2.4	3.0	142	0.93	1.5	3.6	15.6	15.5
1832816	Drill Core	2.61	510	0.271	0.25	<0.17	41.62	0.20	7.18	18.93	24.8	92	2.4	3.1	170	0.94	1.4	1.7	58.0	15.6
1832817	Drill Core	4.77	418	0.006	<0.01	<0.17	45.60	0.43	12.96	16.24	37.2	140	4.0	4.9	239	1.29	1.8	1.6	0.7	15.2
1832818	Drill Core	5.49	415	0.006	<0.01	<0.17	38.25	0.65	10.47	20.90	37.1	129	3.6	4.4	388	1.27	1.5	1.6	2.3	13.6
1832819	Drill Core	5.34	419	0.059	0.05	<0.17	46.62	0.76	12.76	28.33	32.1	249	2.8	4.0	282	1.31	2.7	2.1	52.3	12.0
1832820	Rock Pulp	0.12	96	0.529			2.26	434.71	18.49	47.8	271	593.0	26.7	423	2.58	18.9	0.6	404.8	1.9	63.7
1832821	Drill Core	4.41	431	0.007	<0.01	<0.17	18.91	0.47	10.74	12.00	46.4	197	5.8	5.1	284	1.58	2.3	1.7	2.9	13.4
1832822	Drill Core	4.56	450	0.006	<0.01	<0.17	21.69	0.29	8.25	34.03	49.9	169	6.0	5.1	231	1.66	2.5	1.8	2.0	14.2
1832823	Drill Core	4.49	373	0.005	<0.01	<0.17	21.34	0.24	11.05	17.44	44.2	110	5.5	6.0	257	1.68	1.8	3.1	1.5	12.8
1832824	Drill Core	5.68	511	0.006	<0.01	<0.17	25.15	0.27	12.79	14.97	43.1	130	5.6	6.2	335	1.41	5.4	5.9	1.3	13.4
1832825	Drill Core	4.25	405	0.005	<0.01	<0.17	25.07	0.94	10.75	18.07	48.1	140	6.0	6.2	327	1.54	3.9	3.0	1.0	13.3
1832826	Drill Core	5.23	413	<0.005	<0.01	<0.17	31.97	0.39	9.23	11.10	45.6	164	6.4	5.5	293	1.58	5.2	3.7	0.6	14.1
1832827	Drill Core	4.83	418	<0.005	<0.01	<0.17	26.60	0.41	9.94	16.42	36.2	149	5.1	4.5	254	1.34	2.1	2.3	<0.2	13.9
1832828	Drill Core	5.43	452	0.006	<0.01	<0.17	22.48	0.28	9.01	16.17	41.4	98	5.6	4.9	229	1.45	2.3	2.5	1.3	13.2
1832829	Drill Core	4.91	435	<0.005	<0.01	<0.17	35.09	0.23	11.43	16.03	47.3	124	6.5	5.3	283	1.53	2.4	4.1	<0.2	15.0



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000226.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832800	Rock Pulp	0.20	5.30	0.58	116	1.02	0.061	7.8	20.1	0.86	136.8	0.138	3	1.95	0.212	0.25	4.4	5.2	0.07	<0.02	204			
1832801	Drill Core	0.18	0.21	0.03	3	0.11	0.032	30.5	7.1	0.41	298.0	0.002	<1	0.68	0.020	0.34	<0.1	1.8	0.10	<0.02	<5			
1832802	Drill Core	0.12	0.24	<0.02	3	0.10	0.032	28.4	7.0	0.32	175.5	0.002	1	0.62	0.023	0.34	<0.1	2.1	0.09	0.05	5			
1832803	Drill Core	0.17	0.22	0.03	3	0.21	0.034	27.2	3.4	0.33	450.1	0.003	1	0.60	0.021	0.35	<0.1	1.4	0.11	0.16	12			
1832804	Drill Core	0.22	0.33	<0.02	4	0.40	0.040	24.4	4.8	0.43	844.0	0.003	2	0.77	0.015	0.40	<0.1	2.6	0.15	0.08	10			
1832805	Drill Core	0.12	0.44	<0.02	8	0.72	0.052	25.5	9.4	0.61	1093.3	0.004	<1	0.93	0.032	0.38	<0.1	3.7	0.13	0.10	20			
1832806	Drill Core	0.12	0.38	<0.02	7	0.84	0.048	21.9	8.1	0.59	342.0	0.004	1	0.89	0.025	0.40	<0.1	3.7	0.14	0.11	17			
1832807	Drill Core	0.12	0.27	<0.02	7	0.60	0.048	21.3	9.5	0.74	411.6	0.005	1	0.96	0.026	0.40	0.2	4.0	0.15	0.17	19			
1832808	Drill Core	0.09	0.43	<0.02	7	0.54	0.047	21.9	8.6	0.65	818.9	0.004	<1	0.90	0.022	0.41	<0.1	3.6	0.14	0.15	21			
1832809	Drill Core	0.29	0.33	0.05	6	0.55	0.045	23.5	6.8	0.59	378.6	0.004	2	0.87	0.025	0.41	<0.1	3.0	0.15	0.22	15			
1832810	Drill Core	0.15	0.30	<0.02	10	0.36	0.049	33.0	11.8	0.70	182.3	0.003	1	1.00	0.033	0.40	<0.1	3.6	0.13	0.12	13			
1832811	Drill Core	0.20	0.43	<0.02	13	0.40	0.051	36.6	15.7	0.78	182.3	0.003	<1	1.07	0.034	0.33	<0.1	3.6	0.10	0.05	19			
1832812	Drill Core	0.28	0.44	<0.02	8	0.76	0.055	36.9	8.7	0.55	430.2	0.019	1	0.96	0.035	0.56	0.2	4.0	0.23	0.11	22			
1832813	Drill Core	0.19	0.33	<0.02	7	0.98	0.050	27.8	8.7	0.69	1293.2	0.010	<1	0.93	0.028	0.47	0.1	3.6	0.18	0.09	17			
1832814	Drill Core	0.19	0.49	<0.02	5	0.56	0.038	28.1	5.8	0.42	966.5	0.009	<1	0.62	0.024	0.38	0.1	2.4	0.14	0.13	13			
1832815	Drill Core	0.14	0.22	<0.02	4	0.40	0.038	35.5	4.3	0.33	697.7	0.007	<1	0.64	0.041	0.41	0.1	1.7	0.12	0.17	<5			
1832816	Drill Core	0.08	0.23	<0.02	3	0.44	0.039	36.6	3.9	0.33	482.3	0.005	<1	0.65	0.031	0.41	0.1	1.6	0.14	0.09	<5			
1832817	Drill Core	0.13	0.55	0.02	5	0.44	0.045	30.2	5.6	0.55	688.1	0.009	<1	0.81	0.023	0.48	0.1	3.1	0.20	0.07	8			
1832818	Drill Core	0.14	0.47	0.09	5	0.76	0.042	23.0	5.1	0.50	868.5	0.011	<1	0.74	0.021	0.46	0.1	3.1	0.20	0.13	9			
1832819	Drill Core	0.15	0.29	0.17	4	0.50	0.031	22.3	4.1	0.45	692.9	0.003	<1	0.68	0.023	0.38	<0.1	2.3	0.13	0.18	<5			
1832820	Rock Pulp	0.20	0.36	0.31	53	1.42	0.029	4.4	96.7	1.80	72.0	0.078	2	2.09	0.206	0.14	1.4	2.7	0.09	0.19	23			
1832821	Drill Core	0.14	0.23	<0.02	9	0.66	0.048	28.8	9.8	0.70	375.5	0.005	<1	0.95	0.028	0.38	<0.1	3.7	0.13	0.03	13			
1832822	Drill Core	0.10	0.29	0.08	9	0.57	0.055	35.0	10.9	0.67	282.7	0.009	1	0.98	0.044	0.41	<0.1	4.2	0.18	0.06	15			
1832823	Drill Core	0.15	0.38	<0.02	10	0.76	0.051	31.1	8.9	0.72	567.3	0.024	<1	0.96	0.033	0.53	0.2	4.5	0.28	0.17	6			
1832824	Drill Core	0.24	0.38	<0.02	8	1.03	0.064	36.9	8.5	0.54	339.3	0.027	<1	0.85	0.031	0.49	0.5	4.8	0.25	0.19	11			
1832825	Drill Core	0.22	0.39	0.05	8	1.07	0.056	38.7	7.8	0.71	370.0	0.014	<1	0.96	0.022	0.51	0.2	5.1	0.27	0.06	9			
1832826	Drill Core	0.11	0.53	<0.02	9	0.84	0.054	36.3	10.0	0.74	377.8	0.019	<1	0.98	0.035	0.48	0.1	5.2	0.23	0.11	12			
1832827	Drill Core	0.27	0.48	<0.02	7	0.96	0.046	35.5	7.4	0.57	486.1	0.010	<1	0.83	0.028	0.46	<0.1	4.5	0.20	0.15	9			
1832828	Drill Core	0.20	0.38	<0.02	8	0.91	0.048	33.9	8.6	0.61	458.8	0.015	<1	0.86	0.034	0.47	<0.1	4.7	0.20	0.22	19			
1832829	Drill Core	0.18	0.31	<0.02	10	0.91	0.057	34.9	10.4	0.73	338.0	0.011	<1	0.87	0.032	0.45	<0.1	4.5	0.23	0.23	8			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 3 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000226.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832800 Rock Pulp	0.2	0.17	5.6	0.73	0.2	0.12	0.09	8.0	1.7	<0.05	2.2	5.72	17.0	0.06	1	0.2	6.9	<10	<2
1832801 Drill Core	<0.1	<0.02	2.4	0.95	<0.1	0.26	<0.02	13.7	0.2	<0.05	10.6	5.57	61.6	<0.02	<1	0.4	6.4	<10	<2
1832802 Drill Core	0.1	<0.02	2.1	0.62	<0.1	0.33	<0.02	12.9	0.3	<0.05	11.6	4.84	56.7	<0.02	<1	0.3	5.3	<10	<2
1832803 Drill Core	<0.1	<0.02	2.1	0.79	<0.1	0.17	<0.02	14.3	0.5	<0.05	6.1	5.37	51.9	<0.02	1	0.3	4.7	<10	<2
1832804 Drill Core	<0.1	<0.02	2.5	1.60	<0.1	0.29	<0.02	18.9	0.4	<0.05	10.1	6.21	45.2	<0.02	<1	0.3	6.9	<10	<2
1832805 Drill Core	<0.1	<0.02	3.4	1.53	<0.1	0.18	<0.02	17.3	0.4	<0.05	6.9	6.86	46.3	<0.02	<1	0.4	7.5	<10	<2
1832806 Drill Core	<0.1	<0.02	3.4	1.03	<0.1	0.21	<0.02	18.2	0.3	<0.05	8.0	5.47	43.0	<0.02	<1	0.4	7.4	<10	<2
1832807 Drill Core	<0.1	<0.02	3.3	0.93	<0.1	0.21	<0.02	18.3	0.4	<0.05	8.4	5.94	40.4	<0.02	<1	0.5	9.0	<10	<2
1832808 Drill Core	<0.1	<0.02	3.3	1.28	<0.1	0.21	<0.02	19.3	0.4	<0.05	7.6	5.37	40.0	<0.02	<1	0.4	7.9	<10	<2
1832809 Drill Core	0.3	<0.02	3.1	1.20	<0.1	0.27	<0.02	19.1	0.3	<0.05	10.1	5.58	43.4	<0.02	<1	0.5	8.2	<10	<2
1832810 Drill Core	<0.1	<0.02	4.3	1.04	<0.1	0.13	<0.02	17.9	0.3	<0.05	5.1	9.29	62.4	<0.02	<1	0.4	10.4	<10	<2
1832811 Drill Core	<0.1	0.02	5.6	0.69	<0.1	0.12	<0.02	15.1	0.4	<0.05	4.7	10.88	62.6	0.02	<1	0.5	10.9	<10	<2
1832812 Drill Core	<0.1	<0.02	3.4	1.31	<0.1	0.15	0.03	28.7	0.5	<0.05	5.1	10.07	65.0	<0.02	<1	0.5	8.8	<10	<2
1832813 Drill Core	<0.1	<0.02	3.5	0.93	<0.1	0.28	<0.02	22.9	0.3	<0.05	9.4	7.99	51.1	<0.02	<1	0.5	8.5	<10	<2
1832814 Drill Core	0.1	<0.02	2.4	0.87	<0.1	0.16	<0.02	19.1	0.3	<0.05	6.2	5.23	50.1	<0.02	<1	0.4	5.0	<10	<2
1832815 Drill Core	<0.1	<0.02	2.5	0.62	<0.1	0.17	<0.02	18.2	0.3	<0.05	5.3	5.51	66.4	<0.02	2	0.3	4.7	<10	<2
1832816 Drill Core	<0.1	<0.02	2.5	0.98	<0.1	0.24	<0.02	20.4	0.3	<0.05	7.8	4.57	64.6	<0.02	<1	0.5	4.9	<10	<2
1832817 Drill Core	<0.1	<0.02	2.9	1.44	<0.1	0.39	<0.02	24.3	0.3	<0.05	12.2	5.00	54.2	<0.02	<1	0.5	6.5	<10	<2
1832818 Drill Core	<0.1	<0.02	2.5	1.44	<0.1	0.32	<0.02	23.5	0.3	<0.05	11.1	4.82	43.1	<0.02	2	0.5	6.0	<10	<2
1832819 Drill Core	0.1	<0.02	2.2	0.80	<0.1	0.42	<0.02	15.2	0.3	<0.05	13.8	4.11	38.0	<0.02	1	0.2	5.6	<10	<2
1832820 Rock Pulp	0.6	0.16	4.5	0.60	<0.1	0.07	<0.02	5.8	0.4	<0.05	1.8	3.43	9.1	<0.02	2	<0.1	6.9	267	130
1832821 Drill Core	<0.1	<0.02	3.5	0.79	<0.1	0.26	<0.02	16.8	0.3	<0.05	8.4	6.19	54.5	<0.02	<1	0.1	8.9	<10	<2
1832822 Drill Core	<0.1	<0.02	3.8	1.05	<0.1	0.22	<0.02	20.4	0.4	<0.05	6.7	7.30	62.5	0.02	<1	0.3	8.8	<10	<2
1832823 Drill Core	<0.1	<0.02	3.4	1.82	<0.1	0.25	<0.02	29.0	0.3	<0.05	7.8	6.15	59.1	<0.02	<1	0.3	8.0	<10	<2
1832824 Drill Core	0.2	<0.02	3.2	1.65	<0.1	0.10	0.02	26.5	0.4	<0.05	4.2	9.99	66.8	<0.02	<1	0.6	7.1	<10	<2
1832825 Drill Core	<0.1	<0.02	2.9	1.92	<0.1	0.18	<0.02	26.2	0.4	<0.05	6.2	8.19	65.7	0.02	<1	0.5	9.3	<10	<2
1832826 Drill Core	<0.1	0.02	3.5	1.39	<0.1	0.22	<0.02	24.3	0.4	<0.05	8.1	8.47	64.3	<0.02	<1	0.5	9.7	<10	<2
1832827 Drill Core	0.2	<0.02	2.6	1.32	<0.1	0.20	<0.02	23.5	0.4	<0.05	6.2	9.49	62.2	<0.02	<1	0.4	6.2	<10	<2
1832828 Drill Core	0.1	<0.02	3.0	1.42	<0.1	0.16	<0.02	22.5	0.6	<0.05	5.2	8.67	60.5	0.02	1	0.3	6.5	<10	<2
1832829 Drill Core	<0.1	<0.02	3.7	1.96	<0.1	0.16	<0.02	24.7	0.5	<0.05	5.0	10.41	66.1	<0.02	<1	0.4	7.4	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: August 18, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000226.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832830	Drill Core	4.81	432	<0.005	<0.01	<0.17	22.09	0.26	12.52	12.89	48.6	111	6.1	5.0	308	1.58	1.9	1.9	<0.2	13.4	113.5
1832831	Drill Core	5.12	413	<0.005	<0.01	<0.17	38.46	0.29	8.62	12.16	42.9	109	5.7	5.3	256	1.39	3.0	3.7	1.1	14.6	86.8
1832832	Drill Core	4.65	407	<0.005	<0.01	<0.17	29.53	0.60	8.49	30.81	36.4	245	3.7	3.9	237	1.20	3.6	1.6	<0.2	14.1	63.3
1832833	Drill Core	3.42	419	<0.005	<0.01	<0.17	47.20	0.23	7.85	8.23	14.7	133	2.0	2.7	122	0.74	2.2	1.1	0.7	14.8	16.4
1832834	Drill Core	3.17	413	<0.005	<0.01	<0.17	41.18	0.18	7.31	10.69	16.1	168	2.1	2.4	169	0.79	1.4	1.1	<0.2	14.1	36.3
1832835	Drill Core	2.48	411	<0.005	<0.01	<0.17	31.44	0.22	9.48	19.07	20.1	157	2.4	2.3	288	0.85	1.1	0.9	<0.2	13.5	38.8
1832836	Drill Core	5.54	408	<0.005	<0.01	<0.17	26.82	0.40	6.48	19.77	35.9	147	3.2	3.3	257	1.11	3.5	1.5	<0.2	15.4	36.2
1832837	Drill Core	5.16	490	<0.005	<0.01	<0.17	14.77	0.56	4.17	25.85	44.7	135	4.1	3.7	452	1.30	5.1	1.3	<0.2	16.1	65.4
1832838	Drill Core	4.97	489	<0.005	<0.01	<0.17	37.46	0.38	5.92	11.50	29.7	124	3.0	3.3	202	1.04	2.8	2.8	3.4	16.4	43.4
1832839	Drill Core	5.28	499	<0.005	<0.01	<0.17	42.22	0.47	5.55	14.27	27.0	93	2.5	2.5	177	0.88	0.9	3.6	1.8	13.8	37.9
1832840	Rock Pulp	0.13	88	0.009				2.11	90.52	3.47	34.2	115	4.5	8.6	351	2.63	0.7	0.8	2.1	3.1	71.9
1832841	Drill Core	4.50	457	<0.005	<0.01	<0.17	24.21	0.28	6.35	18.83	34.3	93	3.5	4.0	192	0.99	1.5	4.0	1.2	16.9	52.1
1832842	Drill Core	6.00	457	<0.005	<0.01	<0.17	46.74	0.46	10.47	39.16	27.0	130	2.6	3.2	161	0.90	1.2	4.0	1.4	14.8	38.9
1832843	Drill Core	5.15	516	<0.005	<0.01	<0.17	29.75	0.43	6.66	18.15	28.8	152	3.1	3.2	201	1.06	3.2	2.7	1.8	14.8	38.2
1832844	Drill Core	4.45	459	<0.005	<0.01	<0.17	25.00	0.43	6.00	21.18	33.5	127	3.0	3.0	246	1.02	1.2	1.4	0.2	13.7	59.6
1832845	Drill Core	5.53	488	<0.005	<0.01	<0.17	43.35	1.32	6.54	17.02	24.7	97	2.7	3.3	325	0.93	1.3	3.0	0.9	14.0	62.9
1832846	Drill Core	4.83	455	<0.005	<0.01	<0.17	29.68	0.92	5.32	26.72	39.5	122	3.7	3.3	221	1.24	0.4	3.5	0.6	14.7	49.0
1832847	Drill Core	4.41	419	<0.005	<0.01	<0.17	42.33	0.71	8.05	23.74	31.7	149	2.8	2.7	215	0.97	1.6	4.2	0.6	14.5	49.3
1832848	Drill Core	5.53	406	<0.005	<0.01	<0.17	29.95	0.42	6.61	17.46	42.8	119	3.2	2.9	305	1.10	1.7	3.8	0.4	15.4	45.0
1832849	Drill Core	5.25	456	<0.005	<0.01	<0.17	49.82	0.72	9.48	20.04	49.6	200	3.7	3.4	286	1.21	1.5	4.1	0.7	14.1	41.0
1832850	Drill Core	4.55	467	<0.005	<0.01	<0.17	41.19	0.92	14.21	29.46	78.2	341	4.2	4.6	330	1.48	3.8	6.0	1.6	14.2	28.3
1832851	Drill Core	4.68	497	0.014	0.01	<0.17	30.09	0.98	28.57	28.62	62.3	346	4.2	4.8	292	1.50	5.8	7.1	61.7	14.3	41.1
1832852	Drill Core	4.78	467	0.007	<0.01	<0.17	49.24	0.65	15.98	9.89	35.9	211	3.7	4.3	339	1.36	5.1	2.8	4.5	15.5	46.7
1832853	Drill Core	4.64	450	<0.005	<0.01	<0.17	37.89	0.75	15.31	26.58	35.6	191	3.0	3.2	339	1.14	2.2	4.8	1.8	15.5	50.1
1832854	Drill Core	4.01	419	<0.005	<0.01	<0.17	40.33	0.61	5.27	36.57	62.2	208	4.6	4.4	317	1.49	1.2	4.1	1.2	12.8	64.3
1832855	Drill Core	3.12	470	0.006	<0.01	<0.17	33.61	2.58	88.34	41.92	120.6	602	5.3	3.9	318	1.44	2.6	1.9	1.9	12.7	59.8
1832856	Drill Core	3.61	435	<0.005	<0.01	<0.17	24.87	1.58	75.19	35.10	105.6	465	2.3	3.3	287	1.12	2.5	3.6	2.6	14.2	66.2
1832857	Drill Core	5.15	454	<0.005	<0.01	<0.17	28.09	0.38	11.52	17.01	48.6	214	0.8	0.9	150	0.59	1.2	1.3	<0.2	16.2	23.9
1832858	Drill Core	4.94	519	<0.005	<0.01	<0.17	21.56	0.47	22.98	20.63	70.2	354	1.9	2.1	151	0.88	1.7	1.8	0.3	16.1	21.4
1832859	Drill Core	4.62	510	<0.005	<0.01	<0.17	29.31	1.53	32.57	59.59	115.4	510	2.7	3.4	167	1.27	2.3	8.0	0.6	15.3	35.7



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: August 18, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000226.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832830	Drill Core	0.10	0.38	<0.02	10	1.04	0.052	34.3	10.9	0.80	483.8	0.016	<1	0.94	0.037	0.49	<0.1	5.3	0.24	0.14	7
1832831	Drill Core	0.24	0.30	<0.02	8	0.73	0.050	37.0	8.4	0.69	327.8	0.006	<1	0.90	0.027	0.44	<0.1	4.2	0.17	0.21	19
1832832	Drill Core	0.15	0.35	0.07	5	0.51	0.043	35.1	6.0	0.56	956.6	0.004	<1	0.79	0.026	0.40	<0.1	2.4	0.14	0.10	17
1832833	Drill Core	0.06	0.30	<0.02	3	0.16	0.037	37.6	4.1	0.21	339.4	0.003	<1	0.55	0.034	0.37	<0.1	1.4	0.09	0.09	6
1832834	Drill Core	0.05	0.29	<0.02	4	0.39	0.036	37.2	4.9	0.30	233.2	0.003	<1	0.62	0.042	0.37	<0.1	1.4	0.08	0.09	<5
1832835	Drill Core	0.08	0.28	<0.02	5	0.46	0.036	32.5	5.7	0.40	200.1	0.003	<1	0.64	0.035	0.31	<0.1	1.6	0.07	0.04	<5
1832836	Drill Core	0.11	0.27	<0.02	4	0.41	0.036	32.6	5.2	0.48	294.3	0.004	<1	0.75	0.026	0.38	<0.1	1.7	0.12	0.08	<5
1832837	Drill Core	0.14	0.28	0.03	6	0.68	0.037	31.6	5.7	0.71	271.0	0.004	<1	0.88	0.021	0.36	<0.1	2.1	0.14	0.06	7
1832838	Drill Core	0.10	0.20	0.04	4	0.39	0.036	34.4	4.2	0.51	209.4	0.003	2	0.63	0.015	0.30	<0.1	1.4	0.12	0.23	9
1832839	Drill Core	0.10	0.27	0.04	2	0.33	0.028	28.4	3.2	0.40	215.3	0.007	2	0.50	0.012	0.36	<0.1	1.3	0.19	0.11	9
1832840	Rock Pulp	0.07	0.12	0.06	91	0.91	0.057	6.7	9.3	0.74	115.7	0.108	2	1.63	0.180	0.21	3.0	2.4	0.04	<0.02	<5
1832841	Drill Core	0.13	0.26	<0.02	3	0.37	0.040	36.8	3.8	0.53	250.1	0.008	2	0.60	0.013	0.38	<0.1	1.4	0.24	0.17	<5
1832842	Drill Core	0.13	0.28	0.04	3	0.29	0.035	34.6	2.8	0.48	234.1	0.009	1	0.58	0.013	0.41	<0.1	0.9	0.21	0.12	9
1832843	Drill Core	0.10	0.23	<0.02	5	0.32	0.035	34.0	5.0	0.56	198.7	0.004	1	0.66	0.014	0.31	<0.1	1.4	0.11	0.19	<5
1832844	Drill Core	0.15	0.32	0.07	3	0.58	0.037	30.6	3.4	0.63	257.7	0.009	<1	0.67	0.012	0.42	<0.1	1.3	0.23	0.07	6
1832845	Drill Core	0.63	0.20	0.10	3	0.69	0.038	30.4	2.9	0.39	222.1	0.009	1	0.51	0.017	0.37	<0.1	1.0	0.17	0.22	9
1832846	Drill Core	0.26	0.38	0.16	4	0.46	0.039	36.8	3.6	0.61	158.8	0.032	1	0.72	0.019	0.48	<0.1	1.3	0.31	0.06	<5
1832847	Drill Core	0.20	0.63	0.05	3	0.49	0.035	32.3	3.1	0.48	166.2	0.007	<1	0.62	0.015	0.34	<0.1	1.0	0.16	0.10	<5
1832848	Drill Core	0.18	0.62	0.03	5	0.39	0.038	34.0	4.8	0.56	175.8	0.004	2	0.67	0.013	0.27	<0.1	1.2	0.12	0.11	<5
1832849	Drill Core	0.15	0.39	0.08	4	0.36	0.035	33.1	3.9	0.60	160.1	0.013	<1	0.71	0.016	0.34	<0.1	1.0	0.15	0.14	7
1832850	Drill Core	0.29	0.90	0.17	5	0.24	0.043	33.7	4.1	0.76	160.7	0.013	1	0.87	0.014	0.34	<0.1	1.3	0.18	0.23	<5
1832851	Drill Core	0.27	0.52	0.30	4	0.34	0.045	30.5	3.7	0.58	184.2	0.013	1	0.72	0.015	0.35	<0.1	1.1	0.16	0.39	<5
1832852	Drill Core	0.11	0.37	0.17	4	0.51	0.040	34.5	3.8	0.50	207.2	0.010	<1	0.69	0.016	0.33	<0.1	1.2	0.16	0.29	<5
1832853	Drill Core	0.24	0.28	0.18	4	0.60	0.039	31.9	4.2	0.40	229.9	0.022	2	0.61	0.022	0.40	0.1	1.3	0.19	0.23	<5
1832854	Drill Core	0.22	0.43	0.33	5	0.56	0.040	25.3	4.8	0.80	156.9	0.037	1	0.82	0.017	0.52	<0.1	1.4	0.37	0.10	<5
1832855	Drill Core	2.84	0.66	0.38	5	0.58	0.034	17.4	6.7	0.71	152.3	0.035	1	0.74	0.012	0.55	<0.1	1.7	0.37	0.22	14
1832856	Drill Core	3.18	0.39	0.29	2	0.62	0.030	22.8	2.7	0.46	174.7	0.011	1	0.59	0.013	0.38	<0.1	0.9	0.19	0.29	8
1832857	Drill Core	0.31	0.25	0.18	1	0.24	0.010	39.0	1.6	0.27	195.8	0.002	<1	0.44	0.014	0.28	<0.1	0.7	0.07	0.04	<5
1832858	Drill Core	0.65	0.42	0.16	2	0.19	0.023	33.6	2.9	0.38	195.7	0.004	<1	0.55	0.015	0.31	<0.1	0.9	0.11	0.11	<5
1832859	Drill Core	0.53	0.63	0.55	4	0.30	0.032	24.8	3.6	0.64	148.2	0.017	2	0.72	0.016	0.40	<0.1	1.3	0.31	0.27	8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000226.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832830	Drill Core	0.2	<0.02	3.5	1.92	<0.1	0.25	<0.02	25.3	0.4	<0.05	7.4	9.32	60.8	<0.02	<1	0.6	7.8	<10	<2			
1832831	Drill Core	0.1	0.03	3.5	1.16	<0.1	0.24	<0.02	20.4	0.4	<0.05	6.9	8.51	66.8	0.03	1	0.3	8.7	<10	<2			
1832832	Drill Core	<0.1	<0.02	3.0	0.96	<0.1	0.30	<0.02	18.5	0.4	<0.05	9.2	8.00	63.3	<0.02	<1	0.5	7.9	<10	<2			
1832833	Drill Core	0.2	<0.02	2.1	0.47	<0.1	0.25	<0.02	14.3	0.4	<0.05	6.9	7.35	68.7	<0.02	2	0.3	4.6	<10	<2			
1832834	Drill Core	<0.1	<0.02	2.6	0.40	<0.1	0.32	<0.02	14.1	0.3	<0.05	7.2	9.21	64.9	<0.02	<1	0.3	4.7	<10	<2			
1832835	Drill Core	<0.1	<0.02	2.9	0.35	<0.1	0.26	<0.02	11.4	0.3	<0.05	7.4	8.81	58.4	<0.02	<1	0.3	5.4	<10	<2			
1832836	Drill Core	0.1	<0.02	3.2	0.78	<0.1	0.37	<0.02	16.6	0.4	<0.05	10.1	7.48	61.5	<0.02	<1	0.2	7.9	<10	<2			
1832837	Drill Core	<0.1	<0.02	3.9	0.99	<0.1	0.40	<0.02	17.5	0.5	<0.05	11.4	6.44	60.8	<0.02	<1	0.3	10.4	<10	<2			
1832838	Drill Core	<0.1	<0.02	2.9	0.68	<0.1	0.29	<0.02	14.5	0.5	<0.05	9.9	6.22	62.7	<0.02	<1	0.3	6.9	<10	<2			
1832839	Drill Core	<0.1	<0.02	1.8	1.47	<0.1	0.21	0.02	20.2	0.4	<0.05	6.2	4.15	52.6	<0.02	<1	0.4	6.4	<10	<2			
1832840	Rock Pulp	<0.1	<0.02	4.5	0.30	<0.1	0.07	0.08	6.5	0.3	<0.05	1.3	4.43	13.9	<0.02	<1	0.1	6.6	<10	<2			
1832841	Drill Core	<0.1	<0.02	2.3	1.79	<0.1	0.19	<0.02	23.8	0.3	<0.05	6.1	5.44	70.0	<0.02	2	0.3	7.6	<10	<2			
1832842	Drill Core	<0.1	<0.02	2.0	1.77	<0.1	0.21	<0.02	23.2	0.2	<0.05	7.2	4.70	61.3	<0.02	<1	0.3	6.3	<10	<2			
1832843	Drill Core	<0.1	<0.02	3.0	0.73	<0.1	0.26	<0.02	14.2	0.4	<0.05	8.1	6.83	61.4	<0.02	<1	0.2	7.9	<10	<2			
1832844	Drill Core	<0.1	<0.02	2.4	2.28	<0.1	0.37	<0.02	25.2	0.3	<0.05	12.4	5.83	54.3	<0.02	<1	0.2	7.9	<10	<2			
1832845	Drill Core	<0.1	<0.02	1.8	1.50	<0.1	0.23	<0.02	19.5	0.2	<0.05	7.3	5.73	56.1	<0.02	2	0.3	4.3	<10	<2			
1832846	Drill Core	<0.1	<0.02	2.5	2.55	<0.1	0.26	0.02	30.7	0.3	<0.05	9.0	5.64	66.9	<0.02	1	0.4	6.2	<10	<2			
1832847	Drill Core	<0.1	<0.02	2.3	1.08	<0.1	0.15	<0.02	17.2	0.3	<0.05	4.2	6.70	59.1	<0.02	<1	0.4	6.4	<10	<2			
1832848	Drill Core	<0.1	<0.02	3.3	0.54	<0.1	0.08	<0.02	11.7	0.4	<0.05	2.1	8.24	64.5	<0.02	<1	0.2	7.7	<10	<2			
1832849	Drill Core	<0.1	<0.02	2.7	1.06	<0.1	0.17	<0.02	16.1	0.3	<0.05	4.9	5.71	59.7	<0.02	<1	0.1	7.4	<10	<2			
1832850	Drill Core	0.1	<0.02	3.1	1.33	<0.1	0.27	<0.02	18.0	0.4	<0.05	8.5	6.44	64.7	<0.02	<1	0.2	9.8	<10	<2			
1832851	Drill Core	0.4	0.02	2.7	1.14	<0.1	0.23	<0.02	17.8	0.4	<0.05	6.3	5.71	57.6	<0.02	<1	0.5	7.7	<10	<2			
1832852	Drill Core	0.4	<0.02	2.7	1.24	<0.1	0.31	<0.02	15.8	0.4	<0.05	9.7	6.56	63.4	<0.02	<1	0.3	6.7	<10	<2			
1832853	Drill Core	0.2	0.02	2.1	1.53	<0.1	0.20	0.05	20.0	0.3	<0.05	6.1	5.83	62.6	<0.02	<1	0.3	3.7	<10	<2			
1832854	Drill Core	<0.1	0.04	3.1	4.01	<0.1	0.43	0.03	34.0	0.4	<0.05	13.4	4.93	47.1	<0.02	<1	0.3	7.5	<10	<2			
1832855	Drill Core	0.3	<0.02	2.1	4.54	<0.1	0.43	0.05	33.7	0.4	<0.05	15.3	4.53	32.7	<0.02	1	0.3	5.7	<10	<2			
1832856	Drill Core	0.4	0.03	1.9	1.78	<0.1	0.26	0.02	19.1	0.5	<0.05	7.7	6.01	43.9	<0.02	<1	0.2	4.6	<10	<2			
1832857	Drill Core	<0.1	<0.02	1.8	0.95	<0.1	0.30	<0.02	10.3	0.4	<0.05	10.9	7.08	69.2	0.02	<1	0.2	3.6	<10	<2			
1832858	Drill Core	0.1	<0.02	2.1	0.90	<0.1	0.33	<0.02	12.9	0.4	<0.05	10.5	5.95	60.6	<0.02	<1	0.2	5.3	<10	<2			
1832859	Drill Core	0.7	0.03	2.4	2.22	<0.1	0.26	<0.02	21.9	0.4	<0.05	6.6	5.39	44.4	<0.02	3	0.3	7.4	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000226.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832860	Core DUP		561	<0.005	<0.01	<0.17	18.48	1.63	33.98	63.66	124.6	503	3.1	3.8	185	1.35	2.6	8.6	0.8	15.8	38.5
1832861	Drill Core	5.84	494	0.008	<0.01	<0.17	34.85	0.87	253.46	34.95	114.7	1256	2.7	3.5	146	1.37	4.4	4.9	2.2	13.8	32.2
1832862	Drill Core	4.64	458	<0.005	<0.01	<0.17	34.91	0.73	0.88	19.30	33.5	155	2.5	2.8	139	1.15	<0.1	3.2	0.4	14.8	24.6
1832863	Drill Core	5.44	468	<0.005	<0.01	<0.17	35.99	1.21	53.85	26.95	49.8	398	3.2	3.6	194	1.26	2.2	4.9	0.4	16.0	30.7
1832864	Drill Core	5.35	453	<0.005	<0.01	<0.17	27.05	0.68	10.43	16.15	50.5	151	3.4	3.7	212	1.55	1.7	4.1	0.4	14.9	24.6
1832865	Drill Core	5.11	482	<0.005	<0.01	<0.17	25.16	0.76	18.93	27.09	67.8	248	2.7	3.4	165	1.24	1.9	2.0	<0.2	15.1	36.2
1832866	Drill Core	6.08	463	<0.005	<0.01	<0.17	30.56	1.13	21.44	46.13	57.3	381	2.5	3.4	185	1.13	1.7	3.4	<0.2	12.9	60.1
1832867	Drill Core	2.76	488	<0.005	<0.01	<0.17	24.90	0.90	13.53	29.72	73.0	266	2.7	3.1	213	1.23	0.6	2.5	1.0	13.5	37.6
1832868	Drill Core	4.39	502	<0.005	<0.01	<0.17	21.87	0.63	28.05	42.71	175.6	307	3.1	3.2	209	1.36	1.1	7.2	0.7	15.1	57.4
1832869	Drill Core	5.22	456	<0.005	<0.01	<0.17	28.56	1.25	21.96	38.49	110.3	317	2.9	3.1	162	1.20	0.7	5.4	1.2	14.4	41.0
1832870	Drill Core	5.21	488	<0.005	<0.01	<0.17	20.79	0.75	11.10	16.86	52.2	178	3.0	3.2	193	1.45	1.0	2.8	<0.2	14.4	31.3
1832871	Drill Core	5.78	453	<0.005	<0.01	<0.17	32.47	0.44	12.68	41.06	52.5	273	3.2	3.2	270	1.28	1.6	1.9	<0.2	12.9	33.9
1832872	Drill Core	5.14	512	0.007	<0.01	<0.17	26.28	2.23	13.26	41.44	44.5	328	2.0	2.3	210	0.99	1.7	1.9	1.8	12.9	25.9
1832873	Drill Core	5.60	495	0.039	0.04	<0.17	31.91	0.86	4.69	25.37	43.5	193	2.5	2.8	223	1.26	1.3	1.6	34.3	12.9	27.2
1832874	Drill Core	5.19	451	<0.005	<0.01	<0.17	27.14	0.80	7.66	28.31	48.6	192	2.9	3.5	288	1.49	1.2	4.3	1.3	12.3	58.9
1832875	Drill Core	4.96	443	<0.005	<0.01	<0.17	33.41	0.59	8.21	22.52	41.4	192	2.3	3.1	283	1.31	1.5	3.2	1.2	12.8	69.9
1832876	Drill Core	5.98	467	<0.005	<0.01	<0.17	50.56	0.88	6.43	18.12	45.7	130	2.7	3.4	254	1.35	1.0	4.0	0.4	13.8	51.4
1832877	Drill Core	5.38	432	0.007	<0.01	<0.17	37.23	0.77	8.92	24.41	34.6	169	2.6	3.3	274	1.19	1.1	2.4	1.3	13.1	63.8
1832878	Drill Core	3.62	423	<0.005	<0.01	<0.17	35.73	1.11	44.56	41.71	90.8	388	2.0	3.2	217	1.05	2.1	3.0	0.6	13.6	58.3
1832879	Drill Core	3.71	432	<0.005	<0.01	<0.17	40.23	1.17	30.67	36.08	66.7	487	2.1	2.5	165	1.08	2.1	5.9	0.3	12.4	29.9
1832880	Rock	0.23	172	<0.005	<0.01	<0.17	24.82	0.44	1.13	0.92	2.3	8	1.2	0.4	58	0.60	1.1	0.1	<0.2	1.3	1.4
1832881	Drill Core	3.06	462	0.036	0.03	<0.17	48.16	0.65	9.08	13.69	51.0	242	2.4	3.9	246	1.40	1.4	6.6	33.9	13.4	53.5
1832882	Drill Core	2.56	475	0.005	<0.01	<0.17	35.34	1.49	8.71	15.29	49.1	223	2.9	3.5	296	1.49	1.4	4.4	2.0	13.8	39.9
1832883	Drill Core	2.33	409	<0.005	<0.01	<0.17	30.74	0.90	3.97	16.22	53.0	144	3.1	3.5	347	1.64	1.8	1.3	0.2	14.7	30.5
1832884	Drill Core	3.94	396	<0.005	<0.01	<0.17	27.79	1.88	3.53	18.50	49.3	114	2.9	3.8	257	1.47	1.2	5.7	0.3	12.9	37.2
1832885	Drill Core	6.31	478	<0.005	<0.01	<0.17	50.36	0.80	8.48	8.70	49.5	111	3.2	3.9	256	1.58	1.3	4.0	0.6	12.2	32.8
1832886	Drill Core	5.47	510	<0.005	<0.01	<0.17	51.40	0.58	5.03	7.76	46.5	81	2.6	3.4	267	1.44	1.2	2.7	<0.2	9.9	35.7
1832887	Drill Core	5.57	524	<0.005	<0.01	<0.17	50.98	0.32	3.67	7.97	50.2	111	2.5	4.3	323	1.71	1.4	2.9	<0.2	11.4	47.2
1832888	Drill Core	5.14	460	0.076	0.07	<0.17	28.71	0.64	5.73	24.60	51.5	243	3.5	4.1	346	1.74	9.0	4.0	65.0	11.3	36.2
1832889	Drill Core	5.37	539	<0.005	<0.01	<0.17	44.20	0.46	4.98	16.16	52.0	123	2.5	3.6	313	1.66	1.7	2.8	<0.2	10.9	32.7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000226.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832860	Core DUP	0.61	0.69	0.59	4	0.30	0.034	26.5	4.5	0.66	182.0	0.019	1	0.78	0.019	0.45	<0.1	1.5	0.33	0.28	13
1832861	Drill Core	1.86	0.63	0.37	3	0.28	0.031	19.2	3.0	0.56	158.7	0.013	<1	0.68	0.015	0.36	<0.1	1.2	0.15	0.39	10
1832862	Drill Core	0.07	0.63	0.30	3	0.21	0.036	21.7	2.8	0.60	150.9	0.023	2	0.68	0.012	0.47	<0.1	0.9	0.24	<0.02	<5
1832863	Drill Core	0.17	0.34	0.29	4	0.29	0.037	25.6	4.0	0.69	164.0	0.009	1	0.77	0.010	0.33	<0.1	1.1	0.12	0.11	<5
1832864	Drill Core	0.09	0.33	0.16	6	0.22	0.037	26.0	5.2	0.86	172.4	0.019	<1	0.93	0.020	0.36	<0.1	1.4	0.15	0.09	9
1832865	Drill Core	0.60	0.56	0.28	3	0.29	0.033	19.0	3.3	0.58	166.8	0.026	<1	0.71	0.016	0.48	<0.1	1.2	0.22	0.15	7
1832866	Drill Core	0.37	0.68	0.48	3	0.46	0.032	15.9	2.9	0.48	161.6	0.018	2	0.60	0.013	0.42	<0.1	0.9	0.18	0.21	7
1832867	Drill Core	0.47	0.79	0.32	4	0.31	0.030	23.5	3.0	0.57	191.2	0.015	1	0.75	0.014	0.39	<0.1	1.1	0.17	0.04	7
1832868	Drill Core	1.84	0.94	0.28	4	0.39	0.035	28.0	3.6	0.72	177.2	0.021	2	0.87	0.014	0.45	<0.1	1.4	0.22	0.06	14
1832869	Drill Core	0.90	0.83	0.26	4	0.29	0.034	22.9	3.6	0.60	165.7	0.031	1	0.72	0.013	0.50	<0.1	1.0	0.29	0.08	<5
1832870	Drill Core	0.16	0.61	0.11	5	0.28	0.038	24.6	4.3	0.70	188.9	0.025	1	0.87	0.020	0.43	0.1	1.3	0.21	0.05	<5
1832871	Drill Core	0.21	0.48	0.17	6	0.35	0.036	25.5	5.5	0.55	192.8	0.003	<1	0.76	0.020	0.25	<0.1	1.3	0.10	0.09	7
1832872	Drill Core	0.39	0.56	0.18	4	0.26	0.026	27.5	3.9	0.34	255.3	0.003	<1	0.62	0.018	0.33	<0.1	1.2	0.13	0.07	<5
1832873	Drill Core	0.26	0.47	0.14	4	0.26	0.032	26.0	4.9	0.49	191.6	0.012	2	0.74	0.019	0.37	0.1	1.2	0.17	<0.02	6
1832874	Drill Core	0.24	0.51	0.14	7	0.47	0.035	22.1	5.8	0.72	178.9	0.014	1	0.87	0.029	0.35	<0.1	1.6	0.20	0.09	6
1832875	Drill Core	0.16	0.47	0.10	5	0.65	0.029	23.1	5.2	0.64	178.3	0.010	2	0.77	0.026	0.34	<0.1	1.4	0.17	0.12	<5
1832876	Drill Core	0.17	0.38	0.10	5	0.50	0.033	20.0	5.4	0.63	196.0	0.014	1	0.79	0.024	0.37	0.1	1.3	0.17	0.15	<5
1832877	Drill Core	0.25	0.44	0.12	4	0.54	0.037	19.2	4.7	0.50	192.2	0.013	1	0.68	0.021	0.35	0.1	1.2	0.17	0.08	7
1832878	Drill Core	2.28	0.62	0.13	2	0.47	0.028	16.1	3.7	0.37	269.9	0.006	1	0.58	0.014	0.36	0.2	0.9	0.15	0.20	5
1832879	Drill Core	0.40	0.58	0.17	2	0.27	0.023	15.3	4.5	0.48	183.9	0.005	1	0.65	0.016	0.35	0.1	0.8	0.14	0.21	<5
1832880	Rock	<0.01	0.03	<0.02	1	0.01	0.003	1.8	4.7	0.02	8.1	0.002	1	0.06	0.004	0.01	<0.1	0.2	<0.02	<0.02	<5
1832881	Drill Core	0.19	0.54	0.11	3	0.52	0.031	12.1	4.3	0.56	186.6	0.013	1	0.71	0.026	0.41	0.2	1.3	0.23	0.37	<5
1832882	Drill Core	0.21	0.60	0.14	5	0.35	0.030	18.7	5.6	0.76	167.4	0.005	1	0.87	0.019	0.30	<0.1	1.3	0.17	0.17	<5
1832883	Drill Core	0.07	0.51	0.11	8	0.30	0.032	26.8	7.5	0.84	177.3	0.005	1	1.01	0.026	0.30	<0.1	1.6	0.11	0.04	<5
1832884	Drill Core	0.10	0.58	0.12	5	0.29	0.034	17.3	5.7	0.74	160.8	0.020	1	0.85	0.023	0.37	0.2	1.3	0.20	0.09	7
1832885	Drill Core	0.07	0.52	0.07	6	0.24	0.033	18.2	6.3	0.77	185.5	0.021	2	0.90	0.029	0.41	0.2	1.6	0.21	0.15	<5
1832886	Drill Core	0.08	0.72	0.05	4	0.30	0.033	15.9	6.0	0.79	197.0	0.024	3	0.87	0.012	0.55	0.2	1.3	0.36	0.08	5
1832887	Drill Core	0.08	0.53	0.08	6	0.35	0.039	16.3	7.2	0.90	232.7	0.026	2	1.00	0.018	0.58	0.2	1.5	0.30	0.21	<5
1832888	Drill Core	0.17	0.65	0.16	7	0.29	0.037	16.6	8.0	0.99	188.0	0.023	2	1.05	0.017	0.49	0.3	1.7	0.31	0.16	<5
1832889	Drill Core	0.11	0.63	0.12	6	0.30	0.034	15.6	7.1	0.93	232.1	0.032	2	1.00	0.021	0.62	0.2	1.8	0.32	0.09	<5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000226.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832860	Core DUP	0.6	0.02	2.8	2.35	<0.1	0.24	<0.02	23.7	0.5	<0.05	6.6	5.85	50.9	<0.02	5	0.3	7.8	<10	<2			
1832861	Drill Core	1.2	0.02	2.4	1.44	<0.1	0.21	<0.02	17.6	0.4	<0.05	6.6	4.48	36.2	0.02	<1	0.1	5.8	<10	<2			
1832862	Drill Core	<0.1	<0.02	2.3	2.74	<0.1	0.17	0.02	25.7	0.4	<0.05	5.3	4.03	42.4	<0.02	<1	0.2	6.0	<10	<2			
1832863	Drill Core	0.3	<0.02	3.2	0.90	<0.1	0.13	<0.02	15.7	0.3	<0.05	4.3	6.00	47.9	<0.02	<1	0.4	7.0	<10	<2			
1832864	Drill Core	<0.1	<0.02	3.8	1.04	<0.1	0.25	<0.02	17.4	0.3	<0.05	7.2	5.62	49.6	<0.02	<1	0.3	7.8	<10	<2			
1832865	Drill Core	0.2	<0.02	2.5	2.77	<0.1	0.31	<0.02	26.0	0.3	<0.05	10.5	4.09	38.6	<0.02	<1	0.3	5.9	<10	<2			
1832866	Drill Core	0.2	0.02	2.0	2.50	<0.1	0.24	<0.02	21.7	0.3	<0.05	7.5	3.74	30.5	<0.02	<1	0.2	4.6	<10	<2			
1832867	Drill Core	<0.1	<0.02	2.4	2.14	<0.1	0.25	<0.02	18.7	0.4	<0.05	8.0	4.16	44.2	<0.02	<1	0.3	6.6	<10	<2			
1832868	Drill Core	0.1	<0.02	3.1	2.84	<0.1	0.25	<0.02	24.2	0.4	<0.05	6.2	4.09	51.4	<0.02	<1	0.3	8.4	<10	<2			
1832869	Drill Core	0.2	<0.02	2.3	3.63	<0.1	0.30	0.02	29.7	0.3	<0.05	9.8	3.79	42.7	<0.02	<1	0.3	5.6	<10	<2			
1832870	Drill Core	<0.1	<0.02	3.5	1.74	<0.1	0.38	<0.02	22.6	0.4	<0.05	12.8	7.02	47.8	<0.02	<1	0.4	7.7	<10	<2			
1832871	Drill Core	0.1	0.02	4.0	0.49	<0.1	0.21	<0.02	10.2	0.2	<0.05	8.7	9.71	47.3	<0.02	1	0.3	8.9	<10	<2			
1832872	Drill Core	<0.1	<0.02	2.5	0.83	<0.1	0.32	<0.02	12.9	0.3	<0.05	14.0	7.21	50.9	<0.02	<1	0.3	6.5	<10	<2			
1832873	Drill Core	<0.1	<0.02	2.8	1.69	<0.1	0.30	0.03	17.2	0.6	<0.05	12.0	5.35	51.7	<0.02	<1	0.4	7.2	<10	<2			
1832874	Drill Core	<0.1	<0.02	3.8	1.27	<0.1	0.25	<0.02	15.8	0.5	<0.05	7.6	6.51	44.6	<0.02	<1	0.3	8.5	<10	<2			
1832875	Drill Core	<0.1	<0.02	3.2	1.38	<0.1	0.26	<0.02	14.5	0.4	<0.05	8.7	5.49	46.3	<0.02	<1	0.4	7.2	<10	<2			
1832876	Drill Core	<0.1	<0.02	3.3	1.18	<0.1	0.23	<0.02	16.8	0.4	<0.05	7.4	5.11	40.4	<0.02	<1	0.4	7.7	<10	<2			
1832877	Drill Core	<0.1	<0.02	2.5	1.40	<0.1	0.30	<0.02	16.5	0.3	<0.05	10.5	4.54	38.6	<0.02	<1	0.3	5.9	<10	<2			
1832878	Drill Core	0.2	<0.02	1.8	1.13	<0.1	0.29	<0.02	14.6	0.3	<0.05	9.6	3.63	32.5	<0.02	<1	0.3	5.4	<10	<2			
1832879	Drill Core	0.2	<0.02	2.0	0.71	<0.1	0.21	<0.02	12.8	0.4	<0.05	7.0	3.71	31.2	<0.02	1	0.3	7.0	<10	<2			
1832880	Rock	<0.1	<0.02	0.3	0.07	<0.1	0.09	0.03	0.8	<0.1	<0.05	2.8	0.85	3.9	<0.02	<1	<0.1	0.9	<10	<2			
1832881	Drill Core	<0.1	<0.02	2.1	1.65	<0.1	0.24	0.03	19.0	0.3	<0.05	8.0	3.23	24.6	<0.02	<1	0.3	6.8	<10	<2			
1832882	Drill Core	<0.1	<0.02	3.5	0.78	<0.1	0.27	<0.02	11.6	0.3	<0.05	8.9	5.00	37.6	<0.02	<1	0.3	9.3	<10	<2			
1832883	Drill Core	<0.1	<0.02	4.6	1.00	<0.1	0.36	<0.02	12.2	0.4	<0.05	12.1	6.99	55.4	0.02	<1	0.4	10.1	<10	<2			
1832884	Drill Core	<0.1	<0.02	3.4	1.80	<0.1	0.29	<0.02	17.7	0.4	<0.05	8.3	3.69	34.6	<0.02	1	0.3	8.3	<10	<2			
1832885	Drill Core	<0.1	<0.02	3.6	2.20	<0.1	0.26	<0.02	19.8	0.4	<0.05	8.1	3.79	37.3	<0.02	<1	0.3	7.8	<10	<2			
1832886	Drill Core	<0.1	<0.02	2.4	4.93	<0.1	0.42	<0.02	30.3	0.3	<0.05	15.2	3.32	32.1	<0.02	<1	0.4	8.4	<10	<2			
1832887	Drill Core	<0.1	<0.02	3.2	3.49	<0.1	0.37	<0.02	28.5	0.4	<0.05	11.4	3.84	33.0	<0.02	<1	0.4	10.2	<10	<2			
1832888	Drill Core	<0.1	<0.02	3.5	2.95	<0.1	0.38	<0.02	24.5	0.4	<0.05	12.3	4.03	35.1	<0.02	<1	0.4	10.8	<10	<2			
1832889	Drill Core	<0.1	<0.02	3.1	4.35	<0.1	0.29	0.02	31.4	0.4	<0.05	10.9	3.02	32.4	<0.02	<1	0.4	8.2	<10	<2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000226.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832890	Drill Core	5.05	453	0.005	<0.01	<0.17	21.29	0.75	18.03	14.60	62.7	251	5.7	5.0	259	1.55	2.9	2.8	<0.2	12.2	36.2
1832891	Drill Core	5.32	455	<0.005	<0.01	<0.17	27.92	0.91	22.66	13.16	73.9	224	7.8	5.6	292	1.82	1.8	2.8	<0.2	10.8	37.3
1832892	Drill Core	5.30	500	<0.005	<0.01	<0.17	25.48	1.20	27.29	49.30	104.6	726	7.3	5.2	390	1.88	1.7	2.0	<0.2	11.1	33.4
1832893	Drill Core	5.78	481	0.006	<0.01	<0.17	21.62	0.84	57.45	28.60	105.0	544	3.0	3.6	252	1.47	2.2	3.2	2.3	13.1	39.1
1832894	Drill Core	4.31	421	<0.005	<0.01	<0.17	33.50	1.31	51.76	67.55	143.8	502	2.6	3.2	226	1.26	1.9	3.6	<0.2	14.1	27.7
1832895	Drill Core	3.89	408	0.005	<0.01	<0.17	31.37	0.57	10.16	12.21	51.3	158	3.3	3.8	308	1.62	4.3	3.0	<0.2	13.0	32.1
1832896	Drill Core	3.10	472	<0.005	<0.01	<0.17	25.43	0.64	18.74	10.17	58.5	224	3.2	3.7	314	1.50	2.9	3.2	<0.2	12.5	46.1
1832897	Drill Core	2.68	489	0.005	<0.01	<0.17	31.33	0.59	11.33	20.61	41.4	173	2.7	3.6	333	1.41	3.7	3.1	<0.2	12.2	47.8
1832898	Drill Core	3.32	511	<0.005	<0.01	<0.17	29.74	0.46	7.55	13.86	68.4	127	4.1	4.2	361	1.92	1.0	1.7	<0.2	8.7	39.0
1832899	Drill Core	2.40	442	0.786	2.02	26.43	21.34	0.22	9.09	3.77	48.6	443	1.9	2.6	323	1.62	0.6	0.9	994.3	6.6	56.0
1832900	Rock Pulp	0.12	90	7.320				9.68	180.48	19.42	76.9	868	13.6	11.8	614	4.73	14.5	0.9	7444.6	2.2	83.2
1832901	Drill Core	2.35	452	0.011	0.01	<0.17	29.52	0.26	10.29	5.37	55.1	98	2.8	4.0	265	1.74	1.4	2.7	5.4	10.8	34.1
1832902	Drill Core	5.26	466	0.007	<0.01	<0.17	18.34	0.57	9.84	30.04	41.5	236	2.8	3.9	404	1.60	2.8	3.2	2.3	11.3	86.5
1832903	Drill Core	5.22	472	0.028	0.03	<0.17	32.31	0.33	6.84	15.30	37.3	275	2.5	3.7	299	1.44	7.8	2.8	18.6	12.3	92.2
1832904	Drill Core	5.21	453	0.038	0.04	<0.17	22.18	0.34	7.33	11.39	49.2	161	3.0	4.3	298	1.78	2.6	2.6	23.6	12.5	33.9
1832905	Drill Core	5.45	457	0.006	<0.01	<0.17	28.56	0.43	5.29	22.95	38.6	124	2.9	3.3	310	1.35	2.2	2.8	<0.2	13.1	43.1
1832906	Drill Core	5.18	460	0.018	0.02	<0.17	18.26	0.44	4.00	28.26	40.1	131	3.0	3.7	315	1.42	1.4	2.9	6.9	13.6	44.4
1832907	Drill Core	5.46	420	0.005	<0.01	<0.17	34.79	0.46	6.38	21.38	43.2	126	3.3	3.7	263	1.49	1.6	3.0	<0.2	13.5	30.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000226.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832890	Drill Core	0.12	0.82	0.11	7	0.32	0.034	10.2	7.5	0.87	133.9	0.031	<1	0.80	0.021	0.51	<0.1	1.6	0.29	0.28	<5
1832891	Drill Core	0.10	0.57	0.10	9	0.31	0.042	12.5	12.3	1.13	177.8	0.039	2	1.07	0.023	0.67	<0.1	2.0	0.36	0.18	<5
1832892	Drill Core	0.39	0.86	0.31	11	0.33	0.041	17.6	16.1	1.25	186.4	0.019	<1	1.20	0.017	0.40	<0.1	1.7	0.20	0.08	<5
1832893	Drill Core	2.41	0.41	0.14	5	0.35	0.031	16.1	6.0	0.72	184.3	0.014	<1	0.83	0.021	0.38	<0.1	1.4	0.15	0.19	<5
1832894	Drill Core	2.45	0.40	0.25	4	0.28	0.029	16.9	5.0	0.60	197.8	0.028	<1	0.74	0.016	0.50	<0.1	1.1	0.21	0.13	<5
1832895	Drill Core	0.12	0.40	0.09	7	0.28	0.032	17.8	7.2	0.80	207.4	0.029	<1	0.90	0.030	0.45	<0.1	1.6	0.21	0.17	<5
1832896	Drill Core	0.11	0.31	0.07	6	0.40	0.032	16.3	6.0	0.80	179.7	0.015	<1	0.83	0.022	0.39	<0.1	1.5	0.17	0.17	<5
1832897	Drill Core	0.15	0.37	0.14	4	0.52	0.030	15.4	4.8	0.61	189.9	0.021	<1	0.72	0.024	0.50	<0.1	1.3	0.26	0.29	<5
1832898	Drill Core	0.10	0.35	0.11	9	0.38	0.038	18.2	13.9	1.14	171.0	0.037	<1	1.13	0.021	0.57	<0.1	2.0	0.28	0.05	<5
1832899	Drill Core	0.11	0.39	0.02	5	0.50	0.026	14.1	7.2	0.90	218.3	0.037	1	0.89	0.017	0.66	0.1	1.8	0.34	0.20	<5
1832900	Rock Pulp	0.21	4.56	0.55	116	1.04	0.062	7.5	20.4	0.86	132.1	0.131	3	1.93	0.211	0.24	4.0	3.8	0.07	<0.02	199
1832901	Drill Core	0.08	0.38	0.04	6	0.26	0.043	18.9	7.1	0.96	206.4	0.043	1	1.01	0.018	0.67	<0.1	1.5	0.30	0.09	<5
1832902	Drill Core	0.24	0.40	0.18	5	0.69	0.034	17.4	5.8	0.91	188.1	0.019	1	0.96	0.021	0.48	0.2	1.5	0.21	0.10	<5
1832903	Drill Core	0.25	0.73	0.07	5	0.65	0.032	14.5	5.4	0.71	185.4	0.025	1	0.80	0.019	0.56	0.4	1.7	0.26	0.18	<5
1832904	Drill Core	0.14	0.48	0.07	7	0.29	0.039	15.6	7.3	0.96	187.4	0.044	1	1.02	0.022	0.68	0.2	1.7	0.30	0.07	<5
1832905	Drill Core	0.25	0.31	0.13	4	0.45	0.033	15.9	4.9	0.75	183.1	0.028	<1	0.82	0.016	0.49	<0.1	1.1	0.20	0.05	<5
1832906	Drill Core	0.24	0.22	0.14	4	0.45	0.034	16.4	5.5	0.81	184.7	0.020	<1	0.90	0.020	0.44	<0.1	1.3	0.18	0.08	<5
1832907	Drill Core	0.19	0.23	0.10	5	0.29	0.034	16.8	6.0	0.86	175.8	0.028	<1	0.93	0.021	0.48	<0.1	1.4	0.22	0.05	<5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000226.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1832890	Drill Core	0.2	<0.02	2.9	4.27	<0.1	0.27	<0.02	27.6	0.4	<0.05	8.6	2.94	20.8	<0.02	<1	0.2	7.4	<10
1832891	Drill Core	0.1	<0.02	3.4	5.42	<0.1	0.29	<0.02	35.7	0.4	<0.05	10.1	3.08	25.6	<0.02	<1	0.3	9.2	<10
1832892	Drill Core	0.1	<0.02	4.7	1.45	<0.1	0.21	<0.02	17.9	0.4	<0.05	7.7	4.85	36.6	<0.02	1	0.3	11.3	<10
1832893	Drill Core	0.2	<0.02	3.2	1.27	<0.1	0.18	<0.02	15.5	0.4	<0.05	5.3	4.05	33.0	<0.02	<1	0.3	7.2	<10
1832894	Drill Core	0.3	<0.02	2.5	2.28	<0.1	0.18	0.04	23.8	0.4	<0.05	5.2	3.43	34.4	<0.02	1	0.3	5.8	<10
1832895	Drill Core	<0.1	<0.02	4.3	1.67	<0.1	0.18	0.03	20.4	0.4	<0.05	5.6	4.26	36.9	<0.02	<1	0.3	8.0	<10
1832896	Drill Core	<0.1	<0.02	3.8	1.64	<0.1	0.20	<0.02	16.8	0.4	<0.05	6.2	3.98	33.3	<0.02	<1	0.3	7.3	<10
1832897	Drill Core	0.3	<0.02	2.5	3.00	<0.1	0.23	0.04	25.1	0.4	<0.05	6.7	3.37	31.6	<0.02	<1	0.4	4.8	<10
1832898	Drill Core	<0.1	<0.02	3.9	3.46	<0.1	0.20	<0.02	28.7	0.3	<0.05	7.9	3.69	37.5	<0.02	<1	0.3	7.6	<10
1832899	Drill Core	<0.1	0.02	2.7	4.45	<0.1	0.25	0.02	33.9	0.3	<0.05	10.5	4.00	30.2	<0.02	<1	0.3	6.0	<10
1832900	Rock Pulp	<0.1	0.16	5.7	0.73	0.2	0.09	0.08	8.2	1.8	<0.05	2.1	5.62	16.9	0.05	<1	0.1	6.9	<10
1832901	Drill Core	<0.1	<0.02	3.3	3.94	0.1	0.27	0.02	33.6	0.4	<0.05	9.1	3.39	39.3	0.02	<1	0.3	7.8	<10
1832902	Drill Core	<0.1	<0.02	3.0	2.27	<0.1	0.30	<0.02	21.7	0.3	<0.05	9.4	3.89	35.2	<0.02	<1	0.3	7.5	<10
1832903	Drill Core	<0.1	<0.02	2.5	3.41	<0.1	0.30	0.03	27.7	0.4	<0.05	9.6	3.40	29.5	<0.02	<1	0.4	6.1	<10
1832904	Drill Core	<0.1	<0.02	3.4	4.43	<0.1	0.24	<0.02	33.8	0.4	<0.05	7.8	3.00	33.4	<0.02	<1	0.4	8.1	<10
1832905	Drill Core	<0.1	<0.02	2.8	2.44	<0.1	0.21	0.03	23.2	0.3	<0.05	5.4	2.97	32.3	<0.02	<1	0.3	6.0	<10
1832906	Drill Core	<0.1	<0.02	3.3	1.53	<0.1	0.17	<0.02	19.5	0.3	<0.05	5.0	3.35	34.2	<0.02	<1	0.3	6.9	<10
1832907	Drill Core	<0.1	<0.02	3.2	2.05	<0.1	0.25	<0.02	23.5	0.3	<0.05	6.6	2.86	34.1	<0.02	<1	0.3	6.8	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 18, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000226.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																				
1832772	Drill Core	5.22	475	0.006	<0.01	<0.17	28.85	0.36	3.59	18.65	38.3	128	2.9	3.2	271	1.09	0.6	0.7	0.9	12.7
REP 1832772	QC			0.006																53.3
1832782	Drill Core	5.07	525	<0.005	<0.01	<0.17	47.93	0.47	9.62	10.56	37.0	115	5.0	4.9	299	1.45	1.5	1.5	0.2	10.3
REP 1832782	QC							0.50	9.70	10.71	38.3	125	4.9	5.1	297	1.45	1.4	1.5	<0.2	11.2
1832815	Drill Core	5.30	428	0.015	0.01	<0.17	48.03	0.28	7.08	21.34	23.6	113	2.4	3.0	142	0.93	1.5	3.6	15.6	15.5
REP 1832815	QC							0.24	7.32	21.34	23.2	113	2.3	3.2	143	0.94	1.7	3.6	8.5	15.3
1832839	Drill Core	5.28	499	<0.005	<0.01	<0.17	42.22	0.47	5.55	14.27	27.0	93	2.5	2.5	177	0.88	0.9	3.6	1.8	13.8
REP 1832839	QC			<0.005																37.9
1832844	Drill Core	4.45	459	<0.005	<0.01	<0.17	25.00	0.43	6.00	21.18	33.5	127	3.0	3.0	246	1.02	1.2	1.4	0.2	13.7
REP 1832844	QC			<0.005																59.6
1832850	Drill Core	4.55	467	<0.005	<0.01	<0.17	41.19	0.92	14.21	29.46	78.2	341	4.2	4.6	330	1.48	3.8	6.0	1.6	14.2
REP 1832850	QC							0.90	13.98	29.72	82.2	346	4.0	4.6	330	1.49	3.8	5.7	0.7	14.9
1832885	Drill Core	6.31	478	<0.005	<0.01	<0.17	50.36	0.80	8.48	8.70	49.5	111	3.2	3.9	256	1.58	1.3	4.0	0.6	12.2
REP 1832885	QC							0.76	8.71	8.73	51.0	118	3.2	3.9	262	1.62	1.3	4.1	0.4	12.3
1832890	Drill Core	5.05	453	0.005	<0.01	<0.17	21.29	0.75	18.03	14.60	62.7	251	5.7	5.0	259	1.55	2.9	2.8	<0.2	12.2
REP 1832890	QC			0.006																36.2
Core Reject Duplicates																				
1832775	Drill Core	4.68	437	0.006	<0.01	<0.17	35.24	0.61	6.22	13.12	18.9	164	2.2	3.2	242	0.90	1.1	0.9	0.7	12.4
DUP 1832775	QC		547	<0.005	<0.01	<0.17	30.57	0.75	6.66	13.22	19.1	158	2.3	3.6	261	1.04	1.3	0.9	0.2	12.9
1832809	Drill Core	4.81	380	0.301	0.38	1.00	40.99	0.28	24.63	23.97	43.4	370	4.7	5.1	236	1.38	1.6	3.5	327.2	13.7
DUP 1832809	QC		471	0.282	0.44	1.83	49.11	0.27	22.99	21.25	43.4	326	4.5	4.6	232	1.39	1.4	3.2	312.3	12.8
1832843	Drill Core	5.15	516	<0.005	<0.01	<0.17	29.75	0.43	6.66	18.15	28.8	152	3.1	3.2	201	1.06	3.2	2.7	1.8	14.8
DUP 1832843	QC		560	0.005	<0.01	<0.17	36.79	0.38	6.63	18.69	29.4	156	3.3	3.2	198	1.03	3.0	2.5	1.8	14.9
1832877	Drill Core	5.38	432	0.007	<0.01	<0.17	37.23	0.77	8.92	24.41	34.6	169	2.6	3.3	274	1.19	1.1	2.4	1.3	13.1
DUP 1832877	QC		436	<0.005	<0.01	<0.17	44.07	0.76	8.61	25.46	34.6	154	2.6	3.3	273	1.21	1.0	2.3	1.1	12.7
Reference Materials																				
STD BVGE001	Standard							10.63	4356.67	182.42	1723.9	2626	162.5	25.6	752	3.63	117.1	3.9	220.9	15.9
STD BVGE001	Standard							11.00	4369.09	192.18	1693.9	2452	161.4	24.4	728	3.65	114.6	3.8	202.1	13.2



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 18, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000226.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1832772	Drill Core	0.21	0.30	0.14	4	0.49	0.034	32.3	6.0	0.52	259.5	0.011	2	0.81	0.026	0.40	0.2	1.9	0.15	<0.02	<5
REP 1832772	QC																				
1832782	Drill Core	0.17	0.33	<0.02	8	0.93	0.048	28.4	9.2	0.60	719.6	0.006	<1	0.93	0.029	0.41	0.1	4.0	0.14	0.11	9
REP 1832782	QC	0.16	0.33	<0.02	8	0.91	0.048	29.5	9.0	0.61	752.2	0.006	<1	0.95	0.029	0.42	0.1	4.2	0.15	0.11	15
1832815	Drill Core	0.14	0.22	<0.02	4	0.40	0.038	35.5	4.3	0.33	697.7	0.007	<1	0.64	0.041	0.41	0.1	1.7	0.12	0.17	<5
REP 1832815	QC	0.13	0.21	<0.02	4	0.40	0.035	34.9	4.0	0.33	695.8	0.007	<1	0.66	0.042	0.41	0.1	1.7	0.13	0.17	<5
1832839	Drill Core	0.10	0.27	0.04	2	0.33	0.028	28.4	3.2	0.40	215.3	0.007	2	0.50	0.012	0.36	<0.1	1.3	0.19	0.11	9
REP 1832839	QC																				
1832844	Drill Core	0.15	0.32	0.07	3	0.58	0.037	30.6	3.4	0.63	257.7	0.009	<1	0.67	0.012	0.42	<0.1	1.3	0.23	0.07	6
REP 1832844	QC																				
1832850	Drill Core	0.29	0.90	0.17	5	0.24	0.043	33.7	4.1	0.76	160.7	0.013	1	0.87	0.014	0.34	<0.1	1.3	0.18	0.23	<5
REP 1832850	QC	0.31	0.95	0.18	5	0.24	0.042	33.3	4.0	0.76	152.9	0.013	2	0.88	0.014	0.34	<0.1	1.4	0.18	0.23	<5
1832885	Drill Core	0.07	0.52	0.07	6	0.24	0.033	18.2	6.3	0.77	185.5	0.021	2	0.90	0.029	0.41	0.2	1.6	0.21	0.15	<5
REP 1832885	QC	0.07	0.53	0.07	7	0.24	0.034	19.1	6.7	0.77	193.3	0.022	2	0.90	0.030	0.42	0.2	1.6	0.21	0.16	5
1832890	Drill Core	0.12	0.82	0.11	7	0.32	0.034	10.2	7.5	0.87	133.9	0.031	<1	0.80	0.021	0.51	<0.1	1.6	0.29	0.28	<5
REP 1832890	QC																				
Core Reject Duplicates																					
1832775	Drill Core	0.22	0.17	0.08	3	0.45	0.035	31.3	4.7	0.30	277.1	0.003	<1	0.62	0.020	0.37	<0.1	1.7	0.09	0.22	<5
DUP 1832775	QC	0.20	0.16	0.07	3	0.44	0.036	33.5	6.2	0.30	302.2	0.003	<1	0.68	0.025	0.42	<0.1	1.9	0.10	0.23	<5
1832809	Drill Core	0.29	0.33	0.05	6	0.55	0.045	23.5	6.8	0.59	378.6	0.004	2	0.87	0.025	0.41	<0.1	3.0	0.15	0.22	15
DUP 1832809	QC	0.27	0.31	0.04	6	0.55	0.041	23.3	6.9	0.59	378.4	0.004	<1	0.89	0.024	0.42	<0.1	2.9	0.14	0.22	14
1832843	Drill Core	0.10	0.23	<0.02	5	0.32	0.035	34.0	5.0	0.56	198.7	0.004	1	0.66	0.014	0.31	<0.1	1.4	0.11	0.19	<5
DUP 1832843	QC	0.11	0.24	<0.02	5	0.32	0.037	31.8	5.2	0.56	203.3	0.004	1	0.67	0.014	0.31	<0.1	1.4	0.11	0.19	<5
1832877	Drill Core	0.25	0.44	0.12	4	0.54	0.037	19.2	4.7	0.50	192.2	0.013	1	0.68	0.021	0.35	0.1	1.2	0.17	0.08	7
DUP 1832877	QC	0.25	0.43	0.13	4	0.55	0.037	18.9	4.8	0.51	191.6	0.013	1	0.71	0.023	0.36	0.2	1.2	0.17	0.08	6
Reference Materials																					
STD BVGE001	Standard	6.60	3.74	25.90	73	1.35	0.079	26.9	183.8	1.29	251.4	0.241	3	2.40	0.204	0.89	5.2	5.7	0.62	0.66	96
STD BVGE001	Standard	6.40	3.32	24.22	75	1.33	0.068	24.6	207.6	1.32	266.2	0.232	4	2.42	0.211	0.91	5.0	6.1	0.62	0.67	90



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 18, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000226.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1832772	Drill Core	<0.1	<0.02	2.6	0.87	<0.1	0.33	0.04	17.7	0.4	<0.05	12.3	6.22	65.9	<0.02	<1	0.3	5.4	<10	<2
REP 1832772	QC																			
1832782	Drill Core	<0.1	<0.02	3.0	1.13	<0.1	0.10	<0.02	18.1	0.3	<0.05	3.8	9.94	59.1	<0.02	<1	0.4	7.1	<10	<2
REP 1832782	QC	<0.1	<0.02	2.8	1.18	<0.1	0.09	<0.02	18.6	0.3	<0.05	3.8	10.11	59.9	<0.02	<1	0.3	7.4	<10	<2
1832815	Drill Core	<0.1	<0.02	2.5	0.62	<0.1	0.17	<0.02	18.2	0.3	<0.05	5.3	5.51	66.4	<0.02	2	0.3	4.7	<10	<2
REP 1832815	QC	<0.1	<0.02	2.6	0.63	<0.1	0.19	<0.02	18.4	0.3	<0.05	5.6	5.62	64.2	<0.02	<1	0.2	4.7	<10	<2
1832839	Drill Core	<0.1	<0.02	1.8	1.47	<0.1	0.21	0.02	20.2	0.4	<0.05	6.2	4.15	52.6	<0.02	<1	0.4	6.4	<10	<2
REP 1832839	QC																			
1832844	Drill Core	<0.1	<0.02	2.4	2.28	<0.1	0.37	<0.02	25.2	0.3	<0.05	12.4	5.83	54.3	<0.02	<1	0.2	7.9	<10	<2
REP 1832844	QC																			
1832850	Drill Core	0.1	<0.02	3.1	1.33	<0.1	0.27	<0.02	18.0	0.4	<0.05	8.5	6.44	64.7	<0.02	<1	0.2	9.8	<10	<2
REP 1832850	QC	0.1	<0.02	3.3	1.34	<0.1	0.25	<0.02	18.5	0.3	<0.05	8.7	6.64	63.9	<0.02	<1	0.4	10.1	<10	<2
1832885	Drill Core	<0.1	<0.02	3.6	2.20	<0.1	0.26	<0.02	19.8	0.4	<0.05	8.1	3.79	37.3	<0.02	<1	0.3	7.8	<10	<2
REP 1832885	QC	<0.1	<0.02	3.7	2.16	<0.1	0.31	<0.02	19.8	0.4	<0.05	8.7	3.88	38.7	<0.02	<1	0.4	7.9	<10	<2
1832890	Drill Core	0.2	<0.02	2.9	4.27	<0.1	0.27	<0.02	27.6	0.4	<0.05	8.6	2.94	20.8	<0.02	<1	0.2	7.4	<10	<2
REP 1832890	QC																			
Core Reject Duplicates																				
1832775	Drill Core	<0.1	<0.02	2.2	0.47	<0.1	0.24	<0.02	13.3	0.3	<0.05	10.2	8.29	64.7	<0.02	<1	0.3	3.8	<10	<2
DUP 1832775	QC	<0.1	<0.02	2.3	0.43	<0.1	0.27	<0.02	14.2	0.3	<0.05	10.7	8.99	68.4	<0.02	1	0.3	3.8	<10	<2
1832809	Drill Core	0.3	<0.02	3.1	1.20	<0.1	0.27	<0.02	19.1	0.3	<0.05	10.1	5.58	43.4	<0.02	<1	0.5	8.2	<10	<2
DUP 1832809	QC	0.2	<0.02	2.9	1.13	<0.1	0.24	<0.02	18.6	0.3	<0.05	9.4	5.06	42.2	<0.02	<1	0.3	8.2	<10	<2
1832843	Drill Core	<0.1	<0.02	3.0	0.73	<0.1	0.26	<0.02	14.2	0.4	<0.05	8.1	6.83	61.4	<0.02	<1	0.2	7.9	<10	<2
DUP 1832843	QC	<0.1	<0.02	3.1	0.72	<0.1	0.23	<0.02	14.6	0.4	<0.05	8.0	6.73	62.3	<0.02	<1	0.2	7.8	<10	<2
1832877	Drill Core	<0.1	<0.02	2.5	1.40	<0.1	0.30	<0.02	16.5	0.3	<0.05	10.5	4.54	38.6	<0.02	<1	0.3	5.9	<10	<2
DUP 1832877	QC	<0.1	<0.02	2.4	1.38	<0.1	0.28	<0.02	16.4	0.3	<0.05	10.2	4.48	38.0	<0.02	<1	0.3	5.7	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.7	1.01	7.4	7.36	0.1	0.31	0.26	93.0	6.0	<0.05	8.6	14.55	51.6	0.46	6	0.9	20.7	123	185
STD BVGEO01	Standard	4.7	0.99	7.1	7.56	0.3	0.29	0.33	95.7	5.7	<0.05	9.4	13.85	53.1	0.43	6	0.7	20.8	74	179



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 18, 2019

Page:

2 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000226.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11	Standard							15.17	136.75	132.24	327.8	1666	77.6	13.4	999	3.07	42.6	2.6	65.9	7.9	66.5
STD DS11	Standard							14.29	139.36	132.36	335.9	1668	75.3	12.8	946	3.08	41.6	2.6	61.7	7.9	63.8
STD OREAS262	Standard							0.64	113.02	54.65	146.1	447	61.7	25.8	539	3.17	34.8	1.2	64.1	10.2	35.8
STD OREAS262	Standard							0.62	108.17	56.77	142.7	452	62.8	26.9	554	3.21	35.1	1.2	56.5	9.5	34.4
STD OREAS262	Standard							0.70	107.74	56.79	145.9	444	62.7	27.3	544	3.23	35.2	1.2	55.9	8.4	33.9
STD OREAS262	Standard							0.63	118.35	55.40	145.0	430	63.5	27.5	503	3.19	35.8	1.2	62.7	9.8	34.2
STD OXC145	Standard			0.201																	
STD OXC145	Standard			0.212																	
STD OXC145	Standard			0.214																	
STD OXC145	Standard			0.205																	
STD OXH139	Standard			1.271																	
STD OXH139	Standard			1.290																	
STD OXH139	Standard			1.333																	
STD OXH139	Standard			1.350																	
STD OXN134	Standard			7.500																	
STD OXN134	Standard			7.549																	
STD OXN134	Standard			7.758																	
STD OXN134	Standard			7.781																	
STD OXQ90	Standard					25.36	30.40														
STD OXQ90	Standard					25.43	29.06														
STD OXQ90	Standard					25.23	29.41														
STD OXQ90	Standard					25.50	30.51														
STD OXQ90	Standard					25.23	29.84														
STD OXQ90	Standard					25.04	30.59														
STD OXQ90	Standard					24.60	29.47														
STD OXQ90	Standard					25.30	29.61														
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000226.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD DS11	Standard	2.35	7.50	11.25	51	1.06	0.066	17.9	61.1	0.84	400.8	0.090	7	1.23	0.077	0.40	2.8	4.0	4.92	0.27	269
STD DS11	Standard	2.38	8.75	11.65	48	1.06	0.074	18.6	55.5	0.84	338.4	0.095	7	1.18	0.074	0.40	2.7	3.2	4.58	0.27	247
STD OREAS262	Standard	0.63	5.54	0.99	22	2.97	0.040	18.5	43.0	1.16	241.6	0.003	5	1.41	0.068	0.33	0.2	3.3	0.46	0.25	170
STD OREAS262	Standard	0.68	4.20	1.00	22	2.90	0.039	15.8	44.4	1.17	265.0	0.003	3	1.39	0.071	0.32	0.2	3.9	0.47	0.26	165
STD OREAS262	Standard	0.64	4.12	0.99	23	2.81	0.039	15.8	44.8	1.18	264.1	0.003	5	1.44	0.071	0.33	0.2	3.3	0.48	0.25	180
STD OREAS262	Standard	0.63	5.47	1.00	22	2.97	0.040	17.2	42.4	1.16	251.4	0.003	4	1.39	0.067	0.33	0.2	3.1	0.45	0.25	172
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI19000226.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD DS11	Standard	2.3	4.52	5.2	3.09	0.1	0.10	1.78	32.6	1.8	<0.05	3.0	8.33	40.0	0.24	40	0.6	21.6	99	169
STD DS11	Standard	1.9	4.39	4.9	2.72	<0.1	0.06	1.37	32.2	1.8	<0.05	2.8	8.23	39.0	0.26	44	0.6	23.7	97	149
STD OREAS262	Standard	0.3	0.24	4.2	2.81	<0.1	0.25	<0.02	20.0	0.6	<0.05	8.7	10.78	34.8	0.04	1	1.2	17.3	<10	<2
STD OREAS262	Standard	0.4	0.21	4.1	2.74	<0.1	0.32	<0.02	18.3	0.5	<0.05	12.1	10.69	33.7	0.03	<1	1.0	16.8	<10	<2
STD OREAS262	Standard	0.3	0.22	4.2	2.79	<0.1	0.25	<0.02	18.5	0.7	<0.05	11.6	10.53	34.1	0.03	<1	1.1	17.0	<10	<2
STD OREAS262	Standard	0.5	0.24	4.1	2.81	<0.1	0.23	<0.02	19.5	0.6	<0.05	11.4	10.41	34.3	0.03	<1	1.2	17.9	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000226.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXQ90 Expected		24.88																			
BLK	Blank							<0.01	0.02	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			0.006																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.006																	
BLK	Blank			0.007																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.007																	
BLK	Blank			0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		421	<0.005	<0.01	<0.17	34.09	0.93	2.67	1.12	28.1	6	0.8	3.4	464	1.90	1.0	0.4	1.3	2.5	21.0
ROCK-WHI	Prep Blank		428	0.007	<0.01	<0.17	44.73	0.96	3.38	1.09	29.6	9	0.8	3.6	501	1.96	1.5	0.4	0.9	2.3	23.7



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000226.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	1.7	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	1.7	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.03	0.05	0.02	25	0.61	0.037	6.0	4.3	0.45	92.1	0.075	2	0.95	0.097	0.09	<0.1	4.1	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.03	0.03	<0.02	26	0.68	0.039	5.9	4.7	0.44	78.7	0.074	3	0.97	0.097	0.10	<0.1	4.2	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000226.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.15	0.1	0.13	0.21	1.9	0.6	<0.05	4.5	8.14	12.9	<0.02	<1	0.2	1.6	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	4.1	0.17	0.1	0.14	0.19	2.3	0.4	<0.05	4.2	8.70	12.9	<0.02	<1	0.2	1.8	<10	<2