



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 23, 2019  
Report Date: August 18, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000247.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-33  
P.O. Number  
Number of Samples: 76

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	73	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh		Completed	VAN
SLBHP	3	Sort, label and box pulps			WHI
FS631	76	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	76	Analysis sample split/packet			VAN
Split -150	76	Analysis sample split/packet			VAN
EN002	76	Environmental disposal charge-Fire assay lead waste			VAN
FS631	73	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	76	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	76	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Erika Cayer  
Graeme Joyce  
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 18, 2019

**Page:** 2 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000247.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022578	Drill Core	6.32	402	0.007	<0.01	<0.17	34.60	0.39	12.45	18.57	55.3	475	3.3	2.6	201	1.35	6.4	3.4	0.4	9.8	21.8
2022579	Drill Core	7.02	469	0.009	<0.01	<0.17	25.77	0.40	8.80	25.48	52.0	287	3.7	3.8	253	1.20	6.7	3.2	0.2	9.9	22.5
2022580	Rock	0.24	154	<0.005	<0.01	<0.17	22.99	0.43	2.60	1.63	4.9	13	1.4	0.5	78	0.67	0.7	0.2	0.7	1.2	1.5
2022581	Drill Core	5.89	452	0.010	<0.01	<0.17	23.96	0.28	10.38	7.28	51.0	431	3.6	2.7	192	1.17	6.6	3.3	1.5	10.6	27.4
2022582	Drill Core	5.32	392	0.008	<0.01	<0.17	23.63	0.26	10.22	22.05	53.6	195	3.4	2.5	250	1.08	8.0	2.6	<0.2	10.6	26.0
2022583	Drill Core	5.40	462	0.022	0.02	<0.17	23.62	0.33	8.78	11.92	38.8	438	3.0	2.8	247	0.96	4.7	2.1	145.9	11.4	16.2
2022584	Drill Core	5.23	429	0.104	0.10	<0.17	26.77	0.24	9.31	9.41	24.4	593	2.5	2.5	248	0.89	4.7	1.5	71.5	12.4	9.5
2022585	Drill Core	5.63	391	0.160	0.15	<0.17	26.15	0.30	3.84	18.29	35.9	278	2.9	2.1	153	1.30	7.5	2.0	95.0	12.9	14.5
2022586	Drill Core	4.94	419	0.132	0.13	<0.17	32.62	0.31	8.29	10.82	51.6	333	4.4	3.4	305	1.15	3.7	1.8	138.7	10.7	22.7
2022587	Drill Core	5.11	467	0.008	<0.01	<0.17	33.76	0.23	7.81	26.98	63.0	210	4.4	3.6	290	1.26	3.0	1.4	0.4	10.6	26.4
2022588	Drill Core	5.45	492	0.006	<0.01	<0.17	27.81	0.20	9.46	24.30	70.3	218	4.6	3.1	308	1.29	3.1	1.7	<0.2	11.1	20.4
2022589	Drill Core	5.21	454	0.007	<0.01	<0.17	24.64	0.23	10.87	38.14	73.6	442	3.8	3.0	270	1.30	3.5	1.8	6.1	13.0	17.6
2022590	Drill Core	4.79	426	0.008	<0.01	<0.17	32.38	0.24	8.61	13.93	59.0	223	3.6	2.8	367	1.38	2.4	1.3	3.7	12.7	10.1
2022591	Drill Core	2.96	378	<0.005	<0.01	<0.17	31.85	0.25	5.61	15.02	32.7	135	1.9	1.7	218	0.94	1.4	1.1	3.6	13.0	12.5
2022592	Drill Core	4.44	408	<0.005	<0.01	<0.17	33.58	0.37	13.61	11.15	55.8	173	10.5	7.5	411	2.24	3.6	0.7	3.8	11.2	18.2
2022593	Drill Core	5.37	485	<0.005	<0.01	<0.17	29.08	0.27	21.21	5.58	43.5	211	11.6	9.0	386	2.59	3.0	1.1	1.7	11.5	44.4
2022594	Drill Core	5.02	411	<0.005	<0.01	<0.17	30.02	0.49	16.51	6.40	44.1	166	10.3	7.8	723	2.28	8.5	2.4	2.0	11.2	113.4
2022595	Drill Core	5.60	511	<0.005	<0.01	<0.17	33.91	0.95	17.17	12.31	55.5	252	11.0	8.0	425	2.29	4.8	1.7	1.1	9.3	84.7
2022596	Drill Core	5.73	449	<0.005	<0.01	<0.17	28.68	1.28	24.82	8.70	47.3	374	12.7	8.6	360	2.09	5.2	2.2	1.2	10.7	55.3
2022597	Drill Core	5.58	467	<0.005	<0.01	<0.17	25.54	0.62	24.46	9.08	48.5	292	12.9	8.7	405	2.21	5.8	1.5	3.0	10.0	35.1
2022598	Drill Core	5.31	507	<0.005	<0.01	<0.17	28.68	0.39	21.16	16.87	52.3	269	13.6	7.5	387	2.19	4.9	1.0	1.2	10.8	25.1
2022599	Drill Core	5.09	480	0.005	<0.01	<0.17	32.29	1.34	16.81	16.88	51.4	262	12.6	7.6	347	2.20	4.7	0.9	1.6	9.2	25.1
2022600	Rock Pulp	0.13	80	7.086				9.61	196.75	18.88	75.8	884	13.7	11.0	591	4.85	13.8	0.9	7755.2	2.8	80.2
2022601	Drill Core	4.97	397	<0.005	<0.01	<0.17	26.92	1.42	19.31	20.70	59.4	269	11.3	8.3	262	2.01	5.7	1.6	2.9	8.6	27.8
2022602	Drill Core	6.25	395	0.015	0.01	<0.17	30.12	1.60	23.07	15.94	40.2	238	10.9	8.1	373	1.88	6.9	1.6	23.1	9.7	112.6
2022603	Drill Core	2.57	447	0.006	<0.01	<0.17	31.27	1.98	17.10	9.91	44.3	247	12.1	9.6	373	2.05	6.6	1.9	4.1	10.9	38.5
2022604	Drill Core	5.59	465	<0.005	<0.01	<0.17	31.10	0.75	16.42	10.74	53.7	200	13.1	8.7	316	2.34	3.9	1.5	2.5	9.9	32.9
2022605	Drill Core	5.56	371	<0.005	<0.01	<0.17	28.43	0.36	22.45	6.61	59.0	228	13.4	9.0	380	2.44	3.7	2.7	2.4	9.9	34.4
2022606	Drill Core	5.37	469	<0.005	<0.01	<0.17	32.82	0.35	16.57	7.36	69.3	181	12.6	9.0	314	2.40	2.8	1.9	3.2	11.5	27.4
2022607	Drill Core	5.69	515	<0.005	<0.01	<0.17	34.56	0.64	7.92	5.89	45.9	132	12.7	7.5	322	2.46	3.7	1.5	3.0	8.7	47.4



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 18, 2019

**Page:** 2 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000247.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022578	Drill Core	0.50	1.16	0.23	11	0.37	0.025	22.3	15.7	0.33	353.4	0.040	<1	0.85	0.035	0.31	0.9	4.7	0.16	<0.02	14			
2022579	Drill Core	0.46	1.26	0.22	9	0.40	0.027	22.7	13.9	0.31	338.3	0.049	<1	0.76	0.028	0.31	0.4	4.2	0.18	<0.02	8			
2022580	Rock	0.02	0.05	0.02	1	0.01	0.001	2.0	3.2	0.01	10.6	0.003	2	0.07	0.007	0.02	<0.1	0.2	<0.02	<0.02	5			
2022581	Drill Core	0.47	1.34	0.10	9	0.43	0.026	23.5	15.3	0.33	505.9	0.057	1	0.80	0.026	0.33	0.6	4.2	0.18	<0.02	13			
2022582	Drill Core	0.63	1.11	0.23	7	0.44	0.023	25.6	13.2	0.35	359.1	0.056	2	0.82	0.026	0.37	1.0	3.3	0.15	<0.02	34			
2022583	Drill Core	0.39	0.75	0.16	6	0.27	0.025	25.4	10.6	0.28	362.4	0.030	2	0.67	0.022	0.40	0.7	2.6	0.15	<0.02	33			
2022584	Drill Core	0.36	0.46	0.17	4	0.13	0.025	25.2	7.0	0.20	454.0	0.014	<1	0.59	0.025	0.44	0.5	2.2	0.15	0.09	40			
2022585	Drill Core	0.29	0.45	0.07	4	0.17	0.028	18.6	7.2	0.27	363.3	0.014	2	0.61	0.037	0.36	0.5	2.0	0.10	0.33	37			
2022586	Drill Core	0.71	0.50	0.05	9	0.33	0.028	25.5	17.6	0.32	328.7	0.040	<1	0.77	0.027	0.36	0.8	3.2	0.12	<0.02	17			
2022587	Drill Core	0.49	0.53	0.17	10	0.38	0.029	25.4	20.5	0.39	333.6	0.052	<1	0.87	0.028	0.35	0.7	3.2	0.09	<0.02	12			
2022588	Drill Core	0.65	0.59	0.14	9	0.35	0.028	27.4	16.5	0.39	278.6	0.036	<1	0.84	0.032	0.26	0.3	3.6	0.07	<0.02	13			
2022589	Drill Core	0.57	0.55	0.36	7	0.29	0.027	35.0	11.3	0.29	302.1	0.006	<1	0.79	0.028	0.27	0.1	3.4	0.10	<0.02	17			
2022590	Drill Core	0.69	0.57	0.15	7	0.15	0.026	32.4	12.7	0.33	259.3	0.004	1	0.80	0.019	0.32	0.2	2.3	0.12	<0.02	9			
2022591	Drill Core	0.45	0.36	0.15	3	0.17	0.018	35.9	6.6	0.21	355.6	0.008	<1	0.61	0.031	0.33	0.1	2.1	0.12	<0.02	8			
2022592	Drill Core	0.50	0.43	0.12	18	0.21	0.052	26.3	22.7	0.78	200.6	0.003	2	1.26	0.022	0.29	<0.1	3.2	0.11	<0.02	<5			
2022593	Drill Core	0.14	0.42	0.05	23	0.55	0.059	27.3	26.5	0.94	179.2	0.016	1	1.44	0.028	0.39	<0.1	4.7	0.13	0.03	<5			
2022594	Drill Core	0.40	0.77	0.06	23	1.84	0.059	21.7	24.4	0.81	203.5	0.085	<1	1.14	0.026	0.70	0.2	5.5	0.35	0.14	11			
2022595	Drill Core	0.15	0.37	0.15	23	1.35	0.062	16.7	24.9	0.96	287.1	0.079	<1	1.08	0.028	0.66	0.2	5.8	0.29	0.22	<5			
2022596	Drill Core	0.11	0.43	0.10	19	0.84	0.074	19.3	22.1	0.87	533.5	0.098	<1	0.96	0.024	0.70	0.2	3.7	0.26	0.24	<5			
2022597	Drill Core	0.15	0.47	0.10	19	0.54	0.068	20.4	22.4	0.80	536.9	0.075	<1	0.97	0.028	0.58	0.1	4.0	0.20	0.15	<5			
2022598	Drill Core	0.19	0.41	0.24	17	0.36	0.065	21.5	18.4	0.77	655.5	0.058	<1	0.94	0.020	0.57	0.2	4.5	0.21	0.06	<5			
2022599	Drill Core	0.15	0.34	0.25	21	0.33	0.065	15.5	24.5	0.90	494.0	0.069	2	1.00	0.028	0.62	0.1	4.2	0.26	0.05	<5			
2022600	Rock Pulp	0.17	5.03	0.60	119	1.02	0.058	7.9	18.2	0.87	124.9	0.127	2	1.91	0.195	0.23	4.2	3.5	0.07	<0.02	245			
2022601	Drill Core	0.22	0.36	0.17	21	0.40	0.066	16.3	25.4	0.84	496.0	0.089	<1	0.93	0.026	0.60	0.1	3.3	0.22	0.18	10			
2022602	Drill Core	0.21	0.21	0.13	12	1.47	0.063	19.3	15.0	0.62	390.1	0.072	<1	0.79	0.018	0.57	0.2	2.9	0.19	0.35	<5			
2022603	Drill Core	0.16	0.30	0.13	20	0.63	0.066	18.9	24.0	0.87	418.2	0.094	<1	0.97	0.029	0.70	0.2	3.0	0.25	0.30	<5			
2022604	Drill Core	0.15	0.29	0.12	27	0.39	0.073	16.8	29.8	1.10	473.7	0.105	<1	1.20	0.032	0.80	0.1	4.3	0.34	0.16	<5			
2022605	Drill Core	0.26	0.43	0.05	27	0.37	0.062	16.6	29.4	1.12	240.2	0.111	<1	1.30	0.033	0.83	0.2	5.5	0.34	0.11	<5			
2022606	Drill Core	0.16	0.33	0.04	25	0.36	0.064	18.7	27.0	1.09	296.7	0.125	1	1.28	0.034	1.02	0.1	5.5	0.43	0.22	<5			
2022607	Drill Core	0.04	0.41	0.08	32	0.51	0.065	17.3	37.0	1.35	173.0	0.139	<1	1.34	0.043	0.67	0.2	4.9	0.28	0.11	13			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 18, 2019

**Page:** 2 of 4

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000247.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022578	Drill Core	0.4	<0.02	4.1	4.16	<0.1	0.08	0.26	23.8	0.8	<0.05	2.0	15.97	46.2	0.03	<1	0.4	5.8	<10	<2			
2022579	Drill Core	0.4	0.02	3.8	2.90	<0.1	0.09	0.32	27.0	0.8	<0.05	2.3	15.86	46.8	0.04	<1	0.5	6.0	<10	<2			
2022580	Rock	<0.1	<0.02	0.3	0.08	<0.1	0.12	0.04	0.9	<0.1	<0.05	3.3	0.93	4.1	<0.02	<1	<0.1	1.3	<10	<2			
2022581	Drill Core	0.5	<0.02	4.0	2.38	<0.1	0.08	0.34	27.0	0.7	<0.05	2.4	17.79	52.3	0.03	<1	0.5	6.8	<10	<2			
2022582	Drill Core	0.2	<0.02	3.5	2.65	<0.1	0.08	0.38	24.9	0.6	<0.05	2.5	16.54	48.2	0.03	<1	0.4	6.8	<10	<2			
2022583	Drill Core	0.1	<0.02	3.0	1.61	<0.1	0.08	0.26	25.7	0.5	<0.05	3.7	11.61	53.1	<0.02	<1	0.4	5.6	<10	<2			
2022584	Drill Core	0.2	<0.02	2.4	1.77	<0.1	0.04	0.11	24.6	0.3	<0.05	1.4	9.41	49.9	<0.02	<1	0.5	6.2	<10	<2			
2022585	Drill Core	0.5	<0.02	2.5	1.24	<0.1	0.06	0.23	16.8	0.4	<0.05	1.8	9.08	35.9	<0.02	<1	0.3	5.2	<10	<2			
2022586	Drill Core	0.1	<0.02	3.2	2.16	<0.1	0.08	0.20	19.5	0.4	<0.05	2.1	12.65	51.0	<0.02	<1	0.6	8.0	<10	<2			
2022587	Drill Core	0.2	<0.02	3.8	1.11	<0.1	0.05	0.25	17.0	0.5	<0.05	2.4	14.49	47.4	<0.02	<1	0.6	10.2	<10	<2			
2022588	Drill Core	0.2	<0.02	4.3	0.73	<0.1	0.06	0.16	12.7	0.6	<0.05	1.8	16.65	49.9	<0.02	<1	0.6	10.8	<10	<2			
2022589	Drill Core	<0.1	<0.02	4.1	1.44	<0.1	0.02	0.07	16.2	0.7	<0.05	0.8	21.34	72.1	0.02	<1	0.5	7.2	<10	<2			
2022590	Drill Core	<0.1	<0.02	3.7	2.97	<0.1	0.03	0.03	20.1	0.5	<0.05	1.0	19.51	67.8	0.04	<1	1.2	9.3	<10	<2			
2022591	Drill Core	<0.1	<0.02	2.7	1.55	<0.1	0.04	0.10	18.1	0.4	<0.05	2.0	13.87	73.8	0.02	<1	0.7	6.7	<10	<2			
2022592	Drill Core	<0.1	<0.02	5.9	2.35	<0.1	0.15	<0.02	16.6	0.4	<0.05	6.9	9.33	52.3	<0.02	<1	0.4	19.7	<10	<2			
2022593	Drill Core	<0.1	0.02	6.2	2.66	<0.1	0.23	<0.02	21.4	0.4	<0.05	8.2	12.57	53.4	0.02	<1	0.9	18.5	22	<2			
2022594	Drill Core	0.4	<0.02	4.8	4.46	<0.1	0.19	0.10	39.9	0.6	<0.05	7.5	14.62	44.5	<0.02	1	0.3	9.8	<10	4			
2022595	Drill Core	0.4	0.03	4.3	6.00	<0.1	0.18	0.09	36.0	0.6	<0.05	5.1	13.89	33.8	0.03	<1	0.6	9.6	<10	<2			
2022596	Drill Core	0.2	0.03	3.5	14.89	<0.1	0.11	0.20	38.8	0.5	<0.05	4.5	16.08	40.1	<0.02	1	0.5	8.3	<10	<2			
2022597	Drill Core	0.5	0.02	3.8	11.00	<0.1	0.14	0.13	31.3	0.5	<0.05	4.4	16.61	41.1	0.03	<1	0.5	8.7	<10	<2			
2022598	Drill Core	<0.1	0.04	3.2	11.17	<0.1	0.11	0.12	27.5	0.5	<0.05	3.6	16.00	43.3	<0.02	1	1.0	9.4	<10	<2			
2022599	Drill Core	<0.1	<0.02	3.9	13.66	<0.1	0.18	0.11	33.4	0.5	<0.05	7.3	14.84	32.8	<0.02	1	0.2	10.8	<10	<2			
2022600	Rock Pulp	<0.1	0.12	5.2	0.69	<0.1	0.10	0.08	8.3	1.7	<0.05	1.9	5.89	16.0	0.05	<1	0.2	7.1	<10	<2			
2022601	Drill Core	0.7	0.05	4.1	15.73	<0.1	0.16	0.14	32.9	0.5	<0.05	6.1	14.72	33.8	0.03	<1	0.4	9.6	<10	<2			
2022602	Drill Core	0.7	0.04	2.5	15.53	<0.1	0.04	0.21	28.1	0.4	<0.05	2.0	14.21	40.2	<0.02	<1	0.4	7.1	<10	<2			
2022603	Drill Core	0.5	0.03	4.2	13.74	<0.1	0.10	0.16	36.1	0.7	<0.05	4.2	15.08	38.4	<0.02	<1	0.1	10.1	<10	<2			
2022604	Drill Core	0.3	0.02	5.4	10.64	<0.1	0.14	0.08	43.1	0.6	<0.05	4.9	13.27	34.6	<0.02	<1	0.8	13.8	<10	<2			
2022605	Drill Core	0.4	<0.02	5.2	6.96	<0.1	0.27	0.08	45.3	0.8	<0.05	7.2	13.68	34.5	<0.02	<1	0.5	15.9	<10	<2			
2022606	Drill Core	0.4	<0.02	5.6	6.23	<0.1	0.20	0.09	55.7	0.8	<0.05	6.7	15.45	37.0	<0.02	<1	0.6	16.4	<10	<2			
2022607	Drill Core	<0.1	<0.02	6.1	3.98	0.1	0.17	0.13	35.0	0.9	<0.05	5.0	12.59	33.7	<0.02	<1	1.0	17.5	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 18, 2019

**Page:** 3 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000247.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022608	Drill Core	5.48	429	0.005	<0.01	<0.17	31.66	0.87	14.37	3.64	48.6	167	13.8	8.5	374	2.43	5.3	1.5	1.7	9.4	58.1
2022609	Drill Core	4.89	431	<0.005	<0.01	<0.17	27.99	0.61	13.69	9.10	49.3	203	10.3	7.8	346	2.01	4.2	2.1	1.2	11.4	49.5
2022610	Drill Core	5.59	513	<0.005	<0.01	<0.17	28.33	0.98	14.69	8.25	50.8	224	11.1	8.3	366	2.22	4.3	1.5	2.5	10.2	62.5
2022611	Drill Core	5.55	480	<0.005	<0.01	<0.17	32.06	1.32	20.16	12.37	56.6	277	9.6	6.8	385	1.93	2.9	1.7	2.4	10.9	37.6
2022612	Drill Core	3.18	521	0.005	<0.01	<0.17	27.16	0.97	24.14	5.80	61.4	259	11.0	8.4	395	2.12	5.3	1.8	2.7	11.8	42.7
2022613	Drill Core	5.06	483	<0.005	<0.01	<0.17	29.21	0.23	2.03	26.14	34.2	167	1.5	1.3	183	0.93	1.2	2.4	0.8	12.7	23.7
2022614	Drill Core	5.44	501	<0.005	<0.01	<0.17	34.53	0.17	4.25	27.34	40.7	262	0.8	0.9	166	0.80	0.7	3.3	1.8	16.1	16.1
2022615	Drill Core	5.31	499	0.008	<0.01	<0.17	28.33	0.37	3.64	11.53	46.1	128	3.1	2.2	271	1.18	1.9	3.0	3.8	13.2	34.5
2022616	Drill Core	5.23	505	<0.005	<0.01	<0.17	29.49	0.62	3.63	25.54	68.7	148	1.9	1.7	228	1.01	1.1	2.6	1.2	13.5	30.1
2022617	Drill Core	5.65	499	<0.005	<0.01	<0.17	31.58	0.44	4.59	13.06	31.5	161	1.4	1.5	158	0.82	1.2	2.1	0.7	15.2	15.1
2022618	Drill Core	4.76	458	<0.005	<0.01	<0.17	33.52	0.38	5.87	17.98	30.3	225	1.7	2.0	165	0.83	1.2	2.0	1.5	13.6	17.7
2022619	Drill Core	6.05	529	0.005	<0.01	<0.17	36.27	0.76	8.98	27.14	57.5	253	3.6	3.2	234	1.05	2.7	2.3	2.3	14.8	27.6
2022620	Rock Pulp	0.12	81	0.430				2.52	478.13	18.97	49.9	284	611.8	26.7	442	2.65	18.4	0.6	503.7	1.7	59.7
2022621	Drill Core	5.24	514	0.007	<0.01	<0.17	28.28	0.90	18.58	22.81	119.8	391	10.7	7.9	390	2.17	6.8	2.2	4.3	11.5	34.8
2022622	Drill Core	5.21	526	0.006	<0.01	<0.17	29.33	0.55	17.25	44.54	130.1	351	7.9	6.1	341	1.82	4.7	1.9	2.5	12.6	28.6
2022623	Drill Core	5.21	520	0.008	<0.01	<0.17	26.73	0.57	12.82	7.23	68.0	242	12.5	9.3	434	2.44	6.4	1.8	4.0	10.8	37.2
2022624	Drill Core	5.51	484	0.007	<0.01	<0.17	29.37	0.83	10.10	2.52	68.9	174	12.5	7.3	389	2.21	4.7	3.4	3.2	12.4	31.4
2022625	Drill Core	5.63	485	<0.005	<0.01	<0.17	31.42	0.76	6.03	4.89	76.1	203	10.6	5.8	368	2.13	2.9	1.9	0.7	10.3	29.4
2022626	Drill Core	5.37	530	<0.005	<0.01	<0.17	29.99	0.49	0.87	11.80	40.2	95	1.8	1.1	191	0.96	0.4	2.3	0.5	18.2	17.6
2022627	Drill Core	2.82	501	<0.005	<0.01	<0.17	34.11	0.24	3.07	20.35	37.5	148	1.0	1.0	186	0.72	0.9	1.8	1.2	12.9	27.6
2022628	Drill Core	4.61	439	<0.005	0.01	<0.17	24.79	0.25	3.31	18.67	26.6	199	1.3	1.3	190	0.85	1.5	2.5	1.3	15.9	30.6
2022629	Drill Core	5.34	454	<0.005	<0.01	<0.17	27.86	0.88	7.45	12.15	32.1	222	3.2	3.0	341	1.17	1.9	3.1	1.5	13.1	64.8
2022630	Drill Core	5.11	491	<0.005	<0.01	<0.17	29.15	0.85	11.20	14.20	53.4	249	6.5	5.2	386	1.65	3.0	2.8	1.2	13.5	71.7
2022631	Drill Core	5.61	498	0.005	<0.01	<0.17	29.13	0.68	12.95	14.89	52.8	297	7.4	5.4	380	1.75	4.9	2.4	2.8	13.8	60.0
2022632	Drill Core	5.40	530	0.006	<0.01	<0.17	27.25	0.92	18.56	17.50	66.6	348	9.2	6.4	435	2.03	6.5	2.1	0.6	11.8	56.9
2022633	Drill Core	4.26	440	0.006	<0.01	<0.17	30.68	0.79	28.88	13.09	56.8	353	10.8	7.7	524	2.26	7.4	1.3	3.9	11.6	62.0
2022634	Drill Core	5.59	506	<0.005	<0.01	<0.17	27.75	1.17	15.78	7.95	50.3	226	10.6	7.5	495	2.24	2.6	2.4	2.0	12.3	70.0
2022635	Drill Core	4.16	400	0.005	<0.01	<0.17	30.20	0.59	15.46	2.90	38.3	174	8.5	6.4	416	1.98	3.6	1.0	3.0	11.5	43.3
2022636	Drill Core	2.53	455	0.075	0.07	<0.17	29.60	1.39	12.88	9.24	70.7	319	9.9	6.6	646	2.18	16.8	1.7	43.1	10.5	32.1
2022637	Drill Core	2.70	507	0.028	0.03	<0.17	34.34	1.24	28.30	123.86	142.2	634	10.8	9.2	630	2.47	19.1	2.5	26.0	8.6	33.4



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 18, 2019

**Page:** 3 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000247.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022608	Drill Core	0.09	0.51	0.11	29	0.44	0.067	16.4	34.6	1.19	213.4	0.122	3	1.35	0.037	0.94	0.2	5.0	0.41	0.19	<5			
2022609	Drill Core	0.06	0.39	0.04	16	0.70	0.060	17.7	18.8	0.94	253.5	0.104	<1	1.06	0.024	0.82	0.2	4.9	0.32	0.17	8			
2022610	Drill Core	0.05	0.29	0.09	21	0.89	0.066	17.6	23.0	1.02	250.6	0.119	<1	1.16	0.030	0.92	0.2	4.7	0.38	0.18	<5			
2022611	Drill Core	0.07	0.30	0.11	15	0.51	0.060	18.2	17.5	1.01	317.8	0.091	2	1.14	0.023	0.86	0.2	3.3	0.35	0.15	<5			
2022612	Drill Core	0.05	0.32	0.10	15	0.63	0.064	21.4	16.9	1.07	275.2	0.088	<1	1.21	0.018	1.03	0.1	4.0	0.44	0.17	<5			
2022613	Drill Core	0.25	0.32	0.20	3	0.27	0.012	28.3	6.1	0.50	284.7	0.032	<1	0.70	0.023	0.44	0.2	2.9	0.17	0.04	<5			
2022614	Drill Core	0.35	0.30	0.34	<1	0.22	0.011	37.0	2.4	0.35	342.4	0.020	<1	0.62	0.024	0.47	0.1	2.6	0.19	0.08	<5			
2022615	Drill Core	0.40	0.49	0.13	9	0.47	0.026	26.9	17.3	0.65	274.0	0.075	<1	0.88	0.025	0.43	0.5	4.2	0.17	0.06	<5			
2022616	Drill Core	0.64	0.41	0.15	4	0.41	0.019	27.7	8.1	0.51	304.4	0.046	<1	0.77	0.021	0.50	0.2	3.4	0.20	0.07	7			
2022617	Drill Core	0.16	0.30	0.17	2	0.19	0.018	29.3	3.8	0.49	324.5	0.027	<1	0.70	0.014	0.54	0.1	2.4	0.20	0.08	<5			
2022618	Drill Core	0.17	0.27	0.23	2	0.24	0.018	26.2	4.3	0.45	331.4	0.024	<1	0.67	0.013	0.52	0.2	2.0	0.20	0.12	<5			
2022619	Drill Core	0.51	0.46	0.17	5	0.38	0.026	29.1	8.6	0.59	349.6	0.043	<1	0.80	0.016	0.58	0.2	2.5	0.24	0.14	<5			
2022620	Rock Pulp	0.21	0.39	0.29	51	1.39	0.030	4.3	102.6	1.83	76.1	0.074	3	2.10	0.201	0.15	1.3	2.9	0.09	0.19	15			
2022621	Drill Core	1.01	0.37	0.23	16	0.48	0.063	23.7	18.5	1.13	307.5	0.115	<1	1.29	0.027	0.93	0.2	3.6	0.46	0.22	<5			
2022622	Drill Core	1.18	0.35	0.17	14	0.38	0.043	25.1	16.9	0.96	315.8	0.096	<1	1.13	0.025	0.79	0.2	3.8	0.36	0.21	<5			
2022623	Drill Core	0.14	0.42	<0.02	20	0.51	0.065	16.3	21.5	1.33	334.2	0.144	<1	1.40	0.024	1.16	0.2	5.1	0.56	0.37	<5			
2022624	Drill Core	0.11	0.44	0.06	18	0.40	0.064	17.3	21.3	1.35	289.9	0.139	<1	1.38	0.034	1.05	0.2	4.3	0.60	0.16	<5			
2022625	Drill Core	0.08	0.37	0.28	15	0.46	0.057	16.3	20.1	1.24	284.1	0.134	<1	1.25	0.032	1.09	0.1	4.2	0.60	0.10	6			
2022626	Drill Core	0.37	0.26	0.15	3	0.22	0.020	43.6	3.9	0.56	281.1	0.020	2	0.78	0.017	0.50	<0.1	2.1	0.18	<0.02	<5			
2022627	Drill Core	0.34	0.25	0.15	2	0.51	0.013	32.5	2.7	0.34	230.8	0.011	<1	0.54	0.022	0.35	0.1	2.0	0.11	0.04	<5			
2022628	Drill Core	0.20	0.34	0.22	2	0.43	0.016	38.6	3.5	0.42	282.4	0.012	<1	0.70	0.030	0.47	0.1	2.4	0.16	0.05	<5			
2022629	Drill Core	0.24	0.28	0.18	9	0.95	0.026	32.7	14.0	0.44	292.0	0.026	<1	0.72	0.039	0.44	0.1	3.3	0.19	0.13	<5			
2022630	Drill Core	0.36	0.27	0.13	9	1.04	0.043	35.9	10.7	0.67	271.5	0.019	<1	0.93	0.027	0.52	<0.1	4.1	0.19	0.17	<5			
2022631	Drill Core	0.32	0.60	0.30	9	0.89	0.041	34.9	10.0	0.75	221.9	0.011	<1	1.00	0.015	0.44	<0.1	3.2	0.15	0.16	<5			
2022632	Drill Core	0.39	0.51	0.17	12	0.88	0.050	31.0	14.6	0.95	188.4	0.013	<1	1.20	0.010	0.48	<0.1	3.5	0.19	0.09	15			
2022633	Drill Core	0.18	0.35	0.05	13	1.14	0.060	27.8	14.7	1.01	145.8	0.003	2	1.32	0.008	0.31	<0.1	2.9	0.10	0.15	6			
2022634	Drill Core	0.09	0.34	0.05	14	0.87	0.060	27.4	17.4	1.15	177.1	0.022	<1	1.41	0.018	0.51	<0.1	3.7	0.20	0.05	20			
2022635	Drill Core	0.04	0.39	<0.02	10	0.64	0.055	20.2	10.5	0.84	160.8	0.014	<1	1.17	0.011	0.44	<0.1	2.8	0.16	0.07	16			
2022636	Drill Core	0.27	0.75	0.12	13	0.22	0.046	22.6	14.0	0.74	206.8	0.002	<1	1.30	0.009	0.36	0.1	2.8	0.16	0.04	<5			
2022637	Drill Core	0.26	0.93	0.78	16	0.17	0.042	18.9	20.0	0.74	199.5	0.004	<1	1.13	0.019	0.30	0.1	2.9	0.12	0.03	20			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 18, 2019

**Page:** 3 of 4

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000247.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022608	Drill Core	0.2	0.03	5.8	8.03	<0.1	0.20	0.11	53.3	0.8	<0.05	6.1	13.89	34.4	<0.02	1	0.4	16.0	<10	<2			
2022609	Drill Core	0.5	<0.02	4.3	4.42	<0.1	0.18	0.13	42.4	0.5	<0.05	5.9	13.81	34.8	<0.02	<1	0.7	11.9	<10	<2			
2022610	Drill Core	0.2	<0.02	4.2	5.32	<0.1	0.19	0.13	50.3	0.6	<0.05	6.0	13.54	34.9	<0.02	2	0.6	12.5	<10	<2			
2022611	Drill Core	0.3	<0.02	3.8	6.68	<0.1	0.15	0.10	48.2	0.5	<0.05	4.9	13.86	37.4	<0.02	<1	0.2	10.8	<10	<2			
2022612	Drill Core	0.7	<0.02	4.1	5.82	<0.1	0.26	0.07	57.8	0.5	<0.05	7.6	17.73	43.9	<0.02	1	0.5	12.5	<10	<2			
2022613	Drill Core	0.3	<0.02	3.1	1.42	<0.1	0.10	0.34	23.3	0.6	<0.05	2.9	17.62	55.0	<0.02	<1	0.5	6.2	<10	<2			
2022614	Drill Core	<0.1	0.02	2.7	1.48	<0.1	0.12	0.36	24.9	0.5	<0.05	3.8	22.20	72.2	0.03	2	0.7	6.4	<10	<2			
2022615	Drill Core	0.2	<0.02	4.1	1.45	<0.1	0.08	0.46	25.7	0.7	<0.05	2.2	20.65	53.5	0.02	1	0.3	10.4	<10	<2			
2022616	Drill Core	0.2	<0.02	2.9	1.85	<0.1	0.14	0.37	29.5	0.6	<0.05	4.2	22.61	56.4	<0.02	<1	0.3	8.4	<10	<2			
2022617	Drill Core	0.2	<0.02	2.4	1.98	<0.1	0.27	0.32	29.5	0.4	<0.05	8.2	20.47	56.8	<0.02	<1	0.4	8.3	<10	<2			
2022618	Drill Core	0.2	<0.02	2.3	1.79	<0.1	0.23	0.25	27.1	0.5	<0.05	7.2	18.81	52.1	<0.02	<1	0.5	6.9	<10	<2			
2022619	Drill Core	0.4	<0.02	3.0	2.26	<0.1	0.28	0.22	30.6	0.4	<0.05	8.1	19.44	57.5	<0.02	2	0.5	8.6	<10	<2			
2022620	Rock Pulp	0.6	0.14	4.5	0.63	<0.1	0.07	<0.02	5.9	0.4	<0.05	1.3	3.45	9.0	<0.02	2	0.4	8.0	287	129			
2022621	Drill Core	0.9	<0.02	4.4	4.33	<0.1	0.19	0.13	57.1	0.5	<0.05	4.8	16.05	48.3	<0.02	<1	0.6	12.2	<10	<2			
2022622	Drill Core	0.6	<0.02	4.0	3.13	<0.1	0.21	0.21	45.7	0.6	<0.05	5.6	16.93	50.9	<0.02	3	0.5	10.5	<10	<2			
2022623	Drill Core	0.5	<0.02	5.1	6.63	<0.1	0.22	0.14	70.9	0.5	<0.05	5.8	16.99	34.0	<0.02	<1	0.5	15.2	<10	<2			
2022624	Drill Core	0.5	<0.02	5.1	5.87	<0.1	0.16	0.14	69.3	0.6	<0.05	6.3	14.10	36.1	<0.02	2	0.6	16.0	<10	<2			
2022625	Drill Core	0.5	<0.02	4.9	6.62	<0.1	0.20	0.12	73.3	0.7	<0.05	6.1	15.53	32.5	<0.02	2	0.4	10.7	<10	<2			
2022626	Drill Core	0.5	<0.02	2.5	1.87	0.1	0.28	0.14	25.1	0.4	<0.05	13.0	25.17	88.8	<0.02	<1	0.7	8.6	<10	<2			
2022627	Drill Core	0.3	<0.02	1.7	0.98	<0.1	0.13	0.16	15.9	0.4	<0.05	8.4	19.95	66.3	<0.02	1	0.3	6.1	<10	<2			
2022628	Drill Core	0.6	<0.02	2.4	1.55	<0.1	0.16	0.13	23.0	0.4	<0.05	10.2	22.54	77.1	0.02	<1	0.4	6.8	<10	<2			
2022629	Drill Core	0.5	<0.02	2.8	2.06	<0.1	0.08	0.16	24.2	0.5	<0.05	4.4	20.64	66.7	0.03	<1	0.2	8.5	<10	<2			
2022630	Drill Core	0.7	<0.02	3.2	3.11	<0.1	0.13	0.02	27.0	0.4	<0.05	5.7	15.44	70.2	<0.02	<1	0.5	10.6	<10	<2			
2022631	Drill Core	0.5	<0.02	3.0	3.19	<0.1	0.15	<0.02	22.5	0.3	<0.05	8.2	12.33	67.9	0.03	1	0.6	15.4	<10	<2			
2022632	Drill Core	0.3	<0.02	4.0	4.15	<0.1	0.18	<0.02	27.2	0.3	<0.05	8.0	10.90	60.2	0.02	1	0.5	21.3	<10	<2			
2022633	Drill Core	0.6	<0.02	4.4	1.88	0.1	0.16	<0.02	15.1	0.2	<0.05	8.2	10.50	54.0	<0.02	1	0.6	24.5	<10	<2			
2022634	Drill Core	0.3	<0.02	4.5	5.22	<0.1	0.29	<0.02	31.1	0.3	<0.05	8.9	10.73	54.8	<0.02	3	0.5	25.6	<10	<2			
2022635	Drill Core	0.3	<0.02	3.7	5.55	<0.1	0.33	<0.02	24.9	0.3	<0.05	13.2	8.18	39.0	<0.02	2	0.5	22.6	<10	<2			
2022636	Drill Core	0.2	<0.02	4.7	34.41	<0.1	0.17	<0.02	27.7	0.3	<0.05	8.6	9.23	46.2	<0.02	<1	0.7	31.2	<10	<2			
2022637	Drill Core	0.6	0.03	5.2	5.29	<0.1	0.21	<0.02	17.1	0.5	<0.05	9.7	8.49	37.9	<0.02	<1	1.0	35.0	<10	<2			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 18, 2019

**Page:** 4 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000247.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2022638	Drill Core	4.62	420	0.008	<0.01	<0.17	30.12	0.86	12.30	7.08	59.7	297	11.6	7.3	193	2.72	18.6	5.1	6.5	11.3	33.0
2022639	Drill Core	5.48	499	0.009	<0.01	<0.17	25.50	1.39	19.48	15.52	68.1	290	9.5	5.1	177	2.72	25.2	6.1	5.6	10.4	54.1
2022640	Rock Pulp	0.12	85	<0.005				2.24	95.03	3.38	34.0	112	4.6	8.2	344	2.47	0.9	0.7	2.9	2.5	65.2
2022641	Drill Core	4.99	527	2.920	3.13	5.85	38.10	3.01	44.08	9.77	25.0	4876	3.9	2.7	99	1.50	65.6	2.7	3488.2	11.5	48.7
2022642	Drill Core	4.62	422	1.153	1.16	1.19	36.94	3.61	35.43	8.06	19.4	1564	2.4	2.1	129	0.94	36.2	2.0	935.5	11.3	10.1
2022643	Drill Core	4.36	419	5.645	6.03	11.02	30.22	2.99	65.35	14.45	35.0	6983	2.9	1.9	127	1.29	61.0	2.4	6492.1	10.4	10.0
2022644	Drill Core	2.57	457	0.008	<0.01	<0.17	36.16	0.85	26.27	4.17	44.6	149	2.4	1.6	128	1.21	10.8	1.8	9.8	11.2	9.0
2022645	Drill Core	5.37	468	0.032	0.03	<0.17	36.77	0.90	20.51	5.14	23.6	366	2.1	1.9	111	1.01	17.4	1.7	25.8	14.2	13.7
2022646	Drill Core	5.13	456	0.018	0.02	<0.17	34.32	1.52	20.00	3.15	35.8	312	3.4	3.4	150	1.43	11.6	2.0	18.7	16.5	12.0
2022647	Drill Core	3.93	455	0.148	0.43	3.66	36.85	0.62	53.14	4.46	13.3	1045	0.6	0.6	61	0.66	15.4	1.3	1224.2	12.2	5.1
2022648	Drill Core	5.24	423	0.074	0.09	0.24	37.05	0.68	40.11	4.46	8.5	461	1.1	0.6	69	0.57	8.3	1.1	141.2	14.6	3.8
2022649	Drill Core	5.13	421	0.025	0.02	<0.17	29.58	0.56	4.87	9.69	9.9	221	0.6	0.4	65	0.42	5.1	1.0	28.6	14.7	3.2
2022650	Drill Core	3.96	380	0.008	<0.01	<0.17	27.26	0.72	5.51	30.98	14.3	267	0.5	0.6	63	0.65	8.3	1.6	8.1	14.5	7.5
2022651	Drill Core	4.56	345	0.008	<0.01	<0.17	27.94	0.77	4.18	16.58	9.0	268	0.7	0.4	56	0.64	5.6	1.4	7.8	11.2	6.9
2022652	Drill Core	5.17	405	0.008	<0.01	<0.17	30.41	0.62	4.21	8.39	10.9	227	1.2	0.8	69	0.71	10.6	1.9	5.6	12.3	6.6
2022653	Drill Core	4.94	491	0.012	0.01	<0.17	31.27	1.17	10.44	8.59	41.3	269	5.2	4.3	150	1.77	25.8	7.6	25.5	11.1	19.4





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 18, 2019

**Page:** 4 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000247.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022638	Drill Core	0.23	0.96	0.07	22	0.19	0.065	19.6	27.7	0.70	200.3	0.004	<1	1.22	0.044	0.32	<0.1	3.5	0.11	0.13	22
2022639	Drill Core	0.16	0.91	0.13	17	0.19	0.066	20.2	19.2	0.68	235.3	0.003	<1	1.41	0.022	0.39	0.1	2.7	0.13	0.06	16
2022640	Rock Pulp	0.06	0.12	0.05	83	0.80	0.059	6.1	9.8	0.69	114.1	0.095	1	1.42	0.157	0.20	3.0	2.1	0.05	<0.02	<5
2022641	Drill Core	0.04	2.18	0.09	7	0.10	0.041	26.5	10.4	0.23	234.1	0.001	<1	0.76	0.011	0.38	0.1	1.3	0.17	0.05	28
2022642	Drill Core	0.15	1.31	0.06	3	0.06	0.018	27.9	5.0	0.15	184.4	<0.001	<1	0.56	0.005	0.32	<0.1	0.9	0.14	<0.02	14
2022643	Drill Core	0.43	2.26	0.08	5	0.08	0.018	31.4	6.3	0.20	188.5	<0.001	<1	0.66	0.003	0.31	<0.1	1.2	0.15	<0.02	24
2022644	Drill Core	0.32	0.66	0.05	4	0.07	0.020	20.3	5.5	0.33	201.4	0.002	<1	0.72	0.007	0.30	<0.1	1.3	0.10	<0.02	15
2022645	Drill Core	0.18	0.64	0.02	4	0.11	0.036	31.9	6.2	0.19	275.4	0.001	<1	0.72	0.029	0.38	<0.1	1.5	0.16	0.02	14
2022646	Drill Core	0.23	0.55	0.10	7	0.10	0.027	28.9	10.3	0.37	272.0	0.002	<1	0.90	0.035	0.36	<0.1	2.0	0.15	0.03	16
2022647	Drill Core	0.02	1.09	0.07	2	0.02	0.006	30.1	2.0	0.11	255.3	0.001	<1	0.40	0.033	0.26	<0.1	1.0	0.08	<0.02	17
2022648	Drill Core	0.01	0.72	0.08	<1	0.02	0.004	38.7	2.7	0.11	123.4	<0.001	<1	0.39	0.015	0.27	<0.1	0.9	0.10	<0.02	10
2022649	Drill Core	0.03	0.39	0.42	<1	0.02	0.006	33.8	1.7	0.12	70.1	<0.001	<1	0.35	0.008	0.26	<0.1	0.5	0.10	<0.02	23
2022650	Drill Core	0.03	0.49	0.34	<1	0.03	0.006	41.6	2.2	0.10	142.0	<0.001	<1	0.39	0.010	0.28	<0.1	0.8	0.11	<0.02	20
2022651	Drill Core	0.03	0.49	0.25	<1	0.02	0.007	33.2	2.3	0.10	176.0	<0.001	<1	0.39	0.009	0.29	<0.1	0.6	0.10	<0.02	15
2022652	Drill Core	0.05	0.40	0.23	1	0.03	0.008	34.1	2.7	0.13	152.3	<0.001	<1	0.41	0.017	0.27	<0.1	0.9	0.10	<0.02	14
2022653	Drill Core	0.13	0.88	0.32	11	0.12	0.034	30.6	19.9	0.48	235.1	0.002	<1	1.00	0.022	0.38	0.2	2.0	0.16	<0.02	32



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 18, 2019

**Page:** 4 of 4

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000247.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2022638	Drill Core	0.7	<0.02	5.8	3.99	<0.1	0.29	<0.02	16.8	0.4	<0.05	14.4	7.54	40.9	0.02	<1	0.8	28.7	<10
2022639	Drill Core	0.4	<0.02	6.0	4.61	<0.1	0.22	<0.02	20.8	0.3	<0.05	9.4	5.17	40.8	0.02	1	0.7	36.2	<10
2022640	Rock Pulp	<0.1	<0.02	4.0	0.30	<0.1	0.05	0.08	6.5	0.2	<0.05	1.2	4.13	13.6	<0.02	2	<0.1	6.5	<10
2022641	Drill Core	0.7	0.09	3.5	4.80	<0.1	0.13	<0.02	20.3	0.3	<0.05	5.6	5.33	51.4	0.02	<1	0.4	15.0	<10
2022642	Drill Core	0.2	0.04	2.4	5.59	<0.1	0.13	<0.02	17.5	0.2	<0.05	7.2	6.00	57.0	<0.02	<1	0.2	6.5	<10
2022643	Drill Core	0.9	0.11	3.5	16.25	<0.1	0.15	<0.02	21.1	0.4	<0.05	7.5	7.57	57.7	<0.02	<1	0.4	9.3	<10
2022644	Drill Core	0.3	<0.02	3.4	4.00	<0.1	0.20	<0.02	17.1	0.4	<0.05	10.6	5.61	40.0	0.03	1	0.2	14.8	<10
2022645	Drill Core	0.2	<0.02	2.8	2.85	<0.1	0.25	<0.02	20.1	0.4	<0.05	13.0	6.94	60.3	<0.02	1	0.4	11.8	<10
2022646	Drill Core	0.2	<0.02	4.6	3.11	<0.1	0.26	<0.02	20.6	0.3	<0.05	16.2	7.64	57.4	<0.02	<1	0.2	17.3	<10
2022647	Drill Core	0.2	<0.02	2.2	2.03	<0.1	0.28	<0.02	12.5	0.3	<0.05	14.7	6.39	58.1	<0.02	1	0.2	6.3	<10
2022648	Drill Core	0.2	<0.02	1.8	2.39	<0.1	0.28	<0.02	13.7	0.2	<0.05	13.9	6.95	75.3	<0.02	<1	0.4	4.3	<10
2022649	Drill Core	<0.1	<0.02	1.5	2.76	<0.1	0.34	<0.02	12.0	0.3	<0.05	14.4	6.71	69.0	<0.02	2	0.3	3.3	<10
2022650	Drill Core	<0.1	0.02	1.5	4.58	<0.1	0.21	<0.02	14.8	0.4	<0.05	9.5	8.52	81.5	<0.02	2	0.2	4.5	<10
2022651	Drill Core	0.3	<0.02	1.3	3.04	<0.1	0.20	<0.02	13.4	0.2	<0.05	11.5	6.29	65.2	<0.02	<1	0.4	3.7	<10
2022652	Drill Core	0.1	<0.02	1.4	2.90	0.1	0.24	<0.02	13.2	0.3	<0.05	9.5	8.94	67.5	<0.02	<1	0.4	4.8	<10
2022653	Drill Core	0.9	<0.02	3.9	3.46	<0.1	0.20	<0.02	22.2	0.4	<0.05	9.3	13.66	60.6	<0.02	<1	0.3	18.6	<10



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 18, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Page:** 1 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000247.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
Pulp Duplicates																					
2022580	Rock	0.24	154	<0.005	<0.01	<0.17	22.99	0.43	2.60	1.63	4.9	13	1.4	0.5	78	0.67	0.7	0.2	0.7	1.2	1.5
REP 2022580	QC							0.44	2.54	1.58	5.0	13	1.3	0.5	77	0.66	0.7	0.2	<0.2	1.1	1.5
2022595	Drill Core	5.60	511	<0.005	<0.01	<0.17	33.91	0.95	17.17	12.31	55.5	252	11.0	8.0	425	2.29	4.8	1.7	1.1	9.3	84.7
REP 2022595	QC			<0.005																	
2022614	Drill Core	5.44	501	<0.005	<0.01	<0.17	34.53	0.17	4.25	27.34	40.7	262	0.8	0.9	166	0.80	0.7	3.3	1.8	16.1	16.1
REP 2022614	QC							0.17	4.23	27.09	36.1	257	0.7	0.8	162	0.80	1.0	3.2	2.3	15.4	16.6
2022634	Drill Core	5.59	506	<0.005	<0.01	<0.17	27.75	1.17	15.78	7.95	50.3	226	10.6	7.5	495	2.24	2.6	2.4	2.0	12.3	70.0
REP 2022634	QC			0.006																	
2022645	Drill Core	5.37	468	0.032	0.03	<0.17	36.77	0.90	20.51	5.14	23.6	366	2.1	1.9	111	1.01	17.4	1.7	25.8	14.2	13.7
REP 2022645	QC							0.87	20.48	4.91	22.0	343	1.9	1.9	105	0.99	17.1	1.6	23.4	13.7	13.8
Core Reject Duplicates																					
2022608	Drill Core	5.48	429	0.005	<0.01	<0.17	31.66	0.87	14.37	3.64	48.6	167	13.8	8.5	374	2.43	5.3	1.5	1.7	9.4	58.1
DUP 2022608	QC		402	<0.005	<0.01	<0.17	29.78	0.95	14.98	3.48	49.6	167	13.3	8.4	386	2.45	5.6	1.5	2.4	9.6	61.4
2022642	Drill Core	4.62	422	1.153	1.16	1.19	36.94	3.61	35.43	8.06	19.4	1564	2.4	2.1	129	0.94	36.2	2.0	935.5	11.3	10.1
DUP 2022642	QC		424	1.128	1.16	1.61	31.05	3.68	36.24	8.37	19.3	1747	2.4	2.2	134	0.95	35.8	2.0	1155.0	10.9	9.8
Reference Materials																					
STD BVGEO01	Standard							11.15	4444.45	187.24	1785.9	2545	160.2	25.0	723	3.69	113.1	3.6	222.0	15.3	58.2
STD DS11	Standard							15.10	149.24	129.83	334.2	1611	81.4	13.5	1000	3.09	41.3	2.5	69.4	8.0	69.7
STD DS11	Standard							14.83	155.38	140.93	344.6	1767	81.9	14.0	1018	3.11	42.4	2.8	108.6	7.9	67.3
STD OREAS262	Standard							0.67	119.40	58.39	154.3	499	67.3	28.0	537	3.34	35.2	1.3	64.6	10.3	35.6
STD OREAS262	Standard							0.65	117.09	56.29	147.5	452	66.1	27.1	545	3.17	34.5	1.2	55.1	9.8	34.6
STD OREAS262	Standard							0.70	120.11	59.68	159.7	482	63.8	27.9	563	3.30	36.5	1.3	66.5	9.9	35.6
STD OXC145	Standard			0.217																	
STD OXC145	Standard			0.201																	
STD OXC145	Standard			0.205																	
STD OXH139	Standard			1.333																	
STD OXH139	Standard			1.271																	
STD OXH139	Standard			1.350																	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 18, 2019

**Page:** 1 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000247.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2022580	Rock	0.02	0.05	0.02	1	0.01	0.001	2.0	3.2	0.01	10.6	0.003	2	0.07	0.007	0.02	<0.1	0.2	<0.02	<0.02	5
REP 2022580	QC	0.02	0.05	0.03	1	0.01	0.001	1.9	3.2	0.01	10.3	0.003	1	0.07	0.007	0.02	<0.1	0.2	<0.02	<0.02	7
2022595	Drill Core	0.15	0.37	0.15	23	1.35	0.062	16.7	24.9	0.96	287.1	0.079	<1	1.08	0.028	0.66	0.2	5.8	0.29	0.22	<5
REP 2022595	QC																				
2022614	Drill Core	0.35	0.30	0.34	<1	0.22	0.011	37.0	2.4	0.35	342.4	0.020	<1	0.62	0.024	0.47	0.1	2.6	0.19	0.08	<5
REP 2022614	QC	0.34	0.33	0.34	<1	0.23	0.011	36.8	2.4	0.35	328.3	0.019	<1	0.62	0.024	0.47	0.2	2.8	0.19	0.08	<5
2022634	Drill Core	0.09	0.34	0.05	14	0.87	0.060	27.4	17.4	1.15	177.1	0.022	<1	1.41	0.018	0.51	<0.1	3.7	0.20	0.05	20
REP 2022634	QC																				
2022645	Drill Core	0.18	0.64	0.02	4	0.11	0.036	31.9	6.2	0.19	275.4	0.001	<1	0.72	0.029	0.38	<0.1	1.5	0.16	0.02	14
REP 2022645	QC	0.17	0.69	0.05	4	0.11	0.036	29.6	5.9	0.19	257.8	0.001	<1	0.69	0.029	0.37	<0.1	1.2	0.15	0.02	14
Core Reject Duplicates																					
2022608	Drill Core	0.09	0.51	0.11	29	0.44	0.067	16.4	34.6	1.19	213.4	0.122	3	1.35	0.037	0.94	0.2	5.0	0.41	0.19	<5
DUP 2022608	QC	0.10	0.52	0.07	29	0.45	0.073	16.5	33.3	1.19	217.2	0.121	<1	1.38	0.039	0.94	0.2	5.2	0.42	0.19	<5
2022642	Drill Core	0.15	1.31	0.06	3	0.06	0.018	27.9	5.0	0.15	184.4	<0.001	<1	0.56	0.005	0.32	<0.1	0.9	0.14	<0.02	14
DUP 2022642	QC	0.15	1.21	0.05	3	0.07	0.020	28.5	5.3	0.15	168.1	<0.001	<1	0.57	0.005	0.32	<0.1	0.8	0.15	<0.02	11
Reference Materials																					
STD BVGEO01	Standard	6.11	3.13	25.72	71	1.37	0.069	26.2	207.5	1.32	237.1	0.230	3	2.47	0.199	0.90	4.7	5.7	0.65	0.64	95
STD DS11	Standard	2.26	7.67	11.57	47	1.04	0.066	18.6	61.7	0.83	362.3	0.096	7	1.18	0.074	0.40	2.9	3.2	5.00	0.27	240
STD DS11	Standard	2.43	8.60	12.94	51	1.04	0.067	18.1	62.2	0.85	369.0	0.092	7	1.20	0.075	0.40	2.8	3.1	5.05	0.27	263
STD OREAS262	Standard	0.72	4.06	1.10	22	3.15	0.038	18.7	47.7	1.21	265.6	0.003	4	1.53	0.070	0.35	0.1	3.2	0.49	0.25	164
STD OREAS262	Standard	0.59	3.51	1.03	22	3.00	0.035	17.4	46.7	1.15	260.3	0.003	3	1.36	0.065	0.31	0.2	3.4	0.46	0.25	167
STD OREAS262	Standard	0.68	5.26	1.17	23	2.86	0.039	17.0	43.0	1.20	268.0	0.003	3	1.35	0.071	0.31	0.2	3.0	0.48	0.25	176
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 18, 2019

**Page:** 1 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000247.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2022580	Rock	<0.1	<0.02	0.3	0.08	<0.1	0.12	0.04	0.9	<0.1	<0.05	3.3	0.93	4.1	<0.02	<1	<0.1	1.3	<10	<2
REP 2022580	QC	<0.1	<0.02	0.3	0.08	<0.1	0.15	0.03	0.9	<0.1	<0.05	3.3	0.87	4.0	<0.02	<1	<0.1	1.2	<10	<2
2022595	Drill Core	0.4	0.03	4.3	6.00	<0.1	0.18	0.09	36.0	0.6	<0.05	5.1	13.89	33.8	0.03	<1	0.6	9.6	<10	<2
REP 2022595	QC																			
2022614	Drill Core	<0.1	0.02	2.7	1.48	<0.1	0.12	0.36	24.9	0.5	<0.05	3.8	22.20	72.2	0.03	2	0.7	6.4	<10	<2
REP 2022614	QC	0.5	<0.02	2.6	1.41	<0.1	0.10	0.35	24.6	0.5	<0.05	3.8	21.61	71.5	0.03	<1	0.7	7.1	<10	<2
2022634	Drill Core	0.3	<0.02	4.5	5.22	<0.1	0.29	<0.02	31.1	0.3	<0.05	8.9	10.73	54.8	<0.02	3	0.5	25.6	<10	<2
REP 2022634	QC																			
2022645	Drill Core	0.2	<0.02	2.8	2.85	<0.1	0.25	<0.02	20.1	0.4	<0.05	13.0	6.94	60.3	<0.02	1	0.4	11.8	<10	<2
REP 2022645	QC	0.7	<0.02	2.9	2.85	<0.1	0.21	<0.02	19.4	0.5	<0.05	13.3	6.28	59.1	<0.02	1	0.2	11.6	<10	<2
Core Reject Duplicates																				
2022608	Drill Core	0.2	0.03	5.8	8.03	<0.1	0.20	0.11	53.3	0.8	<0.05	6.1	13.89	34.4	<0.02	1	0.4	16.0	<10	<2
DUP 2022608	QC	0.6	<0.02	6.0	7.89	<0.1	0.21	0.10	54.2	0.8	<0.05	6.4	14.11	34.2	<0.02	<1	0.6	16.3	<10	<2
2022642	Drill Core	0.2	0.04	2.4	5.59	<0.1	0.13	<0.02	17.5	0.2	<0.05	7.2	6.00	57.0	<0.02	<1	0.2	6.5	<10	<2
DUP 2022642	QC	0.3	0.04	2.3	5.62	<0.1	0.15	<0.02	17.1	0.2	<0.05	7.2	6.03	56.5	<0.02	2	0.3	6.5	<10	<2
Reference Materials																				
STD BVGEO01	Standard	5.0	1.00	7.5	7.24	0.1	0.29	0.22	94.1	5.5	<0.05	8.2	14.47	54.4	0.47	7	0.9	20.7	159	181
STD DS11	Standard	2.5	4.50	5.0	2.87	<0.1	0.11	1.52	34.7	1.8	<0.05	3.1	8.28	39.1	0.24	48	0.3	22.4	120	180
STD DS11	Standard	2.3	4.70	4.9	2.81	0.1	0.09	1.55	35.6	1.9	<0.05	3.4	8.12	39.1	0.22	47	0.6	25.3	102	191
STD OREAS262	Standard	0.9	0.24	4.1	2.88	<0.1	0.21	<0.02	20.7	0.6	<0.05	9.1	11.46	38.3	0.04	<1	1.2	19.2	<10	<2
STD OREAS262	Standard	0.5	0.26	4.1	2.71	<0.1	0.25	<0.02	19.1	0.6	<0.05	10.8	10.80	35.4	0.04	2	1.0	17.0	<10	<2
STD OREAS262	Standard	0.4	0.23	4.0	2.86	<0.1	0.26	<0.02	19.1	0.6	<0.05	10.0	11.45	34.1	0.05	<1	1.3	19.4	<10	3
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 18, 2019

**Page:** 2 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000247.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXN134	Standard			7.686																	
STD OXN134	Standard			7.500																	
STD OXN134	Standard			7.781																	
STD OXQ90	Standard					25.06	30.25														
STD OXQ90	Standard					25.03	30.20														
STD OXQ90	Standard					25.14	30.11														
STD OXQ90	Standard					25.19	30.33														
STD OXQ90	Standard					25.39	30.21														
STD OXQ90	Standard					25.05	30.06														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	0.3	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.3	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.03	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.006																	
BLK	Blank			<0.005																	
BLK	Blank			0.007																	
BLK	Blank			0.005																	
Prep Wash																					



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 18, 2019

**Page:** 2 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000247.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	7
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 18, 2019

**Page:** 2 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000247.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: August 18, 2019

Page: 3 of 3

Part: 1 of 3

## QUALITY CONTROL REPORT

WHI19000247.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
ROCK-WHI	Prep Blank		478	<0.005	<0.01	<0.17	30.76	0.79	2.55	1.93	32.2	11	0.8	3.5	492	1.86	1.6	0.4	<0.2	2.6	23.9
ROCK-WHI	Prep Blank		467	<0.005	<0.01	<0.17	30.29	0.84	3.17	1.74	36.0	13	0.8	3.5	496	1.90	1.4	0.4	<0.2	2.3	27.3



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: August 18, 2019

Page: 3 of 3

Part: 2 of 3

## QUALITY CONTROL REPORT

WHI19000247.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
ROCK-WHI	Prep Blank	0.03	0.04	0.06	24	0.67	0.039	6.3	2.4	0.42	54.9	0.078	2	0.88	0.071	0.08	<0.1	2.6	<0.02	<0.02	8
ROCK-WHI	Prep Blank	0.05	0.04	0.06	24	0.66	0.040	6.2	1.9	0.45	66.5	0.076	<1	0.88	0.075	0.08	<0.1	2.8	<0.02	0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Project: LS  
Report Date: August 18, 2019

Page: 3 of 3

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI19000247.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.19	<0.1	0.16	0.16	2.2	0.4	<0.05	4.8	8.71	12.5	<0.02	<1	0.4	2.0	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.12	<0.1	0.14	0.14	2.0	0.3	<0.05	3.8	8.77	12.6	<0.02	<1	0.3	1.6	<10