



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 23, 2019
Report Date: August 15, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000248.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-34
P.O. Number
Number of Samples: 124

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	119	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	124	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	124	Analysis sample split/packet			WHI
Split -150	124	Analysis sample split/packet			WHI
EN002	124	Environmental disposal charge-Fire assay lead waste			VAN
FS631	120	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	124	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	124	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Graeme Joyce
Peter Tallman


LILYBETH DE VERA-BOY
Fire Assay Spectroscopy Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000248.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832925	Drill Core	1.93	457	0.006	<0.01	<0.17	32.27	0.47	24.74	4.57	58.9	341	11.1	7.6	267	1.96	5.3	1.8	<0.2	10.2	31.0
1832926	Drill Core	5.29	400	<0.005	<0.01	<0.17	27.99	1.02	26.13	10.05	92.1	432	17.8	9.2	358	2.40	3.9	1.3	1.0	8.2	42.4
1832927	Drill Core	5.47	477	<0.005	<0.01	<0.17	23.62	0.54	20.02	2.43	61.8	262	14.2	8.1	297	2.30	7.7	1.0	<0.2	8.5	29.4
1832928	Drill Core	4.43	487	<0.005	<0.01	<0.17	33.39	1.07	18.76	5.61	68.3	256	15.0	8.3	347	2.38	9.0	1.2	<0.2	9.0	44.5
1832929	Drill Core	5.17	490	<0.005	<0.01	<0.17	41.84	0.67	15.34	2.99	59.2	226	12.9	8.0	337	2.31	6.5	1.2	0.5	9.2	33.7
1832930	Drill Core	5.73	520	<0.005	<0.01	<0.17	30.12	0.40	11.71	3.51	46.0	182	12.6	7.9	359	2.22	2.9	1.1	<0.2	8.8	85.7
1832931	Drill Core	4.40	461	<0.005	<0.01	<0.17	26.98	0.90	18.58	5.03	41.9	255	13.2	8.4	332	2.16	1.9	0.9	<0.2	9.2	54.1
1832932	Drill Core	5.63	546	<0.005	<0.01	<0.17	35.63	0.49	11.25	4.29	39.8	187	9.5	6.2	309	1.90	2.1	1.3	1.7	9.5	40.4
1832933	Drill Core	2.79	488	0.022	0.02	<0.17	32.81	0.32	6.25	6.86	69.5	174	10.4	6.4	355	1.88	1.8	1.2	4.9	9.3	76.0
1832934	Drill Core	2.01	429	0.019	0.02	<0.17	19.34	0.64	9.62	24.44	143.7	439	7.6	5.9	319	1.73	3.0	1.1	7.6	9.8	51.9
1832935	Drill Core	4.95	539	0.008	<0.01	<0.17	24.47	0.98	10.18	7.99	47.9	140	8.8	6.0	337	1.67	4.6	1.4	<0.2	10.0	41.9
1832936	Drill Core	5.35	446	<0.005	<0.01	<0.17	34.57	1.32	4.25	8.84	48.7	96	8.3	6.2	307	1.54	4.8	1.8	<0.2	9.6	40.6
1832937	Drill Core	4.15	456	0.013	0.01	<0.17	33.17	0.72	22.24	6.71	47.5	356	8.1	6.6	259	1.78	7.2	1.2	7.8	8.3	48.2
1832938	Drill Core	4.53	422	0.013	0.01	<0.17	30.51	0.44	3.45	14.00	14.8	178	1.0	0.5	101	0.67	2.9	2.3	6.7	14.1	10.1
1832939	Drill Core	4.96	444	0.005	<0.01	<0.17	45.72	0.26	4.67	28.67	11.6	309	0.4	0.6	61	0.43	0.7	5.5	<0.2	14.0	5.9
1832940	Rock Pulp	0.12	84	0.005				2.13	89.23	3.41	33.8	120	4.4	7.9	328	2.40	0.7	0.8	1.9	2.8	65.3
1832941	Drill Core	4.35	437	<0.005	<0.01	<0.17	34.16	0.61	2.46	30.71	12.8	298	0.6	0.4	71	0.40	0.8	3.8	<0.2	14.0	6.5
1832942	Drill Core	2.28	439	0.036	0.03	<0.17	44.69	0.36	3.16	23.54	15.0	254	0.7	0.5	76	0.57	1.1	2.9	0.6	11.3	7.4
1832943	Drill Core	4.89	423	<0.005	<0.01	<0.17	40.42	0.29	3.38	20.04	9.1	238	0.3	0.2	58	0.34	0.9	1.9	<0.2	15.9	8.4
1832944	Drill Core	5.97	509	<0.005	<0.01	<0.17	39.38	0.18	2.72	26.81	5.0	107	0.3	<0.1	57	0.25	0.6	2.0	<0.2	17.2	18.2
1832945	Drill Core	2.47	449	<0.005	<0.01	<0.17	37.81	0.21	1.98	16.83	4.2	98	0.2	<0.1	56	0.24	0.5	2.0	<0.2	15.4	25.1
1832946	Drill Core	5.20	519	0.006	<0.01	<0.17	42.79	0.17	1.92	16.00	5.8	123	0.3	<0.1	56	0.26	0.4	1.5	0.3	16.0	13.5
1832947	Drill Core	5.21	456	<0.005	<0.01	<0.17	39.06	0.16	4.26	21.98	7.9	145	0.4	0.2	74	0.30	0.4	1.3	<0.2	16.5	10.1
1832948	Drill Core	5.37	526	<0.005	<0.01	<0.17	38.20	0.17	1.15	15.72	7.4	90	0.2	0.1	62	0.24	0.7	1.4	1.1	17.4	10.9
1832949	Drill Core	5.03	459	0.007	<0.01	<0.17	50.86	0.22	1.63	10.59	6.9	136	0.3	0.2	59	0.28	0.5	1.2	2.8	15.6	6.1
1832950	Drill Core	5.11	412	<0.005	<0.01	<0.17	47.40	0.17	1.92	13.56	12.2	71	0.3	0.1	60	0.27	0.4	1.0	<0.2	17.0	6.8
1832951	Drill Core	5.10	395	<0.005	<0.01	<0.17	36.62	0.20	1.93	17.70	23.7	101	0.4	0.1	88	0.34	<0.1	1.4	1.9	15.0	6.6
1832952	Drill Core	2.50	453	0.005	<0.01	<0.17	50.87	0.18	2.02	12.84	12.4	125	0.5	0.2	71	0.28	0.7	1.2	2.9	13.2	6.5
1832953	Drill Core	2.45	416	<0.005	<0.01	<0.17	48.89	0.19	1.25	8.63	7.7	150	0.2	<0.1	88	0.27	0.3	1.1	1.1	13.0	20.5
1832954	Drill Core	2.39	419	<0.005	<0.01	<0.17	33.82	0.14	1.89	12.47	9.1	95	0.2	0.1	75	0.25	0.3	1.1	1.3	15.0	8.9



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000248.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832925	Drill Core	1.10	1.01	0.14	18	0.34	0.046	16.8	20.0	0.75	254.8	0.102	2	1.06	0.026	0.32	1.4	3.8	0.14	<0.02	15
1832926	Drill Core	0.85	0.96	0.17	30	0.41	0.060	11.0	33.7	1.18	205.6	0.133	3	1.37	0.026	0.70	0.8	4.6	0.37	<0.02	<5
1832927	Drill Core	0.87	1.15	0.03	26	0.33	0.062	10.6	30.9	1.04	176.5	0.109	<1	1.20	0.030	0.72	0.4	4.1	0.37	0.12	19
1832928	Drill Core	0.36	1.52	0.05	27	0.33	0.065	9.3	28.9	1.12	202.5	0.110	1	1.32	0.022	0.81	0.3	4.4	0.38	0.07	<5
1832929	Drill Core	0.25	1.09	0.08	24	0.30	0.060	9.8	25.9	1.11	198.3	0.116	<1	1.25	0.026	0.77	0.4	4.0	0.34	0.05	<5
1832930	Drill Core	0.06	0.99	0.05	23	0.35	0.060	9.5	26.8	1.18	208.7	0.103	2	1.23	0.023	0.70	0.8	3.9	0.29	0.06	7
1832931	Drill Core	0.08	0.93	0.08	23	0.30	0.056	10.7	26.7	1.12	167.2	0.105	<1	1.19	0.023	0.65	0.8	4.0	0.31	0.04	6
1832932	Drill Core	0.08	0.81	0.07	17	0.29	0.053	12.8	18.7	0.99	195.2	0.074	<1	1.15	0.020	0.68	0.6	2.8	0.26	<0.02	<5
1832933	Drill Core	0.22	1.12	0.22	17	0.33	0.067	13.1	19.2	1.20	200.0	0.089	1	1.33	0.010	0.88	1.0	2.7	0.32	<0.02	8
1832934	Drill Core	0.61	0.82	0.57	15	0.35	0.056	13.4	19.1	1.03	199.9	0.064	2	1.12	0.015	0.61	0.8	2.7	0.19	0.04	32
1832935	Drill Core	1.15	0.91	0.02	14	0.38	0.053	13.3	17.1	0.93	191.2	0.076	1	1.05	0.013	0.57	1.0	2.4	0.19	0.09	13
1832936	Drill Core	1.42	1.01	0.07	11	0.37	0.051	11.4	14.8	0.91	183.9	0.097	1	0.99	0.016	0.48	1.4	2.9	0.17	0.15	6
1832937	Drill Core	0.23	1.35	0.09	13	0.34	0.046	9.5	16.6	0.87	172.3	0.092	1	1.03	0.012	0.37	1.6	2.7	0.12	0.23	13
1832938	Drill Core	0.19	1.06	0.20	2	0.07	0.005	24.7	2.3	0.20	217.2	0.010	1	0.49	0.010	0.34	0.4	1.5	0.09	<0.02	12
1832939	Drill Core	0.61	1.28	0.35	<1	0.05	0.005	22.2	1.3	0.15	206.9	0.004	<1	0.38	0.017	0.32	0.1	0.9	0.07	0.13	14
1832940	Rock Pulp	0.05	0.10	0.04	81	0.81	0.056	6.0	8.9	0.67	115.2	0.091	2	1.38	0.159	0.20	2.9	2.1	0.04	<0.02	13
1832941	Drill Core	0.64	0.73	0.39	<1	0.05	0.005	23.8	1.6	0.16	177.1	0.005	<1	0.39	0.009	0.34	0.2	0.9	0.08	0.06	10
1832942	Drill Core	0.51	0.84	0.28	<1	0.05	0.006	18.6	1.8	0.15	169.5	0.005	1	0.38	0.018	0.30	0.2	0.9	0.07	0.10	15
1832943	Drill Core	0.13	0.64	0.32	<1	0.08	0.008	27.1	1.2	0.12	121.6	0.006	<1	0.30	0.016	0.26	0.2	0.7	0.06	0.04	15
1832944	Drill Core	0.02	0.45	0.24	<1	0.23	0.005	35.9	1.0	0.06	136.4	0.003	<1	0.25	0.024	0.26	0.2	0.6	0.05	<0.02	10
1832945	Drill Core	0.01	0.34	0.16	<1	0.37	0.003	30.7	0.9	0.05	110.5	0.001	<1	0.23	0.021	0.24	0.1	0.6	0.04	0.02	13
1832946	Drill Core	0.04	0.27	0.22	<1	0.21	0.004	30.2	1.1	0.07	120.2	0.002	<1	0.27	0.021	0.25	0.1	0.5	0.04	0.02	18
1832947	Drill Core	0.02	0.36	0.26	<1	0.22	0.005	27.5	1.1	0.11	93.1	0.004	1	0.30	0.019	0.22	0.2	0.6	0.04	<0.02	12
1832948	Drill Core	0.05	0.23	0.16	<1	0.21	0.004	30.7	1.0	0.12	97.9	0.003	<1	0.32	0.022	0.24	0.2	0.7	0.03	<0.02	6
1832949	Drill Core	0.12	0.26	0.14	<1	0.11	0.004	30.9	1.0	0.06	105.6	<0.001	<1	0.28	0.020	0.24	0.2	0.5	0.04	<0.02	6
1832950	Drill Core	0.16	0.24	0.11	<1	0.09	0.005	31.5	1.0	0.09	94.7	0.002	<1	0.30	0.020	0.24	0.1	0.6	0.04	<0.02	<5
1832951	Drill Core	0.30	0.34	0.28	<1	0.10	0.004	35.7	1.2	0.12	118.4	0.004	4	0.41	0.036	0.29	0.2	0.8	0.06	<0.02	12
1832952	Drill Core	0.26	0.30	0.14	<1	0.10	0.004	28.5	1.1	0.08	95.1	0.002	3	0.26	0.021	0.21	0.1	0.6	0.06	<0.02	<5
1832953	Drill Core	0.13	0.17	0.15	<1	0.33	0.003	31.3	1.0	0.07	119.8	0.001	2	0.29	0.023	0.27	0.1	0.5	0.07	<0.02	11
1832954	Drill Core	0.14	0.25	0.15	<1	0.18	0.004	31.8	0.9	0.09	98.5	0.002	2	0.30	0.019	0.25	<0.1	0.5	0.06	<0.02	9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000248.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832925	Drill Core	0.1	0.02	3.9	2.01	<0.1	0.26	0.15	17.4	0.5	<0.05	5.3	11.50	33.1	<0.02	1	0.5	14.1	<10	<2			
1832926	Drill Core	0.2	0.03	5.2	4.24	<0.1	0.21	0.09	41.1	0.5	<0.05	4.8	11.28	21.9	<0.02	1	0.7	21.3	<10	4			
1832927	Drill Core	0.4	0.02	4.2	4.07	<0.1	0.21	0.08	40.2	0.5	<0.05	3.9	8.69	21.1	<0.02	<1	0.3	16.9	<10	<2			
1832928	Drill Core	0.2	<0.02	4.9	5.63	<0.1	0.22	0.05	45.7	0.5	<0.05	5.0	7.49	18.1	<0.02	1	0.6	20.5	14	<2			
1832929	Drill Core	0.2	0.04	4.7	4.48	<0.1	0.25	0.07	43.1	0.5	<0.05	4.3	7.64	19.4	<0.02	2	0.7	19.1	<10	<2			
1832930	Drill Core	<0.1	<0.02	4.6	3.57	<0.1	0.16	0.08	37.6	0.5	<0.05	3.5	7.63	18.7	<0.02	5	0.1	19.6	<10	<2			
1832931	Drill Core	0.3	<0.02	5.1	3.69	<0.1	0.25	0.06	37.8	0.6	<0.05	5.1	8.16	20.6	<0.02	3	0.3	18.5	<10	<2			
1832932	Drill Core	<0.1	0.03	3.8	3.50	<0.1	0.21	0.04	36.0	0.4	<0.05	4.1	6.80	25.6	<0.02	1	0.4	18.2	<10	<2			
1832933	Drill Core	<0.1	<0.02	4.3	4.49	<0.1	0.17	0.04	45.5	0.3	<0.05	4.1	7.02	25.7	<0.02	<1	0.5	20.0	<10	<2			
1832934	Drill Core	0.1	<0.02	3.7	2.21	<0.1	0.13	0.06	29.7	0.4	<0.05	2.7	7.06	26.9	<0.02	2	0.5	16.5	<10	<2			
1832935	Drill Core	0.4	0.02	3.4	1.93	<0.1	0.12	0.08	27.2	0.3	<0.05	2.2	7.58	26.9	<0.02	2	0.6	14.8	<10	<2			
1832936	Drill Core	0.5	0.02	3.2	1.89	<0.1	0.13	0.18	23.1	0.4	<0.05	2.3	9.83	23.0	<0.02	<1	0.4	14.5	<10	<2			
1832937	Drill Core	0.3	0.04	4.1	2.84	<0.1	0.20	0.24	18.5	0.5	<0.05	3.9	9.06	19.4	<0.02	<1	0.4	13.4	<10	<2			
1832938	Drill Core	0.3	<0.02	2.0	4.22	<0.1	0.59	0.25	13.4	0.4	<0.05	14.8	11.72	48.7	<0.02	<1	0.5	5.0	11	<2			
1832939	Drill Core	0.3	0.03	1.1	2.06	<0.1	0.83	0.16	11.5	0.3	<0.05	16.7	9.35	44.0	<0.02	2	0.2	2.4	<10	<2			
1832940	Rock Pulp	0.1	0.03	4.2	0.28	<0.1	0.06	0.10	6.5	0.2	<0.05	1.5	4.13	13.0	<0.02	<1	0.1	6.3	<10	<2			
1832941	Drill Core	0.3	0.04	1.1	2.21	<0.1	0.53	0.11	12.6	1.5	<0.05	11.8	8.58	46.8	<0.02	4	0.3	2.7	<10	<2			
1832942	Drill Core	0.2	<0.02	1.2	2.38	<0.1	0.45	0.15	11.9	0.3	<0.05	10.1	7.79	36.9	<0.02	<1	0.3	3.1	<10	<2			
1832943	Drill Core	0.1	<0.02	1.2	2.25	<0.1	0.33	0.25	10.8	0.2	<0.05	7.6	9.90	53.8	<0.02	1	<0.1	1.9	13	<2			
1832944	Drill Core	0.4	0.03	1.3	0.62	<0.1	0.42	0.18	11.0	0.3	<0.05	8.3	8.03	70.1	<0.02	3	0.1	0.9	<10	<2			
1832945	Drill Core	0.2	<0.02	0.9	0.46	<0.1	0.48	0.54	9.3	0.1	<0.05	8.0	5.12	59.2	<0.02	1	0.3	1.3	<10	<2			
1832946	Drill Core	<0.1	<0.02	1.1	0.48	<0.1	0.43	0.14	9.2	0.2	<0.05	7.4	6.55	58.6	<0.02	1	0.3	1.3	<10	2			
1832947	Drill Core	<0.1	<0.02	1.2	0.57	<0.1	0.53	0.27	8.4	0.3	<0.05	7.7	9.95	54.9	<0.02	3	0.1	2.0	<10	2			
1832948	Drill Core	<0.1	0.03	1.3	0.48	<0.1	0.54	0.19	9.6	0.2	<0.05	9.6	8.08	61.6	<0.02	1	0.2	3.0	<10	<2			
1832949	Drill Core	<0.1	<0.02	1.3	1.41	<0.1	0.34	0.09	9.1	0.2	<0.05	6.9	6.03	61.1	<0.02	<1	0.6	2.0	<10	<2			
1832950	Drill Core	<0.1	<0.02	1.2	0.65	<0.1	0.44	0.15	9.6	0.2	<0.05	7.3	8.19	61.1	<0.02	2	0.3	2.8	<10	<2			
1832951	Drill Core	<0.1	<0.02	1.5	0.42	<0.1	0.50	0.18	9.7	0.5	<0.05	17.5	8.21	66.7	<0.02	<1	0.3	3.9	<10	<2			
1832952	Drill Core	0.1	0.02	1.0	0.90	<0.1	0.38	0.16	7.7	0.3	<0.05	12.6	6.32	52.0	<0.02	<1	0.2	2.7	<10	<2			
1832953	Drill Core	<0.1	<0.02	1.0	0.36	<0.1	0.28	0.08	9.2	0.3	<0.05	10.7	4.54	59.6	<0.02	<1	0.3	2.4	<10	3			
1832954	Drill Core	<0.1	<0.02	1.1	0.58	<0.1	0.30	0.09	8.5	0.3	<0.05	12.2	5.55	57.6	<0.02	<1	0.3	2.9	<10	2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000248.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1832955	Drill Core	2.19	390	<0.005	<0.01	<0.17	48.28	0.21	1.78	13.39	12.2	107	0.4	0.1	79	0.33	0.5	1.0	<0.2	14.3	4.9
1832956	Drill Core	2.88	492	0.007	<0.01	<0.17	31.67	0.14	1.88	13.53	6.2	127	0.2	0.1	94	0.24	0.5	1.3	0.9	13.5	35.3
1832957	Drill Core	5.44	497	<0.005	<0.01	<0.17	51.32	0.18	1.29	11.90	8.9	127	0.3	0.1	94	0.26	0.5	1.1	<0.2	14.2	27.0
1832958	Drill Core	2.52	454	<0.005	<0.01	<0.17	51.43	0.16	1.48	10.83	5.6	75	0.2	0.1	66	0.24	0.4	1.0	0.7	14.3	14.5
1832959	Drill Core	2.86	527	0.005	<0.01	<0.17	43.07	0.19	1.95	11.94	12.2	105	0.4	0.1	91	0.31	0.5	1.1	0.9	14.2	17.7
1832960	Core DUP		499	<0.005	<0.01	<0.17	32.08	0.19	2.07	12.68	11.9	110	0.3	0.1	92	0.28	0.4	1.1	<0.2	13.8	17.8
1832961	Drill Core	2.68	447	<0.005	<0.01	<0.17	26.34	0.16	1.69	8.17	7.4	74	0.3	<0.1	58	0.28	0.3	1.1	0.8	15.2	4.0
1832962	Drill Core	5.39	421	<0.005	<0.01	<0.17	25.31	0.14	1.51	9.64	5.7	67	0.2	0.1	72	0.24	0.3	1.1	1.1	14.3	16.9
1832963	Drill Core	2.59	467	<0.005	<0.01	<0.17	47.57	0.16	1.69	8.23	6.1	97	0.3	<0.1	94	0.25	0.7	1.2	1.3	15.3	20.6
1832964	Drill Core	3.92	458	0.008	<0.01	<0.17	28.40	0.12	1.48	10.05	5.0	80	0.2	<0.1	38	0.20	0.6	1.1	2.0	14.4	3.6
1832965	Drill Core	2.40	468	<0.005	<0.01	<0.17	40.88	0.16	0.74	6.96	5.2	48	0.3	<0.1	40	0.23	0.4	1.1	1.5	14.5	3.1
1832966	Drill Core	2.71	503	0.026	0.02	<0.17	62.29	0.18	1.59	2.97	4.9	65	0.4	0.1	42	0.29	0.5	0.8	5.9	11.4	2.2
1832967	Drill Core	4.83	473	0.007	<0.01	<0.17	39.64	0.23	1.80	24.73	9.4	135	0.3	0.1	60	0.27	0.8	1.3	2.6	15.9	4.1
1832968	Drill Core	2.46	502	<0.005	<0.01	<0.17	36.54	0.12	2.54	20.67	5.3	123	0.2	<0.1	78	0.20	0.4	1.3	2.1	15.4	17.5
1832969	Drill Core	2.77	451	<0.005	<0.01	<0.17	39.75	0.15	1.47	13.55	4.9	144	0.3	<0.1	114	0.26	0.6	1.2	0.4	15.8	25.6
1832970	Drill Core	3.39	466	<0.005	<0.01	<0.17	37.78	0.15	2.45	14.98	8.5	103	0.3	0.1	73	0.23	0.4	1.2	1.5	15.8	3.7
1832971	Drill Core	2.94	453	0.007	<0.01	<0.17	27.05	0.39	1.21	6.73	5.6	90	0.4	0.2	56	0.40	1.0	0.8	4.7	9.1	3.1
1832972	Drill Core	4.17	421	0.070	0.07	<0.17	29.59	0.24	1.33	13.30	7.2	181	0.3	0.1	60	0.31	0.7	1.2	21.4	13.7	4.9
1832973	Drill Core	2.38	500	0.007	<0.01	<0.17	40.30	0.19	1.97	9.01	5.0	122	0.3	0.1	56	0.32	0.5	1.0	2.3	12.7	3.5
1832974	Drill Core	5.32	451	0.008	<0.01	<0.17	41.59	0.30	4.94	22.21	9.7	329	0.5	0.3	76	0.40	2.3	1.7	4.1	13.2	6.4
1832975	Drill Core	2.48	452	0.010	<0.01	<0.17	26.76	0.24	4.02	19.45	8.5	517	0.8	0.4	66	0.56	3.2	2.0	5.0	11.3	9.1
1832976	Drill Core	2.74	393	0.016	0.02	<0.17	32.92	0.37	5.92	35.45	10.4	485	0.8	0.5	111	0.68	3.4	3.0	46.6	10.8	7.7
1832977	Drill Core	2.58	486	0.012	0.01	<0.17	40.10	0.40	3.92	16.93	9.1	303	0.4	0.4	84	0.53	2.7	2.5	8.0	12.8	6.6
1832978	Drill Core	5.19	453	0.012	0.01	<0.17	30.33	0.28	4.12	24.86	10.5	330	0.4	0.3	83	0.44	2.9	2.1	7.0	12.7	5.7
1832979	Drill Core	4.76	488	0.005	<0.01	<0.17	36.72	0.36	4.27	25.61	13.0	293	0.5	0.4	112	0.51	2.3	2.1	1.2	11.8	6.7
1832980	Rock	0.23	169	<0.005	<0.01	<0.17	38.32	0.44	1.29	1.47	2.5	11	1.4	0.5	79	0.66	0.8	0.2	1.4	2.0	1.6
1832981	Drill Core	5.27	479	<0.005	<0.01	<0.17	37.52	0.36	3.70	16.09	10.2	202	0.5	0.5	76	0.45	1.7	2.3	1.4	12.4	6.7
1832982	Drill Core	2.34	467	0.005	0.02	0.19	41.90	0.28	7.75	28.43	15.1	507	0.5	0.3	116	0.46	2.2	2.0	1.0	14.2	5.4
1832983	Drill Core	3.18	460	0.094	0.09	<0.17	36.34	0.51	5.31	23.61	13.3	429	0.7	0.4	131	0.55	2.9	1.6	41.9	11.5	5.4
1832984	Drill Core	2.40	471	0.007	<0.01	<0.17	44.02	0.41	14.99	23.96	16.1	388	0.4	0.4	80	0.46	4.5	1.4	4.0	10.7	9.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000248.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832955	Drill Core	0.16	0.38	0.17	<1	0.08	0.005	29.0	1.2	0.10	106.8	0.003	<1	0.36	0.027	0.27	0.2	0.7	0.05	<0.02	13
1832956	Drill Core	0.11	0.25	0.10	<1	0.36	0.004	26.6	0.9	0.07	391.3	0.001	2	0.25	0.021	0.22	0.1	0.5	0.03	<0.02	8
1832957	Drill Core	0.13	0.26	0.15	<1	0.31	0.004	27.2	0.9	0.09	343.5	0.001	2	0.32	0.024	0.25	0.2	0.6	0.05	<0.02	<5
1832958	Drill Core	0.09	0.31	0.06	<1	0.22	0.004	25.9	1.1	0.05	106.9	0.002	<1	0.27	0.022	0.24	0.1	0.5	0.04	<0.02	11
1832959	Drill Core	0.10	0.38	0.14	<1	0.29	0.004	26.7	1.1	0.11	127.8	0.002	1	0.36	0.023	0.26	0.2	0.6	0.04	<0.02	9
1832960	Core DUP	0.13	0.39	0.16	<1	0.29	0.004	26.6	1.1	0.11	120.2	0.003	1	0.32	0.022	0.24	0.1	0.6	0.05	<0.02	7
1832961	Drill Core	0.10	0.30	0.11	<1	0.06	0.004	33.0	1.0	0.08	129.6	0.002	1	0.36	0.033	0.27	0.1	0.6	0.05	<0.02	<5
1832962	Drill Core	0.08	0.26	0.16	<1	0.27	0.005	31.1	1.0	0.07	240.3	0.002	<1	0.29	0.026	0.24	<0.1	0.5	0.05	<0.02	<5
1832963	Drill Core	0.07	0.32	0.18	<1	0.36	0.005	35.6	1.0	0.08	259.9	0.001	1	0.32	0.023	0.27	0.2	0.6	0.05	<0.02	<5
1832964	Drill Core	0.06	0.28	0.07	<1	0.06	0.004	34.1	0.8	0.04	109.3	<0.001	3	0.25	0.021	0.24	0.1	0.4	0.05	<0.02	<5
1832965	Drill Core	0.10	0.24	0.03	<1	0.04	0.005	32.0	0.8	0.05	110.2	<0.001	2	0.32	0.018	0.27	0.1	0.4	0.05	<0.02	7
1832966	Drill Core	0.08	0.28	0.03	<1	0.03	0.004	24.9	1.2	0.03	82.2	<0.001	3	0.22	0.019	0.19	0.1	0.4	0.04	<0.02	7
1832967	Drill Core	0.12	0.41	0.18	<1	0.05	0.006	37.5	1.2	0.06	125.5	<0.001	4	0.34	0.019	0.27	0.2	0.6	0.07	<0.02	<5
1832968	Drill Core	0.10	0.30	0.20	<1	0.26	0.004	40.4	0.8	0.04	119.6	<0.001	2	0.26	0.024	0.25	<0.1	0.5	0.05	<0.02	8
1832969	Drill Core	0.13	0.36	0.10	<1	0.44	0.004	41.0	0.9	0.05	138.0	0.001	1	0.32	0.029	0.28	0.1	0.5	0.06	<0.02	9
1832970	Drill Core	0.16	0.25	0.15	<1	0.04	0.005	36.3	0.8	0.07	125.3	0.001	2	0.30	0.021	0.26	0.1	0.5	0.05	<0.02	5
1832971	Drill Core	0.12	0.27	0.05	<1	0.07	0.004	19.7	1.7	0.05	95.6	0.001	<1	0.22	0.016	0.19	0.1	0.3	0.04	<0.02	6
1832972	Drill Core	0.08	0.39	0.18	<1	0.05	0.007	27.9	1.0	0.11	125.7	0.001	2	0.35	0.015	0.27	<0.1	0.5	0.05	<0.02	10
1832973	Drill Core	0.02	0.30	0.15	<1	0.04	0.003	21.7	1.2	0.10	102.2	<0.001	1	0.32	0.008	0.26	<0.1	0.5	0.05	<0.02	8
1832974	Drill Core	0.12	0.68	0.43	<1	0.05	0.006	26.1	1.3	0.16	133.8	0.002	1	0.41	0.014	0.33	0.1	0.9	0.07	0.03	8
1832975	Drill Core	0.11	0.57	0.50	1	0.06	0.009	32.1	1.9	0.13	192.1	0.004	2	0.47	0.030	0.37	0.1	1.2	0.07	<0.02	12
1832976	Drill Core	0.19	1.01	0.39	<1	0.06	0.008	28.1	1.7	0.15	194.9	0.003	3	0.48	0.013	0.38	0.2	1.2	0.09	0.07	16
1832977	Drill Core	0.24	0.86	0.26	<1	0.05	0.005	34.3	1.3	0.14	284.8	0.003	1	0.48	0.016	0.39	0.2	0.9	0.09	0.06	19
1832978	Drill Core	0.29	0.76	0.32	<1	0.03	0.005	38.7	1.1	0.10	241.6	0.002	2	0.38	0.019	0.34	0.1	1.0	0.07	<0.02	14
1832979	Drill Core	0.31	0.63	0.46	<1	0.04	0.007	41.3	1.3	0.14	233.0	0.002	<1	0.42	0.020	0.34	0.1	1.3	0.07	<0.02	8
1832980	Rock	<0.01	0.04	<0.02	1	0.03	0.002	2.6	3.3	0.02	13.0	0.003	2	0.08	0.004	0.02	<0.1	0.3	<0.02	<0.02	<5
1832981	Drill Core	0.18	0.44	0.28	<1	0.04	0.006	37.4	1.3	0.12	258.2	0.002	2	0.45	0.029	0.37	<0.1	1.1	0.07	<0.02	12
1832982	Drill Core	0.32	0.63	0.67	1	0.03	0.007	45.2	1.2	0.14	223.2	0.001	2	0.43	0.024	0.34	0.2	1.1	0.08	<0.02	14
1832983	Drill Core	0.25	0.84	0.47	<1	0.04	0.005	27.7	1.7	0.12	235.1	0.002	2	0.41	0.020	0.32	0.2	0.9	0.08	<0.02	17
1832984	Drill Core	0.28	0.98	0.29	<1	0.09	0.007	28.1	1.1	0.13	237.1	0.010	2	0.40	0.028	0.29	0.4	1.4	0.08	<0.02	68



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000248.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1832955	Drill Core	<0.1	<0.02	1.3	0.49	<0.1	0.34	0.13	9.8	0.3	<0.05	12.7	7.26	54.1	<0.02	<1	0.3	3.5	<10	<2			
1832956	Drill Core	<0.1	<0.02	0.9	0.37	<0.1	0.39	0.09	8.1	0.2	<0.05	14.4	4.79	48.6	<0.02	<1	0.3	1.9	<10	2			
1832957	Drill Core	<0.1	<0.02	1.1	0.46	<0.1	0.35	0.06	8.9	0.2	<0.05	12.9	6.01	50.8	<0.02	<1	0.3	3.0	<10	<2			
1832958	Drill Core	<0.1	<0.02	1.0	0.54	<0.1	0.24	0.11	8.1	0.3	<0.05	10.3	6.11	48.4	<0.02	<1	0.2	1.7	<10	<2			
1832959	Drill Core	0.1	<0.02	1.2	0.46	<0.1	0.33	0.11	8.1	0.3	<0.05	12.5	6.38	49.7	<0.02	<1	0.2	3.5	<10	<2			
1832960	Core DUP	<0.1	<0.02	1.2	0.53	<0.1	0.35	0.16	8.2	0.3	<0.05	11.7	6.38	49.7	<0.02	<1	0.3	3.1	<10	<2			
1832961	Drill Core	<0.1	<0.02	1.2	0.77	<0.1	0.33	0.10	9.4	0.4	<0.05	12.9	6.98	61.9	<0.02	<1	0.4	2.9	<10	2			
1832962	Drill Core	<0.1	<0.02	0.9	0.49	<0.1	0.30	0.16	8.3	0.3	<0.05	10.8	6.83	56.3	<0.02	<1	<0.1	2.0	<10	<2			
1832963	Drill Core	0.2	<0.02	1.3	0.50	<0.1	0.28	0.06	9.7	0.3	<0.05	9.7	7.50	67.2	<0.02	<1	0.2	2.4	<10	<2			
1832964	Drill Core	<0.1	<0.02	0.9	0.61	<0.1	0.23	0.06	8.9	0.2	<0.05	9.4	5.29	62.1	<0.02	<1	<0.1	1.5	<10	<2			
1832965	Drill Core	<0.1	<0.02	1.1	0.99	<0.1	0.25	0.03	9.5	0.2	<0.05	10.9	6.80	58.5	<0.02	<1	0.1	2.1	<10	<2			
1832966	Drill Core	<0.1	<0.02	0.7	1.57	<0.1	0.19	0.03	6.8	0.2	<0.05	7.6	4.64	47.2	<0.02	<1	0.1	1.3	<10	<2			
1832967	Drill Core	<0.1	<0.02	1.1	1.42	<0.1	0.35	0.04	9.8	0.3	<0.05	12.7	9.28	69.3	<0.02	<1	0.4	2.0	<10	<2			
1832968	Drill Core	<0.1	<0.02	0.9	0.60	<0.1	0.30	0.05	8.9	0.2	<0.05	11.1	5.36	73.6	<0.02	<1	0.2	1.1	<10	3			
1832969	Drill Core	<0.1	<0.02	1.0	0.51	<0.1	0.28	0.05	9.5	0.2	<0.05	12.0	5.62	73.3	<0.02	<1	0.2	1.5	<10	<2			
1832970	Drill Core	<0.1	<0.02	1.0	0.42	<0.1	0.26	0.07	8.9	0.2	<0.05	10.5	6.89	66.2	<0.02	<1	0.1	1.8	<10	<2			
1832971	Drill Core	<0.1	<0.02	0.8	0.58	<0.1	0.24	0.05	6.5	0.2	<0.05	8.8	4.81	36.9	<0.02	<1	<0.1	1.6	<10	2			
1832972	Drill Core	<0.1	<0.02	1.1	0.57	<0.1	0.33	0.03	8.4	0.3	<0.05	12.4	5.11	53.1	<0.02	<1	0.2	2.5	<10	<2			
1832973	Drill Core	<0.1	<0.02	0.9	0.44	<0.1	0.31	<0.02	6.9	0.2	<0.05	11.8	4.34	42.0	<0.02	<1	0.2	2.4	<10	<2			
1832974	Drill Core	0.3	<0.02	1.2	0.95	<0.1	0.45	0.05	10.4	0.2	<0.05	19.8	6.92	50.7	<0.02	<1	0.4	3.2	<10	<2			
1832975	Drill Core	0.2	<0.02	1.3	0.96	<0.1	0.46	0.05	11.0	0.2	<0.05	24.5	7.71	57.3	<0.02	1	<0.1	3.3	<10	<2			
1832976	Drill Core	0.3	<0.02	1.3	1.77	<0.1	0.59	0.06	12.9	0.3	<0.05	27.2	8.21	51.2	<0.02	<1	0.3	3.8	<10	<2			
1832977	Drill Core	0.3	<0.02	1.3	1.47	<0.1	0.62	0.07	12.9	0.4	<0.05	28.1	9.80	63.6	<0.02	<1	0.3	3.2	<10	<2			
1832978	Drill Core	<0.1	<0.02	1.1	1.15	<0.1	0.40	0.02	11.2	0.2	<0.05	24.1	8.62	70.9	<0.02	<1	0.2	2.2	<10	<2			
1832979	Drill Core	0.2	<0.02	1.4	0.83	<0.1	0.55	<0.02	10.6	0.3	<0.05	25.2	11.43	74.3	<0.02	<1	0.3	3.4	<10	<2			
1832980	Rock	<0.1	<0.02	0.3	0.11	<0.1	0.13	<0.02	1.1	<0.1	<0.05	3.2	1.03	4.8	<0.02	<1	<0.1	1.2	<10	<2			
1832981	Drill Core	0.1	<0.02	1.3	0.67	<0.1	0.53	0.03	11.5	0.3	<0.05	26.7	13.02	73.5	<0.02	<1	0.4	2.4	<10	<2			
1832982	Drill Core	<0.1	<0.02	1.2	0.83	<0.1	0.54	<0.02	10.8	0.3	<0.05	26.3	11.06	80.3	<0.02	<1	0.2	3.6	<10	<2			
1832983	Drill Core	<0.1	<0.02	1.1	1.21	<0.1	0.46	0.03	11.4	0.3	<0.05	19.1	7.75	49.8	<0.02	<1	0.1	2.9	<10	<2			
1832984	Drill Core	<0.1	<0.02	1.2	0.74	<0.1	0.31	0.19	12.4	0.9	<0.05	11.9	10.49	53.2	<0.02	<1	0.2	2.9	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000248.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1832985	Drill Core	5.54	430	0.007	<0.01	<0.17	36.14	0.33	3.67	9.62	20.6	342	0.8	0.9	102	0.67	5.8	2.6	5.6	10.3	23.6
1832986	Drill Core	2.75	491	0.009	<0.01	<0.17	30.45	0.32	4.46	19.77	22.0	229	0.5	1.0	71	0.63	3.7	3.8	3.8	10.8	16.2
1832987	Drill Core	5.08	460	0.006	<0.01	<0.17	34.07	0.25	4.91	16.36	26.8	270	0.9	1.4	99	0.62	3.0	2.5	1.7	11.8	18.3
1832988	Drill Core	5.09	509	<0.005	<0.01	<0.17	32.81	0.30	5.41	24.43	35.3	264	1.0	1.4	127	0.64	2.0	2.1	1.5	12.1	22.4
1832989	Drill Core	5.13	471	<0.005	<0.01	<0.17	34.10	0.32	5.59	22.11	50.7	196	1.7	1.7	185	0.89	2.3	2.0	<0.2	10.8	25.3
1832990	Drill Core	5.26	424	0.006	<0.01	<0.17	49.57	0.35	9.92	10.29	53.9	219	3.8	3.1	250	1.28	3.8	2.5	6.5	10.5	27.7
1832991	Drill Core	4.82	453	0.007	<0.01	<0.17	35.09	0.29	6.91	15.90	51.7	237	3.3	2.7	231	1.04	5.1	2.0	2.1	8.9	29.0
1832992	Drill Core	5.36	517	0.026	0.02	<0.17	33.12	0.29	3.33	12.69	26.1	265	1.6	1.8	176	0.80	6.7	3.3	9.2	12.0	18.9
1832993	Drill Core	4.66	473	0.012	0.01	<0.17	34.80	0.25	2.20	16.50	24.4	175	0.5	0.8	114	0.58	3.9	1.8	6.6	13.4	17.5
1832994	Drill Core	5.12	446	0.025	0.02	<0.17	43.41	0.33	2.39	14.93	19.7	146	0.6	0.7	119	0.58	1.0	1.2	1.0	11.8	14.8
1832995	Drill Core	5.52	479	0.163	0.16	<0.17	30.25	0.27	14.53	9.55	21.3	409	1.0	1.0	146	0.98	6.0	1.5	135.9	14.5	13.5
1832996	Drill Core	5.14	503	0.014	0.01	<0.17	35.87	0.46	1.95	19.51	20.6	190	0.9	0.7	133	0.86	3.8	1.5	11.9	15.8	11.4
1832997	Drill Core	2.35	501	0.010	<0.01	<0.17	36.00	0.33	2.18	22.64	18.4	179	0.7	0.7	138	0.69	3.6	1.4	4.1	14.8	13.5
1832998	Drill Core	2.38	481	0.010	<0.01	<0.17	34.48	0.29	1.63	24.17	21.6	172	0.6	0.8	121	0.65	1.9	2.2	5.9	14.8	12.5
1832999	Drill Core	5.35	503	0.039	0.04	<0.17	31.14	0.24	3.94	20.37	21.7	248	0.7	0.7	98	0.60	0.8	1.8	2.5	12.8	12.5
1833000	Rock Pulp	0.13	95	7.119				9.37	180.49	19.22	74.0	837	13.1	10.9	584	4.45	13.4	0.9	7117.1	1.5	80.0
1833001	Drill Core	5.12	455	0.030	0.03	<0.17	47.28	0.27	3.49	12.09	17.4	147	0.9	0.7	97	0.65	0.7	1.3	28.2	13.9	12.4
1833002	Drill Core	3.56	416	<0.005	<0.01	<0.17	42.76	0.84	30.19	2.68	61.9	334	37.7	28.5	637	4.11	13.9	1.0	0.5	1.4	81.6
1833003	Drill Core	3.02	474	<0.005	<0.01	<0.17	46.20	0.82	40.68	1.85	67.8	423	43.9	31.8	728	4.28	17.7	0.8	0.6	0.5	77.9
1833004	Drill Core	4.50	460	0.100	0.09	<0.17	31.13	0.27	3.32	9.53	31.8	142	2.9	2.5	177	0.94	1.5	1.9	72.3	13.4	30.1
1833005	Drill Core	4.99	457	0.008	<0.01	<0.17	56.34	0.22	3.32	15.62	15.4	228	0.5	0.5	103	0.51	0.9	1.1	7.0	11.8	13.7
1833006	Drill Core	4.12	481	0.007	<0.01	<0.17	28.64	0.29	3.21	19.09	24.1	202	0.8	0.6	142	0.66	1.7	1.0	6.1	11.5	15.8
1833007	Drill Core	4.16	507	0.012	0.01	<0.17	34.02	0.31	6.02	22.64	29.0	326	1.6	1.0	176	0.75	4.4	1.5	11.4	12.0	15.4
1833008	Drill Core	3.69	484	0.011	<0.01	<0.17	38.23	0.28	4.45	13.48	29.1	162	1.7	1.3	161	0.89	2.9	1.4	9.8	12.1	18.8
1833009	Drill Core	4.66	461	0.005	<0.01	<0.17	37.62	1.33	31.53	2.78	62.1	358	35.6	28.2	574	4.50	9.2	2.0	2.3	0.7	103.3
1833010	Drill Core	3.99	486	<0.005	<0.01	<0.17	65.48	0.89	26.60	1.87	59.5	219	39.0	28.4	570	4.23	2.1	0.5	1.0	<0.1	88.8
1833011	Drill Core	4.91	490	0.006	<0.01	<0.17	37.74	0.26	3.12	14.89	20.1	164	0.8	0.8	106	0.66	1.8	0.8	2.9	11.6	24.2
1833012	Drill Core	5.60	534	<0.005	<0.01	<0.17	40.24	0.24	3.13	16.36	18.9	210	0.5	0.6	105	0.57	1.6	1.4	1.3	10.5	23.1
1833013	Drill Core	4.67	461	0.009	<0.01	<0.17	41.79	0.33	3.74	22.80	31.7	267	0.9	0.9	179	0.74	1.8	1.1	5.7	11.6	21.7
1833014	Drill Core	4.71	425	<0.005	<0.01	<0.17	29.61	0.28	2.22	14.79	24.3	153	0.7	0.8	137	0.71	1.8	1.0	2.3	11.0	14.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000248.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1832985	Drill Core	0.43	1.16	0.17	1	0.27	0.011	28.8	1.8	0.11	232.3	0.038	1	0.51	0.034	0.26	0.6	3.0	0.08	<0.02	47			
1832986	Drill Core	0.29	0.91	0.17	1	0.18	0.010	24.8	1.6	0.08	192.3	0.027	2	0.47	0.030	0.28	0.5	2.0	0.07	<0.02	47			
1832987	Drill Core	0.30	0.74	0.16	2	0.26	0.014	23.0	3.6	0.13	238.9	0.038	2	0.53	0.028	0.29	0.8	3.1	0.10	<0.02	63			
1832988	Drill Core	0.34	0.73	0.19	2	0.30	0.016	25.8	4.6	0.16	277.4	0.037	2	0.56	0.020	0.30	0.8	3.5	0.10	<0.02	35			
1832989	Drill Core	0.37	0.75	0.15	5	0.33	0.019	23.2	8.3	0.24	338.3	0.047	2	0.66	0.029	0.28	0.9	4.3	0.09	<0.02	33			
1832990	Drill Core	0.41	0.87	0.16	10	0.35	0.028	20.4	18.7	0.44	300.0	0.073	1	0.81	0.033	0.24	1.4	4.6	0.09	0.05	32			
1832991	Drill Core	0.44	0.72	0.13	9	0.44	0.026	18.7	16.5	0.38	305.0	0.035	1	0.85	0.021	0.38	0.7	3.7	0.15	0.03	59			
1832992	Drill Core	0.32	0.72	0.16	4	0.28	0.016	23.9	9.9	0.30	306.4	0.018	2	0.68	0.018	0.38	0.5	2.9	0.15	<0.02	40			
1832993	Drill Core	0.22	0.59	0.19	1	0.23	0.011	26.6	4.3	0.18	295.4	0.013	2	0.62	0.026	0.36	0.4	2.4	0.12	<0.02	33			
1832994	Drill Core	0.17	0.45	0.19	<1	0.18	0.009	24.1	4.7	0.13	323.9	0.011	1	0.53	0.023	0.34	0.3	1.8	0.10	<0.02	20			
1832995	Drill Core	0.23	0.57	0.10	1	0.14	0.009	21.8	4.8	0.26	357.5	0.007	2	0.72	0.031	0.36	0.3	1.8	0.13	0.08	31			
1832996	Drill Core	0.54	0.35	0.13	2	0.14	0.012	25.9	4.7	0.28	400.2	0.007	2	0.71	0.030	0.41	0.3	2.2	0.16	0.13	31			
1832997	Drill Core	0.17	0.49	0.12	1	0.19	0.009	29.1	5.0	0.23	354.0	0.006	2	0.65	0.020	0.41	0.3	2.1	0.14	0.05	31			
1832998	Drill Core	0.17	0.43	0.22	<1	0.16	0.008	32.0	4.6	0.22	397.4	0.011	1	0.65	0.029	0.44	0.4	2.4	0.16	<0.02	17			
1832999	Drill Core	0.13	0.42	0.34	<1	0.16	0.008	28.2	4.9	0.18	354.1	0.015	1	0.60	0.037	0.39	0.4	2.5	0.13	<0.02	12			
1833000	Rock Pulp	0.18	4.46	0.55	115	1.00	0.058	7.5	20.1	0.85	129.0	0.132	3	1.92	0.207	0.24	4.0	4.7	0.07	<0.02	191			
1833001	Drill Core	0.10	0.30	0.20	1	0.13	0.008	31.6	4.9	0.22	305.8	0.012	<1	0.56	0.031	0.38	0.3	2.0	0.13	<0.02	6			
1833002	Drill Core	0.24	3.18	0.05	77	1.71	0.091	10.1	32.6	2.53	226.6	0.334	<1	3.40	0.228	0.20	0.6	4.5	0.16	0.05	13			
1833003	Drill Core	0.08	3.49	0.03	78	1.80	0.102	8.5	34.5	2.86	159.6	0.315	<1	3.78	0.243	0.13	0.5	4.1	0.12	0.04	20			
1833004	Drill Core	0.43	0.63	0.12	7	0.41	0.016	23.0	15.4	0.39	320.7	0.036	<1	0.80	0.049	0.41	0.6	3.1	0.16	0.07	11			
1833005	Drill Core	0.24	0.18	0.30	<1	0.14	0.005	35.6	4.5	0.15	421.9	0.007	<1	0.50	0.041	0.35	0.2	2.0	0.10	<0.02	20			
1833006	Drill Core	0.30	0.36	0.23	1	0.17	0.007	29.5	5.1	0.21	327.2	0.015	<1	0.56	0.043	0.34	0.3	2.4	0.11	<0.02	7			
1833007	Drill Core	0.43	0.56	0.26	2	0.18	0.008	30.0	6.7	0.26	319.2	0.023	<1	0.60	0.025	0.39	0.5	2.5	0.14	<0.02	17			
1833008	Drill Core	0.22	0.53	0.16	4	0.20	0.012	27.6	11.0	0.34	306.7	0.032	<1	0.66	0.035	0.39	0.6	3.0	0.14	<0.02	6			
1833009	Drill Core	0.25	1.49	0.13	87	1.70	0.108	10.1	31.4	2.38	294.7	0.355	<1	3.34	0.278	0.32	0.4	5.5	0.35	0.38	<5			
1833010	Drill Core	0.08	0.80	0.06	81	1.82	0.109	9.4	29.1	2.50	213.9	0.322	<1	3.24	0.275	0.27	0.2	3.8	0.18	0.37	<5			
1833011	Drill Core	0.25	0.33	0.16	2	0.29	0.010	23.0	5.2	0.18	308.5	0.021	<1	0.56	0.037	0.37	0.2	3.1	0.14	0.03	12			
1833012	Drill Core	0.55	0.45	0.17	1	0.30	0.009	22.7	4.5	0.13	328.8	0.019	<1	0.51	0.028	0.38	0.3	2.7	0.14	0.03	10			
1833013	Drill Core	0.28	0.53	0.26	2	0.26	0.012	25.2	6.3	0.23	371.3	0.021	<1	0.64	0.032	0.43	0.5	3.0	0.15	<0.02	11			
1833014	Drill Core	0.23	0.43	0.15	2	0.18	0.011	22.4	5.4	0.21	327.8	0.018	<1	0.60	0.038	0.40	0.4	2.9	0.14	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000248.1

	Method	Analyte	Method																		
			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251		
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2		
1832985	Drill Core	<0.1	<0.02	2.3	1.05	<0.1	0.13	0.54	13.6	0.6	<0.05	4.4	18.80	54.2	0.02	<1	0.5	3.3	<10	<2	
1832986	Drill Core	<0.1	<0.02	1.8	1.02	<0.1	0.11	0.36	13.0	0.5	<0.05	5.2	13.64	43.8	<0.02	<1	0.5	2.6	<10	<2	
1832987	Drill Core	<0.1	<0.02	2.4	1.02	<0.1	0.08	0.49	14.6	0.9	<0.05	2.7	16.71	46.4	0.03	<1	0.5	3.6	<10	<2	
1832988	Drill Core	<0.1	<0.02	2.6	1.02	<0.1	0.06	0.45	14.7	0.8	<0.05	2.1	16.59	52.7	0.02	<1	0.6	3.8	<10	<2	
1832989	Drill Core	<0.1	<0.02	2.9	0.86	<0.1	0.13	0.44	13.6	0.8	<0.05	6.3	17.21	48.4	0.03	<1	0.5	5.0	<10	<2	
1832990	Drill Core	<0.1	<0.02	3.5	1.46	<0.1	0.11	0.41	12.3	0.7	<0.05	3.6	15.24	41.4	<0.02	<1	0.5	8.1	<10	<2	
1832991	Drill Core	<0.1	<0.02	3.2	1.52	<0.1	0.11	0.28	20.1	0.5	<0.05	2.6	11.59	38.7	<0.02	<1	0.5	6.5	<10	<2	
1832992	Drill Core	<0.1	<0.02	2.3	2.28	<0.1	0.09	0.24	21.2	0.5	<0.05	3.7	11.79	49.1	<0.02	<1	0.5	5.4	<10	<2	
1832993	Drill Core	<0.1	<0.02	2.2	1.77	<0.1	0.06	0.25	16.9	0.5	<0.05	2.8	14.40	56.0	<0.02	<1	0.4	3.9	<10	<2	
1832994	Drill Core	<0.1	<0.02	1.9	1.31	<0.1	0.06	0.21	15.0	0.4	<0.05	2.8	11.99	49.9	<0.02	<1	0.4	3.3	<10	<2	
1832995	Drill Core	0.2	<0.02	2.7	2.55	<0.1	0.10	0.16	16.5	0.5	<0.05	5.5	11.21	45.1	<0.02	<1	0.4	7.0	<10	<2	
1832996	Drill Core	0.1	<0.02	2.6	1.79	<0.1	0.08	0.18	19.3	0.5	<0.05	3.5	10.86	54.3	<0.02	<1	0.4	6.7	<10	<2	
1832997	Drill Core	<0.1	<0.02	2.1	2.08	<0.1	0.07	0.18	18.9	0.4	<0.05	3.3	10.01	61.2	<0.02	<1	0.4	5.4	<10	<2	
1832998	Drill Core	<0.1	<0.02	2.2	1.69	<0.1	0.12	0.26	21.1	0.5	<0.05	5.5	12.62	71.6	<0.02	<1	0.5	5.5	<10	<2	
1832999	Drill Core	<0.1	<0.02	2.0	1.28	<0.1	0.08	0.29	18.0	0.5	<0.05	4.8	15.40	59.7	<0.02	<1	0.4	5.1	<10	<2	
1833000	Rock Pulp	0.1	0.15	5.3	0.71	0.2	0.11	0.10	7.9	1.7	<0.05	2.1	5.41	17.0	0.04	<1	0.1	6.5	<10	<2	
1833001	Drill Core	<0.1	<0.02	1.9	1.21	<0.1	0.10	0.25	16.6	0.4	<0.05	4.8	11.22	67.2	0.02	<1	0.3	5.2	<10	<2	
1833002	Drill Core	<0.1	<0.02	9.7	4.80	0.1	0.30	0.09	14.2	0.5	<0.05	12.7	15.04	24.7	<0.02	<1	0.4	27.1	<10	<2	
1833003	Drill Core	<0.1	<0.02	10.3	3.72	0.2	0.26	0.06	10.4	0.3	<0.05	12.6	15.34	21.9	<0.02	<1	0.6	31.6	<10	<2	
1833004	Drill Core	<0.1	<0.02	3.0	1.44	<0.1	0.20	0.30	19.3	0.5	<0.05	7.4	12.24	47.9	<0.02	<1	0.6	6.5	<10	<2	
1833005	Drill Core	<0.1	<0.02	1.6	0.51	<0.1	0.14	0.19	15.3	0.3	<0.05	5.8	8.02	72.3	<0.02	<1	0.4	3.6	<10	<2	
1833006	Drill Core	<0.1	<0.02	2.0	0.67	<0.1	0.18	0.28	15.8	0.4	<0.05	6.6	10.34	62.2	<0.02	<1	0.4	4.3	<10	<2	
1833007	Drill Core	<0.1	<0.02	2.0	1.12	<0.1	0.12	0.47	19.8	0.5	<0.05	4.8	12.72	62.8	<0.02	<1	0.4	4.9	<10	<2	
1833008	Drill Core	<0.1	<0.02	2.6	1.96	<0.1	0.15	0.34	19.8	0.6	<0.05	5.5	13.31	56.5	<0.02	<1	0.4	6.3	<10	<2	
1833009	Drill Core	0.4	<0.02	9.8	14.65	0.2	0.31	0.14	20.9	0.4	<0.05	13.9	17.90	26.2	<0.02	2	0.3	25.5	<10	<2	
1833010	Drill Core	<0.1	<0.02	10.2	5.57	0.2	0.24	0.11	15.7	0.4	<0.05	12.6	16.90	24.2	<0.02	<1	0.3	25.8	<10	<2	
1833011	Drill Core	<0.1	<0.02	2.3	0.80	<0.1	0.09	0.30	17.4	0.5	<0.05	3.2	14.29	48.6	0.02	<1	0.3	4.5	<10	<2	
1833012	Drill Core	<0.1	<0.02	1.9	0.83	<0.1	0.09	0.32	19.2	0.4	<0.05	3.4	15.46	48.5	<0.02	<1	0.4	3.4	<10	<2	
1833013	Drill Core	<0.1	<0.02	2.4	1.35	<0.1	0.08	0.35	21.8	0.5	<0.05	4.1	16.99	53.3	<0.02	<1	0.5	5.4	<10	<2	
1833014	Drill Core	<0.1	<0.02	2.3	0.98	<0.1	0.08	0.31	20.6	0.5	<0.05	3.2	14.26	47.8	<0.02	<1	0.4	4.6	<10	<2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000248.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1833015	Drill Core	5.17	469	<0.005	<0.01	<0.17	31.64	0.33	5.13	15.39	38.8	164	1.5	1.5	156	0.98	3.9	1.6	3.8	10.3	19.1
1833016	Drill Core	4.98	467	0.008	<0.01	<0.17	39.40	0.35	3.34	17.44	32.3	170	0.8	0.8	151	0.76	2.3	2.7	1.1	14.3	12.7
1833017	Drill Core	4.67	438	0.005	<0.01	<0.17	41.99	0.33	3.33	13.85	38.0	167	1.2	1.0	174	0.94	2.8	2.2	0.5	13.2	17.1
1833018	Drill Core	5.09	454	<0.005	<0.01	<0.17	33.30	0.30	5.01	13.80	33.6	180	1.4	1.2	176	0.87	2.9	1.9	0.8	10.5	37.1
1833019	Drill Core	4.26	439	<0.005	<0.01	<0.17	46.82	0.38	5.59	14.78	57.0	202	2.5	2.2	215	1.08	3.2	2.2	<0.2	9.0	34.0
1833020	Rock Pulp	0.13	95	0.484				2.37	417.24	17.81	46.6	263	604.7	25.2	438	2.53	18.4	0.6	426.5	1.3	55.1
1833021	Drill Core	4.35	463	0.007	<0.01	<0.17	39.85	0.44	3.86	6.40	26.7	213	2.5	2.2	146	0.97	4.2	1.6	1.5	6.9	37.2
1833022	Drill Core	2.74	455	0.005	<0.01	<0.17	48.58	0.41	6.30	14.69	47.7	232	2.5	2.3	194	1.08	3.0	2.4	1.1	10.3	42.6
1833023	Drill Core	2.60	493	<0.005	<0.01	<0.17	46.75	0.24	4.21	19.37	47.1	219	1.1	1.0	157	0.75	2.1	1.5	<0.2	12.1	31.5
1833024	Drill Core	4.58	469	0.005	<0.01	<0.17	46.52	0.25	3.00	16.00	19.9	191	0.5	0.7	126	0.55	1.7	1.6	1.5	14.2	34.5
1833025	Drill Core	5.06	454	0.047	0.04	<0.17	45.97	0.30	3.34	14.86	15.4	202	0.5	0.5	127	0.59	0.8	1.3	7.0	14.3	18.8
1833026	Drill Core	2.93	385	1.464	1.59	3.04	30.60	0.53	5.20	11.18	21.8	627	2.4	1.9	227	0.98	0.7	1.4	1871.7	13.4	40.7
1833027	Drill Core	3.55	473	0.010	<0.01	<0.17	38.03	0.29	4.63	10.00	26.6	124	2.0	2.2	273	0.91	1.1	1.3	7.2	14.2	32.8
1833028	Drill Core	4.62	396	0.025	0.02	<0.17	34.42	0.27	17.86	5.36	48.9	282	11.2	7.9	339	2.18	3.1	1.3	5.6	10.0	56.2
1833029	Drill Core	4.16	389	<0.005	<0.01	<0.17	27.85	0.44	12.70	6.17	47.1	205	11.0	7.3	315	2.13	3.5	2.4	0.7	11.6	40.0
1833030	Drill Core	4.58	421	<0.005	<0.01	<0.17	28.60	0.42	17.92	4.66	62.7	201	11.8	8.9	363	2.38	4.7	1.7	<0.2	10.5	57.7
1833031	Drill Core	4.14	389	<0.005	<0.01	<0.17	23.69	0.32	13.38	8.25	71.8	144	12.2	8.7	417	2.47	4.8	1.9	<0.2	10.1	49.6
1833032	Drill Core	5.50	506	0.006	<0.01	<0.17	35.18	0.76	15.25	4.88	52.7	165	12.2	8.5	397	2.48	6.7	3.1	<0.2	9.9	43.4
1833033	Drill Core	5.46	509	<0.005	<0.01	<0.17	25.09	0.83	18.05	12.70	69.2	231	12.5	8.6	399	2.46	7.4	3.9	<0.2	9.5	37.8
1833034	Drill Core	4.99	528	<0.005	<0.01	<0.17	33.49	0.42	17.61	26.98	102.7	230	12.9	8.8	461	2.48	7.7	2.9	<0.2	10.3	52.2
1833035	Drill Core	5.32	494	<0.005	<0.01	<0.17	24.79	0.63	14.53	4.30	49.5	173	11.0	8.1	368	2.27	7.2	2.4	0.7	10.2	43.6
1833036	Drill Core	4.79	491	<0.005	<0.01	<0.17	33.72	0.57	14.20	22.75	64.6	165	11.3	8.6	424	2.42	9.3	1.8	<0.2	9.4	49.4
1833037	Drill Core	4.68	420	<0.005	<0.01	<0.17	53.29	0.79	13.08	15.75	49.5	200	8.8	6.2	308	1.82	7.8	1.5	<0.2	11.0	51.5
1833038	Drill Core	3.65	457	<0.005	<0.01	<0.17	30.77	0.48	11.87	47.93	50.4	255	6.2	4.1	285	1.48	3.8	1.2	<0.2	12.4	49.7
1833039	Drill Core	2.38	477	<0.005	<0.01	<0.17	17.95	0.51	1.15	18.79	15.3	87	2.4	1.4	173	0.90	3.6	1.0	<0.2	8.6	30.6
1833040	Rock Pulp	0.13	93	0.009				2.30	91.17	3.53	35.9	116	4.6	9.0	381	2.63	0.9	0.8	<0.2	2.6	79.0
1833041	Drill Core	2.70	485	<0.005	<0.01	<0.17	65.02	0.72	9.72	15.39	22.2	170	7.0	5.0	150	1.10	3.2	2.2	<0.2	14.3	20.8
1833042	Drill Core	4.79	494	<0.005	<0.01	<0.17	37.14	0.91	3.17	30.89	9.5	305	0.5	0.4	63	0.42	1.4	1.6	<0.2	14.2	8.5
1833043	Drill Core	4.88	474	<0.005	<0.01	<0.17	47.46	0.66	3.45	49.79	21.7	346	2.8	2.1	137	0.77	9.8	1.6	<0.2	14.2	23.7
1833044	Drill Core	5.46	514	<0.005	<0.01	<0.17	43.64	0.48	2.52	11.14	10.5	128	0.6	0.5	72	0.47	1.2	1.3	0.4	14.0	7.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000248.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833015	Drill Core	0.23	0.70	0.17	6	0.23	0.015	23.2	13.2	0.35	297.4	0.023	<1	0.71	0.036	0.43	0.4	3.3	0.17	<0.02	<5			
1833016	Drill Core	0.17	0.44	0.26	2	0.16	0.011	33.1	6.9	0.29	384.0	0.019	1	0.65	0.031	0.46	0.4	2.7	0.18	<0.02	6			
1833017	Drill Core	0.23	0.58	0.22	3	0.24	0.012	31.0	7.6	0.33	349.2	0.025	<1	0.73	0.035	0.44	0.5	3.3	0.17	<0.02	<5			
1833018	Drill Core	0.43	0.51	0.21	4	0.53	0.014	23.2	8.1	0.30	352.8	0.029	<1	0.69	0.033	0.42	0.4	3.4	0.16	0.07	9			
1833019	Drill Core	0.65	0.73	0.18	9	0.61	0.022	23.0	14.6	0.38	339.5	0.053	<1	0.80	0.031	0.40	0.5	5.0	0.17	0.09	16			
1833020	Rock Pulp	0.19	0.31	0.31	54	1.34	0.030	3.8	99.2	1.82	76.8	0.066	2	2.09	0.208	0.15	1.4	3.9	0.09	0.20	18			
1833021	Drill Core	0.31	0.74	0.08	6	0.56	0.023	19.9	10.7	0.27	341.5	0.062	<1	0.70	0.037	0.26	0.5	4.2	0.11	0.09	15			
1833022	Drill Core	0.63	0.83	0.13	7	0.63	0.021	23.6	8.5	0.32	355.4	0.076	<1	0.73	0.029	0.24	0.9	3.7	0.12	0.12	17			
1833023	Drill Core	0.52	0.68	0.18	2	0.43	0.014	26.7	3.2	0.21	416.6	0.052	1	0.58	0.035	0.28	0.6	3.1	0.12	0.09	9			
1833024	Drill Core	0.70	0.56	0.21	<1	0.40	0.009	33.8	1.5	0.12	389.4	0.023	1	0.48	0.036	0.32	0.5	1.9	0.12	0.08	<5			
1833025	Drill Core	0.13	0.31	0.26	1	0.30	0.006	33.6	1.8	0.23	414.9	0.003	<1	0.53	0.032	0.35	0.1	1.4	0.09	0.08	<5			
1833026	Drill Core	0.14	0.36	0.16	3	0.74	0.016	25.3	3.8	0.39	310.2	0.003	<1	0.63	0.016	0.34	0.1	1.7	0.08	0.21	<5			
1833027	Drill Core	0.24	0.45	0.09	5	0.65	0.016	34.0	7.1	0.30	354.5	0.008	1	0.62	0.027	0.33	0.2	2.1	0.09	0.12	<5			
1833028	Drill Core	0.19	0.76	0.07	25	0.81	0.056	21.2	25.9	1.12	204.0	0.090	<1	1.24	0.030	0.46	0.5	5.4	0.16	0.13	<5			
1833029	Drill Core	0.11	0.70	0.10	26	0.62	0.054	23.5	27.0	1.09	254.6	0.136	1	1.21	0.031	0.64	0.5	6.2	0.23	0.13	<5			
1833030	Drill Core	0.21	0.65	0.05	30	0.61	0.059	19.4	30.4	1.17	228.3	0.103	<1	1.28	0.038	0.77	0.5	5.5	0.31	0.19	<5			
1833031	Drill Core	0.30	0.74	0.03	31	0.68	0.061	20.7	31.0	1.19	222.0	0.090	<1	1.28	0.037	0.75	0.8	5.8	0.31	0.17	<5			
1833032	Drill Core	0.38	0.74	0.02	30	0.55	0.063	18.7	32.0	1.05	227.9	0.119	<1	1.24	0.038	0.72	0.8	5.7	0.28	0.16	<5			
1833033	Drill Core	0.49	0.67	0.10	31	0.50	0.059	17.3	31.1	1.04	204.5	0.113	<1	1.21	0.037	0.83	0.5	5.6	0.34	0.24	6			
1833034	Drill Core	0.48	0.87	0.11	34	0.70	0.058	21.2	33.8	1.07	179.0	0.111	<1	1.19	0.048	0.67	0.6	6.0	0.27	0.19	<5			
1833035	Drill Core	0.13	0.90	<0.02	27	0.53	0.062	19.6	27.9	1.00	224.3	0.113	<1	1.20	0.032	0.78	0.6	5.5	0.28	0.21	<5			
1833036	Drill Core	0.28	0.93	0.08	26	0.67	0.059	19.7	28.0	1.06	225.1	0.114	<1	1.23	0.035	0.77	0.4	5.8	0.39	0.29	5			
1833037	Drill Core	0.23	0.84	0.10	18	0.76	0.046	23.6	19.8	0.84	233.4	0.062	1	1.01	0.022	0.45	0.5	4.9	0.21	0.29	<5			
1833038	Drill Core	0.37	0.93	0.12	11	0.63	0.033	26.9	12.2	0.86	279.6	0.022	<1	1.08	0.014	0.45	0.2	3.7	0.19	0.11	<5			
1833039	Drill Core	0.20	0.57	0.03	5	0.53	0.009	21.9	5.2	0.31	181.8	0.019	<1	0.52	0.010	0.21	0.2	1.5	0.08	0.03	<5			
1833040	Rock Pulp	0.07	0.11	0.04	95	0.97	0.055	7.2	10.1	0.74	127.1	0.109	<1	1.68	0.194	0.21	2.9	2.5	0.05	<0.02	<5			
1833041	Drill Core	0.31	0.70	0.22	17	0.37	0.020	34.3	7.1	0.47	300.7	0.084	<1	0.85	0.038	0.36	0.4	2.9	0.10	0.16	<5			
1833042	Drill Core	0.10	0.29	0.49	<1	0.11	0.005	34.4	1.5	0.11	256.6	0.005	<1	0.40	0.021	0.34	0.1	1.0	0.07	0.04	<5			
1833043	Drill Core	0.12	0.48	0.53	5	0.33	0.011	33.5	3.7	0.33	264.7	0.041	<1	0.64	0.016	0.34	0.3	1.8	0.08	0.03	5			
1833044	Drill Core	0.11	0.22	0.13	<1	0.14	0.010	26.9	1.7	0.17	271.2	0.012	<1	0.46	0.012	0.35	0.1	1.5	0.08	0.03	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000248.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833015	Drill Core	<0.1	<0.02	2.8	1.74	<0.1	0.08	0.27	24.7	0.5	<0.05	2.7	13.25	48.1	<0.02	<1	0.4	5.2	<10	<2			
1833016	Drill Core	<0.1	<0.02	2.3	1.75	<0.1	0.13	0.30	24.9	0.5	<0.05	5.1	16.59	68.0	0.03	<1	0.5	5.9	<10	<2			
1833017	Drill Core	<0.1	<0.02	2.8	1.88	<0.1	0.13	0.34	24.1	0.5	<0.05	4.9	17.09	66.2	0.02	<1	0.5	6.4	<10	<2			
1833018	Drill Core	0.1	<0.02	2.8	1.21	<0.1	0.07	0.38	22.5	0.6	<0.05	2.9	16.44	48.7	0.03	<1	0.5	5.4	<10	<2			
1833019	Drill Core	0.2	<0.02	3.5	1.26	<0.1	0.08	0.48	25.2	0.8	<0.05	2.0	17.16	48.3	0.02	<1	0.6	5.7	<10	<2			
1833020	Rock Pulp	0.7	0.14	4.4	0.61	0.1	0.05	0.03	5.7	0.4	<0.05	1.8	3.08	8.6	<0.02	2	<0.1	7.5	263	115			
1833021	Drill Core	<0.1	<0.02	3.2	0.50	<0.1	0.10	0.52	13.8	0.6	<0.05	2.3	14.51	42.0	0.03	<1	0.5	4.5	<10	<2			
1833022	Drill Core	0.1	<0.02	3.6	0.56	0.1	0.06	0.80	15.1	0.8	<0.05	1.7	18.32	46.4	0.03	<1	0.5	5.5	<10	<2			
1833023	Drill Core	0.4	<0.02	3.1	0.61	<0.1	0.15	0.72	17.2	0.8	<0.05	4.6	18.06	50.9	0.03	<1	0.7	5.1	<10	<2			
1833024	Drill Core	0.3	<0.02	2.2	1.02	<0.1	0.22	0.47	17.9	0.5	<0.05	7.5	14.71	64.7	0.03	1	0.5	3.8	<10	<2			
1833025	Drill Core	<0.1	<0.02	2.3	1.14	<0.1	0.44	0.06	16.3	0.4	<0.05	16.3	7.97	65.8	<0.02	<1	0.4	4.6	<10	<2			
1833026	Drill Core	0.2	0.04	2.6	0.93	<0.1	0.55	0.04	14.9	0.4	<0.05	22.6	7.12	48.4	<0.02	<1	0.3	7.5	<10	<2			
1833027	Drill Core	0.2	<0.02	2.6	0.86	<0.1	0.40	0.09	16.5	0.5	<0.05	16.2	9.99	63.5	<0.02	<1	0.4	7.3	<10	<2			
1833028	Drill Core	0.3	<0.02	5.8	2.25	0.1	0.46	0.10	25.9	0.7	<0.05	15.6	14.77	42.3	<0.02	<1	0.6	18.2	<10	<2			
1833029	Drill Core	0.3	<0.02	5.9	2.80	<0.1	0.43	0.19	35.1	0.9	<0.05	14.7	15.62	46.0	<0.02	1	0.8	14.7	<10	<2			
1833030	Drill Core	0.3	<0.02	6.0	4.37	<0.1	0.29	0.09	42.8	0.7	<0.05	9.6	12.12	37.6	<0.02	3	0.5	13.8	<10	<2			
1833031	Drill Core	0.3	<0.02	6.2	4.27	<0.1	0.30	0.07	41.6	0.7	<0.05	9.6	12.53	41.9	<0.02	1	0.7	14.4	<10	<2			
1833032	Drill Core	0.3	<0.02	6.2	4.35	<0.1	0.27	0.11	41.7	0.7	<0.05	10.1	12.45	36.3	0.02	<1	0.5	13.9	<10	<2			
1833033	Drill Core	0.4	<0.02	6.0	4.24	<0.1	0.29	0.09	47.7	0.7	<0.05	10.0	11.29	33.8	<0.02	1	0.5	14.8	<10	<2			
1833034	Drill Core	0.5	<0.02	6.5	4.23	<0.1	0.32	0.09	41.4	0.8	<0.05	10.9	14.01	42.0	0.02	<1	0.4	12.6	<10	<2			
1833035	Drill Core	0.4	<0.02	5.5	4.42	<0.1	0.24	0.09	45.9	0.6	<0.05	9.0	12.97	37.9	<0.02	<1	0.9	15.1	<10	<2			
1833036	Drill Core	0.3	<0.02	5.3	4.08	<0.1	0.24	0.11	47.2	0.7	<0.05	8.5	13.05	38.6	<0.02	1	0.6	12.4	<10	<2			
1833037	Drill Core	0.3	<0.02	4.3	1.67	<0.1	0.43	0.13	22.5	0.6	<0.05	14.2	14.62	46.4	<0.02	2	0.4	11.9	<10	<2			
1833038	Drill Core	0.2	<0.02	3.9	1.67	<0.1	0.42	0.09	24.1	0.5	<0.05	14.8	14.31	53.7	<0.02	<1	0.5	13.8	<10	<2			
1833039	Drill Core	<0.1	<0.02	2.0	0.72	<0.1	0.25	0.06	10.2	0.3	<0.05	9.0	10.23	42.6	<0.02	<1	0.4	5.5	<10	<2			
1833040	Rock Pulp	<0.1	<0.02	4.9	0.30	<0.1	0.08	0.07	6.7	0.2	<0.05	1.8	4.80	15.2	<0.02	<1	0.1	5.8	<10	<2			
1833041	Drill Core	<0.1	<0.02	2.9	0.82	<0.1	0.70	0.19	15.2	0.4	<0.05	23.8	13.95	64.3	<0.02	<1	0.4	7.9	<10	<2			
1833042	Drill Core	0.1	<0.02	1.6	0.47	<0.1	0.52	0.14	12.6	0.4	<0.05	19.2	14.11	66.9	<0.02	1	0.3	2.7	<10	<2			
1833043	Drill Core	0.4	<0.02	2.7	0.61	<0.1	0.66	0.30	14.2	0.4	<0.05	23.2	17.52	65.6	<0.02	2	0.3	6.1	<10	<2			
1833044	Drill Core	0.2	<0.02	1.9	0.38	<0.1	0.60	0.24	14.6	0.3	<0.05	21.6	16.60	52.8	<0.02	1	0.2	3.2	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000248.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1833045	Drill Core	5.98	531	<0.005	<0.01	<0.17	35.31	0.64	3.01	8.80	12.1	139	0.9	0.5	71	0.51	2.4	1.4	0.9	13.8	8.2
1833046	Drill Core	4.44	477	<0.005	<0.01	<0.17	42.52	0.41	2.38	6.81	12.6	75	0.8	0.5	97	0.52	1.6	1.2	<0.2	13.8	7.9
1833047	Drill Core	5.36	551	0.005	<0.01	<0.17	41.15	0.29	2.62	5.81	12.1	81	0.5	0.4	81	0.46	1.9	1.2	0.8	13.7	7.8
1833048	Drill Core	4.49	503	0.006	<0.01	<0.17	48.40	0.39	3.35	6.53	19.8	167	0.6	0.8	111	0.79	11.2	2.3	<0.2	13.0	14.0



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000248.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1833045	Drill Core	0.13	0.38	0.10	<1	0.14	0.013	27.3	1.9	0.16	287.0	0.016	<1	0.49	0.010	0.37	0.2	1.5	0.09	0.03
1833046	Drill Core	0.11	0.25	0.06	<1	0.13	0.012	23.3	2.0	0.18	260.3	0.011	<1	0.49	0.010	0.35	0.2	1.3	0.08	<0.02
1833047	Drill Core	0.16	0.33	0.06	<1	0.15	0.008	22.7	1.9	0.14	243.5	0.020	<1	0.44	0.019	0.33	0.2	1.5	0.07	<0.02
1833048	Drill Core	0.27	0.81	0.29	<1	0.20	0.008	26.1	2.3	0.16	268.9	0.048	<1	0.50	0.044	0.24	0.6	3.0	0.07	<0.02



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000248.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1833045	Drill Core	0.2	<0.02	1.9	0.44	<0.1	0.58	0.25	16.1	0.3	<0.05	23.2	20.24	53.8	<0.02	<1	0.2	3.4	<10
1833046	Drill Core	0.1	<0.02	1.9	0.86	<0.1	0.49	0.20	16.8	0.4	<0.05	17.8	16.81	45.9	<0.02	<1	0.3	4.1	<10
1833047	Drill Core	<0.1	<0.02	1.7	0.56	<0.1	0.43	0.40	15.2	0.4	<0.05	16.7	17.78	44.2	<0.02	<1	0.4	3.5	<10
1833048	Drill Core	0.2	0.02	2.6	0.86	<0.1	0.36	0.92	14.4	0.8	<0.05	13.0	22.71	51.7	0.02	<1	0.3	4.6	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 15, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000248.1

		Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																						
1832939	Drill Core	4.96	444	0.005	<0.01	<0.17	45.72	0.26	4.67	28.67	11.6	309	0.4	0.6	61	0.43	0.7	5.5	<0.2	14.0	5.9	
REP 1832939	QC	<0.005																				
1832941	Drill Core	4.35	437	<0.005	<0.01	<0.17	34.16	0.61	2.46	30.71	12.8	298	0.6	0.4	71	0.40	0.8	3.8	<0.2	14.0	6.5	
REP 1832941	QC								0.58	2.66	29.70	12.9	276	0.7	0.3	70	0.40	0.6	3.6	<0.2	12.9	6.5
1832975	Drill Core	2.48	452	0.010	<0.01	<0.17	26.76	0.24	4.02	19.45	8.5	517	0.8	0.4	66	0.56	3.2	2.0	5.0	11.3	9.1	
REP 1832975	QC								0.24	4.08	19.91	9.3	526	0.6	0.4	70	0.55	3.4	2.0	4.6	10.7	9.2
1832978	Drill Core	5.19	453	0.012	0.01	<0.17	30.33	0.28	4.12	24.86	10.5	330	0.4	0.3	83	0.44	2.9	2.1	7.0	12.7	5.7	
REP 1832978	QC	0.009																				
1833011	Drill Core	4.91	490	0.006	<0.01	<0.17	37.74	0.26	3.12	14.89	20.1	164	0.8	0.8	106	0.66	1.8	0.8	2.9	11.6	24.2	
REP 1833011	QC								0.26	3.17	15.11	20.7	160	0.8	0.8	105	0.65	1.5	0.8	2.2	10.9	24.0
1833013	Drill Core	4.67	461	0.009	<0.01	<0.17	41.79	0.33	3.74	22.80	31.7	267	0.9	0.9	179	0.74	1.8	1.1	5.7	11.6	21.7	
REP 1833013	QC	0.009																				
1833041	Drill Core	2.70	485	<0.005	<0.01	<0.17	65.02	0.72	9.72	15.39	22.2	170	7.0	5.0	150	1.10	3.2	2.2	<0.2	14.3	20.8	
REP 1833041	QC								0.77	9.97	16.03	22.5	179	7.2	5.0	162	1.11	3.1	2.2	<0.2	13.6	21.7
Core Reject Duplicates																						
1832946	Drill Core	5.20	519	0.006	<0.01	<0.17	42.79	0.17	1.92	16.00	5.8	123	0.3	<0.1	56	0.26	0.4	1.5	0.3	16.0	13.5	
DUP 1832946	QC		551	<0.005	<0.01	<0.17	45.01	0.19	3.16	15.68	6.2	115	0.3	<0.1	55	0.26	0.5	1.6	<0.2	16.2	13.9	
1833014	Drill Core	4.71	425	<0.005	<0.01	<0.17	29.61	0.28	2.22	14.79	24.3	153	0.7	0.8	137	0.71	1.8	1.0	2.3	11.0	14.3	
DUP 1833014	QC		406	<0.005	<0.01	<0.17	47.77	0.30	2.22	15.06	24.5	155	0.7	0.8	140	0.73	1.9	1.0	1.5	10.6	15.0	
1833048	Drill Core	4.49	503	0.006	<0.01	<0.17	48.40	0.39	3.35	6.53	19.8	167	0.6	0.8	111	0.79	11.2	2.3	<0.2	13.0	14.0	
DUP 1833048	QC		504	0.007	<0.01	<0.17	41.39	0.37	3.09	6.28	20.7	175	0.6	0.8	121	0.80	10.8	2.2	<0.2	12.9	14.4	
Reference Materials																						
STD BVGEO01	Standard								10.62	4326.43	190.07	1716.1	2588	161.3	24.6	725	3.71	115.4	3.6	220.5	16.6	55.4
STD BVGEO01	Standard								10.80	4332.11	191.06	1664.5	2437	165.1	23.1	722	3.52	111.6	3.7	202.0	13.7	54.5
STD DS11	Standard								15.58	159.22	145.69	332.0	1735	82.8	14.0	1029	3.10	43.4	2.9	72.5	6.8	68.3
STD DS11	Standard								15.33	150.69	133.48	336.4	1760	81.5	13.7	1030	3.13	42.1	2.7	77.3	8.2	68.4
STD OREAS262	Standard								0.69	127.03	55.31	154.0	438	60.9	28.6	525	3.24	34.7	1.4	68.8	7.5	36.1
STD OREAS262	Standard								0.73	115.99	57.79	146.1	448	66.3	27.6	534	3.18	34.5	1.2	77.8	10.2	34.4



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 15, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000248.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1832939	Drill Core	0.61	1.28	0.35	<1	0.05	0.005	22.2	1.3	0.15	206.9	0.004	<1	0.38	0.017	0.32	0.1	0.9	0.07	0.13	14
REP 1832939	QC																				
1832941	Drill Core	0.64	0.73	0.39	<1	0.05	0.005	23.8	1.6	0.16	177.1	0.005	<1	0.39	0.009	0.34	0.2	0.9	0.08	0.06	10
REP 1832941	QC	0.61	0.65	0.34	<1	0.05	0.005	23.6	1.5	0.16	170.2	0.005	<1	0.38	0.009	0.33	0.2	0.8	0.09	0.06	14
1832975	Drill Core	0.11	0.57	0.50	1	0.06	0.009	32.1	1.9	0.13	192.1	0.004	2	0.47	0.030	0.37	0.1	1.2	0.07	<0.02	12
REP 1832975	QC	0.13	0.60	0.53	1	0.06	0.008	31.5	1.9	0.13	191.9	0.004	1	0.46	0.028	0.36	0.1	1.3	0.07	<0.02	12
1832978	Drill Core	0.29	0.76	0.32	<1	0.03	0.005	38.7	1.1	0.10	241.6	0.002	2	0.38	0.019	0.34	0.1	1.0	0.07	<0.02	14
REP 1832978	QC																				
1833011	Drill Core	0.25	0.33	0.16	2	0.29	0.010	23.0	5.2	0.18	308.5	0.021	<1	0.56	0.037	0.37	0.2	3.1	0.14	0.03	12
REP 1833011	QC	0.24	0.34	0.16	2	0.29	0.010	23.2	5.6	0.18	319.0	0.022	<1	0.57	0.038	0.36	0.2	3.1	0.13	0.03	11
1833013	Drill Core	0.28	0.53	0.26	2	0.26	0.012	25.2	6.3	0.23	371.3	0.021	<1	0.64	0.032	0.43	0.5	3.0	0.15	<0.02	11
REP 1833013	QC																				
1833041	Drill Core	0.31	0.70	0.22	17	0.37	0.020	34.3	7.1	0.47	300.7	0.084	<1	0.85	0.038	0.36	0.4	2.9	0.10	0.16	<5
REP 1833041	QC	0.29	0.74	0.21	18	0.38	0.020	34.3	7.5	0.48	311.5	0.089	<1	0.87	0.038	0.37	0.4	3.0	0.11	0.16	<5
Core Reject Duplicates																					
1832946	Drill Core	0.04	0.27	0.22	<1	0.21	0.004	30.2	1.1	0.07	120.2	0.002	<1	0.27	0.021	0.25	0.1	0.5	0.04	0.02	18
DUP 1832946	QC	0.03	0.29	0.23	<1	0.21	0.004	30.4	1.2	0.08	118.6	0.002	<1	0.28	0.023	0.26	0.2	0.6	0.04	0.03	11
1833014	Drill Core	0.23	0.43	0.15	2	0.18	0.011	22.4	5.4	0.21	327.8	0.018	<1	0.60	0.038	0.40	0.4	2.9	0.14	<0.02	<5
DUP 1833014	QC	0.21	0.45	0.15	2	0.19	0.012	22.7	5.6	0.22	332.8	0.018	<1	0.61	0.039	0.41	0.4	2.9	0.14	<0.02	<5
1833048	Drill Core	0.27	0.81	0.29	<1	0.20	0.008	26.1	2.3	0.16	268.9	0.048	<1	0.50	0.044	0.24	0.6	3.0	0.07	<0.02	7
DUP 1833048	QC	0.26	0.76	0.26	1	0.20	0.009	26.4	2.3	0.17	279.5	0.047	<1	0.51	0.045	0.24	0.5	3.1	0.07	<0.02	<5
Reference Materials																					
STD BVGEO01	Standard	6.47	3.68	26.14	72	1.30	0.065	27.0	187.9	1.30	289.7	0.229	4	2.34	0.194	0.89	5.3	6.0	0.65	0.67	99
STD BVGEO01	Standard	6.15	2.91	23.61	77	1.32	0.067	24.5	204.7	1.32	247.6	0.231	3	2.43	0.211	0.90	4.5	7.0	0.62	0.66	89
STD DS11	Standard	2.46	9.72	12.77	48	1.06	0.069	19.2	59.2	0.85	352.8	0.093	9	1.21	0.075	0.41	2.9	3.3	5.12	0.27	294
STD DS11	Standard	2.45	8.94	11.94	52	1.08	0.066	20.1	60.2	0.86	380.7	0.102	6	1.24	0.076	0.41	3.0	3.1	5.06	0.29	253
STD OREAS262	Standard	0.63	6.44	1.12	22	2.95	0.038	16.7	45.1	1.18	257.1	0.002	6	1.44	0.068	0.33	0.2	3.4	0.49	0.26	174
STD OREAS262	Standard	0.65	6.09	1.11	21	2.85	0.039	15.9	44.1	1.14	245.0	0.002	4	1.26	0.066	0.30	0.2	3.2	0.51	0.25	156



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 15, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000248.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1832939	Drill Core	0.3	0.03	1.1	2.06	<0.1	0.83	0.16	11.5	0.3	<0.05	16.7	9.35	44.0	<0.02	2	0.2	2.4	<10	<2
REP 1832939	QC																			
1832941	Drill Core	0.3	0.04	1.1	2.21	<0.1	0.53	0.11	12.6	1.5	<0.05	11.8	8.58	46.8	<0.02	4	0.3	2.7	<10	<2
REP 1832941	QC	0.2	<0.02	1.3	2.15	<0.1	0.49	0.13	12.4	1.2	<0.05	12.0	8.15	46.3	<0.02	3	0.1	2.6	<10	<2
1832975	Drill Core	0.2	<0.02	1.3	0.96	<0.1	0.46	0.05	11.0	0.2	<0.05	24.5	7.71	57.3	<0.02	1	<0.1	3.3	<10	<2
REP 1832975	QC	<0.1	<0.02	1.4	0.97	<0.1	0.53	0.05	11.5	0.2	<0.05	23.2	7.85	57.4	<0.02	<1	0.2	3.3	<10	<2
1832978	Drill Core	<0.1	<0.02	1.1	1.15	<0.1	0.40	0.02	11.2	0.2	<0.05	24.1	8.62	70.9	<0.02	<1	0.2	2.2	<10	<2
REP 1832978	QC																			
1833011	Drill Core	<0.1	<0.02	2.3	0.80	<0.1	0.09	0.30	17.4	0.5	<0.05	3.2	14.29	48.6	0.02	<1	0.3	4.5	<10	<2
REP 1833011	QC	<0.1	<0.02	2.3	0.80	<0.1	0.10	0.30	17.6	0.5	<0.05	3.4	14.20	49.6	<0.02	<1	0.3	4.5	<10	<2
1833013	Drill Core	<0.1	<0.02	2.4	1.35	<0.1	0.08	0.35	21.8	0.5	<0.05	4.1	16.99	53.3	<0.02	<1	0.5	5.4	<10	<2
REP 1833013	QC																			
1833041	Drill Core	<0.1	<0.02	2.9	0.82	<0.1	0.70	0.19	15.2	0.4	<0.05	23.8	13.95	64.3	<0.02	<1	0.4	7.9	<10	<2
REP 1833041	QC	0.2	0.03	3.0	0.79	<0.1	0.73	0.18	15.7	0.5	<0.05	26.0	15.42	68.6	<0.02	2	0.4	8.5	<10	<2
Core Reject Duplicates																				
1832946	Drill Core	<0.1	<0.02	1.1	0.48	<0.1	0.43	0.14	9.2	0.2	<0.05	7.4	6.55	58.6	<0.02	1	0.3	1.3	<10	2
DUP 1832946	QC	0.2	<0.02	1.3	0.46	<0.1	0.44	0.14	9.3	0.2	<0.05	7.0	6.77	61.2	<0.02	<1	0.2	1.9	<10	<2
1833014	Drill Core	<0.1	<0.02	2.3	0.98	<0.1	0.08	0.31	20.6	0.5	<0.05	3.2	14.26	47.8	<0.02	<1	0.4	4.6	<10	<2
DUP 1833014	QC	<0.1	<0.02	2.3	1.03	<0.1	0.09	0.32	20.7	0.5	<0.05	3.2	14.70	49.2	<0.02	<1	0.4	4.8	<10	<2
1833048	Drill Core	0.2	0.02	2.6	0.86	<0.1	0.36	0.92	14.4	0.8	<0.05	13.0	22.71	51.7	0.02	<1	0.3	4.6	<10	<2
DUP 1833048	QC	0.3	<0.02	2.7	0.87	<0.1	0.35	0.84	14.6	0.6	<0.05	11.8	21.42	53.0	<0.02	<1	0.2	4.5	<10	<2
Reference Materials																				
STD BVGEO01	Standard	5.1	1.13	7.5	7.26	0.1	0.32	0.27	93.9	5.8	<0.05	11.4	14.13	55.3	0.46	6	0.5	19.2	160	177
STD BVGEO01	Standard	4.6	0.99	7.4	7.41	0.2	0.28	0.24	95.3	5.4	<0.05	9.3	14.09	53.9	0.42	4	0.6	19.1	110	180
STD DS11	Standard	2.1	4.63	4.8	2.99	<0.1	0.06	1.38	33.6	2.0	<0.05	3.2	7.94	38.4	0.22	43	0.6	22.6	101	176
STD DS11	Standard	2.1	4.74	5.1	2.98	<0.1	0.07	1.70	34.1	1.8	<0.05	3.7	8.70	42.1	0.28	37	0.6	21.3	119	164
STD OREAS262	Standard	0.5	0.24	4.0	3.06	<0.1	0.28	<0.02	19.5	0.5	<0.05	13.0	10.48	37.0	0.04	2	1.1	17.7	<10	<2
STD OREAS262	Standard	0.5	0.29	3.8	3.00	<0.1	0.26	<0.02	18.5	0.6	<0.05	11.0	10.21	31.1	<0.02	<1	1.0	16.4	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000248.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.64	121.66	56.18	157.0	466	66.1	29.1	549	3.29	36.8	1.2	56.3	9.3	35.0
STD OREAS262	Standard							0.62	107.01	58.08	144.4	450	63.3	26.0	554	3.20	34.9	1.2	52.7	8.7	34.5
STD OREAS256	Standard			7.575																	
STD OXC145	Standard			0.217																	
STD OXC145	Standard			0.205																	
STD OXH139	Standard			1.333																	
STD OXH139	Standard			1.282																	
STD OXN134	Standard			7.686																	
STD OXQ90	Standard					25.02	30.13														
STD OXQ90	Standard					25.12	29.94														
STD OXQ90	Standard					25.08	30.06														
STD OXQ90	Standard					25.39	29.93														
STD OXQ90	Standard					25.17	29.96														
STD OXQ90	Standard					25.39	30.21														
STD OXQ90	Standard					25.05	30.06														
STD OXQ90	Standard					25.35	29.86														
STD OXQ90	Standard					25.98	29.99														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	0.04	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.04	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.02	0.01	0.3	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000248.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OREAS262	Standard	0.64	4.02	1.05	23	2.96	0.037	18.8	46.4	1.20	273.7	0.003	3	1.52	0.070	0.34	0.1	3.3	0.49	0.27	153
STD OREAS262	Standard	0.59	4.11	0.99	23	2.90	0.039	15.7	44.1	1.19	258.7	0.003	3	1.38	0.071	0.31	0.2	4.0	0.46	0.26	160
STD OREAS256	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	2.4	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000248.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OREAS262	Standard	0.4	0.23	4.3	2.89	<0.1	0.23	<0.02	20.8	0.6	<0.05	9.8	10.99	37.8	0.04	2	1.2	16.9	<10	<2
STD OREAS262	Standard	0.3	0.24	4.2	2.71	<0.1	0.25	<0.02	18.5	0.5	<0.05	12.2	10.81	34.1	0.04	<1	1.1	17.1	<10	3
STD OREAS256	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	0.03	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000248.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		406	<0.005	<0.01	<0.17	27.20	0.79	1.96	1.10	26.6	9	0.7	3.3	436	1.76	0.6	0.4	<0.2	2.3	20.7
ROCK-WHI	Prep Blank		420	<0.005	<0.01	<0.17	39.19	0.79	2.68	0.97	27.3	12	0.9	3.6	464	1.81	1.0	0.4	<0.2	2.3	19.9



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000248.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.04	<0.02	21	0.67	0.039	5.8	2.0	0.41	50.7	0.066	1	0.88	0.098	0.09	<0.1	2.6	<0.02	<0.02	8
ROCK-WHI	Prep Blank	0.01	0.02	0.02	22	0.55	0.036	5.5	2.2	0.42	48.2	0.068	3	0.87	0.103	0.09	<0.1	2.1	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 15, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000248.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.16	<0.1	0.11	0.17	1.8	0.2	<0.05	1.9	8.49	11.8	<0.02	1	<0.1	1.9	<10
ROCK-WHI	Prep Blank	0.1	0.02	3.5	0.14	<0.1	0.10	0.19	1.9	0.3	<0.05	2.0	7.69	10.9	<0.02	2	<0.1	1.7	<10