



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 24, 2019  
Report Date: August 20, 2019  
Page: 1 of 3

## CERTIFICATE OF ANALYSIS

WHI19000250.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-35  
P.O. Number  
Number of Samples: 43

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	41	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	43	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	43	Analysis sample split/packet			WHI
Split -150	43	Analysis sample split/packet			WHI
EN002	43	Environmental disposal charge-Fire assay lead waste			VAN
FS631	41	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	43	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	43	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Erika Cayer  
Graeme Joyce  
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 2 of 3

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000250.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1829207	Drill Core	1.32	420	<0.005	<0.01	<0.17	26.55	0.56	10.16	16.37	27.2	466	4.3	3.9	252	0.96	7.3	1.3	0.4	12.7	28.2
1829208	Drill Core	3.20	476	<0.005	<0.01	<0.17	12.67	0.33	5.17	11.16	21.9	96	1.0	1.4	216	0.71	1.0	0.9	0.4	12.0	25.0
1829209	Drill Core	2.22	376	0.012	0.01	<0.17	25.22	1.84	8.36	10.39	29.5	653	1.9	2.3	255	0.88	3.8	2.1	6.1	12.6	13.0
1829210	Drill Core	2.64	456	0.006	<0.01	<0.17	17.78	0.82	33.49	2.41	60.6	230	12.4	10.1	395	1.85	3.3	4.6	2.2	10.1	29.6
1829211	Drill Core	3.29	405	<0.005	<0.01	<0.17	18.68	0.51	12.79	2.54	42.8	133	6.1	4.9	274	1.34	3.0	3.0	0.5	12.4	17.8
1829212	Drill Core	2.25	363	0.007	<0.01	<0.17	26.62	0.83	9.75	13.66	24.9	201	1.7	1.6	257	0.73	3.5	2.7	3.0	15.1	7.3
1829213	Drill Core	2.02	362	<0.005	<0.01	<0.17	36.17	0.24	2.63	32.60	4.9	104	0.4	0.3	53	0.32	1.0	1.6	1.7	16.2	3.0
1829214	Drill Core	2.58	465	<0.005	<0.01	<0.17	43.71	0.26	1.89	31.53	8.7	96	0.3	0.1	101	0.38	1.2	1.5	1.9	15.3	2.9
1829215	Drill Core	1.59	516	0.021	0.02	<0.17	34.71	0.58	2.74	17.98	18.6	125	0.7	0.7	228	0.63	7.4	2.6	16.0	12.7	3.0
1829216	Drill Core	2.87	524	0.016	0.02	<0.17	22.93	0.32	3.67	13.13	22.9	95	0.7	1.5	136	0.72	4.4	1.0	10.9	10.7	6.9
1829217	Drill Core	2.96	401	<0.005	<0.01	<0.17	27.57	0.26	1.88	17.66	23.4	61	0.9	1.1	135	0.70	0.9	0.6	<0.2	11.6	6.7
1829218	Drill Core	2.99	421	<0.005	<0.01	<0.17	24.41	0.33	3.11	25.29	22.2	84	1.2	1.2	217	0.72	0.6	0.9	<0.2	11.3	19.2
1829219	Drill Core	1.22	480	0.008	<0.01	<0.17	24.39	0.31	39.32	20.82	8.3	446	0.8	1.6	107	0.62	1.6	0.8	3.3	10.3	33.6
1829220	Rock Pulp	0.12	92	0.469				2.45	423.52	19.07	50.1	267	598.7	27.6	397	2.54	19.0	0.6	469.8	1.7	56.1
1829221	Drill Core	2.90	454	0.011	0.01	<0.17	21.04	0.36	4.71	6.62	10.1	48	0.7	1.2	99	0.66	0.9	1.0	1.2	10.1	8.5
1829222	Drill Core	2.62	421	0.008	<0.01	<0.17	21.93	0.57	3.40	9.98	21.8	55	0.6	0.7	174	0.65	0.7	0.8	4.9	12.0	15.1
1829223	Drill Core	2.04	387	<0.005	<0.01	<0.17	30.50	0.77	1.39	9.94	31.9	57	0.6	0.3	173	0.69	0.3	1.1	0.9	17.8	10.1
1829224	Drill Core	1.82	374	0.008	<0.01	<0.17	36.51	0.26	4.33	19.78	6.4	202	0.5	0.2	58	0.40	1.2	1.7	7.9	15.1	5.0
1829225	Drill Core	1.57	347	<0.005	<0.01	<0.17	37.10	0.21	2.46	20.51	4.2	131	0.5	0.1	40	0.29	0.6	1.2	2.6	16.0	2.9
1829226	Drill Core	3.62	405	0.017	0.02	<0.17	37.22	0.22	1.97	20.51	5.2	189	0.5	0.2	39	0.34	1.0	1.1	13.2	14.2	2.4
1829227	Drill Core	1.54	479	<0.005	<0.01	<0.17	35.87	0.18	1.89	28.15	3.4	165	0.4	0.1	43	0.31	0.9	1.6	3.0	11.8	7.8
1829228	Drill Core	1.47	490	0.057	0.05	<0.17	46.98	0.18	2.50	22.34	4.0	252	0.4	0.1	32	0.32	1.2	1.2	10.3	13.1	7.0
1829229	Drill Core	2.17	381	0.008	<0.01	<0.17	31.77	0.22	3.86	22.67	4.9	143	0.3	0.2	37	0.35	1.4	1.8	3.5	13.4	2.6
1829230	Drill Core	1.56	488	0.014	0.06	0.60	35.23	0.22	2.75	19.55	4.3	148	0.4	0.2	38	0.33	1.2	1.5	15.3	13.3	3.7
1829231	Drill Core	1.13	435	<0.005	<0.01	<0.17	38.58	0.25	1.45	8.74	3.8	125	0.3	<0.1	28	0.26	1.0	1.3	1.8	13.5	2.5
1829232	Drill Core	2.03	381	<0.005	<0.01	<0.17	43.30	0.40	2.09	33.11	2.7	142	0.5	0.2	74	0.46	0.8	1.3	1.3	9.8	18.6
1829233	Drill Core	1.46	472	0.006	0.03	0.24	50.08	0.17	1.18	23.83	5.4	140	0.3	0.1	36	0.34	2.1	1.7	2.8	14.8	4.4
1829234	Drill Core	1.98	461	<0.005	<0.01	<0.17	43.69	0.30	2.56	22.49	5.1	107	0.4	0.3	87	0.35	1.5	1.9	1.4	14.7	2.5
1829235	Drill Core	1.56	515	<0.005	<0.01	<0.17	35.95	0.29	1.64	14.42	2.9	86	0.4	0.2	52	0.32	0.6	1.5	<0.2	12.2	1.5
1829236	Drill Core	1.62	467	<0.005	<0.01	<0.17	37.12	0.18	1.89	21.79	3.1	89	0.3	0.4	50	0.31	1.0	1.2	1.6	12.0	3.7



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 2 of 3

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000250.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829207	Drill Core	0.19	0.24	0.18	4	0.14	0.027	30.5	4.0	0.32	380.6	0.003	<1	0.59	0.019	0.27	2.2	1.4	0.07	<0.02	<5
1829208	Drill Core	0.09	0.15	0.05	1	0.20	0.010	24.8	2.0	0.28	269.2	0.002	<1	0.44	0.018	0.24	0.5	1.0	0.05	0.02	<5
1829209	Drill Core	0.30	0.24	0.14	2	0.09	0.016	30.9	2.7	0.34	372.3	0.002	<1	0.58	0.019	0.23	2.2	1.3	0.06	<0.02	<5
1829210	Drill Core	0.41	0.29	<0.02	12	0.24	0.070	23.1	10.1	0.98	530.5	0.019	<1	1.19	0.004	0.42	0.3	2.7	0.19	<0.02	<5
1829211	Drill Core	0.23	0.20	<0.02	7	0.16	0.035	28.4	5.9	0.72	285.1	0.012	<1	0.94	0.009	0.34	<0.1	1.8	0.12	<0.02	<5
1829212	Drill Core	0.23	0.27	0.07	2	0.05	0.009	30.5	2.5	0.21	241.4	0.001	<1	0.45	0.008	0.24	0.3	0.9	0.06	<0.02	<5
1829213	Drill Core	0.02	0.14	0.14	<1	0.01	0.004	33.5	1.1	0.05	186.1	<0.001	<1	0.28	0.025	0.23	<0.1	0.4	0.04	<0.02	<5
1829214	Drill Core	0.08	0.13	0.11	<1	0.02	0.002	31.2	1.2	0.08	185.4	<0.001	<1	0.33	0.019	0.24	<0.1	0.4	0.04	<0.02	<5
1829215	Drill Core	0.28	0.22	0.08	<1	0.01	0.004	21.5	1.6	0.09	210.6	<0.001	<1	0.34	0.004	0.26	<0.1	0.6	0.05	<0.02	7
1829216	Drill Core	0.12	0.14	0.03	<1	0.04	0.008	17.8	1.8	0.25	386.2	0.001	<1	0.44	0.017	0.24	<0.1	0.7	0.05	<0.02	<5
1829217	Drill Core	0.05	0.09	0.03	<1	0.05	0.010	22.3	1.8	0.33	167.0	0.001	<1	0.44	0.007	0.21	<0.1	0.5	0.04	<0.02	<5
1829218	Drill Core	0.10	0.11	0.07	<1	0.45	0.009	19.0	2.0	0.33	206.8	0.001	<1	0.43	0.007	0.21	<0.1	0.7	0.04	<0.02	<5
1829219	Drill Core	0.04	0.26	0.13	<1	0.03	0.013	18.1	2.0	0.12	273.5	<0.001	<1	0.29	0.009	0.20	<0.1	0.5	0.04	0.02	<5
1829220	Rock Pulp	0.19	0.41	0.30	53	1.23	0.028	3.8	90.9	1.75	77.8	0.066	3	1.91	0.195	0.15	1.3	2.7	0.09	0.20	24
1829221	Drill Core	0.03	0.11	<0.02	<1	0.03	0.010	19.0	2.1	0.14	250.6	<0.001	<1	0.33	0.006	0.23	<0.1	0.5	0.04	<0.02	<5
1829222	Drill Core	0.12	0.11	0.03	<1	0.43	0.007	20.2	2.0	0.30	219.1	0.001	<1	0.44	0.006	0.26	<0.1	1.0	0.05	<0.02	<5
1829223	Drill Core	0.12	0.15	0.03	<1	0.40	0.001	25.6	2.2	0.33	265.6	0.002	<1	0.48	0.003	0.29	0.1	1.0	0.05	<0.02	<5
1829224	Drill Core	0.02	0.12	0.19	<1	<0.01	0.004	33.0	1.5	0.08	318.3	<0.001	1	0.36	0.044	0.26	<0.1	0.8	0.05	<0.02	<5
1829225	Drill Core	0.01	0.08	0.17	<1	<0.01	0.003	34.4	1.2	0.06	310.9	<0.001	1	0.33	0.039	0.27	<0.1	0.6	0.05	<0.02	8
1829226	Drill Core	0.04	0.16	0.16	<1	<0.01	0.003	35.3	1.5	0.04	182.2	<0.001	<1	0.29	0.043	0.23	<0.1	0.7	0.05	<0.02	<5
1829227	Drill Core	0.03	0.11	0.09	<1	<0.01	0.004	36.1	1.3	0.02	392.9	<0.001	1	0.23	0.042	0.19	<0.1	0.6	0.04	<0.02	<5
1829228	Drill Core	0.02	0.26	0.27	<1	<0.01	0.004	28.7	1.2	0.02	286.8	<0.001	<1	0.24	0.050	0.19	<0.1	0.6	0.05	<0.02	<5
1829229	Drill Core	0.03	0.22	0.08	<1	<0.01	0.004	37.9	1.3	0.02	144.8	<0.001	<1	0.25	0.051	0.19	<0.1	0.5	0.06	<0.02	8
1829230	Drill Core	0.02	0.15	0.19	<1	<0.01	0.005	31.2	1.3	0.02	229.8	<0.001	<1	0.24	0.052	0.19	<0.1	0.5	0.07	<0.02	6
1829231	Drill Core	0.03	0.14	0.06	<1	<0.01	0.003	29.1	1.0	0.02	201.1	<0.001	<1	0.24	0.045	0.21	<0.1	0.5	0.06	<0.02	<5
1829232	Drill Core	<0.01	0.12	0.15	<1	<0.01	0.002	20.3	1.8	0.02	1058.5	<0.001	2	0.19	0.043	0.15	<0.1	0.4	0.05	0.02	<5
1829233	Drill Core	0.03	0.11	0.10	<1	<0.01	0.003	29.7	1.1	0.04	558.3	<0.001	<1	0.29	0.045	0.22	<0.1	0.6	0.05	<0.02	<5
1829234	Drill Core	0.04	0.10	0.29	<1	<0.01	0.003	29.8	1.6	0.08	351.1	<0.001	<1	0.40	0.006	0.33	<0.1	0.8	0.07	<0.02	5
1829235	Drill Core	0.02	0.09	0.20	<1	<0.01	0.003	30.9	1.4	0.05	233.3	<0.001	<1	0.30	0.006	0.27	<0.1	0.6	0.06	<0.02	<5
1829236	Drill Core	0.03	0.11	0.08	<1	0.02	0.011	37.6	1.1	0.04	268.3	0.001	<1	0.29	0.039	0.26	<0.1	0.6	0.05	<0.02	<5



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 2 of 3

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000250.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829207	Drill Core	<0.1	<0.02	2.2	0.20	<0.1	0.35	0.05	9.1	0.6	<0.05	13.5	6.56	55.5	<0.02	<1	0.1	8.2	<10	<2
1829208	Drill Core	<0.1	<0.02	1.4	0.16	<0.1	0.38	0.02	6.5	0.5	<0.05	11.7	4.62	48.0	<0.02	<1	<0.1	4.9	<10	2
1829209	Drill Core	<0.1	<0.02	1.8	0.21	<0.1	0.37	<0.02	7.1	0.4	<0.05	12.6	7.88	55.9	<0.02	<1	0.2	6.6	<10	<2
1829210	Drill Core	<0.1	<0.02	3.4	1.16	<0.1	0.45	<0.02	18.2	1.7	<0.05	16.1	10.49	41.6	<0.02	<1	0.4	19.8	<10	<2
1829211	Drill Core	<0.1	<0.02	2.5	0.75	<0.1	0.48	<0.02	13.1	0.3	<0.05	14.9	8.59	52.3	<0.02	<1	0.2	11.9	<10	<2
1829212	Drill Core	<0.1	<0.02	1.4	0.34	<0.1	0.57	0.03	8.2	0.8	<0.05	19.5	6.90	55.2	<0.02	<1	<0.1	5.6	<10	<2
1829213	Drill Core	<0.1	<0.02	0.8	0.10	<0.1	0.43	0.07	6.5	0.3	<0.05	14.7	5.24	62.0	<0.02	<1	0.2	2.0	<10	<2
1829214	Drill Core	<0.1	<0.02	0.8	0.10	<0.1	0.54	0.06	6.1	0.2	<0.05	16.2	4.68	54.8	<0.02	<1	0.2	2.6	<10	<2
1829215	Drill Core	<0.1	<0.02	0.7	0.14	<0.1	0.59	0.05	6.3	0.3	<0.05	18.7	4.83	36.9	<0.02	<1	0.1	2.6	<10	<2
1829216	Drill Core	<0.1	<0.02	1.1	0.12	<0.1	0.40	0.04	6.8	0.2	<0.05	12.5	3.28	33.3	<0.02	<1	<0.1	4.8	<10	<2
1829217	Drill Core	<0.1	<0.02	1.2	0.12	<0.1	0.34	0.03	5.7	0.2	<0.05	9.9	4.23	40.6	<0.02	<1	0.1	4.3	<10	<2
1829218	Drill Core	<0.1	<0.02	1.1	0.13	<0.1	0.45	0.02	5.4	0.2	<0.05	12.9	4.99	35.0	<0.02	<1	<0.1	4.6	<10	<2
1829219	Drill Core	<0.1	<0.02	0.7	0.18	<0.1	0.31	<0.02	5.1	0.2	<0.05	9.8	3.49	33.7	<0.02	<1	0.1	2.5	<10	<2
1829220	Rock Pulp	0.3	0.13	3.7	0.57	<0.1	0.07	0.04	5.7	0.4	<0.05	1.6	2.88	8.0	<0.02	3	<0.1	8.4	249	101
1829221	Drill Core	<0.1	<0.02	0.8	0.11	<0.1	0.32	<0.02	5.4	0.2	<0.05	8.8	3.26	35.6	<0.02	<1	0.2	2.9	<10	<2
1829222	Drill Core	<0.1	<0.02	1.0	0.13	<0.1	0.58	0.04	6.6	0.2	<0.05	21.3	4.05	38.0	<0.02	<1	0.2	5.5	<10	<2
1829223	Drill Core	<0.1	<0.02	1.0	0.18	<0.1	1.11	0.17	7.4	0.2	<0.05	42.0	6.71	51.4	<0.02	<1	0.2	7.3	<10	<2
1829224	Drill Core	<0.1	<0.02	0.8	0.11	<0.1	0.49	0.08	7.4	0.4	<0.05	19.9	6.31	65.7	<0.02	<1	0.2	2.1	<10	<2
1829225	Drill Core	<0.1	<0.02	0.8	0.09	<0.1	0.43	0.04	8.6	0.3	<0.05	16.6	5.57	68.6	<0.02	<1	0.3	1.7	<10	<2
1829226	Drill Core	<0.1	0.11	0.7	0.09	<0.1	0.38	0.06	7.9	0.3	<0.05	13.6	6.20	64.8	<0.02	<1	0.1	1.7	<10	<2
1829227	Drill Core	<0.1	<0.02	0.5	0.13	<0.1	0.45	0.05	7.8	0.2	<0.05	16.2	7.57	52.4	<0.02	<1	0.2	1.4	<10	<2
1829228	Drill Core	<0.1	0.03	0.5	0.13	<0.1	0.44	0.04	8.7	0.2	<0.05	16.0	5.15	55.0	<0.02	<1	0.3	1.2	<10	<2
1829229	Drill Core	<0.1	<0.02	0.5	0.14	<0.1	0.38	0.04	9.0	0.3	<0.05	16.7	8.18	67.9	<0.02	<1	0.3	1.3	<10	<2
1829230	Drill Core	<0.1	<0.02	0.6	0.13	<0.1	0.39	0.04	8.5	0.2	<0.05	15.7	5.70	62.4	<0.02	<1	0.1	1.2	<10	<2
1829231	Drill Core	<0.1	<0.02	0.4	0.11	<0.1	0.37	0.02	8.4	0.2	<0.05	15.0	5.09	54.9	<0.02	<1	0.3	1.0	<10	<2
1829232	Drill Core	<0.1	<0.02	0.5	0.11	<0.1	0.29	0.06	6.7	0.2	<0.05	10.0	3.99	40.0	<0.02	<1	0.2	1.0	<10	<2
1829233	Drill Core	<0.1	<0.02	0.7	0.13	<0.1	0.28	0.03	7.9	0.2	<0.05	12.1	6.02	62.4	<0.02	<1	0.2	1.7	<10	<2
1829234	Drill Core	<0.1	<0.02	0.7	0.12	<0.1	0.34	0.06	9.7	0.3	<0.05	15.4	7.02	73.5	<0.02	<1	0.3	2.6	<10	<2
1829235	Drill Core	<0.1	<0.02	0.5	0.12	<0.1	0.25	0.05	8.2	0.3	<0.05	9.7	6.97	60.9	<0.02	<1	0.2	1.7	<10	<2
1829236	Drill Core	<0.1	<0.02	0.6	0.15	<0.1	0.14	0.04	8.1	0.2	<0.05	4.6	10.82	70.8	<0.02	<1	0.2	1.4	<10	<2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 3 of 3

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000250.1

Method			WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
Analyte			Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit			kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL			0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1829237	Drill Core		3.05	431	0.007	<0.01	<0.17	30.78	0.78	3.00	25.11	21.4	173	0.7	0.5	129	0.62	1.4	1.2	1.4	14.7	22.2
1829238	Drill Core		3.53	347	0.006	<0.01	<0.17	30.43	0.42	4.86	26.59	24.0	183	1.5	1.6	194	0.71	4.8	1.2	4.1	13.2	9.1
1829239	Drill Core		3.18	465	0.006	<0.01	<0.17	42.36	0.38	2.68	25.52	29.5	177	0.4	0.2	145	0.59	7.2	0.9	3.8	14.3	8.4
1829240	Rock Pulp		0.12	94	0.006				2.24	94.85	3.51	35.3	120	4.5	8.6	341	2.51	0.8	0.8	0.4	2.3	65.2
1829241	Drill Core		2.56	434	<0.005	<0.01	<0.17	35.05	0.34	1.96	26.86	20.5	206	0.4	0.3	150	0.62	6.5	0.7	1.3	14.1	26.8
1829242	Drill Core		2.50	391	0.020	0.02	<0.17	16.05	2.35	4.58	22.35	29.7	315	3.1	1.7	205	0.93	25.5	0.9	17.0	13.8	10.9
1829243	Drill Core		3.20	464	0.014	0.01	<0.17	21.61	1.34	3.00	14.37	17.9	205	1.3	0.9	105	0.68	15.5	1.2	10.8	13.0	10.3
1829244	Drill Core		3.40	411	0.006	<0.01	<0.17	24.34	0.51	14.40	11.09	38.0	136	5.5	3.6	274	1.18	4.7	1.6	2.8	8.6	19.5
1829245	Drill Core		2.81	390	0.008	<0.01	<0.17	25.35	0.74	15.96	14.21	42.3	146	5.9	5.7	255	1.45	6.5	1.4	4.3	8.2	21.7
1829246	Drill Core		3.88	427	0.007	<0.01	<0.17	27.34	0.47	7.17	18.14	26.5	121	3.1	2.3	141	0.85	7.0	1.7	2.9	10.1	19.1
1829247	Drill Core		1.33	522	0.009	<0.01	<0.17	34.11	0.27	2.02	26.56	7.2	134	0.4	0.1	53	0.36	1.2	1.2	<0.2	16.0	2.5
1829248	Drill Core		1.58	554	0.005	<0.01	<0.17	42.91	0.13	4.26	25.63	6.2	212	0.3	0.2	47	0.30	2.3	0.8	1.3	14.9	2.6
1829249	Drill Core		2.97	396	0.008	<0.01	<0.17	23.17	0.23	4.37	28.14	13.7	191	0.5	0.3	74	0.49	4.3	1.4	4.2	13.7	4.7



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 3 of 3

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000250.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829237	Drill Core	0.19	0.11	0.24	<1	0.38	0.004	41.3	1.9	0.35	469.0	0.001	<1	0.52	0.014	0.32	<0.1	1.4	0.07	<0.02	<5
1829238	Drill Core	0.15	0.19	0.11	2	0.11	0.018	36.1	2.6	0.38	311.4	0.001	<1	0.62	0.014	0.32	0.2	1.2	0.07	<0.02	5
1829239	Drill Core	0.14	0.31	0.25	<1	0.09	0.004	36.8	1.8	0.30	340.7	<0.001	<1	0.47	0.004	0.27	<0.1	1.0	0.08	<0.02	11
1829240	Rock Pulp	0.04	0.09	0.05	83	0.76	0.057	6.5	9.7	0.69	119.5	0.086	2	1.38	0.140	0.20	2.7	2.4	0.04	<0.02	<5
1829241	Drill Core	0.11	0.12	0.25	<1	0.56	0.002	39.3	1.5	0.37	454.9	<0.001	<1	0.53	0.005	0.27	<0.1	1.0	0.07	<0.02	<5
1829242	Drill Core	0.21	0.96	0.15	2	0.10	0.005	35.7	6.8	0.50	462.3	<0.001	<1	0.61	0.007	0.25	<0.1	1.7	0.07	<0.02	7
1829243	Drill Core	0.11	0.77	0.09	<1	0.04	0.007	34.8	2.5	0.27	671.2	<0.001	<1	0.46	0.009	0.26	<0.1	1.0	0.07	<0.02	9
1829244	Drill Core	0.17	0.20	0.06	2	0.26	0.033	16.7	4.0	0.45	545.8	<0.001	<1	0.61	0.005	0.22	<0.1	1.2	0.06	<0.02	<5
1829245	Drill Core	0.28	0.20	0.10	4	0.84	0.041	13.7	4.6	0.57	335.0	0.002	<1	0.74	0.007	0.27	<0.1	2.0	0.06	0.03	<5
1829246	Drill Core	0.32	0.23	0.13	2	0.58	0.021	33.9	3.8	0.30	287.4	0.001	<1	0.55	0.019	0.29	<0.1	1.7	0.06	<0.02	6
1829247	Drill Core	0.04	0.18	0.19	<1	<0.01	0.002	42.0	1.3	0.10	252.1	0.001	3	0.38	0.043	0.26	<0.1	0.7	0.04	<0.02	11
1829248	Drill Core	0.07	0.24	0.15	<1	<0.01	0.002	35.8	1.1	0.10	244.0	<0.001	<1	0.30	0.026	0.23	<0.1	0.7	0.05	<0.02	<5
1829249	Drill Core	0.14	0.22	0.15	<1	0.03	0.002	29.8	1.7	0.20	204.1	<0.001	<1	0.41	0.009	0.26	0.5	0.8	0.06	<0.02	<5



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 3 of 3

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000250.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1829237	Drill Core	<0.1	<0.02	1.0	0.21	<0.1	0.28	0.07	8.9	0.4	<0.05	12.0	8.85	78.6	<0.02	<1	0.2	5.2	<10
1829238	Drill Core	<0.1	<0.02	1.3	0.30	<0.1	0.20	0.02	9.1	0.3	<0.05	8.8	8.99	66.9	<0.02	<1	0.4	6.8	<10
1829239	Drill Core	<0.1	<0.02	1.1	0.32	<0.1	0.17	0.03	8.2	0.3	<0.05	7.6	8.74	70.0	<0.02	<1	0.3	6.0	<10
1829240	Rock Pulp	<0.1	<0.02	4.0	0.31	<0.1	0.07	0.05	6.3	0.2	<0.05	0.5	4.04	13.7	<0.02	<1	<0.1	6.6	<10
1829241	Drill Core	<0.1	<0.02	0.9	0.25	<0.1	0.17	0.02	7.7	0.3	<0.05	7.9	11.01	71.8	<0.02	<1	0.3	6.5	<10
1829242	Drill Core	<0.1	<0.02	1.2	0.43	<0.1	0.18	<0.02	7.9	0.4	<0.05	6.4	12.87	66.2	<0.02	<1	0.2	8.9	<10
1829243	Drill Core	<0.1	<0.02	1.0	0.48	<0.1	0.10	<0.02	7.9	0.3	<0.05	5.0	12.96	65.7	<0.02	<1	0.2	4.8	<10
1829244	Drill Core	0.1	<0.02	1.3	0.35	<0.1	0.30	<0.02	7.0	0.2	<0.05	14.7	5.81	30.5	<0.02	<1	0.3	7.8	<10
1829245	Drill Core	<0.1	<0.02	1.6	0.23	<0.1	0.33	<0.02	7.8	0.2	<0.05	14.4	4.36	26.1	<0.02	<1	0.2	9.0	<10
1829246	Drill Core	<0.1	<0.02	1.1	0.18	<0.1	0.44	0.02	8.3	0.2	<0.05	17.6	9.17	61.8	<0.02	<1	0.2	6.4	<10
1829247	Drill Core	<0.1	<0.02	1.0	0.11	<0.1	0.53	0.11	6.7	0.4	<0.05	13.1	6.77	79.5	<0.02	<1	<0.1	2.0	<10
1829248	Drill Core	<0.1	<0.02	0.7	0.10	<0.1	0.33	0.04	6.7	0.2	<0.05	12.2	4.52	67.3	<0.02	<1	0.2	1.8	<10
1829249	Drill Core	<0.1	<0.02	0.8	0.20	<0.1	0.29	0.11	7.1	0.2	<0.05	14.3	6.83	55.8	<0.02	<1	0.2	2.8	<10



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 1 of 2

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000250.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
1829239	Drill Core	3.18	465	0.006	<0.01	<0.17	42.36	0.38	2.68	25.52	29.5	177	0.4	0.2	145	0.59	7.2	0.9	3.8	14.3	8.4	
REP 1829239	QC	0.007																				
1829249	Drill Core	2.97	396	0.008	<0.01	<0.17	23.17	0.23	4.37	28.14	13.7	191	0.5	0.3	74	0.49	4.3	1.4	4.2	13.7	4.7	
REP 1829249	QC							0.24	4.20	27.77	13.2	186	0.4	0.4	73	0.49	4.5	1.4	4.6	14.7	4.7	
Core Reject Duplicates																						
1829233	Drill Core	1.46	472	0.006	0.03	0.24	50.08	0.17	1.18	23.83	5.4	140	0.3	0.1	36	0.34	2.1	1.7	2.8	14.8	4.4	
DUP 1829233	QC		508	0.012	0.01	<0.17	37.73	0.19	1.10	22.29	4.5	124	0.4	0.1	35	0.35	2.0	1.6	2.1	15.0	4.1	
Reference Materials																						
STD BVGEO01	Standard							11.34	4332.00	187.98	1663.1	2585	158.5	27.4	700	3.69	120.8	4.2	230.9	15.4	60.3	
STD DS11	Standard							14.21	148.89	138.47	340.8	1716	79.5	13.8	999	3.13	43.4	2.5	82.2	6.7	67.4	
STD DS11	Standard							14.18	152.49	132.65	331.0	1688	79.7	13.2	1024	3.05	41.3	2.6	88.6	8.4	60.0	
STD OREAS262	Standard							0.65	120.41	57.01	155.0	471	63.9	27.3	546	3.36	37.6	1.2	59.4	7.8	38.0	
STD OREAS262	Standard							0.69	122.74	56.61	143.4	461	64.7	28.7	517	3.33	38.0	1.2	74.3	9.0	39.3	
STD OREAS262	Standard							0.65	119.68	54.43	142.7	456	64.1	28.3	534	3.16	34.1	1.2	64.8	9.3	32.1	
STD OXC145	Standard	0.214																				
STD OXC145	Standard	0.214																				
STD OXH139	Standard	1.355																				
STD OXH139	Standard	1.353																				
STD OXN134	Standard	7.817																				
STD OXN134	Standard	7.710																				
STD OXQ90	Standard					24.95	29.86															
STD OXQ90	Standard					24.32	30.10															
STD OXQ90	Standard					25.10	29.88															
STD OXQ90	Standard					25.28	30.10															
STD OXQ90	Standard					25.08	29.82															
STD OXQ90	Standard					24.85	30.34															
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55	
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 20, 2019

Page:

1 of 2

Part:

2 of 3

## QUALITY CONTROL REPORT

WHI19000250.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1829239	Drill Core	0.14	0.31	0.25	<1	0.09	0.004	36.8	1.8	0.30	340.7	<0.001	<1	0.47	0.004	0.27	<0.1	1.0	0.08	<0.02	11
REP 1829239	QC																				
1829249	Drill Core	0.14	0.22	0.15	<1	0.03	0.002	29.8	1.7	0.20	204.1	<0.001	<1	0.41	0.009	0.26	0.5	0.8	0.06	<0.02	<5
REP 1829249	QC	0.11	0.22	0.15	<1	0.03	0.002	30.4	1.5	0.21	203.5	<0.001	<1	0.44	0.008	0.27	0.6	0.9	0.05	<0.02	5
Core Reject Duplicates																					
1829233	Drill Core	0.03	0.11	0.10	<1	<0.01	0.003	29.7	1.1	0.04	558.3	<0.001	<1	0.29	0.045	0.22	<0.1	0.6	0.05	<0.02	<5
DUP 1829233	QC	0.03	0.09	0.10	<1	<0.01	0.003	28.9	1.0	0.04	553.4	<0.001	<1	0.28	0.043	0.21	<0.1	0.7	0.05	<0.02	<5
Reference Materials																					
STD BVGE001	Standard	6.47	4.14	26.63	76	1.27	0.074	27.7	175.2	1.28	282.4	0.237	2	2.32	0.199	0.88	5.5	5.7	0.61	0.66	97
STD DS11	Standard	2.41	8.39	11.86	48	1.04	0.069	16.6	58.8	0.83	364.1	0.086	7	1.15	0.072	0.39	2.9	3.3	4.93	0.27	259
STD DS11	Standard	2.34	7.98	10.73	50	1.01	0.069	17.2	61.1	0.84	355.8	0.094	7	1.15	0.074	0.40	3.2	3.2	4.83	0.27	288
STD OREAS262	Standard	0.66	4.85	1.04	22	3.05	0.040	14.8	41.9	1.19	271.5	0.002	3	1.30	0.070	0.29	0.2	3.3	0.44	0.26	168
STD OREAS262	Standard	0.69	6.97	1.08	24	2.92	0.035	15.9	42.4	1.18	280.0	0.002	1	1.29	0.071	0.29	0.2	3.0	0.46	0.26	156
STD OREAS262	Standard	0.61	4.56	0.93	22	2.87	0.039	15.3	44.1	1.15	232.9	0.003	4	1.32	0.068	0.31	0.2	3.1	0.43	0.25	138
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 20, 2019

Page:

1 of 2

Part:

3 of 3

## QUALITY CONTROL REPORT

WHI19000250.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1829239	Drill Core	<0.1	<0.02	1.1	0.32	<0.1	0.17	0.03	8.2	0.3	<0.05	7.6	8.74	70.0	<0.02	<1	0.3	6.0	<10	<2
REP 1829239	QC																			
1829249	Drill Core	<0.1	<0.02	0.8	0.20	<0.1	0.29	0.11	7.1	0.2	<0.05	14.3	6.83	55.8	<0.02	<1	0.2	2.8	<10	<2
REP 1829249	QC	<0.1	<0.02	0.8	0.17	<0.1	0.32	0.12	7.1	0.3	<0.05	14.5	7.22	57.7	<0.02	<1	0.2	3.1	<10	<2
Core Reject Duplicates																				
1829233	Drill Core	<0.1	<0.02	0.7	0.13	<0.1	0.28	0.03	7.9	0.2	<0.05	12.1	6.02	62.4	<0.02	<1	0.2	1.7	<10	<2
DUP 1829233	QC	<0.1	<0.02	0.6	0.13	<0.1	0.31	0.02	7.3	0.3	<0.05	12.1	5.77	59.3	<0.02	<1	0.2	1.4	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.7	1.07	7.0	7.40	0.2	0.34	0.32	94.3	6.0	<0.05	9.3	15.16	51.9	0.47	6	0.6	22.6	126	176
STD DS11	Standard	2.1	4.70	4.7	2.86	<0.1	0.12	1.31	34.4	1.7	<0.05	2.1	7.80	36.1	0.21	46	0.7	22.7	97	183
STD DS11	Standard	1.8	4.52	4.7	2.83	<0.1	0.09	1.54	31.3	1.8	<0.05	3.2	7.58	35.5	0.22	51	0.5	23.5	100	179
STD OREAS262	Standard	0.4	0.24	3.7	2.68	<0.1	0.25	<0.02	17.8	0.7	<0.05	11.4	11.21	29.8	0.03	<1	1.0	19.0	<10	<2
STD OREAS262	Standard	0.1	0.20	4.0	3.04	<0.1	0.27	<0.02	18.8	0.6	<0.05	12.3	10.95	31.3	0.04	1	1.0	17.8	<10	<2
STD OREAS262	Standard	0.5	0.22	3.7	2.54	<0.1	0.23	<0.02	17.0	0.5	<0.05	8.9	10.13	31.3	0.03	1	0.9	16.4	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 2 of 2

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000250.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.03	<0.01	0.4	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			0.006																	
Prep Wash																					
ROCK-WHI	Prep Blank		456	<0.005	<0.01	<0.17	37.59	0.95	3.49	1.08	30.2	5	1.0	3.8	437	1.81	1.2	0.4	<0.2	2.4	23.7
ROCK-WHI	Prep Blank		457	<0.005	<0.01	<0.17	35.96	1.07	3.23	1.09	27.2	8	0.8	3.8	464	1.91	1.5	0.5	<0.2	2.5	27.7



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 2 of 2

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000250.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.02	<0.02	25	0.57	0.037	5.7	2.1	0.41	61.3	0.070	<1	0.87	0.109	0.09	<0.1	2.5	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.01	0.03	<0.02	26	0.60	0.038	6.8	2.3	0.43	76.0	0.081	<1	0.90	0.112	0.10	<0.1	2.9	<0.02	<0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 2 of 2

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000250.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.4	0.17	<0.1	0.20	0.22	2.0	0.3	<0.05	3.2	8.45	11.2	<0.02	<1	0.3	2.3	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.16	0.1	0.13	0.22	2.2	0.4	<0.05	3.9	8.90	12.7	<0.02	<1	0.1	1.9	<10	<2