



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 24, 2019
Report Date: August 18, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000251.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-35
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	132	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	5	Sort, label and box pulps			WHI
FS631	138	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	138	Analysis sample split/packet			WHI
Split -150	138	Analysis sample split/packet			WHI
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
FS631	133	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	138	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Graeme Joyce
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000251.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1828997	Drill Core	2.23	494	0.176	0.31	2.06	34.50	0.24	2.77	18.96	4.1	382	0.3	0.2	25	0.29	2.1	1.0	182.6	9.8	33.3
1828998	Drill Core	3.12	499	0.265	0.30	0.71	35.11	0.31	2.46	16.03	4.7	277	0.4	0.2	36	0.33	1.3	1.2	163.4	13.5	36.9
1828999	Drill Core	2.92	496	0.025	0.02	<0.17	26.48	0.18	2.10	25.19	4.7	534	0.3	0.3	30	0.26	1.8	1.1	262.3	12.8	17.2
1829000	Rock Pulp	0.12	89	7.215				9.43	185.21	19.36	73.0	904	13.5	12.1	623	4.58	13.6	0.9	7826.0	5.5	64.6
1829001	Drill Core	2.82	464	0.433	0.49	0.97	45.28	0.32	5.02	110.64	7.2	1953	0.5	0.3	44	0.43	3.7	1.9	207.0	14.5	37.4
1829002	Drill Core	3.61	424	0.039	0.11	0.99	33.49	0.25	2.82	39.60	5.3	627	0.3	0.2	50	0.27	2.8	2.3	16.1	17.5	6.2
1829003	Drill Core	2.67	392	0.024	0.02	<0.17	28.15	0.22	3.43	27.64	3.9	377	0.3	0.1	31	0.30	2.6	1.3	2.5	15.3	25.6
1829004	Drill Core	1.49	552	0.007	0.04	0.48	33.27	0.19	4.32	40.06	4.6	617	0.2	0.1	31	0.28	3.0	1.3	12.7	14.6	30.5
1829005	Drill Core	3.34	429	0.033	0.03	<0.17	37.67	0.32	4.75	32.81	9.3	213	0.5	0.2	90	0.36	5.2	1.9	52.5	15.8	6.0
1829006	Drill Core	1.72	416	0.289	0.28	<0.17	33.32	0.57	6.60	24.49	40.5	492	2.6	2.6	329	0.81	26.5	3.2	167.8	20.0	9.8
1829007	Drill Core	3.11	387	0.108	0.10	<0.17	27.15	0.38	9.60	9.82	35.5	408	4.4	5.1	288	1.11	24.6	3.1	147.5	17.7	11.8
1829008	Drill Core	3.33	433	0.797	0.87	1.59	40.16	0.46	12.82	10.10	14.6	972	1.7	2.3	218	0.81	9.3	2.3	993.2	16.4	14.5
1829009	Drill Core	3.11	471	0.830	0.93	2.51	28.71	0.37	17.39	17.38	17.4	1221	1.5	2.4	187	0.65	12.8	3.3	2225.6	15.5	17.7
1829010	Drill Core	3.38	471	1.068	1.07	1.20	25.09	0.21	10.56	17.95	16.4	695	1.1	1.6	98	0.60	5.2	2.6	597.6	14.1	17.5
1829011	Drill Core	3.33	528	2.056	2.18	3.40	49.97	0.18	12.60	13.65	18.0	772	1.3	1.6	163	0.65	5.0	1.6	952.0	15.3	30.7
1829012	Drill Core	3.44	450	0.055	0.05	<0.17	33.12	0.19	14.39	15.54	22.0	335	1.0	1.5	193	0.76	16.4	0.6	9.5	16.5	29.6
1829013	Drill Core	3.37	412	0.112	0.11	<0.17	35.51	0.29	18.32	47.15	43.1	511	1.2	2.0	223	0.76	18.9	1.1	114.5	18.7	27.0
1829014	Drill Core	1.82	407	2.476	2.61	4.02	34.85	0.39	28.11	77.86	37.6	3447	18.6	18.4	620	1.84	10.4	2.4	2118.3	6.3	217.4
1829015	Drill Core	2.95	512	1.022	1.07	1.67	40.61	0.34	15.71	9.79	22.0	1820	7.0	7.1	329	1.35	35.4	1.8	3299.3	12.5	76.5
1829016	Drill Core	1.64	486	0.033	0.03	<0.17	33.87	0.39	5.80	14.54	21.2	381	6.6	6.0	399	1.29	31.8	1.1	37.4	15.0	24.8
1829017	Drill Core	1.72	448	<0.005	<0.01	<0.17	42.35	0.23	5.71	14.80	18.7	164	1.4	2.1	201	0.71	2.3	0.6	3.2	17.3	63.7
1829018	Drill Core	1.81	422	0.048	0.04	<0.17	30.11	0.60	10.14	24.49	21.5	216	2.2	3.4	304	0.99	1.4	1.4	42.9	17.9	136.1
1829019	Drill Core	1.42	464	<0.005	<0.01	<0.17	32.54	0.22	12.81	17.79	62.5	166	22.8	16.0	693	2.75	1.6	1.5	0.8	9.6	130.0
1829020	Rock Pulp	0.12	95	0.471				2.33	417.96	18.31	50.1	272	591.4	26.8	426	2.50	19.2	0.6	436.2	2.3	54.5
1829021	Drill Core	3.55	406	0.005	<0.01	<0.17	32.68	0.30	5.75	17.25	21.8	194	2.1	3.1	267	0.89	7.6	1.3	1.9	16.0	65.8
1829022	Drill Core	2.95	400	0.011	0.01	<0.17	28.20	0.41	6.91	20.26	20.0	324	1.7	2.4	225	0.85	11.2	1.3	6.6	17.2	39.9
1829023	Drill Core	3.59	531	0.008	<0.01	<0.17	44.85	0.32	4.05	15.20	20.8	188	1.8	2.2	245	0.93	9.7	1.1	0.9	16.9	38.9
1829024	Drill Core	3.14	455	2.810	2.86	3.49	34.41	0.25	17.42	12.89	12.1	2162	1.5	2.5	251	0.95	3.3	1.2	2439.4	15.7	63.1
1829025	Drill Core	3.30	438	0.015	0.01	<0.17	39.95	0.45	9.78	17.77	10.5	206	1.0	2.2	212	0.72	7.2	0.8	6.0	15.6	94.1
1829026	Drill Core	3.63	491	0.027	0.02	<0.17	35.94	0.79	16.79	15.39	21.7	358	2.1	2.5	228	0.77	10.0	1.0	14.5	19.2	58.7



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000251.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1828997	Drill Core	0.03	0.84	0.23	<1	<0.01	0.003	18.6	0.8	0.02	1487.2	<0.001	2	0.19	0.039	0.16	0.2	0.5	0.03	0.03	<5
1828998	Drill Core	0.03	0.95	0.13	<1	<0.01	0.003	19.1	1.0	0.02	1701.5	<0.001	1	0.25	0.043	0.21	<0.1	0.6	0.05	0.04	<5
1828999	Drill Core	0.03	0.46	0.12	<1	<0.01	0.002	18.5	1.0	0.02	892.8	<0.001	1	0.20	0.044	0.15	<0.1	0.7	0.04	<0.02	<5
1829000	Rock Pulp	0.21	4.61	0.53	105	0.86	0.071	7.6	19.0	0.85	130.2	0.125	4	1.81	0.182	0.24	4.1	4.4	0.08	<0.02	201
1829001	Drill Core	0.05	0.40	0.38	<1	<0.01	0.006	22.2	1.4	0.02	1745.9	<0.001	<1	0.24	0.049	0.18	<0.1	0.9	0.04	0.05	60
1829002	Drill Core	0.03	0.33	0.46	<1	<0.01	0.003	36.4	1.0	0.03	481.2	<0.001	2	0.24	0.033	0.22	<0.1	0.6	0.05	<0.02	<5
1829003	Drill Core	0.01	0.38	0.12	<1	<0.01	0.003	23.9	1.1	0.02	1340.3	<0.001	<1	0.22	0.041	0.18	<0.1	0.6	0.04	0.03	<5
1829004	Drill Core	0.03	0.59	0.11	<1	<0.01	0.002	23.6	1.0	0.02	1755.7	<0.001	<1	0.21	0.043	0.17	<0.1	0.6	0.05	0.04	<5
1829005	Drill Core	0.07	0.25	0.11	<1	0.02	0.005	39.8	1.1	0.04	540.9	<0.001	<1	0.27	0.023	0.19	0.2	0.6	0.05	<0.02	<5
1829006	Drill Core	0.35	0.65	0.10	2	0.07	0.016	39.4	2.9	0.22	455.9	<0.001	<1	0.57	0.015	0.26	0.4	1.8	0.10	<0.02	<5
1829007	Drill Core	0.41	0.55	0.17	3	0.12	0.035	36.4	3.4	0.26	428.6	0.002	<1	0.64	0.044	0.22	<0.1	2.0	0.10	<0.02	<5
1829008	Drill Core	0.24	0.36	0.07	2	0.11	0.048	33.1	2.4	0.15	465.2	0.002	<1	0.51	0.052	0.30	0.1	1.6	0.08	<0.02	<5
1829009	Drill Core	0.26	0.60	0.10	1	0.08	0.035	28.1	2.2	0.09	537.1	0.002	<1	0.35	0.037	0.26	0.1	1.4	0.06	<0.02	6
1829010	Drill Core	0.16	0.42	0.10	2	0.08	0.037	27.0	1.8	0.08	769.3	0.002	1	0.41	0.051	0.31	<0.1	1.4	0.06	<0.02	<5
1829011	Drill Core	0.20	0.50	0.07	2	0.27	0.041	28.8	2.0	0.15	581.3	0.002	<1	0.45	0.044	0.29	0.1	1.7	0.06	<0.02	<5
1829012	Drill Core	0.20	0.27	0.19	2	0.30	0.040	39.2	2.5	0.20	331.6	0.003	<1	0.57	0.043	0.34	0.1	1.7	0.09	<0.02	<5
1829013	Drill Core	0.35	0.53	0.22	2	0.33	0.041	30.7	2.4	0.20	514.1	0.002	<1	0.48	0.025	0.31	0.1	1.8	0.08	0.05	<5
1829014	Drill Core	1.15	0.58	0.25	10	1.72	0.039	11.3	14.6	0.50	277.0	0.025	<1	0.60	0.007	0.32	0.4	5.5	0.08	0.37	44
1829015	Drill Core	0.27	0.77	0.07	7	1.18	0.043	20.9	9.7	0.46	355.7	0.004	<1	0.67	0.030	0.28	0.1	2.9	0.08	0.10	8
1829016	Drill Core	0.15	0.93	0.26	7	0.29	0.040	32.5	11.9	0.42	299.5	0.003	<1	0.75	0.046	0.32	<0.1	3.2	0.08	<0.02	<5
1829017	Drill Core	0.20	0.10	0.16	2	0.71	0.036	34.2	2.6	0.19	294.9	0.003	<1	0.54	0.049	0.30	<0.1	2.1	0.08	0.05	<5
1829018	Drill Core	0.17	0.14	0.24	4	1.09	0.044	37.0	4.9	0.38	343.2	0.004	<1	0.70	0.054	0.32	<0.1	2.9	0.10	0.05	<5
1829019	Drill Core	0.25	0.32	0.21	23	1.59	0.062	16.8	60.7	1.41	789.0	0.042	1	1.50	0.023	0.46	<0.1	9.1	0.24	0.04	<5
1829020	Rock Pulp	0.18	0.29	0.29	50	1.27	0.033	3.9	96.4	1.78	73.7	0.071	4	2.02	0.191	0.14	1.4	3.6	0.09	0.19	26
1829021	Drill Core	0.14	0.14	0.18	3	0.73	0.032	35.5	3.6	0.23	324.2	0.003	<1	0.57	0.048	0.30	<0.1	2.4	0.09	0.04	<5
1829022	Drill Core	0.18	0.29	0.55	3	0.44	0.038	45.0	3.7	0.18	374.6	0.003	<1	0.52	0.052	0.25	<0.1	2.5	0.08	<0.02	<5
1829023	Drill Core	0.20	0.19	0.18	3	0.57	0.040	42.7	3.5	0.19	450.2	0.003	<1	0.62	0.059	0.28	<0.1	2.5	0.13	<0.02	<5
1829024	Drill Core	0.15	0.13	0.10	2	0.83	0.054	21.4	2.2	0.18	289.5	0.002	<1	0.48	0.056	0.28	<0.1	2.1	0.09	0.34	<5
1829025	Drill Core	0.19	0.12	0.22	2	1.28	0.035	36.3	2.3	0.12	304.8	0.003	<1	0.55	0.052	0.36	<0.1	1.8	0.10	0.08	<5
1829026	Drill Core	0.30	0.60	0.21	2	0.82	0.047	41.2	2.6	0.18	237.2	0.002	<1	0.47	0.032	0.28	<0.1	1.8	0.10	0.06	<5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 2 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000251.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1828997	Drill Core	<0.1	0.11	0.5	0.08	<0.1	0.39	0.04	6.2	0.2	<0.05	10.4	2.52	37.1	<0.02	<1	0.2	0.6	<10
1828998	Drill Core	<0.1	0.05	0.8	0.12	<0.1	0.50	0.04	8.7	0.3	<0.05	13.2	2.48	37.9	<0.02	<1	0.3	0.5	<10
1828999	Drill Core	<0.1	0.08	0.7	0.12	<0.1	0.39	0.06	6.7	0.2	<0.05	12.5	2.85	38.1	<0.02	<1	0.2	0.7	<10
1829000	Rock Pulp	<0.1	0.18	5.0	0.70	<0.1	0.12	0.12	8.4	1.6	<0.05	2.6	5.15	15.6	0.06	1	0.1	7.4	<10
1829001	Drill Core	<0.1	1.38	0.7	0.16	<0.1	0.46	0.05	8.0	0.3	<0.05	13.3	4.52	43.6	<0.02	<1	0.3	0.9	<10
1829002	Drill Core	<0.1	0.18	0.8	0.16	<0.1	0.45	0.07	8.9	0.2	<0.05	13.0	7.60	62.7	<0.02	<1	0.3	1.5	<10
1829003	Drill Core	<0.1	0.03	0.6	0.21	<0.1	0.37	0.04	8.6	0.2	<0.05	11.8	3.75	46.6	<0.02	<1	0.3	1.0	<10
1829004	Drill Core	<0.1	0.08	0.7	0.18	<0.1	0.43	0.05	8.2	0.2	<0.05	11.2	3.76	47.4	<0.02	<1	0.2	0.7	<10
1829005	Drill Core	<0.1	0.05	0.7	0.43	<0.1	0.21	0.04	7.2	0.2	<0.05	7.2	7.40	67.3	<0.02	<1	0.2	1.6	<10
1829006	Drill Core	<0.1	0.05	1.7	0.89	<0.1	0.23	<0.02	10.8	0.3	<0.05	7.9	6.94	73.8	<0.02	<1	0.3	8.6	<10
1829007	Drill Core	<0.1	<0.02	2.5	0.69	<0.1	0.12	<0.02	11.6	0.3	<0.05	5.6	5.93	68.8	<0.02	1	0.4	9.3	<10
1829008	Drill Core	0.1	0.12	1.3	0.39	<0.1	0.21	<0.02	12.0	0.3	<0.05	6.8	6.40	58.3	<0.02	<1	0.3	4.1	<10
1829009	Drill Core	<0.1	0.26	1.0	0.50	<0.1	0.37	0.03	9.5	0.2	<0.05	13.0	6.27	51.9	<0.02	<1	0.3	3.7	<10
1829010	Drill Core	<0.1	0.16	1.1	0.36	<0.1	0.34	<0.02	9.1	0.1	<0.05	10.6	4.15	48.3	<0.02	<1	0.2	2.5	<10
1829011	Drill Core	<0.1	0.15	1.4	0.34	<0.1	0.29	<0.02	9.7	0.2	<0.05	9.3	5.19	53.3	<0.02	<1	0.3	4.0	<10
1829012	Drill Core	<0.1	0.03	1.6	0.39	<0.1	0.05	0.02	13.0	0.2	<0.05	2.7	6.40	70.1	<0.02	<1	0.3	5.7	<10
1829013	Drill Core	<0.1	0.11	1.6	0.40	<0.1	0.11	<0.02	12.6	0.2	<0.05	5.1	6.26	58.5	<0.02	<1	0.3	6.2	<10
1829014	Drill Core	0.7	1.70	1.8	0.23	<0.1	0.24	<0.02	9.9	0.2	<0.05	7.0	9.26	18.3	<0.02	<1	0.3	7.0	<10
1829015	Drill Core	0.3	0.58	1.8	0.43	<0.1	0.11	<0.02	9.2	0.2	<0.05	3.3	6.62	40.7	<0.02	<1	0.4	8.3	<10
1829016	Drill Core	<0.1	0.03	2.2	0.42	<0.1	0.03	<0.02	11.3	0.3	<0.05	1.3	7.24	59.7	<0.02	<1	0.3	9.5	<10
1829017	Drill Core	<0.1	<0.02	1.7	0.33	<0.1	0.06	<0.02	11.2	0.2	<0.05	2.0	5.79	62.2	<0.02	1	0.2	4.1	<10
1829018	Drill Core	<0.1	<0.02	2.0	0.49	<0.1	0.14	<0.02	12.2	0.3	<0.05	5.3	6.75	68.6	0.02	<1	0.3	7.6	<10
1829019	Drill Core	0.1	<0.02	4.9	2.40	0.1	0.12	<0.02	21.3	0.2	<0.05	4.3	6.68	31.5	0.03	<1	0.3	17.7	<10
1829020	Rock Pulp	0.8	0.16	4.3	0.60	<0.1	0.05	0.02	5.9	0.4	<0.05	1.2	2.92	8.5	<0.02	1	<0.1	7.6	287
1829021	Drill Core	<0.1	<0.02	1.7	0.52	<0.1	0.07	<0.02	12.0	0.4	<0.05	2.6	8.29	64.5	<0.02	<1	0.3	6.1	<10
1829022	Drill Core	<0.1	<0.02	1.9	0.61	<0.1	0.16	0.06	10.8	0.4	<0.05	5.1	13.67	80.0	<0.02	<1	0.3	6.0	12
1829023	Drill Core	<0.1	<0.02	2.3	0.65	<0.1	0.06	0.08	12.1	0.4	<0.05	1.8	12.29	81.0	<0.02	<1	0.3	7.2	<10
1829024	Drill Core	<0.1	0.94	1.4	0.38	<0.1	0.06	0.03	11.4	0.3	<0.05	1.7	6.20	40.6	<0.02	<1	0.2	4.4	<10
1829025	Drill Core	<0.1	<0.02	1.5	0.37	<0.1	0.02	0.04	14.8	0.2	<0.05	1.0	6.39	69.4	<0.02	2	0.2	3.9	<10
1829026	Drill Core	<0.1	0.03	2.0	0.49	<0.1	0.05	<0.02	14.9	0.2	<0.05	1.9	7.96	78.6	<0.02	<1	0.2	6.0	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000251.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1829027	Drill Core	2.36	527	<0.005	<0.01	<0.17	36.43	0.75	5.67	16.56	9.4	135	1.2	1.8	217	0.63	3.7	1.0	1.4	15.7	77.4
1829028	Drill Core	2.25	479	0.586	0.59	0.61	41.06	0.74	8.91	16.49	10.3	695	1.3	1.5	243	0.62	17.6	1.1	1106.8	18.5	71.0
1829029	Drill Core	1.72	493	1.763	1.81	2.44	37.33	0.27	11.42	8.96	14.0	1536	2.7	3.1	200	0.93	7.1	1.0	2482.4	14.7	34.3
1829030	Drill Core	3.04	404	0.264	0.26	0.20	25.20	0.32	7.54	13.21	18.0	521	2.0	3.5	222	0.98	20.9	0.9	399.6	11.9	48.8
1829031	Drill Core	2.92	525	0.019	0.02	<0.17	35.74	0.39	14.62	15.94	29.7	316	2.3	2.9	208	0.92	23.6	0.8	17.8	13.3	23.1
1829032	Drill Core	2.33	478	0.022	0.02	<0.17	37.80	0.59	11.72	30.62	26.5	415	2.8	3.2	245	0.81	37.8	1.4	19.6	16.3	10.5
1829033	Drill Core	3.04	510	0.054	0.05	<0.17	21.82	0.84	6.13	24.20	30.9	923	2.0	2.0	92	1.18	69.7	2.9	54.9	19.4	34.4
1829034	Drill Core	1.60	450	0.048	0.05	<0.17	17.72	0.71	5.55	12.83	34.5	803	2.0	2.4	136	1.00	50.2	2.7	41.1	15.6	15.8
1829035	Drill Core	2.31	398	0.043	0.04	<0.17	13.87	1.52	13.14	9.34	65.5	605	5.3	7.1	658	1.24	49.5	2.9	33.3	17.2	12.8
1829036	Drill Core	2.49	354	0.012	0.01	<0.17	18.03	0.51	2.79	3.85	49.8	183	0.8	0.9	244	0.89	23.8	0.9	6.0	18.7	6.5
1829037	Drill Core	2.65	427	0.007	<0.01	<0.17	16.78	0.33	1.55	20.15	46.3	156	0.8	0.6	202	0.80	6.4	0.8	4.0	21.4	24.4
1829038	Drill Core	3.22	497	<0.005	<0.01	<0.17	32.18	0.24	1.77	14.29	43.6	107	0.7	0.6	149	0.68	2.1	0.7	1.3	19.1	16.0
1829039	Drill Core	1.87	491	0.009	<0.01	<0.17	18.40	0.59	4.85	15.75	21.1	175	2.8	2.4	208	0.76	11.7	1.1	5.6	16.8	6.6
1829040	Rock Pulp	0.12	85	<0.005				2.15	94.33	3.59	37.6	131	4.4	8.8	369	2.55	0.7	0.8	5.5	3.6	64.4
1829041	Drill Core	2.37	431	0.009	<0.01	<0.17	34.32	0.63	3.99	15.56	37.1	201	4.7	3.5	289	0.87	27.9	1.1	8.0	14.9	10.7
1829042	Drill Core	1.92	412	0.007	<0.01	<0.17	19.63	0.67	8.89	19.53	44.5	151	6.8	4.0	197	1.15	7.2	1.2	4.1	14.2	22.8
1829043	Drill Core	2.76	371	0.012	0.01	<0.17	41.60	1.05	3.35	28.00	32.0	372	2.2	1.7	227	0.84	18.0	1.1	7.7	19.2	12.2
1829044	Drill Core	2.76	525	0.014	0.01	<0.17	72.43	0.57	7.05	21.89	19.4	1361	2.0	1.7	138	0.65	11.9	0.8	6.9	18.2	7.6
1829045	Drill Core	3.27	446	0.008	<0.01	<0.17	49.32	0.80	9.83	21.90	58.4	275	7.0	5.3	396	1.09	7.7	1.6	5.3	18.8	47.3
1829046	Drill Core	2.50	551	0.033	0.03	<0.17	27.39	0.90	4.32	19.84	23.3	260	1.1	0.9	177	0.69	13.6	1.4	13.1	18.9	18.5
1829047	Drill Core	2.94	497	<0.005	<0.01	<0.17	56.48	0.40	7.20	29.60	37.9	189	2.3	1.5	263	0.72	3.2	1.3	1.2	19.5	41.4
1829048	Drill Core	2.76	544	<0.005	<0.01	<0.17	45.24	1.42	1.37	32.27	32.5	164	0.3	0.6	258	0.47	3.3	1.7	1.3	21.8	55.5
1829049	Drill Core	3.28	546	<0.005	<0.01	<0.17	34.76	1.25	0.61	10.18	42.1	77	0.5	0.5	171	0.65	2.2	3.4	1.6	22.9	85.8
1829050	Drill Core	3.08	389	<0.005	<0.01	<0.17	39.19	1.03	4.55	16.12	38.3	131	1.2	1.0	229	0.72	1.3	2.0	<0.2	17.9	116.7
1829051	Drill Core	2.18	553	<0.005	<0.01	<0.17	37.41	0.79	1.37	10.18	38.3	86	0.6	0.5	173	0.64	0.9	1.3	<0.2	20.5	90.4
1829052	Drill Core	2.23	483	<0.005	<0.01	<0.17	37.29	2.16	2.36	20.49	43.1	92	0.7	0.7	195	0.66	1.7	2.3	1.5	20.9	105.1
1829053	Drill Core	3.24	524	<0.005	<0.01	<0.17	43.32	0.76	1.89	80.27	30.3	460	0.3	0.4	125	0.57	0.4	2.2	2.2	19.4	64.1
1829054	Drill Core	2.82	485	<0.005	<0.01	<0.17	38.75	0.94	3.18	20.06	39.2	129	1.3	1.0	109	0.66	1.9	4.5	1.7	15.3	36.6
1829055	Drill Core	2.69	486	0.009	<0.01	<0.17	42.54	1.59	10.46	15.14	33.1	278	4.1	3.2	326	1.04	49.4	1.5	4.8	16.3	35.7
1829056	Drill Core	3.01	523	0.050	0.05	<0.17	35.75	1.12	2.05	31.59	43.1	632	4.2	3.8	383	0.96	49.2	1.7	42.8	17.6	32.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000251.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829027	Drill Core	0.16	0.12	0.13	2	1.25	0.035	33.9	1.8	0.13	238.2	0.002	<1	0.55	0.045	0.36	<0.1	1.5	0.09	0.05	<5
1829028	Drill Core	0.13	0.29	0.17	2	1.09	0.045	33.7	2.1	0.16	259.9	0.002	<1	0.47	0.039	0.33	0.1	1.6	0.10	0.14	<5
1829029	Drill Core	0.14	0.14	0.04	2	0.37	0.038	19.2	2.7	0.23	348.0	0.002	<1	0.43	0.051	0.22	<0.1	1.9	0.08	0.27	<5
1829030	Drill Core	0.14	0.49	0.21	2	0.55	0.035	23.3	3.5	0.28	237.7	0.002	1	0.53	0.052	0.24	<0.1	1.8	0.07	0.18	<5
1829031	Drill Core	0.23	0.57	0.23	3	0.25	0.045	34.1	3.4	0.29	281.5	0.002	1	0.57	0.046	0.25	<0.1	1.8	0.09	0.07	8
1829032	Drill Core	0.39	1.35	0.12	2	0.08	0.038	36.6	2.9	0.10	199.0	0.001	<1	0.38	0.050	0.25	<0.1	1.6	0.09	<0.02	<5
1829033	Drill Core	0.34	4.25	0.22	2	0.06	0.039	44.9	3.5	0.12	235.8	0.001	<1	0.38	0.041	0.22	0.1	1.4	0.09	0.05	8
1829034	Drill Core	0.35	2.91	0.15	2	0.07	0.030	38.1	2.9	0.10	227.2	0.001	<1	0.36	0.037	0.19	0.1	1.3	0.08	<0.02	13
1829035	Drill Core	0.70	1.62	0.15	2	0.12	0.036	38.6	3.8	0.40	254.0	0.001	<1	0.78	0.018	0.28	0.2	1.5	0.11	<0.02	12
1829036	Drill Core	0.31	0.52	0.02	<1	0.05	0.007	45.5	1.4	0.57	189.9	<0.001	<1	0.67	0.006	0.23	0.3	1.8	0.07	<0.02	<5
1829037	Drill Core	0.11	0.24	0.20	<1	0.34	0.006	59.3	1.9	0.62	236.4	0.001	<1	0.76	0.014	0.27	0.1	2.0	0.09	<0.02	<5
1829038	Drill Core	0.10	0.19	0.14	<1	0.27	0.006	51.2	1.5	0.75	189.7	0.001	<1	0.77	0.017	0.21	<0.1	1.9	0.06	<0.02	<5
1829039	Drill Core	0.24	0.55	0.13	4	0.04	0.011	47.4	8.5	0.22	211.8	0.001	1	0.48	0.023	0.24	<0.1	3.1	0.10	<0.02	<5
1829040	Rock Pulp	0.07	0.09	0.05	90	0.82	0.072	6.7	10.1	0.71	116.6	0.095	2	1.50	0.166	0.21	2.9	2.6	0.04	<0.02	<5
1829041	Drill Core	0.54	0.54	0.12	3	0.05	0.015	43.2	6.4	0.20	252.9	<0.001	<1	0.45	0.019	0.23	0.1	4.2	0.11	<0.02	9
1829042	Drill Core	0.31	0.31	0.13	5	0.30	0.034	37.7	9.0	0.47	253.2	0.002	2	0.79	0.008	0.31	0.1	4.6	0.10	<0.02	10
1829043	Drill Core	0.21	0.62	0.21	2	0.26	0.009	51.8	6.3	0.33	239.7	<0.001	<1	0.53	0.013	0.24	0.5	2.8	0.09	<0.02	<5
1829044	Drill Core	0.18	0.54	0.17	2	0.07	0.007	46.9	4.7	0.18	289.7	<0.001	1	0.43	0.030	0.23	2.2	2.4	0.10	0.06	<5
1829045	Drill Core	0.44	0.49	0.09	7	0.75	0.014	53.5	21.2	0.60	260.3	0.002	<1	0.79	0.016	0.26	0.3	5.2	0.11	0.03	7
1829046	Drill Core	0.20	0.60	0.14	1	0.22	0.005	52.6	3.8	0.29	196.9	0.001	<1	0.52	0.030	0.26	<0.1	2.4	0.08	0.12	<5
1829047	Drill Core	0.16	0.30	0.18	2	0.51	0.008	50.6	5.8	0.63	193.7	0.001	<1	0.62	0.013	0.22	<0.1	2.5	0.06	0.04	<5
1829048	Drill Core	0.20	0.15	0.21	<1	0.63	0.005	58.1	1.1	0.64	233.2	0.001	<1	0.61	0.008	0.25	<0.1	2.6	0.07	<0.02	<5
1829049	Drill Core	0.36	0.15	0.09	<1	0.88	0.005	53.1	1.6	0.91	223.3	0.001	<1	0.66	0.015	0.28	<0.1	3.2	0.08	0.03	<5
1829050	Drill Core	0.28	0.20	0.12	1	1.11	0.011	44.8	2.3	0.77	242.2	0.001	<1	0.74	0.007	0.27	<0.1	2.9	0.08	<0.02	<5
1829051	Drill Core	0.27	0.14	0.12	<1	0.97	0.005	44.4	1.5	0.80	262.5	0.001	1	0.71	0.014	0.27	<0.1	3.1	0.07	<0.02	<5
1829052	Drill Core	0.35	0.17	0.12	<1	0.91	0.005	38.8	1.6	0.85	214.7	0.001	<1	0.65	0.007	0.24	<0.1	3.5	0.06	<0.02	<5
1829053	Drill Core	0.18	0.19	0.75	<1	0.56	0.005	44.8	2.0	0.56	223.3	0.001	1	0.61	0.020	0.26	<0.1	2.6	0.07	<0.02	<5
1829054	Drill Core	0.30	0.30	0.14	1	0.35	0.010	43.5	2.4	0.62	188.5	0.002	<1	0.66	0.016	0.24	<0.1	2.1	0.06	0.03	<5
1829055	Drill Core	0.19	0.49	0.11	3	0.38	0.034	24.1	4.8	0.75	177.9	0.003	<1	0.80	0.008	0.29	0.1	2.9	0.09	0.17	<5
1829056	Drill Core	0.25	0.39	0.23	3	0.21	0.025	33.2	5.1	0.99	149.0	0.002	<1	0.90	0.005	0.25	0.8	2.3	0.09	0.02	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000251.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829027	Drill Core	<0.1	<0.02	1.3	0.36	<0.1	0.04	0.06	12.9	0.2	<0.05	0.8	6.42	63.6	<0.02	<1	0.2	4.3	<10	<2			
1829028	Drill Core	<0.1	0.13	1.7	0.44	<0.1	0.03	0.07	14.9	0.2	<0.05	1.2	6.32	61.1	<0.02	<1	0.3	4.5	<10	<2			
1829029	Drill Core	0.1	0.47	1.3	0.34	<0.1	0.09	<0.02	10.9	0.2	<0.05	3.1	3.77	37.7	<0.02	<1	0.3	5.7	<10	<2			
1829030	Drill Core	0.2	0.18	1.7	0.37	<0.1	0.09	0.03	10.2	0.3	<0.05	2.2	4.54	44.6	<0.02	<1	0.2	6.4	<10	<2			
1829031	Drill Core	<0.1	<0.02	1.9	0.48	<0.1	0.06	<0.02	11.7	0.6	<0.05	2.7	5.57	62.1	<0.02	<1	0.3	7.3	<10	<2			
1829032	Drill Core	<0.1	0.02	1.2	0.36	<0.1	<0.02	<0.02	10.8	0.3	<0.05	1.2	8.05	68.5	<0.02	<1	0.3	3.3	<10	<2			
1829033	Drill Core	<0.1	0.04	1.5	0.98	<0.1	0.02	<0.02	10.9	0.4	<0.05	1.3	8.82	84.6	<0.02	<1	0.3	4.6	<10	<2			
1829034	Drill Core	<0.1	0.03	1.3	0.70	<0.1	0.09	<0.02	8.2	0.2	<0.05	1.6	9.44	72.2	<0.02	<1	0.3	4.4	<10	<2			
1829035	Drill Core	<0.1	0.04	1.9	0.79	<0.1	0.07	<0.02	11.3	0.4	<0.05	2.3	14.19	72.5	<0.02	<1	0.5	14.6	<10	<2			
1829036	Drill Core	<0.1	<0.02	1.4	0.57	<0.1	0.09	0.02	8.5	0.2	<0.05	3.2	9.66	86.9	<0.02	<1	0.4	11.7	<10	<2			
1829037	Drill Core	<0.1	<0.02	2.7	0.58	<0.1	0.09	0.03	11.0	0.3	<0.05	2.1	12.26	111.4	0.03	<1	0.3	13.6	<10	<2			
1829038	Drill Core	<0.1	<0.02	2.3	0.47	<0.1	0.07	<0.02	8.3	0.3	<0.05	1.9	11.96	101.1	<0.02	<1	0.3	14.1	<10	<2			
1829039	Drill Core	<0.1	<0.02	1.6	0.96	<0.1	0.09	0.03	10.1	0.4	<0.05	1.8	16.13	103.7	0.03	<1	0.2	5.2	<10	<2			
1829040	Rock Pulp	<0.1	<0.02	4.5	0.30	0.1	0.05	0.06	6.5	0.2	<0.05	0.9	4.19	14.3	<0.02	<1	<0.1	6.2	<10	<2			
1829041	Drill Core	<0.1	<0.02	1.4	1.13	<0.1	0.11	<0.02	9.4	0.3	<0.05	2.6	14.39	86.0	<0.02	<1	0.3	4.9	<10	<2			
1829042	Drill Core	<0.1	<0.02	2.2	0.86	<0.1	0.13	<0.02	11.4	0.3	<0.05	3.7	12.51	72.0	0.02	<1	0.4	13.0	<10	<2			
1829043	Drill Core	<0.1	<0.02	1.5	0.96	<0.1	0.21	0.03	9.3	0.3	<0.05	5.0	17.77	104.2	0.03	<1	0.3	8.7	<10	<2			
1829044	Drill Core	<0.1	<0.02	1.5	0.85	<0.1	0.07	0.08	9.9	0.4	<0.05	2.3	13.41	86.4	0.03	<1	0.2	4.2	<10	<2			
1829045	Drill Core	<0.1	<0.02	3.1	1.11	<0.1	0.08	0.07	11.5	0.3	<0.05	3.3	24.33	103.2	<0.02	<1	0.4	11.0	<10	2			
1829046	Drill Core	<0.1	<0.02	1.8	0.79	<0.1	0.08	0.05	9.6	0.4	<0.05	2.7	19.76	106.3	<0.02	<1	0.2	7.0	<10	<2			
1829047	Drill Core	<0.1	<0.02	2.3	0.27	<0.1	0.17	0.02	7.7	0.2	<0.05	4.8	17.32	98.8	<0.02	<1	0.2	9.4	<10	<2			
1829048	Drill Core	0.1	<0.02	1.9	0.33	<0.1	0.38	0.08	8.5	0.2	<0.05	10.1	20.67	115.2	0.02	<1	0.2	10.7	<10	<2			
1829049	Drill Core	<0.1	<0.02	1.4	0.52	<0.1	0.45	0.09	9.1	0.3	<0.05	9.9	17.27	110.2	0.02	1	0.3	11.1	<10	<2			
1829050	Drill Core	<0.1	<0.02	1.8	0.54	<0.1	0.32	0.03	9.0	0.2	<0.05	8.2	13.85	87.9	0.03	<1	0.3	10.5	15	<2			
1829051	Drill Core	<0.1	<0.02	1.6	0.41	<0.1	0.45	0.05	8.4	0.3	<0.05	11.8	11.44	84.8	0.02	<1	0.2	11.8	<10	2			
1829052	Drill Core	<0.1	<0.02	1.7	0.42	<0.1	0.42	0.06	8.4	0.3	<0.05	10.1	9.95	77.3	<0.02	<1	0.2	9.8	<10	<2			
1829053	Drill Core	0.5	<0.02	1.5	0.32	<0.1	0.14	0.06	8.8	0.1	<0.05	4.7	9.38	85.4	<0.02	<1	0.2	8.1	<10	<2			
1829054	Drill Core	<0.1	<0.02	2.1	0.44	<0.1	0.16	0.06	9.3	0.2	<0.05	3.9	9.63	77.2	<0.02	<1	0.2	10.4	<10	<2			
1829055	Drill Core	<0.1	<0.02	2.1	0.45	<0.1	0.19	<0.02	9.8	0.2	<0.05	6.1	8.64	45.7	<0.02	<1	0.2	13.1	<10	<2			
1829056	Drill Core	<0.1	<0.02	2.2	0.95	<0.1	0.66	0.04	9.0	0.2	<0.05	16.2	11.81	68.1	<0.02	<1	0.4	17.1	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000251.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1829057	Drill Core	2.17	517	0.009	<0.01	<0.17	36.60	0.73	1.31	25.85	76.2	147	5.9	4.6	239	1.58	89.7	1.6	4.7	18.0	51.0
1829058	Drill Core	3.39	542	0.007	<0.01	<0.17	40.88	0.91	7.64	32.91	49.1	206	5.8	3.5	208	1.47	16.6	1.5	2.2	14.3	75.9
1829059	Drill Core	2.36	526	0.044	0.06	0.22	40.01	1.73	20.44	3.90	61.0	156	8.3	7.2	231	1.85	11.8	1.8	14.7	13.0	71.1
1829060	Core DUP		522	0.026	0.02	<0.17	35.75	1.60	21.62	4.61	62.7	163	8.8	7.7	221	1.80	12.2	1.8	18.2	13.2	69.5
1829061	Drill Core	3.48	441	0.010	<0.01	<0.17	44.50	0.51	5.07	23.40	13.7	169	0.6	0.9	125	0.50	10.1	2.1	7.1	18.2	38.2
1829062	Drill Core	3.09	562	0.011	0.01	<0.17	45.76	0.23	5.84	20.90	30.4	301	8.2	5.7	625	1.00	25.7	3.1	7.1	15.2	84.0
1829063	Drill Core	3.26	389	0.011	0.01	<0.17	38.86	0.26	14.25	25.64	25.0	285	4.1	3.1	364	0.76	21.5	1.9	7.1	17.1	46.0
1829064	Drill Core	3.52	483	0.010	<0.01	<0.17	33.21	0.34	2.22	19.92	21.3	232	0.7	0.6	348	0.66	11.1	2.2	5.9	15.2	61.5
1829065	Drill Core	1.95	481	0.038	0.04	<0.17	32.31	0.34	7.26	28.86	50.4	759	8.8	10.0	528	1.81	145.0	2.8	33.8	11.2	58.8
1829066	Drill Core	3.59	388	0.020	0.02	<0.17	27.53	0.29	3.47	20.58	18.6	170	1.3	1.2	355	0.58	25.1	2.3	16.3	14.0	63.9
1829067	Drill Core	3.53	384	0.015	0.01	<0.17	25.22	0.30	10.58	19.82	26.9	338	3.1	2.4	314	0.81	39.3	2.8	12.7	13.5	79.7
1829068	Drill Core	3.39	479	0.030	0.03	<0.17	38.56	0.44	4.73	16.31	40.5	553	8.3	5.6	525	1.34	92.4	3.7	25.8	11.8	68.0
1829069	Drill Core	3.29	454	0.080	0.07	<0.17	34.30	0.81	4.65	12.67	36.0	748	6.6	11.9	888	2.22	209.2	2.1	77.8	7.8	313.7
1829070	Drill Core	3.40	390	0.039	0.03	<0.17	38.98	0.48	7.93	12.68	29.1	507	5.5	9.2	745	1.86	114.8	2.1	31.3	9.5	167.4
1829071	Drill Core	2.97	450	0.028	0.03	<0.17	31.60	0.38	9.18	25.00	34.2	592	6.5	5.2	648	1.53	64.9	2.1	26.0	11.3	86.9
1829072	Drill Core	3.25	385	<0.005	<0.01	<0.17	19.12	0.44	12.56	11.80	31.6	291	4.4	3.8	193	1.49	8.6	2.9	1.3	11.9	52.6
1829073	Drill Core	3.23	388	0.014	0.01	<0.17	45.54	0.58	4.13	17.52	61.2	171	2.8	2.8	323	1.43	28.7	2.4	7.8	13.2	70.8
1829074	Drill Core	3.40	503	0.007	<0.01	<0.17	20.92	0.80	10.22	10.03	78.3	405	21.2	16.9	1141	3.30	125.7	2.2	16.7	6.1	233.6
1829075	Drill Core	2.96	461	0.043	0.04	<0.17	27.02	0.72	7.32	19.33	47.5	245	6.4	6.1	487	1.88	18.2	3.3	3.2	11.7	86.5
1829076	Drill Core	3.22	494	0.023	0.02	<0.17	21.59	0.51	3.34	17.59	35.2	335	8.1	4.8	567	1.78	242.7	3.2	40.7	11.7	79.9
1829077	Drill Core	3.07	475	0.021	0.02	<0.17	23.95	0.53	29.35	21.37	37.6	566	4.2	3.3	496	1.41	79.0	2.0	20.0	11.0	77.0
1829078	Drill Core	3.08	507	0.024	0.02	<0.17	29.89	0.63	112.07	29.83	62.6	1708	6.9	6.2	917	2.11	58.9	2.9	20.6	10.5	144.0
1829079	Drill Core	3.25	459	<0.005	<0.01	<0.17	23.77	1.11	12.17	11.68	39.3	139	7.1	6.1	296	1.66	10.6	1.7	1.0	6.3	180.1
1829080	Rock	0.23	167	<0.005	<0.01	<0.17	30.01	0.46	1.29	1.07	2.0	8	1.3	0.4	85	0.78	0.7	0.2	0.3	0.7	2.1
1829081	Drill Core	3.01	450	<0.005	<0.01	<0.17	23.53	0.53	9.38	13.70	41.7	105	4.1	4.5	322	1.74	3.3	2.1	<0.2	8.2	252.8
1829082	Drill Core	3.18	472	0.044	0.04	<0.17	46.56	0.71	5.02	16.23	40.8	220	4.2	4.3	267	1.68	221.7	3.1	40.0	10.0	140.4
1829083	Drill Core	3.30	421	0.066	0.06	<0.17	39.77	0.56	13.84	16.27	38.0	778	8.4	7.3	505	1.95	496.8	2.3	66.1	10.0	128.4
1829084	Drill Core	2.86	532	0.033	0.03	<0.17	34.39	0.44	8.62	20.96	43.1	425	4.8	4.6	468	1.69	85.1	3.9	28.5	12.0	115.3
1829085	Drill Core	3.13	485	0.022	0.02	<0.17	29.36	1.93	6.34	20.88	55.2	336	9.4	6.2	613	2.40	78.1	3.2	19.2	9.2	88.0
1829086	Drill Core	3.24	456	0.039	0.04	<0.17	39.47	1.44	19.14	22.23	42.9	848	4.0	4.1	511	1.71	139.3	3.2	34.5	10.1	80.1



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000251.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829057	Drill Core	0.29	0.61	0.15	6	0.42	0.036	28.4	10.1	1.34	181.8	0.008	2	1.22	0.008	0.40	0.1	4.1	0.22	0.05	<5			
1829058	Drill Core	0.19	0.27	0.20	6	0.68	0.036	23.6	9.3	1.30	145.1	0.003	<1	1.08	0.012	0.24	<0.1	2.9	0.08	0.12	<5			
1829059	Drill Core	0.18	0.39	<0.02	7	0.62	0.060	25.8	10.0	1.34	154.4	0.004	<1	1.27	0.009	0.29	<0.1	2.9	0.10	0.20	<5			
1829060	Core DUP	0.19	0.38	0.02	6	0.62	0.058	24.5	9.4	1.32	139.7	0.003	<1	1.22	0.009	0.27	<0.1	2.3	0.09	0.21	<5			
1829061	Drill Core	0.08	0.38	0.15	<1	0.36	0.008	43.8	1.9	0.21	379.3	0.002	<1	0.48	0.039	0.30	<0.1	2.0	0.09	0.11	<5			
1829062	Drill Core	0.14	0.97	0.13	11	1.13	0.013	34.3	24.3	0.82	229.4	0.002	<1	0.69	0.021	0.24	<0.1	4.2	0.08	0.40	<5			
1829063	Drill Core	0.22	0.49	0.18	6	0.58	0.009	46.8	16.2	0.43	280.2	0.002	<1	0.60	0.061	0.28	<0.1	3.6	0.09	0.21	<5			
1829064	Drill Core	0.09	1.00	0.13	1	0.96	0.008	33.7	2.4	0.45	179.6	<0.001	<1	0.49	0.028	0.25	<0.1	1.7	0.06	0.28	<5			
1829065	Drill Core	0.35	3.34	0.10	11	1.01	0.060	20.4	17.7	0.76	176.9	0.002	<1	0.73	0.014	0.34	<0.1	3.7	0.09	1.30	7			
1829066	Drill Core	0.17	0.48	0.03	2	1.04	0.038	31.0	2.6	0.17	271.4	0.002	<1	0.46	0.041	0.33	<0.1	1.1	0.07	0.18	<5			
1829067	Drill Core	0.13	0.74	0.07	5	0.76	0.037	36.1	5.4	0.27	267.2	0.003	1	0.53	0.052	0.33	<0.1	2.0	0.08	0.34	<5			
1829068	Drill Core	0.15	2.25	0.11	11	0.79	0.036	26.4	15.6	0.66	216.5	0.004	<1	0.79	0.034	0.35	<0.1	3.4	0.08	0.83	<5			
1829069	Drill Core	0.13	5.86	0.08	29	2.68	0.044	17.9	48.6	1.54	167.6	0.003	1	1.17	0.020	0.33	<0.1	7.5	0.09	1.66	<5			
1829070	Drill Core	0.11	3.06	0.08	21	1.89	0.037	24.6	35.2	1.15	161.7	0.007	<1	0.98	0.033	0.35	<0.1	6.3	0.11	1.12	<5			
1829071	Drill Core	0.10	1.76	0.16	10	1.03	0.034	25.7	12.6	0.75	204.0	0.003	1	0.74	0.022	0.29	<0.1	2.4	0.08	0.80	<5			
1829072	Drill Core	0.10	0.13	0.05	9	0.50	0.037	35.3	5.8	0.52	194.1	0.005	<1	0.78	0.057	0.28	<0.1	2.8	0.06	0.28	<5			
1829073	Drill Core	0.11	0.44	<0.02	7	0.54	0.036	36.2	4.5	0.58	190.3	0.005	<1	0.85	0.036	0.36	<0.1	2.7	0.10	0.29	<5			
1829074	Drill Core	0.21	1.16	0.04	53	2.12	0.033	18.1	111.6	2.67	180.6	0.026	<1	2.11	0.017	0.42	<0.1	11.1	0.15	0.71	<5			
1829075	Drill Core	0.13	0.29	0.04	18	0.76	0.036	33.9	25.0	1.03	195.2	0.005	<1	1.17	0.030	0.34	<0.1	4.5	0.10	0.21	<5			
1829076	Drill Core	0.13	1.55	<0.02	10	0.91	0.046	28.3	11.2	0.89	213.8	0.003	<1	1.00	0.023	0.35	<0.1	3.5	0.07	0.65	<5			
1829077	Drill Core	0.17	0.64	0.08	7	0.89	0.033	26.5	5.5	0.47	225.7	0.003	<1	0.68	0.033	0.30	<0.1	2.2	0.07	0.59	<5			
1829078	Drill Core	0.29	0.50	0.19	15	1.48	0.034	24.8	19.2	1.12	232.3	0.014	<1	1.16	0.022	0.30	<0.1	5.0	0.07	0.51	<5			
1829079	Drill Core	0.10	0.16	0.09	9	0.89	0.041	18.0	6.2	0.55	837.3	0.059	<1	0.80	0.045	0.34	<0.1	3.9	0.09	0.10	<5			
1829080	Rock	<0.01	0.04	<0.02	2	0.02	0.002	2.3	3.9	0.02	9.5	0.003	<1	0.08	0.005	0.02	<0.1	0.3	<0.02	<0.02	<5			
1829081	Drill Core	0.15	0.09	0.11	8	1.38	0.045	21.8	4.6	0.49	926.8	0.037	<1	0.87	0.042	0.37	<0.1	3.5	0.10	0.07	<5			
1829082	Drill Core	0.13	2.28	0.06	8	0.99	0.044	33.8	5.2	0.54	375.3	0.009	<1	0.80	0.042	0.35	<0.1	4.4	0.10	0.47	<5			
1829083	Drill Core	0.14	4.77	0.09	12	1.32	0.038	28.8	8.7	0.83	175.4	0.003	<1	0.93	0.036	0.32	<0.1	4.1	0.09	1.12	<5			
1829084	Drill Core	0.16	2.23	0.22	7	1.17	0.039	38.5	5.7	0.56	265.0	0.004	<1	0.90	0.031	0.39	<0.1	3.1	0.11	0.77	<5			
1829085	Drill Core	0.17	1.06	0.11	12	1.08	0.056	36.1	12.4	1.16	210.0	0.004	<1	1.40	0.023	0.33	<0.1	4.3	0.08	0.67	<5			
1829086	Drill Core	0.22	0.97	0.13	7	0.86	0.045	29.4	4.6	0.70	231.5	0.003	<1	0.93	0.026	0.32	<0.1	2.5	0.08	0.70	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000251.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829057	Drill Core	<0.1	<0.02	3.1	1.82	0.1	0.54	<0.02	20.6	0.2	<0.05	15.6	10.22	56.9	<0.02	<1	0.4	24.3	14	<2			
1829058	Drill Core	<0.1	<0.02	2.7	0.43	<0.1	0.29	0.03	8.6	<0.1	<0.05	6.9	7.54	44.4	<0.02	<1	0.3	19.0	<10	<2			
1829059	Drill Core	<0.1	<0.02	2.8	0.47	<0.1	0.21	0.05	10.7	<0.1	<0.05	6.9	7.86	51.6	<0.02	1	0.3	19.7	<10	<2			
1829060	Core DUP	0.1	<0.02	2.6	0.48	<0.1	0.18	<0.02	9.9	0.1	<0.05	6.5	8.20	50.1	<0.02	1	0.3	18.9	<10	<2			
1829061	Drill Core	<0.1	<0.02	1.5	0.24	0.1	0.15	0.07	11.5	0.3	<0.05	4.3	12.02	87.2	<0.02	<1	0.3	5.1	<10	<2			
1829062	Drill Core	<0.1	<0.02	2.2	0.32	<0.1	0.12	<0.02	8.5	0.2	<0.05	3.6	15.46	68.7	<0.02	<1	0.2	10.8	<10	<2			
1829063	Drill Core	<0.1	<0.02	1.9	0.31	<0.1	0.13	0.07	10.3	0.2	<0.05	4.2	17.95	89.2	0.03	<1	0.3	5.9	<10	<2			
1829064	Drill Core	<0.1	<0.02	1.3	0.25	<0.1	0.10	0.04	7.5	0.2	<0.05	3.6	13.28	66.8	<0.02	<1	0.2	5.8	<10	<2			
1829065	Drill Core	0.3	0.06	1.9	0.35	<0.1	0.08	<0.02	10.0	0.2	<0.05	3.5	12.42	36.1	<0.02	<1	0.2	10.7	<10	<2			
1829066	Drill Core	<0.1	<0.02	1.1	0.26	<0.1	0.07	<0.02	9.5	0.2	<0.05	3.1	10.64	54.1	<0.02	<1	0.3	3.5	<10	<2			
1829067	Drill Core	0.1	0.03	1.7	0.27	<0.1	0.08	0.05	10.5	0.4	<0.05	3.2	10.77	67.2	<0.02	<1	0.3	5.1	<10	<2			
1829068	Drill Core	0.1	0.04	2.4	0.22	<0.1	0.10	0.06	9.5	0.3	<0.05	3.5	9.89	49.7	<0.02	<1	0.3	10.1	<10	<2			
1829069	Drill Core	0.2	0.05	3.0	0.18	<0.1	0.11	<0.02	9.0	0.3	<0.05	3.6	10.79	33.0	<0.02	<1	0.3	18.6	<10	<2			
1829070	Drill Core	0.1	0.03	2.6	0.52	<0.1	0.11	0.02	10.4	0.4	<0.05	4.5	12.23	44.8	<0.02	<1	0.4	14.8	<10	<2			
1829071	Drill Core	<0.1	0.06	2.3	0.56	<0.1	0.12	<0.02	8.9	0.3	<0.05	4.2	10.25	48.7	<0.02	<1	0.4	10.3	<10	<2			
1829072	Drill Core	0.1	<0.02	2.9	0.39	<0.1	0.09	<0.02	9.1	0.2	<0.05	4.3	11.65	65.2	<0.02	<1	0.2	10.9	<10	<2			
1829073	Drill Core	<0.1	<0.02	3.2	0.77	<0.1	0.07	0.03	11.8	0.3	<0.05	3.2	12.23	67.0	<0.02	<1	0.4	11.8	<10	<2			
1829074	Drill Core	0.1	<0.02	6.8	1.70	<0.1	0.17	<0.02	16.7	0.3	<0.05	6.6	15.16	34.0	0.03	<1	0.7	38.1	<10	<2			
1829075	Drill Core	<0.1	<0.02	4.3	1.39	<0.1	0.09	0.04	12.1	0.3	<0.05	3.5	12.49	63.5	<0.02	1	0.5	19.0	<10	<2			
1829076	Drill Core	0.2	0.03	2.7	0.35	<0.1	0.06	<0.02	9.8	0.2	<0.05	3.1	10.49	52.7	<0.02	<1	0.3	15.8	<10	<2			
1829077	Drill Core	0.3	0.03	2.6	0.50	<0.1	0.12	<0.02	10.2	0.3	<0.05	4.2	10.03	49.0	<0.02	<1	0.2	8.6	<10	<2			
1829078	Drill Core	0.1	0.03	3.9	0.23	<0.1	0.09	<0.02	9.0	0.4	<0.05	3.5	12.44	46.3	0.03	<1	0.3	16.3	<10	<2			
1829079	Drill Core	0.2	<0.02	2.7	1.26	<0.1	0.05	0.21	11.8	0.5	<0.05	1.4	10.68	33.6	<0.02	<1	0.3	6.0	<10	<2			
1829080	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.10	<0.02	0.9	<0.1	<0.05	3.4	0.94	4.4	<0.02	<1	<0.1	1.2	<10	<2			
1829081	Drill Core	0.1	<0.02	3.5	1.30	<0.1	0.04	0.19	13.8	0.4	<0.05	1.1	12.18	40.2	<0.02	1	0.4	6.8	<10	<2			
1829082	Drill Core	<0.1	<0.02	3.0	1.04	<0.1	0.08	0.05	11.9	0.3	<0.05	2.9	13.53	63.6	0.03	2	0.4	8.4	<10	<2			
1829083	Drill Core	<0.1	0.05	2.7	0.45	<0.1	0.09	<0.02	9.9	0.4	<0.05	3.9	13.33	53.9	<0.02	2	0.3	11.5	<10	<2			
1829084	Drill Core	0.1	<0.02	2.8	0.98	<0.1	0.03	0.02	14.3	0.4	<0.05	1.1	14.29	69.3	0.03	1	0.3	9.9	<10	<2			
1829085	Drill Core	<0.1	<0.02	4.2	0.38	<0.1	0.03	0.05	10.4	0.3	<0.05	1.9	15.16	67.2	0.03	<1	0.4	14.4	<10	<2			
1829086	Drill Core	0.4	0.10	2.8	0.25	<0.1	0.08	<0.02	9.3	0.2	<0.05	4.0	10.08	57.9	<0.02	2	0.4	9.5	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000251.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1829087	Drill Core	3.21	500	0.029	0.03	<0.17	46.78	0.64	5.29	23.12	39.1	334	3.7	3.0	435	1.54	132.6	3.4	24.7	12.4	110.8
1829088	Drill Core	3.21	472	0.009	<0.01	<0.17	39.59	0.80	23.74	15.08	56.9	323	6.3	6.2	399	1.98	48.9	3.4	6.8	9.2	123.4
1829089	Drill Core	2.90	416	0.010	<0.01	<0.17	33.38	0.88	16.23	19.79	66.7	428	9.0	7.1	541	2.10	73.4	3.0	8.5	10.4	111.3
1829090	Drill Core	1.82	495	0.019	0.02	<0.17	37.41	0.73	7.49	26.21	52.6	327	7.4	5.8	1143	1.73	47.9	2.1	16.9	9.7	343.9
1829091	Drill Core	3.33	506	0.011	0.01	<0.17	35.72	0.17	7.14	17.45	45.8	209	4.7	3.9	315	1.55	22.2	2.1	6.4	11.1	48.1
1829092	Drill Core	3.21	477	0.075	0.07	<0.17	44.37	0.33	7.51	195.58	40.7	775	4.3	3.9	232	1.38	47.6	2.9	96.3	11.7	44.5
1829093	Drill Core	3.20	481	0.041	0.04	<0.17	38.92	0.22	5.37	6.86	35.6	116	4.1	3.8	202	1.19	18.9	2.3	28.6	10.0	37.5
1829094	Drill Core	2.00	352	0.013	0.08	0.51	46.86	0.21	6.66	5.62	36.2	125	5.0	4.4	182	1.25	3.4	2.4	6.3	10.1	38.9
1829095	Drill Core	1.63	412	0.010	<0.01	<0.17	51.31	0.17	7.07	4.22	43.8	168	7.4	4.6	303	1.38	9.2	3.6	5.9	10.4	91.6
1829096	Drill Core	1.42	437	0.008	<0.01	<0.17	35.26	0.22	9.44	15.98	36.6	230	3.7	3.5	277	1.26	8.4	1.9	4.1	10.1	66.5
1829097	Drill Core	3.00	461	0.013	0.01	<0.17	37.04	0.14	7.35	14.22	39.0	211	4.2	3.6	250	1.54	21.0	1.6	6.4	10.9	62.5
1829098	Drill Core	3.26	502	0.006	<0.01	<0.17	42.49	0.17	8.64	13.73	39.5	109	4.0	3.8	199	1.52	3.1	1.9	3.1	9.7	81.1
1829099	Drill Core	2.98	442	0.036	0.03	<0.17	46.23	0.19	8.99	11.76	34.1	156	3.4	3.6	226	1.34	81.6	2.1	28.7	9.3	78.9
1829100	Rock Pulp	0.12	92	7.374				9.90	199.98	20.28	78.9	828	14.5	11.7	546	4.70	14.2	0.9	7208.4	4.1	65.8
1829101	Drill Core	1.60	474	0.085	0.10	0.25	48.33	0.27	14.41	44.86	18.2	502	6.1	7.3	396	1.33	85.3	2.4	59.2	15.1	47.0
1829102	Drill Core	3.30	451	0.009	<0.01	<0.17	30.10	0.32	4.18	12.18	25.3	118	1.2	0.9	160	0.68	18.8	3.3	4.8	17.9	44.6
1829103	Drill Core	3.55	444	0.008	<0.01	<0.17	41.05	0.82	2.81	25.09	12.0	121	1.3	0.5	109	0.45	3.4	2.6	1.0	16.6	39.9
1829104	Drill Core	3.27	443	0.008	<0.01	<0.17	31.05	0.77	3.19	19.03	19.7	134	1.3	0.5	129	0.49	6.2	3.2	19.9	20.3	25.7
1829105	Drill Core	3.12	518	0.013	0.01	<0.17	23.89	1.33	9.91	22.63	64.3	355	8.9	8.1	486	1.67	26.2	2.2	9.8	17.6	38.0
1829106	Drill Core	3.28	445	0.043	0.04	<0.17	20.38	0.69	9.78	37.09	38.7	304	5.1	4.2	305	1.08	15.2	2.5	22.4	16.2	28.4
1829107	Drill Core	3.44	387	0.223	0.31	2.03	18.24	0.31	10.72	5.32	33.1	396	4.0	4.4	434	1.09	20.2	1.8	116.3	13.0	46.7
1829108	Drill Core	3.17	506	0.071	0.07	<0.17	26.21	0.72	18.43	6.72	61.6	450	7.8	7.4	452	1.41	29.4	2.1	57.7	13.8	75.6
1829109	Drill Core	1.84	456	0.020	0.02	<0.17	35.53	0.58	29.00	59.13	66.2	564	9.0	8.6	331	1.78	21.9	2.1	15.2	13.4	34.4
1829110	Drill Core	1.63	547	0.104	0.16	0.90	36.53	0.39	16.93	7.48	45.6	793	6.7	5.9	479	1.36	17.9	2.4	335.6	12.7	80.1
1829111	Drill Core	3.43	439	0.019	0.02	<0.17	30.49	1.49	17.67	43.41	103.0	320	11.5	9.8	550	2.01	2.6	1.8	7.0	11.6	65.8
1829112	Drill Core	2.23	537	0.134	0.13	<0.17	31.16	0.69	37.52	17.34	45.5	438	6.3	6.2	483	1.59	1.5	2.5	70.4	11.1	63.4
1829113	Drill Core	1.78	546	0.035	0.03	<0.17	63.14	0.16	28.70	2.09	54.1	275	11.9	12.0	1000	2.18	0.8	0.7	34.7	8.1	107.0
1829114	Drill Core	2.30	526	0.041	0.04	<0.17	32.56	0.82	34.85	26.12	83.8	442	8.4	8.5	657	1.88	2.5	1.0	209.7	9.0	62.9
1829115	Drill Core	2.04	449	0.009	0.03	0.39	30.92	1.36	34.13	64.82	113.5	412	11.0	8.2	478	1.78	4.3	1.6	5.2	10.0	43.7
1829116	Drill Core	3.10	407	0.006	<0.01	<0.17	24.36	1.54	33.09	37.81	99.8	486	12.1	9.7	393	1.98	3.6	1.9	3.1	10.8	23.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000251.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829087	Drill Core	0.18	0.96	0.13	6	1.28	0.041	37.5	3.7	0.65	263.3	0.006	<1	1.01	0.022	0.44	<0.1	3.3	0.10	<5
1829088	Drill Core	0.23	0.17	0.07	11	1.21	0.052	33.2	8.0	0.95	265.8	0.011	<1	1.30	0.037	0.40	<0.1	4.8	0.10	<5
1829089	Drill Core	0.22	0.39	0.08	16	1.02	0.067	35.2	10.9	0.94	311.6	0.018	<1	1.23	0.034	0.40	<0.1	5.0	0.12	<5
1829090	Drill Core	0.29	0.28	0.07	8	4.56	0.049	22.5	5.6	0.75	162.4	0.002	<1	0.95	0.021	0.28	0.1	2.9	0.08	<5
1829091	Drill Core	0.13	0.28	<0.02	8	0.52	0.038	33.3	5.3	0.58	214.6	0.005	<1	0.88	0.047	0.30	<0.1	3.8	0.07	<5
1829092	Drill Core	0.44	0.53	0.83	6	0.38	0.035	29.1	4.7	0.65	216.7	0.004	<1	0.88	0.035	0.32	<0.1	2.8	0.09	<5
1829093	Drill Core	0.11	0.30	0.02	5	0.38	0.038	24.5	3.8	0.58	193.1	0.003	<1	0.79	0.032	0.34	<0.1	3.1	0.08	<5
1829094	Drill Core	0.09	0.19	<0.02	5	0.34	0.047	30.1	4.1	0.53	226.9	0.005	<1	0.81	0.036	0.36	<0.1	3.5	0.11	<5
1829095	Drill Core	0.10	0.15	<0.02	7	0.77	0.042	29.2	4.6	0.58	212.4	0.005	<1	0.86	0.049	0.32	<0.1	4.4	0.09	<5
1829096	Drill Core	0.12	0.15	0.04	6	0.48	0.040	26.9	4.6	0.47	221.0	0.004	<1	0.76	0.048	0.31	<0.1	3.2	0.08	<5
1829097	Drill Core	0.10	0.11	0.04	8	0.55	0.044	28.0	5.0	0.60	201.8	0.005	<1	0.90	0.056	0.32	<0.1	3.9	0.09	<5
1829098	Drill Core	0.08	0.19	0.03	7	0.55	0.045	31.3	4.7	0.54	235.7	0.006	<1	0.86	0.046	0.33	<0.1	4.3	0.10	7
1829099	Drill Core	0.12	0.84	0.02	6	0.59	0.041	23.2	3.9	0.50	202.5	0.004	<1	0.79	0.048	0.32	<0.1	3.3	0.10	<5
1829100	Rock Pulp	0.16	5.29	0.54	110	0.85	0.059	7.9	19.7	0.82	125.1	0.125	1	1.64	0.162	0.22	4.1	3.9	0.06	239
1829101	Drill Core	0.06	1.07	0.24	3	0.50	0.030	15.4	3.7	0.51	168.2	0.001	<1	0.63	0.007	0.29	<0.1	1.7	0.08	9
1829102	Drill Core	0.09	0.18	0.08	2	0.39	0.008	27.1	1.9	0.61	270.5	0.001	<1	0.69	0.019	0.28	<0.1	1.3	0.07	7
1829103	Drill Core	0.11	0.09	0.13	<1	0.28	0.002	28.2	2.6	0.28	313.6	0.001	<1	0.41	0.024	0.25	<0.1	1.2	0.05	<5
1829104	Drill Core	0.09	0.12	0.09	<1	0.16	0.002	27.9	2.1	0.31	214.5	0.001	<1	0.47	0.022	0.25	0.1	1.0	0.07	<5
1829105	Drill Core	0.12	0.45	0.16	7	0.41	0.041	8.5	34.0	1.17	163.1	0.002	<1	1.10	0.021	0.27	<0.1	1.7	0.08	8
1829106	Drill Core	0.13	0.30	0.14	4	0.30	0.022	9.9	12.9	0.59	216.3	0.002	<1	0.68	0.017	0.26	<0.1	1.0	0.07	<5
1829107	Drill Core	0.16	0.45	0.03	3	0.60	0.026	7.9	5.1	0.55	181.5	0.002	<1	0.63	0.014	0.26	<0.1	0.9	0.07	6
1829108	Drill Core	0.30	0.33	0.05	6	0.83	0.040	8.0	22.7	0.91	252.6	0.002	<1	0.88	0.020	0.27	<0.1	1.6	0.10	6
1829109	Drill Core	0.32	0.26	0.23	7	0.49	0.048	6.3	35.2	1.01	87.9	0.002	<1	0.90	0.029	0.21	<0.1	1.5	0.06	<5
1829110	Drill Core	0.28	0.17	<0.02	6	1.09	0.034	7.5	18.1	0.79	186.3	0.002	<1	0.78	0.023	0.27	<0.1	1.4	0.07	<5
1829111	Drill Core	0.47	0.16	0.12	10	0.70	0.052	6.0	61.0	1.45	206.7	0.002	<1	1.22	0.020	0.22	<0.1	1.9	0.06	<5
1829112	Drill Core	0.47	0.12	0.13	6	0.73	0.039	6.4	7.8	0.70	155.7	0.002	<1	0.74	0.026	0.26	<0.1	1.4	0.07	7
1829113	Drill Core	1.18	0.11	<0.02	9	1.78	0.074	5.9	9.9	0.82	136.9	0.003	<1	0.79	0.007	0.33	0.1	2.0	0.08	18
1829114	Drill Core	0.47	0.14	0.07	9	0.81	0.057	5.3	25.9	1.08	161.8	0.003	<1	0.97	0.020	0.27	<0.1	1.8	0.07	5
1829115	Drill Core	0.39	0.26	0.04	8	0.51	0.045	5.2	42.9	1.14	127.7	0.002	<1	0.97	0.024	0.21	<0.1	1.7	0.05	8
1829116	Drill Core	0.44	0.24	0.06	10	0.31	0.050	7.1	36.8	1.18	136.1	0.003	<1	1.02	0.030	0.22	<0.1	2.3	0.06	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000251.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829087	Drill Core	0.2	0.02	2.9	0.23	<0.1	0.04	0.19	12.2	0.3	<0.05	2.0	14.07	70.6	<0.02	<1	0.4	10.7	<10	<2
1829088	Drill Core	0.3	<0.02	4.2	0.35	<0.1	<0.02	0.09	12.9	0.3	<0.05	1.1	14.43	60.3	<0.02	1	0.3	10.6	<10	<2
1829089	Drill Core	0.2	<0.02	4.1	0.78	<0.1	0.04	0.06	14.7	0.3	<0.05	1.3	15.16	68.8	0.02	<1	0.3	12.2	<10	<2
1829090	Drill Core	0.3	<0.02	2.7	0.40	<0.1	0.06	<0.02	8.2	0.4	<0.05	2.6	12.84	40.0	0.02	2	0.3	9.9	<10	<2
1829091	Drill Core	<0.1	<0.02	3.1	0.34	<0.1	0.08	0.03	9.4	0.2	<0.05	3.4	10.88	64.2	<0.02	<1	0.3	12.6	<10	<2
1829092	Drill Core	0.5	0.04	2.8	0.84	<0.1	0.07	<0.02	11.0	0.3	<0.05	3.0	9.11	55.0	<0.02	<1	0.3	13.0	<10	<2
1829093	Drill Core	<0.1	<0.02	2.1	0.28	<0.1	0.07	<0.02	10.9	0.2	<0.05	4.0	6.25	47.0	<0.02	<1	0.3	13.3	<10	<2
1829094	Drill Core	<0.1	<0.02	2.5	0.34	<0.1	0.11	0.05	13.2	0.2	<0.05	5.4	8.23	56.2	<0.02	<1	0.4	11.8	<10	<2
1829095	Drill Core	<0.1	<0.02	2.7	0.45	<0.1	0.09	0.03	11.3	0.3	<0.05	4.3	9.98	53.9	<0.02	<1	0.2	9.8	<10	<2
1829096	Drill Core	<0.1	<0.02	2.7	0.26	<0.1	0.05	0.02	10.5	0.2	<0.05	2.4	8.62	49.4	<0.02	<1	0.4	8.9	<10	<2
1829097	Drill Core	0.1	<0.02	3.2	0.25	<0.1	0.06	0.03	10.2	0.2	<0.05	2.3	8.62	50.8	<0.02	<1	0.3	9.4	<10	<2
1829098	Drill Core	<0.1	<0.02	3.1	0.38	<0.1	0.05	0.02	10.7	0.2	<0.05	2.3	8.17	55.5	<0.02	<1	0.3	10.8	<10	<2
1829099	Drill Core	<0.1	<0.02	2.2	0.19	<0.1	0.05	0.06	10.4	0.2	<0.05	2.6	6.35	41.5	<0.02	<1	0.3	12.5	<10	<2
1829100	Rock Pulp	0.1	0.17	5.1	0.66	0.1	0.08	0.07	8.3	1.4	<0.05	1.2	5.34	15.5	0.05	1	0.1	6.6	<10	<2
1829101	Drill Core	0.3	0.03	1.4	0.51	<0.1	0.05	0.02	9.3	0.4	<0.05	1.2	5.59	29.3	<0.02	<1	0.2	9.3	<10	<2
1829102	Drill Core	<0.1	<0.02	1.6	0.18	<0.1	0.05	0.09	8.5	0.2	<0.05	2.2	5.91	53.8	<0.02	<1	0.2	7.0	<10	<2
1829103	Drill Core	<0.1	<0.02	0.9	0.19	<0.1	0.14	0.11	8.1	0.1	<0.05	5.6	5.08	53.4	<0.02	<1	0.2	4.5	<10	<2
1829104	Drill Core	<0.1	<0.02	1.2	0.15	<0.1	0.32	0.10	8.1	0.2	<0.05	10.3	6.35	56.0	<0.02	<1	0.2	5.4	<10	<2
1829105	Drill Core	0.3	0.03	2.8	0.17	<0.1	0.16	<0.02	8.1	<0.1	<0.05	5.9	4.19	16.1	<0.02	<1	0.2	10.6	<10	2
1829106	Drill Core	0.2	0.06	1.7	0.15	<0.1	0.20	0.03	8.1	<0.1	<0.05	6.5	3.54	19.9	<0.02	<1	0.2	7.2	<10	<2
1829107	Drill Core	0.1	0.11	1.3	0.23	<0.1	0.09	<0.02	7.7	<0.1	<0.05	3.9	3.53	15.4	<0.02	<1	<0.1	8.2	<10	<2
1829108	Drill Core	<0.1	0.10	2.2	0.22	<0.1	0.14	<0.02	8.4	<0.1	<0.05	5.9	3.43	15.0	<0.02	1	0.3	10.7	<10	<2
1829109	Drill Core	0.3	0.03	2.5	0.20	<0.1	0.14	<0.02	6.8	<0.1	<0.05	6.2	3.49	12.5	<0.02	1	0.2	9.3	<10	<2
1829110	Drill Core	0.2	0.31	1.9	0.14	<0.1	0.13	<0.02	8.5	<0.1	<0.05	5.5	3.61	14.1	<0.02	<1	0.2	9.1	<10	<2
1829111	Drill Core	0.3	<0.02	3.6	0.14	<0.1	0.14	<0.02	7.1	<0.1	<0.05	5.8	3.00	11.3	<0.02	2	0.3	12.1	<10	<2
1829112	Drill Core	0.2	<0.02	1.7	0.10	<0.1	0.12	<0.02	8.7	<0.1	<0.05	5.0	2.99	12.2	<0.02	<1	0.2	6.7	<10	<2
1829113	Drill Core	0.5	<0.02	1.8	0.16	<0.1	0.18	<0.02	11.6	<0.1	<0.05	3.3	5.64	11.5	<0.02	<1	0.2	7.4	11	<2
1829114	Drill Core	0.3	<0.02	2.7	0.13	<0.1	0.12	<0.02	9.1	<0.1	<0.05	4.4	3.92	10.2	<0.02	2	0.2	8.6	<10	<2
1829115	Drill Core	0.3	<0.02	2.9	0.13	<0.1	0.17	<0.02	6.9	<0.1	<0.05	6.7	3.14	11.1	<0.02	4	0.1	9.1	<10	<2
1829116	Drill Core	0.7	<0.02	3.1	0.12	<0.1	0.23	<0.02	7.8	<0.1	<0.05	8.6	2.87	13.7	<0.02	2	0.2	10.6	<10	<2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000251.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1829117	Drill Core	2.60	450	0.183	0.22	0.77	25.94	0.98	31.89	32.55	114.5	542	9.0	8.2	452	1.81	5.0	1.9	221.8	10.8	33.9
1829118	Drill Core	2.59	467	0.012	0.02	<0.17	39.00	0.94	56.25	205.23	109.4	1033	5.7	5.5	443	1.69	4.1	1.7	5.3	9.7	38.5
1829119	Drill Core	3.57	409	0.018	0.02	<0.17	34.91	1.55	48.86	88.51	151.4	735	13.5	9.4	635	2.08	5.7	2.0	5.5	9.7	87.0
1829120	Rock Pulp	0.12	92	0.511				2.40	431.76	18.84	45.7	262	584.1	24.9	376	2.39	17.3	0.5	438.7	2.7	45.6
1829121	Drill Core	2.33	434	0.007	<0.01	<0.17	32.58	1.73	28.63	12.17	72.1	366	10.9	7.0	370	1.92	1.0	1.3	0.8	10.3	32.2
1829122	Drill Core	3.25	377	0.005	<0.01	<0.17	35.28	1.89	19.49	25.83	51.6	314	9.6	7.9	432	1.93	1.6	1.4	1.1	11.5	51.9
1829123	Drill Core	3.14	453	0.012	0.01	<0.17	40.82	0.33	21.12	12.96	53.6	290	10.3	7.7	739	1.61	9.7	1.0	5.8	10.8	60.4
1829124	Drill Core	2.31	525	0.007	<0.01	<0.17	46.94	0.52	29.43	16.23	76.9	361	9.2	7.7	1192	1.94	9.8	0.9	1.7	10.9	102.8
1829125	Drill Core	2.14	509	0.007	<0.01	<0.17	31.03	1.33	42.05	9.62	80.4	508	11.4	8.8	638	1.95	14.0	1.3	2.8	12.8	44.8
1829126	Drill Core	1.50	446	0.056	0.19	1.63	36.74	4.06	13.69	69.39	43.5	479	12.1	8.3	295	1.81	1.8	0.6	36.9	9.7	38.1
1829127	Drill Core	3.22	552	0.007	<0.01	<0.17	48.76	1.39	19.48	19.14	43.0	406	12.1	8.3	214	1.77	4.4	0.7	2.4	10.4	26.8
1829128	Drill Core	3.03	471	0.012	0.01	<0.17	35.95	2.05	15.38	20.76	48.1	428	11.5	7.7	379	1.60	27.7	0.8	6.9	9.7	53.1
1829129	Drill Core	2.59	517	0.009	<0.01	<0.17	32.10	1.77	16.97	8.67	43.6	353	10.3	7.6	263	1.80	21.3	0.5	6.1	9.3	38.0
1829130	Drill Core	2.55	451	0.012	0.01	<0.17	28.29	2.70	10.08	23.73	41.2	468	13.4	8.2	429	2.14	18.0	0.6	8.0	10.9	51.0
1829131	Drill Core	3.18	457	0.007	<0.01	<0.17	40.52	1.77	12.18	25.30	30.2	389	11.6	7.6	176	1.83	5.0	0.6	0.9	10.8	22.3
1829132	Drill Core	2.52	479	0.007	<0.01	<0.17	33.18	0.99	19.42	15.04	24.4	345	8.4	7.4	333	1.28	5.4	0.9	1.2	9.9	40.1
1829133	Drill Core	1.22	523	0.143	0.13	<0.17	42.45	2.51	60.42	123.52	169.7	694	10.9	9.1	719	2.13	2.4	1.5	23.9	12.4	107.9
1829134	Drill Core	1.55	559	1.028	1.18	3.25	36.89	0.36	45.08	36.14	139.3	2325	10.3	9.0	652	1.87	1.7	2.6	2859.0	9.4	98.0



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000251.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829117	Drill Core	0.37	0.23	0.06	8	0.33	0.046	6.2	29.3	1.08	152.4	0.002	<1	0.91	0.019	0.21	<0.1	1.4	0.06	1.06	<5			
1829118	Drill Core	1.45	0.25	0.21	5	0.39	0.040	6.1	13.0	0.89	135.5	0.002	<1	0.72	0.017	0.20	<0.1	1.4	0.06	1.07	14			
1829119	Drill Core	0.70	0.34	0.11	9	0.62	0.050	6.1	52.0	1.33	151.6	0.002	<1	1.12	0.016	0.18	<0.1	1.9	0.05	1.10	18			
1829120	Rock Pulp	0.15	0.28	0.29	48	1.10	0.029	3.6	93.9	1.61	67.2	0.058	1	1.69	0.166	0.14	1.3	2.6	0.09	0.20	21			
1829121	Drill Core	0.25	0.15	0.07	7	0.41	0.049	6.6	9.3	0.85	126.1	0.002	<1	0.79	0.020	0.24	<0.1	1.5	0.07	1.34	6			
1829122	Drill Core	0.26	0.23	0.07	6	0.77	0.050	7.5	11.7	0.74	93.0	0.003	<1	0.68	0.021	0.27	<0.1	1.4	0.07	1.42	7			
1829123	Drill Core	0.29	0.30	0.03	6	1.12	0.059	7.3	6.9	0.73	144.2	0.003	<1	0.65	0.015	0.28	<0.1	1.2	0.07	1.15	7			
1829124	Drill Core	0.62	0.20	0.10	7	1.77	0.056	6.7	7.1	0.95	136.8	0.002	<1	0.76	0.008	0.31	<0.1	1.6	0.08	1.39	7			
1829125	Drill Core	0.38	0.67	0.03	6	0.78	0.063	6.0	6.9	0.86	111.7	0.002	<1	0.84	0.008	0.30	<0.1	1.3	0.08	1.50	<5			
1829126	Drill Core	0.49	0.92	0.16	5	0.55	0.055	5.9	5.5	0.55	89.2	0.002	<1	0.49	0.013	0.23	<0.1	0.9	0.06	1.47	7			
1829127	Drill Core	0.18	0.90	0.07	5	0.39	0.053	7.8	5.9	0.51	108.7	0.002	<1	0.58	0.014	0.27	<0.1	1.3	0.07	1.45	<5			
1829128	Drill Core	0.32	1.02	0.09	5	0.72	0.057	9.6	6.4	0.49	125.2	0.002	<1	0.55	0.015	0.27	<0.1	1.1	0.08	1.31	7			
1829129	Drill Core	0.15	0.52	0.06	5	0.45	0.054	6.8	5.6	0.50	120.1	0.001	<1	0.53	0.007	0.23	<0.1	1.1	0.07	1.53	<5			
1829130	Drill Core	0.08	0.82	0.15	6	0.54	0.066	8.1	7.6	0.59	77.6	0.001	<1	0.57	0.011	0.22	<0.1	1.0	0.07	1.80	15			
1829131	Drill Core	0.10	0.50	0.08	5	0.28	0.054	7.2	5.3	0.33	86.0	0.002	<1	0.48	0.016	0.26	<0.1	1.1	0.06	1.61	<5			
1829132	Drill Core	0.26	0.50	0.05	4	0.81	0.056	8.5	4.1	0.24	141.4	0.002	<1	0.39	0.017	0.28	<0.1	1.0	0.07	0.99	<5			
1829133	Drill Core	0.72	0.30	0.10	6	2.06	0.059	6.7	5.7	0.71	125.0	0.002	<1	0.67	0.015	0.30	0.1	1.7	0.08	1.58	16			
1829134	Drill Core	1.14	6.16	0.10	7	1.72	0.077	7.1	6.9	0.51	140.1	0.002	<1	0.63	0.019	0.31	<0.1	2.0	0.08	1.35	27			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000251.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1829117	Drill Core	0.3	<0.02	2.7	0.23	<0.1	0.23	<0.02	7.5	<0.1	<0.05	7.3	3.31	11.5	<0.02	4	0.2	10.7	<10
1829118	Drill Core	0.7	0.03	2.0	0.27	<0.1	0.21	<0.02	7.2	<0.1	<0.05	8.2	3.20	12.4	<0.02	4	0.1	14.9	<10
1829119	Drill Core	0.4	<0.02	3.0	0.56	<0.1	0.26	<0.02	6.7	<0.1	<0.05	10.8	4.10	11.9	<0.02	4	0.2	30.7	<10
1829120	Rock Pulp	0.6	0.14	3.5	0.55	0.1	0.04	<0.02	5.5	<0.1	<0.05	1.1	2.60	7.3	<0.02	2	<0.1	7.1	258
1829121	Drill Core	0.2	<0.02	2.0	0.25	<0.1	0.17	<0.02	8.3	<0.1	<0.05	6.5	3.02	13.1	<0.02	1	0.2	13.6	<10
1829122	Drill Core	0.4	<0.02	1.8	0.20	<0.1	0.18	<0.02	10.0	<0.1	<0.05	7.0	5.16	14.9	<0.02	2	0.2	8.4	<10
1829123	Drill Core	0.4	<0.02	1.6	0.20	<0.1	0.17	<0.02	10.3	<0.1	<0.05	5.0	5.60	14.3	<0.02	<1	0.3	7.8	<10
1829124	Drill Core	0.4	<0.02	1.7	0.24	<0.1	0.08	<0.02	11.4	<0.1	<0.05	3.4	7.61	12.9	<0.02	<1	0.1	8.8	<10
1829125	Drill Core	0.5	<0.02	2.0	0.23	<0.1	0.13	<0.02	10.1	<0.1	<0.05	5.5	4.10	11.7	<0.02	<1	0.2	9.0	<10
1829126	Drill Core	0.4	0.02	1.2	0.20	<0.1	0.08	0.09	8.2	<0.1	<0.05	4.1	3.59	11.3	<0.02	3	<0.1	4.3	<10
1829127	Drill Core	0.3	<0.02	1.4	0.13	<0.1	0.14	<0.02	9.2	<0.1	<0.05	4.0	3.74	15.5	<0.02	2	0.1	4.7	<10
1829128	Drill Core	0.4	<0.02	1.3	0.77	<0.1	0.13	<0.02	10.1	<0.1	<0.05	4.0	5.22	19.3	<0.02	3	0.2	6.9	<10
1829129	Drill Core	0.5	<0.02	1.3	1.05	<0.1	0.06	<0.02	8.5	<0.1	<0.05	2.9	3.93	12.8	<0.02	<1	0.2	5.7	<10
1829130	Drill Core	0.5	<0.02	1.5	0.58	<0.1	0.11	<0.02	8.8	<0.1	<0.05	4.2	5.26	15.8	<0.02	1	0.3	7.1	<10
1829131	Drill Core	0.5	<0.02	1.0	0.21	<0.1	0.08	<0.02	8.9	<0.1	<0.05	3.4	3.53	13.6	<0.02	2	0.1	4.5	<10
1829132	Drill Core	0.3	<0.02	0.8	0.47	<0.1	0.06	<0.02	10.7	<0.1	<0.05	2.7	3.38	16.6	<0.02	<1	0.2	3.9	<10
1829133	Drill Core	0.7	<0.02	1.5	0.26	<0.1	0.07	<0.02	12.0	<0.1	<0.05	2.7	6.00	13.4	<0.02	2	0.2	8.1	<10
1829134	Drill Core	0.3	0.08	1.4	0.19	<0.1	0.05	<0.02	12.8	<0.1	<0.05	1.9	4.83	13.3	<0.02	<1	0.2	5.9	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 18, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000251.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
Pulp Duplicates																					
1829019	Drill Core	1.42	464	<0.005	<0.01	<0.17	32.54	0.22	12.81	17.79	62.5	166	22.8	16.0	693	2.75	1.6	1.5	0.8	9.6	130.0
REP 1829019	QC							0.20	12.90	18.54	67.8	184	22.6	15.8	723	2.74	1.8	1.6	2.3	9.6	132.2
1829026	Drill Core	3.63	491	0.027	0.02	<0.17	35.94	0.79	16.79	15.39	21.7	358	2.1	2.5	228	0.77	10.0	1.0	14.5	19.2	58.7
REP 1829026	QC			0.034																	
1829054	Drill Core	2.82	485	<0.005	<0.01	<0.17	38.75	0.94	3.18	20.06	39.2	129	1.3	1.0	109	0.66	1.9	4.5	1.7	15.3	36.6
REP 1829054	QC							0.96	3.01	19.65	39.6	118	1.0	1.0	110	0.66	1.8	3.9	0.5	15.7	36.4
1829061	Drill Core	3.48	441	0.010	<0.01	<0.17	44.50	0.51	5.07	23.40	13.7	169	0.6	0.9	125	0.50	10.1	2.1	7.1	18.2	38.2
REP 1829061	QC			0.010																	
1829089	Drill Core	2.90	416	0.010	<0.01	<0.17	33.38	0.88	16.23	19.79	66.7	428	9.0	7.1	541	2.10	73.4	3.0	8.5	10.4	111.3
REP 1829089	QC							0.85	16.54	20.13	62.9	419	8.9	7.7	549	2.11	74.8	3.0	7.7	9.6	105.7
1829101	Drill Core	1.60	474	0.085	0.10	0.25	48.33	0.27	14.41	44.86	18.2	502	6.1	7.3	396	1.33	85.3	2.4	59.2	15.1	47.0
REP 1829101	QC			0.087																	
1829124	Drill Core	2.31	525	0.007	<0.01	<0.17	46.94	0.52	29.43	16.23	76.9	361	9.2	7.7	1192	1.94	9.8	0.9	1.7	10.9	102.8
REP 1829124	QC							0.44	27.47	15.65	69.0	347	8.6	7.5	1167	1.90	9.3	0.9	2.7	10.2	96.8
1829134	Drill Core	1.55	559	1.028	1.18	3.25	36.89	0.36	45.08	36.14	139.3	2325	10.3	9.0	652	1.87	1.7	2.6	2859.0	9.4	98.0
REP 1829134	QC			1.000																	
Core Reject Duplicates																					
1829028	Drill Core	2.25	479	0.586	0.59	0.61	41.06	0.74	8.91	16.49	10.3	695	1.3	1.5	243	0.62	17.6	1.1	1106.8	18.5	71.0
DUP 1829028	QC		387	0.614	0.59	0.41	41.38	0.84	8.56	15.94	11.1	544	1.2	1.5	256	0.70	16.7	1.0	505.1	17.4	70.7
1829062	Drill Core	3.09	562	0.011	0.01	<0.17	45.76	0.23	5.84	20.90	30.4	301	8.2	5.7	625	1.00	25.7	3.1	7.1	15.2	84.0
DUP 1829062	QC		563	0.012	0.01	<0.17	37.44	0.21	6.16	20.45	28.7	312	8.9	6.0	624	1.01	25.7	3.2	6.6	15.6	83.0
1829096	Drill Core	1.42	437	0.008	<0.01	<0.17	35.26	0.22	9.44	15.98	36.6	230	3.7	3.5	277	1.26	8.4	1.9	4.1	10.1	66.5
DUP 1829096	QC		447	0.007	<0.01	<0.17	34.68	0.21	8.90	15.09	33.6	215	3.3	3.3	263	1.25	7.6	1.7	9.6	10.1	60.9
1829130	Drill Core	2.55	451	0.012	0.01	<0.17	28.29	2.70	10.08	23.73	41.2	468	13.4	8.2	429	2.14	18.0	0.6	8.0	10.9	51.0
DUP 1829130	QC		421	0.012	0.01	<0.17	48.94	2.42	9.51	21.77	37.3	446	12.6	7.5	407	2.08	16.8	0.5	5.9	10.4	50.7
Reference Materials																					
STD BVGEO01	Standard							11.31	4226.60	193.17	1670.1	2508	155.5	25.6	689	3.61	115.5	3.8	204.5	16.8	51.1
STD BVGEO01	Standard							10.96	4370.94	189.50	1679.6	2529	160.0	24.6	687	3.65	121.0	3.8	206.8	12.9	53.3



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 18, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000251.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1829019	Drill Core	0.25	0.32	0.21	23	1.59	0.062	16.8	60.7	1.41	789.0	0.042	1	1.50	0.023	0.46	<0.1	9.1	0.24	0.04	<5
REP 1829019	QC	0.25	0.34	0.21	23	1.60	0.063	16.2	61.7	1.40	779.8	0.042	1	1.48	0.021	0.45	<0.1	8.1	0.24	0.04	<5
1829026	Drill Core	0.30	0.60	0.21	2	0.82	0.047	41.2	2.6	0.18	237.2	0.002	<1	0.47	0.032	0.28	<0.1	1.8	0.10	0.06	<5
REP 1829026	QC																				
1829054	Drill Core	0.30	0.30	0.14	1	0.35	0.010	43.5	2.4	0.62	188.5	0.002	<1	0.66	0.016	0.24	<0.1	2.1	0.06	0.03	<5
REP 1829054	QC	0.28	0.25	0.13	1	0.35	0.010	40.1	2.0	0.63	176.1	0.001	<1	0.68	0.018	0.26	<0.1	1.8	0.06	0.03	<5
1829061	Drill Core	0.08	0.38	0.15	<1	0.36	0.008	43.8	1.9	0.21	379.3	0.002	<1	0.48	0.039	0.30	<0.1	2.0	0.09	0.11	<5
REP 1829061	QC																				
1829089	Drill Core	0.22	0.39	0.08	16	1.02	0.067	35.2	10.9	0.94	311.6	0.018	<1	1.23	0.034	0.40	<0.1	5.0	0.12	0.22	<5
REP 1829089	QC	0.25	0.39	0.08	16	1.02	0.068	35.6	10.8	0.94	320.1	0.019	<1	1.23	0.034	0.40	<0.1	5.3	0.13	0.22	<5
1829101	Drill Core	0.06	1.07	0.24	3	0.50	0.030	15.4	3.7	0.51	168.2	0.001	<1	0.63	0.007	0.29	<0.1	1.7	0.08	0.86	9
REP 1829101	QC																				
1829124	Drill Core	0.62	0.20	0.10	7	1.77	0.056	6.7	7.1	0.95	136.8	0.002	<1	0.76	0.008	0.31	<0.1	1.6	0.08	1.39	7
REP 1829124	QC	0.64	0.18	0.09	6	1.78	0.059	6.1	6.3	0.89	137.9	0.002	<1	0.68	0.008	0.29	<0.1	1.5	0.07	1.39	7
1829134	Drill Core	1.14	6.16	0.10	7	1.72	0.077	7.1	6.9	0.51	140.1	0.002	<1	0.63	0.019	0.31	<0.1	2.0	0.08	1.35	27
REP 1829134	QC																				
Core Reject Duplicates																					
1829028	Drill Core	0.13	0.29	0.17	2	1.09	0.045	33.7	2.1	0.16	259.9	0.002	<1	0.47	0.039	0.33	0.1	1.6	0.10	0.14	<5
DUP 1829028	QC	0.13	0.28	0.16	2	1.10	0.035	33.4	2.8	0.18	297.0	0.003	1	0.58	0.056	0.39	0.1	2.2	0.11	0.13	<5
1829062	Drill Core	0.14	0.97	0.13	11	1.13	0.013	34.3	24.3	0.82	229.4	0.002	<1	0.69	0.021	0.24	<0.1	4.2	0.08	0.40	<5
DUP 1829062	QC	0.15	0.89	0.13	11	1.13	0.012	36.4	26.3	0.83	248.6	0.002	<1	0.70	0.022	0.23	<0.1	4.0	0.08	0.40	<5
1829096	Drill Core	0.12	0.15	0.04	6	0.48	0.040	26.9	4.6	0.47	221.0	0.004	<1	0.76	0.048	0.31	<0.1	3.2	0.08	0.16	<5
DUP 1829096	QC	0.12	0.11	0.04	6	0.48	0.038	24.0	3.9	0.47	204.1	0.004	<1	0.72	0.045	0.28	<0.1	2.7	0.07	0.15	<5
1829130	Drill Core	0.08	0.82	0.15	6	0.54	0.066	8.1	7.6	0.59	77.6	0.001	<1	0.57	0.011	0.22	<0.1	1.0	0.07	1.80	15
DUP 1829130	QC	0.08	0.83	0.14	5	0.54	0.056	7.8	7.2	0.57	74.6	0.001	<1	0.55	0.011	0.22	<0.1	0.9	0.06	1.69	16
Reference Materials																					
STD BVGEO01	Standard	6.26	3.68	24.41	73	1.23	0.070	26.7	172.2	1.23	315.3	0.224	2	2.15	0.179	0.86	5.6	6.4	0.59	0.66	79
STD BVGEO01	Standard	6.21	3.46	24.20	74	1.29	0.073	26.5	196.3	1.29	263.4	0.236	4	2.37	0.203	0.89	5.8	6.5	0.63	0.66	92



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 18, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000251.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1829019	Drill Core	0.1	<0.02	4.9	2.40	0.1	0.12	<0.02	21.3	0.2	<0.05	4.3	6.68	31.5	0.03	<1	0.3	17.7	<10	<2
REP 1829019	QC	<0.1	<0.02	5.4	2.40	<0.1	0.11	<0.02	21.7	0.3	<0.05	4.1	7.09	32.2	0.02	<1	0.5	18.2	<10	<2
1829026	Drill Core	<0.1	0.03	2.0	0.49	<0.1	0.05	<0.02	14.9	0.2	<0.05	1.9	7.96	78.6	<0.02	<1	0.2	6.0	<10	<2
REP 1829026	QC																			
1829054	Drill Core	<0.1	<0.02	2.1	0.44	<0.1	0.16	0.06	9.3	0.2	<0.05	3.9	9.63	77.2	<0.02	<1	0.2	10.4	<10	<2
REP 1829054	QC	<0.1	<0.02	1.7	0.40	<0.1	0.15	0.04	8.5	0.2	<0.05	3.9	9.80	76.1	0.02	<1	0.3	10.0	<10	<2
1829061	Drill Core	<0.1	<0.02	1.5	0.24	0.1	0.15	0.07	11.5	0.3	<0.05	4.3	12.02	87.2	<0.02	<1	0.3	5.1	<10	<2
REP 1829061	QC																			
1829089	Drill Core	0.2	<0.02	4.1	0.78	<0.1	0.04	0.06	14.7	0.3	<0.05	1.3	15.16	68.8	0.02	<1	0.3	12.2	<10	<2
REP 1829089	QC	0.2	<0.02	4.0	0.76	<0.1	0.04	0.03	15.3	0.3	<0.05	1.3	15.27	66.2	0.02	1	0.3	11.6	<10	<2
1829101	Drill Core	0.3	0.03	1.4	0.51	<0.1	0.05	0.02	9.3	0.4	<0.05	1.2	5.59	29.3	<0.02	<1	0.2	9.3	<10	<2
REP 1829101	QC																			
1829124	Drill Core	0.4	<0.02	1.7	0.24	<0.1	0.08	<0.02	11.4	<0.1	<0.05	3.4	7.61	12.9	<0.02	<1	0.1	8.8	<10	<2
REP 1829124	QC	0.3	<0.02	1.4	0.24	<0.1	0.09	<0.02	10.7	<0.1	<0.05	3.2	7.06	12.1	<0.02	<1	0.2	7.6	<10	<2
1829134	Drill Core	0.3	0.08	1.4	0.19	<0.1	0.05	<0.02	12.8	<0.1	<0.05	1.9	4.83	13.3	<0.02	<1	0.2	5.9	<10	<2
REP 1829134	QC																			
Core Reject Duplicates																				
1829028	Drill Core	<0.1	0.13	1.7	0.44	<0.1	0.03	0.07	14.9	0.2	<0.05	1.2	6.32	61.1	<0.02	<1	0.3	4.5	<10	<2
DUP 1829028	QC	<0.1	0.11	1.5	0.41	<0.1	0.03	<0.02	16.9	0.2	<0.05	1.1	6.56	64.3	<0.02	<1	0.3	4.5	<10	<2
1829062	Drill Core	<0.1	<0.02	2.2	0.32	<0.1	0.12	<0.02	8.5	0.2	<0.05	3.6	15.46	68.7	<0.02	<1	0.2	10.8	<10	<2
DUP 1829062	QC	<0.1	<0.02	2.2	0.31	<0.1	0.12	0.05	8.5	0.2	<0.05	3.6	15.00	70.4	<0.02	<1	0.3	9.0	<10	<2
1829096	Drill Core	<0.1	<0.02	2.7	0.26	<0.1	0.05	0.02	10.5	0.2	<0.05	2.4	8.62	49.4	<0.02	<1	0.4	8.9	<10	<2
DUP 1829096	QC	0.2	<0.02	2.4	0.24	<0.1	0.05	0.05	8.9	0.2	<0.05	2.3	7.76	43.4	<0.02	<1	0.3	8.6	<10	<2
1829130	Drill Core	0.5	<0.02	1.5	0.58	<0.1	0.11	<0.02	8.8	<0.1	<0.05	4.2	5.26	15.8	<0.02	1	0.3	7.1	<10	<2
DUP 1829130	QC	0.4	<0.02	1.5	0.57	<0.1	0.11	<0.02	8.7	<0.1	<0.05	4.0	5.19	15.5	<0.02	2	0.2	6.7	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.5	1.09	6.8	7.15	0.1	0.25	0.37	95.5	5.2	<0.05	6.0	13.84	53.0	0.46	3	0.7	20.6	122	161
STD BVGE001	Standard	4.7	0.99	7.5	7.32	0.2	0.30	0.34	92.0	5.5	<0.05	7.7	14.32	55.8	0.49	<1	0.7	18.6	131	162



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 18, 2019

Page:

2 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000251.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11	Standard							15.27	159.25	140.33	351.9	1685	83.4	14.5	999	3.18	43.6	2.7	94.4	7.0	71.5
STD DS11	Standard							15.55	158.99	142.66	359.7	1786	80.4	14.5	1018	3.06	44.9	2.7	107.9	9.2	66.5
STD OREAS262	Standard							0.73	124.26	57.61	150.5	456	64.5	28.4	523	3.32	35.7	1.3	59.9	7.8	37.7
STD OREAS262	Standard							0.66	120.54	57.57	137.6	449	62.8	25.4	555	3.24	34.7	1.2	73.2	10.7	33.6
STD OREAS262	Standard							0.64	129.42	59.43	149.4	486	66.5	30.0	563	3.21	37.5	1.3	65.8	10.5	35.7
STD OREAS262	Standard							0.70	122.67	59.45	144.8	479	64.3	29.7	499	3.27	37.9	1.2	60.3	8.5	36.6
STD OXC145	Standard			0.207																	
STD OXC145	Standard			0.216																	
STD OXC145	Standard			0.221																	
STD OXC145	Standard			0.205																	
STD OXH139	Standard			1.310																	
STD OXH139	Standard			1.307																	
STD OXH139	Standard			1.327																	
STD OXH139	Standard			1.350																	
STD OXN134	Standard			7.542																	
STD OXN134	Standard			7.735																	
STD OXN134	Standard			7.578																	
STD OXN134	Standard			7.781																	
STD OXQ90	Standard					25.59	30.09														
STD OXQ90	Standard					25.32	30.02														
STD OXQ90	Standard					24.97	30.04														
STD OXQ90	Standard					25.20	30.04														
STD OXQ90	Standard					25.49	30.40														
STD OXQ90	Standard					26.17	30.04														
STD OXQ90	Standard					25.09	30.29														
STD OXQ90	Standard					25.02	30.21														
STD OXQ90	Standard					24.60	29.47														
STD OXQ90	Standard					25.30	29.61														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000251.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Tl ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD DS11	Standard	2.38	8.46	11.48	52	1.07	0.074	18.7	61.3	0.85	363.2	0.092	6	1.18	0.073	0.39	2.9	3.3	4.73	0.29	243
STD DS11	Standard	2.46	8.53	11.78	47	1.03	0.071	18.9	67.9	0.84	393.6	0.095	9	1.19	0.072	0.39	3.0	3.6	5.26	0.27	292
STD OREAS262	Standard	0.68	4.74	1.00	24	2.89	0.038	16.1	42.9	1.18	252.5	0.003	2	1.32	0.071	0.30	0.2	3.5	0.44	0.26	142
STD OREAS262	Standard	0.60	5.64	0.94	23	2.91	0.036	14.8	41.4	1.15	241.0	0.003	2	1.24	0.069	0.29	0.2	3.2	0.44	0.26	155
STD OREAS262	Standard	0.67	4.86	1.00	21	2.89	0.046	16.9	48.3	1.17	276.6	0.003	4	1.38	0.068	0.31	0.2	3.8	0.49	0.25	156
STD OREAS262	Standard	0.66	4.83	1.05	22	2.92	0.043	17.2	46.2	1.18	261.6	0.003	3	1.36	0.071	0.31	0.2	3.3	0.46	0.26	179
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 18, 2019

Page:

2 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000251.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD DS11	Standard	2.3	4.52	4.6	2.83	<0.1	0.06	1.51	33.0	1.7	<0.05	2.8	8.37	36.7	0.23	46	0.8	24.0	104	165
STD DS11	Standard	2.3	4.83	5.3	3.11	<0.1	0.08	1.56	35.6	1.9	<0.05	3.3	8.17	39.4	0.25	52	0.6	22.3	125	182
STD OREAS262	Standard	0.4	0.21	4.0	2.61	<0.1	0.19	<0.02	18.0	0.6	<0.05	11.1	10.81	32.2	0.03	<1	1.0	17.7	<10	<2
STD OREAS262	Standard	0.4	0.19	3.4	2.89	<0.1	0.19	<0.02	17.5	0.6	<0.05	7.4	9.86	30.8	0.03	<1	1.1	16.7	<10	<2
STD OREAS262	Standard	0.3	0.27	4.4	2.92	<0.1	0.26	<0.02	19.9	0.5	<0.05	9.2	11.29	35.0	0.02	1	1.2	18.4	<10	<2
STD OREAS262	Standard	0.3	0.28	4.0	2.69	<0.1	0.27	<0.02	18.3	0.5	<0.05	11.9	11.37	34.5	0.04	<1	1.2	16.6	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000251.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	0.02	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.01	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.2	<0.5
BLK	Blank							<0.01	0.19	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.007																	
BLK	Blank			0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		485	<0.005	<0.01	<0.17	56.85	0.93	2.80	1.27	32.7	11	1.0	3.8	456	1.69	0.9	0.4	<0.2	4.8	23.3
ROCK-WHI	Prep Blank		481	<0.005	<0.01	<0.17	41.07	0.99	3.08	1.05	26.9	7	0.7	3.9	488	1.78	1.1	0.4	<0.2	3.6	20.8



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000251.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	6
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.05	0.06	<0.02	21	0.72	0.037	6.3	2.2	0.42	51.0	0.073	2	0.86	0.116	0.10	<0.1	3.8	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.03	0.10	<0.02	22	0.59	0.048	6.1	2.2	0.43	147.7	0.076	2	0.94	0.135	0.12	<0.1	3.8	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000251.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
STD OXQ90 Expected																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.18	<0.1	0.09	0.23	2.0	0.4	<0.05	2.0	9.16	12.4	<0.02	<1	0.2	2.5	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.15	<0.1	0.13	0.21	2.2	0.4	<0.05	2.5	8.86	12.7	<0.02	<1	0.2	2.6	<10