



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 24, 2019  
Report Date: August 15, 2019  
Page: 1 of 2

## CERTIFICATE OF ANALYSIS

WHI19000252.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-35  
P.O. Number  
Number of Samples: 14

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	13	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FS631	14	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	14	Analysis sample split/packet			WHI
Split -150	14	Analysis sample split/packet			WHI
EN002	14	Environmental disposal charge-Fire assay lead waste			VAN
FS631	13	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	14	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	14	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Erika Cayer  
Graeme Joyce  
Peter Tallman

  
LILYBETH DE VERA-BOY  
Fire Assay Spectroscopy Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 15, 2019

**Page:** 2 of 2

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000252.1

Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251		
				Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
				kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
				0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1829135	Drill Core			3.35	409	0.015	0.01	<0.17	39.11	2.88	88.13	156.10	222.4	1176	13.6	11.5	690	2.34	0.9	1.5	12.7	6.8	84.0
1829136	Drill Core			3.17	523	0.011	0.01	<0.17	35.47	1.55	27.72	15.47	45.0	483	12.5	9.2	681	1.91	1.8	1.9	9.7	8.7	67.0
1829137	Drill Core			3.37	425	0.015	0.01	<0.17	35.79	2.41	28.67	24.07	69.4	637	14.7	10.9	616	2.04	1.8	1.9	14.2	8.9	63.0
1829138	Drill Core			2.96	534	0.005	<0.01	<0.17	35.08	0.80	15.24	9.16	57.6	251	11.0	8.6	493	1.65	0.3	2.2	2.3	9.9	51.3
1829139	Drill Core			3.39	397	0.025	0.02	<0.17	41.08	3.49	19.06	23.25	67.9	767	12.2	9.1	594	2.33	36.5	2.2	18.6	9.0	53.8
1829140	Rock Pulp			0.12	85	<0.005				2.32	94.93	3.59	32.6	114	4.9	8.6	348	2.40	1.1	0.9	8.5	2.6	64.4
1829141	Drill Core			3.33	533	0.023	0.02	<0.17	40.84	2.60	21.83	17.08	53.0	593	11.3	8.7	603	1.97	17.3	2.0	14.3	9.0	81.1
1829142	Drill Core			3.17	528	0.005	<0.01	<0.17	41.63	0.95	15.50	7.84	53.5	263	10.6	8.6	599	1.74	2.2	2.0	2.4	10.0	72.4
1829143	Drill Core			3.28	554	0.007	<0.01	<0.17	36.12	1.65	16.66	10.47	44.6	269	12.0	9.3	535	2.05	6.9	2.3	3.4	7.9	74.7
1829144	Drill Core			2.99	457	0.014	0.01	<0.17	49.37	0.93	13.58	11.43	50.0	340	8.3	7.4	503	1.58	14.3	2.0	7.4	10.0	72.2
1829145	Drill Core			3.16	516	0.008	<0.01	<0.17	31.45	0.83	13.08	14.16	62.5	301	8.2	6.1	405	1.46	11.4	3.5	3.3	11.0	55.7
1829146	Drill Core			3.14	527	0.013	0.01	<0.17	38.58	0.86	20.44	22.25	70.7	451	9.6	9.1	587	2.90	27.7	2.3	12.8	9.1	79.9
1829147	Drill Core			3.04	444	0.008	<0.01	<0.17	48.31	1.73	20.15	13.95	47.8	388	9.9	7.4	537	1.68	21.2	2.4	5.2	8.8	68.9
1829148	Drill Core			2.13	526	0.580	0.57	0.46	49.84	1.49	25.38	8.59	84.6	1098	13.3	9.5	587	2.71	82.1	2.5	645.9	9.6	74.6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 15, 2019

**Page:** 2 of 2

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000252.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1829135	Drill Core	2.68	0.25	0.09	8	1.93	0.066	7.5	8.4	0.61	89.4	0.002	<1	0.77	0.021	0.32	<0.1	1.7	0.08	1.78
1829136	Drill Core	0.35	0.18	0.07	6	2.19	0.050	7.1	7.2	0.63	74.5	0.002	<1	0.75	0.018	0.26	<0.1	1.5	0.07	1.31
1829137	Drill Core	0.58	0.17	0.10	9	2.09	0.053	9.0	26.4	0.76	137.0	0.003	<1	0.95	0.027	0.29	<0.1	1.8	0.08	1.18
1829138	Drill Core	0.22	0.10	0.08	10	1.49	0.053	17.0	9.6	0.44	323.8	0.007	<1	0.82	0.039	0.29	<0.1	1.8	0.07	0.48
1829139	Drill Core	0.26	1.73	0.16	10	1.51	0.058	18.3	12.5	0.53	127.5	0.004	<1	0.82	0.032	0.25	<0.1	1.7	0.08	1.45
1829140	Rock Pulp	0.07	0.13	0.05	84	0.73	0.057	6.1	9.3	0.67	129.1	0.096	3	1.32	0.145	0.20	3.3	2.1	0.05	<0.02
1829141	Drill Core	0.26	0.65	0.10	9	2.08	0.048	17.8	22.4	0.77	149.3	0.003	<1	0.89	0.022	0.24	<0.1	1.5	0.07	1.24
1829142	Drill Core	0.28	0.12	0.06	9	1.99	0.058	21.9	22.3	0.50	182.5	0.003	<1	0.79	0.027	0.26	<0.1	1.6	0.08	0.89
1829143	Drill Core	0.31	0.26	0.08	7	1.85	0.063	14.7	8.3	0.26	158.2	0.003	<1	0.57	0.032	0.27	<0.1	1.5	0.08	1.66
1829144	Drill Core	0.37	0.21	0.10	7	1.52	0.049	17.4	9.6	0.34	239.6	0.003	<1	0.68	0.039	0.27	<0.1	1.5	0.08	0.80
1829145	Drill Core	0.28	0.17	0.11	8	1.08	0.047	21.0	11.3	0.42	216.6	0.003	<1	0.75	0.042	0.26	<0.1	1.7	0.07	0.41
1829146	Drill Core	0.35	0.46	0.24	18	1.39	0.061	11.6	14.0	0.50	110.2	0.003	<1	0.93	0.026	0.31	<0.1	3.4	0.09	1.37
1829147	Drill Core	0.37	0.35	0.09	9	1.45	0.054	16.1	8.8	0.19	212.2	0.003	<1	0.62	0.044	0.28	<0.1	1.5	0.10	0.92
1829148	Drill Core	0.42	0.78	0.07	14	1.50	0.057	13.0	13.6	0.38	129.4	0.002	<1	0.82	0.030	0.25	<0.1	2.3	0.07	1.64



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 15, 2019

**Page:** 2 of 2

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000252.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829135	Drill Core	<0.1	0.02	1.7	0.17	<0.1	0.04	<0.02	11.5	0.2	<0.05	2.2	5.32	14.1	<0.02	2	<0.1	5.5	<10	<2
1829136	Drill Core	<0.1	0.02	1.7	0.18	<0.1	0.05	<0.02	10.4	0.1	<0.05	2.2	5.18	14.1	<0.02	<1	0.1	5.7	<10	<2
1829137	Drill Core	<0.1	0.02	2.2	0.15	<0.1	0.06	<0.02	11.0	0.2	<0.05	3.7	5.02	17.0	<0.02	4	<0.1	6.1	<10	<2
1829138	Drill Core	<0.1	0.03	2.3	0.17	<0.1	0.04	0.04	11.1	0.2	<0.05	2.0	5.27	32.7	<0.02	1	0.3	4.8	<10	<2
1829139	Drill Core	<0.1	0.08	2.3	0.33	<0.1	0.04	0.02	10.0	0.2	<0.05	2.0	8.63	35.2	<0.02	3	0.2	7.4	<10	<2
1829140	Rock Pulp	<0.1	<0.02	3.8	0.31	<0.1	0.05	0.10	6.7	0.3	<0.05	1.1	4.07	13.3	<0.02	<1	<0.1	5.8	<10	<2
1829141	Drill Core	<0.1	0.05	2.4	0.47	<0.1	0.07	0.02	9.0	0.1	<0.05	3.0	9.02	34.2	<0.02	2	0.1	9.5	<10	<2
1829142	Drill Core	<0.1	<0.02	2.1	0.23	<0.1	0.04	<0.02	9.9	0.2	<0.05	2.7	9.01	40.5	<0.02	2	0.2	6.1	<10	<2
1829143	Drill Core	<0.1	<0.02	1.6	0.25	<0.1	0.06	<0.02	10.6	0.1	<0.05	2.3	7.14	27.7	<0.02	2	<0.1	4.8	<10	<2
1829144	Drill Core	<0.1	<0.02	2.0	0.26	<0.1	0.06	<0.02	10.6	0.2	<0.05	2.8	5.95	32.6	<0.02	2	0.3	6.0	<10	<2
1829145	Drill Core	<0.1	<0.02	2.5	0.35	<0.1	0.06	<0.02	9.6	0.2	<0.05	2.6	4.93	40.1	<0.02	3	0.3	6.4	<10	<2
1829146	Drill Core	0.1	0.03	2.8	0.46	<0.1	0.12	<0.02	10.9	0.2	<0.05	4.0	4.40	21.6	<0.02	<1	0.3	7.5	<10	<2
1829147	Drill Core	<0.1	<0.02	1.9	0.36	<0.1	0.04	<0.02	10.1	0.2	<0.05	2.3	5.68	29.5	<0.02	1	0.2	6.5	16	<2
1829148	Drill Core	0.1	0.12	2.3	1.01	<0.1	0.05	<0.02	9.8	0.2	<0.05	2.0	6.99	24.1	<0.02	2	0.2	8.1	10	<2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 15, 2019

**Page:** 1 of 1

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000252.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
1829147	Drill Core	3.04	444	0.008	<0.01	<0.17	48.31	1.73	20.15	13.95	47.8	388	9.9	7.4	537	1.68	21.2	2.4	5.2	8.8	68.9	
REP 1829147	QC							1.68	20.69	14.55	48.0	410	9.9	7.8	538	1.71	22.0	2.5	5.3	9.3	70.6	
Reference Materials																						
STD DS11	Standard							15.36	154.11	136.56	332.4	1776	79.0	14.3	984	3.11	45.7	2.7	68.8	7.9	70.5	
STD OREAS262	Standard							0.71	119.72	58.45	140.7	474	67.1	30.4	519	3.29	38.3	1.3	74.0	9.9	38.8	
STD OXC145	Standard	0.214																				
STD OXH139	Standard	1.355																				
STD OXN134	Standard	7.817																				
STD OXQ90	Standard	25.13					29.89															
STD OXQ90	Standard	25.12					30.29															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	
STD OXQ90 Expected		24.88																				
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5	
BLK	Blank	<0.17					30.00															
BLK	Blank	<0.17					30.00															
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
Prep Wash																						
ROCK-WHI	Prep Blank	446		<0.005	<0.01	<0.17	36.32	1.07	2.17	1.04	26.3	10	0.7	3.6	450	1.74	0.9	0.5	0.7	2.4	24.1	
ROCK-WHI	Prep Blank	446		<0.005	<0.01	<0.17	34.48	1.04	1.71	1.01	27.1	6	0.7	3.3	434	1.66	1.0	0.5	<0.2	2.3	21.7	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 15, 2019

**Page:** 1 of 1

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000252.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1829147	Drill Core	0.37	0.35	0.09	9	1.45	0.054	16.1	8.8	0.19	212.2	0.003	<1	0.62	0.044	0.28	<0.1	1.5	0.10	0.92	<5
REP 1829147	QC	0.37	0.36	0.10	9	1.47	0.057	17.0	9.0	0.20	224.0	0.003	<1	0.64	0.045	0.29	<0.1	1.7	0.10	0.95	<5
Reference Materials																					
STD DS11	Standard	2.39	10.01	12.54	51	1.04	0.065	18.0	58.4	0.83	380.9	0.092	7	1.15	0.075	0.39	3.1	3.0	4.85	0.27	276
STD OREAS262	Standard	0.69	6.54	1.11	24	2.91	0.035	16.2	41.4	1.18	273.2	0.003	3	1.31	0.071	0.31	0.2	3.3	0.45	0.26	166
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.04	0.06	<0.02	23	0.59	0.034	6.1	2.5	0.40	57.9	0.077	<1	0.79	0.085	0.08	<0.1	2.4	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.01	0.06	<0.02	21	0.56	0.035	6.0	2.6	0.38	54.8	0.064	<1	0.80	0.102	0.10	<0.1	2.3	<0.02	<0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 15, 2019

**Page:** 1 of 1

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000252.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1829147	Drill Core	<0.1	<0.02	1.9	0.36	<0.1	0.04	<0.02	10.1	0.2	<0.05	2.3	5.68	29.5	<0.02	1	0.2	6.5	16	<2
REP 1829147	QC	<0.1	<0.02	1.8	0.35	<0.1	0.07	<0.02	10.6	0.2	<0.05	2.4	5.80	30.7	<0.02	2	0.3	6.9	<10	<2
Reference Materials																				
STD DS11	Standard	1.6	4.62	4.7	2.95	<0.1	0.06	1.28	34.4	1.9	<0.05	2.8	8.38	36.0	0.27	52	0.7	23.5	110	183
STD OREAS262	Standard	<0.1	0.22	3.7	2.98	<0.1	0.28	<0.02	18.5	0.6	<0.05	10.8	10.90	33.0	0.03	1	0.8	17.7	<10	<2
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.2	0.18	0.1	0.12	0.24	1.9	0.4	<0.05	3.3	8.61	12.2	<0.02	<1	<0.1	2.4	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	2.9	0.16	<0.1	0.11	0.26	2.0	0.3	<0.05	2.8	8.14	11.9	<0.02	<1	<0.1	2.0	<10	<2