



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 24, 2019  
Report Date: August 15, 2019  
Page: 1 of 2

## CERTIFICATE OF ANALYSIS

WHI19000253.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-35  
P.O. Number  
Number of Samples: 14

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	14	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	0	Sort, label and box pulps			WHI
FS631	14	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	14	Analysis sample split/packet			WHI
Split -150	14	Analysis sample split/packet			WHI
EN002	14	Environmental disposal charge-Fire assay lead waste			VAN
FS631	14	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	14	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	14	Per sample shipping charges for branch shipments			VAN
FA530	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Erika Cayer  
Graeme Joyce  
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 15, 2019

**Page:** 2 of 2

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000253.1

Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
				Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
				kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
				0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1830942	Drill Core			1.61	509	0.014	0.01	<0.17	58.83	1.17	14.29	15.75	45.7	1117	8.0	4.6	249	1.16	57.4	2.4	9.1	11.6	10.6	
1830943	Drill Core			2.90	438	0.017	0.02	<0.17	37.69	0.42	30.72	8.17	44.4	471	3.5	3.6	237	1.37	85.1	2.9	12.0	11.6	11.5	
1830944	Drill Core			2.38	512	0.050	0.05	<0.17	47.53	0.45	10.76	6.38	52.8	535	7.2	10.3	458	1.69	143.7	3.2	32.2	12.4	10.5	
1830945	Drill Core			2.42	537	0.133	0.13	<0.17	47.50	1.24	13.52	14.26	65.3	798	8.6	7.5	506	2.16	168.3	3.3	171.8	13.5	15.7	
1830946	Drill Core			2.39	555	0.006	<0.01	<0.17	49.58	0.26	6.11	22.14	57.8	182	7.0	6.2	413	1.52	15.6	1.5	2.4	13.2	30.5	
1830947	Drill Core			3.04	464	<0.005	<0.01	<0.17	29.98	0.20	9.58	14.99	58.0	241	5.2	4.0	410	1.57	4.5	1.0	0.7	11.8	22.3	
1830948	Drill Core			2.72	508	0.006	<0.01	<0.17	63.44	0.23	9.68	30.09	75.6	244	8.2	5.9	554	1.45	9.4	1.6	0.6	12.5	15.5	
1830949	Drill Core			3.14	448	0.008	<0.01	<0.17	61.97	0.56	13.85	11.58	78.3	427	10.0	5.5	493	1.76	6.7	1.2	1.7	13.2	17.7	
1830950	Drill Core			2.69	448	0.005	<0.01	<0.17	64.03	0.27	10.55	17.96	79.6	189	9.5	6.6	465	2.09	0.5	1.0	<0.2	13.6	34.8	
1830951	Drill Core			1.30	504	0.005	<0.01	<0.17	36.95	0.22	21.28	18.85	108.2	185	16.5	12.5	613	2.35	0.1	2.0	<0.2	12.1	15.5	
1830952	Drill Core			2.82	488	0.006	<0.01	<0.17	76.81	0.31	45.43	10.06	93.2	163	12.5	16.4	999	1.81	1.8	3.8	<0.2	10.2	14.0	
1830953	Drill Core			2.17	461	0.007	<0.01	<0.17	68.05	0.43	28.13	4.23	111.0	184	14.2	14.0	1862	2.00	4.8	1.4	<0.2	11.9	18.8	
1830954	Drill Core			2.34	467	0.011	<0.01	<0.17	54.87	2.34	34.27	49.02	129.7	835	20.4	22.7	5199	2.68	7.9	1.0	4.4	5.7	44.2	
1830955	Drill Core			1.58	398	0.035	0.03	<0.17	44.17	2.57	1714.85	30.15	83.9>100000	203.7	10.6	750	1.91	13.7	1.2	26.1	7.8	56.6		



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 15, 2019

**Page:** 2 of 2

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000253.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830942	Drill Core	0.48	0.56	0.07	5	0.12	0.039	27.4	7.1	0.34	181.1	0.002	<1	0.62	0.018	0.25	2.2	1.6	0.06	<0.02	<5
1830943	Drill Core	0.46	0.50	<0.02	5	0.11	0.040	30.0	3.6	0.36	154.7	0.002	1	0.67	0.023	0.26	<0.1	1.5	0.07	<0.02	<5
1830944	Drill Core	0.86	1.01	0.04	11	0.13	0.046	31.2	11.9	0.58	182.4	0.003	3	0.87	0.014	0.32	0.2	1.8	0.09	<0.02	<5
1830945	Drill Core	1.03	1.78	0.12	11	0.18	0.039	34.3	9.6	0.76	214.4	0.002	<1	1.01	0.017	0.29	<0.1	2.3	0.10	0.10	<5
1830946	Drill Core	0.39	0.31	0.17	6	0.43	0.043	29.7	4.1	0.74	210.6	0.003	<1	1.02	0.015	0.28	<0.1	2.1	0.08	0.05	<5
1830947	Drill Core	0.41	0.24	0.19	6	0.27	0.041	31.7	4.2	0.62	218.2	0.007	<1	0.96	0.024	0.30	<0.1	2.4	0.11	<0.02	<5
1830948	Drill Core	0.85	0.28	0.23	6	0.15	0.042	32.2	3.9	0.48	162.0	0.009	<1	0.84	0.033	0.25	<0.1	2.7	0.09	<0.02	<5
1830949	Drill Core	1.02	0.24	0.08	7	0.17	0.051	35.9	4.7	0.77	191.9	0.004	<1	1.06	0.017	0.32	0.5	2.6	0.10	0.04	<5
1830950	Drill Core	1.08	0.13	0.14	7	0.39	0.054	32.2	5.9	1.32	172.6	0.003	<1	1.44	0.008	0.25	<0.1	2.1	0.07	<0.02	<5
1830951	Drill Core	1.31	0.19	0.15	13	0.18	0.072	21.7	9.6	1.29	186.5	0.003	1	1.65	0.012	0.27	<0.1	3.1	0.08	<0.02	<5
1830952	Drill Core	0.79	0.23	0.09	10	0.16	0.052	22.0	7.9	0.85	178.8	0.003	<1	1.37	0.018	0.25	<0.1	3.1	0.10	<0.02	<5
1830953	Drill Core	0.67	0.15	<0.02	14	0.20	0.065	22.9	10.2	0.89	201.8	0.008	<1	1.20	0.024	0.31	<0.1	4.0	0.12	0.06	<5
1830954	Drill Core	0.43	0.34	0.16	18	0.46	0.074	7.3	91.6	2.07	134.3	0.002	2	1.59	0.010	0.16	1.5	2.3	0.06	1.27	<5
1830955	Drill Core	0.74	0.30	0.06	6	1.12	0.057	8.5	13.3	0.59	132.5	0.001	<1	0.69	0.015	0.24	>100	1.0	0.07	1.32	*



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 15, 2019

**Page:** 2 of 2

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000253.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Ag
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	20
1830942	Drill Core	<0.1	0.02	2.1	0.24	<0.1	0.20	<0.02	8.8	0.4	<0.05	7.5	7.79	47.8	<0.02	<1	0.3	10.2	<10	<2
1830943	Drill Core	<0.1	0.02	2.2	0.27	<0.1	0.21	<0.02	8.8	0.2	<0.05	8.2	7.79	55.1	<0.02	<1	<0.1	10.6	<10	<2
1830944	Drill Core	<0.1	0.04	2.5	0.40	<0.1	0.27	<0.02	10.8	0.2	<0.05	9.5	12.06	57.2	<0.02	<1	<0.1	11.9	<10	<2
1830945	Drill Core	<0.1	0.06	3.6	0.70	<0.1	0.05	<0.02	10.9	0.2	<0.05	1.8	14.14	55.4	0.02	<1	0.1	16.2	<10	<2
1830946	Drill Core	<0.1	<0.02	2.9	0.37	<0.1	<0.02	0.02	10.0	0.2	<0.05	0.8	9.79	54.0	<0.02	<1	0.3	18.5	<10	<2
1830947	Drill Core	<0.1	<0.02	3.1	0.50	<0.1	0.06	0.02	10.8	0.2	<0.05	2.3	8.72	59.4	<0.02	<1	0.3	15.9	<10	<2
1830948	Drill Core	<0.1	<0.02	2.8	0.52	<0.1	0.21	<0.02	8.9	0.2	<0.05	7.5	10.55	61.2	0.02	<1	0.4	15.2	<10	<2
1830949	Drill Core	<0.1	<0.02	3.0	0.32	<0.1	0.13	<0.02	11.0	0.2	<0.05	5.7	13.90	65.2	0.02	<1	0.7	16.7	<10	<2
1830950	Drill Core	<0.1	<0.02	4.0	0.26	<0.1	<0.02	<0.02	8.2	0.2	<0.05	0.7	13.37	63.0	<0.02	1	<0.1	26.6	<10	<2
1830951	Drill Core	<0.1	<0.02	5.0	0.46	<0.1	<0.02	<0.02	9.2	0.2	<0.05	0.5	11.18	52.2	<0.02	<1	0.4	34.5	<10	<2
1830952	Drill Core	<0.1	<0.02	3.8	0.62	<0.1	<0.02	<0.02	9.7	0.3	<0.05	0.7	8.21	43.1	0.03	<1	0.1	24.7	<10	<2
1830953	Drill Core	<0.1	<0.02	4.0	0.63	<0.1	0.03	<0.02	12.2	0.3	<0.05	1.1	9.61	44.5	0.03	<1	0.2	19.5	<10	<2
1830954	Drill Core	0.2	<0.02	4.2	0.23	<0.1	0.19	<0.02	5.3	0.7	<0.05	7.7	4.94	14.2	<0.02	3	0.1	18.0	<10	<2
1830955	Drill Core	<0.1	<0.02	1.8	0.34	<0.1	0.17	<0.02	8.6	0.5	<0.05	6.2	6.01	15.8	<0.02	5	0.1	8.7	<10	<2 830



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 15, 2019

**Page:** 1 of 1

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000253.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Unit	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
MDL		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
Pulp Duplicates		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1830955	Drill Core	1.58	398	0.035	0.03	<0.17	44.17	2.57	1714.85	30.15	83.9	>100000	203.7	10.6	750	1.91	13.7	1.2	26.1	7.8	56.6
REP 1830955	QC			0.031																	
Reference Materials																					
STD AGPROOF	Standard																				
STD DS11	Standard							15.36	154.11	136.56	332.4	1776	79.0	14.3	984	3.11	45.7	2.7	68.8	7.9	70.5
STD OREAS262	Standard							0.71	119.72	58.45	140.7	474	67.1	30.4	519	3.29	38.3	1.3	74.0	9.9	38.8
STD OXC145	Standard			0.209																	
STD OXH139	Standard			1.311																	
STD OXN134	Standard			7.847																	
STD OXQ114	Standard																				
STD OXQ90	Standard					25.23	29.92														
STD OXQ90	Standard					25.08	29.95														
STD SP49	Standard																				
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank																				
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		404	<0.005	<0.01	<0.17	56.00	1.00	2.62	1.16	28.8	8	1.0	3.4	459	1.76	1.1	0.5	0.3	2.4	21.7
ROCK-WHI	Prep Blank		481	<0.005	<0.01	<0.17	43.24	0.99	2.19	0.98	28.4	5	0.7	3.5	408	1.70	0.6	0.5	<0.2	2.1	23.9



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 15, 2019

**Page:** 1 of 1

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000253.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1830955	Drill Core	0.74	0.30	0.06	6	1.12	0.057	8.5	13.3	0.59	132.5	0.001	<1	0.69	0.015	0.24	>100	1.0	0.07	1.32	*
REP 1830955	QC																				
Reference Materials																					
STD AGPROOF	Standard																				
STD DS11	Standard	2.39	10.01	12.54	51	1.04	0.065	18.0	58.4	0.83	380.9	0.092	7	1.15	0.075	0.39	3.1	3.0	4.85	0.27	276
STD OREAS262	Standard	0.69	6.54	1.11	24	2.91	0.035	16.2	41.4	1.18	273.2	0.003	3	1.31	0.071	0.31	0.2	3.3	0.45	0.26	166
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.01	0.04	<0.02	24	0.58	0.037	5.9	3.3	0.42	53.4	0.074	<1	0.81	0.093	0.09	<0.1	2.7	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	0.04	<0.02	21	0.57	0.039	5.9	2.6	0.38	53.7	0.069	1	0.78	0.087	0.09	<0.1	2.3	<0.02	0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 15, 2019

**Page:** 1 of 1

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000253.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Ag
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	20
Pulp Duplicates																					
1830955	Drill Core	<0.1	<0.02	1.8	0.34	<0.1	0.17	<0.02	8.6	0.5	<0.05	6.2	6.01	15.8	<0.02	5	0.1	8.7	<10	<2	830
REP 1830955	QC																				
Reference Materials																					
STD AGPROOF	Standard																				90
STD DS11	Standard	1.6	4.62	4.7	2.95	<0.1	0.06	1.28	34.4	1.9	<0.05	2.8	8.38	36.0	0.27	52	0.7	23.5	110	183	
STD OREAS262	Standard	<0.1	0.22	3.7	2.98	<0.1	0.28	<0.02	18.5	0.6	<0.05	10.8	10.90	33.0	0.03	1	0.8	17.7	<10	<2	
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				120
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard																				62
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172	
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8			
STD AGPROOF Expected																					94
STD SP49 Expected																					60.2
STD OXQ114 Expected																					127.1
STD OXQ90 Expected																					
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank																				<20
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.02	3.3	0.17	<0.1	0.12	0.22	2.2	0.3	<0.05	2.8	8.36	12.4	<0.02	<1	0.2	2.4	<10	<2	
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.16	0.1	0.10	0.26	2.1	0.3	<0.05	2.7	8.29	11.9	<0.02	<1	<0.1	2.2	<10	<2	