



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 25, 2019
Report Date: August 18, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000256.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-36
P.O. Number
Number of Samples: 83

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	80	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FS631	83	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	83	Analysis sample split/packet			WHI
Split -150	83	Analysis sample split/packet			WHI
EN002	83	Environmental disposal charge-Fire assay lead waste			VAN
FS631	82	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	83	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	83	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Graeme Joyce
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000256.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1829250	Drill Core	3.28	497	0.012	0.01	<0.17	32.42	0.93	5.03	17.85	40.0	180	2.7	2.1	247	1.08	2.0	1.1	10.7	12.8	39.0
1829251	Drill Core	2.05	439	0.006	<0.01	<0.17	34.47	1.02	19.43	27.01	43.6	373	1.4	1.9	182	0.94	2.1	1.2	1.2	12.9	27.3
1829252	Drill Core	1.67	511	0.008	<0.01	<0.17	32.97	0.43	86.83	5.47	37.0	682	2.0	2.7	223	1.09	1.4	1.1	10.6	12.3	57.0
1829253	Drill Core	1.76	455	0.005	<0.01	<0.17	38.76	0.31	21.58	14.03	43.1	213	1.5	1.7	200	1.01	0.4	1.6	2.2	13.0	66.5
1829254	Drill Core	2.07	444	0.005	<0.01	<0.17	35.08	0.61	8.26	16.90	36.3	131	1.5	1.6	208	0.90	0.7	1.3	<0.2	12.0	72.6
1829255	Drill Core	3.77	478	0.006	<0.01	<0.17	34.53	0.76	4.93	28.09	40.2	170	1.8	1.8	170	1.04	3.0	1.6	0.9	12.6	40.8
1829256	Drill Core	2.65	521	0.080	0.09	0.21	34.04	1.12	2.93	24.57	36.8	403	1.5	1.7	202	0.96	1.2	1.7	835.0	10.5	47.9
1829257	Drill Core	3.10	464	0.006	<0.01	<0.17	32.86	0.43	3.07	18.56	47.5	127	2.9	2.2	184	1.15	2.5	1.0	0.5	14.0	31.1
1829258	Drill Core	3.39	469	0.009	<0.01	<0.17	32.75	0.39	8.39	9.09	36.5	136	2.3	2.1	198	1.02	5.2	1.7	0.3	13.9	15.2
1829259	Drill Core	2.90	457	<0.005	<0.01	<0.17	43.88	0.30	5.21	16.84	42.7	112	3.0	2.3	197	1.08	1.1	1.3	<0.2	12.6	56.5
1829260	Core DUP		468	0.007	<0.01	<0.17	35.22	0.30	5.18	15.76	42.6	117	2.8	2.1	187	1.02	0.8	1.2	<0.2	11.7	53.7
1829261	Drill Core	1.73	500	0.008	<0.01	<0.17	34.44	1.06	8.27	26.99	35.0	200	2.4	2.0	183	0.97	0.4	3.7	0.4	11.8	75.2
1829262	Drill Core	2.74	536	0.044	0.04	<0.17	37.71	0.84	8.42	32.35	41.8	317	2.7	2.4	198	1.02	0.8	3.2	80.9	13.1	92.5
1829263	Drill Core	3.29	380	0.007	<0.01	<0.17	32.46	0.52	11.53	6.72	36.1	190	2.6	2.8	212	1.01	4.4	1.4	4.9	14.7	41.9
1829264	Drill Core	2.69	411	<0.005	<0.01	<0.17	36.09	0.27	5.72	18.72	47.4	126	2.4	2.2	209	1.00	1.4	1.1	0.5	13.7	50.2
1829265	Drill Core	2.07	420	0.085	0.08	<0.17	30.00	0.47	3.89	40.69	37.9	334	1.5	1.2	154	0.80	0.7	0.9	13.1	13.1	45.6
1829266	Drill Core	1.40	481	0.280	0.32	0.84	33.43	0.56	8.72	26.99	59.1	273	2.6	1.8	198	1.06	0.5	0.7	114.1	14.7	68.1
1829267	Drill Core	1.39	440	0.266	0.28	0.51	23.61	0.44	8.92	15.25	24.1	348	1.8	2.9	272	0.79	3.0	0.8	318.4	11.3	40.4
1829268	Drill Core	2.95	541	0.012	0.01	<0.17	29.43	0.26	7.07	5.29	44.9	59	2.2	1.9	202	1.11	1.9	2.9	7.2	12.2	68.6
1829269	Drill Core	3.24	472	0.030	0.03	<0.17	39.27	0.28	6.57	6.42	46.2	85	2.7	2.3	211	1.04	1.2	1.9	10.7	12.6	69.2
1829270	Drill Core	3.10	427	0.014	0.01	<0.17	33.41	0.91	14.30	12.11	41.5	109	2.3	2.0	151	0.95	0.4	3.3	5.0	12.7	69.7
1829271	Drill Core	3.22	368	0.027	0.03	<0.17	14.39	0.99	4.65	22.03	30.4	147	1.4	1.5	159	0.79	0.7	3.0	5.4	10.6	81.4
1829272	Drill Core	3.39	441	0.009	<0.01	<0.17	49.85	0.45	2.95	8.37	45.0	90	2.2	2.5	165	1.17	5.8	1.8	3.0	13.6	27.1
1829273	Drill Core	3.35	382	0.005	<0.01	<0.17	39.90	0.41	5.84	11.51	41.7	116	2.4	2.4	173	0.97	1.5	1.5	0.6	12.2	41.8
1829274	Drill Core	3.26	433	0.046	0.08	0.30	49.48	0.64	1.94	26.14	27.4	203	1.1	1.3	168	0.73	0.8	1.5	122.5	12.0	83.6
1829275	Drill Core	3.09	416	0.020	0.06	0.39	43.89	0.48	7.57	34.62	41.1	215	0.8	1.3	232	0.83	0.9	1.1	71.9	11.5	103.4
1829276	Drill Core	3.41	355	<0.005	<0.01	<0.17	34.10	1.04	3.59	29.70	34.1	125	1.3	1.4	171	0.81	0.4	3.2	<0.2	11.6	86.8
1829277	Drill Core	3.14	484	0.007	<0.01	<0.17	40.81	0.88	6.26	66.00	37.7	545	1.6	1.7	174	0.86	0.7	1.8	1.8	11.9	77.1
1829278	Drill Core	3.10	412	0.058	0.08	0.40	27.20	0.39	5.79	14.45	46.8	127	2.5	2.6	209	1.15	1.4	1.7	38.1	13.7	94.3
1829279	Drill Core	2.65	535	0.006	<0.01	<0.17	38.72	0.30	11.53	6.00	41.8	101	2.4	3.1	171	1.15	0.9	1.1	0.4	13.7	27.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000256.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829250	Drill Core	0.24	0.15	0.10	2	0.31	0.025	27.6	3.4	0.62	437.9	0.003	2	0.78	0.019	0.29	0.3	1.7	0.06	0.02	6			
1829251	Drill Core	0.25	0.12	0.21	<1	0.14	0.015	23.1	2.4	0.40	871.8	0.002	1	0.59	0.008	0.29	0.5	1.2	0.06	0.03	<5			
1829252	Drill Core	0.59	0.10	0.08	1	0.62	0.025	17.8	2.4	0.46	776.9	0.002	2	0.68	0.010	0.31	<0.1	1.2	0.06	0.11	<5			
1829253	Drill Core	0.29	0.08	0.22	<1	0.73	0.018	20.2	2.4	0.60	244.1	0.002	2	0.73	0.013	0.29	<0.1	1.1	0.06	0.03	<5			
1829254	Drill Core	0.21	0.10	0.14	<1	0.75	0.017	18.0	2.2	0.62	239.2	0.002	1	0.70	0.015	0.26	<0.1	1.2	0.05	0.06	<5			
1829255	Drill Core	0.14	0.15	0.18	1	0.36	0.019	20.4	2.9	0.70	226.5	0.002	1	0.80	0.022	0.29	<0.1	1.4	0.06	0.10	<5			
1829256	Drill Core	0.13	0.14	0.18	1	0.46	0.020	18.5	2.8	0.68	214.4	0.002	<1	0.73	0.015	0.29	<0.1	1.2	0.06	0.06	<5			
1829257	Drill Core	0.07	0.08	0.20	2	0.31	0.028	26.2	3.3	0.85	188.8	0.002	1	0.91	0.016	0.26	<0.1	1.2	0.05	<0.02	<5			
1829258	Drill Core	0.10	0.14	0.07	1	0.18	0.027	25.6	2.8	0.58	193.5	0.002	1	0.72	0.018	0.27	<0.1	1.2	0.06	<0.02	<5			
1829259	Drill Core	0.28	0.13	0.13	2	0.60	0.030	20.4	3.2	0.83	189.0	0.002	<1	0.89	0.015	0.27	<0.1	1.3	0.06	<0.02	<5			
1829260	Core DUP	0.24	0.11	0.12	2	0.59	0.030	19.5	2.9	0.78	184.2	0.002	<1	0.85	0.016	0.28	<0.1	1.3	0.06	<0.02	<5			
1829261	Drill Core	0.30	0.13	0.25	1	0.56	0.021	16.3	2.9	0.73	224.6	0.003	<1	0.78	0.023	0.29	<0.1	1.4	0.05	0.09	<5			
1829262	Drill Core	0.34	0.10	0.36	2	0.58	0.024	22.7	2.9	0.77	362.1	0.003	2	0.80	0.020	0.29	<0.1	1.5	0.06	0.08	<5			
1829263	Drill Core	0.27	0.15	0.04	1	0.33	0.027	26.2	3.1	0.62	267.6	0.002	1	0.73	0.017	0.27	0.1	1.1	0.06	0.04	<5			
1829264	Drill Core	0.30	0.12	0.18	2	0.35	0.025	27.1	3.0	0.77	314.5	0.002	1	0.84	0.015	0.25	<0.1	1.2	0.06	<0.02	<5			
1829265	Drill Core	0.17	0.11	0.55	1	0.39	0.015	25.5	2.3	0.64	267.7	0.002	1	0.68	0.018	0.25	<0.1	1.1	0.06	<0.02	<5			
1829266	Drill Core	0.28	0.11	0.18	2	0.60	0.025	28.6	3.5	0.87	262.8	0.004	1	0.88	0.018	0.31	<0.1	1.3	0.10	0.04	<5			
1829267	Drill Core	0.31	0.10	0.05	1	0.30	0.016	27.0	3.1	0.43	335.6	0.002	<1	0.56	0.017	0.26	0.1	1.0	0.07	0.03	<5			
1829268	Drill Core	0.19	0.09	0.02	2	0.51	0.027	22.3	3.3	0.81	255.8	0.003	1	0.89	0.019	0.30	<0.1	1.4	0.06	0.06	<5			
1829269	Drill Core	0.27	0.09	0.03	2	0.54	0.027	18.7	3.0	0.78	236.8	0.002	<1	0.87	0.015	0.31	0.1	1.1	0.06	0.06	<5			
1829270	Drill Core	0.30	0.14	0.05	2	0.43	0.026	16.3	3.1	0.64	257.7	0.002	<1	0.74	0.014	0.31	<0.1	1.2	0.07	0.08	<5			
1829271	Drill Core	0.32	0.08	0.13	<1	0.53	0.015	18.3	2.4	0.51	672.1	0.002	<1	0.64	0.019	0.30	<0.1	1.2	0.06	0.11	<5			
1829272	Drill Core	0.15	0.11	0.05	2	0.20	0.025	26.4	3.4	0.84	211.5	0.002	2	0.85	0.019	0.27	<0.1	1.2	0.06	0.07	<5			
1829273	Drill Core	0.25	0.10	0.06	1	0.30	0.025	21.0	2.8	0.64	238.9	0.003	1	0.71	0.018	0.27	0.2	1.2	0.07	0.04	<5			
1829274	Drill Core	0.20	0.08	0.15	<1	0.53	0.013	22.3	2.6	0.40	276.6	0.002	1	0.56	0.017	0.30	<0.1	1.1	0.08	0.08	<5			
1829275	Drill Core	0.23	0.08	0.21	<1	0.68	0.008	23.6	2.1	0.61	301.3	0.003	1	0.72	0.017	0.31	0.1	1.4	0.08	0.06	<5			
1829276	Drill Core	0.49	0.09	0.19	<1	0.57	0.014	19.6	2.5	0.56	241.0	0.003	<1	0.63	0.017	0.27	<0.1	1.2	0.05	0.06	<5			
1829277	Drill Core	0.13	0.09	0.94	1	0.49	0.017	20.5	2.6	0.64	379.6	0.002	<1	0.76	0.018	0.30	<0.1	1.4	0.06	0.07	<5			
1829278	Drill Core	0.13	0.09	0.10	2	0.55	0.028	26.9	3.4	0.91	374.5	0.003	<1	0.92	0.021	0.27	<0.1	1.4	0.05	0.05	<5			
1829279	Drill Core	0.12	0.09	0.05	2	0.17	0.026	23.3	3.4	0.79	312.7	0.003	1	0.93	0.029	0.31	<0.1	1.5	0.06	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000256.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829250	Drill Core	<0.1	<0.02	2.2	0.21	<0.1	0.21	0.04	8.8	0.4	<0.05	6.8	5.88	50.1	<0.02	<1	0.4	8.0	<10
1829251	Drill Core	<0.1	<0.02	1.5	0.15	<0.1	0.17	0.02	8.5	0.3	<0.05	5.9	5.66	41.1	<0.02	<1	0.1	5.3	<10
1829252	Drill Core	<0.1	<0.02	1.6	0.13	<0.1	0.08	0.03	8.9	0.3	<0.05	2.9	5.64	32.4	<0.02	<1	0.3	5.2	<10
1829253	Drill Core	<0.1	<0.02	1.8	0.13	<0.1	0.11	<0.02	8.3	0.2	<0.05	3.8	4.27	36.4	<0.02	<1	0.2	5.2	<10
1829254	Drill Core	<0.1	<0.02	1.8	0.13	<0.1	0.24	0.02	7.3	0.2	<0.05	8.0	4.04	32.7	<0.02	<1	0.2	5.9	<10
1829255	Drill Core	<0.1	<0.02	2.1	0.15	<0.1	0.37	0.03	8.1	0.2	<0.05	11.7	4.80	36.7	<0.02	<1	0.3	8.3	<10
1829256	Drill Core	<0.1	<0.02	2.1	0.13	<0.1	0.20	0.02	7.6	0.2	<0.05	6.7	4.23	34.7	<0.02	<1	0.1	7.3	<10
1829257	Drill Core	<0.1	<0.02	2.7	0.14	<0.1	0.27	<0.02	7.3	0.3	<0.05	8.3	4.44	47.4	<0.02	<1	0.2	8.2	12
1829258	Drill Core	<0.1	<0.02	2.0	0.18	<0.1	0.30	<0.02	7.5	0.3	<0.05	9.8	4.42	47.2	<0.02	<1	0.2	7.3	<10
1829259	Drill Core	<0.1	<0.02	2.2	0.15	<0.1	0.24	0.02	7.6	0.2	<0.05	7.8	4.31	36.7	<0.02	<1	0.3	8.4	<10
1829260	Core DUP	<0.1	<0.02	2.3	0.15	<0.1	0.21	<0.02	7.4	0.2	<0.05	7.1	3.99	34.7	<0.02	<1	0.2	8.5	<10
1829261	Drill Core	<0.1	<0.02	2.2	0.20	<0.1	0.28	0.02	8.1	0.3	<0.05	10.0	4.10	30.6	<0.02	1	0.2	7.6	<10
1829262	Drill Core	<0.1	0.03	2.2	0.33	<0.1	0.38	0.02	8.6	0.3	<0.05	12.2	5.06	42.2	<0.02	<1	<0.1	12.4	<10
1829263	Drill Core	<0.1	<0.02	1.9	0.29	<0.1	0.45	<0.02	8.0	0.2	<0.05	15.4	5.59	47.3	<0.02	<1	0.2	11.3	<10
1829264	Drill Core	<0.1	<0.02	2.0	0.33	<0.1	0.45	<0.02	7.5	0.3	<0.05	14.0	5.36	49.3	<0.02	<1	0.2	13.1	<10
1829265	Drill Core	<0.1	<0.02	1.8	0.34	<0.1	0.44	<0.02	7.4	0.4	<0.05	13.6	4.46	46.2	0.03	<1	0.2	9.5	<10
1829266	Drill Core	<0.1	0.04	2.5	0.53	<0.1	0.37	0.04	10.1	0.2	<0.05	11.0	4.81	52.2	<0.02	<1	0.2	12.4	<10
1829267	Drill Core	<0.1	0.09	1.6	0.17	<0.1	0.28	0.03	7.4	0.2	<0.05	8.7	5.12	50.0	<0.02	<1	0.2	7.2	<10
1829268	Drill Core	<0.1	<0.02	2.5	0.18	<0.1	0.19	<0.02	8.4	0.2	<0.05	6.5	3.58	40.4	<0.02	<1	0.3	7.9	<10
1829269	Drill Core	<0.1	<0.02	2.3	0.20	<0.1	0.22	<0.02	8.7	0.2	<0.05	7.6	3.52	34.8	<0.02	1	0.3	9.0	<10
1829270	Drill Core	<0.1	<0.02	2.0	0.32	<0.1	0.25	0.02	9.2	0.2	<0.05	8.3	3.35	29.9	<0.02	<1	0.2	8.0	<10
1829271	Drill Core	<0.1	<0.02	1.7	0.27	<0.1	0.30	0.02	8.6	0.3	<0.05	9.5	3.62	33.2	<0.02	<1	0.4	7.3	<10
1829272	Drill Core	<0.1	<0.02	2.4	0.24	<0.1	0.34	<0.02	7.8	0.3	<0.05	10.9	5.13	48.0	<0.02	<1	0.3	10.2	<10
1829273	Drill Core	<0.1	<0.02	1.8	0.36	<0.1	0.37	<0.02	8.5	0.3	<0.05	11.9	4.18	38.3	<0.02	<1	0.4	9.3	<10
1829274	Drill Core	<0.1	<0.02	1.5	0.24	<0.1	0.28	0.02	8.7	0.2	<0.05	8.6	4.35	41.5	<0.02	<1	0.3	5.5	<10
1829275	Drill Core	<0.1	<0.02	1.8	0.27	<0.1	0.12	0.03	8.5	0.3	<0.05	3.8	4.62	43.4	<0.02	<1	0.3	8.0	<10
1829276	Drill Core	<0.1	<0.02	1.6	0.29	<0.1	0.28	0.03	7.8	0.2	<0.05	8.6	4.23	36.7	<0.02	1	<0.1	6.0	<10
1829277	Drill Core	<0.1	<0.02	1.9	0.19	<0.1	0.27	0.03	8.1	0.3	<0.05	8.4	3.65	37.3	<0.02	<1	0.1	5.9	<10
1829278	Drill Core	<0.1	<0.02	2.8	0.19	<0.1	0.21	<0.02	7.2	0.3	<0.05	7.5	4.66	48.1	<0.02	<1	0.2	8.2	<10
1829279	Drill Core	<0.1	<0.02	2.7	0.26	<0.1	0.28	<0.02	8.7	0.2	<0.05	9.6	3.92	42.5	<0.02	<1	0.2	7.8	<10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

CERTIFICATE OF ANALYSIS

WHI19000256.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1829280	Rock	0.23	163	<0.005	<0.01	<0.17	24.97	0.49	1.32	1.62	2.0	8	1.3	0.5	85	0.73	0.6	0.2	<0.2	1.4	1.5
1829281	Drill Core	3.11	488	<0.005	<0.01	<0.17	36.32	0.27	10.67	3.44	29.1	74	2.3	2.7	180	1.02	1.1	2.2	<0.2	12.7	73.6
1829282	Drill Core	2.77	509	<0.005	<0.01	<0.17	28.80	0.26	4.27	3.91	39.7	55	3.3	2.7	232	1.22	0.6	1.3	<0.2	14.3	71.7
1829283	Drill Core	3.28	493	0.006	<0.01	<0.17	31.15	0.34	4.82	4.80	34.2	46	2.3	2.9	134	1.02	0.6	0.8	<0.2	13.6	23.3
1829284	Drill Core	2.79	487	0.007	<0.01	<0.17	38.72	0.34	6.00	10.47	42.3	63	2.7	2.8	174	1.01	0.7	0.9	<0.2	15.2	24.7
1829285	Drill Core	3.25	489	0.041	0.04	<0.17	35.43	0.43	8.37	18.93	49.9	189	2.6	2.8	166	1.03	0.7	1.0	36.0	15.4	19.5
1829286	Drill Core	2.67	434	0.031	0.03	<0.17	35.89	0.81	3.07	23.30	36.5	296	1.0	1.2	142	0.88	0.5	1.2	452.5	13.2	42.4
1829287	Drill Core	2.94	446	0.006	<0.01	<0.17	38.23	0.38	2.74	31.84	39.1	177	0.9	1.1	165	0.92	0.6	0.8	3.7	11.8	30.8
1829288	Drill Core	2.01	451	0.040	0.04	<0.17	33.18	0.40	6.05	30.92	47.1	161	2.7	2.0	186	1.04	3.8	1.6	17.0	14.0	15.6
1829289	Drill Core	2.55	454	0.009	<0.01	<0.17	32.04	0.38	5.09	17.81	38.6	116	2.4	1.9	245	0.97	2.5	1.5	2.6	12.9	44.9
1831235	Drill Core	2.37	474	0.007	<0.01	<0.17	42.13	0.46	20.88	10.50	36.3	228	3.5	5.0	250	1.29	3.9	1.6	1.2	13.3	20.6
1831236	Drill Core	3.03	460	0.008	<0.01	<0.17	48.58	0.61	8.75	22.67	61.2	429	6.7	7.6	355	2.15	6.5	3.9	2.4	15.0	19.4
1831237	Drill Core	2.51	484	0.019	0.02	<0.17	32.44	0.63	10.67	14.92	40.4	584	4.0	4.1	235	1.57	29.8	5.2	18.3	16.6	10.3
1831238	Drill Core	1.53	465	0.037	0.04	<0.17	35.98	0.88	12.44	17.84	37.4	570	4.7	5.1	348	1.55	40.6	6.0	31.6	17.8	12.2
1831239	Drill Core	2.67	460	0.018	0.02	<0.17	35.79	0.54	13.43	23.14	32.9	285	3.0	5.8	196	1.06	20.2	3.0	11.3	15.7	10.4
1831240	Rock Pulp	0.12	93	0.011				2.65	102.76	4.07	46.3	122	5.1	9.7	373	2.65	1.1	0.9	0.8	4.6	87.8
1831241	Drill Core	2.90	487	0.012	0.02	<0.17	46.15	0.46	14.68	16.22	39.2	566	3.0	4.7	182	1.05	23.0	2.3	8.3	14.8	12.9
1831242	Drill Core	2.87	424	0.011	0.01	<0.17	36.22	0.39	9.10	21.57	19.3	228	2.0	2.2	147	0.84	27.3	2.8	6.8	17.4	15.6
1831243	Drill Core	1.55	477	0.013	0.01	<0.17	32.03	0.45	8.22	25.55	28.5	201	2.0	3.6	153	0.85	14.1	2.4	6.5	19.9	14.0
1831244	Drill Core	3.04	445	0.012	0.01	<0.17	33.00	0.33	6.50	17.59	22.9	185	1.6	2.4	162	0.83	7.4	2.1	6.2	16.5	8.8
1831245	Drill Core	3.78	479	0.013	0.01	<0.17	35.67	0.42	5.90	17.77	30.2	285	2.7	3.8	228	1.12	5.0	2.5	6.9	15.5	11.5
1831246	Drill Core	3.31	506	0.009	<0.01	<0.17	34.54	0.41	8.19	15.34	41.2	312	4.9	4.0	194	1.29	5.6	2.9	3.4	16.7	14.4
1831247	Drill Core	2.47	494	0.006	<0.01	<0.17	32.93	0.33	3.32	20.48	9.6	173	0.6	0.7	103	0.40	2.9	1.1	<0.2	14.0	3.8
1831248	Drill Core	2.31	460	0.006	<0.01	<0.17	54.85	0.35	3.93	22.58	8.1	225	0.6	0.5	81	0.43	3.3	1.8	0.4	17.5	2.5
1831249	Drill Core	2.79	442	0.006	<0.01	<0.17	40.13	0.23	1.71	12.72	5.3	98	0.3	0.2	34	0.33	2.8	1.4	<0.2	16.4	3.1
1831250	Drill Core	3.29	512	0.006	<0.01	<0.17	31.83	0.29	2.03	16.56	6.7	110	0.4	0.2	41	0.32	4.0	1.6	<0.2	18.3	3.0
1831251	Drill Core	2.34	456	0.006	<0.01	<0.17	31.94	0.25	2.42	13.49	6.1	114	0.4	0.2	38	0.33	2.3	1.1	0.3	16.5	2.4
1831252	Drill Core	2.60	443	0.006	<0.01	<0.17	32.53	0.25	2.97	15.36	5.7	144	0.4	0.3	45	0.43	2.3	1.8	0.5	17.2	3.0
1831253	Drill Core	2.54	454	0.006	<0.01	<0.17	55.17	0.31	3.31	16.32	9.3	114	0.5	0.3	58	0.36	4.5	2.5	<0.2	17.3	3.4
1831254	Drill Core	2.65	500	0.006	<0.01	<0.17	43.78	0.32	3.24	17.40	10.2	128	0.3	0.3	52	0.41	4.4	2.0	<0.2	16.7	3.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000256.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829280	Rock	<0.01	0.06	<0.02	1	0.02	0.002	2.2	4.1	0.02	10.5	0.002	1	0.08	0.007	0.02	<0.1	0.3	<0.02	<0.02	<5
1829281	Drill Core	0.21	0.08	<0.02	2	0.51	0.031	19.1	2.9	0.64	239.3	0.002	1	0.77	0.023	0.29	<0.1	1.4	0.06	0.12	<5
1829282	Drill Core	0.17	0.08	<0.02	3	0.72	0.033	22.0	4.4	1.03	267.4	0.003	<1	1.07	0.024	0.31	<0.1	1.7	0.06	0.05	<5
1829283	Drill Core	0.11	0.11	0.03	2	0.11	0.031	16.6	2.7	0.66	593.1	0.002	1	0.87	0.020	0.33	<0.1	1.5	0.07	0.06	<5
1829284	Drill Core	0.12	0.11	0.04	2	0.11	0.033	18.8	3.5	0.67	524.1	0.002	1	0.82	0.020	0.30	<0.1	1.8	0.06	0.02	<5
1829285	Drill Core	0.21	0.12	0.21	2	0.10	0.031	27.3	3.3	0.76	379.1	0.002	1	0.93	0.022	0.32	<0.1	2.0	0.07	<0.02	<5
1829286	Drill Core	0.14	0.12	0.18	<1	0.20	0.010	19.4	2.4	0.67	517.7	0.002	1	0.74	0.014	0.26	<0.1	1.6	0.07	0.06	<5
1829287	Drill Core	0.14	0.07	0.23	<1	0.23	0.010	21.1	1.9	0.91	271.3	0.002	2	0.92	0.010	0.26	<0.1	1.6	0.06	0.02	<5
1829288	Drill Core	0.29	0.20	0.16	2	0.12	0.029	26.9	3.5	0.79	175.5	0.002	2	0.97	0.010	0.29	0.1	1.9	0.06	<0.02	<5
1829289	Drill Core	0.36	0.17	0.10	2	0.32	0.024	25.6	3.7	0.64	385.5	0.002	<1	0.87	0.027	0.28	<0.1	2.2	0.06	0.02	<5
1831235	Drill Core	0.19	0.11	0.11	5	0.16	0.038	30.4	4.7	0.30	357.9	0.013	<1	0.79	0.037	0.33	0.7	3.1	0.08	<0.02	<5
1831236	Drill Core	0.55	0.26	0.30	15	0.22	0.036	35.6	18.4	0.77	488.8	0.006	<1	1.40	0.033	0.41	0.7	6.7	0.11	<0.02	<5
1831237	Drill Core	0.35	3.12	0.18	4	0.10	0.032	44.8	4.3	0.34	351.0	0.002	<1	0.85	0.016	0.39	0.9	3.0	0.11	<0.02	7
1831238	Drill Core	0.47	3.13	0.24	5	0.11	0.040	40.4	6.2	0.33	348.7	0.002	1	0.81	0.027	0.31	0.4	2.6	0.11	<0.02	12
1831239	Drill Core	0.25	0.33	0.15	3	0.11	0.035	42.3	3.6	0.34	312.9	0.002	<1	0.80	0.020	0.33	0.2	2.2	0.15	<0.02	<5
1831240	Rock Pulp	0.04	0.11	0.05	91	0.94	0.061	8.1	11.4	0.75	143.6	0.126	2	1.66	0.181	0.20	3.5	3.6	0.05	<0.02	<5
1831241	Drill Core	0.17	0.41	0.04	4	0.12	0.046	34.4	4.4	0.24	337.6	0.004	<1	0.72	0.042	0.34	2.1	2.7	0.14	<0.02	<5
1831242	Drill Core	0.20	0.66	0.03	4	0.09	0.032	41.1	4.2	0.19	323.1	0.003	<1	0.61	0.057	0.35	<0.1	2.4	0.10	<0.02	5
1831243	Drill Core	0.23	0.99	0.16	3	0.10	0.040	46.9	3.8	0.20	373.2	0.002	<1	0.62	0.032	0.33	0.4	2.4	0.10	<0.02	<5
1831244	Drill Core	0.18	0.48	0.16	3	0.08	0.026	44.1	3.4	0.20	355.9	0.002	<1	0.66	0.056	0.30	0.2	2.4	0.10	<0.02	18
1831245	Drill Core	0.26	0.32	0.22	6	0.11	0.034	36.2	11.0	0.36	396.0	0.003	<1	0.84	0.029	0.34	0.6	3.7	0.11	<0.02	<5
1831246	Drill Core	0.34	0.21	0.08	6	0.19	0.024	45.1	14.3	0.50	437.6	0.002	<1	0.98	0.014	0.35	0.8	3.9	0.10	<0.02	9
1831247	Drill Core	0.08	0.13	0.29	<1	0.03	0.010	26.7	1.7	0.05	258.2	0.001	<1	0.36	0.033	0.28	<0.1	1.2	0.07	<0.02	<5
1831248	Drill Core	0.12	0.15	0.29	<1	0.01	0.004	43.6	1.6	0.07	218.0	<0.001	<1	0.37	0.025	0.29	<0.1	1.1	0.07	<0.02	<5
1831249	Drill Core	0.04	0.12	0.12	<1	<0.01	0.003	33.6	1.2	0.04	160.0	<0.001	<1	0.28	0.036	0.24	<0.1	0.9	0.05	<0.02	<5
1831250	Drill Core	0.06	0.23	0.13	<1	<0.01	0.004	39.8	1.4	0.03	176.1	<0.001	<1	0.25	0.038	0.22	<0.1	0.8	0.06	<0.02	<5
1831251	Drill Core	0.07	0.14	0.13	<1	<0.01	0.003	35.4	1.2	0.03	160.9	<0.001	<1	0.29	0.033	0.27	<0.1	0.9	0.06	<0.02	<5
1831252	Drill Core	0.06	0.16	0.13	<1	<0.01	0.004	35.4	1.6	0.04	226.8	<0.001	<1	0.33	0.033	0.30	<0.1	1.2	0.06	<0.02	<5
1831253	Drill Core	0.08	0.31	0.16	<1	0.01	0.003	39.7	1.3	0.07	174.1	0.001	<1	0.31	0.035	0.25	<0.1	1.3	0.07	<0.02	<5
1831254	Drill Core	0.09	0.18	0.15	<1	0.01	0.002	36.0	1.3	0.08	144.7	0.001	<1	0.32	0.022	0.28	<0.1	1.3	0.06	<0.02	<5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000256.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829280	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.17	0.05	1.1	<0.1	<0.05	3.2	0.95	4.3	<0.02	<1	<0.1	1.3	<10
1829281	Drill Core	<0.1	<0.02	2.0	0.23	<0.1	0.19	<0.02	8.1	0.2	<0.05	6.3	3.86	34.2	<0.02	<1	0.2	6.7	<10
1829282	Drill Core	<0.1	<0.02	3.1	0.17	<0.1	0.25	0.03	8.0	0.2	<0.05	7.9	4.60	39.6	<0.02	<1	0.1	8.7	<10
1829283	Drill Core	<0.1	<0.02	2.0	0.22	<0.1	0.21	0.03	8.3	0.3	<0.05	6.0	3.47	31.0	<0.02	<1	0.3	6.1	<10
1829284	Drill Core	<0.1	<0.02	2.1	0.26	<0.1	0.29	0.03	8.1	0.3	<0.05	7.8	3.68	34.7	<0.02	<1	0.3	6.6	<10
1829285	Drill Core	<0.1	0.04	2.6	0.29	<0.1	0.41	0.03	8.6	0.3	<0.05	9.8	4.91	51.6	<0.02	<1	0.3	9.3	<10
1829286	Drill Core	<0.1	<0.02	2.1	0.31	<0.1	0.49	0.02	7.4	0.2	<0.05	12.9	3.70	38.7	<0.02	<1	0.3	8.5	<10
1829287	Drill Core	<0.1	0.02	2.0	0.26	<0.1	0.47	0.03	6.7	0.3	<0.05	11.5	3.61	43.2	<0.02	<1	0.2	14.6	<10
1829288	Drill Core	<0.1	<0.02	2.3	0.23	<0.1	0.37	<0.02	7.4	0.3	<0.05	10.4	6.67	54.9	<0.02	<1	0.4	16.7	<10
1829289	Drill Core	<0.1	<0.02	2.4	0.25	<0.1	0.29	<0.02	7.9	0.2	<0.05	9.5	6.11	49.7	<0.02	<1	0.3	14.5	<10
1831235	Drill Core	<0.1	<0.02	2.6	0.64	<0.1	0.12	0.07	12.2	1.8	<0.05	4.1	11.20	67.8	0.02	<1	0.3	6.2	<10
1831236	Drill Core	<0.1	<0.02	4.7	0.59	<0.1	0.12	0.04	14.1	0.7	<0.05	4.7	14.53	80.9	<0.02	<1	0.7	14.1	<10
1831237	Drill Core	<0.1	<0.02	2.8	0.39	<0.1	0.06	0.02	14.3	0.5	<0.05	1.1	14.78	89.5	0.04	<1	0.4	8.2	<10
1831238	Drill Core	<0.1	0.05	2.9	0.58	<0.1	0.02	<0.02	12.8	1.0	<0.05	1.2	15.96	78.1	<0.02	<1	0.3	9.5	<10
1831239	Drill Core	<0.1	<0.02	2.6	0.57	<0.1	0.07	0.06	11.5	1.0	<0.05	2.2	12.69	80.5	<0.02	<1	0.4	9.5	<10
1831240	Rock Pulp	<0.1	<0.02	5.1	0.36	0.1	0.06	0.09	7.4	0.3	<0.05	1.0	5.25	17.2	<0.02	<1	0.1	7.2	<10
1831241	Drill Core	<0.1	<0.02	2.5	0.73	<0.1	0.12	0.04	12.8	0.9	<0.05	3.3	11.43	80.5	<0.02	<1	0.4	9.2	<10
1831242	Drill Core	<0.1	<0.02	2.3	0.60	0.1	0.26	0.06	12.7	0.6	<0.05	6.8	11.58	89.3	<0.02	<1	0.4	4.9	<10
1831243	Drill Core	<0.1	<0.02	1.9	0.73	<0.1	0.33	<0.02	12.6	0.6	<0.05	8.2	12.53	98.3	<0.02	<1	0.4	8.0	16
1831244	Drill Core	<0.1	<0.02	2.0	0.73	0.1	0.11	<0.02	12.4	0.6	<0.05	3.4	11.25	84.7	<0.02	<1	0.4	6.2	<10
1831245	Drill Core	<0.1	<0.02	2.4	0.69	<0.1	0.08	0.02	13.4	0.7	<0.05	2.6	10.39	72.5	<0.02	<1	0.3	8.1	<10
1831246	Drill Core	<0.1	<0.02	2.4	0.63	<0.1	0.15	<0.02	11.4	0.4	<0.05	4.0	13.31	85.7	0.03	<1	0.5	12.1	<10
1831247	Drill Core	<0.1	<0.02	1.0	0.33	<0.1	0.16	0.03	9.0	0.3	<0.05	3.7	11.02	68.4	<0.02	<1	0.2	2.6	<10
1831248	Drill Core	<0.1	<0.02	0.9	0.23	<0.1	0.21	0.04	10.0	0.3	<0.05	6.0	11.46	77.0	<0.02	<1	0.2	3.5	<10
1831249	Drill Core	<0.1	<0.02	0.8	0.23	<0.1	0.37	0.06	10.1	0.3	<0.05	8.8	9.12	76.0	<0.02	<1	0.4	1.9	<10
1831250	Drill Core	<0.1	<0.02	1.0	0.21	<0.1	0.37	0.07	11.8	0.3	<0.05	9.1	12.83	86.1	<0.02	<1	0.4	2.4	<10
1831251	Drill Core	<0.1	<0.02	0.8	0.17	<0.1	0.48	0.02	11.3	0.3	<0.05	10.4	7.38	76.1	<0.02	<1	0.3	1.9	<10
1831252	Drill Core	<0.1	<0.02	1.1	0.18	<0.1	0.55	0.04	11.1	0.4	<0.05	11.9	7.79	75.1	<0.02	<1	0.3	2.0	<10
1831253	Drill Core	<0.1	<0.02	1.4	0.33	<0.1	0.58	0.05	11.1	0.4	<0.05	10.4	10.38	73.9	<0.02	<1	0.4	2.8	<10
1831254	Drill Core	<0.1	<0.02	1.0	0.17	<0.1	0.55	0.04	9.0	0.3	<0.05	11.9	9.40	72.5	<0.02	<1	0.3	2.5	<10



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000256.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1831255	Drill Core	3.25	477	0.007	<0.01	<0.17	54.65	0.24	2.75	22.15	5.9	146	0.5	0.2	44	0.36	2.7	1.5	<0.2	19.0	3.1
1831256	Drill Core	2.86	427	0.006	<0.01	<0.17	34.92	0.36	4.29	22.31	6.4	149	0.4	0.4	52	0.40	3.2	1.5	0.2	19.2	3.4
1831257	Drill Core	2.38	497	0.014	0.01	<0.17	39.21	0.58	5.49	23.27	17.4	197	1.1	1.5	91	0.68	12.1	1.2	10.9	16.6	6.7
1831258	Drill Core	2.91	421	0.033	0.03	<0.17	30.85	0.55	9.20	11.77	27.6	194	3.1	3.6	133	1.04	23.4	1.5	20.2	12.8	13.7
1831259	Drill Core	1.40	533	1.667	2.04	7.47	34.65	0.41	19.46	8.52	35.9	810	7.2	6.5	173	1.35	4.2	1.9	1590.9	13.6	34.7
1831260	Core DUP		454	1.519	1.55	2.14	25.74	0.50	18.27	8.97	39.9	728	7.3	6.7	165	1.32	4.4	2.0	1435.1	13.6	36.4
1831261	Drill Core	1.26	440	0.271	0.29	0.40	50.12	0.48	5.09	11.72	39.1	246	4.1	4.1	216	1.03	4.0	1.4	263.4	12.5	25.6
1831262	Drill Core	1.25	427	0.013	0.01	<0.17	27.49	0.29	3.07	21.36	9.6	140	0.5	0.5	49	0.37	1.6	1.1	2.9	17.4	3.5
1831263	Drill Core	3.39	486	0.007	<0.01	<0.17	31.68	0.26	3.37	20.78	7.9	115	0.4	0.3	38	0.34	1.9	0.9	1.7	16.3	3.2
1831264	Drill Core	3.54	523	0.008	<0.01	<0.17	40.59	0.29	3.41	18.40	9.5	108	0.3	0.3	35	0.31	2.5	0.9	3.1	14.3	2.9
1831265	Drill Core	2.55	444	0.007	<0.01	<0.17	30.83	0.30	4.55	15.31	10.6	110	0.4	0.4	40	0.35	1.5	0.8	2.4	13.4	3.9
1831266	Drill Core	3.74	455	0.008	<0.01	<0.17	31.10	0.45	3.72	16.67	8.8	99	0.4	0.3	65	0.44	3.2	1.1	3.7	15.5	17.8
1831267	Drill Core	3.12	459	0.006	<0.01	<0.17	40.98	0.55	3.81	22.01	27.9	153	0.5	0.4	133	0.61	1.7	1.0	1.2	16.1	24.5
1831268	Drill Core	2.91	476	0.011	0.01	<0.17	37.29	0.61	7.37	16.86	34.7	132	2.6	2.5	257	0.95	10.8	1.3	4.8	13.9	38.1
1831269	Drill Core	3.49	418	0.009	<0.01	<0.17	37.03	0.42	4.86	20.09	42.3	131	2.5	2.1	166	0.79	1.8	2.4	3.6	14.5	59.8
1831270	Drill Core	3.65	374	0.017	0.02	<0.17	33.50	1.83	82.89	216.91	100.9	621	2.3	1.5	140	0.78	17.4	1.8	11.3	13.6	14.9
1831271	Drill Core	2.95	497	0.011	0.01	<0.17	33.74	1.32	270.79	716.77	234.8	2454	5.0	4.1	395	1.26	9.3	3.7	7.0	12.3	15.1
1831272	Drill Core	3.33	423	0.027	0.02	<0.17	43.43	1.04	117.76	262.54	261.6	887	6.5	4.8	410	1.46	47.8	2.8	23.3	12.6	20.4
1831273	Drill Core	3.31	442	0.013	0.01	<0.17	35.86	0.81	6.60	22.58	92.8	154	1.8	1.6	203	1.03	13.0	1.0	9.8	16.2	14.3
1831274	Drill Core	3.09	458	0.058	0.05	<0.17	39.00	0.81	15.15	23.00	81.5	252	3.0	2.4	280	1.11	8.9	0.9	38.7	13.6	29.8
1831275	Drill Core	2.93	411	0.014	0.01	<0.17	31.32	2.92	9.42	17.12	60.9	177	3.9	2.8	269	1.11	12.5	1.3	10.0	13.8	48.8
1831276	Drill Core	2.17	372	0.010	<0.01	<0.17	30.86	4.37	5.41	13.84	49.1	116	2.2	1.5	189	1.02	5.0	3.6	5.1	13.8	52.7
1831277	Drill Core	3.07	464	0.128	0.12	<0.17	32.69	0.49	6.27	17.81	35.5	156	1.1	0.9	137	0.79	1.1	2.4	55.8	15.0	65.5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000256.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831255	Drill Core	0.08	0.20	0.20	<1	<0.01	0.002	35.4	1.3	0.06	240.3	0.001	<1	0.34	0.021	0.33	<0.1	1.1	0.06	<0.02	<5
1831256	Drill Core	0.05	0.18	0.18	<1	<0.01	0.002	40.0	1.4	0.10	299.5	0.001	<1	0.42	0.058	0.28	<0.1	1.3	0.05	<0.02	<5
1831257	Drill Core	0.09	0.40	0.21	<1	0.02	0.006	28.3	2.3	0.31	315.0	0.001	<1	0.55	0.016	0.29	<0.1	1.4	0.07	<0.02	<5
1831258	Drill Core	0.14	0.42	0.07	3	0.08	0.022	20.5	4.4	0.58	463.9	0.002	<1	0.76	0.007	0.30	0.1	1.8	0.07	0.03	5
1831259	Drill Core	0.62	0.66	0.05	3	0.77	0.015	17.1	4.8	0.38	515.2	0.002	<1	0.68	0.003	0.37	<0.1	2.2	0.08	0.22	10
1831260	Core DUP	0.70	0.68	0.06	3	0.71	0.016	18.3	5.7	0.36	483.8	0.002	<1	0.60	0.004	0.32	0.1	2.4	0.07	0.19	10
1831261	Drill Core	0.47	0.43	0.08	2	0.21	0.018	24.3	4.1	0.20	564.6	0.002	<1	0.46	0.006	0.29	0.1	1.9	0.06	0.05	11
1831262	Drill Core	0.07	0.21	0.16	<1	0.01	0.003	38.0	1.6	0.11	249.7	0.001	<1	0.41	0.030	0.29	<0.1	1.3	0.06	<0.02	12
1831263	Drill Core	0.09	0.21	0.16	<1	0.01	0.002	40.2	1.1	0.07	225.3	<0.001	1	0.31	0.030	0.26	<0.1	0.7	0.05	<0.02	<5
1831264	Drill Core	0.06	0.21	0.12	<1	<0.01	0.002	36.9	0.9	0.07	187.9	<0.001	<1	0.30	0.032	0.25	<0.1	0.7	0.05	<0.02	<5
1831265	Drill Core	0.04	0.18	0.16	<1	0.01	0.004	37.1	1.3	0.06	240.7	<0.001	<1	0.27	0.030	0.20	<0.1	0.6	0.04	<0.02	<5
1831266	Drill Core	0.11	0.15	0.10	<1	0.21	0.002	35.3	1.4	0.14	191.8	<0.001	<1	0.34	0.016	0.22	<0.1	0.6	0.04	<0.02	<5
1831267	Drill Core	0.17	0.22	0.16	<1	0.30	0.002	39.4	1.5	0.51	212.3	<0.001	<1	0.63	0.020	0.23	<0.1	1.1	0.05	<0.02	8
1831268	Drill Core	0.21	0.24	0.10	2	0.64	0.016	35.7	3.3	0.75	293.8	0.001	<1	0.83	0.016	0.25	0.1	1.5	0.05	0.03	7
1831269	Drill Core	0.49	0.18	0.13	2	0.85	0.004	35.7	7.2	0.46	268.4	<0.001	<1	0.57	0.026	0.24	<0.1	1.9	0.06	0.07	17
1831270	Drill Core	0.85	0.58	0.10	2	0.18	0.005	39.6	5.5	0.31	686.3	<0.001	1	0.50	0.033	0.20	<0.1	1.6	0.06	0.08	6
1831271	Drill Core	0.95	1.69	0.16	6	0.13	0.009	40.0	20.0	0.72	1035.2	<0.001	<1	0.77	0.024	0.18	<0.1	1.5	0.05	0.09	16
1831272	Drill Core	2.00	1.43	0.11	9	0.33	0.010	34.7	29.2	0.92	264.4	0.001	1	0.94	0.027	0.19	<0.1	2.4	0.05	0.07	5
1831273	Drill Core	0.67	0.47	0.06	2	0.20	0.013	38.6	2.8	0.83	234.2	<0.001	1	0.89	0.013	0.22	<0.1	1.1	0.05	<0.02	<5
1831274	Drill Core	0.59	0.28	0.12	2	0.42	0.013	29.8	3.7	0.89	201.9	<0.001	1	0.88	0.015	0.19	0.2	1.2	0.04	0.09	<5
1831275	Drill Core	0.26	0.20	0.16	3	0.81	0.011	22.0	6.8	0.88	167.2	0.001	<1	0.89	0.025	0.19	<0.1	1.6	0.05	0.12	11
1831276	Drill Core	0.34	0.15	0.09	2	0.85	0.014	34.4	3.5	0.88	194.6	0.001	<1	0.97	0.023	0.24	<0.1	1.7	0.06	0.06	12
1831277	Drill Core	0.24	0.11	0.11	1	0.65	0.007	33.3	2.5	0.83	182.7	<0.001	<1	0.83	0.016	0.20	0.1	1.4	0.05	0.05	5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000256.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1831255	Drill Core	<0.1	<0.02	1.1	0.15	<0.1	0.59	0.04	10.8	0.4	<0.05	14.3	7.94	78.7	<0.02	<1	0.4	2.5	<10
1831256	Drill Core	<0.1	<0.02	1.0	0.22	<0.1	0.49	0.08	8.9	0.5	<0.05	12.9	7.18	81.3	<0.02	<1	0.3	2.6	<10
1831257	Drill Core	<0.1	<0.02	1.4	0.34	<0.1	0.52	0.03	8.6	0.5	<0.05	13.2	3.98	53.3	<0.02	<1	0.3	5.1	<10
1831258	Drill Core	<0.1	<0.02	1.6	0.40	<0.1	0.59	<0.02	8.9	0.4	<0.05	13.0	3.75	38.5	<0.02	<1	0.2	8.0	<10
1831259	Drill Core	<0.1	0.07	1.7	0.30	<0.1	0.62	0.03	10.1	0.5	<0.05	17.2	6.29	34.6	<0.02	2	0.3	5.6	<10
1831260	Core DUP	0.2	0.06	1.6	0.33	0.1	0.66	0.04	9.9	0.4	<0.05	17.4	7.03	35.7	<0.02	<1	0.3	6.0	33
1831261	Drill Core	<0.1	0.04	1.3	0.35	<0.1	0.46	0.02	8.5	0.3	<0.05	10.1	5.91	48.2	<0.02	<1	0.2	4.0	<10
1831262	Drill Core	<0.1	<0.02	1.1	0.26	<0.1	0.54	0.06	9.3	0.4	<0.05	11.6	7.98	75.5	<0.02	<1	0.2	2.4	<10
1831263	Drill Core	<0.1	<0.02	0.7	0.19	<0.1	0.38	0.06	8.2	0.5	<0.05	16.1	7.65	84.7	0.02	<1	0.2	1.8	<10
1831264	Drill Core	<0.1	<0.02	0.7	0.18	<0.1	0.40	0.06	8.3	0.4	<0.05	16.5	6.43	69.2	<0.02	<1	0.3	1.7	10
1831265	Drill Core	<0.1	<0.02	0.7	0.35	<0.1	0.22	0.05	7.1	0.4	<0.05	8.8	6.80	68.8	<0.02	<1	0.2	1.4	<10
1831266	Drill Core	<0.1	<0.02	0.7	0.26	<0.1	0.07	0.08	7.1	0.4	<0.05	3.4	6.36	67.5	<0.02	<1	0.2	3.1	<10
1831267	Drill Core	<0.1	<0.02	1.5	0.28	<0.1	0.07	0.05	7.1	0.4	<0.05	2.3	7.35	82.3	<0.02	<1	0.2	10.0	<10
1831268	Drill Core	<0.1	<0.02	1.8	0.24	<0.1	0.10	<0.02	7.8	0.4	<0.05	5.6	9.09	64.6	<0.02	<1	0.2	12.9	<10
1831269	Drill Core	<0.1	<0.02	1.5	0.43	<0.1	0.09	0.06	8.4	0.3	<0.05	3.2	8.79	66.9	<0.02	<1	0.2	7.6	<10
1831270	Drill Core	<0.1	0.02	1.5	0.37	<0.1	0.07	0.03	8.9	0.3	<0.05	2.0	9.43	73.0	0.03	<1	0.3	6.5	<10
1831271	Drill Core	0.3	0.06	2.2	0.51	<0.1	0.08	<0.02	7.4	0.6	<0.05	3.1	11.61	75.9	0.04	<1	0.3	13.0	<10
1831272	Drill Core	<0.1	0.02	3.0	0.48	<0.1	0.08	<0.02	7.6	0.3	<0.05	2.5	12.15	73.1	0.02	<1	0.3	16.3	<10
1831273	Drill Core	<0.1	<0.02	2.3	0.42	<0.1	0.09	<0.02	7.7	0.4	<0.05	3.0	9.74	75.4	<0.02	<1	0.4	14.7	<10
1831274	Drill Core	<0.1	<0.02	2.3	0.34	<0.1	0.16	<0.02	6.1	0.3	<0.05	5.0	8.67	56.2	<0.02	<1	0.2	15.5	<10
1831275	Drill Core	<0.1	<0.02	2.2	0.23	<0.1	0.11	<0.02	6.1	0.2	<0.05	3.8	7.14	43.5	<0.02	<1	0.3	14.4	<10
1831276	Drill Core	<0.1	<0.02	2.3	0.28	<0.1	0.05	0.03	7.0	0.2	<0.05	2.0	6.59	63.4	<0.02	<1	0.2	14.5	<10
1831277	Drill Core	<0.1	<0.02	2.1	0.40	<0.1	0.06	0.06	6.5	0.3	<0.05	1.6	6.89	63.1	<0.02	<1	0.3	15.1	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 18, 2019

Page:

1 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000256.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1829273	Drill Core	3.35	382	0.005	<0.01	<0.17	39.90	0.41	5.84	11.51	41.7	116	2.4	2.4	173	0.97	1.5	1.5	0.6	12.2	41.8
REP 1829273	QC							0.46	6.25	11.56	42.9	107	2.2	2.5	176	0.99	1.5	1.4	<0.2	11.9	42.0
1829276	Drill Core	3.41	355	<0.005	<0.01	<0.17	34.10	1.04	3.59	29.70	34.1	125	1.3	1.4	171	0.81	0.4	3.2	<0.2	11.6	86.8
REP 1829276	QC			0.006																	
1831252	Drill Core	2.60	443	0.006	<0.01	<0.17	32.53	0.25	2.97	15.36	5.7	144	0.4	0.3	45	0.43	2.3	1.8	0.5	17.2	3.0
REP 1831252	QC			0.006																	
1831253	Drill Core	2.54	454	0.006	<0.01	<0.17	55.17	0.31	3.31	16.32	9.3	114	0.5	0.3	58	0.36	4.5	2.5	<0.2	17.3	3.4
REP 1831253	QC							0.25	2.92	16.93	8.6	120	0.4	0.2	55	0.36	4.1	2.1	<0.2	17.6	2.9
1831273	Drill Core	3.31	442	0.013	0.01	<0.17	35.86	0.81	6.60	22.58	92.8	154	1.8	1.6	203	1.03	13.0	1.0	9.8	16.2	14.3
REP 1831273	QC							0.79	6.89	21.62	86.4	148	1.8	1.4	226	1.05	12.7	0.9	7.5	15.4	13.3
Core Reject Duplicates																					
1829257	Drill Core	3.10	464	0.006	<0.01	<0.17	32.86	0.43	3.07	18.56	47.5	127	2.9	2.2	184	1.15	2.5	1.0	0.5	14.0	31.1
DUP 1829257	QC		463	0.006	<0.01	<0.17	35.65	0.43	3.07	18.28	46.5	145	2.9	2.1	184	1.15	2.3	0.9	0.5	13.7	30.2
1831236	Drill Core	3.03	460	0.008	<0.01	<0.17	48.58	0.61	8.75	22.67	61.2	429	6.7	7.6	355	2.15	6.5	3.9	2.4	15.0	19.4
DUP 1831236	QC		516	0.009	0.01	<0.17	45.37	0.60	8.51	20.53	51.9	436	6.0	7.3	308	2.12	6.2	3.7	2.2	14.1	18.5
1831270	Drill Core	3.65	374	0.017	0.02	<0.17	33.50	1.83	82.89	216.91	100.9	621	2.3	1.5	140	0.78	17.4	1.8	11.3	13.6	14.9
DUP 1831270	QC		407	0.016	0.01	<0.17	39.16	1.63	76.97	203.49	93.1	580	2.2	1.4	149	0.75	17.0	1.7	10.8	14.1	15.3
Reference Materials																					
STD BVGEO01	Standard							11.49	4441.69	191.70	1740.2	2551	158.7	27.5	754	3.65	120.9	3.8	219.2	17.1	56.7
STD DS11	Standard							14.73	156.17	134.82	345.1	1708	81.6	13.7	1016	3.09	43.1	2.7	102.4	8.3	69.6
STD DS11	Standard							13.43	149.99	133.98	324.5	1664	74.6	13.5	948	3.10	42.0	2.4	78.3	6.1	57.5
STD OREAS262	Standard							0.67	128.93	58.20	151.2	498	68.6	27.1	531	3.23	36.7	1.3	70.2	10.4	36.6
STD OREAS262	Standard							0.61	117.56	55.27	146.0	433	63.5	27.0	520	3.19	35.3	1.2	55.0	9.3	36.1
STD OREAS262	Standard							0.69	122.28	54.47	143.2	444	60.6	27.8	553	3.24	35.1	1.1	68.4	9.0	34.5
STD OXC145	Standard			0.220																	
STD OXC145	Standard			0.208																	
STD OXH139	Standard			1.321																	
STD OXH139	Standard			1.306																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000256.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1829273	Drill Core	0.25	0.10	0.06	1	0.30	0.025	21.0	2.8	0.64	238.9	0.003	1	0.71	0.018	0.27	0.2	1.2	0.07	0.04	<5
REP 1829273	QC	0.24	0.10	0.05	1	0.30	0.023	21.5	2.8	0.65	237.2	0.003	1	0.72	0.019	0.28	0.1	1.1	0.07	0.04	<5
1829276	Drill Core	0.49	0.09	0.19	<1	0.57	0.014	19.6	2.5	0.56	241.0	0.003	<1	0.63	0.017	0.27	<0.1	1.2	0.05	0.06	<5
REP 1829276	QC																				
1831252	Drill Core	0.06	0.16	0.13	<1	<0.01	0.004	35.4	1.6	0.04	226.8	<0.001	<1	0.33	0.033	0.30	<0.1	1.2	0.06	<0.02	<5
REP 1831252	QC																				
1831253	Drill Core	0.08	0.31	0.16	<1	0.01	0.003	39.7	1.3	0.07	174.1	0.001	<1	0.31	0.035	0.25	<0.1	1.3	0.07	<0.02	<5
REP 1831253	QC	0.10	0.23	0.15	<1	0.01	0.003	35.4	1.1	0.07	158.0	<0.001	<1	0.30	0.034	0.24	<0.1	1.1	0.05	<0.02	<5
1831273	Drill Core	0.67	0.47	0.06	2	0.20	0.013	38.6	2.8	0.83	234.2	<0.001	1	0.89	0.013	0.22	<0.1	1.1	0.05	<0.02	<5
REP 1831273	QC	0.64	0.46	0.06	2	0.19	0.012	38.5	2.8	0.85	243.5	<0.001	1	0.91	0.013	0.22	0.1	1.2	0.05	<0.02	9
Core Reject Duplicates																					
1829257	Drill Core	0.07	0.08	0.20	2	0.31	0.028	26.2	3.3	0.85	188.8	0.002	1	0.91	0.016	0.26	<0.1	1.2	0.05	<0.02	<5
DUP 1829257	QC	0.06	0.08	0.20	2	0.30	0.029	25.2	3.3	0.84	185.5	0.002	2	0.88	0.015	0.26	<0.1	1.1	0.05	<0.02	<5
1831236	Drill Core	0.55	0.26	0.30	15	0.22	0.036	35.6	18.4	0.77	488.8	0.006	<1	1.40	0.033	0.41	0.7	6.7	0.11	<0.02	<5
DUP 1831236	QC	0.51	0.23	0.27	14	0.22	0.038	32.6	16.3	0.76	448.5	0.006	<1	1.31	0.028	0.36	0.7	6.1	0.10	<0.02	<5
1831270	Drill Core	0.85	0.58	0.10	2	0.18	0.005	39.6	5.5	0.31	686.3	<0.001	1	0.50	0.033	0.20	<0.1	1.6	0.06	0.08	6
DUP 1831270	QC	0.71	0.55	0.11	2	0.19	0.005	35.3	5.2	0.31	614.1	<0.001	<1	0.49	0.034	0.21	<0.1	1.5	0.05	0.08	5
Reference Materials																					
STD BVGE001	Standard	6.48	3.34	24.35	72	1.32	0.074	27.3	197.6	1.32	287.0	0.242	3	2.47	0.198	0.89	5.0	7.0	0.59	0.64	82
STD DS11	Standard	2.39	9.00	11.66	50	1.04	0.068	18.9	59.8	0.85	368.0	0.099	8	1.21	0.075	0.39	2.9	3.3	4.82	0.27	269
STD DS11	Standard	2.31	8.47	10.98	50	1.05	0.078	17.7	57.5	0.84	337.0	0.086	6	1.16	0.072	0.39	3.2	3.0	4.76	0.27	253
STD OREAS262	Standard	0.66	5.10	1.03	22	2.93	0.046	18.0	47.9	1.18	255.4	0.003	4	1.46	0.067	0.32	0.2	3.6	0.45	0.25	165
STD OREAS262	Standard	0.60	4.46	1.01	22	2.85	0.037	16.1	41.4	1.14	248.6	0.003	3	1.32	0.069	0.32	0.2	3.2	0.41	0.25	140
STD OREAS262	Standard	0.62	5.46	0.98	22	2.91	0.040	15.7	39.3	1.18	246.1	0.003	4	1.33	0.070	0.31	0.2	3.1	0.45	0.25	152
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000256.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1829273	Drill Core	<0.1	<0.02	1.8	0.36	<0.1	0.37	<0.02	8.5	0.3	<0.05	11.9	4.18	38.3	<0.02	<1	0.4	9.3	<10	<2
REP 1829273	QC	<0.1	<0.02	1.9	0.34	<0.1	0.39	<0.02	8.4	0.2	<0.05	12.2	4.09	38.6	<0.02	<1	0.1	9.5	<10	<2
1829276	Drill Core	<0.1	<0.02	1.6	0.29	<0.1	0.28	0.03	7.8	0.2	<0.05	8.6	4.23	36.7	<0.02	1	<0.1	6.0	<10	<2
REP 1829276	QC																			
1831252	Drill Core	<0.1	<0.02	1.1	0.18	<0.1	0.55	0.04	11.1	0.4	<0.05	11.9	7.79	75.1	<0.02	<1	0.3	2.0	<10	<2
REP 1831252	QC																			
1831253	Drill Core	<0.1	<0.02	1.4	0.33	<0.1	0.58	0.05	11.1	0.4	<0.05	10.4	10.38	73.9	<0.02	<1	0.4	2.8	<10	<2
REP 1831253	QC	<0.1	<0.02	0.9	0.29	<0.1	0.50	0.05	9.7	0.3	<0.05	11.0	9.79	80.5	<0.02	<1	0.3	2.2	<10	<2
1831273	Drill Core	<0.1	<0.02	2.3	0.42	<0.1	0.09	<0.02	7.7	0.4	<0.05	3.0	9.74	75.4	<0.02	<1	0.4	14.7	<10	<2
REP 1831273	QC	<0.1	<0.02	2.2	0.40	<0.1	0.08	<0.02	7.6	0.4	<0.05	2.9	9.45	74.8	<0.02	<1	0.3	14.4	<10	<2
Core Reject Duplicates																				
1829257	Drill Core	<0.1	<0.02	2.7	0.14	<0.1	0.27	<0.02	7.3	0.3	<0.05	8.3	4.44	47.4	<0.02	<1	0.2	8.2	12	<2
DUP 1829257	QC	<0.1	<0.02	2.6	0.14	<0.1	0.23	<0.02	7.0	0.2	<0.05	8.4	4.42	45.4	<0.02	<1	0.2	8.6	<10	<2
1831236	Drill Core	<0.1	<0.02	4.7	0.59	<0.1	0.12	0.04	14.1	0.7	<0.05	4.7	14.53	80.9	<0.02	<1	0.7	14.1	<10	<2
DUP 1831236	QC	<0.1	<0.02	3.8	0.56	<0.1	0.13	<0.02	11.7	0.8	<0.05	4.7	14.22	76.4	0.04	<1	0.4	13.5	<10	<2
1831270	Drill Core	<0.1	0.02	1.5	0.37	<0.1	0.07	0.03	8.9	0.3	<0.05	2.0	9.43	73.0	0.03	<1	0.3	6.5	<10	<2
DUP 1831270	QC	<0.1	0.02	1.4	0.36	<0.1	0.07	0.03	9.0	0.2	<0.05	2.2	9.02	70.1	0.02	<1	0.3	6.9	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.9	1.02	7.1	7.14	0.2	0.39	0.35	94.4	5.8	<0.05	7.4	14.70	55.9	0.42	<1	0.8	21.5	138	156
STD DS11	Standard	2.5	4.71	5.1	2.77	<0.1	0.08	1.52	33.4	1.9	<0.05	3.2	7.86	36.5	0.24	42	0.7	22.2	100	168
STD DS11	Standard	2.0	4.51	4.5	2.76	<0.1	0.05	1.41	32.3	1.6	<0.05	2.6	7.26	36.3	0.23	44	0.7	23.4	98	168
STD OREAS262	Standard	0.5	0.22	4.1	2.84	<0.1	0.25	<0.02	20.0	0.5	<0.05	8.7	11.61	38.2	0.04	2	1.3	18.5	<10	<2
STD OREAS262	Standard	<0.1	0.16	3.8	2.59	<0.1	0.23	<0.02	18.3	0.5	<0.05	9.6	10.38	31.8	0.04	1	1.0	16.4	<10	<2
STD OREAS262	Standard	0.2	0.18	3.7	2.87	<0.1	0.21	<0.02	18.3	0.6	<0.05	11.1	10.31	31.5	0.03	<1	1.1	17.5	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000256.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXN134	Standard			7.854																	
STD OXN134	Standard			7.740																	
STD OXQ90	Standard					25.43	29.92														
STD OXQ90	Standard					25.06	30.29														
STD OXQ90	Standard					25.10	29.72														
STD OXQ90	Standard					25.16	30.57														
STD OXQ90	Standard					25.35	29.94														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	0.3	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.5	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.007																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		440	0.006	<0.01	<0.17	37.30	0.83	2.67	1.38	30.0	11	0.8	3.5	466	1.83	1.2	0.5	0.6	2.4	24.2
ROCK-WHI	Prep Blank		463	0.007	<0.01	<0.17	50.67	1.09	2.35	1.19	30.8	9	1.1	3.4	474	1.86	0.9	0.5	1.4	2.5	23.8



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000256.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.04	0.02	23	0.58	0.039	6.3	3.1	0.42	56.0	0.077	4	0.90	0.099	0.09	<0.1	2.9	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	0.06	<0.02	24	0.60	0.038	6.6	3.9	0.45	54.5	0.082	3	0.94	0.114	0.11	<0.1	3.2	<0.02	0.03	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 18, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000256.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.20	<0.1	0.13	0.21	2.2	0.4	<0.05	3.0	8.34	12.1	<0.02	<1	0.3	2.4	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.18	<0.1	0.15	0.21	2.3	0.5	<0.05	3.2	9.07	12.9	<0.02	<1	0.1	2.2	<10	<2