



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 25, 2019  
Report Date: August 20, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000257.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-36  
P.O. Number  
Number of Samples: 114

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	109	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	114	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	114	Analysis sample split/packet			WHI
Split -150	114	Analysis sample split/packet			WHI
EN002	114	Environmental disposal charge-Fire assay lead waste			VAN
FS631	111	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	114	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	114	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Erika Cayer  
Graeme Joyce  
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 2 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000257.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830956	Drill Core	2.11	435	0.023	0.02	<0.17	32.99	0.70	6.19	14.08	16.0	2081	2.6	1.2	73	0.63	5.7	1.8	<0.2	13.4	4.5
1830957	Drill Core	2.89	484	0.014	0.01	<0.17	19.18	0.89	11.49	28.73	26.8	924	2.8	2.0	84	0.81	9.9	2.4	6.0	12.2	6.4
1830958	Drill Core	2.40	380	0.020	0.02	<0.17	30.31	1.00	7.83	27.29	28.0	608	2.7	1.8	96	0.84	10.7	2.4	14.7	12.8	6.5
1830959	Drill Core	2.13	495	0.078	0.07	<0.17	25.56	0.73	8.92	26.87	50.8	802	2.9	1.7	207	0.89	6.8	2.5	44.3	16.5	8.4
1830960	Core DUP		429	0.148	0.22	1.49	21.53	0.68	9.08	26.67	49.4	879	2.8	1.7	210	0.92	6.8	2.5	141.3	16.9	8.6
1830961	Drill Core	1.86	453	0.018	0.02	<0.17	24.22	0.93	7.00	10.77	42.6	231	4.5	3.1	243	1.10	5.9	1.6	16.1	15.6	11.3
1830962	Drill Core	1.41	501	0.076	0.08	<0.17	35.81	1.21	12.06	26.69	37.1	667	4.2	3.1	315	1.09	6.5	1.5	89.2	14.2	11.0
1830963	Drill Core	1.88	413	0.070	0.07	<0.17	54.19	0.80	46.85	138.47	35.1	5533	4.7	3.5	187	1.26	6.7	2.1	1098.7	12.1	13.6
1830964	Drill Core	2.29	444	0.201	0.20	0.25	31.39	1.00	25.67	37.91	78.7	1003	16.1	9.9	544	2.23	24.4	3.1	58.1	10.1	30.6
1830965	Drill Core	2.13	422	0.217	0.23	0.34	62.59	0.46	8.26	18.03	25.9	412	3.2	3.7	177	1.01	13.7	1.3	131.5	14.9	12.1
1830966	Drill Core	3.00	557	0.822	0.95	5.26	15.58	0.36	9.52	20.34	46.5	417	4.0	3.5	221	1.13	3.2	1.4	145.0	14.6	13.3
1830967	Drill Core	2.17	487	0.446	0.80	3.11	64.59	0.81	15.25	36.53	41.7	2277	3.7	3.4	244	1.11	6.2	1.2	1058.8	12.9	22.7
1830968	Drill Core	2.22	417	0.051	0.05	<0.17	18.54	0.87	10.50	26.03	58.0	720	5.8	5.0	308	1.38	8.1	1.5	37.3	15.1	23.0
1830969	Drill Core	2.72	407	0.058	0.05	<0.17	32.57	0.85	12.76	12.63	47.7	1393	4.9	4.7	204	1.32	8.6	1.8	69.8	16.2	14.8
1830970	Drill Core	2.12	528	0.304	0.32	0.68	27.95	0.61	9.69	12.39	44.5	490	4.1	5.2	204	1.30	22.3	2.2	245.7	13.5	14.6
1830971	Drill Core	1.02	485	1.626	3.02	19.42	37.90	0.93	23.10	39.08	24.1	2683	2.9	2.6	140	1.14	4.8	1.7	4078.2	10.5	55.8
1830972	Drill Core	1.63	377	0.176	0.23	0.63	42.75	0.47	8.80	16.06	43.4	234	3.8	3.6	305	1.34	1.4	1.0	198.5	13.0	64.4
1830973	Drill Core	1.57	399	0.084	0.11	0.42	33.04	0.35	8.29	54.04	45.9	344	3.8	3.5	275	1.45	1.2	1.1	69.8	13.3	65.5
1830974	Drill Core	2.23	375	0.008	<0.01	<0.17	32.59	0.33	10.67	29.98	25.8	243	2.7	3.0	321	1.24	1.3	1.5	11.3	13.1	101.7
1830975	Drill Core	1.45	474	1.222	1.23	1.28	35.17	0.42	14.66	238.01	15.1	4260	1.5	1.7	275	0.80	1.0	1.2	3556.8	12.4	56.8
1830976	Drill Core	2.94	464	0.383	0.45	1.30	36.25	0.45	10.33	25.10	31.1	420	2.8	2.4	304	0.82	3.9	1.0	376.8	12.6	54.4
1830977	Drill Core	1.38	505	2.525	2.83	6.35	39.84	0.28	20.96	6.99	12.2	2918	2.1	2.2	140	0.90	1.0	1.4	2796.6	10.0	46.1
1830978	Drill Core	2.20	417	0.161	0.15	<0.17	30.08	0.40	6.99	13.76	22.1	181	2.0	2.4	260	0.89	1.3	1.2	59.8	8.5	93.2
1830979	Drill Core	2.94	487	0.184	0.18	<0.17	39.21	0.57	6.17	18.22	17.7	266	2.0	2.6	230	0.88	1.4	1.1	215.2	10.4	98.0
1830980	Rock	0.23	169	0.005	<0.01	<0.17	23.72	0.53	1.51	1.37	2.7	9	1.6	0.5	88	0.72	0.6	0.2	<0.2	1.4	1.7
1830981	Drill Core	2.99	475	0.006	<0.01	<0.17	38.98	0.50	5.08	22.11	33.6	157	2.3	2.5	234	0.93	1.9	1.0	0.8	13.0	87.3
1830982	Drill Core	2.48	455	0.008	<0.01	<0.17	30.63	0.41	6.37	14.28	36.7	97	2.6	3.3	230	1.45	1.7	1.4	0.5	10.2	122.3
1830983	Drill Core	2.82	489	0.012	0.01	<0.17	39.40	0.96	11.58	10.51	34.0	136	2.3	3.3	214	1.35	1.4	1.1	3.6	10.9	104.5
1830984	Drill Core	1.38	510	4.027	5.69	32.51	29.81	0.63	24.95	4.43	30.1	2675	3.9	4.3	282	1.76	3.3	2.1	4784.1	7.1	91.3
1830985	Drill Core	3.68	482	0.331	0.39	1.30	28.52	0.43	9.19	8.16	42.4	252	3.1	3.5	213	1.27	2.5	1.1	129.8	9.8	72.0



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 2 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000257.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830956	Drill Core	0.08	0.31	0.11	3	0.03	0.009	16.0	4.2	0.07	197.6	0.004	2	0.35	0.015	0.23	4.0	0.9	0.07	<0.02	<5			
1830957	Drill Core	0.09	0.35	0.10	5	0.05	0.013	21.9	7.1	0.16	212.2	0.007	3	0.52	0.018	0.22	1.7	1.1	0.07	<0.02	<5			
1830958	Drill Core	0.11	0.37	0.11	4	0.04	0.014	21.3	7.4	0.17	221.8	0.005	2	0.51	0.016	0.23	1.0	0.9	0.07	<0.02	9			
1830959	Drill Core	0.17	0.28	0.13	2	0.07	0.015	34.8	5.3	0.33	308.3	0.001	3	0.69	0.017	0.26	1.4	1.2	0.07	<0.02	9			
1830960	Core DUP	0.20	0.26	0.13	2	0.07	0.014	34.5	5.4	0.32	328.1	0.002	2	0.71	0.019	0.27	1.2	1.2	0.07	<0.02	9			
1830961	Drill Core	0.31	0.15	0.05	3	0.10	0.031	35.7	5.8	0.55	472.5	0.001	2	0.86	0.016	0.28	0.3	1.4	0.07	<0.02	<5			
1830962	Drill Core	0.33	0.22	0.27	4	0.10	0.029	33.1	5.5	0.51	311.7	0.002	3	0.80	0.028	0.27	0.4	1.7	0.07	<0.02	<5			
1830963	Drill Core	0.23	0.47	0.67	5	0.09	0.031	25.1	9.2	0.32	535.8	0.002	1	0.63	0.048	0.25	1.9	1.8	0.11	<0.02	61			
1830964	Drill Core	0.44	0.63	0.22	24	0.25	0.075	25.2	49.0	1.02	985.3	0.004	1	1.40	0.044	0.21	0.6	4.2	0.10	<0.02	12			
1830965	Drill Core	0.15	0.43	0.10	2	0.07	0.030	29.1	3.5	0.21	560.0	0.002	1	0.53	0.040	0.28	0.2	1.1	0.11	0.07	19			
1830966	Drill Core	0.26	0.14	0.14	3	0.10	0.031	30.1	4.8	0.35	442.1	0.010	2	0.67	0.062	0.30	0.1	1.6	0.13	<0.02	<5			
1830967	Drill Core	0.22	0.22	0.15	3	0.08	0.025	27.4	3.7	0.19	684.9	0.007	1	0.52	0.060	0.27	0.4	1.6	0.13	<0.02	<5			
1830968	Drill Core	0.28	0.21	0.16	4	0.11	0.036	31.5	5.5	0.24	550.3	0.010	2	0.61	0.079	0.28	0.5	2.2	0.12	0.02	<5			
1830969	Drill Core	0.23	0.21	0.08	3	0.11	0.034	31.3	5.0	0.27	369.9	0.003	2	0.67	0.081	0.26	2.5	1.7	0.10	0.05	<5			
1830970	Drill Core	0.34	0.42	0.11	4	0.10	0.034	25.6	7.4	0.23	296.0	0.003	1	0.56	0.053	0.23	0.3	1.7	0.09	0.07	5			
1830971	Drill Core	0.16	0.23	0.14	2	0.06	0.026	19.3	3.7	0.13	1435.0	0.002	<1	0.39	0.049	0.21	0.6	1.1	0.06	0.09	7			
1830972	Drill Core	0.33	0.12	0.10	3	0.42	0.034	25.2	4.4	0.29	485.1	0.005	1	0.58	0.070	0.26	0.2	1.7	0.07	0.07	<5			
1830973	Drill Core	0.24	0.13	0.26	4	0.38	0.033	27.6	5.2	0.33	335.9	0.014	<1	0.58	0.085	0.21	0.1	2.1	0.06	<0.02	<5			
1830974	Drill Core	0.17	0.13	0.24	3	0.69	0.034	24.6	4.3	0.29	553.2	0.010	<1	0.50	0.060	0.26	0.1	1.8	0.07	0.05	<5			
1830975	Drill Core	0.26	0.32	0.84	1	0.33	0.032	22.8	2.7	0.10	1251.6	0.003	2	0.38	0.029	0.32	<0.1	1.1	0.08	0.09	<5			
1830976	Drill Core	0.26	0.17	0.11	2	0.15	0.037	22.0	2.9	0.16	946.6	0.003	2	0.44	0.041	0.30	0.2	1.1	0.08	0.11	<5			
1830977	Drill Core	0.12	0.20	<0.02	2	0.25	0.035	14.5	2.8	0.13	292.9	0.003	2	0.35	0.060	0.24	<0.1	1.0	0.05	0.45	6			
1830978	Drill Core	0.30	0.13	0.11	2	0.96	0.042	14.9	4.0	0.32	267.4	0.003	1	0.49	0.019	0.35	0.1	1.6	0.06	0.05	<5			
1830979	Drill Core	0.22	0.12	0.13	1	1.05	0.042	17.3	2.7	0.32	352.6	0.003	1	0.44	0.012	0.38	0.1	1.3	0.06	0.10	<5			
1830980	Rock	<0.01	0.03	<0.02	1	0.01	0.002	3.1	4.1	0.02	12.5	0.003	<1	0.08	0.007	0.02	<0.1	0.3	<0.02	<0.02	<5			
1830981	Drill Core	0.32	0.14	0.18	2	0.54	0.031	23.2	3.3	0.36	284.0	0.006	<1	0.63	0.028	0.39	0.2	1.5	0.08	0.02	<5			
1830982	Drill Core	0.14	0.19	0.11	5	0.82	0.039	21.5	4.5	0.57	245.9	0.023	<1	0.72	0.033	0.41	<0.1	2.9	0.12	0.02	5			
1830983	Drill Core	0.17	0.20	0.13	4	0.82	0.040	18.2	4.0	0.53	290.4	0.015	1	0.74	0.040	0.39	0.1	2.6	0.10	0.07	<5			
1830984	Drill Core	0.47	0.68	0.02	2	0.78	0.030	7.8	2.8	0.38	66.1	0.002	<1	0.44	0.030	0.29	<0.1	1.6	0.07	1.06	<5			
1830985	Drill Core	0.24	0.25	0.11	3	0.49	0.038	18.9	3.3	0.43	224.9	0.009	1	0.69	0.037	0.35	0.2	2.0	0.09	0.05	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 2 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000257.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1830956	Drill Core	<0.1	<0.02	1.2	0.22	<0.1	0.32	0.05	10.9	0.3	<0.05	9.5	7.67	32.7	<0.02	<1	0.4	2.6	<10	<2			
1830957	Drill Core	<0.1	<0.02	1.6	0.24	<0.1	0.40	0.04	10.1	0.8	<0.05	13.2	7.28	42.5	<0.02	<1	0.3	4.4	<10	<2			
1830958	Drill Core	<0.1	<0.02	1.5	0.23	<0.1	0.38	0.02	9.9	0.3	<0.05	12.5	7.28	42.4	<0.02	<1	0.4	4.0	<10	<2			
1830959	Drill Core	<0.1	0.03	2.0	0.42	<0.1	0.17	<0.02	8.3	0.5	<0.05	5.9	7.22	63.9	<0.02	<1	0.3	7.4	<10	<2			
1830960	Core DUP	<0.1	0.02	2.0	0.45	<0.1	0.15	<0.02	8.7	0.5	<0.05	5.8	7.18	65.2	0.02	1	0.5	7.4	<10	<2			
1830961	Drill Core	<0.1	<0.02	2.2	0.49	<0.1	0.12	<0.02	8.9	0.2	<0.05	5.3	5.80	71.8	<0.02	<1	0.2	12.9	<10	<2			
1830962	Drill Core	<0.1	0.31	2.2	0.43	<0.1	0.17	<0.02	8.5	0.3	<0.05	6.2	5.46	63.1	0.02	<1	0.2	10.9	<10	<2			
1830963	Drill Core	<0.1	1.88	2.2	0.43	<0.1	0.07	<0.02	9.9	0.2	<0.05	2.9	4.77	47.5	<0.02	<1	0.3	6.3	<10	<2			
1830964	Drill Core	<0.1	0.14	5.0	0.48	<0.1	0.04	<0.02	8.3	0.2	<0.05	2.0	10.92	46.9	0.03	<1	0.4	25.3	<10	<2			
1830965	Drill Core	<0.1	0.06	1.9	0.31	<0.1	0.07	<0.02	11.0	0.2	<0.05	2.4	6.18	54.1	<0.02	<1	0.3	5.3	<10	<2			
1830966	Drill Core	<0.1	0.08	2.2	0.65	<0.1	0.14	<0.02	12.7	0.4	<0.05	5.6	5.26	54.7	<0.02	<1	0.2	7.7	<10	2			
1830967	Drill Core	<0.1	1.66	1.9	0.83	<0.1	0.14	<0.02	13.5	0.4	<0.05	5.1	4.29	49.9	<0.02	<1	0.5	5.1	<10	<2			
1830968	Drill Core	<0.1	0.35	2.4	1.25	<0.1	0.15	<0.02	14.8	0.4	<0.05	6.6	5.77	57.3	<0.02	<1	0.3	6.3	<10	<2			
1830969	Drill Core	<0.1	<0.02	2.4	0.43	<0.1	0.15	<0.02	11.5	0.4	<0.05	5.1	5.84	60.0	<0.02	<1	0.3	5.6	<10	<2			
1830970	Drill Core	<0.1	<0.02	2.1	0.52	<0.1	0.14	<0.02	10.3	0.3	<0.05	5.0	5.17	49.1	<0.02	<1	0.4	6.2	<10	<2			
1830971	Drill Core	<0.1	0.95	1.3	0.28	<0.1	0.31	<0.02	8.3	0.3	<0.05	9.0	3.69	35.9	<0.02	<1	0.2	3.2	<10	<2			
1830972	Drill Core	<0.1	<0.02	2.1	0.39	<0.1	0.43	<0.02	11.0	0.3	<0.05	13.1	4.77	45.0	<0.02	<1	0.4	5.1	<10	<2			
1830973	Drill Core	<0.1	0.03	2.5	0.43	<0.1	0.42	<0.02	9.3	0.3	<0.05	13.4	4.53	50.7	<0.02	<1	0.4	5.3	<10	<2			
1830974	Drill Core	<0.1	<0.02	1.9	0.30	<0.1	0.28	<0.02	11.1	0.4	<0.05	8.5	3.98	45.0	<0.02	<1	0.4	3.7	<10	<2			
1830975	Drill Core	0.1	1.71	1.2	0.29	<0.1	0.35	<0.02	13.1	0.2	<0.05	11.2	4.01	40.8	<0.02	<1	0.2	1.8	<10	<2			
1830976	Drill Core	<0.1	0.11	1.6	0.32	<0.1	0.33	<0.02	11.4	0.2	<0.05	10.0	4.92	41.2	<0.02	<1	0.4	3.4	<10	<2			
1830977	Drill Core	<0.1	1.35	1.1	0.11	<0.1	0.28	<0.02	6.8	0.2	<0.05	8.5	3.41	27.0	<0.02	<1	0.1	1.6	<10	<2			
1830978	Drill Core	<0.1	0.06	1.3	0.29	<0.1	0.30	<0.02	9.9	0.1	<0.05	10.9	3.85	27.6	<0.02	<1	0.3	3.8	<10	<2			
1830979	Drill Core	<0.1	0.04	1.1	0.21	<0.1	0.22	<0.02	10.0	0.2	<0.05	7.2	4.06	31.9	<0.02	<1	0.2	2.5	<10	<2			
1830980	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.12	0.03	1.1	<0.1	<0.05	3.2	1.11	5.9	<0.02	<1	<0.1	1.1	<10	<2			
1830981	Drill Core	<0.1	<0.02	1.7	0.44	<0.1	0.34	<0.02	11.3	0.3	<0.05	10.4	4.09	42.4	<0.02	<1	0.4	4.5	<10	<2			
1830982	Drill Core	<0.1	<0.02	2.6	1.20	<0.1	0.28	<0.02	14.0	0.3	<0.05	7.9	3.33	40.4	<0.02	<1	0.5	6.3	<10	<2			
1830983	Drill Core	<0.1	<0.02	2.3	0.89	<0.1	0.49	<0.02	12.9	0.3	<0.05	14.1	3.46	35.0	<0.02	<1	0.2	5.6	<10	<2			
1830984	Drill Core	<0.1	1.05	1.1	0.21	<0.1	0.36	<0.02	7.7	0.1	<0.05	11.0	4.51	14.5	<0.02	<1	0.2	3.4	<10	<2			
1830985	Drill Core	<0.1	<0.02	1.9	0.67	<0.1	0.38	<0.02	11.0	0.2	<0.05	12.2	3.88	36.2	<0.02	<1	0.2	6.2	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 3 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000257.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1830986	Drill Core	1.43	507	2.292	2.44	4.47	34.42	0.74	17.50	26.44	33.7	1447	2.9	3.3	135	1.32	2.7	1.7	2352.6	7.3	22.1
1830987	Drill Core	1.07	487	1.170	1.21	1.85	28.71	0.68	13.87	8.12	44.7	688	3.1	3.1	171	1.36	3.8	1.4	1190.1	9.6	53.3
1830988	Drill Core	2.57	482	0.053	0.05	<0.17	41.07	0.44	5.10	14.21	22.4	171	1.9	2.1	200	0.94	1.3	1.8	168.0	12.1	81.7
1830989	Drill Core	2.58	468	0.024	0.02	<0.17	34.51	0.27	4.03	13.55	16.0	78	1.6	1.5	167	0.76	0.5	1.6	14.4	13.8	76.1
1830990	Drill Core	1.65	420	0.209	0.20	<0.17	49.85	3.29	24.57	21.69	10.6	577	1.1	1.3	152	0.61	1.0	4.8	144.8	12.5	74.6
1830991	Drill Core	1.52	483	0.150	0.14	<0.17	37.87	0.27	10.11	8.71	10.6	394	1.3	1.4	164	0.69	0.6	1.9	94.2	11.7	59.1
1830992	Drill Core	2.10	439	0.119	0.12	<0.17	31.84	0.23	10.63	24.16	14.3	273	1.2	1.4	262	0.70	0.9	3.4	95.8	14.0	102.2
1830993	Drill Core	1.45	479	0.922	0.97	1.59	35.31	1.08	25.46	116.65	25.4	11470	3.8	1.6	258	0.93	5.0	1.6	1686.3	6.6	129.3
1830994	Drill Core	2.55	466	0.508	0.62	2.07	34.23	2.32	30.62	37.47	42.0	13291	5.7	2.2	150	0.93	8.1	1.3	498.2	9.4	35.5
1830995	Drill Core	3.03	476	0.356	0.36	0.43	51.56	0.70	11.46	12.73	42.3	451	3.1	3.1	255	1.04	12.9	1.8	379.4	13.8	39.4
1830996	Drill Core	2.92	540	0.108	0.43	4.60	38.95	0.28	22.62	15.30	36.3	484	3.3	2.9	301	1.24	13.2	3.2	166.2	13.4	71.3
1830997	Drill Core	2.99	467	0.029	0.03	<0.17	40.97	0.58	9.53	19.48	45.6	263	4.3	3.5	342	1.37	18.8	1.6	15.6	16.1	73.0
1830998	Drill Core	2.65	381	0.083	0.08	<0.17	42.92	0.48	14.99	22.14	37.4	389	3.8	3.2	261	1.30	44.3	1.8	79.8	15.3	35.8
1830999	Drill Core	3.10	437	0.072	0.07	<0.17	41.14	0.53	8.90	11.13	42.7	246	4.0	3.1	273	1.27	42.4	1.6	68.8	13.9	27.8
1831000	Rock Pulp	0.12	91	7.144				8.86	188.98	18.20	74.1	853	13.0	11.2	514	4.24	12.8	0.8	7794.0	2.8	60.8
1831001	Drill Core	3.40	516	0.060	0.06	<0.17	33.51	0.68	15.17	12.81	42.6	1340	4.5	3.6	319	1.33	37.5	2.1	54.8	13.2	35.0
1831002	Drill Core	2.73	471	0.122	0.12	<0.17	37.10	0.68	10.23	29.89	29.2	1269	3.0	2.8	301	1.02	28.9	2.5	100.6	13.9	42.2
1831003	Drill Core	2.85	518	0.058	0.05	<0.17	38.53	0.66	3.63	13.93	22.2	313	2.3	2.1	194	0.94	29.4	2.0	49.1	13.8	40.8
1831004	Drill Core	2.65	459	0.035	0.03	<0.17	42.17	0.54	4.97	18.07	22.3	237	2.0	2.2	195	0.97	19.4	2.2	27.2	13.8	74.8
1831005	Drill Core	3.56	542	0.059	0.06	<0.17	32.02	0.44	7.64	15.09	24.3	539	2.7	2.5	142	1.30	25.1	3.1	74.6	14.3	41.0
1831006	Drill Core	1.29	527	0.044	0.04	<0.17	35.05	0.36	1.77	15.18	15.8	403	1.4	1.0	72	1.08	23.1	2.1	40.8	12.1	56.9
1831007	Drill Core	2.95	446	0.019	0.02	<0.17	34.83	0.90	13.50	17.20	29.4	237	3.1	2.9	187	1.26	18.7	3.3	13.7	14.4	56.3
1831008	Drill Core	2.90	500	0.020	0.02	<0.17	32.66	1.63	5.24	24.46	25.6	127	1.3	1.8	217	0.79	8.1	3.3	13.2	11.1	93.0
1831009	Drill Core	2.72	512	0.017	0.02	<0.17	32.76	1.60	7.71	20.27	30.0	193	2.4	2.7	213	1.19	10.0	3.4	10.4	13.3	103.5
1831010	Drill Core	3.21	484	0.027	0.02	<0.17	37.49	4.81	3.39	21.49	20.7	84	1.6	1.7	193	0.86	4.1	3.0	25.1	14.1	160.0
1831011	Drill Core	2.70	439	0.009	<0.01	<0.17	32.82	0.42	6.77	14.26	36.4	81	2.8	3.4	203	1.43	1.4	1.9	62.8	11.9	127.2
1831012	Drill Core	2.71	510	0.010	<0.01	<0.17	38.61	0.49	11.51	19.81	35.7	109	3.0	3.4	190	1.41	1.4	1.9	5.6	11.2	107.0
1831013	Drill Core	2.99	510	0.006	<0.01	<0.17	46.48	0.44	1.79	19.58	34.8	74	2.6	3.0	221	1.30	0.4	1.7	3.7	11.8	150.2
1831014	Drill Core	3.05	441	0.038	0.03	<0.17	52.82	0.31	9.81	11.10	38.8	70	2.8	3.5	227	1.36	1.8	2.0	28.8	12.0	138.5
1831015	Drill Core	2.79	519	0.009	<0.01	<0.17	37.99	0.48	3.08	13.33	41.8	70	3.0	3.5	217	1.48	1.2	3.3	4.5	12.1	138.5



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 3 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000257.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1830986	Drill Core	0.18	0.27	0.27	2	0.08	0.026	13.2	3.0	0.25	253.6	0.003	<1	0.49	0.027	0.30	0.1	1.4	0.06	0.20	<5			
1830987	Drill Core	0.28	0.25	<0.02	3	0.30	0.032	23.4	3.6	0.33	236.4	0.007	2	0.57	0.029	0.30	0.1	1.9	0.07	<0.02	<5			
1830988	Drill Core	0.14	0.14	0.04	2	0.55	0.037	24.2	3.0	0.28	518.4	0.005	<1	0.54	0.046	0.35	<0.1	1.4	0.06	0.11	<5			
1830989	Drill Core	0.11	0.11	0.05	2	0.46	0.034	30.4	3.2	0.15	706.6	0.004	<1	0.41	0.035	0.30	<0.1	1.0	0.06	0.04	<5			
1830990	Drill Core	0.09	0.40	0.13	2	0.37	0.042	22.0	2.8	0.15	769.7	0.003	<1	0.45	0.045	0.36	0.1	1.0	0.07	0.19	<5			
1830991	Drill Core	0.09	0.17	0.08	2	0.40	0.031	18.5	2.9	0.17	530.1	0.002	<1	0.38	0.037	0.31	0.1	0.9	0.07	0.22	<5			
1830992	Drill Core	0.18	0.13	0.15	2	0.76	0.041	21.7	2.7	0.28	938.5	0.002	<1	0.50	0.037	0.36	0.3	1.4	0.08	0.13	<5			
1830993	Drill Core	0.29	0.37	0.46	2	0.47	0.039	12.3	4.2	0.19	886.1	0.001	<1	0.27	0.030	0.15	20.0	1.2	0.05	0.18	6			
1830994	Drill Core	0.20	0.31	0.24	2	0.07	0.024	20.2	6.6	0.15	1108.9	0.001	<1	0.39	0.035	0.20	27.6	0.8	0.07	0.06	<5			
1830995	Drill Core	0.33	0.41	0.13	3	0.20	0.033	24.5	3.5	0.24	290.9	0.002	<1	0.54	0.033	0.28	0.3	1.1	0.09	0.12	9			
1830996	Drill Core	0.18	0.41	0.16	4	0.60	0.033	21.6	4.3	0.34	234.0	0.002	<1	0.62	0.042	0.24	0.1	1.6	0.07	0.22	11			
1830997	Drill Core	0.17	0.73	0.17	4	0.48	0.036	31.7	4.7	0.38	220.6	0.002	1	0.69	0.039	0.23	0.1	1.7	0.10	0.15	14			
1830998	Drill Core	0.32	0.73	0.22	4	0.28	0.033	31.5	4.6	0.30	233.3	0.002	1	0.58	0.049	0.24	0.1	1.3	0.09	0.29	9			
1830999	Drill Core	0.33	0.54	0.15	4	0.19	0.035	28.8	4.5	0.31	215.0	0.002	<1	0.60	0.045	0.22	0.1	1.2	0.07	0.23	16			
1831000	Rock Pulp	0.19	4.52	0.53	97	0.81	0.063	7.4	17.8	0.78	125.3	0.106	2	1.57	0.158	0.21	3.6	2.9	0.07	<0.02	214			
1831001	Drill Core	0.33	0.67	0.13	3	0.27	0.036	25.3	4.6	0.33	201.5	0.002	<1	0.58	0.043	0.21	2.9	1.2	0.06	0.25	<5			
1831002	Drill Core	0.30	0.90	0.17	3	0.32	0.034	28.2	3.5	0.25	268.4	0.002	<1	0.49	0.029	0.26	2.5	0.9	0.08	0.20	5			
1831003	Drill Core	0.14	0.78	0.17	3	0.44	0.031	30.7	3.5	0.23	187.2	0.002	1	0.48	0.024	0.31	0.4	1.0	0.08	0.24	<5			
1831004	Drill Core	0.14	0.72	0.16	3	0.50	0.033	30.9	3.9	0.24	181.1	0.002	<1	0.47	0.031	0.25	0.2	1.4	0.07	0.26	12			
1831005	Drill Core	0.12	3.03	0.15	5	0.28	0.037	32.4	5.0	0.20	158.4	0.002	<1	0.42	0.030	0.26	0.2	1.5	0.07	0.50	9			
1831006	Drill Core	0.03	2.13	0.15	4	0.11	0.035	30.5	4.8	0.13	195.1	0.001	<1	0.32	0.024	0.24	<0.1	1.4	0.07	0.17	13			
1831007	Drill Core	0.13	0.43	0.11	6	0.48	0.036	29.2	6.1	0.29	156.5	0.003	<1	0.55	0.039	0.24	<0.1	2.5	0.06	0.25	5			
1831008	Drill Core	0.22	0.21	0.13	2	0.92	0.040	24.9	2.8	0.37	209.2	0.002	<1	0.55	0.007	0.37	<0.1	2.4	0.07	0.10	5			
1831009	Drill Core	0.15	0.54	0.09	4	0.85	0.039	27.7	3.8	0.49	208.6	0.003	<1	0.70	0.018	0.37	<0.1	2.4	0.08	0.22	<5			
1831010	Drill Core	0.15	0.28	0.10	3	1.17	0.037	35.2	2.9	0.33	244.2	0.009	<1	0.59	0.008	0.43	<0.1	2.4	0.09	0.07	5			
1831011	Drill Core	0.10	0.20	0.08	6	0.71	0.047	34.2	4.5	0.43	257.3	0.033	<1	0.74	0.024	0.51	<0.1	4.1	0.19	0.07	<5			
1831012	Drill Core	0.12	0.17	0.17	6	0.70	0.045	34.6	4.2	0.43	261.7	0.031	<1	0.73	0.021	0.59	<0.1	4.4	0.27	0.06	<5			
1831013	Drill Core	0.16	0.13	0.12	5	0.97	0.047	36.6	4.1	0.40	255.3	0.021	<1	0.69	0.020	0.55	<0.1	3.9	0.23	<0.02	<5			
1831014	Drill Core	0.13	0.14	0.07	5	0.98	0.045	36.0	4.0	0.43	266.8	0.015	<1	0.74	0.024	0.55	<0.1	3.7	0.19	0.12	<5			
1831015	Drill Core	0.12	0.14	0.08	6	0.86	0.048	34.6	4.2	0.47	233.4	0.015	<1	0.80	0.024	0.47	<0.1	3.7	0.17	0.04	<5			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 3 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000257.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1830986	Drill Core	<0.1	0.32	1.4	0.28	<0.1	0.35	<0.02	8.2	0.2	<0.05	10.6	3.12	24.1	<0.02	<1	0.3	4.4	<10
1830987	Drill Core	<0.1	0.24	1.7	0.42	<0.1	0.35	<0.02	9.6	0.2	<0.05	10.8	4.09	43.0	<0.02	<1	0.2	5.2	11
1830988	Drill Core	<0.1	<0.02	1.5	0.29	<0.1	0.30	<0.02	10.5	0.2	<0.05	7.7	4.01	45.8	<0.02	<1	0.3	3.1	<10
1830989	Drill Core	<0.1	<0.02	1.6	0.19	<0.1	0.19	0.04	8.8	1.4	<0.05	5.4	4.68	54.1	<0.02	<1	0.2	2.5	<10
1830990	Drill Core	0.1	0.24	1.5	0.23	<0.1	0.35	0.03	11.4	0.2	<0.05	10.9	4.22	38.9	<0.02	3	0.4	2.4	<10
1830991	Drill Core	<0.1	0.17	1.4	0.27	<0.1	0.31	0.02	12.0	0.2	<0.05	9.4	3.74	34.3	<0.02	<1	0.3	1.9	<10
1830992	Drill Core	<0.1	0.05	1.7	0.29	<0.1	0.27	0.03	13.4	0.2	<0.05	8.2	5.81	42.8	<0.02	<1	0.3	2.9	<10
1830993	Drill Core	<0.1	1.55	0.9	0.63	<0.1	0.27	0.02	6.6	0.2	<0.05	8.8	5.22	21.5	<0.02	<1	0.2	2.1	<10
1830994	Drill Core	<0.1	0.40	1.3	0.78	<0.1	0.30	<0.02	8.0	0.6	<0.05	10.6	4.59	35.7	<0.02	<1	0.2	4.2	<10
1830995	Drill Core	<0.1	0.06	2.1	0.53	<0.1	0.37	<0.02	11.9	0.2	<0.05	11.8	6.75	45.1	<0.02	<1	0.4	6.6	<10
1830996	Drill Core	<0.1	0.05	2.6	0.37	<0.1	0.24	<0.02	10.4	0.2	<0.05	7.4	5.50	40.1	<0.02	<1	0.3	7.1	<10
1830997	Drill Core	<0.1	<0.02	3.0	1.66	<0.1	0.38	<0.02	11.9	0.3	<0.05	12.5	7.30	60.9	<0.02	1	0.3	10.3	<10
1830998	Drill Core	<0.1	0.03	2.7	0.88	<0.1	0.41	<0.02	11.5	0.3	<0.05	11.4	7.91	56.8	<0.02	1	0.3	7.6	<10
1830999	Drill Core	<0.1	<0.02	2.5	0.76	<0.1	0.35	<0.02	9.9	0.2	<0.05	11.5	8.71	53.6	<0.02	<1	0.4	7.9	<10
1831000	Rock Pulp	<0.1	0.16	4.8	0.71	0.1	0.09	0.10	7.7	1.6	<0.05	1.8	4.98	14.6	0.04	1	0.1	6.3	<10
1831001	Drill Core	<0.1	0.04	2.6	0.69	<0.1	0.35	0.02	9.7	0.3	<0.05	11.0	7.45	47.5	<0.02	<1	0.4	8.2	<10
1831002	Drill Core	0.2	0.04	2.1	1.05	<0.1	0.31	<0.02	11.6	0.3	<0.05	9.8	8.72	51.1	<0.02	<1	0.3	6.0	<10
1831003	Drill Core	0.2	0.03	1.9	0.74	<0.1	0.26	<0.02	11.9	0.2	<0.05	8.8	7.74	56.4	<0.02	<1	0.3	5.3	<10
1831004	Drill Core	0.2	<0.02	2.2	0.85	<0.1	0.27	0.02	10.7	0.2	<0.05	9.0	8.81	54.8	<0.02	<1	0.3	5.8	<10
1831005	Drill Core	0.4	<0.02	2.3	0.40	<0.1	0.26	0.03	9.3	0.3	<0.05	8.5	8.82	57.9	<0.02	<1	0.3	4.8	<10
1831006	Drill Core	<0.1	0.02	2.0	0.69	<0.1	0.20	<0.02	8.3	0.3	<0.05	6.7	5.45	53.8	<0.02	<1	0.3	2.9	<10
1831007	Drill Core	0.2	<0.02	3.0	0.51	<0.1	0.24	0.02	8.8	0.5	<0.05	7.5	10.59	57.2	0.02	1	0.4	7.0	<10
1831008	Drill Core	<0.1	<0.02	1.7	0.33	<0.1	0.22	<0.02	10.2	0.1	<0.05	7.0	6.79	46.1	<0.02	2	0.3	5.9	<10
1831009	Drill Core	<0.1	<0.02	2.5	0.39	<0.1	0.20	<0.02	10.7	0.2	<0.05	6.4	10.77	53.3	<0.02	1	0.3	8.9	<10
1831010	Drill Core	<0.1	<0.02	2.1	0.67	<0.1	0.14	0.08	12.0	0.3	<0.05	4.9	11.80	64.1	<0.02	1	0.3	5.6	<10
1831011	Drill Core	<0.1	<0.02	3.4	1.37	<0.1	0.12	0.15	20.7	0.2	<0.05	3.8	11.83	64.3	<0.02	<1	0.4	6.9	<10
1831012	Drill Core	<0.1	<0.02	3.6	2.00	0.1	0.14	0.13	26.3	0.2	<0.05	4.2	12.20	65.2	<0.02	<1	0.2	6.2	<10
1831013	Drill Core	<0.1	<0.02	3.3	1.50	0.1	0.13	0.10	23.2	0.2	<0.05	4.3	13.14	69.3	<0.02	<1	0.3	6.0	<10
1831014	Drill Core	<0.1	<0.02	3.1	1.19	<0.1	0.14	0.06	20.8	0.2	<0.05	4.2	12.03	65.2	<0.02	<1	0.3	6.0	<10
1831015	Drill Core	<0.1	<0.02	3.5	1.10	0.1	0.11	0.05	18.1	0.2	<0.05	3.9	11.53	67.2	<0.02	<1	0.4	8.0	<10





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 4 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000257.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1831016	Drill Core	2.81	408	0.006	<0.01	<0.17	32.07	0.53	2.61	13.83	44.8	58	3.5	3.9	193	1.64	0.3	1.8	2.1	12.2	154.4
1831017	Drill Core	2.59	503	0.020	0.02	<0.17	29.35	0.44	14.24	11.36	37.6	104	3.3	4.0	171	1.48	1.3	2.2	1.7	12.7	124.4
1831018	Drill Core	2.48	478	0.006	<0.01	<0.17	41.58	0.60	7.29	10.72	42.5	137	3.6	4.0	186	1.67	0.7	2.0	1.9	11.4	105.8
1831019	Drill Core	2.75	356	0.043	0.04	<0.17	33.63	1.43	6.14	17.38	25.6	185	2.4	2.3	214	1.23	10.2	2.7	33.3	11.7	160.5
1831020	Rock Pulp	0.12	93	0.496				2.39	437.98	18.16	48.9	275	581.9	27.7	408	2.44	18.2	0.6	392.9	1.7	50.3
1831021	Drill Core	2.74	455	0.020	0.02	<0.17	33.50	3.05	4.29	18.15	24.7	181	2.5	2.1	167	1.06	3.3	3.1	12.9	14.4	113.6
1831022	Drill Core	2.93	438	0.027	0.02	<0.17	32.96	3.78	9.18	25.61	19.8	310	2.3	2.0	139	0.88	9.1	3.0	19.0	14.7	63.6
1831023	Drill Core	2.84	395	0.053	0.05	<0.17	37.52	7.14	8.13	27.41	25.0	299	2.4	2.4	194	1.07	8.8	2.8	243.6	13.8	98.1
1831024	Drill Core	2.75	390	0.007	<0.01	<0.17	34.04	4.24	4.09	16.25	26.3	690	2.1	2.2	189	1.04	1.1	4.3	0.3	17.3	117.3
1831025	Drill Core	2.97	426	0.006	<0.01	<0.17	34.27	1.42	4.84	15.54	32.3	104	2.6	2.9	198	1.39	0.3	2.4	<0.2	14.0	131.0
1831026	Drill Core	3.07	469	0.005	<0.01	<0.17	55.11	1.44	6.80	33.13	18.0	183	1.4	1.4	131	0.60	0.8	3.6	<0.2	16.1	106.9
1831027	Drill Core	2.92	516	0.006	<0.01	<0.17	29.81	0.13	8.21	13.09	37.7	52	2.8	3.2	137	1.23	1.3	2.3	0.2	12.9	49.6
1831028	Drill Core	2.95	435	0.005	<0.01	<0.17	49.33	0.67	13.28	12.39	21.9	79	2.5	4.0	98	0.92	2.2	3.2	<0.2	11.9	48.2
1831029	Drill Core	2.21	427	0.005	<0.01	<0.17	53.44	0.95	1.23	37.26	13.8	129	1.7	3.3	97	0.70	2.2	2.4	<0.2	12.3	55.8
1831030	Drill Core	2.76	505	0.007	<0.01	<0.17	51.40	3.11	10.98	38.37	31.5	217	1.6	2.3	122	0.65	2.6	2.7	5.8	9.9	98.7
1831031	Drill Core	3.17	486	0.006	<0.01	<0.17	47.74	0.98	5.45	9.77	15.9	52	1.9	3.5	121	0.69	0.9	1.7	<0.2	6.2	78.5
1831032	Drill Core	2.73	481	0.006	<0.01	<0.17	65.35	2.82	3.06	19.27	15.2	96	0.9	1.2	107	0.57	0.3	2.5	<0.2	11.1	78.7
1831033	Drill Core	2.86	384	0.005	<0.01	<0.17	54.68	2.84	4.80	15.64	21.4	101	3.3	5.0	202	1.11	0.9	3.1	<0.2	9.4	149.6
1831034	Drill Core	2.78	497	0.026	0.02	<0.17	81.39	0.44	5.32	20.60	31.2	102	3.6	5.1	210	1.33	0.5	2.8	16.4	12.0	147.9
1831035	Drill Core	2.99	449	0.009	<0.01	<0.17	38.29	0.35	10.90	13.29	38.8	116	3.4	3.7	186	1.28	0.4	2.6	2.1	12.5	133.8
1831036	Drill Core	2.67	479	0.027	0.02	<0.17	54.04	0.39	6.05	15.95	51.4	173	3.4	3.8	200	1.50	14.0	2.9	18.7	12.2	76.1
1831037	Drill Core	3.18	484	0.029	0.03	<0.17	51.80	1.88	9.01	38.20	31.0	285	3.0	3.3	244	1.29	15.6	3.2	23.4	12.3	110.4
1831038	Drill Core	2.90	511	0.016	0.01	<0.17	55.08	0.12	4.07	21.25	38.8	201	3.2	3.2	248	1.25	10.1	4.3	10.0	15.7	58.4
1831039	Drill Core	2.93	503	0.035	0.03	<0.17	44.84	0.20	4.35	19.57	45.1	294	4.0	3.8	312	1.54	26.4	4.4	29.6	15.8	74.2
1831040	Rock Pulp	0.12	82	0.006				2.12	90.06	3.39	32.7	151	4.5	7.8	348	2.34	0.6	0.8	0.4	2.6	61.1
1831041	Drill Core	2.83	412	0.025	0.02	<0.17	49.08	0.18	2.28	16.40	24.3	254	2.9	3.2	264	1.09	18.3	4.1	21.2	15.6	71.5
1831042	Drill Core	3.07	483	0.093	0.09	<0.17	36.18	0.32	2.94	14.94	26.2	371	3.0	3.3	221	1.26	64.1	4.5	86.4	15.3	48.4
1831043	Drill Core	2.98	477	0.079	0.07	<0.17	28.86	0.44	2.58	9.10	25.1	358	2.8	3.6	238	1.28	44.8	4.8	68.5	16.5	57.4
1831044	Drill Core	1.35	515	0.043	0.04	<0.17	33.87	0.25	3.26	9.60	24.0	203	2.9	3.1	276	1.19	24.4	4.4	33.6	15.1	72.0
1831045	Drill Core	2.98	466	0.026	0.02	<0.17	35.22	0.19	8.28	4.99	33.8	200	3.6	4.2	355	1.67	26.6	5.2	21.6	16.0	94.9





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 4 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000257.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831016	Drill Core	0.08	0.11	0.09	7	0.61	0.048	36.5	4.8	0.50	277.9	0.038	<1	0.86	0.029	0.60	<0.1	4.3	0.30	<0.02	<5			
1831017	Drill Core	0.10	0.14	0.14	6	0.57	0.047	31.8	4.3	0.43	263.6	0.024	<1	0.73	0.022	0.50	<0.1	3.0	0.23	0.08	<5			
1831018	Drill Core	0.10	0.17	0.20	7	0.67	0.047	27.5	4.7	0.64	208.8	0.037	<1	0.85	0.032	0.54	<0.1	3.4	0.31	0.04	<5			
1831019	Drill Core	0.15	0.29	0.28	3	0.96	0.034	23.5	3.6	0.59	267.1	0.005	<1	0.72	0.015	0.42	<0.1	2.6	0.11	0.09	6			
1831020	Rock Pulp	0.21	0.38	0.30	47	1.26	0.032	3.9	94.9	1.72	76.2	0.065	3	1.84	0.180	0.13	1.2	2.4	0.09	0.19	20			
1831021	Drill Core	0.14	0.30	0.32	3	0.74	0.035	32.3	3.3	0.49	263.2	0.006	<1	0.68	0.008	0.44	<0.1	2.5	0.11	0.07	<5			
1831022	Drill Core	0.13	0.45	0.45	3	0.51	0.032	33.4	3.2	0.37	230.3	0.003	<1	0.61	0.015	0.39	<0.1	1.9	0.09	0.14	7			
1831023	Drill Core	0.16	0.48	0.45	3	0.84	0.034	28.7	3.6	0.44	216.4	0.002	<1	0.66	0.019	0.36	<0.1	2.1	0.08	0.17	10			
1831024	Drill Core	0.11	0.22	0.26	3	0.85	0.040	44.4	3.0	0.54	248.9	0.015	<1	0.69	0.010	0.48	1.9	3.1	0.16	<0.02	6			
1831025	Drill Core	0.17	0.15	0.23	5	0.87	0.037	33.0	3.4	0.70	465.5	0.031	<1	0.82	0.024	0.51	<0.1	3.7	0.19	<0.02	<5			
1831026	Drill Core	0.14	0.13	0.31	2	0.81	0.032	36.4	1.8	0.23	250.1	0.044	1	0.49	0.024	0.41	0.3	2.0	0.13	0.02	8			
1831027	Drill Core	0.09	0.10	0.09	6	0.31	0.043	30.8	3.6	0.45	217.8	0.073	<1	0.71	0.037	0.59	0.1	2.8	0.34	0.07	<5			
1831028	Drill Core	0.07	0.16	0.08	7	0.35	0.046	28.1	9.8	0.43	178.1	0.078	<1	0.56	0.019	0.43	0.2	1.9	0.23	0.08	<5			
1831029	Drill Core	0.12	0.15	0.25	7	0.47	0.044	31.5	8.5	0.42	231.2	0.056	<1	0.59	0.007	0.39	0.1	1.8	0.10	<0.02	<5			
1831030	Drill Core	0.40	0.10	0.41	3	0.65	0.031	22.4	2.4	0.20	236.4	0.039	<1	0.40	0.031	0.25	0.2	1.9	0.06	0.16	5			
1831031	Drill Core	0.05	0.16	0.07	11	0.69	0.047	14.3	21.1	0.47	244.3	0.096	<1	0.60	0.010	0.38	0.1	2.0	0.08	0.06	<5			
1831032	Drill Core	0.05	0.10	0.18	2	0.61	0.029	24.1	2.5	0.32	233.1	0.044	<1	0.53	0.020	0.33	0.2	2.0	0.06	0.03	<5			
1831033	Drill Core	0.09	0.14	0.15	16	1.40	0.039	22.8	24.1	0.73	260.4	0.065	<1	0.87	0.027	0.43	0.1	3.2	0.10	0.11	<5			
1831034	Drill Core	0.12	0.11	0.14	14	1.25	0.039	29.7	20.7	0.81	256.0	0.020	<1	0.81	0.019	0.33	<0.1	3.0	0.11	0.07	<5			
1831035	Drill Core	0.09	0.11	0.08	5	0.90	0.041	23.7	3.9	0.58	286.2	0.006	<1	0.76	0.039	0.30	<0.1	3.4	0.08	0.11	<5			
1831036	Drill Core	0.12	0.50	0.02	6	0.60	0.043	19.4	4.0	0.65	166.3	0.003	<1	0.81	0.025	0.25	<0.1	3.6	0.07	0.23	14			
1831037	Drill Core	0.15	0.52	0.19	4	0.94	0.044	22.2	3.9	0.64	278.1	0.002	1	0.78	0.029	0.30	<0.1	2.8	0.09	0.25	8			
1831038	Drill Core	0.11	0.37	0.22	5	0.54	0.031	36.5	4.8	0.43	216.7	0.003	<1	0.65	0.040	0.21	<0.1	2.4	0.08	0.22	<5			
1831039	Drill Core	0.18	1.19	0.21	6	0.67	0.033	33.7	5.4	0.48	164.2	0.002	<1	0.67	0.056	0.18	<0.1	2.4	0.07	0.64	12			
1831040	Rock Pulp	0.05	0.11	0.05	80	0.76	0.055	5.9	9.4	0.70	107.2	0.086	<1	1.33	0.153	0.20	2.6	2.1	0.04	<0.02	<5			
1831041	Drill Core	0.14	0.76	0.18	4	0.73	0.032	32.7	3.5	0.50	207.8	0.002	<1	0.57	0.032	0.26	<0.1	2.1	0.09	0.46	10			
1831042	Drill Core	0.16	1.29	0.17	5	0.61	0.031	26.5	4.1	0.45	164.0	0.002	<1	0.54	0.038	0.22	<0.1	1.9	0.08	0.67	8			
1831043	Drill Core	0.11	1.87	0.12	4	0.71	0.037	29.1	3.9	0.44	159.1	0.002	<1	0.57	0.030	0.22	<0.1	1.6	0.10	0.74	29			
1831044	Drill Core	0.10	0.73	0.12	5	0.84	0.034	32.2	4.0	0.46	188.9	0.002	<1	0.61	0.033	0.23	<0.1	1.9	0.09	0.40	17			
1831045	Drill Core	0.21	0.36	0.05	7	1.06	0.035	37.5	7.8	0.50	97.2	0.003	<1	0.54	0.053	0.12	<0.1	2.7	0.05	0.93	10			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 4 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000257.1

	Method	Analyte	Method																		
			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251		
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2		
1831016	Drill Core	<0.1	<0.02	4.1	2.04	0.1	0.12	0.10	28.1	0.2	<0.05	3.6	12.12	68.8	<0.02	<1	0.3	8.1	<10	<2	
1831017	Drill Core	<0.1	<0.02	3.5	1.46	<0.1	0.12	0.08	22.5	0.2	<0.05	3.6	9.85	60.4	<0.02	<1	0.4	7.2	<10	<2	
1831018	Drill Core	<0.1	<0.02	3.7	2.46	<0.1	0.14	0.08	26.7	0.3	<0.05	4.9	7.48	49.3	<0.02	<1	0.3	9.1	<10	<2	
1831019	Drill Core	<0.1	<0.02	2.4	0.73	<0.1	0.16	0.03	13.7	0.4	<0.05	5.3	6.90	41.7	<0.02	1	0.2	7.2	<10	<2	
1831020	Rock Pulp	0.5	0.16	4.1	0.63	<0.1	0.05	0.02	5.9	0.4	<0.05	1.2	3.06	7.9	<0.02	2	0.1	7.3	261	126	
1831021	Drill Core	<0.1	<0.02	2.5	0.77	<0.1	0.17	0.05	14.5	0.3	<0.05	5.3	8.58	60.3	<0.02	<1	0.4	7.1	<10	<2	
1831022	Drill Core	<0.1	<0.02	2.4	0.88	<0.1	0.15	0.03	12.7	0.3	<0.05	4.9	9.58	61.9	<0.02	<1	0.3	7.0	<10	<2	
1831023	Drill Core	<0.1	<0.02	2.5	0.63	<0.1	0.14	0.03	10.7	0.3	<0.05	4.3	10.24	55.2	<0.02	<1	0.3	7.9	<10	<2	
1831024	Drill Core	<0.1	<0.02	2.6	1.19	<0.1	0.13	0.07	19.6	0.6	<0.05	3.7	12.20	81.5	0.02	<1	0.3	5.8	<10	<2	
1831025	Drill Core	<0.1	<0.02	2.9	1.56	<0.1	0.10	0.08	21.3	0.3	<0.05	3.0	7.77	64.7	0.03	<1	0.7	5.5	<10	<2	
1831026	Drill Core	0.1	<0.02	1.8	0.75	<0.1	0.05	0.36	15.5	0.4	<0.05	1.7	11.16	68.8	<0.02	<1	0.2	2.9	<10	<2	
1831027	Drill Core	<0.1	<0.02	3.0	2.32	<0.1	0.06	0.31	30.0	0.4	<0.05	2.0	9.89	58.9	0.02	<1	0.2	5.7	<10	<2	
1831028	Drill Core	<0.1	<0.02	2.1	1.54	<0.1	0.06	0.27	21.3	0.3	<0.05	2.0	9.30	52.2	<0.02	<1	0.2	5.5	<10	<2	
1831029	Drill Core	<0.1	<0.02	2.0	0.57	<0.1	0.10	0.18	12.7	0.3	<0.05	2.4	11.11	59.6	<0.02	<1	0.4	5.0	<10	<2	
1831030	Drill Core	<0.1	<0.02	1.7	0.34	<0.1	0.03	0.30	8.3	0.4	<0.05	0.8	10.20	43.5	0.03	2	0.4	2.7	<10	<2	
1831031	Drill Core	<0.1	<0.02	1.8	0.32	<0.1	0.03	0.14	11.0	0.3	<0.05	0.7	9.04	29.1	<0.02	<1	0.2	4.9	<10	<2	
1831032	Drill Core	<0.1	<0.02	1.9	0.29	<0.1	<0.02	0.29	9.4	0.4	<0.05	0.6	10.02	45.1	<0.02	<1	<0.1	3.4	<10	<2	
1831033	Drill Core	<0.1	<0.02	2.8	0.43	<0.1	0.04	0.10	12.4	0.4	<0.05	1.1	11.87	42.7	<0.02	<1	0.4	6.0	<10	<2	
1831034	Drill Core	<0.1	<0.02	2.6	0.68	<0.1	0.04	0.03	12.3	0.3	<0.05	1.4	12.15	55.7	<0.02	<1	0.4	5.8	<10	<2	
1831035	Drill Core	<0.1	<0.02	2.7	0.53	<0.1	0.06	0.02	10.8	0.3	<0.05	2.3	8.36	46.4	0.02	<1	0.5	7.3	<10	<2	
1831036	Drill Core	<0.1	<0.02	3.3	0.94	<0.1	0.09	<0.02	9.3	0.1	<0.05	3.0	7.06	39.1	0.02	<1	0.2	13.5	<10	<2	
1831037	Drill Core	<0.1	<0.02	2.6	0.35	<0.1	0.04	<0.02	9.6	0.2	<0.05	1.4	7.79	42.1	0.02	<1	0.3	10.6	<10	<2	
1831038	Drill Core	<0.1	<0.02	3.5	0.51	<0.1	0.02	<0.02	9.2	0.4	<0.05	1.0	12.20	68.0	0.02	<1	0.3	8.0	<10	<2	
1831039	Drill Core	<0.1	<0.02	3.7	0.37	<0.1	0.04	<0.02	7.8	0.4	<0.05	1.9	10.80	61.6	0.02	<1	0.5	9.7	<10	<2	
1831040	Rock Pulp	<0.1	<0.02	4.2	0.29	<0.1	0.05	0.09	6.5	0.2	<0.05	1.2	4.02	13.0	<0.02	<1	<0.1	5.7	<10	<2	
1831041	Drill Core	<0.1	<0.02	2.3	0.37	<0.1	0.04	<0.02	9.2	0.3	<0.05	1.3	11.23	60.8	<0.02	<1	0.3	7.9	<10	<2	
1831042	Drill Core	<0.1	<0.02	2.4	0.44	<0.1	0.03	<0.02	8.1	1.2	<0.05	1.3	9.53	49.9	<0.02	1	0.3	7.6	<10	<2	
1831043	Drill Core	<0.1	<0.02	2.8	0.77	<0.1	<0.02	<0.02	8.7	0.3	<0.05	1.0	9.71	55.2	<0.02	<1	0.3	8.3	<10	<2	
1831044	Drill Core	<0.1	<0.02	2.8	0.57	<0.1	<0.02	<0.02	8.7	0.3	<0.05	0.8	10.18	58.0	<0.02	<1	0.2	8.3	<10	<2	
1831045	Drill Core	0.1	<0.02	2.6	0.42	<0.1	0.03	<0.02	4.7	0.4	<0.05	1.1	13.80	70.1	0.02	<1	0.1	8.8	<10	<2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 5 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000257.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1831046	Drill Core	2.94	429	0.013	0.01	<0.17	35.32	0.15	14.11	6.41	69.7	234	4.6	3.8	498	1.82	9.8	3.7	5.4	21.0	127.6
1831047	Drill Core	3.08	448	0.023	0.02	<0.17	43.91	0.33	2.91	11.34	21.8	219	2.6	2.8	220	0.86	14.2	3.1	15.5	15.2	52.6
1831048	Drill Core	2.86	431	0.051	0.05	<0.17	47.35	0.53	1.88	10.67	13.1	200	1.9	2.4	252	0.91	25.1	3.4	62.8	15.2	60.3
1831049	Drill Core	3.19	484	0.049	0.05	<0.17	36.08	0.37	1.76	7.60	13.1	216	2.2	2.9	252	0.95	31.9	3.9	45.1	15.8	58.3
1831050	Drill Core	2.92	478	0.059	0.05	<0.17	35.15	0.27	3.21	4.95	38.3	370	9.2	5.9	498	2.08	47.2	5.1	48.8	14.3	151.0
1831051	Drill Core	2.62	458	0.048	0.04	<0.17	45.39	0.22	1.83	3.51	16.4	272	3.3	2.8	310	1.18	26.5	2.5	41.7	13.0	85.4
1831052	Drill Core	2.13	493	1.464	2.01	9.72	32.92	0.22	13.52	2.53	44.1	1005	7.9	5.5	592	2.13	21.2	3.8	2644.0	13.5	165.3
1831053	Drill Core	2.43	471	0.051	0.05	<0.17	38.95	0.49	2.09	2.16	47.2	264	6.7	4.7	613	2.18	26.4	4.0	119.1	13.8	148.5
1831054	Drill Core	1.95	484	0.161	0.23	0.87	44.81	0.18	21.94	9.29	162.1	1056	20.5	25.6	1968	6.34	173.0	2.1	159.4	5.5	607.9
1831055	Drill Core	1.34	406	0.126	0.12	<0.17	30.27	0.22	6.83	3.67	63.2	403	5.7	5.7	619	2.57	42.4	3.1	95.1	13.4	139.7
1831056	Drill Core	3.31	384	0.025	0.02	<0.17	30.62	0.24	6.82	9.36	53.4	262	5.7	6.4	561	2.31	21.3	2.8	23.3	11.4	127.9
1831057	Drill Core	1.47	442	0.023	0.02	<0.17	35.58	0.17	5.21	6.14	44.5	166	3.1	3.0	257	1.35	10.0	4.5	12.5	14.1	76.2
1831058	Drill Core	3.01	438	0.011	0.01	<0.17	37.26	0.33	9.96	1.98	65.8	112	3.6	3.7	461	1.83	4.7	7.1	19.1	16.0	126.4
1831059	Drill Core	2.34	475	0.014	0.01	<0.17	57.55	0.23	9.94	9.33	41.5	218	2.6	2.8	335	1.43	11.5	5.0	9.7	15.1	87.6
1831060	Core DUP		433	0.015	0.01	<0.17	37.27	0.29	9.70	9.17	47.5	218	2.7	2.8	353	1.53	11.4	5.1	15.9	16.6	91.3
1831061	Drill Core	1.67	442	0.035	0.03	<0.17	58.40	0.40	3.32	7.13	34.5	362	3.1	3.6	439	1.72	27.4	5.4	30.4	14.9	130.6
1831062	Drill Core	3.09	472	0.045	0.04	<0.17	29.33	0.31	2.34	10.63	29.7	255	2.3	2.4	305	1.31	21.8	3.1	32.6	14.6	77.6
1831063	Drill Core	2.94	440	0.021	0.02	<0.17	35.70	0.20	3.14	15.91	21.0	164	2.0	2.4	231	0.87	9.3	3.0	9.9	13.2	52.3
1831064	Drill Core	3.46	447	0.015	0.01	<0.17	59.26	0.20	3.80	16.73	32.5	167	1.7	2.2	277	0.98	5.8	4.7	11.2	15.4	65.7
1831065	Drill Core	2.95	444	0.008	<0.01	<0.17	34.73	0.15	2.70	14.85	29.5	144	1.9	2.0	330	0.96	6.4	3.3	2.1	14.1	96.4
1831066	Drill Core	3.10	465	0.023	0.02	<0.17	24.05	0.32	3.42	18.04	23.3	155	1.5	1.9	232	0.90	17.4	3.9	15.3	14.8	98.8
1831067	Drill Core	3.20	483	0.014	0.01	<0.17	32.14	0.30	4.02	14.41	24.4	151	1.6	1.9	254	0.90	17.6	4.0	7.8	13.7	92.8
1831068	Drill Core	2.92	426	0.067	0.06	<0.17	33.54	0.37	3.65	9.80	20.6	329	1.2	1.8	237	0.86	16.8	4.4	197.4	14.9	86.4
1831069	Drill Core	3.50	433	0.040	0.03	<0.17	59.42	0.37	5.13	16.81	21.8	295	1.5	1.9	253	1.05	38.5	4.4	33.7	16.3	70.6



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 5 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000257.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831046	Drill Core	0.37	0.27	0.07	12	1.28	0.048	50.8	11.8	1.02	118.7	0.004	<1	0.97	0.066	0.13	<0.1	4.5	0.04	0.28	13
1831047	Drill Core	0.13	0.43	0.15	3	0.56	0.031	26.6	3.0	0.36	207.7	<0.001	<1	0.48	0.022	0.23	<0.1	1.4	0.08	0.29	6
1831048	Drill Core	0.03	0.41	0.16	3	0.76	0.035	29.1	3.6	0.36	214.3	0.002	<1	0.55	0.032	0.28	<0.1	1.2	0.08	0.28	12
1831049	Drill Core	0.02	0.62	0.10	4	0.87	0.036	27.9	3.6	0.35	190.6	0.002	<1	0.50	0.027	0.23	<0.1	1.1	0.08	0.45	7
1831050	Drill Core	0.17	1.59	0.05	15	1.73	0.032	24.0	26.5	1.09	107.1	0.003	<1	0.80	0.047	0.08	<0.1	4.0	0.03	1.03	11
1831051	Drill Core	0.06	1.17	0.03	5	1.10	0.031	19.8	7.3	0.46	101.2	0.002	<1	0.47	0.056	0.16	<0.1	2.1	0.04	0.60	8
1831052	Drill Core	0.35	0.37	<0.02	8	2.36	0.019	18.6	14.0	1.07	13.8	0.002	<1	0.71	0.065	0.03	<0.1	3.7	<0.02	1.33	9
1831053	Drill Core	0.29	0.79	<0.02	14	1.82	0.010	24.5	13.1	1.48	38.4	0.002	<1	0.86	0.070	0.04	<0.1	3.6	0.02	1.01	9
1831054	Drill Core	1.29	1.97	0.03	75	7.94	0.028	14.1	240.5	4.01	46.4	0.015	<1	1.89	0.005	0.12	<0.1	19.1	0.09	3.54	38
1831055	Drill Core	0.43	1.84	0.03	24	1.40	0.019	29.9	23.5	1.77	6.2	0.003	<1	1.03	0.067	0.02	<0.1	5.7	0.03	1.08	11
1831056	Drill Core	0.22	0.70	0.03	18	1.30	0.033	25.9	37.1	1.29	127.4	0.003	<1	1.02	0.039	0.19	<0.1	5.0	0.06	0.73	8
1831057	Drill Core	0.14	0.49	0.03	8	0.73	0.037	30.2	5.3	0.63	174.7	0.003	<1	0.72	0.037	0.22	<0.1	3.3	0.06	0.34	8
1831058	Drill Core	0.40	0.31	<0.02	14	1.57	0.032	38.8	10.8	0.98	35.9	0.018	<1	0.89	0.105	0.07	<0.1	5.5	0.02	0.28	8
1831059	Drill Core	0.27	0.42	0.11	7	1.11	0.032	35.2	5.9	0.65	186.7	0.002	<1	0.68	0.034	0.17	<0.1	2.9	0.05	0.42	9
1831060	Core DUP	0.25	0.43	0.11	8	1.16	0.033	36.8	6.1	0.68	211.7	0.003	<1	0.74	0.042	0.19	<0.1	3.0	0.06	0.43	7
1831061	Drill Core	0.24	2.05	0.09	7	1.89	0.029	20.8	7.0	0.61	94.3	0.002	<1	0.52	0.037	0.12	<0.1	2.4	0.05	1.08	29
1831062	Drill Core	0.17	0.75	0.11	4	0.93	0.029	27.5	3.5	0.44	183.1	0.001	<1	0.54	0.029	0.20	<0.1	1.7	0.08	0.59	10
1831063	Drill Core	0.09	0.28	0.16	2	0.77	0.025	27.3	2.1	0.26	307.8	0.001	<1	0.47	0.022	0.23	<0.1	1.0	0.09	0.28	6
1831064	Drill Core	0.12	0.21	0.17	2	0.85	0.029	39.6	2.3	0.40	288.2	0.002	<1	0.65	0.028	0.29	<0.1	1.8	0.10	0.20	6
1831065	Drill Core	0.08	0.15	0.16	2	1.38	0.027	37.8	2.6	0.38	347.9	0.002	<1	0.58	0.025	0.23	<0.1	1.7	0.09	0.21	<5
1831066	Drill Core	0.12	0.30	0.16	2	1.05	0.032	34.8	2.2	0.23	265.6	0.007	<1	0.55	0.032	0.28	<0.1	2.0	0.11	0.23	<5
1831067	Drill Core	0.10	0.27	0.13	2	1.21	0.028	33.9	1.9	0.23	219.0	0.005	<1	0.48	0.024	0.23	<0.1	1.7	0.08	0.30	<5
1831068	Drill Core	0.15	0.29	0.11	2	1.11	0.031	35.5	2.0	0.18	380.3	0.002	1	0.48	0.027	0.31	<0.1	1.3	0.09	0.39	6
1831069	Drill Core	0.18	0.71	0.17	2	0.87	0.030	34.9	2.2	0.25	190.8	0.001	<1	0.49	0.022	0.24	<0.1	1.7	0.09	0.51	25



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 5 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000257.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1831046	Drill Core	<0.1	<0.02	3.5	0.42	<0.1	0.06	<0.02	4.9	0.6	<0.05	1.7	17.11	94.1	0.03	<1	0.3	16.9	<10
1831047	Drill Core	<0.1	<0.02	2.0	1.51	<0.1	0.04	<0.02	8.9	0.2	<0.05	1.7	9.25	50.0	<0.02	<1	0.5	7.8	<10
1831048	Drill Core	<0.1	<0.02	2.4	0.46	<0.1	<0.02	<0.02	10.2	0.3	<0.05	1.0	10.04	53.0	<0.02	<1	0.1	7.3	<10
1831049	Drill Core	<0.1	<0.02	2.4	0.36	<0.1	<0.02	<0.02	8.5	0.3	<0.05	0.7	9.36	52.5	<0.02	<1	<0.1	6.9	<10
1831050	Drill Core	<0.1	<0.02	3.0	0.41	<0.1	0.04	<0.02	3.4	0.4	<0.05	1.3	10.47	45.6	0.03	<1	0.3	13.8	<10
1831051	Drill Core	<0.1	<0.02	1.6	0.55	<0.1	0.15	<0.02	5.8	0.2	<0.05	5.0	7.35	38.2	<0.02	<1	0.2	7.1	<10
1831052	Drill Core	<0.1	0.13	2.1	0.30	<0.1	0.16	<0.02	1.4	0.1	<0.05	5.2	8.29	34.3	0.04	<1	0.2	11.8	<10
1831053	Drill Core	<0.1	0.06	2.8	0.48	<0.1	0.15	<0.02	1.8	0.3	<0.05	3.9	10.68	42.0	0.04	<1	0.3	15.2	<10
1831054	Drill Core	0.2	0.07	5.7	1.96	<0.1	0.07	<0.02	7.3	0.7	<0.05	2.2	22.39	28.9	0.11	<1	1.0	40.6	<10
1831055	Drill Core	<0.1	0.02	3.9	0.50	<0.1	0.09	<0.02	1.4	0.6	<0.05	2.9	15.75	56.1	0.05	<1	<0.1	20.2	<10
1831056	Drill Core	<0.1	<0.02	4.3	0.54	<0.1	0.09	<0.02	6.6	0.4	<0.05	3.6	14.16	49.3	0.04	<1	0.5	18.1	<10
1831057	Drill Core	<0.1	<0.02	3.7	0.69	<0.1	0.06	<0.02	7.6	0.3	<0.05	2.2	10.66	55.0	0.02	<1	0.3	10.8	<10
1831058	Drill Core	<0.1	<0.02	2.3	0.59	<0.1	0.04	0.04	3.0	0.5	<0.05	1.1	14.57	75.5	0.04	<1	0.1	12.2	<10
1831059	Drill Core	<0.1	<0.02	3.0	0.43	<0.1	0.03	0.03	6.8	0.5	<0.05	0.8	11.50	65.8	0.04	<1	0.3	10.8	<10
1831060	Core DUP	<0.1	<0.02	3.0	0.42	<0.1	<0.02	0.04	7.4	0.5	<0.05	0.9	12.02	68.7	0.03	<1	0.2	11.0	<10
1831061	Drill Core	<0.1	<0.02	2.4	0.46	<0.1	0.03	0.02	5.6	0.4	<0.05	0.8	11.11	39.6	0.03	<1	0.3	9.1	<10
1831062	Drill Core	<0.1	<0.02	2.3	0.58	<0.1	<0.02	<0.02	9.6	0.3	<0.05	0.8	9.87	52.0	0.02	<1	0.2	8.1	<10
1831063	Drill Core	<0.1	<0.02	1.8	0.44	<0.1	0.03	<0.02	10.3	0.3	<0.05	1.4	7.85	49.7	<0.02	<1	0.2	7.3	<10
1831064	Drill Core	<0.1	<0.02	2.8	0.43	<0.1	<0.02	0.04	12.9	0.3	<0.05	0.9	12.57	71.0	<0.02	<1	0.1	7.3	<10
1831065	Drill Core	<0.1	<0.02	2.9	0.50	<0.1	<0.02	0.03	11.8	0.3	<0.05	0.8	14.88	70.7	<0.02	<1	0.3	6.1	<10
1831066	Drill Core	<0.1	<0.02	2.5	0.91	<0.1	0.03	0.09	14.6	0.4	<0.05	0.8	15.33	65.0	<0.02	<1	0.6	4.4	<10
1831067	Drill Core	<0.1	<0.02	2.3	0.83	<0.1	<0.02	0.08	12.3	0.3	<0.05	0.7	14.86	64.1	<0.02	<1	0.3	4.8	<10
1831068	Drill Core	<0.1	0.04	2.1	0.56	<0.1	<0.02	0.05	14.3	0.3	<0.05	0.7	13.16	65.2	<0.02	<1	0.4	5.5	<10
1831069	Drill Core	<0.1	<0.02	2.5	1.05	<0.1	0.03	0.03	12.3	0.3	<0.05	0.7	11.55	65.7	0.02	<1	0.4	7.0	<10



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 1 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000257.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																						
1830968	Drill Core	2.22	417	0.051	0.05	<0.17	18.54	0.87	10.50	26.03	58.0	720	5.8	5.0	308	1.38	8.1	1.5	37.3	15.1	23.0	
REP 1830968	QC	0.039																				
REP 1830985	QC							0.45	9.10	8.17	43.4	545	3.1	3.7	219	1.27	2.5	1.2	2163.9	9.9	74.8	
REP 1831019	QC	0.040																				
REP 1831019	QC							1.39	6.60	17.86	27.9	190	2.4	2.6	217	1.20	11.6	2.6	34.7	11.5	167.2	
1831041	Drill Core	2.83	412	0.025	0.02	<0.17	49.08	0.18	2.28	16.40	24.3	254	2.9	3.2	264	1.09	18.3	4.1	21.2	15.6	71.5	
REP 1831041	QC	0.025																				
1831054	Drill Core	1.95	484	0.161	0.23	0.87	44.81	0.18	21.94	9.29	162.1	1056	20.5	25.6	1968	6.34	173.0	2.1	159.4	5.5	607.9	
REP 1831054	QC							0.18	23.12	9.16	161.5	1052	19.4	25.8	1985	6.36	170.5	2.2	169.7	5.6	595.7	
Core Reject Duplicates																						
1830985	Drill Core	3.68	482	0.331	0.39	1.30	28.52	0.43	9.19	8.16	42.4	252	3.1	3.5	213	1.27	2.5	1.1	129.8	9.8	72.0	
DUP 1830985	QC	429		0.337	0.57	2.75	40.76	0.44	8.98	8.09	43.2	313	3.3	3.6	232	1.29	2.6	1.1	661.0	10.3	74.7	
1831019	Drill Core	2.75	356	0.043	0.04	<0.17	33.63	1.43	6.14	17.38	25.6	185	2.4	2.3	214	1.23	10.2	2.7	33.3	11.7	160.5	
DUP 1831019	QC	405		0.045	0.04	<0.17	44.95	1.38	6.75	17.67	27.0	183	2.4	2.4	207	1.18	11.2	2.6	31.1	11.4	158.1	
1831053	Drill Core	2.43	471	0.051	0.05	<0.17	38.95	0.49	2.09	2.16	47.2	264	6.7	4.7	613	2.18	26.4	4.0	119.1	13.8	148.5	
DUP 1831053	QC	535		0.164	0.22	1.10	29.99	0.54	2.35	2.44	49.6	280	5.9	5.0	624	2.20	26.4	4.3	168.8	14.4	157.0	
Reference Materials																						
STD BVGEO01	Standard							10.85	4284.94	192.13	1707.3	2617	159.9	25.4	735	3.63	116.9	4.0	217.4	14.9	53.5	
STD BVGEO01	Standard							10.90	4237.98	183.21	1738.6	2461	151.5	25.0	698	3.54	113.3	3.7	204.2	14.8	52.5	
STD DS11	Standard							15.13	156.57	133.12	334.5	1729	82.0	14.0	1024	3.19	41.2	2.8	112.7	8.5	65.7	
STD DS11	Standard							13.96	151.22	130.76	326.4	1664	76.9	12.9	996	3.03	42.8	2.6	69.8	8.1	65.3	
STD OREAS256	Standard	7.573																				
STD OREAS262	Standard							0.64	123.90	56.11	153.2	481	67.6	28.1	532	3.34	35.1	1.2	60.4	10.1	34.5	
STD OREAS256	Standard	7.692																				
STD OREAS262	Standard							0.69	113.51	55.67	142.8	465	65.0	26.7	512	3.21	35.6	1.2	69.4	9.3	35.6	
STD OREAS262	Standard							0.61	115.38	53.94	142.7	441	60.9	25.9	501	3.13	34.2	1.2	58.5	9.2	34.8	
STD OREAS262	Standard							0.69	129.10	56.24	157.4	461	66.5	29.1	542	3.22	35.4	1.2	91.9	9.5	34.3	
STD OXC145	Standard	0.208																				



**BUREAU**  
**VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 20, 2019

Page:

1 of 3

Part: 2 of 3

## QUALITY CONTROL REPORT

WHI19000257.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1830968	Drill Core	0.28	0.21	0.16	4	0.11	0.036	31.5	5.5	0.24	550.3	0.010	2	0.61	0.079	0.28	0.5	2.2	0.12	0.02	<5
REP 1830968	QC																				
REP 1830985	QC	0.30	0.24	0.11	3	0.49	0.037	19.8	3.3	0.43	228.0	0.009	<1	0.68	0.034	0.34	0.1	1.8	0.09	0.05	9
REP 1831019	QC																				
REP 1831019	QC	0.12	0.30	0.29	3	0.93	0.036	23.4	3.4	0.60	264.7	0.005	<1	0.71	0.013	0.40	<0.1	2.7	0.12	0.10	<5
1831041	Drill Core	0.14	0.76	0.18	4	0.73	0.032	32.7	3.5	0.50	207.8	0.002	<1	0.57	0.032	0.26	<0.1	2.1	0.09	0.46	10
REP 1831041	QC																				
1831054	Drill Core	1.29	1.97	0.03	75	7.94	0.028	14.1	240.5	4.01	46.4	0.015	<1	1.89	0.005	0.12	<0.1	19.1	0.09	3.54	38
REP 1831054	QC	1.36	1.85	0.03	75	7.85	0.026	14.1	234.5	4.02	46.8	0.014	<1	1.90	0.005	0.12	<0.1	18.4	0.10	3.44	35
Core Reject Duplicates																					
1830985	Drill Core	0.24	0.25	0.11	3	0.49	0.038	18.9	3.3	0.43	224.9	0.009	1	0.69	0.037	0.35	0.2	2.0	0.09	0.05	<5
DUP 1830985	QC	0.26	0.23	0.10	3	0.49	0.037	19.8	3.5	0.43	242.4	0.010	1	0.71	0.038	0.36	0.2	2.0	0.10	0.05	<5
1831019	Drill Core	0.15	0.29	0.28	3	0.96	0.034	23.5	3.6	0.59	267.1	0.005	<1	0.72	0.015	0.42	<0.1	2.6	0.11	0.09	6
DUP 1831019	QC	0.13	0.28	0.29	3	0.93	0.037	22.2	3.4	0.59	264.2	0.005	<1	0.69	0.010	0.40	<0.1	2.6	0.11	0.10	6
1831053	Drill Core	0.29	0.79	<0.02	14	1.82	0.010	24.5	13.1	1.48	38.4	0.002	<1	0.86	0.070	0.04	<0.1	3.6	0.02	1.01	9
DUP 1831053	QC	0.31	0.81	<0.02	13	1.84	0.011	25.3	13.2	1.49	40.4	0.002	<1	0.87	0.070	0.04	<0.1	3.5	0.02	1.03	10
Reference Materials																					
STD BVGE001	Standard	6.45	3.87	25.98	70	1.26	0.067	25.6	169.7	1.26	268.7	0.228	3	2.24	0.180	0.87	5.3	5.8	0.64	0.66	87
STD BVGE001	Standard	6.46	3.78	24.03	69	1.29	0.079	24.8	177.5	1.24	292.3	0.227	4	2.19	0.179	0.84	5.3	5.4	0.60	0.61	89
STD DS11	Standard	2.13	7.63	10.96	49	1.09	0.074	18.6	61.8	0.86	393.2	0.100	9	1.23	0.077	0.41	2.9	3.2	4.83	0.26	282
STD DS11	Standard	2.42	8.19	11.53	48	1.06	0.064	17.3	57.7	0.82	357.5	0.089	6	1.15	0.072	0.40	2.7	3.1	4.65	0.28	246
STD OREAS256	Standard																				
STD OREAS262	Standard	0.63	3.85	0.94	22	3.06	0.038	17.1	47.0	1.21	251.2	0.004	5	1.44	0.070	0.32	0.2	3.2	0.45	0.25	141
STD OREAS256	Standard																				
STD OREAS262	Standard	0.61	5.87	1.04	21	2.89	0.036	15.1	42.7	1.14	242.4	0.002	3	1.23	0.066	0.29	0.2	3.0	0.47	0.25	159
STD OREAS262	Standard	0.60	4.14	1.01	21	2.95	0.036	14.4	42.0	1.14	244.1	0.003	2	1.29	0.066	0.30	0.2	3.1	0.44	0.25	159
STD OREAS262	Standard	0.69	5.97	1.09	21	3.04	0.043	15.9	47.1	1.15	239.5	0.003	3	1.40	0.067	0.31	0.2	3.3	0.46	0.24	160
STD OXC145	Standard																				





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 20, 2019

Page:

1 of 3

Part:

3 of 3

## QUALITY CONTROL REPORT

WHI19000257.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1830968	Drill Core	<0.1	0.35	2.4	1.25	<0.1	0.15	<0.02	14.8	0.4	<0.05	6.6	5.77	57.3	<0.02	<1	0.3	6.3	<10	<2
REP 1830968	QC																			
REP 1830985	QC	<0.1	0.04	1.7	0.74	<0.1	0.37	<0.02	11.1	0.3	<0.05	12.4	4.05	36.3	<0.02	<1	0.2	6.0	<10	<2
REP 1831019	QC																			
REP 1831019	QC	<0.1	0.02	2.6	0.74	<0.1	0.18	0.03	13.4	0.3	<0.05	5.8	7.09	42.7	<0.02	<1	0.3	7.8	<10	<2
1831041	Drill Core	<0.1	<0.02	2.3	0.37	<0.1	0.04	<0.02	9.2	0.3	<0.05	1.3	11.23	60.8	<0.02	<1	0.3	7.9	<10	<2
REP 1831041	QC																			
1831054	Drill Core	0.2	0.07	5.7	1.96	<0.1	0.07	<0.02	7.3	0.7	<0.05	2.2	22.39	28.9	0.11	<1	1.0	40.6	<10	<2
REP 1831054	QC	<0.1	0.08	5.6	1.90	0.1	0.06	<0.02	7.1	0.7	<0.05	1.9	21.24	28.6	0.10	<1	0.9	41.1	<10	2
Core Reject Duplicates																				
1830985	Drill Core	<0.1	<0.02	1.9	0.67	<0.1	0.38	<0.02	11.0	0.2	<0.05	12.2	3.88	36.2	<0.02	<1	0.2	6.2	<10	<2
DUP 1830985	QC	<0.1	0.02	1.9	0.72	<0.1	0.42	<0.02	11.6	0.2	<0.05	12.6	3.97	38.4	<0.02	<1	0.2	6.3	<10	<2
1831019	Drill Core	<0.1	<0.02	2.4	0.73	<0.1	0.16	0.03	13.7	0.4	<0.05	5.3	6.90	41.7	<0.02	1	0.2	7.2	<10	<2
DUP 1831019	QC	<0.1	<0.02	2.5	0.74	<0.1	0.16	0.02	13.2	0.3	<0.05	5.1	6.75	40.9	<0.02	<1	0.3	7.1	<10	<2
1831053	Drill Core	<0.1	0.06	2.8	0.48	<0.1	0.15	<0.02	1.8	0.3	<0.05	3.9	10.68	42.0	0.04	<1	0.3	15.2	<10	<2
DUP 1831053	QC	<0.1	0.04	2.9	0.50	<0.1	0.15	<0.02	1.9	0.3	<0.05	4.4	10.80	45.0	0.04	<1	0.4	15.7	<10	2
Reference Materials																				
STD BVGEO01	Standard	4.7	1.05	7.0	7.48	0.1	0.30	0.28	94.3	5.8	<0.05	8.1	14.44	53.2	0.43	3	0.8	19.5	140	187
STD BVGEO01	Standard	4.7	1.00	6.8	7.51	0.2	0.32	0.39	85.1	5.4	<0.05	8.9	13.88	50.9	0.42	5	0.6	18.3	122	167
STD DS11	Standard	2.1	4.48	4.9	2.88	<0.1	0.08	1.59	32.9	1.9	<0.05	3.4	8.32	37.0	0.21	50	0.8	20.8	94	180
STD DS11	Standard	2.0	4.49	5.0	2.84	<0.1	0.06	1.60	33.1	1.8	<0.05	3.1	7.66	35.7	0.23	43	0.6	23.2	85	173
STD OREAS256	Standard																			
STD OREAS262	Standard	0.2	0.24	4.0	2.55	<0.1	0.27	<0.02	18.9	0.5	<0.05	9.1	10.89	34.0	0.03	<1	0.9	17.2	<10	<2
STD OREAS256	Standard																			
STD OREAS262	Standard	<0.1	0.24	4.0	3.01	<0.1	0.23	<0.02	18.2	0.5	<0.05	9.5	10.19	30.7	0.04	2	0.8	17.1	<10	<2
STD OREAS262	Standard	0.2	0.21	3.9	2.78	<0.1	0.21	<0.02	18.4	0.4	<0.05	8.7	9.87	30.1	0.02	1	1.1	16.0	<10	<2
STD OREAS262	Standard	0.5	0.23	4.0	3.10	<0.1	0.32	<0.02	18.4	0.5	<0.05	11.5	11.13	31.9	0.03	1	1.2	16.5	<10	<2
STD OXC145	Standard																			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 2 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000257.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXC145	Standard			0.211																	
STD OXC145	Standard			0.221																	
STD OXH139	Standard			1.289																	
STD OXH139	Standard			1.291																	
STD OXH139	Standard			1.361																	
STD OXN134	Standard			7.342																	
STD OXQ90	Standard					25.13	29.92														
STD OXQ90	Standard					25.29	30.01														
STD OXQ90	Standard					25.07	30.00														
STD OXQ90	Standard					25.37	30.03														
STD OXQ90	Standard					24.63	30.04														
STD OXQ90	Standard					25.10	31.75														
STD OXQ90	Standard					25.31	29.63														
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.005																	
BLK	Blank			0.007																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.006																	
BLK	Blank			0.005																	
BLK	Blank							<0.01	<0.01	0.01	0.2	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.1	<0.5



**[www.bureauveritas.com/um](http://www.bureauveritas.com/um)**

PHONE (604) 253-3158

Project: LS  
Report Date: August 20, 2019

Part: 2 of 3

## WHI19000257.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**[www.bureauveritas.com/um](http://www.bureauveritas.com/um)**

PHONE (604) 253-3158

Project: LS  
Report Date: August 20, 2019

Part: 3 of 3

## WHI19000257.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 3 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000257.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	0.03	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.2	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		438	0.005	<0.01	<0.17	32.75	1.14	3.64	1.27	26.9	12	0.7	3.4	429	1.75	0.9	0.5	1.6	2.3	23.3
ROCK-WHI	Prep Blank		460	0.005	<0.01	<0.17	29.07	1.19	2.67	1.20	32.3	9	1.0	3.6	467	1.86	0.7	0.5	0.6	2.6	22.4



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 3 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000257.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.03	0.14	0.04	21	0.60	0.040	6.6	2.3	0.39	60.0	0.077	3	0.85	0.108	0.10	<0.1	2.6	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	0.08	<0.02	23	0.57	0.046	6.6	2.5	0.41	59.0	0.085	4	0.86	0.114	0.10	<0.1	2.7	<0.02	0.02	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 20, 2019

**Page:** 3 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000257.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.4	0.23	<0.1	0.09	0.19	2.3	0.4	<0.05	2.5	8.93	13.6	<0.02	<1	0.2	2.2	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.16	<0.1	0.09	0.20	2.3	0.4	<0.05	2.6	9.34	13.4	<0.02	<1	0.1	2.4	<10