



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 29, 2019  
Report Date: August 28, 2019  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI19000278.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-38  
P.O. Number  
Number of Samples: 102

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	98	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	102	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	102	Analysis sample split/packet			WHI
Split -150	102	Analysis sample split/packet			WHI
EN002	102	Environmental disposal charge-Fire assay lead waste			VAN
FS631	99	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	102	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	102	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Erika Cayer  
Graeme Joyce  
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 2 of 5 **Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000278.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022885	Drill Core	2.64	415	0.100	0.09	<0.17	31.51	0.31	2.72	18.21	11.8	198	0.6	0.4	33	0.35	2.7	0.9	114.2	14.1	8.2
2022886	Drill Core	1.70	508	0.026	0.02	<0.17	41.70	0.22	1.43	17.35	12.6	347	0.4	0.1	26	0.31	2.4	1.5	19.0	14.8	2.7
2022887	Drill Core	1.95	391	0.072	0.06	<0.17	40.90	0.60	2.74	22.08	10.5	216	0.4	0.1	34	0.34	3.1	1.4	44.7	16.0	3.6
2022888	Drill Core	1.49	479	0.046	0.05	<0.17	32.09	0.51	2.46	25.17	10.3	692	0.5	0.1	35	0.32	3.4	1.6	49.7	13.6	3.1
2022889	Drill Core	1.91	393	0.086	0.08	<0.17	33.18	0.70	3.30	25.80	11.2	594	0.6	0.2	33	0.34	2.9	1.7	27.4	14.4	3.0
2022890	Drill Core	1.72	426	0.007	<0.01	<0.17	36.41	0.30	1.54	18.33	6.7	160	0.3	0.1	31	0.27	1.4	1.3	2.8	14.7	2.5
2022891	Drill Core	2.18	427	0.009	<0.01	<0.17	33.54	0.37	3.62	18.89	13.4	449	0.5	0.1	73	0.44	3.6	1.2	5.1	17.0	6.0
2022892	Drill Core	0.85	406	0.010	<0.01	<0.17	31.37	0.36	7.83	28.39	40.1	252	0.5	0.3	94	0.70	2.2	1.0	6.3	16.3	6.0
2022893	Drill Core	1.62	499	0.010	<0.01	<0.17	37.40	0.92	1.79	38.32	33.6	203	1.7	1.1	175	0.74	0.5	1.2	0.8	12.7	89.7
2022894	Drill Core	2.43	423	0.006	<0.01	<0.17	38.76	0.25	9.65	13.31	36.2	102	4.7	4.0	280	1.04	0.7	2.7	0.3	11.9	99.3
2022895	Drill Core	2.35	431	0.007	<0.01	<0.17	37.40	0.32	8.46	13.53	31.7	106	3.5	2.9	211	0.91	0.5	1.2	1.1	13.0	53.0
2022896	Drill Core	2.37	496	0.013	0.01	<0.17	35.91	0.31	5.59	15.52	43.5	319	3.9	3.4	216	1.08	2.1	1.4	4.9	15.6	32.5
2022897	Drill Core	2.19	452	0.026	0.02	<0.17	41.51	0.37	7.00	13.32	37.4	269	3.8	3.4	150	1.07	6.8	1.8	18.2	15.6	13.7
2022898	Drill Core	2.73	498	0.034	0.03	<0.17	38.64	0.63	7.23	16.51	35.1	366	3.2	3.9	267	1.22	37.0	2.2	21.8	15.0	19.8
2022899	Drill Core	1.42	444	0.047	0.04	<0.17	46.74	0.56	6.78	21.49	22.0	311	2.2	2.1	245	0.87	41.7	2.6	42.1	14.9	24.3
2022900	Rock Pulp	0.12	94	7.074				9.74	203.65	20.28	78.5	903	15.2	12.0	593	5.13	14.6	0.9	8223.6	3.2	76.7
2022901	Drill Core	1.82	496	0.773	0.78	0.87	43.59	0.55	16.71	20.16	13.3	681	1.5	1.7	126	0.67	11.4	2.0	661.7	12.6	14.9
2022902	Drill Core	1.53	485	0.375	0.36	0.20	35.23	0.61	20.74	24.48	15.9	1310	1.6	2.4	88	0.78	8.5	1.6	203.8	11.8	19.0
2022903	Drill Core	3.76	483	0.130	0.13	<0.17	47.10	0.65	5.09	11.62	23.3	256	1.9	2.1	210	0.87	5.2	1.4	91.9	13.8	37.6
2022904	Drill Core	3.75	401	0.011	<0.01	<0.17	34.75	0.50	11.62	30.45	60.9	192	2.9	3.1	240	1.34	5.5	1.5	3.5	11.8	77.6
2022905	Drill Core	2.31	434	0.009	<0.01	<0.17	45.01	0.84	6.88	27.85	84.5	137	3.2	3.4	228	1.33	4.8	1.2	3.1	11.7	45.9
2022906	Drill Core	3.51	404	0.012	0.01	<0.17	40.60	0.81	7.25	17.75	39.2	137	2.9	3.3	195	1.25	2.5	1.6	1.9	10.6	75.1
2022907	Drill Core	3.51	410	0.038	0.03	<0.17	34.19	0.36	7.23	10.45	34.2	150	13.6	9.4	524	1.86	21.9	1.6	20.0	11.0	186.8
2022908	Drill Core	1.63	426	0.027	0.02	<0.17	38.84	0.24	5.25	13.95	28.0	164	2.9	3.2	207	1.14	26.1	2.3	26.7	13.6	68.0
2022909	Drill Core	2.49	443	0.009	<0.01	<0.17	38.96	1.13	6.82	21.64	33.3	148	4.3	3.9	234	1.21	4.1	2.6	10.1	11.4	130.7
2022910	Drill Core	1.38	502	0.018	0.02	<0.17	39.96	1.22	11.16	14.03	59.7	259	28.8	15.5	877	2.92	13.5	1.1	17.1	6.3	234.0
2022911	Drill Core	2.34	513	0.006	<0.01	<0.17	44.92	1.12	4.06	36.72	38.0	127	6.3	5.4	272	1.31	1.1	2.5	4.6	11.3	132.5
2022912	Drill Core	1.70	480	0.015	0.01	<0.17	40.76	0.41	7.45	10.94	31.4	123	3.9	3.8	264	1.25	15.0	1.2	13.2	9.9	85.6
2022913	Drill Core	1.40	435	0.008	<0.01	<0.17	36.47	0.51	5.42	13.89	41.0	82	3.3	3.9	198	1.33	2.3	1.1	3.8	12.4	86.7
2022914	Drill Core	1.57	418	0.005	<0.01	<0.17	38.52	0.76	3.97	14.32	40.3	70	5.5	4.7	212	1.39	1.0	1.7	3.1	11.3	89.2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 2 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000278.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
			0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022885	Drill Core	0.06	0.23	0.14	<1	0.01	0.005	28.9	1.5	0.03	403.0	<0.001	1	0.26	0.046	0.21	0.1	0.5	0.05	<0.02	8	
2022886	Drill Core	0.08	0.19	0.06	<1	<0.01	0.005	31.3	1.1	0.03	130.9	<0.001	1	0.26	0.047	0.20	0.9	0.4	0.04	<0.02	9	
2022887	Drill Core	0.08	0.43	0.22	<1	0.01	0.006	35.6	1.3	0.03	157.3	<0.001	1	0.27	0.045	0.21	0.3	0.5	0.05	<0.02	<5	
2022888	Drill Core	0.05	0.34	0.24	<1	0.01	0.004	31.1	1.6	0.04	161.9	<0.001	2	0.27	0.031	0.21	1.4	0.4	0.05	<0.02	10	
2022889	Drill Core	0.06	0.21	0.16	<1	<0.01	0.005	30.9	1.7	0.03	173.2	<0.001	2	0.28	0.037	0.22	1.6	0.5	0.05	<0.02	10	
2022890	Drill Core	0.04	0.23	0.13	<1	<0.01	0.002	28.4	1.3	0.03	157.6	<0.001	1	0.23	0.039	0.22	0.1	0.5	0.05	<0.02	<5	
2022891	Drill Core	0.11	0.29	0.12	<1	0.01	0.002	35.3	1.5	0.15	586.0	<0.001	1	0.39	0.024	0.26	0.4	0.6	0.06	<0.02	10	
2022892	Drill Core	0.16	0.24	0.18	<1	0.02	0.002	38.1	1.7	0.56	394.5	<0.001	1	0.67	0.015	0.22	0.2	0.8	0.05	<0.02	6	
2022893	Drill Core	0.30	0.13	0.33	1	0.99	0.012	25.7	2.7	0.65	280.4	0.001	1	0.63	0.006	0.25	<0.1	1.2	0.07	<0.02	8	
2022894	Drill Core	0.27	0.13	0.06	4	1.29	0.040	23.8	5.8	0.68	265.2	0.002	<1	0.77	0.015	0.29	<0.1	1.9	0.09	0.07	<5	
2022895	Drill Core	0.20	0.10	0.08	3	0.79	0.030	25.5	4.5	0.57	275.1	0.002	2	0.72	0.016	0.30	<0.1	1.5	0.08	<0.02	6	
2022896	Drill Core	0.27	0.22	0.05	4	0.38	0.018	33.5	6.7	0.55	287.3	0.003	2	0.79	0.025	0.28	0.4	1.8	0.08	0.04	10	
2022897	Drill Core	0.22	0.37	0.13	3	0.11	0.034	37.1	4.2	0.32	342.7	0.003	1	0.65	0.043	0.27	0.4	1.9	0.10	<0.02	5	
2022898	Drill Core	0.34	0.91	0.17	5	0.13	0.041	37.3	8.9	0.36	479.1	0.003	<1	0.72	0.040	0.31	0.1	1.9	0.11	<0.02	8	
2022899	Drill Core	0.29	0.57	0.16	3	0.11	0.037	34.4	3.5	0.22	533.0	0.003	1	0.60	0.032	0.30	0.2	1.4	0.10	<0.02	9	
2022900	Rock Pulp	0.22	5.41	0.63	116	0.98	0.070	8.2	19.1	0.86	123.9	0.133	4	1.82	0.186	0.23	4.4	3.5	0.08	<0.02	231	
2022901	Drill Core	0.13	0.56	0.06	2	0.10	0.045	26.7	2.8	0.09	312.2	0.002	1	0.38	0.036	0.28	0.2	1.0	0.06	<0.02	10	
2022902	Drill Core	0.13	0.64	0.16	2	0.10	0.041	24.2	3.0	0.15	393.8	0.002	1	0.42	0.034	0.28	0.4	1.0	0.06	0.03	9	
2022903	Drill Core	0.19	0.26	0.04	4	0.47	0.072	29.4	3.3	0.36	264.1	0.002	1	0.64	0.016	0.39	0.1	1.6	0.08	0.05	<5	
2022904	Drill Core	0.37	0.24	0.08	5	0.82	0.047	25.4	4.6	0.62	204.7	0.011	<1	0.80	0.017	0.36	<0.1	2.8	0.09	<0.02	9	
2022905	Drill Core	0.51	0.17	0.08	5	0.46	0.049	32.6	4.7	0.64	244.5	0.005	<1	0.84	0.016	0.33	<0.1	2.6	0.08	0.03	6	
2022906	Drill Core	0.27	0.16	0.10	5	0.87	0.043	27.4	4.0	0.60	180.7	0.004	<1	0.81	0.018	0.32	<0.1	2.7	0.07	0.08	<5	
2022907	Drill Core	0.16	0.29	0.06	24	2.24	0.047	25.1	25.7	1.10	258.0	0.007	<1	1.20	0.029	0.29	<0.1	5.0	0.07	0.21	6	
2022908	Drill Core	0.21	0.59	0.08	4	0.83	0.037	35.1	4.4	0.37	207.3	0.003	<1	0.61	0.035	0.29	<0.1	1.8	0.06	0.31	11	
2022909	Drill Core	0.21	0.29	0.11	5	1.40	0.043	30.5	5.1	0.63	243.0	0.004	<1	0.79	0.018	0.33	<0.1	2.4	0.07	0.15	5	
2022910	Drill Core	0.41	0.34	0.06	47	3.80	0.045	18.7	61.4	1.96	161.5	0.006	<1	1.91	0.021	0.24	0.1	9.2	0.06	0.12	8	
2022911	Drill Core	0.19	0.15	0.16	12	1.73	0.049	32.6	9.8	0.77	200.5	0.016	1	0.87	0.031	0.37	<0.1	4.3	0.08	0.05	6	
2022912	Drill Core	0.17	0.24	0.04	9	1.05	0.048	27.7	6.5	0.67	137.0	0.004	<1	0.73	0.035	0.22	<0.1	2.9	0.04	0.08	<5	
2022913	Drill Core	0.12	0.13	0.04	7	0.89	0.049	35.1	5.5	0.68	196.9	0.004	<1	0.81	0.027	0.30	<0.1	3.6	0.06	0.05	<5	
2022914	Drill Core	0.14	0.19	0.05	7	1.02	0.048	32.0	6.4	0.84	185.1	0.005	<1	0.83	0.014	0.32	<0.1	4.5	0.07	0.06	8	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 2 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000278.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022885	Drill Core	<0.1	<0.02	1.2	0.15	<0.1	0.47	0.07	8.6	0.2	<0.05	13.3	4.83	55.9	<0.02	<1	0.2	1.5	<10	<2			
2022886	Drill Core	<0.1	<0.02	1.2	0.14	<0.1	0.60	0.06	7.8	0.2	<0.05	15.7	4.88	62.0	<0.02	<1	0.2	1.2	<10	<2			
2022887	Drill Core	<0.1	<0.02	1.3	0.28	<0.1	0.72	0.08	9.1	0.2	<0.05	19.2	5.93	65.8	<0.02	<1	0.3	1.3	<10	<2			
2022888	Drill Core	<0.1	0.04	1.3	0.40	<0.1	0.47	0.07	8.5	0.2	<0.05	13.7	5.33	59.0	<0.02	<1	0.2	1.1	<10	<2			
2022889	Drill Core	<0.1	<0.02	1.2	0.30	<0.1	0.37	0.06	8.4	0.2	<0.05	10.5	5.91	54.5	<0.02	<1	0.2	1.1	<10	<2			
2022890	Drill Core	<0.1	<0.02	1.2	0.20	<0.1	0.36	0.13	9.5	0.2	<0.05	11.7	5.60	64.4	<0.02	<1	0.2	1.3	<10	<2			
2022891	Drill Core	<0.1	<0.02	1.5	0.29	<0.1	0.22	0.12	10.1	0.2	<0.05	6.7	6.69	71.1	<0.02	<1	0.3	3.2	<10	<2			
2022892	Drill Core	<0.1	<0.02	2.1	0.36	<0.1	0.07	0.07	7.6	0.4	<0.05	2.6	6.00	73.3	<0.02	<1	0.2	11.3	<10	<2			
2022893	Drill Core	<0.1	<0.02	1.9	0.45	<0.1	0.15	0.02	7.5	0.2	<0.05	5.2	4.49	48.0	<0.02	<1	0.2	9.1	<10	<2			
2022894	Drill Core	0.1	<0.02	2.4	0.43	<0.1	0.13	<0.02	9.5	0.2	<0.05	4.9	4.54	43.5	<0.02	<1	0.3	8.8	<10	<2			
2022895	Drill Core	<0.1	<0.02	2.2	0.27	<0.1	0.16	<0.02	9.2	0.2	<0.05	5.6	4.62	51.0	<0.02	<1	0.2	6.2	<10	<2			
2022896	Drill Core	<0.1	<0.02	2.8	0.43	<0.1	0.09	0.03	10.1	0.3	<0.05	2.6	6.47	65.0	<0.02	<1	0.3	10.3	<10	<2			
2022897	Drill Core	<0.1	<0.02	2.8	0.79	<0.1	0.08	<0.02	11.8	0.3	<0.05	3.0	6.08	70.4	<0.02	<1	0.3	8.6	<10	<2			
2022898	Drill Core	<0.1	<0.02	2.9	0.77	0.1	0.18	<0.02	14.0	0.3	<0.05	5.7	7.49	67.5	<0.02	<1	0.3	9.9	<10	<2			
2022899	Drill Core	<0.1	0.02	2.3	0.97	<0.1	0.27	<0.02	12.5	0.2	<0.05	9.5	8.65	58.6	<0.02	<1	0.3	7.4	<10	<2			
2022900	Rock Pulp	<0.1	0.17	5.5	0.76	0.1	0.11	0.11	8.7	1.9	<0.05	2.1	5.86	16.6	0.05	<1	<0.1	7.1	<10	<2			
2022901	Drill Core	<0.1	0.10	1.4	0.38	<0.1	0.30	<0.02	9.0	0.2	<0.05	9.7	5.81	52.5	<0.02	<1	0.3	3.0	<10	<2			
2022902	Drill Core	<0.1	0.42	1.5	0.45	<0.1	0.36	<0.02	10.0	0.3	<0.05	12.1	5.59	45.8	<0.02	<1	0.2	3.5	<10	<2			
2022903	Drill Core	<0.1	0.05	2.3	0.45	<0.1	0.26	<0.02	11.6	0.2	<0.05	9.3	8.77	56.0	<0.02	<1	0.4	6.6	<10	<2			
2022904	Drill Core	<0.1	<0.02	3.1	0.72	<0.1	0.26	0.03	13.0	0.2	<0.05	8.9	8.02	50.3	<0.02	<1	0.3	10.3	<10	<2			
2022905	Drill Core	<0.1	<0.02	3.4	0.55	0.1	0.17	0.03	11.4	0.2	<0.05	5.7	11.75	62.1	<0.02	1	0.3	11.4	<10	<2			
2022906	Drill Core	<0.1	<0.02	3.1	0.39	<0.1	0.09	0.03	10.2	0.2	<0.05	3.3	10.56	52.2	<0.02	1	0.3	8.3	<10	<2			
2022907	Drill Core	<0.1	<0.02	4.1	0.51	<0.1	0.04	<0.02	10.3	0.3	<0.05	1.5	11.59	50.5	<0.02	<1	0.5	14.5	<10	<2			
2022908	Drill Core	0.2	<0.02	2.6	0.37	<0.1	0.04	0.03	9.5	0.3	<0.05	1.5	11.51	65.7	<0.02	<1	0.2	7.3	<10	<2			
2022909	Drill Core	0.1	<0.02	2.8	0.41	<0.1	0.10	0.02	10.4	0.2	<0.05	3.5	12.44	58.6	<0.02	3	0.2	9.3	<10	<2			
2022910	Drill Core	<0.1	<0.02	6.3	0.38	<0.1	0.03	<0.02	7.7	0.3	<0.05	1.2	12.66	34.9	0.03	<1	0.3	22.5	<10	<2			
2022911	Drill Core	0.1	<0.02	3.6	0.63	<0.1	0.12	0.06	12.1	0.3	<0.05	3.6	16.03	64.7	0.02	3	0.3	9.9	<10	<2			
2022912	Drill Core	<0.1	<0.02	3.1	0.32	<0.1	0.15	<0.02	6.7	0.3	<0.05	5.5	11.53	52.9	<0.02	<1	0.3	7.8	<10	<2			
2022913	Drill Core	<0.1	<0.02	3.6	0.43	<0.1	0.19	<0.02	9.4	0.4	<0.05	8.5	15.71	66.3	<0.02	<1	0.3	8.7	<10	<2			
2022914	Drill Core	<0.1	<0.02	3.1	0.59	0.1	0.15	<0.02	10.5	0.3	<0.05	4.9	13.96	67.7	<0.02	2	0.4	11.0	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 3 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000278.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022915	Drill Core	3.06	456	0.029	0.03	<0.17	36.19	0.97	20.05	13.72	51.4	361	23.2	14.6	587	2.51	28.3	2.4	26.8	8.3	147.9
2022916	Drill Core	3.05	448	0.012	0.01	<0.17	36.61	0.33	4.43	16.01	24.1	146	2.1	2.5	182	0.88	3.2	4.3	6.4	15.5	58.1
2022917	Drill Core	2.33	450	0.032	0.03	<0.17	35.83	0.20	5.36	13.43	22.6	158	2.2	2.8	167	0.99	8.9	2.5	12.7	14.6	36.3
2022918	Drill Core	2.42	516	0.017	0.02	<0.17	34.38	0.53	7.52	17.57	33.4	343	2.5	2.5	179	0.96	13.0	1.1	32.9	15.7	16.9
2022919	Drill Core	3.00	435	0.006	<0.01	<0.17	43.41	0.61	8.43	19.58	34.7	176	2.6	3.0	230	1.13	2.0	1.7	4.1	11.9	63.8
2022920	Rock Pulp	0.13	93	0.476				2.43	439.42	19.78	49.0	287	609.9	26.6	436	2.48	18.5	0.6	508.8	1.9	53.6
2022921	Drill Core	3.44	504	0.010	<0.01	<0.17	34.76	0.60	7.77	17.66	34.2	172	2.6	3.1	288	1.20	5.0	1.8	4.8	11.3	103.6
2022922	Drill Core	2.55	543	0.009	<0.01	<0.17	38.53	0.69	11.67	21.85	30.8	245	2.4	3.1	306	1.07	6.5	2.7	4.1	12.2	142.1
2022923	Drill Core	1.66	469	0.013	0.01	<0.17	32.63	0.51	11.04	10.27	31.0	162	2.1	3.2	283	1.00	10.4	2.7	9.3	13.0	106.0
2022924	Drill Core	1.60	545	0.006	<0.01	<0.17	38.00	0.35	16.94	14.04	14.5	213	1.2	1.9	154	0.62	3.2	1.3	1.9	17.5	38.5
2022925	Drill Core	2.14	536	0.006	<0.01	<0.17	43.25	0.41	6.97	20.91	16.4	265	1.4	1.9	194	0.72	0.9	1.3	0.5	14.5	67.4
2022926	Drill Core	3.31	395	0.008	<0.01	<0.17	35.00	0.60	2.71	12.35	39.2	131	2.9	3.4	433	1.28	2.4	1.4	2.0	15.5	200.4
2022927	Drill Core	1.94	434	0.007	<0.01	<0.17	31.51	0.61	5.20	15.21	26.9	99	2.2	2.8	225	1.04	1.8	1.4	1.2	13.3	99.1
2022928	Drill Core	1.50	468	0.005	<0.01	<0.17	36.03	1.73	9.02	21.12	25.5	131	2.0	2.8	260	0.97	1.1	1.8	<0.2	15.5	143.6
2022929	Drill Core	2.98	508	0.007	<0.01	<0.17	33.00	0.59	4.89	16.44	25.1	115	2.2	2.5	233	0.93	0.7	3.4	2.0	14.0	137.3
2022930	Drill Core	2.51	416	0.043	0.04	<0.17	38.79	0.30	3.82	14.10	24.6	160	2.1	2.7	252	0.98	0.8	2.8	39.7	14.1	136.1
2022931	Drill Core	1.99	372	2.487	3.65	15.23	33.89	0.28	33.65	8.18	35.5	1567	3.5	4.9	354	1.36	1.4	2.5	4251.0	14.1	152.9
2022932	Drill Core	1.72	449	1.107	1.23	2.30	47.47	0.35	7.28	69.10	30.5	1278	2.9	3.4	259	1.09	1.1	1.2	982.0	10.8	84.7
2022933	Drill Core	3.08	438	0.255	0.24	<0.17	40.01	0.25	5.50	7.15	37.8	246	2.4	3.9	309	1.04	0.3	1.9	193.3	12.0	94.3
2022934	Drill Core	2.00	458	0.099	0.10	<0.17	38.74	0.46	10.87	8.00	84.6	139	20.0	14.3	688	2.21	6.8	1.9	95.2	9.1	216.5
2022935	Drill Core	3.61	358	0.008	<0.01	<0.17	47.19	2.36	14.67	12.91	62.8	131	27.6	17.2	675	2.66	1.5	2.1	0.9	9.8	267.4
2022936	Drill Core	1.51	416	0.022	0.02	<0.17	39.96	0.89	8.23	9.86	45.1	145	7.2	7.8	458	1.75	4.8	1.9	16.5	16.1	243.5
2022937	Drill Core	2.43	436	0.006	<0.01	<0.17	38.55	0.82	14.68	14.92	71.0	169	28.4	16.7	745	2.91	0.6	2.8	2.4	10.1	265.8
2022938	Drill Core	2.75	470	0.020	0.02	<0.17	40.19	0.93	12.06	14.78	75.8	293	15.5	10.8	572	2.00	13.6	1.5	17.1	12.7	107.2
2022939	Drill Core	1.64	404	0.014	0.01	<0.17	37.96	16.40	9.80	11.79	31.0	183	5.5	5.5	367	1.55	10.1	2.1	12.9	15.4	81.5
2022940	Rock Pulp	0.12	90	0.008				2.47	101.01	3.93	38.7	130	4.9	9.4	392	2.68	0.8	0.9	4.1	3.0	75.9
2022941	Drill Core	1.84	508	0.069	0.07	<0.17	36.18	0.49	21.92	13.30	69.2	260	22.0	16.5	604	2.47	3.9	2.2	52.0	11.5	141.1
2022942	Drill Core	2.24	517	0.009	<0.01	<0.17	35.97	0.34	7.57	9.63	60.7	57	5.0	6.0	451	1.74	0.8	3.0	5.3	17.7	149.3
2022943	Drill Core	2.65	332	0.006	<0.01	<0.17	39.46	0.35	7.02	10.74	48.9	134	4.3	4.3	306	1.46	1.2	3.3	2.2	15.9	105.9
2022944	Drill Core	2.24	432	0.015	0.01	<0.17	39.85	0.31	8.19	11.04	61.4	124	4.1	4.3	281	1.33	1.2	2.6	15.2	15.8	88.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 3 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000278.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022915	Drill Core	0.27	0.78	0.07	31	1.57	0.049	23.5	38.9	1.54	215.0	0.004	1	1.43	0.010	0.33	0.1	8.3	0.08	0.31	16
2022916	Drill Core	0.13	0.43	0.16	3	0.69	0.039	40.6	3.7	0.36	294.8	0.003	1	0.64	0.027	0.37	<0.1	2.0	0.08	0.10	6
2022917	Drill Core	0.12	0.43	0.20	3	0.52	0.036	35.6	3.6	0.32	248.5	0.002	<1	0.59	0.033	0.31	<0.1	1.8	0.07	0.17	10
2022918	Drill Core	0.12	0.34	0.15	2	0.19	0.043	36.4	2.6	0.40	181.1	0.002	<1	0.60	0.012	0.26	0.3	1.3	0.08	<0.02	10
2022919	Drill Core	0.15	0.18	0.13	3	0.76	0.046	29.1	2.7	0.45	179.0	0.003	<1	0.67	0.009	0.27	<0.1	1.4	0.07	0.02	<5
2022920	Rock Pulp	0.18	0.28	0.30	47	1.21	0.031	3.9	98.8	1.75	75.4	0.066	4	1.91	0.187	0.14	1.2	2.3	0.09	0.19	23
2022921	Drill Core	0.13	0.16	0.15	3	1.16	0.041	23.9	3.1	0.47	197.8	0.003	1	0.71	0.009	0.32	<0.1	1.6	0.09	0.07	<5
2022922	Drill Core	0.15	0.13	0.23	3	1.12	0.043	25.1	3.3	0.48	209.4	0.002	1	0.70	0.018	0.34	<0.1	1.7	0.09	0.10	<5
2022923	Drill Core	0.23	0.13	0.10	3	0.86	0.047	26.6	3.1	0.42	224.8	0.002	<1	0.65	0.019	0.33	<0.1	1.7	0.09	0.08	<5
2022924	Drill Core	0.09	0.09	0.11	2	0.45	0.041	36.3	2.9	0.17	317.2	0.002	<1	0.48	0.038	0.35	<0.1	1.1	0.09	0.06	<5
2022925	Drill Core	0.10	0.08	0.15	2	0.62	0.036	32.0	3.5	0.21	277.5	0.002	1	0.46	0.039	0.30	0.3	1.3	0.07	0.04	<5
2022926	Drill Core	0.23	0.12	0.15	4	1.72	0.055	31.1	3.8	0.62	256.7	0.003	1	0.83	0.027	0.34	0.2	2.7	0.09	0.03	<5
2022927	Drill Core	0.13	0.09	0.13	3	0.94	0.041	27.1	3.2	0.44	239.7	0.003	<1	0.73	0.029	0.37	<0.1	1.9	0.08	0.04	<5
2022928	Drill Core	0.18	0.08	0.21	3	1.14	0.040	32.3	3.3	0.43	365.0	0.004	1	0.73	0.032	0.41	<0.1	1.8	0.09	0.08	5
2022929	Drill Core	0.12	0.07	0.20	2	1.06	0.034	20.5	3.2	0.61	322.7	0.003	<1	0.74	0.023	0.37	<0.1	1.6	0.08	0.08	<5
2022930	Drill Core	0.13	0.08	0.29	2	1.02	0.034	24.0	3.4	0.51	379.6	0.003	1	0.73	0.044	0.35	<0.1	1.5	0.09	0.10	6
2022931	Drill Core	0.45	0.12	0.06	3	1.56	0.038	17.2	3.9	0.54	265.6	0.002	1	0.73	0.061	0.29	<0.1	1.9	0.08	0.49	5
2022932	Drill Core	0.29	0.11	1.22	2	0.92	0.028	15.2	3.3	0.44	243.5	0.002	<1	0.63	0.059	0.27	<0.1	1.4	0.06	0.29	<5
2022933	Drill Core	0.26	0.10	0.06	2	1.05	0.033	20.3	3.0	0.46	338.2	0.002	2	0.67	0.031	0.31	<0.1	1.2	0.07	0.17	<5
2022934	Drill Core	0.46	0.13	0.07	17	2.96	0.041	15.9	23.0	1.31	488.7	0.007	<1	1.38	0.033	0.34	<0.1	4.2	0.09	0.16	<5
2022935	Drill Core	0.19	0.14	0.17	19	3.35	0.051	14.8	29.0	2.02	590.9	0.006	<1	1.74	0.008	0.36	<0.1	5.2	0.09	0.10	<5
2022936	Drill Core	0.18	0.17	0.13	5	2.14	0.040	26.3	6.7	1.16	255.6	0.003	2	1.24	0.027	0.36	<0.1	2.5	0.13	0.17	<5
2022937	Drill Core	0.19	0.12	0.17	28	3.37	0.048	19.6	38.4	2.14	291.7	0.005	1	2.03	0.028	0.36	<0.1	6.2	0.11	0.13	<5
2022938	Drill Core	0.47	0.24	0.15	20	1.71	0.042	24.0	27.2	1.15	170.1	0.003	1	1.30	0.033	0.23	<0.1	4.1	0.06	0.12	10
2022939	Drill Core	0.17	0.21	0.17	9	1.39	0.034	33.7	8.1	0.78	162.4	0.003	1	1.00	0.044	0.26	<0.1	2.0	0.07	0.18	18
2022940	Rock Pulp	0.06	0.12	0.05	91	0.89	0.066	7.4	10.4	0.73	137.8	0.113	3	1.56	0.171	0.21	3.3	2.4	0.05	<0.02	<5
2022941	Drill Core	0.31	0.14	0.21	31	2.16	0.041	22.1	44.4	1.48	339.3	0.005	1	1.54	0.065	0.14	<0.1	6.9	0.05	0.37	11
2022942	Drill Core	0.27	0.11	0.09	9	1.71	0.037	30.4	9.1	0.89	684.2	0.005	<1	1.12	0.092	0.19	<0.1	3.9	0.06	0.15	5
2022943	Drill Core	0.19	0.08	0.41	4	1.07	0.035	30.3	5.2	0.52	472.6	0.005	<1	0.77	0.061	0.21	<0.1	2.2	0.06	0.14	<5
2022944	Drill Core	0.24	0.12	0.28	3	0.83	0.035	30.6	4.8	0.48	483.0	0.004	1	0.80	0.052	0.24	<0.1	1.9	0.08	0.05	<5



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 3 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000278.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022915	Drill Core	0.2	<0.02	4.8	0.74	<0.1	0.08	<0.02	10.6	0.4	<0.05	2.9	15.44	44.9	0.02	<1	0.4	18.3	<10	<2
2022916	Drill Core	<0.1	<0.02	2.7	0.55	<0.1	0.04	0.03	11.9	0.5	<0.05	1.3	13.50	73.1	<0.02	<1	0.3	7.1	<10	<2
2022917	Drill Core	<0.1	<0.02	2.7	0.64	<0.1	0.02	0.02	10.4	0.5	<0.05	0.8	10.60	67.4	<0.02	<1	0.3	6.7	<10	<2
2022918	Drill Core	<0.1	<0.02	1.8	1.09	<0.1	0.25	<0.02	9.8	0.2	<0.05	7.9	9.43	67.8	<0.02	<1	<0.1	8.8	<10	<2
2022919	Drill Core	<0.1	<0.02	1.9	0.45	<0.1	0.13	<0.02	9.0	0.3	<0.05	5.3	8.41	53.2	<0.02	<1	0.3	8.6	<10	<2
2022920	Rock Pulp	0.3	0.16	3.9	0.62	<0.1	0.06	0.02	5.8	0.4	<0.05	1.4	2.94	8.6	<0.02	3	<0.1	7.3	256	107
2022921	Drill Core	<0.1	<0.02	2.0	0.57	<0.1	0.18	<0.02	10.4	0.3	<0.05	6.3	6.82	45.3	<0.02	<1	0.4	8.0	<10	<2
2022922	Drill Core	<0.1	<0.02	2.1	0.50	<0.1	0.17	<0.02	11.4	0.3	<0.05	5.2	6.51	50.5	<0.02	3	0.1	9.1	<10	<2
2022923	Drill Core	<0.1	<0.02	2.1	0.30	<0.1	0.22	<0.02	11.4	0.3	<0.05	6.9	7.31	51.1	<0.02	2	0.3	8.8	<10	<2
2022924	Drill Core	<0.1	<0.02	1.7	0.53	<0.1	0.22	<0.02	12.9	0.4	<0.05	7.4	6.27	65.2	<0.02	1	0.2	3.4	<10	<2
2022925	Drill Core	<0.1	<0.02	1.5	0.35	<0.1	0.21	<0.02	11.0	0.3	<0.05	7.6	6.13	59.5	<0.02	<1	0.3	3.7	<10	<2
2022926	Drill Core	<0.1	<0.02	2.3	0.58	<0.1	0.25	<0.02	11.1	0.3	<0.05	9.8	8.40	61.3	<0.02	<1	0.3	8.5	<10	<2
2022927	Drill Core	<0.1	<0.02	2.1	0.72	<0.1	0.17	<0.02	11.1	0.3	<0.05	5.5	4.95	51.5	<0.02	<1	<0.1	7.3	<10	<2
2022928	Drill Core	<0.1	<0.02	2.0	0.48	<0.1	0.06	0.02	12.9	0.5	<0.05	2.0	5.75	59.3	<0.02	<1	0.1	6.8	<10	<2
2022929	Drill Core	<0.1	<0.02	1.9	0.48	<0.1	0.18	<0.02	11.0	0.4	<0.05	5.3	4.75	38.9	<0.02	<1	0.4	9.6	<10	<2
2022930	Drill Core	<0.1	<0.02	2.0	0.40	<0.1	0.05	<0.02	11.9	0.6	<0.05	1.6	4.54	45.7	<0.02	<1	0.1	7.4	<10	<2
2022931	Drill Core	<0.1	0.34	1.8	0.32	<0.1	0.05	<0.02	9.5	0.4	<0.05	1.6	5.25	32.5	0.02	1	0.2	6.7	<10	<2
2022932	Drill Core	0.1	0.25	1.4	0.29	<0.1	0.03	<0.02	8.4	0.4	<0.05	1.2	4.21	28.5	<0.02	<1	0.2	5.7	<10	<2
2022933	Drill Core	<0.1	0.10	1.8	0.32	<0.1	0.02	<0.02	10.4	0.5	<0.05	0.9	3.96	36.4	<0.02	<1	0.3	6.2	<10	<2
2022934	Drill Core	<0.1	0.02	3.2	0.44	<0.1	0.02	<0.02	10.8	0.4	<0.05	1.2	8.35	30.8	<0.02	<1	0.1	13.3	<10	<2
2022935	Drill Core	<0.1	<0.02	3.8	0.66	<0.1	0.04	<0.02	12.0	0.5	<0.05	1.2	9.13	30.2	<0.02	<1	0.6	21.8	<10	<2
2022936	Drill Core	<0.1	<0.02	2.7	0.62	<0.1	0.02	<0.02	13.1	0.7	<0.05	1.1	7.67	52.1	<0.02	<1	0.5	23.2	<10	<2
2022937	Drill Core	<0.1	<0.02	5.7	0.49	<0.1	<0.02	<0.02	12.0	0.6	<0.05	0.6	11.19	38.6	0.02	<1	0.5	31.7	<10	<2
2022938	Drill Core	<0.1	<0.02	4.3	0.47	<0.1	0.04	<0.02	8.3	0.2	<0.05	1.1	9.34	45.9	<0.02	<1	0.3	25.3	<10	<2
2022939	Drill Core	<0.1	<0.02	3.5	0.52	<0.1	0.03	<0.02	9.3	0.5	<0.05	0.9	8.78	64.5	0.03	2	0.3	19.9	<10	<2
2022940	Rock Pulp	<0.1	<0.02	4.5	0.33	<0.1	0.06	0.07	7.1	0.3	<0.05	1.3	4.88	16.2	<0.02	<1	<0.1	6.6	<10	<2
2022941	Drill Core	0.2	0.04	5.2	0.40	<0.1	0.05	<0.02	5.4	0.5	<0.05	2.3	8.66	42.4	0.02	<1	0.3	24.7	<10	<2
2022942	Drill Core	<0.1	<0.02	3.4	0.70	<0.1	0.03	<0.02	7.4	0.5	<0.05	1.2	9.27	57.5	0.04	<1	0.1	18.9	<10	<2
2022943	Drill Core	<0.1	<0.02	3.2	0.45	<0.1	0.04	0.02	8.2	0.5	<0.05	1.0	8.09	56.8	<0.02	<1	0.2	9.2	<10	<2
2022944	Drill Core	<0.1	<0.02	2.9	0.63	<0.1	0.03	<0.02	9.2	0.7	<0.05	1.2	7.51	58.0	<0.02	<1	0.3	12.9	<10	<2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 4 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000278.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022945	Drill Core	1.53	550	0.006	<0.01	<0.17	47.15	0.24	7.71	15.06	44.7	149	3.8	3.9	289	1.35	0.5	2.4	2.7	16.1	147.5
2022946	Drill Core	1.59	477	0.008	<0.01	<0.17	58.46	0.68	7.81	24.35	30.8	324	3.0	3.3	209	0.98	1.1	2.4	1.6	15.8	103.9
2022947	Drill Core	3.02	370	0.013	0.01	<0.17	43.06	4.27	8.66	16.22	32.1	299	3.1	3.1	258	1.00	10.9	3.9	8.2	17.5	112.8
2022948	Drill Core	2.83	385	0.025	0.02	<0.17	34.84	2.42	10.44	34.11	36.9	525	2.6	4.3	275	0.92	3.3	2.0	14.8	15.4	98.8
2022949	Drill Core	3.07	474	0.357	0.37	0.55	34.85	0.75	12.37	40.28	17.1	455	1.8	2.8	248	0.88	0.9	1.2	332.5	11.7	103.7
2022950	Drill Core	3.16	354	0.014	0.01	<0.17	38.73	0.36	9.06	12.14	24.7	143	2.0	3.0	210	1.07	0.4	2.1	8.1	10.4	100.3
2022951	Drill Core	1.65	450	1.545	2.52	13.62	36.43	0.36	11.56	7.59	36.5	1109	2.7	4.2	267	1.21	5.0	1.1	4225.5	9.3	100.5
2022952	Drill Core	1.65	397	0.019	0.02	<0.17	37.57	0.48	14.65	11.06	22.5	173	1.8	2.9	215	0.80	1.9	1.2	27.5	12.2	108.3
2022953	Drill Core	3.22	484	0.006	<0.01	<0.17	45.55	1.59	8.41	23.06	15.6	215	1.4	2.7	210	0.74	1.1	1.6	2.1	13.2	99.6
2022954	Drill Core	3.38	543	0.008	<0.01	<0.17	32.62	0.54	6.82	17.77	24.3	159	1.6	2.4	220	0.81	2.9	0.9	3.8	11.8	73.2
2022955	Drill Core	1.42	456	0.025	0.02	<0.17	38.70	0.62	8.18	13.31	31.3	172	1.6	3.0	257	0.89	5.9	1.2	14.0	9.8	57.2
2022956	Drill Core	1.35	419	0.321	0.34	0.58	32.85	0.44	9.83	71.33	21.7	1069	1.7	2.4	267	0.82	2.0	1.2	281.6	8.8	97.0
2022957	Drill Core	2.73	478	0.053	0.05	<0.17	31.56	0.79	5.10	21.22	16.0	158	1.3	2.2	225	0.78	0.7	4.7	12.6	9.6	110.8
2022958	Drill Core	3.21	475	0.058	0.05	<0.17	40.75	0.71	4.47	14.60	22.6	111	1.9	2.3	267	0.89	2.3	3.6	3.1	13.3	97.3
2022959	Drill Core	2.93	356	0.008	<0.01	<0.17	43.51	0.57	8.18	10.65	22.6	112	2.3	3.0	179	1.01	0.5	1.6	1.4	10.6	77.4
2022960	Core DUP		353	<0.005	<0.01	<0.17	37.08	0.59	8.02	11.50	24.8	113	2.3	3.2	182	1.03	0.9	1.6	3.5	10.8	82.5
2022961	Drill Core	2.79	407	<0.005	<0.01	<0.17	43.55	1.18	11.16	26.25	26.0	178	2.3	3.1	223	1.02	1.1	1.7	<0.2	12.0	104.5
2022962	Drill Core	1.85	360	0.006	<0.01	<0.17	40.58	0.66	6.00	16.97	27.7	144	2.1	3.1	207	1.08	3.4	1.6	0.5	10.5	96.0
2022963	Drill Core	1.90	437	0.167	0.15	<0.17	42.49	0.26	9.93	18.83	21.0	222	1.6	2.9	197	0.84	2.4	2.4	146.5	10.9	69.7
2022964	Drill Core	1.88	424	1.247	1.24	1.18	38.02	0.26	13.41	12.96	26.9	818	3.1	6.2	275	1.44	1.6	8.9	1683.3	9.7	132.4
2022965	Drill Core	1.59	477	0.816	0.80	0.67	44.89	0.24	12.54	7.80	17.8	1134	2.3	3.4	234	1.09	1.1	4.4	800.2	9.0	102.1
2022966	Drill Core	1.51	359	0.007	<0.01	<0.17	51.68	0.22	4.51	10.39	13.6	96	1.3	2.5	173	0.69	2.4	2.7	2.0	15.1	42.5
2022967	Drill Core	3.17	351	<0.005	<0.01	<0.17	43.25	2.13	5.08	20.17	39.5	131	2.9	3.8	226	1.27	3.8	3.4	1.3	12.0	55.0
2022968	Drill Core	2.96	530	<0.005	<0.01	<0.17	33.45	0.62	8.86	25.59	19.1	105	1.9	2.7	104	0.69	3.3	3.0	0.6	13.7	26.5
2022969	Drill Core	3.21	485	0.005	<0.01	<0.17	34.23	0.17	3.27	16.13	9.4	45	1.1	1.0	78	0.43	1.3	1.9	3.1	15.0	31.4
2022970	Drill Core	3.47	366	0.043	0.04	<0.17	35.81	0.32	10.09	16.76	22.5	146	5.4	5.1	274	1.06	1.9	2.4	149.7	12.3	101.2
2022971	Drill Core	2.42	490	0.006	<0.01	<0.17	49.55	0.29	25.39	25.54	36.6	250	2.6	3.6	213	0.91	4.3	1.2	2.7	13.1	46.4
2022972	Drill Core	1.88	419	0.020	0.02	<0.17	37.00	0.82	16.63	18.88	58.9	306	4.8	4.9	302	1.17	13.7	2.2	14.3	14.5	52.9
2022973	Drill Core	2.85	462	0.027	0.02	<0.17	41.48	0.45	7.87	15.75	41.0	258	2.9	3.6	224	0.89	14.4	1.7	40.9	13.7	52.3
2022974	Drill Core	2.30	413	0.016	0.01	<0.17	36.69	0.72	8.07	14.75	52.1	650	3.2	3.8	192	0.89	4.5	2.1	12.0	15.9	51.0





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 4 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000278.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022945	Drill Core	0.12	0.10	0.35	4	1.09	0.035	32.3	4.7	0.55	422.7	0.005	<1	0.79	0.051	0.22	<0.1	1.9	0.07	<5
2022946	Drill Core	0.11	0.11	3.56	3	0.78	0.035	34.5	3.6	0.36	453.4	0.003	<1	0.69	0.040	0.30	<0.1	1.5	0.11	6
2022947	Drill Core	0.20	0.19	0.76	3	1.23	0.036	39.3	3.6	0.34	303.9	0.003	1	0.69	0.043	0.33	<0.1	1.5	0.12	<5
2022948	Drill Core	0.30	0.14	1.16	2	1.19	0.033	29.1	3.5	0.25	238.4	0.002	<1	0.55	0.033	0.30	<0.1	1.2	0.11	<5
2022949	Drill Core	0.15	0.10	0.66	2	0.91	0.036	18.8	3.3	0.37	273.8	0.002	<1	0.59	0.034	0.33	<0.1	1.4	0.08	<5
2022950	Drill Core	0.11	0.09	0.19	3	0.78	0.042	19.1	3.0	0.43	252.4	0.003	<1	0.69	0.028	0.36	<0.1	1.7	0.10	<5
2022951	Drill Core	0.23	0.12	0.09	2	0.92	0.041	17.3	3.6	0.50	284.4	0.002	<1	0.71	0.022	0.34	<0.1	1.7	0.09	<5
2022952	Drill Core	0.18	0.10	0.23	2	0.72	0.034	21.9	3.1	0.30	285.5	0.002	<1	0.53	0.036	0.31	<0.1	1.3	0.08	5
2022953	Drill Core	0.12	0.08	0.45	2	0.87	0.032	26.1	3.0	0.34	264.7	0.003	1	0.56	0.033	0.33	<0.1	1.3	0.09	<5
2022954	Drill Core	0.13	0.07	0.25	2	0.79	0.036	26.3	3.0	0.39	257.5	0.002	<1	0.61	0.017	0.36	<0.1	1.2	0.08	<5
2022955	Drill Core	0.14	0.12	0.18	2	0.82	0.034	19.8	3.3	0.41	208.9	0.002	<1	0.59	0.015	0.29	<0.1	1.1	0.08	<5
2022956	Drill Core	0.25	0.10	0.34	2	1.26	0.041	15.4	3.3	0.32	738.1	0.002	1	0.52	0.006	0.34	0.1	1.3	0.06	<5
2022957	Drill Core	0.17	0.07	0.22	2	1.30	0.035	18.2	2.8	0.51	282.1	0.002	<1	0.66	0.008	0.38	<0.1	1.5	0.07	<5
2022958	Drill Core	0.13	0.11	0.14	3	1.04	0.034	24.6	3.5	0.44	297.8	0.004	<1	0.80	0.029	0.46	0.1	2.3	0.11	9
2022959	Drill Core	0.09	0.14	0.10	3	0.80	0.036	21.8	3.5	0.45	226.2	0.004	1	0.78	0.031	0.40	<0.1	2.2	0.10	6
2022960	Core DUP	0.11	0.13	0.11	3	0.80	0.039	22.7	3.6	0.46	221.9	0.005	<1	0.78	0.033	0.39	<0.1	2.5	0.10	<5
2022961	Drill Core	0.12	0.15	0.16	3	1.10	0.040	23.7	3.7	0.51	245.2	0.004	<1	0.80	0.023	0.39	0.1	2.6	0.11	<5
2022962	Drill Core	0.14	0.14	0.09	3	1.07	0.039	23.1	3.6	0.52	196.8	0.004	<1	0.78	0.038	0.34	0.2	2.1	0.08	<5
2022963	Drill Core	0.15	0.15	0.15	2	0.83	0.040	20.1	3.0	0.31	238.0	0.002	1	0.52	0.032	0.30	<0.1	1.4	0.09	<5
2022964	Drill Core	0.25	0.24	0.18	2	1.39	0.045	12.0	3.7	0.53	228.9	0.003	<1	0.63	0.016	0.31	<0.1	2.3	0.09	6
2022965	Drill Core	0.21	0.13	0.04	3	1.09	0.041	14.0	3.3	0.43	214.6	0.002	<1	0.52	0.024	0.28	<0.1	1.8	0.06	<5
2022966	Drill Core	0.07	0.16	0.08	2	0.51	0.040	30.6	3.3	0.20	357.7	0.002	1	0.58	0.033	0.41	<0.1	1.4	0.11	7
2022967	Drill Core	0.18	0.19	0.15	3	0.72	0.044	24.1	4.0	0.51	195.9	0.002	1	0.81	0.022	0.33	<0.1	2.3	0.09	<5
2022968	Drill Core	0.10	0.20	0.09	2	0.27	0.037	29.7	2.7	0.21	201.9	0.002	1	0.51	0.033	0.32	<0.1	1.4	0.08	<5
2022969	Drill Core	0.04	0.12	<0.02	2	0.21	0.035	35.6	2.5	0.11	308.1	0.003	<1	0.44	0.042	0.36	<0.1	1.0	0.07	<5
2022970	Drill Core	0.12	0.25	0.05	7	1.00	0.040	26.9	8.3	0.46	214.8	0.005	1	0.71	0.035	0.34	<0.1	2.9	0.09	<5
2022971	Drill Core	0.19	0.19	0.20	4	0.58	0.032	29.0	4.0	0.35	177.8	0.002	1	0.57	0.033	0.26	<0.1	1.5	0.07	<5
2022972	Drill Core	0.29	0.32	0.20	5	0.66	0.038	37.4	7.2	0.50	230.9	0.002	1	0.80	0.022	0.32	0.1	1.7	0.11	8
2022973	Drill Core	0.31	0.34	0.13	3	0.78	0.034	35.1	3.9	0.31	223.9	0.002	1	0.58	0.029	0.29	0.3	1.4	0.08	13
2022974	Drill Core	0.32	0.23	0.10	2	0.67	0.036	38.2	3.8	0.28	287.8	0.003	2	0.62	0.026	0.33	1.4	1.7	0.09	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 4 of 5 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000278.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022945	Drill Core	<0.1	<0.02	3.0	0.44	<0.1	0.03	<0.02	8.6	0.5	<0.05	1.1	9.16	60.1	0.02	<1	0.2	<10	<2
2022946	Drill Core	<0.1	<0.02	2.4	0.45	<0.1	<0.02	<0.02	11.3	0.7	<0.05	0.9	8.56	63.0	<0.02	<1	0.1	<10	<2
2022947	Drill Core	<0.1	<0.02	2.4	0.35	<0.1	0.04	<0.02	11.4	0.5	<0.05	1.0	9.60	73.3	<0.02	1	0.6	<10	<2
2022948	Drill Core	<0.1	0.02	1.7	0.53	<0.1	0.04	<0.02	10.7	0.6	<0.05	1.2	8.12	53.7	<0.02	1	0.2	<10	<2
2022949	Drill Core	<0.1	0.03	1.6	0.75	<0.1	0.05	<0.02	10.8	0.5	<0.05	1.7	4.39	37.8	<0.02	<1	0.1	<10	<2
2022950	Drill Core	<0.1	<0.02	1.7	0.62	<0.1	0.10	<0.02	11.5	0.3	<0.05	3.3	3.79	37.7	<0.02	<1	0.4	<10	<2
2022951	Drill Core	<0.1	0.03	1.7	0.42	<0.1	0.16	<0.02	10.3	0.8	<0.05	5.8	4.22	32.5	<0.02	<1	0.4	<10	<2
2022952	Drill Core	<0.1	<0.02	1.5	0.29	<0.1	0.15	<0.02	9.9	0.5	<0.05	4.6	4.35	41.9	<0.02	<1	0.3	<10	<2
2022953	Drill Core	<0.1	<0.02	1.7	0.26	<0.1	0.14	<0.02	10.3	0.7	<0.05	5.0	5.52	50.0	<0.02	<1	0.3	<10	<2
2022954	Drill Core	<0.1	<0.02	1.7	0.22	<0.1	0.11	<0.02	10.9	0.3	<0.05	3.7	5.16	48.7	<0.02	<1	0.2	<10	<2
2022955	Drill Core	<0.1	<0.02	1.9	0.22	<0.1	0.05	<0.02	8.9	0.2	<0.05	2.1	5.87	38.4	<0.02	<1	0.3	<10	<2
2022956	Drill Core	<0.1	0.39	1.6	0.22	<0.1	0.12	<0.02	9.4	0.5	<0.05	4.0	5.44	28.8	<0.02	<1	0.3	<10	<2
2022957	Drill Core	<0.1	<0.02	1.7	0.33	<0.1	0.06	<0.02	11.0	0.2	<0.05	2.5	5.11	33.8	<0.02	2	0.3	<10	<2
2022958	Drill Core	<0.1	<0.02	2.1	0.59	<0.1	0.07	0.07	14.5	0.3	<0.05	5.3	5.14	46.8	<0.02	<1	0.4	<10	<2
2022959	Drill Core	<0.1	<0.02	2.1	0.60	<0.1	0.09	0.05	12.5	0.2	<0.05	3.3	4.69	40.4	<0.02	<1	0.3	<10	<2
2022960	Core DUP	<0.1	<0.02	2.0	0.61	<0.1	0.09	0.06	12.5	0.2	<0.05	3.7	4.90	41.7	<0.02	<1	0.2	<10	<2
2022961	Drill Core	<0.1	<0.02	2.2	0.52	<0.1	0.07	0.04	12.2	0.2	<0.05	5.0	5.42	44.8	<0.02	2	0.4	<10	<2
2022962	Drill Core	<0.1	<0.02	2.1	0.43	<0.1	0.20	0.04	10.2	0.2	<0.05	7.6	5.41	41.9	<0.02	<1	0.4	<10	<2
2022963	Drill Core	<0.1	0.02	1.7	0.55	<0.1	0.10	<0.02	10.9	0.3	<0.05	4.2	4.30	35.3	<0.02	<1	0.3	<10	<2
2022964	Drill Core	<0.1	0.19	1.6	0.61	<0.1	0.22	<0.02	10.8	0.2	<0.05	8.7	5.11	22.9	<0.02	<1	0.2	<10	<2
2022965	Drill Core	<0.1	0.55	1.7	0.26	<0.1	0.22	<0.02	8.8	0.2	<0.05	8.1	5.16	25.0	<0.02	<1	0.1	<10	<2
2022966	Drill Core	<0.1	<0.02	2.1	0.61	<0.1	0.07	<0.02	14.8	0.3	<0.05	2.9	4.83	59.2	<0.02	<1	0.3	<10	<2
2022967	Drill Core	<0.1	<0.02	2.4	0.66	<0.1	0.10	<0.02	11.0	0.2	<0.05	4.2	6.24	46.7	<0.02	<1	0.3	<10	<2
2022968	Drill Core	<0.1	<0.02	1.7	0.71	<0.1	0.14	<0.02	10.7	0.3	<0.05	5.3	7.11	54.7	<0.02	<1	0.4	<10	<2
2022969	Drill Core	<0.1	<0.02	1.4	0.37	<0.1	0.11	<0.02	10.9	0.2	<0.05	3.5	5.31	66.3	<0.02	<1	0.3	<10	<2
2022970	Drill Core	<0.1	<0.02	2.5	0.31	<0.1	0.22	<0.02	11.8	0.3	<0.05	7.5	7.28	52.0	<0.02	<1	0.3	<10	<2
2022971	Drill Core	<0.1	<0.02	2.1	0.48	<0.1	0.13	<0.02	9.6	0.5	<0.05	5.4	8.16	54.0	<0.02	<1	0.3	<10	<2
2022972	Drill Core	0.1	<0.02	3.1	0.64	0.1	0.05	<0.02	12.8	0.4	<0.05	2.6	10.46	68.4	<0.02	<1	0.4	<10	<2
2022973	Drill Core	<0.1	<0.02	2.3	0.59	0.1	0.13	<0.02	10.9	0.3	<0.05	4.7	9.42	67.1	<0.02	<1	0.3	<10	<2
2022974	Drill Core	<0.1	<0.02	2.2	0.46	<0.1	0.05	<0.02	12.8	0.4	<0.05	2.2	11.32	71.9	<0.02	<1	0.4	<10	<2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 5 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000278.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2022975	Drill Core	2.20	411	0.009	<0.01	<0.17	40.56	0.90	9.87	16.13	71.5	127	4.1	3.5	209	0.93	2.7	3.7	5.7	14.5	86.6
2022976	Drill Core	2.93	540	<0.005	<0.01	<0.17	36.14	0.60	9.01	17.46	41.1	158	2.7	3.1	341	1.02	2.2	3.1	2.2	15.8	99.5
2022977	Drill Core	2.71	509	0.007	<0.01	<0.17	44.12	0.94	11.89	14.77	40.0	200	4.4	4.0	301	1.12	8.6	3.2	3.2	14.3	84.0
2022978	Drill Core	3.14	436	0.006	<0.01	<0.17	38.95	0.60	17.27	13.09	33.9	205	2.9	3.0	328	1.15	7.4	2.5	2.3	14.6	74.2
2022979	Drill Core	3.21	486	0.013	0.01	<0.17	32.06	0.56	10.46	14.91	29.9	163	2.6	3.6	285	1.15	9.6	1.3	5.8	11.8	90.3
2022980	Rock	0.36	287	<0.005	<0.01	<0.17	29.64	0.51	1.41	1.21	2.6	8	1.6	0.5	87	0.69	0.5	0.2	0.2	1.3	2.1
2022981	Drill Core	2.92	421	0.007	<0.01	<0.17	35.04	0.79	5.03	15.03	23.4	116	2.0	2.7	225	0.92	6.1	3.2	3.3	13.1	88.2
2022982	Drill Core	2.94	534	0.009	<0.01	<0.17	35.01	0.80	7.64	25.35	17.0	176	1.4	2.1	250	0.80	6.1	3.6	6.8	13.4	77.8
2022983	Drill Core	3.06	486	0.013	0.01	<0.17	42.93	0.22	5.13	17.74	8.1	126	0.8	1.7	152	0.56	8.8	2.4	7.5	12.6	56.8
2022984	Drill Core	3.27	476	<0.005	<0.01	<0.17	40.36	0.24	6.00	16.46	20.6	98	1.8	2.2	237	0.89	1.0	1.8	0.8	14.6	109.6
2022985	Drill Core	3.16	500	0.014	0.01	<0.17	35.70	0.22	6.13	7.44	41.3	72	7.1	5.9	333	1.64	0.4	2.5	6.6	15.7	164.1
2022986	Drill Core	1.99	364	<0.005	<0.01	<0.17	34.33	0.43	4.97	5.88	36.7	55	4.2	3.3	271	1.25	0.6	3.1	<0.2	18.0	143.1



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 5 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000278.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
2022975	Drill Core	0.35	0.24	0.13	3	1.00	0.034	41.2	3.5	0.26	262.1	0.003	2	0.67	0.023	0.34	<0.1	2.2	0.10	0.06
2022976	Drill Core	0.26	0.13	0.14	3	1.06	0.034	38.6	3.7	0.46	282.4	0.002	1	0.75	0.020	0.35	<0.1	2.5	0.10	0.14
2022977	Drill Core	0.27	0.18	0.12	4	0.71	0.038	40.6	4.7	0.39	248.4	0.010	1	0.65	0.040	0.28	<0.1	2.7	0.10	0.20
2022978	Drill Core	0.19	0.15	0.13	4	0.72	0.035	38.0	5.1	0.37	205.4	0.005	1	0.61	0.047	0.24	<0.1	2.7	0.08	0.24
2022979	Drill Core	0.16	0.33	0.03	4	1.09	0.041	31.5	4.8	0.46	174.4	0.002	<1	0.68	0.020	0.25	<0.1	2.2	0.07	0.18
2022980	Rock	<0.01	0.04	<0.02	1	0.04	0.003	2.6	4.0	0.02	11.5	0.003	2	0.07	0.005	0.02	<0.1	0.4	<0.02	<0.02
2022981	Drill Core	0.12	0.29	0.07	3	1.07	0.039	26.9	4.0	0.36	222.5	0.002	<1	0.62	0.028	0.30	<0.1	2.2	0.09	0.13
2022982	Drill Core	0.14	0.42	0.15	2	1.02	0.034	28.8	3.0	0.31	227.2	0.002	<1	0.58	0.022	0.31	<0.1	1.7	0.10	0.13
2022983	Drill Core	0.14	0.36	0.09	2	0.77	0.039	35.8	2.8	0.08	265.8	0.003	1	0.38	0.035	0.28	<0.1	1.7	0.07	0.16
2022984	Drill Core	0.12	0.30	0.13	3	0.93	0.037	37.9	3.7	0.21	249.8	0.009	<1	0.50	0.031	0.28	<0.1	2.3	0.08	0.06
2022985	Drill Core	0.18	0.22	0.06	10	1.57	0.042	38.7	16.6	1.15	433.8	0.007	1	1.02	0.025	0.27	<0.1	4.9	0.08	0.05
2022986	Drill Core	0.10	0.21	0.05	4	1.29	0.043	45.0	4.9	1.07	381.3	0.003	1	1.03	0.023	0.32	<0.1	3.5	0.08	0.05



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 5 of 5

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000278.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2022975	Drill Core	<0.1	<0.02	2.5	0.82	0.1	0.03	<0.02	14.1	0.5	<0.05	1.3	14.11	72.6	<0.02	<1	0.5	6.8	<10
2022976	Drill Core	<0.1	<0.02	3.0	0.44	0.1	0.04	<0.02	13.8	0.4	<0.05	1.5	16.27	75.3	<0.02	<1	0.3	8.1	<10
2022977	Drill Core	0.1	<0.02	3.2	0.65	0.1	0.04	0.06	14.0	0.5	<0.05	1.3	15.73	71.9	<0.02	<1	0.4	7.4	<10
2022978	Drill Core	0.1	<0.02	3.1	0.66	<0.1	0.03	0.03	12.3	0.5	<0.05	1.4	15.42	69.7	0.02	<1	0.3	7.5	<10
2022979	Drill Core	<0.1	<0.02	2.6	0.74	<0.1	0.07	<0.02	10.1	0.3	<0.05	2.5	11.55	58.6	<0.02	<1	0.3	9.1	<10
2022980	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.12	0.05	1.0	<0.1	<0.05	2.6	1.18	5.0	<0.02	<1	<0.1	1.4	<10
2022981	Drill Core	<0.1	<0.02	2.3	0.39	<0.1	0.05	<0.02	11.3	0.2	<0.05	2.0	9.03	49.4	<0.02	2	0.3	7.1	<10
2022982	Drill Core	<0.1	<0.02	1.9	0.42	<0.1	0.03	<0.02	11.2	0.2	<0.05	1.6	8.18	52.4	<0.02	5	0.3	6.4	<10
2022983	Drill Core	0.1	<0.02	1.6	0.40	<0.1	0.05	0.03	10.3	0.2	<0.05	1.8	12.66	65.7	<0.02	<1	0.3	2.1	<10
2022984	Drill Core	<0.1	<0.02	2.3	0.56	<0.1	0.04	0.07	12.2	0.5	<0.05	1.2	14.65	68.9	<0.02	<1	0.3	4.2	<10
2022985	Drill Core	<0.1	<0.02	3.6	0.43	<0.1	0.04	<0.02	10.4	0.4	<0.05	1.1	16.24	71.4	0.03	<1	0.5	15.3	<10
2022986	Drill Core	0.1	<0.02	3.3	0.35	<0.1	0.03	<0.02	11.1	0.4	<0.05	1.1	16.83	81.2	<0.02	<1	0.4	14.1	<10



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 1 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000278.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
2022886	Drill Core	1.70	508	0.026	0.02	<0.17	41.70	0.22	1.43	17.35	12.6	347	0.4	0.1	26	0.31	2.4	1.5	19.0	14.8	2.7
REP 2022886	QC							0.22	1.48	18.23	13.2	379	0.4	0.1	27	0.32	2.4	1.5	19.9	16.3	2.8
2022910	Drill Core	1.38	502	0.018	0.02	<0.17	39.96	1.22	11.16	14.03	59.7	259	28.8	15.5	877	2.92	13.5	1.1	17.1	6.3	234.0
REP 2022910	QC	0.017																			
2022919	Drill Core	3.00	435	0.006	<0.01	<0.17	43.41	0.61	8.43	19.58	34.7	176	2.6	3.0	230	1.13	2.0	1.7	4.1	11.9	63.8
REP 2022919	QC							0.66	8.79	20.11	36.0	178	2.7	3.1	233	1.14	1.7	1.7	1.8	12.9	65.5
2022943	Drill Core	2.65	332	0.006	<0.01	<0.17	39.46	0.35	7.02	10.74	48.9	134	4.3	4.3	306	1.46	1.2	3.3	2.2	15.9	105.9
REP 2022943	QC	0.008																			
2022954	Drill Core	3.38	543	0.008	<0.01	<0.17	32.62	0.54	6.82	17.77	24.3	159	1.6	2.4	220	0.81	2.9	0.9	3.8	11.8	73.2
REP 2022954	QC							0.53	7.00	17.47	23.9	153	1.4	2.4	222	0.80	2.8	0.9	3.2	11.8	74.2
2022960	Core DUP	353		<0.005	<0.01	<0.17	37.08	0.59	8.02	11.50	24.8	113	2.3	3.2	182	1.03	0.9	1.6	3.5	10.8	82.5
REP 2022960	QC							0.58	8.27	11.33	23.4	113	2.3	3.3	184	1.02	0.7	1.8	4.2	10.4	77.4
2022983	Drill Core	3.06	486	0.013	0.01	<0.17	42.93	0.22	5.13	17.74	8.1	126	0.8	1.7	152	0.56	8.8	2.4	7.5	12.6	56.8
REP 2022983	QC	0.014																			
Core Reject Duplicates																					
2022895	Drill Core	2.35	431	0.007	<0.01	<0.17	37.40	0.32	8.46	13.53	31.7	106	3.5	2.9	211	0.91	0.5	1.2	1.1	13.0	53.0
DUP 2022895	QC	501		0.006	<0.01	<0.17	41.65	0.31	8.37	13.55	32.0	104	3.4	2.9	206	0.86	0.7	1.1	0.8	13.5	48.6
2022929	Drill Core	2.98	508	0.007	<0.01	<0.17	33.00	0.59	4.89	16.44	25.1	115	2.2	2.5	233	0.93	0.7	3.4	2.0	14.0	137.3
DUP 2022929	QC	516		0.007	<0.01	<0.17	44.17	0.59	5.04	16.10	25.6	110	2.4	2.7	239	0.93	0.6	3.5	1.6	14.7	141.5
2022963	Drill Core	1.90	437	0.167	0.15	<0.17	42.49	0.26	9.93	18.83	21.0	222	1.6	2.9	197	0.84	2.4	2.4	146.5	10.9	69.7
DUP 2022963	QC	415		0.106	0.10	<0.17	39.12	0.28	10.09	19.95	20.9	218	1.5	3.0	197	0.87	2.6	2.4	109.3	11.4	66.7
Reference Materials																					
STD BVGE001	Standard							11.38	4438.14	192.25	1777.7	2618	159.5	25.5	729	3.71	122.0	4.1	218.7	16.0	58.8
STD DS11	Standard							14.69	160.55	132.47	334.3	1706	78.0	15.0	1011	3.14	42.2	2.5	104.9	7.6	65.4
STD DS11	Standard							15.50	157.24	137.63	335.7	1867	86.7	14.8	1033	3.26	44.4	2.7	85.5	8.2	68.2
STD DS11	Standard							16.01	161.89	138.48	354.4	1732	86.5	14.8	1002	3.11	43.4	2.8	78.6	8.5	70.3
STD OREAS256	Standard	7.426																			
STD OREAS262	Standard							0.64	121.01	57.76	155.0	463	65.0	28.9	534	3.23	36.8	1.2	54.9	9.6	36.7



**BUREAU**  
**VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 1 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000278.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2022886	Drill Core	0.08	0.19	0.06	<1	<0.01	0.005	31.3	1.1	0.03	130.9	<0.001	1	0.26	0.047	0.20	0.9	0.4	0.04	<0.02	9
REP 2022886	QC	0.08	0.20	0.07	<1	<0.01	0.005	34.4	1.1	0.03	140.3	<0.001	<1	0.26	0.047	0.20	1.0	0.4	0.05	<0.02	7
2022910	Drill Core	0.41	0.34	0.06	47	3.80	0.045	18.7	61.4	1.96	161.5	0.006	<1	1.91	0.021	0.24	0.1	9.2	0.06	0.12	8
REP 2022910	QC																				
2022919	Drill Core	0.15	0.18	0.13	3	0.76	0.046	29.1	2.7	0.45	179.0	0.003	<1	0.67	0.009	0.27	<0.1	1.4	0.07	0.02	<5
REP 2022919	QC	0.17	0.20	0.13	3	0.77	0.048	29.8	2.8	0.45	184.3	0.003	<1	0.66	0.009	0.27	<0.1	1.6	0.08	0.02	<5
2022943	Drill Core	0.19	0.08	0.41	4	1.07	0.035	30.3	5.2	0.52	472.6	0.005	<1	0.77	0.061	0.21	<0.1	2.2	0.06	0.14	<5
REP 2022943	QC																				
2022954	Drill Core	0.13	0.07	0.25	2	0.79	0.036	26.3	3.0	0.39	257.5	0.002	<1	0.61	0.017	0.36	<0.1	1.2	0.08	0.04	<5
REP 2022954	QC	0.14	0.07	0.23	2	0.80	0.036	25.7	3.1	0.39	241.2	0.002	1	0.61	0.016	0.35	<0.1	1.2	0.08	0.04	<5
2022960	Core DUP	0.11	0.13	0.11	3	0.80	0.039	22.7	3.6	0.46	221.9	0.005	<1	0.78	0.033	0.39	<0.1	2.5	0.10	0.09	<5
REP 2022960	QC	0.13	0.13	0.10	4	0.77	0.038	21.4	3.4	0.46	221.1	0.005	<1	0.77	0.031	0.39	<0.1	2.1	0.11	0.09	6
2022983	Drill Core	0.14	0.36	0.09	2	0.77	0.039	35.8	2.8	0.08	265.8	0.003	1	0.38	0.035	0.28	<0.1	1.7	0.07	0.16	<5
REP 2022983	QC																				
Core Reject Duplicates																					
2022895	Drill Core	0.20	0.10	0.08	3	0.79	0.030	25.5	4.5	0.57	275.1	0.002	2	0.72	0.016	0.30	<0.1	1.5	0.08	<0.02	6
DUP 2022895	QC	0.19	0.09	0.08	3	0.73	0.030	26.8	4.2	0.57	270.4	0.002	<1	0.73	0.017	0.31	0.1	1.5	0.07	<0.02	7
2022929	Drill Core	0.12	0.07	0.20	2	1.06	0.034	20.5	3.2	0.61	322.7	0.003	<1	0.74	0.023	0.37	<0.1	1.6	0.08	0.08	<5
DUP 2022929	QC	0.14	0.07	0.19	2	1.05	0.036	20.8	3.4	0.61	324.7	0.003	<1	0.76	0.027	0.38	<0.1	1.6	0.08	0.08	<5
2022963	Drill Core	0.15	0.15	0.15	2	0.83	0.040	20.1	3.0	0.31	238.0	0.002	1	0.52	0.032	0.30	<0.1	1.4	0.09	0.16	<5
DUP 2022963	QC	0.13	0.18	0.16	2	0.81	0.040	19.5	3.2	0.31	236.5	0.002	1	0.53	0.033	0.29	0.1	1.4	0.09	0.16	6
Reference Materials																					
STD BVGE001	Standard	6.62	3.28	26.73	72	1.33	0.077	27.6	181.6	1.32	261.7	0.243	3	2.42	0.203	0.92	5.0	5.8	0.62	0.66	102
STD DS11	Standard	2.53	7.98	11.91	48	1.05	0.073	17.9	62.9	0.85	354.2	0.096	9	1.19	0.073	0.40	3.0	3.2	4.85	0.26	270
STD DS11	Standard	2.59	9.29	12.16	50	1.06	0.078	19.2	63.3	0.86	357.9	0.099	7	1.21	0.072	0.41	3.1	3.2	5.22	0.29	287
STD DS11	Standard	2.50	8.97	11.84	51	1.06	0.066	20.0	64.1	0.88	368.3	0.105	9	1.24	0.079	0.42	2.9	3.4	4.99	0.27	276
STD OREAS256	Standard																				
STD OREAS262	Standard	0.68	3.84	1.08	20	2.99	0.040	16.2	41.0	1.18	257.2	0.003	3	1.33	0.069	0.30	0.2	3.2	0.45	0.24	152





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Page:** 1 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000278.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2022886	Drill Core	<0.1	<0.02	1.2	0.14	<0.1	0.60	0.06	7.8	0.2	<0.05	15.7	4.88	62.0	<0.02	<1	0.2	1.2	<10	<2
REP 2022886	QC	<0.1	<0.02	1.3	0.16	<0.1	0.60	0.07	8.4	0.2	<0.05	17.1	5.25	63.4	<0.02	<1	0.2	1.3	<10	<2
2022910	Drill Core	<0.1	<0.02	6.3	0.38	<0.1	0.03	<0.02	7.7	0.3	<0.05	1.2	12.66	34.9	0.03	<1	0.3	22.5	<10	<2
REP 2022910	QC																			
2022919	Drill Core	<0.1	<0.02	1.9	0.45	<0.1	0.13	<0.02	9.0	0.3	<0.05	5.3	8.41	53.2	<0.02	<1	0.3	8.6	<10	<2
REP 2022919	QC	<0.1	<0.02	2.2	0.47	<0.1	0.15	<0.02	9.3	0.3	<0.05	5.1	8.83	55.3	<0.02	1	0.2	8.5	<10	<2
2022943	Drill Core	<0.1	<0.02	3.2	0.45	<0.1	0.04	0.02	8.2	0.5	<0.05	1.0	8.09	56.8	<0.02	<1	0.2	9.2	<10	<2
REP 2022943	QC																			
2022954	Drill Core	<0.1	<0.02	1.7	0.22	<0.1	0.11	<0.02	10.9	0.3	<0.05	3.7	5.16	48.7	<0.02	<1	0.2	5.7	<10	<2
REP 2022954	QC	<0.1	<0.02	1.8	0.20	<0.1	0.09	<0.02	10.8	0.3	<0.05	3.5	5.23	49.1	<0.02	<1	0.3	5.8	<10	<2
2022960	Core DUP	<0.1	<0.02	2.0	0.61	<0.1	0.09	0.06	12.5	0.2	<0.05	3.7	4.90	41.7	<0.02	<1	0.2	6.5	<10	<2
REP 2022960	QC	<0.1	<0.02	2.2	0.57	<0.1	0.08	0.06	12.2	0.2	<0.05	3.5	4.98	41.8	<0.02	<1	0.4	5.6	26	<2
2022983	Drill Core	0.1	<0.02	1.6	0.40	<0.1	0.05	0.03	10.3	0.2	<0.05	1.8	12.66	65.7	<0.02	<1	0.3	2.1	<10	<2
REP 2022983	QC																			
Core Reject Duplicates																				
2022895	Drill Core	<0.1	<0.02	2.2	0.27	<0.1	0.16	<0.02	9.2	0.2	<0.05	5.6	4.62	51.0	<0.02	<1	0.2	6.2	<10	<2
DUP 2022895	QC	<0.1	<0.02	2.2	0.27	<0.1	0.18	<0.02	9.6	0.2	<0.05	5.6	4.59	52.0	<0.02	<1	<0.1	6.1	<10	<2
2022929	Drill Core	<0.1	<0.02	1.9	0.48	<0.1	0.18	<0.02	11.0	0.4	<0.05	5.3	4.75	38.9	<0.02	<1	0.4	9.6	<10	<2
DUP 2022929	QC	<0.1	<0.02	1.9	0.43	<0.1	0.17	<0.02	10.9	0.4	<0.05	5.5	4.55	39.9	<0.02	1	0.4	8.9	<10	<2
2022963	Drill Core	<0.1	0.02	1.7	0.55	<0.1	0.10	<0.02	10.9	0.3	<0.05	4.2	4.30	35.3	<0.02	<1	0.3	4.7	<10	<2
DUP 2022963	QC	<0.1	0.02	1.7	0.53	<0.1	0.11	<0.02	10.6	0.2	<0.05	4.1	4.40	36.5	<0.02	<1	0.2	4.4	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.7	1.07	7.3	7.57	0.2	0.33	0.23	94.0	6.2	<0.05	9.2	14.48	55.2	0.48	5	0.5	20.6	126	177
STD DS11	Standard	2.1	4.54	4.9	2.90	0.1	0.08	1.76	32.4	1.9	<0.05	3.3	8.16	35.2	0.26	44	0.6	21.1	97	170
STD DS11	Standard	2.3	4.80	5.4	3.26	0.1	0.09	1.65	35.3	1.9	<0.05	3.5	8.44	37.7	0.25	48	0.8	22.2	111	174
STD DS11	Standard	2.2	4.70	5.2	3.08	<0.1	0.07	1.68	34.0	1.9	<0.05	3.0	8.40	39.6	0.24	44	0.7	23.1	119	168
STD OREAS256	Standard																			
STD OREAS262	Standard	0.3	0.21	3.9	2.69	<0.1	0.27	<0.02	18.3	0.6	<0.05	9.4	10.61	32.2	0.04	2	0.9	16.3	<10	<2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 28, 2019

Page:

2 of 3

Part:

1 of 3

## QUALITY CONTROL REPORT

WHI19000278.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.64	124.79	55.14	161.0	457	69.6	29.1	553	3.35	35.6	1.2	54.4	9.5	34.1
STD OREAS262	Standard							0.70	124.78	55.58	150.5	481	69.0	28.4	551	3.41	35.8	1.2	71.6	9.1	33.7
STD OREAS262	Standard							0.71	121.22	57.99	151.7	438	69.0	28.8	543	3.25	35.3	1.3	65.3	10.0	35.1
STD OXC145	Standard			0.212																	
STD OXC145	Standard			0.219																	
STD OXC152	Standard			0.209																	
STD OXH139	Standard			1.350																	
STD OXH139	Standard			1.322																	
STD OXH139	Standard			1.397																	
STD OXN134	Standard			7.592																	
STD OXN134	Standard			8.074																	
STD OXQ90	Standard					25.20	29.37														
STD OXQ90	Standard					25.15	30.14														
STD OXQ90	Standard					25.26	30.32														
STD OXQ90	Standard					25.03	29.17														
STD OXQ90	Standard					25.18	29.91														
STD OXQ90	Standard					25.32	30.10														
STD OXQ90	Standard					24.99	29.77														
STD OXQ90	Standard					25.12	30.30														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.006																	
BLK	Blank			0.006																	



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 2 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000278.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OREAS262	Standard	0.68	3.88	1.00	21	3.06	0.043	17.3	47.2	1.21	237.7	0.003	4	1.41	0.070	0.31	0.2	3.3	0.45	0.25	160
STD OREAS262	Standard	0.70	6.01	1.06	22	3.05	0.043	16.2	45.0	1.16	257.3	0.003	5	1.35	0.068	0.31	0.2	3.2	0.47	0.28	169
STD OREAS262	Standard	0.65	5.66	1.05	23	3.01	0.036	17.7	45.9	1.16	246.9	0.003	4	1.42	0.068	0.34	0.2	3.3	0.47	0.25	152
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 2 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000278.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OREAS262	Standard	0.5	0.21	4.4	2.68	<0.1	0.27	<0.02	18.2	0.5	<0.05	10.6	11.15	32.7	0.04	1	1.0	17.1	<10	<2
STD OREAS262	Standard	0.4	0.22	4.5	3.13	<0.1	0.29	<0.02	19.6	0.6	<0.05	10.7	11.10	31.7	0.04	1	1.0	16.2	<10	<2
STD OREAS262	Standard	0.5	0.24	4.2	3.02	<0.1	0.27	0.02	20.0	0.6	<0.05	10.4	10.90	34.7	0.02	<1	1.3	16.5	25	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 3 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000278.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		472	<0.005	<0.01	<0.17	42.33	1.17	3.64	5.75	41.5	15	1.0	3.7	482	1.91	0.9	0.5	2.6	2.8	26.0
ROCK-WHI	Prep Blank		501	0.006	<0.01	<0.17	45.09	1.12	3.25	4.51	36.1	10	0.9	3.5	470	1.90	0.9	0.5	0.8	2.3	23.8



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 3 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000278.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.06	0.07	<0.02	23	0.61	0.043	7.2	2.8	0.43	89.8	0.089	2	0.84	0.088	0.09	<0.1	2.7	<0.02	<0.02	11
ROCK-WHI	Prep Blank	0.05	0.07	<0.02	23	0.67	0.043	7.4	2.6	0.42	81.3	0.085	2	0.82	0.083	0.09	<0.1	2.6	<0.02	<0.02	8



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 28, 2019

**Page:** 3 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000278.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	4.0	0.18	0.1	0.14	0.25	2.4	0.4	<0.05	3.5	10.02	13.6	<0.02	<1	0.2	2.7	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.19	<0.1	0.14	0.28	2.3	0.4	<0.05	3.3	9.07	13.4	<0.02	<1	0.2	2.3	<10