



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 29, 2019
Report Date: August 26, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000279.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-37
P.O. Number
Number of Samples: 105

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	101	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	105	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	105	Analysis sample split/packet			WHI
Split -150	105	Analysis sample split/packet			WHI
EN002	105	Environmental disposal charge-Fire assay lead waste			VAN
FS631	103	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	105	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	105	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Graeme Joyce
Peter Tallman


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000279.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2023236	Drill Core	3.22	477	0.010	<0.01	<0.17	42.42	0.48	9.06	15.87	51.3	215	2.2	1.8	118	0.97	1.9	2.8	3.6	13.1	11.7
2023237	Drill Core	3.27	464	0.009	<0.01	<0.17	37.88	0.37	8.99	11.02	20.4	182	1.0	1.5	109	0.95	0.8	2.5	4.3	12.7	13.8
2023238	Drill Core	2.91	431	0.007	<0.01	<0.17	40.08	0.94	8.64	25.34	43.0	201	3.1	1.8	88	1.08	1.0	2.3	2.2	13.6	9.5
2023239	Drill Core	2.88	459	0.006	<0.01	<0.17	48.77	0.87	3.37	28.97	47.6	161	1.8	0.5	120	0.81	0.4	1.8	0.9	18.6	25.0
2023240	Rock Pulp	0.12	86	0.006				2.48	98.60	3.78	34.9	115	4.7	9.3	370	2.70	0.8	0.8	5.0	2.9	76.7
2023241	Drill Core	2.96	444	0.143	0.14	<0.17	40.47	0.65	5.01	29.96	43.3	296	0.6	0.4	90	0.77	0.5	1.8	29.3	19.5	31.4
2023242	Drill Core	2.72	469	0.008	<0.01	<0.17	44.29	0.48	3.87	40.26	46.0	307	0.6	0.3	104	0.75	0.4	1.6	3.0	17.3	36.3
2023243	Drill Core	1.98	410	0.921	2.44	15.68	42.15	0.34	5.98	16.96	26.2	710	2.7	0.9	84	0.56	1.4	1.9	3187.7	15.6	9.3
2023244	Drill Core	2.62	467	0.007	<0.01	<0.17	45.29	0.24	4.08	12.15	8.6	137	0.8	0.4	78	0.46	0.8	1.9	1.2	17.1	4.7
2023245	Drill Core	3.06	489	0.007	<0.01	<0.17	37.70	0.30	3.54	30.28	48.7	289	6.8	1.4	138	0.75	0.7	1.1	1.0	13.8	11.4
2023246	Drill Core	2.69	445	0.009	<0.01	<0.17	34.94	1.63	7.70	71.25	63.3	763	10.2	2.0	149	0.98	0.6	2.2	0.5	13.6	39.0
2023247	Drill Core	3.07	447	0.006	<0.01	<0.17	41.94	0.20	4.33	7.88	3.5	40	0.5	0.3	65	0.37	0.3	1.8	6.6	14.6	15.4
2023248	Drill Core	2.02	432	0.006	<0.01	<0.17	33.05	0.28	3.96	9.60	3.6	63	0.6	0.3	59	0.38	0.2	1.7	1.9	12.8	15.4
2023249	Drill Core	3.09	471	0.010	<0.01	<0.17	42.70	1.11	6.60	49.72	36.1	373	3.9	1.7	117	0.81	1.1	1.7	4.1	11.8	9.7
2023250	Drill Core	2.51	509	0.008	<0.01	<0.17	33.86	0.59	5.47	11.11	11.7	152	0.9	1.6	204	0.73	1.4	1.5	4.0	11.4	7.7
2023251	Drill Core	3.46	392	0.006	<0.01	<0.17	36.68	0.53	11.98	37.15	36.2	1041	1.6	1.5	162	0.78	0.6	1.0	2.4	11.9	9.3
2023252	Drill Core	2.71	519	0.008	<0.01	<0.17	38.95	0.49	7.02	41.20	27.9	291	1.5	1.9	176	0.77	0.7	0.9	1.4	11.0	16.4
2023253	Drill Core	1.35	429	0.183	0.57	4.53	38.39	0.28	8.28	9.40	40.3	266	2.0	1.9	174	0.90	1.7	1.1	431.3	12.6	37.0
2023254	Drill Core	2.88	476	0.005	<0.01	<0.17	32.82	0.27	5.83	6.19	50.4	80	3.1	2.8	275	1.20	1.0	2.5	2.8	13.4	101.8
2023255	Drill Core	3.66	476	0.007	<0.01	<0.17	41.97	0.30	5.51	10.41	28.8	90	2.5	2.6	233	0.92	2.2	3.0	1.0	12.1	88.0
2023256	Drill Core	3.12	422	0.005	<0.01	<0.17	39.58	0.37	5.12	18.41	39.7	113	3.9	3.2	181	1.05	1.0	2.8	<0.2	12.7	64.7
2023257	Drill Core	2.90	452	0.005	<0.01	<0.17	34.56	0.29	3.22	12.26	38.0	66	3.2	3.1	163	1.09	0.6	1.7	<0.2	12.9	47.1
2023258	Drill Core	3.24	400	0.026	0.02	<0.17	34.22	0.57	6.72	9.98	32.3	72	2.4	2.8	146	0.99	0.8	2.5	1.8	12.2	41.1
2023259	Drill Core	3.06	447	0.413	0.37	<0.17	40.82	0.51	6.41	14.31	41.6	107	2.3	2.6	139	1.11	0.7	2.3	0.9	12.0	32.6
2023260	Core DUP		549	0.076	0.07	<0.17	42.32	0.53	7.00	18.51	43.6	124	2.3	2.5	149	1.16	0.6	2.2	0.5	12.2	32.9
2023261	Drill Core	3.06	444	0.521	0.48	<0.17	37.19	0.66	6.72	19.48	37.9	146	2.3	2.6	181	1.06	0.3	2.4	4.0	11.7	64.0
2023262	Drill Core	1.66	533	0.102	0.63	7.67	37.41	0.42	10.74	1119.59	38.0	3835	2.7	2.4	212	0.99	<0.1	1.1	510.7	10.1	63.3
2023263	Drill Core	3.17	489	0.030	0.03	<0.17	43.19	0.20	9.93	24.51	52.3	163	3.1	2.8	183	1.07	0.3	0.7	<0.2	11.9	70.7
2023264	Drill Core	2.02	432	0.301	0.27	<0.17	38.55	0.34	4.64	32.99	28.8	150	1.6	1.8	171	0.79	0.3	1.0	<0.2	11.6	64.4
2023265	Drill Core	1.95	468	0.334	0.30	<0.17	41.43	0.30	4.80	21.68	53.5	113	2.2	2.0	137	0.84	0.7	0.8	1.1	12.5	21.6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000279.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023236	Drill Core	0.29	0.23	0.13	<1	0.07	0.009	24.5	1.9	0.72	278.5	0.001	2	0.83	0.015	0.20	<0.1	0.9	0.04	<0.02	<5			
2023237	Drill Core	0.34	0.13	0.15	<1	0.10	0.007	20.6	1.7	0.28	348.7	0.001	1	0.48	0.015	0.23	<0.1	1.0	0.05	0.14	9			
2023238	Drill Core	0.26	0.22	0.17	<1	0.06	0.011	17.7	2.2	0.99	258.7	0.001	<1	0.91	0.014	0.20	<0.1	0.9	0.05	0.19	<5			
2023239	Drill Core	0.16	0.11	0.23	<1	0.18	0.003	35.3	1.7	1.29	179.9	0.001	2	1.03	0.007	0.20	<0.1	0.8	0.04	<0.02	8			
2023240	Rock Pulp	0.07	0.12	0.05	93	0.91	0.071	7.2	11.0	0.74	137.1	0.104	2	1.61	0.174	0.21	3.1	2.5	0.04	<0.02	<5			
2023241	Drill Core	0.20	0.22	0.34	<1	0.24	0.002	37.3	1.7	1.03	199.6	0.001	2	0.83	0.010	0.18	0.1	0.9	0.04	<0.02	7			
2023242	Drill Core	0.25	0.14	0.40	<1	0.35	0.002	33.6	1.5	1.00	227.3	0.001	2	0.88	0.010	0.19	0.1	0.8	0.04	<0.02	10			
2023243	Drill Core	0.20	0.11	0.15	<1	0.07	0.005	28.7	1.7	0.33	274.5	0.001	1	0.48	0.015	0.20	<0.1	0.6	0.05	<0.02	<5			
2023244	Drill Core	0.12	0.08	0.06	<1	0.02	0.003	35.1	1.3	0.16	232.9	<0.001	<1	0.39	0.013	0.24	<0.1	0.6	0.05	<0.02	<5			
2023245	Drill Core	0.24	0.08	0.75	<1	0.09	0.011	26.5	2.3	0.78	174.9	0.001	<1	0.75	0.004	0.19	<0.1	0.7	0.08	<0.02	6			
2023246	Drill Core	0.39	0.11	1.32	<1	0.38	0.009	16.6	2.8	1.03	182.4	0.001	1	0.93	0.004	0.20	<0.1	0.7	0.06	0.06	5			
2023247	Drill Core	0.05	0.06	<0.02	<1	0.12	0.002	21.5	1.3	0.12	248.2	<0.001	<1	0.29	0.028	0.18	<0.1	0.6	0.04	0.10	<5			
2023248	Drill Core	0.15	0.05	0.03	<1	0.09	0.002	18.1	1.3	0.10	202.6	<0.001	1	0.28	0.027	0.19	<0.1	0.7	0.04	0.05	<5			
2023249	Drill Core	0.22	0.13	0.42	<1	0.05	0.007	16.8	1.7	0.55	257.6	<0.001	1	0.58	0.007	0.19	<0.1	0.7	0.04	0.04	<5			
2023250	Drill Core	0.32	0.11	0.11	<1	0.04	0.009	27.5	1.6	0.18	293.8	0.001	<1	0.39	0.019	0.22	<0.1	0.8	0.05	<0.02	<5			
2023251	Drill Core	0.19	0.09	0.43	<1	0.06	0.016	20.8	2.2	0.52	193.6	0.001	<1	0.58	0.008	0.19	4.9	0.6	0.04	<0.02	<5			
2023252	Drill Core	0.17	0.11	0.33	<1	0.11	0.017	19.2	2.1	0.42	274.5	0.001	<1	0.52	0.009	0.21	0.3	0.7	0.05	0.02	<5			
2023253	Drill Core	0.15	0.08	0.03	<1	0.39	0.020	18.9	2.4	0.69	158.0	0.001	<1	0.67	0.007	0.20	<0.1	0.8	0.04	0.06	<5			
2023254	Drill Core	0.28	0.06	0.02	2	0.95	0.034	19.3	4.3	1.19	146.3	0.002	<1	0.98	0.019	0.18	<0.1	1.6	0.04	0.04	<5			
2023255	Drill Core	0.32	0.07	0.05	2	0.75	0.032	17.5	2.8	0.75	184.2	0.001	<1	0.67	0.008	0.19	<0.1	0.8	0.04	0.07	<5			
2023256	Drill Core	0.18	0.06	0.10	2	0.59	0.037	16.8	3.4	0.85	177.7	0.002	<1	0.80	0.014	0.22	<0.1	1.0	0.04	0.08	<5			
2023257	Drill Core	0.09	0.06	0.04	2	0.47	0.035	18.3	3.4	0.90	143.5	0.001	<1	0.84	0.014	0.20	<0.1	1.0	0.04	0.05	<5			
2023258	Drill Core	0.10	0.09	0.02	2	0.39	0.029	17.7	2.7	0.72	292.5	0.001	<1	0.72	0.013	0.21	<0.1	0.7	0.05	0.08	<5			
2023259	Drill Core	0.06	0.06	0.09	1	0.30	0.024	16.9	2.7	0.93	146.0	0.001	<1	0.86	0.014	0.19	<0.1	0.9	0.04	0.06	<5			
2023260	Core DUP	0.05	0.07	0.13	2	0.30	0.025	17.6	2.9	0.95	158.3	0.001	<1	0.89	0.016	0.21	<0.1	0.9	0.04	0.05	<5			
2023261	Drill Core	0.21	0.06	0.16	1	0.63	0.026	18.0	2.9	0.84	296.8	0.002	<1	0.77	0.013	0.19	<0.1	1.0	0.04	0.04	<5			
2023262	Drill Core	0.84	0.49	1.64	2	0.50	0.028	17.0	2.9	0.54	819.1	0.002	<1	0.59	0.007	0.21	<0.1	1.0	0.05	0.07	<5			
2023263	Drill Core	0.34	0.08	0.21	2	0.64	0.039	20.6	2.9	0.88	281.9	0.002	<1	0.84	0.008	0.22	<0.1	1.0	0.05	<0.02	<5			
2023264	Drill Core	0.53	0.07	0.19	1	0.66	0.023	21.9	2.1	0.53	334.9	0.001	<1	0.58	0.008	0.22	<0.1	0.8	0.05	<0.02	<5			
2023265	Drill Core	0.16	0.12	0.08	1	0.14	0.029	21.4	2.5	0.63	269.6	0.001	<1	0.65	0.007	0.20	<0.1	0.8	0.05	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000279.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2023236	Drill Core	<0.1	<0.02	2.3	0.38	<0.1	0.47	<0.02	6.3	0.7	<0.05	14.5	4.99	46.3	<0.02	<1	0.1	15.9	<10
2023237	Drill Core	<0.1	<0.02	1.4	0.20	<0.1	0.31	0.03	6.8	0.4	<0.05	9.3	3.94	38.8	<0.02	<1	0.2	4.0	<10
2023238	Drill Core	<0.1	<0.02	2.5	0.30	<0.1	0.46	0.02	6.0	0.4	<0.05	15.2	4.45	33.4	<0.02	<1	0.2	9.5	<10
2023239	Drill Core	<0.1	<0.02	2.9	0.49	<0.1	0.36	0.10	6.3	0.4	<0.05	11.1	6.31	71.5	<0.02	<1	0.2	13.5	<10
2023240	Rock Pulp	<0.1	<0.02	4.6	0.32	<0.1	0.08	0.09	7.2	0.3	<0.05	1.6	4.75	15.2	<0.02	<1	<0.1	6.6	<10
2023241	Drill Core	<0.1	<0.02	2.5	0.48	0.1	0.17	0.10	6.0	0.4	<0.05	5.1	6.94	78.3	<0.02	<1	0.2	10.3	<10
2023242	Drill Core	<0.1	<0.02	2.6	0.38	<0.1	0.17	0.10	5.9	0.4	<0.05	4.6	6.59	63.4	<0.02	<1	0.2	10.5	<10
2023243	Drill Core	<0.1	0.05	1.7	0.20	<0.1	0.36	0.08	6.3	0.4	<0.05	10.5	6.07	58.2	<0.02	<1	0.2	5.5	<10
2023244	Drill Core	<0.1	<0.02	1.5	0.14	0.1	0.41	0.08	6.8	0.3	<0.05	11.4	5.52	68.3	<0.02	<1	0.2	2.6	<10
2023245	Drill Core	<0.1	<0.02	2.0	0.29	<0.1	0.91	<0.02	6.1	0.3	<0.05	27.0	6.23	50.4	<0.02	<1	0.2	14.7	<10
2023246	Drill Core	<0.1	0.02	2.5	0.40	<0.1	0.89	0.02	6.5	0.3	<0.05	25.3	5.85	29.7	<0.02	1	0.2	17.3	<10
2023247	Drill Core	<0.1	<0.02	1.1	0.13	<0.1	0.39	0.06	5.3	0.3	<0.05	11.8	4.82	43.0	<0.02	<1	0.2	1.7	<10
2023248	Drill Core	<0.1	<0.02	1.1	0.12	<0.1	0.39	0.05	5.4	0.4	<0.05	12.1	5.05	37.5	<0.02	<1	0.2	1.6	<10
2023249	Drill Core	<0.1	<0.02	1.5	0.30	<0.1	0.66	0.04	5.4	0.4	<0.05	19.9	4.27	30.6	<0.02	<1	0.2	6.6	<10
2023250	Drill Core	<0.1	<0.02	1.4	0.23	<0.1	0.28	<0.02	6.8	0.4	<0.05	9.2	4.70	50.8	<0.02	<1	0.2	3.8	<10
2023251	Drill Core	<0.1	<0.02	1.8	0.29	<0.1	0.58	<0.02	5.7	0.3	<0.05	16.9	4.21	38.8	<0.02	<1	0.2	8.6	<10
2023252	Drill Core	<0.1	<0.02	1.7	0.48	<0.1	0.46	<0.02	6.8	0.3	<0.05	13.5	3.88	37.0	<0.02	<1	0.2	6.2	<10
2023253	Drill Core	<0.1	<0.02	2.1	0.22	<0.1	0.39	<0.02	6.0	0.2	<0.05	11.8	4.31	34.9	<0.02	<1	0.3	8.7	<10
2023254	Drill Core	<0.1	<0.02	3.0	0.13	<0.1	0.29	<0.02	5.4	0.2	<0.05	9.2	5.11	35.7	<0.02	<1	0.1	10.2	<10
2023255	Drill Core	<0.1	<0.02	2.1	0.16	<0.1	0.21	<0.02	5.8	0.2	<0.05	6.3	4.47	32.1	<0.02	<1	0.2	8.0	<10
2023256	Drill Core	<0.1	<0.02	2.5	0.18	<0.1	0.26	<0.02	6.7	0.2	<0.05	8.6	4.17	30.5	<0.02	<1	0.2	8.3	<10
2023257	Drill Core	<0.1	<0.02	2.9	0.15	<0.1	0.27	<0.02	6.0	0.2	<0.05	9.0	4.32	33.6	<0.02	<1	0.2	8.9	<10
2023258	Drill Core	<0.1	<0.02	2.5	0.18	<0.1	0.28	<0.02	6.4	0.2	<0.05	8.2	3.94	34.4	<0.02	<1	0.2	7.7	<10
2023259	Drill Core	<0.1	<0.02	2.8	0.18	<0.1	0.29	<0.02	5.8	0.2	<0.05	9.0	3.45	30.8	<0.02	<1	0.2	8.8	<10
2023260	Core DUP	<0.1	<0.02	3.0	0.17	<0.1	0.31	<0.02	6.2	0.2	<0.05	9.2	3.71	32.6	<0.02	<1	0.2	9.7	<10
2023261	Drill Core	<0.1	<0.02	2.5	0.20	<0.1	0.35	<0.02	5.7	0.2	<0.05	11.4	4.21	32.1	<0.02	<1	0.2	9.6	<10
2023262	Drill Core	1.6	0.83	1.9	0.24	<0.1	0.32	<0.02	6.4	0.3	<0.05	9.5	3.79	30.5	<0.02	<1	0.3	10.4	<10
2023263	Drill Core	<0.1	<0.02	2.6	0.24	<0.1	0.30	<0.02	6.8	0.2	<0.05	8.8	4.26	39.0	<0.02	<1	0.2	10.5	<10
2023264	Drill Core	<0.1	<0.02	1.7	0.25	<0.1	0.39	<0.02	6.5	0.3	<0.05	11.8	4.94	39.1	<0.02	<1	0.2	6.6	<10
2023265	Drill Core	<0.1	<0.02	2.0	0.37	<0.1	0.41	<0.02	6.6	0.3	<0.05	12.6	4.30	40.3	<0.02	<1	0.3	9.6	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000279.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2023266	Drill Core	3.03	479	0.131	0.59	5.24	42.78	0.47	7.69	36.64	36.7	1043	1.3	1.6	142	0.72	0.5	1.0	984.3	11.0	24.2
2023267	Drill Core	1.97	477	0.081	1.91	16.80	52.25	0.71	6.11	95.95	30.5	2642	0.7	0.9	148	0.68	0.5	1.1	3675.5	9.4	96.1
2023268	Drill Core	2.63	444	0.006	0.10	1.16	36.91	0.48	7.74	32.59	46.3	321	1.6	2.1	179	0.93	2.0	1.1	13.5	10.9	22.3
2023269	Drill Core	1.80	480	0.005	0.51	7.74	31.26	0.52	15.66	27.39	58.1	785	2.2	3.1	193	1.16	1.7	1.7	2144.8	10.7	16.1
2023270	Drill Core	2.79	389	<0.005	<0.01	<0.17	38.94	0.69	7.23	16.95	42.3	119	2.0	1.9	173	0.78	0.5	2.1	4.0	12.3	67.9
2023271	Drill Core	2.75	376	<0.005	<0.01	<0.17	38.19	0.28	4.12	11.64	13.4	68	0.6	1.4	133	0.62	0.4	1.9	<0.2	11.5	71.4
2023272	Drill Core	3.68	367	0.007	<0.01	<0.17	36.13	0.62	5.92	14.84	29.0	113	1.0	1.7	122	0.70	0.8	2.5	1.3	12.0	68.5
2023273	Drill Core	3.43	395	0.012	0.01	<0.17	47.91	0.49	14.34	33.74	31.2	292	1.0	1.6	147	0.78	0.6	2.9	0.6	9.7	101.8
2023274	Drill Core	1.50	509	0.010	0.14	1.94	33.97	0.60	26.65	24.11	40.9	332	0.9	1.1	148	0.83	0.7	2.2	82.8	9.8	107.1
2023275	Drill Core	1.68	470	0.081	0.08	<0.17	31.46	0.76	4.35	12.41	56.8	73	0.8	1.1	124	0.86	0.7	2.1	<0.2	12.4	54.9
2023276	Drill Core	3.48	394	0.005	<0.01	<0.17	38.52	0.85	6.98	29.87	40.3	164	0.7	1.0	143	0.75	0.6	2.4	1.2	11.0	70.5
2023277	Drill Core	1.57	495	0.005	0.07	0.71	43.40	1.05	13.35	43.17	39.0	534	0.8	1.1	153	0.73	0.7	2.8	879.1	10.4	115.0
2023278	Drill Core	3.04	452	0.006	<0.01	<0.17	35.32	0.51	13.05	20.29	37.5	150	0.8	1.3	121	0.78	0.9	3.7	0.4	11.9	53.2
2023279	Drill Core	3.14	499	0.015	0.01	<0.17	38.40	0.43	8.57	17.94	25.8	131	0.7	1.2	102	0.69	1.1	2.6	0.5	11.5	29.4
2023280	Rock	0.23	168	0.006	<0.01	<0.17	25.97	0.40	1.03	1.33	1.6	8	1.2	0.4	68	0.61	0.4	0.2	<0.2	1.3	1.3
2023281	Drill Core	3.08	373	0.199	0.18	<0.17	43.26	0.32	12.29	17.29	53.0	176	1.3	1.9	172	0.84	1.2	1.6	59.4	11.6	56.7
2023282	Drill Core	2.51	510	0.047	0.04	<0.17	30.40	0.44	4.08	20.23	21.9	136	0.3	0.2	73	0.36	1.1	1.9	2.1	14.7	22.4
2023283	Drill Core	3.26	449	0.008	<0.01	<0.17	29.29	2.36	3.20	24.11	15.2	116	0.3	0.2	74	0.35	1.0	3.1	0.2	16.5	35.2
2023284	Drill Core	2.11	432	0.006	<0.01	<0.17	35.94	0.36	3.75	33.67	19.4	156	0.3	0.1	74	0.32	1.0	2.7	0.7	16.9	25.7
2023285	Drill Core	1.72	487	<0.005	<0.01	<0.17	31.86	0.62	3.04	19.08	35.7	113	0.4	0.2	113	0.63	0.3	3.9	<0.2	19.6	64.0
2023286	Drill Core	2.19	494	0.026	0.02	<0.17	33.57	0.88	2.87	11.27	41.8	84	0.5	0.3	94	0.61	0.5	1.9	<0.2	18.6	39.6
1829149	Drill Core	1.62	440	0.922	0.84	<0.17	41.30	0.31	4.49	40.02	14.6	142	1.2	0.9	97	0.52	3.2	1.3	61.3	15.5	5.6
1829150	Drill Core	2.81	398	0.889	0.86	0.59	33.80	0.28	4.18	51.76	21.1	280	0.4	0.2	67	0.35	4.3	1.9	133.1	14.6	4.0
1829151	Drill Core	1.76	554	0.006	0.09	1.09	43.05	0.29	2.23	80.43	20.9	1833	0.4	0.2	70	0.36	3.0	1.2	814.9	10.9	8.5
1829152	Drill Core	1.31	509	0.007	0.08	0.98	39.69	0.37	3.90	96.04	22.0	980	0.6	0.2	137	0.39	3.3	1.1	2183.2	7.6	6.2
1829153	Drill Core	2.86	417	0.006	<0.01	<0.17	31.78	0.43	5.34	33.72	44.1	266	1.0	0.3	108	0.61	5.5	1.8	22.3	15.9	5.2
1829154	Drill Core	3.11	470	0.718	0.66	<0.17	37.21	0.30	2.96	23.17	67.7	159	0.9	0.3	84	0.69	2.7	1.8	27.3	19.6	27.2
1829155	Drill Core	3.01	427	0.011	0.10	1.20	33.23	0.71	4.67	15.10	13.8	251	0.9	1.1	59	0.56	1.2	1.7	139.0	12.2	9.0
1829156	Drill Core	2.82	394	0.006	0.02	<0.17	50.69	0.43	5.70	21.00	22.4	186	1.2	1.1	66	0.55	3.3	1.4	76.9	12.4	11.3
1829157	Drill Core	1.44	439	0.006	0.06	0.62	40.43	0.55	13.52	55.24	35.1	369	4.7	2.9	270	0.79	7.2	2.9	290.9	11.9	12.9



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000279.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023266	Drill Core	0.39	0.10	0.19	<1	0.15	0.013	20.6	2.1	0.38	393.0	0.001	<1	0.46	0.010	0.22	<0.1	0.9	0.05	0.02	7			
2023267	Drill Core	0.56	0.11	1.02	<1	0.33	0.005	14.5	1.7	0.31	1882.1	0.001	<1	0.40	0.007	0.20	<0.1	0.7	0.05	0.07	<5			
2023268	Drill Core	0.32	0.11	0.52	<1	0.14	0.020	21.2	2.6	0.69	234.1	0.001	<1	0.69	0.015	0.21	<0.1	1.1	0.04	0.04	<5			
2023269	Drill Core	0.40	0.14	0.09	1	0.09	0.021	18.4	3.1	0.78	246.2	0.002	2	0.76	0.017	0.19	<0.1	1.5	0.05	0.06	<5			
2023270	Drill Core	0.26	0.10	0.15	<1	0.46	0.023	19.0	2.7	0.63	197.1	0.001	<1	0.65	0.010	0.22	<0.1	0.8	0.05	0.03	<5			
2023271	Drill Core	0.30	0.07	0.03	<1	0.46	0.013	20.8	2.2	0.27	350.7	0.001	<1	0.41	0.024	0.21	<0.1	0.9	0.04	0.16	<5			
2023272	Drill Core	0.26	0.11	0.11	<1	0.40	0.013	20.5	2.4	0.35	281.5	0.001	<1	0.53	0.014	0.25	<0.1	0.8	0.06	0.11	<5			
2023273	Drill Core	0.25	0.14	0.40	<1	0.54	0.012	15.8	2.1	0.47	296.5	0.001	<1	0.54	0.009	0.21	<0.1	0.8	0.04	0.15	<5			
2023274	Drill Core	0.32	0.24	0.11	<1	0.52	0.005	15.1	2.2	0.53	836.2	0.001	<1	0.52	0.005	0.21	<0.1	0.8	0.04	0.15	<5			
2023275	Drill Core	0.16	0.10	0.10	<1	0.29	0.010	24.3	2.2	0.76	242.7	0.001	1	0.72	0.005	0.20	<0.1	0.8	0.05	<0.02	<5			
2023276	Drill Core	0.23	0.09	0.20	<1	0.39	0.007	16.7	2.2	0.57	475.0	0.001	1	0.57	0.011	0.21	<0.1	0.9	0.05	0.09	<5			
2023277	Drill Core	0.29	0.10	0.29	<1	0.49	0.010	17.6	2.1	0.60	1148.1	0.001	<1	0.52	0.008	0.20	<0.1	0.8	0.04	0.13	<5			
2023278	Drill Core	0.14	0.09	0.14	<1	0.36	0.011	18.1	2.2	0.59	409.1	0.001	1	0.55	0.007	0.22	<0.1	0.7	0.05	0.10	<5			
2023279	Drill Core	0.13	0.10	0.12	<1	0.22	0.007	17.2	2.0	0.38	192.4	<0.001	<1	0.45	0.006	0.20	<0.1	0.7	0.05	0.13	<5			
2023280	Rock	<0.01	0.04	<0.02	2	0.01	0.002	2.3	3.6	0.01	11.7	0.002	2	0.07	0.003	0.02	<0.1	0.3	<0.02	<0.02	<5			
2023281	Drill Core	0.53	0.12	0.08	<1	0.45	0.020	19.2	2.3	0.55	202.9	<0.001	<1	0.51	0.008	0.21	<0.1	0.9	0.05	0.15	<5			
2023282	Drill Core	0.17	0.10	0.14	<1	0.14	0.002	31.5	1.8	0.22	630.6	<0.001	<1	0.38	0.013	0.23	0.1	0.6	0.06	0.03	<5			
2023283	Drill Core	0.17	0.09	0.12	<1	0.28	0.002	35.0	1.6	0.27	222.1	0.001	<1	0.40	0.011	0.27	<0.1	0.8	0.07	0.04	7			
2023284	Drill Core	0.37	0.09	0.19	<1	0.23	0.002	35.7	1.7	0.15	247.3	<0.001	<1	0.37	0.028	0.25	<0.1	0.7	0.05	0.03	<5			
2023285	Drill Core	0.35	0.12	0.12	<1	0.50	0.002	42.7	2.1	0.61	243.0	0.001	1	0.66	0.007	0.28	<0.1	0.9	0.06	<0.02	<5			
2023286	Drill Core	0.11	0.06	0.08	<1	0.33	0.002	42.3	1.7	0.75	210.6	0.001	<1	0.69	0.014	0.21	0.1	0.9	0.05	<0.02	<5			
1829149	Drill Core	0.06	0.26	0.12	<1	0.03	0.015	25.9	2.6	0.10	462.6	0.001	<1	0.39	0.015	0.28	0.1	0.6	0.06	<0.02	<5			
1829150	Drill Core	0.10	0.34	0.13	<1	0.01	0.006	30.2	1.8	0.04	362.8	<0.001	<1	0.29	0.016	0.23	0.3	0.5	0.05	<0.02	<5			
1829151	Drill Core	0.10	0.30	0.47	<1	0.01	0.006	26.4	2.4	0.06	443.4	<0.001	<1	0.27	0.016	0.18	<0.1	0.5	0.04	<0.02	15			
1829152	Drill Core	0.19	0.35	0.19	<1	<0.01	0.003	17.5	2.6	0.07	460.8	<0.001	<1	0.23	0.005	0.15	0.1	0.5	0.04	<0.02	39			
1829153	Drill Core	0.26	0.25	0.09	<1	0.03	0.005	31.4	2.3	0.29	428.0	<0.001	<1	0.51	0.009	0.24	0.3	0.7	0.05	<0.02	7			
1829154	Drill Core	0.31	0.16	0.10	<1	0.24	0.004	38.2	1.7	0.60	514.7	<0.001	1	0.61	0.007	0.21	0.2	0.8	0.05	<0.02	12			
1829155	Drill Core	0.27	0.21	0.05	<1	0.04	0.018	30.9	2.1	0.17	402.6	<0.001	<1	0.41	0.022	0.22	<0.1	0.8	0.04	<0.02	<5			
1829156	Drill Core	0.20	0.17	0.05	<1	0.04	0.014	29.8	2.4	0.21	757.7	0.001	<1	0.41	0.020	0.20	<0.1	0.7	0.04	<0.02	<5			
1829157	Drill Core	0.39	0.28	0.06	2	0.09	0.044	28.5	5.2	0.15	453.2	0.001	<1	0.42	0.018	0.27	0.1	1.1	0.07	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000279.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2023266	Drill Core	<0.1	0.25	1.5	0.24	<0.1	0.44	<0.02	6.6	0.4	<0.05	12.3	4.08	39.9	<0.02	<1	0.2	7.7	<10
2023267	Drill Core	<0.1	0.51	1.1	0.16	<0.1	0.56	<0.02	5.7	0.4	<0.05	17.2	3.83	25.9	<0.02	<1	0.2	5.5	<10
2023268	Drill Core	<0.1	<0.02	2.3	0.17	<0.1	0.46	<0.02	6.1	0.5	<0.05	13.9	5.47	40.1	<0.02	1	0.2	13.5	<10
2023269	Drill Core	<0.1	0.07	2.6	0.20	<0.1	0.42	<0.02	5.6	0.8	<0.05	11.3	5.14	34.7	<0.02	<1	0.3	16.9	<10
2023270	Drill Core	<0.1	<0.02	2.0	0.26	<0.1	0.36	0.02	6.7	0.4	<0.05	10.2	3.94	33.0	<0.02	<1	0.2	11.8	<10
2023271	Drill Core	0.3	<0.02	1.4	0.14	<0.1	0.11	0.02	6.1	0.3	<0.05	3.8	3.93	38.6	<0.02	<1	0.2	3.0	<10
2023272	Drill Core	<0.1	<0.02	1.6	0.31	<0.1	0.14	<0.02	7.7	0.4	<0.05	4.7	3.65	37.3	<0.02	<1	0.2	7.5	<10
2023273	Drill Core	<0.1	<0.02	1.4	0.27	<0.1	0.15	<0.02	6.3	0.3	<0.05	5.2	3.31	29.2	<0.02	<1	0.1	7.4	<10
2023274	Drill Core	<0.1	0.05	1.5	0.29	<0.1	0.43	<0.02	6.2	0.4	<0.05	13.6	3.76	27.3	<0.02	<1	0.2	8.8	<10
2023275	Drill Core	<0.1	<0.02	2.1	0.42	<0.1	0.49	<0.02	6.4	0.4	<0.05	14.2	4.03	47.4	<0.02	<1	0.2	13.7	<10
2023276	Drill Core	<0.1	<0.02	1.6	0.31	<0.1	0.42	<0.02	6.5	0.4	<0.05	13.0	3.67	32.2	<0.02	<1	0.2	10.1	<10
2023277	Drill Core	<0.1	0.04	1.6	0.36	<0.1	0.34	<0.02	6.2	0.4	<0.05	9.1	4.14	33.0	<0.02	1	0.2	8.8	<10
2023278	Drill Core	<0.1	<0.02	1.6	0.31	<0.1	0.28	<0.02	6.6	0.4	<0.05	8.2	4.04	34.2	<0.02	1	0.1	9.2	<10
2023279	Drill Core	<0.1	<0.02	1.3	0.21	<0.1	0.36	<0.02	5.8	0.4	<0.05	9.8	3.70	33.0	<0.02	<1	0.2	6.2	<10
2023280	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.13	0.04	0.9	<0.1	<0.05	3.1	1.01	4.7	<0.02	<1	<0.1	1.0	<10
2023281	Drill Core	<0.1	0.03	1.5	0.28	<0.1	0.30	<0.02	6.6	0.4	<0.05	9.0	4.33	36.5	<0.02	<1	0.2	8.6	<10
2023282	Drill Core	<0.1	<0.02	1.3	0.26	<0.1	0.52	0.11	7.3	0.3	<0.05	15.2	6.53	63.8	<0.02	<1	0.2	3.6	<10
2023283	Drill Core	<0.1	<0.02	1.4	0.22	<0.1	0.47	0.13	8.2	0.3	<0.05	13.9	7.49	70.7	<0.02	<1	0.1	3.4	<10
2023284	Drill Core	<0.1	<0.02	1.4	0.17	<0.1	0.47	0.09	7.6	0.3	<0.05	13.9	7.24	69.1	<0.02	<1	0.2	2.1	<10
2023285	Drill Core	<0.1	<0.02	2.0	0.61	0.1	0.24	0.11	8.5	0.4	<0.05	7.3	7.25	87.4	<0.02	<1	0.2	8.4	<10
2023286	Drill Core	<0.1	<0.02	2.2	0.58	0.1	0.07	0.09	6.5	0.4	<0.05	2.5	6.73	78.4	<0.02	<1	0.2	9.5	<10
1829149	Drill Core	<0.1	<0.02	1.6	0.18	<0.1	0.39	0.05	11.3	0.2	<0.05	12.2	4.23	61.9	<0.02	<1	0.2	2.6	<10
1829150	Drill Core	<0.1	0.04	1.1	0.22	<0.1	0.39	0.04	7.9	0.2	<0.05	11.2	6.24	54.9	<0.02	<1	0.2	1.5	<10
1829151	Drill Core	<0.1	0.96	1.0	0.12	<0.1	0.11	0.03	5.9	0.2	<0.05	3.0	4.01	47.9	<0.02	<1	0.2	2.3	<10
1829152	Drill Core	<0.1	0.57	0.8	0.11	<0.1	0.05	0.03	4.4	0.2	<0.05	1.5	3.63	30.6	<0.02	<1	0.1	2.1	<10
1829153	Drill Core	<0.1	0.03	1.6	0.20	<0.1	0.07	0.10	8.0	0.2	<0.05	2.7	7.22	63.5	<0.02	<1	0.2	5.3	<10
1829154	Drill Core	<0.1	<0.02	1.9	0.19	<0.1	0.08	0.13	6.9	0.2	<0.05	2.5	9.34	70.7	<0.02	<1	0.2	7.4	<10
1829155	Drill Core	<0.1	0.05	1.5	0.15	<0.1	0.04	0.03	6.1	0.2	<0.05	2.7	5.58	60.1	<0.02	<1	0.1	2.4	<10
1829156	Drill Core	<0.1	0.04	1.6	0.16	<0.1	0.07	0.03	5.9	0.2	<0.05	2.4	5.90	52.3	<0.02	<1	0.2	2.9	<10
1829157	Drill Core	<0.1	0.22	1.6	0.32	<0.1	0.18	<0.02	9.4	0.2	<0.05	5.8	7.06	52.2	<0.02	<1	0.2	4.0	<10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000279.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1829158	Drill Core	3.20	406	<0.005	<0.01	<0.17	36.35	0.59	10.12	20.56	102.7	272	10.8	5.8	347	2.04	9.3	3.6	30.0	14.1	23.3
1829159	Drill Core	2.23	436	0.009	<0.01	<0.17	32.78	0.79	7.09	19.49	95.2	256	6.2	4.0	309	1.56	7.5	4.4	3.1	11.6	16.9
1829160	Core DUP		440	0.010	<0.01	<0.17	32.83	0.72	7.13	19.54	100.3	235	6.5	4.1	328	1.49	7.8	4.6	3.4	12.1	17.4
1829161	Drill Core	1.78	467	0.968	0.95	0.72	38.96	1.22	28.94	134.43	158.4	1000	5.6	4.4	227	2.10	33.6	9.3	1167.6	12.5	20.1
1829162	Drill Core	2.95	468	0.116	0.11	<0.17	40.02	1.05	12.88	54.53	133.3	399	6.8	5.5	245	1.89	15.9	6.7	115.6	12.6	29.5
1829163	Drill Core	2.88	375	0.010	<0.01	<0.17	33.21	0.43	8.26	17.03	72.2	241	3.5	3.0	130	1.25	7.1	2.1	4.4	12.4	23.3
1829164	Drill Core	3.49	453	0.070	0.07	<0.17	32.22	0.84	16.13	45.73	106.9	275	5.2	4.2	221	1.65	23.9	6.1	48.4	12.8	21.7
1829166	Drill Core	2.95	353	0.444	0.45	0.46	43.22	0.54	21.09	47.13	61.5	717	5.3	5.2	253	1.84	11.9	2.1	415.9	10.9	25.7
1829167	Drill Core	1.31	530	0.450	0.44	0.34	53.54	0.82	12.88	31.89	77.2	663	7.2	8.3	401	2.13	24.2	3.8	376.8	10.7	34.7
1829168	Drill Core	2.30	409	0.877	0.87	0.85	35.19	0.67	19.18	7.75	31.5	850	2.6	3.5	183	1.39	18.8	1.9	1026.9	9.2	15.8
1829169	Drill Core	2.36	393	0.141	0.14	0.18	37.89	0.59	15.15	11.89	51.4	466	3.7	3.9	287	1.54	7.4	2.0	156.2	11.4	21.9
1829170	Drill Core	1.79	495	0.588	0.70	2.16	36.10	0.78	15.93	82.41	61.5	1589	4.0	3.4	293	1.44	17.3	2.6	764.4	9.1	76.5
1829171	Drill Core	3.13	433	0.017	0.01	<0.17	43.65	0.41	9.60	18.29	57.8	257	8.2	6.3	347	2.20	7.1	1.6	10.8	10.3	42.7
1829172	Drill Core	3.64	529	0.397	0.55	2.85	33.74	0.68	12.58	20.46	46.1	522	3.4	4.5	346	1.69	28.7	2.0	363.3	12.5	32.5
1829173	Drill Core	2.11	461	1.698	1.79	2.40	59.60	1.06	18.13	36.58	97.6	2237	10.6	12.3	743	2.89	28.6	3.1	1758.0	10.2	28.5
1829174	Drill Core	3.23	479	0.654	0.68	1.03	34.96	1.03	40.63	10.63	52.6	674	16.9	10.1	424	2.20	8.9	1.7	570.2	7.8	96.6
1829175	Drill Core	3.89	485	0.209	0.22	0.29	47.95	0.80	15.32	22.76	49.1	394	3.6	4.3	296	1.54	12.9	1.3	300.7	13.4	21.8
1829176	Drill Core	3.51	430	0.072	0.07	<0.17	43.60	0.46	12.47	17.97	47.7	174	5.5	4.7	195	1.57	8.5	1.4	66.6	13.5	62.2
1829177	Drill Core	2.01	516	0.185	0.18	<0.17	49.93	0.43	6.29	11.65	72.7	244	4.7	3.9	292	1.53	8.0	1.6	160.3	13.3	42.5
1829178	Drill Core	1.83	525	1.698	1.84	3.74	35.80	0.62	19.52	202.55	59.2	3378	2.8	3.4	265	1.55	6.7	1.6	1921.8	11.2	42.1
1829179	Drill Core	1.76	441	0.041	0.04	<0.17	48.49	0.64	9.25	11.62	35.4	291	3.6	4.2	324	1.41	10.2	1.1	158.2	11.8	34.4
1829180	Rock	0.23	170	0.005	<0.01	<0.17	34.08	0.48	1.57	2.32	3.4	19	1.5	1.2	108	0.76	0.9	0.2	1.4	1.7	1.7
1829182	Drill Core	3.76	417	0.009	<0.01	<0.17	38.90	0.36	8.69	9.67	61.8	444	37.1	12.2	542	2.52	5.7	0.9	23.8	9.6	74.7
1829183	Drill Core	3.85	436	0.012	0.01	<0.17	36.27	0.40	10.26	17.76	81.7	324	17.8	16.5	718	3.77	9.8	2.3	1.9	15.1	36.2
1829185	Drill Core	1.59	438	0.011	<0.01	<0.17	35.81	0.63	3.18	26.56	43.6	528	4.2	4.9	365	1.68	8.8	3.8	4.8	23.8	20.1
1829186	Drill Core	2.94	533	0.009	<0.01	<0.17	33.06	0.43	2.72	22.85	39.1	78	3.1	3.9	421	1.54	7.9	4.1	4.4	26.1	59.4
1829187	Drill Core	3.21	472	0.008	<0.01	<0.17	35.52	0.31	2.12	25.12	39.9	140	2.5	3.2	368	1.43	5.6	4.6	3.0	27.3	43.8
1829188	Drill Core	2.82	543	0.009	<0.01	<0.17	38.43	0.36	1.96	23.59	35.9	99	2.0	2.7	360	1.32	8.1	4.8	4.5	26.4	44.7
1829189	Drill Core	2.48	423	0.008	<0.01	<0.17	48.66	3.07	2.18	22.34	32.9	141	1.9	2.6	364	1.30	13.8	8.5	3.1	27.8	58.3
1829190	Drill Core	2.32	412	0.008	<0.01	<0.17	41.35	0.45	2.18	22.64	38.2	126	1.7	2.4	323	1.27	5.0	4.4	3.8	29.9	32.8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000279.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829158	Drill Core	0.80	0.26	0.07	6	0.15	0.043	31.8	15.6	0.88	1176.6	0.002	<1	1.31	0.020	0.28	<0.1	2.6	0.11	<0.02	<5			
1829159	Drill Core	0.77	0.29	0.21	4	0.15	0.039	29.4	6.5	0.52	343.7	0.002	<1	0.99	0.014	0.33	0.1	1.8	0.12	<0.02	<5			
1829160	Core DUP	0.75	0.26	0.22	4	0.14	0.041	29.6	5.8	0.51	321.8	0.002	<1	0.93	0.012	0.29	<0.1	1.8	0.12	<0.02	<5			
1829161	Drill Core	0.98	0.79	0.10	4	0.11	0.038	27.7	4.3	0.37	693.7	0.002	<1	0.80	0.011	0.30	0.1	1.8	0.10	<0.02	7			
1829162	Drill Core	0.97	0.43	0.17	3	0.24	0.046	26.6	4.4	0.57	755.6	0.002	<1	0.96	0.010	0.28	0.1	1.9	0.09	<0.02	6			
1829163	Drill Core	0.44	0.17	0.09	3	0.19	0.043	30.1	3.8	0.39	867.6	0.002	<1	0.71	0.017	0.29	<0.1	1.5	0.07	<0.02	<5			
1829164	Drill Core	0.69	0.52	0.11	6	0.18	0.048	32.6	4.8	0.50	491.2	0.003	<1	0.93	0.013	0.29	0.1	1.9	0.08	<0.02	7			
1829166	Drill Core	0.50	0.54	<0.02	11	0.16	0.051	28.5	6.9	0.57	269.9	0.008	<1	0.97	0.032	0.27	0.3	3.0	0.08	<0.02	<5			
1829167	Drill Core	0.89	0.77	0.05	15	0.20	0.045	29.3	19.8	0.70	386.3	0.008	3	1.25	0.015	0.36	0.3	4.7	0.14	<0.02	9			
1829168	Drill Core	0.38	0.68	0.02	3	0.09	0.035	20.2	3.4	0.29	410.6	0.001	1	0.57	0.021	0.25	0.6	1.4	0.06	0.04	6			
1829169	Drill Core	0.48	0.59	<0.02	5	0.14	0.047	29.9	5.3	0.46	278.1	0.002	1	0.85	0.022	0.29	0.2	2.3	0.08	<0.02	12			
1829170	Drill Core	0.51	0.53	<0.02	3	0.10	0.031	21.6	4.9	0.31	2240.3	0.002	<1	0.61	0.018	0.25	0.2	1.6	0.08	0.05	12			
1829171	Drill Core	0.39	0.39	0.02	9	0.50	0.047	24.9	13.9	0.91	217.5	0.004	<1	1.09	0.022	0.28	0.1	3.3	0.09	0.04	9			
1829172	Drill Core	0.50	0.43	0.22	5	0.39	0.040	32.0	8.8	0.43	448.7	0.002	1	0.77	0.030	0.28	<0.1	2.4	0.08	0.04	9			
1829173	Drill Core	0.81	0.56	1.24	17	0.19	0.042	27.1	32.7	1.13	393.8	0.002	2	1.44	0.015	0.33	0.3	4.0	0.11	<0.02	12			
1829174	Drill Core	0.33	0.22	0.07	9	1.49	0.048	13.7	15.7	1.07	229.0	0.004	1	0.94	0.014	0.30	<0.1	3.5	0.08	0.19	6			
1829175	Drill Core	0.30	0.40	0.18	4	0.25	0.040	32.6	3.9	0.59	258.7	0.002	<1	0.89	0.027	0.26	0.2	2.0	0.08	0.06	11			
1829176	Drill Core	0.35	0.24	0.14	3	0.74	0.034	30.0	5.8	0.63	236.0	0.002	<1	0.85	0.022	0.25	<0.1	2.0	0.07	0.12	6			
1829177	Drill Core	0.52	0.21	0.09	3	0.45	0.036	28.2	3.0	0.67	297.6	0.002	<1	0.94	0.017	0.28	0.1	1.7	0.08	0.06	12			
1829178	Drill Core	0.66	0.29	0.14	3	0.45	0.035	21.3	3.6	0.45	510.6	0.002	1	0.70	0.024	0.26	0.2	1.8	0.06	0.17	17			
1829179	Drill Core	0.29	0.32	0.31	7	0.61	0.040	25.6	4.4	0.52	224.9	0.001	<1	0.84	0.017	0.28	0.2	2.0	0.08	0.02	10			
1829180	Rock	0.01	0.05	<0.02	2	0.01	0.003	2.6	4.3	0.02	16.4	0.002	2	0.10	0.006	0.02	<0.1	0.4	<0.02	<0.02	<5			
1829182	Drill Core	0.20	0.20	0.18	28	1.58	0.069	23.5	84.7	1.68	236.7	0.004	1	1.71	0.023	0.30	1.4	5.6	0.09	0.04	21			
1829183	Drill Core	0.54	0.59	0.17	48	0.67	0.075	34.2	16.2	1.48	159.8	0.004	3	2.25	0.044	0.24	0.2	6.4	0.12	<0.02	35			
1829185	Drill Core	0.32	0.40	0.26	7	0.22	0.029	39.5	2.4	0.31	140.0	0.001	3	1.05	0.015	0.27	0.7	2.2	0.11	<0.02	19			
1829186	Drill Core	0.34	0.41	0.08	5	0.87	0.028	45.8	2.2	0.25	154.5	0.001	3	0.91	0.012	0.26	<0.1	1.9	0.11	<0.02	37			
1829187	Drill Core	0.35	0.28	0.08	3	0.61	0.027	49.2	2.1	0.21	157.7	<0.001	3	0.84	0.013	0.25	0.2	1.8	0.10	<0.02	23			
1829188	Drill Core	0.44	0.31	0.07	2	0.72	0.022	48.5	1.7	0.15	159.2	<0.001	3	0.77	0.010	0.25	0.1	1.3	0.09	<0.02	33			
1829189	Drill Core	0.51	0.48	0.08	2	1.00	0.023	47.1	1.6	0.16	115.4	<0.001	3	0.78	0.012	0.26	0.2	1.3	0.10	0.03	20			
1829190	Drill Core	0.26	0.27	0.06	2	0.49	0.026	53.7	1.7	0.15	272.8	<0.001	3	0.79	0.013	0.27	0.2	1.5	0.11	<0.02	33			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000279.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829158	Drill Core	<0.1	<0.02	4.5	0.53	<0.1	0.02	0.02	10.2	0.2	<0.05	1.1	11.69	59.3	0.02	<1	0.4	22.6	<10	<2			
1829159	Drill Core	<0.1	<0.02	2.9	0.69	<0.1	<0.02	<0.02	10.6	0.2	<0.05	0.7	7.98	56.9	<0.02	<1	0.3	14.8	<10	<2			
1829160	Core DUP	<0.1	<0.02	2.9	0.66	<0.1	<0.02	<0.02	10.3	0.2	<0.05	0.7	8.44	56.3	<0.02	<1	0.3	14.8	<10	<2			
1829161	Drill Core	<0.1	1.26	2.4	0.84	<0.1	0.03	<0.02	10.0	0.2	<0.05	1.6	10.62	52.7	<0.02	<1	0.4	10.2	<10	<2			
1829162	Drill Core	<0.1	0.05	2.6	0.94	<0.1	0.02	<0.02	9.8	0.2	<0.05	1.1	10.53	51.7	<0.02	<1	0.3	14.9	<10	<2			
1829163	Drill Core	<0.1	<0.02	2.3	0.44	<0.1	0.03	<0.02	9.7	0.2	<0.05	1.2	8.66	55.8	<0.02	<1	0.2	9.2	<10	<2			
1829164	Drill Core	<0.1	0.14	3.2	0.99	0.1	0.06	<0.02	10.7	0.2	<0.05	2.7	11.77	59.3	<0.02	<1	0.3	12.5	<10	<2			
1829166	Drill Core	<0.1	0.17	4.2	1.42	<0.1	0.22	<0.02	10.8	0.2	<0.05	8.5	6.68	55.9	<0.02	<1	0.4	14.5	<10	<2			
1829167	Drill Core	<0.1	0.09	3.6	4.60	<0.1	0.11	<0.02	16.7	0.3	<0.05	3.3	8.44	55.6	<0.02	<1	0.6	19.8	<10	<2			
1829168	Drill Core	<0.1	0.17	1.6	0.91	<0.1	0.24	<0.02	8.6	0.1	<0.05	8.0	4.10	38.7	<0.02	<1	0.2	8.7	<10	<2			
1829169	Drill Core	<0.1	0.14	2.3	0.79	<0.1	0.25	<0.02	10.4	0.2	<0.05	8.7	6.44	56.9	<0.02	<1	0.4	14.7	<10	<2			
1829170	Drill Core	<0.1	1.11	1.8	0.46	<0.1	0.21	<0.02	8.8	0.2	<0.05	6.5	5.90	40.6	<0.02	<1	0.4	8.4	<10	<2			
1829171	Drill Core	<0.1	0.04	3.7	0.34	<0.1	0.22	<0.02	10.4	0.2	<0.05	7.5	7.49	47.1	<0.02	<1	0.4	17.0	<10	<2			
1829172	Drill Core	<0.1	0.08	2.4	0.62	<0.1	0.05	<0.02	10.2	0.2	<0.05	1.3	7.74	58.1	<0.02	<1	0.3	9.8	<10	<2			
1829173	Drill Core	<0.1	0.64	4.9	0.76	<0.1	0.02	<0.02	12.1	0.8	<0.05	0.9	12.97	52.0	<0.02	<1	0.4	23.7	<10	<2			
1829174	Drill Core	<0.1	0.16	2.5	0.32	<0.1	0.10	<0.02	9.9	0.2	<0.05	2.6	7.83	26.8	<0.02	<1	0.5	13.1	<10	<2			
1829175	Drill Core	<0.1	0.09	2.9	0.36	<0.1	0.02	<0.02	9.0	0.2	<0.05	1.0	8.14	58.7	<0.02	<1	0.2	14.5	<10	<2			
1829176	Drill Core	<0.1	0.04	2.5	0.23	<0.1	<0.02	<0.02	8.4	0.2	<0.05	0.9	7.15	55.5	<0.02	<1	0.3	12.9	13	<2			
1829177	Drill Core	<0.1	0.03	2.5	0.42	<0.1	<0.02	<0.02	9.8	0.2	<0.05	0.6	6.99	53.1	<0.02	<1	0.3	10.8	<10	<2			
1829178	Drill Core	<0.1	1.39	1.9	0.25	<0.1	<0.02	<0.02	8.7	0.2	<0.05	0.7	6.10	39.3	<0.02	<1	0.3	8.5	<10	<2			
1829179	Drill Core	<0.1	<0.02	2.4	0.52	<0.1	<0.02	<0.02	9.4	0.4	<0.05	0.5	6.83	48.2	<0.02	<1	0.3	10.9	<10	<2			
1829180	Rock	<0.1	<0.02	0.4	0.11	<0.1	0.11	0.04	1.4	<0.1	<0.05	2.5	1.38	5.3	<0.02	<1	<0.1	1.9	<10	<2			
1829182	Drill Core	<0.1	<0.02	4.9	0.74	<0.1	0.07	<0.02	12.1	2.1	<0.05	2.5	8.99	43.9	0.04	<1	0.8	36.9	<10	<2			
1829183	Drill Core	<0.1	<0.02	9.5	3.18	<0.1	0.26	<0.02	16.5	2.1	<0.05	12.4	26.95	67.3	0.04	<1	1.8	57.8	<10	<2			
1829185	Drill Core	<0.1	<0.02	4.3	4.84	<0.1	0.63	<0.02	19.7	1.7	<0.05	19.7	22.69	79.1	0.02	<1	1.8	20.8	<10	<2			
1829186	Drill Core	<0.1	<0.02	3.5	4.59	<0.1	0.70	<0.02	19.1	1.2	<0.05	22.5	24.70	87.1	0.02	<1	1.7	19.2	<10	<2			
1829187	Drill Core	<0.1	<0.02	3.5	3.56	<0.1	0.68	<0.02	17.3	0.9	<0.05	20.3	24.28	89.9	0.03	<1	1.3	18.4	<10	<2			
1829188	Drill Core	<0.1	<0.02	3.1	3.44	<0.1	0.76	<0.02	16.3	0.6	<0.05	21.1	24.78	90.2	0.02	2	1.2	15.1	<10	<2			
1829189	Drill Core	<0.1	0.02	2.9	3.77	<0.1	0.78	<0.02	17.8	0.6	<0.05	22.2	23.97	88.5	<0.02	<1	1.3	14.6	12	2			
1829190	Drill Core	<0.1	<0.02	3.2	3.75	<0.1	0.84	<0.02	18.6	0.5	<0.05	24.0	25.64	98.8	<0.02	<1	1.6	14.8	<10	<2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000279.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1829191	Drill Core	2.73	434	0.008	<0.01	<0.17	42.61	0.52	1.40	22.30	27.6	85	1.2	2.2	309	1.16	9.5	5.8	3.3	27.9	47.9
1829192	Drill Core	3.04	531	0.007	<0.01	<0.17	38.04	0.56	2.09	27.70	29.1	94	1.5	2.2	308	1.18	10.6	5.9	4.8	27.6	38.8
1829193	Drill Core	2.10	407	0.009	<0.01	<0.17	37.52	0.37	2.30	21.17	27.3	94	0.9	1.7	259	1.09	7.6	3.4	5.2	28.0	34.1
1829194	Drill Core	2.49	485	0.011	<0.01	<0.17	32.42	0.39	1.67	24.28	28.5	79	1.0	1.9	274	1.12	8.2	3.1	5.7	28.7	28.5
1829195	Drill Core	2.83	473	0.016	0.01	<0.17	38.82	0.45	1.82	27.39	34.5	112	1.0	2.0	272	1.23	14.5	3.7	12.9	29.2	18.0
1829196	Drill Core	2.84	505	0.021	0.02	<0.17	48.67	0.49	1.61	24.63	34.9	101	0.9	1.6	237	1.19	17.9	4.4	16.9	29.2	14.6
1829197	Drill Core	3.05	462	0.012	0.01	<0.17	46.25	0.58	1.64	25.63	31.0	111	0.9	1.8	285	1.18	17.8	6.4	8.2	28.7	33.4
1829198	Drill Core	3.13	409	0.015	0.01	<0.17	37.00	0.65	1.31	26.05	35.7	106	0.8	1.9	258	1.23	20.1	6.2	8.9	31.0	29.8
1829199	Drill Core	2.76	519	0.011	0.01	<0.17	39.44	0.54	1.52	32.10	33.0	94	0.8	1.7	255	1.23	12.2	5.2	4.6	30.4	22.7
1829200	Rock Pulp	0.12	90	7.217				9.14	185.78	20.83	75.4	905	12.8	11.6	572	4.89	14.3	0.9	8267.5	3.2	77.3
1829201	Drill Core	3.27	473	0.010	<0.01	<0.17	42.66	0.54	2.11	27.64	31.6	87	0.9	1.5	274	1.20	11.7	8.3	7.0	29.9	28.4
1829202	Drill Core	2.97	451	0.012	0.01	<0.17	42.42	0.50	1.61	26.44	32.3	72	0.8	1.7	276	1.19	10.6	5.2	5.9	29.7	29.2
1829204	Drill Core	2.84	456	0.017	0.02	<0.17	33.66	1.14	1.29	27.33	30.6	90	0.8	1.7	271	1.25	20.0	10.2	10.0	28.8	44.1
1829205	Drill Core	2.85	496	0.023	0.02	<0.17	33.79	1.25	2.02	48.15	36.6	189	1.5	2.0	215	1.40	29.4	10.2	18.4	28.3	17.8
1829206	Drill Core	3.44	417	0.014	0.01	<0.17	33.60	1.12	1.31	33.08	39.6	128	1.4	2.1	282	1.41	25.5	7.3	11.7	27.0	35.8



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000279.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829191 Drill Core	0.13	0.25	0.06	1	0.90	0.022	49.6	1.4	0.11	63.0	<0.001	2	0.72	0.008	0.26	0.1	1.3	0.11	<0.02	27
1829192 Drill Core	0.18	0.31	0.06	2	0.67	0.027	50.7	1.6	0.11	64.4	<0.001	3	0.72	0.008	0.26	0.1	1.1	0.13	0.02	29
1829193 Drill Core	0.29	0.25	0.07	1	0.55	0.022	50.5	1.3	0.10	307.3	<0.001	2	0.71	0.009	0.27	0.2	1.0	0.12	<0.02	29
1829194 Drill Core	0.23	0.23	0.06	1	0.47	0.023	51.6	1.4	0.10	82.5	<0.001	3	0.70	0.011	0.26	0.1	1.1	0.11	<0.02	28
1829195 Drill Core	0.23	0.33	0.07	1	0.24	0.024	53.6	1.4	0.12	95.0	<0.001	3	0.75	0.013	0.28	0.2	1.2	0.11	<0.02	20
1829196 Drill Core	0.25	0.33	0.07	1	0.12	0.025	52.6	1.4	0.11	101.3	<0.001	3	0.69	0.013	0.24	0.1	1.2	0.12	<0.02	36
1829197 Drill Core	0.19	0.27	0.05	1	0.60	0.023	51.1	1.3	0.10	123.9	<0.001	4	0.70	0.014	0.26	0.2	1.1	0.10	0.02	33
1829198 Drill Core	0.24	0.33	0.07	<1	0.40	0.023	51.6	1.8	0.11	685.7	<0.001	3	0.69	0.014	0.24	0.1	1.1	0.10	0.04	28
1829199 Drill Core	0.20	0.37	0.07	<1	0.33	0.024	51.8	1.6	0.12	120.6	<0.001	3	0.72	0.013	0.25	0.1	1.1	0.09	<0.02	29
1829200 Rock Pulp	0.19	4.82	0.62	121	0.96	0.065	8.5	17.4	0.86	130.3	0.124	3	1.81	0.184	0.23	4.0	4.4	0.08	<0.02	225
1829201 Drill Core	0.22	0.36	0.06	<1	0.49	0.022	52.6	1.6	0.10	112.0	<0.001	2	0.70	0.012	0.25	<0.1	1.0	0.09	<0.02	30
1829202 Drill Core	0.16	0.31	0.05	<1	0.52	0.022	53.0	1.4	0.10	81.4	<0.001	4	0.71	0.013	0.24	<0.1	1.2	0.09	<0.02	17
1829204 Drill Core	0.24	0.42	0.07	<1	0.74	0.021	50.6	1.8	0.10	50.0	<0.001	2	0.64	0.013	0.22	<0.1	1.1	0.08	0.03	14
1829205 Drill Core	0.35	0.95	0.23	2	0.14	0.025	47.9	2.2	0.13	68.6	<0.001	4	0.67	0.012	0.22	0.2	1.2	0.09	0.05	50
1829206 Drill Core	0.16	0.96	0.15	2	0.49	0.022	47.9	1.9	0.12	113.3	<0.001	3	0.69	0.012	0.23	0.1	1.2	0.10	0.15	29



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000279.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1829191	Drill Core	<0.1	<0.02	2.6	4.19	<0.1	0.56	<0.02	16.6	0.3	<0.05	17.0	24.66	92.8	<0.02	<1	1.5	12.1	<10
1829192	Drill Core	<0.1	0.03	2.7	3.97	<0.1	0.60	<0.02	16.9	0.4	<0.05	17.7	24.93	92.9	<0.02	<1	1.4	13.0	<10
1829193	Drill Core	<0.1	<0.02	2.3	3.33	<0.1	0.63	<0.02	17.2	0.4	<0.05	18.2	23.97	89.9	<0.02	<1	1.4	9.8	<10
1829194	Drill Core	<0.1	<0.02	2.5	3.46	<0.1	0.71	<0.02	17.3	0.4	<0.05	19.6	23.37	94.8	<0.02	<1	1.8	10.0	<10
1829195	Drill Core	<0.1	<0.02	3.1	3.55	<0.1	0.80	<0.02	18.2	0.4	<0.05	21.2	24.28	99.7	<0.02	<1	1.2	12.2	<10
1829196	Drill Core	<0.1	<0.02	2.6	3.29	<0.1	0.76	<0.02	16.0	0.5	<0.05	19.7	23.19	93.9	<0.02	<1	1.4	12.1	<10
1829197	Drill Core	<0.1	<0.02	2.5	3.31	<0.1	0.66	<0.02	16.0	0.4	<0.05	19.1	24.30	94.1	<0.02	<1	1.2	12.0	<10
1829198	Drill Core	<0.1	<0.02	2.6	3.22	<0.1	0.85	<0.02	15.0	0.4	<0.05	22.2	24.27	93.5	<0.02	<1	1.1	12.6	<10
1829199	Drill Core	<0.1	<0.02	2.6	3.36	<0.1	0.77	0.02	16.4	0.4	<0.05	21.2	24.65	96.5	<0.02	<1	1.7	12.4	<10
1829200	Rock Pulp	<0.1	0.14	5.5	0.69	<0.1	0.12	0.05	8.3	1.7	<0.05	2.5	5.40	17.3	0.04	<1	0.1	7.8	<10
1829201	Drill Core	<0.1	<0.02	2.5	3.27	<0.1	0.75	<0.02	16.3	0.3	<0.05	19.7	25.26	98.3	<0.02	<1	1.2	11.0	<10
1829202	Drill Core	<0.1	<0.02	2.7	3.16	<0.1	0.67	<0.02	16.5	0.4	<0.05	19.5	24.59	97.8	<0.02	<1	1.7	10.8	<10
1829204	Drill Core	<0.1	<0.02	2.3	3.14	<0.1	0.74	<0.02	14.1	0.4	<0.05	19.7	24.76	92.1	<0.02	<1	1.0	11.0	<10
1829205	Drill Core	<0.1	<0.02	2.4	3.67	<0.1	0.72	0.04	14.4	0.7	<0.05	18.8	25.51	87.6	<0.02	<1	1.4	12.4	40
1829206	Drill Core	<0.1	<0.02	2.6	3.70	<0.1	0.78	0.04	14.5	0.7	<0.05	21.6	25.73	90.5	<0.02	<1	1.6	13.1	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000279.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
2023252	Drill Core	2.71	519	0.008	<0.01	<0.17	38.95	0.49	7.02	41.20	27.9	291	1.5	1.9	176	0.77	0.7	0.9	1.4	11.0	16.4
REP 2023252	QC	0.006																			
2023267	Drill Core	1.97	477	0.081	1.91	16.80	52.25	0.71	6.11	95.95	30.5	2642	0.7	0.9	148	0.68	0.5	1.1	3675.5	9.4	96.1
REP 2023267	QC							0.74	6.11	103.64	32.7	2342	0.8	0.9	162	0.68	0.4	1.1	1282.3	10.0	104.7
1829164	Drill Core	3.49	453	0.070	0.07	<0.17	32.22	0.84	16.13	45.73	106.9	275	5.2	4.2	221	1.65	23.9	6.1	48.4	12.8	21.7
REP 1829164	QC							0.90	15.95	48.81	112.8	276	5.5	4.4	221	1.66	24.8	6.4	56.5	13.7	22.7
1829190	Drill Core	2.32	412	0.008	<0.01	<0.17	41.35	0.45	2.18	22.64	38.2	126	1.7	2.4	323	1.27	5.0	4.4	3.8	29.9	32.8
REP 1829190	QC	0.008																			
1829202	Drill Core	2.97	451	0.012	0.01	<0.17	42.42	0.50	1.61	26.44	32.3	72	0.8	1.7	276	1.19	10.6	5.2	5.9	29.7	29.2
REP 1829202	QC							0.44	1.69	26.70	31.6	74	0.9	1.8	274	1.18	10.5	5.4	4.6	30.2	29.6
Core Reject Duplicates																					
2023250	Drill Core	2.51	509	0.008	<0.01	<0.17	33.86	0.59	5.47	11.11	11.7	152	0.9	1.6	204	0.73	1.4	1.5	4.0	11.4	7.7
DUP 2023250	QC	517		0.008	<0.01	<0.17	42.59	0.58	5.76	11.48	11.5	159	0.8	1.7	203	0.68	1.4	1.6	14.1	11.7	7.6
2023284	Drill Core	2.11	432	0.006	<0.01	<0.17	35.94	0.36	3.75	33.67	19.4	156	0.3	0.1	74	0.32	1.0	2.7	0.7	16.9	25.7
DUP 2023284	QC	433		0.012	0.01	<0.17	37.43	0.33	3.61	31.24	18.7	152	0.3	0.1	71	0.29	1.0	2.5	<0.2	16.6	26.8
1829182	Drill Core	3.76	417	0.009	<0.01	<0.17	38.90	0.36	8.69	9.67	61.8	444	37.1	12.2	542	2.52	5.7	0.9	23.8	9.6	74.7
DUP 1829182	QC	418		0.008	<0.01	<0.17	39.25	0.34	8.62	10.22	63.9	444	35.0	12.9	579	2.53	6.1	1.0	3.5	10.1	77.9
Reference Materials																					
STD BVGEO01	Standard							11.39	4474.17	187.36	1685.8	2644	160.4	27.0	708	3.68	121.7	4.1	204.9	14.5	58.6
STD BVGEO01	Standard							10.52	4366.57	191.16	1798.6	2615	159.8	23.6	762	3.70	120.0	3.9	217.3	14.9	63.4
STD DS11	Standard							15.69	155.58	135.89	333.2	1831	82.7	15.2	1017	3.07	44.9	2.7	81.7	8.1	73.8
STD DS11	Standard							13.96	142.59	141.12	324.4	1703	78.1	14.0	1047	3.18	44.0	2.7	79.4	8.7	70.7
STD OREAS256	Standard	7.566																			
STD OREAS262	Standard							0.72	123.96	57.68	150.3	489	66.2	27.9	543	3.25	36.8	1.3	61.9	9.1	37.1
STD OREAS262	Standard							0.69	121.02	56.72	151.7	473	65.9	26.7	517	3.24	35.8	1.2	61.7	9.5	35.3
STD OREAS262	Standard							0.63	113.61	61.91	158.9	493	64.1	28.7	559	3.38	38.2	1.3	84.5	10.6	39.3
STD OREAS262	Standard							0.63	114.42	57.04	150.1	458	59.5	26.0	544	3.18	36.6	1.2	63.3	9.4	37.0
STD OXC145	Standard	0.208																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 26, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000279.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2023252	Drill Core	0.17	0.11	0.33	<1	0.11	0.017	19.2	2.1	0.42	274.5	0.001	<1	0.52	0.009	0.21	0.3	0.7	0.05	0.02	<5
REP 2023252	QC																				
2023267	Drill Core	0.56	0.11	1.02	<1	0.33	0.005	14.5	1.7	0.31	1882.1	0.001	<1	0.40	0.007	0.20	<0.1	0.7	0.05	0.07	<5
REP 2023267	QC	0.59	0.13	1.10	<1	0.33	0.005	15.0	1.8	0.32	1994.5	0.001	<1	0.39	0.006	0.20	<0.1	0.7	0.04	0.07	<5
1829164	Drill Core	0.69	0.52	0.11	6	0.18	0.048	32.6	4.8	0.50	491.2	0.003	<1	0.93	0.013	0.29	0.1	1.9	0.08	<0.02	7
REP 1829164	QC	0.72	0.55	0.11	6	0.18	0.049	36.1	5.3	0.50	495.5	0.003	<1	0.94	0.013	0.29	0.1	2.1	0.09	<0.02	7
1829190	Drill Core	0.26	0.27	0.06	2	0.49	0.026	53.7	1.7	0.15	272.8	<0.001	3	0.79	0.013	0.27	0.2	1.5	0.11	<0.02	33
REP 1829190	QC																				
1829202	Drill Core	0.16	0.31	0.05	<1	0.52	0.022	53.0	1.4	0.10	81.4	<0.001	4	0.71	0.013	0.24	<0.1	1.2	0.09	<0.02	17
REP 1829202	QC	0.16	0.31	0.05	<1	0.52	0.021	52.2	1.5	0.10	83.9	<0.001	2	0.72	0.013	0.24	<0.1	1.2	0.09	<0.02	24
Core Reject Duplicates																					
2023250	Drill Core	0.32	0.11	0.11	<1	0.04	0.009	27.5	1.6	0.18	293.8	0.001	<1	0.39	0.019	0.22	<0.1	0.8	0.05	<0.02	<5
DUP 2023250	QC	0.31	0.12	0.11	<1	0.04	0.010	27.9	1.4	0.19	290.6	0.001	1	0.38	0.017	0.21	<0.1	0.8	0.05	<0.02	<5
2023284	Drill Core	0.37	0.09	0.19	<1	0.23	0.002	35.7	1.7	0.15	247.3	<0.001	<1	0.37	0.028	0.25	<0.1	0.7	0.05	0.03	<5
DUP 2023284	QC	0.35	0.09	0.17	<1	0.24	0.002	31.0	1.5	0.15	223.1	<0.001	<1	0.33	0.023	0.23	<0.1	0.6	0.05	0.03	<5
1829182	Drill Core	0.20	0.20	0.18	28	1.58	0.069	23.5	84.7	1.68	236.7	0.004	1	1.71	0.023	0.30	1.4	5.6	0.09	0.04	21
DUP 1829182	QC	0.21	0.20	0.19	28	1.61	0.077	24.0	87.0	1.73	247.0	0.004	2	1.76	0.024	0.31	1.3	6.0	0.09	0.04	25
Reference Materials																					
STD BVGEO01	Standard	6.99	3.33	25.54	75	1.34	0.084	24.5	207.3	1.32	216.9	0.240	4	2.43	0.205	0.93	4.9	5.7	0.60	0.67	96
STD BVGEO01	Standard	6.55	3.48	26.43	72	1.33	0.078	28.1	201.8	1.33	276.4	0.239	3	2.42	0.200	0.90	5.0	6.5	0.58	0.65	88
STD DS11	Standard	2.61	8.89	12.47	49	1.06	0.077	18.8	60.8	0.85	375.2	0.096	8	1.20	0.074	0.40	3.0	3.5	5.11	0.27	263
STD DS11	Standard	2.40	8.58	12.18	49	1.06	0.076	19.0	56.7	0.86	363.2	0.094	8	1.21	0.074	0.41	2.8	3.6	4.93	0.26	285
STD OREAS256	Standard																				
STD OREAS262	Standard	0.72	5.26	1.10	22	2.92	0.045	17.8	48.8	1.19	261.1	0.003	4	1.43	0.072	0.32	0.2	3.2	0.45	0.25	159
STD OREAS262	Standard	0.71	5.09	1.11	21	2.93	0.041	16.9	43.5	1.18	248.4	0.003	5	1.35	0.071	0.30	0.2	3.0	0.47	0.25	173
STD OREAS262	Standard	0.65	4.69	1.16	22	3.09	0.046	17.4	43.5	1.18	255.3	0.003	5	1.39	0.068	0.31	0.2	3.6	0.48	0.24	175
STD OREAS262	Standard	0.63	4.78	1.07	22	3.01	0.040	18.7	45.3	1.16	245.2	0.003	4	1.41	0.068	0.34	0.2	3.5	0.44	0.24	150
STD OXC145	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 26, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000279.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2023252	Drill Core	<0.1	<0.02	1.7	0.48	<0.1	0.46	<0.02	6.8	0.3	<0.05	13.5	3.88	37.0	<0.02	<1	0.2	6.2	<10	<2
REP 2023252	QC																			
2023267	Drill Core	<0.1	0.51	1.1	0.16	<0.1	0.56	<0.02	5.7	0.4	<0.05	17.2	3.83	25.9	<0.02	<1	0.2	5.5	<10	<2
REP 2023267	QC	<0.1	0.55	1.3	0.18	<0.1	0.62	<0.02	6.0	0.4	<0.05	17.7	4.16	28.6	<0.02	<1	0.2	6.1	<10	<2
1829164	Drill Core	<0.1	0.14	3.2	0.99	0.1	0.06	<0.02	10.7	0.2	<0.05	2.7	11.77	59.3	<0.02	<1	0.3	12.5	<10	<2
REP 1829164	QC	<0.1	0.13	3.0	1.03	<0.1	0.06	<0.02	11.2	0.2	<0.05	2.9	11.54	64.8	<0.02	<1	0.3	14.1	<10	<2
1829190	Drill Core	<0.1	<0.02	3.2	3.75	<0.1	0.84	<0.02	18.6	0.5	<0.05	24.0	25.64	98.8	<0.02	<1	1.6	14.8	<10	3
REP 1829190	QC																			
1829202	Drill Core	<0.1	<0.02	2.7	3.16	<0.1	0.67	<0.02	16.5	0.4	<0.05	19.5	24.59	97.8	<0.02	<1	1.7	10.8	<10	3
REP 1829202	QC	<0.1	<0.02	2.5	3.26	<0.1	0.67	<0.02	16.0	0.4	<0.05	19.0	24.53	93.8	<0.02	<1	1.0	11.0	<10	<2
Core Reject Duplicates																				
2023250	Drill Core	<0.1	<0.02	1.4	0.23	<0.1	0.28	<0.02	6.8	0.4	<0.05	9.2	4.70	50.8	<0.02	<1	0.2	3.8	<10	<2
DUP 2023250	QC	<0.1	<0.02	1.4	0.23	<0.1	0.29	<0.02	6.8	0.4	<0.05	8.9	4.70	53.7	<0.02	<1	0.2	3.8	<10	<2
2023284	Drill Core	<0.1	<0.02	1.4	0.17	<0.1	0.47	0.09	7.6	0.3	<0.05	13.9	7.24	69.1	<0.02	<1	0.2	2.1	<10	<2
DUP 2023284	QC	<0.1	<0.02	1.4	0.15	<0.1	0.42	0.08	6.8	0.3	<0.05	13.2	7.00	62.9	<0.02	<1	0.1	2.0	<10	<2
1829182	Drill Core	<0.1	<0.02	4.9	0.74	<0.1	0.07	<0.02	12.1	2.1	<0.05	2.5	8.99	43.9	0.04	<1	0.8	36.9	<10	<2
DUP 1829182	QC	<0.1	<0.02	5.4	0.76	<0.1	0.07	<0.02	12.8	2.1	<0.05	3.1	9.63	44.7	<0.02	1	0.8	38.1	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.6	0.98	7.7	7.38	0.2	0.34	0.30	93.4	6.1	<0.05	9.6	14.95	53.2	0.44	5	0.7	21.8	130	181
STD BVGEO01	Standard	4.9	1.03	7.1	7.14	<0.1	0.40	0.23	93.8	6.1	<0.05	9.8	15.64	55.4	0.45	2	0.7	22.1	116	181
STD DS11	Standard	2.3	4.68	5.4	3.07	0.1	0.08	1.82	36.1	1.9	<0.05	3.6	8.45	38.4	0.25	44	0.7	25.2	98	178
STD DS11	Standard	2.2	4.53	5.2	2.92	<0.1	0.09	1.52	34.6	1.9	<0.05	3.8	8.13	39.2	0.24	44	0.6	24.8	108	165
STD OREAS256	Standard																			
STD OREAS262	Standard	0.3	0.23	4.4	2.99	<0.1	0.28	<0.02	19.5	0.6	<0.05	11.4	11.39	34.7	0.04	1	1.2	18.8	<10	<2
STD OREAS262	Standard	0.4	0.23	4.2	2.82	<0.1	0.28	<0.02	19.2	0.5	<0.05	10.4	11.32	31.6	0.04	1	1.0	18.1	<10	<2
STD OREAS262	Standard	0.5	0.23	4.4	2.87	<0.1	0.27	<0.02	20.2	0.6	<0.05	9.0	11.52	35.6	0.04	2	1.1	19.7	<10	<2
STD OREAS262	Standard	0.2	0.20	4.1	2.83	<0.1	0.27	<0.02	20.1	0.6	<0.05	8.9	11.15	36.6	0.03	1	1.1	18.2	<10	4
STD OXC145	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000279.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXC145	Standard			0.217																	
STD OXC145	Standard			0.216																	
STD OXH139	Standard			1.298																	
STD OXH139	Standard			1.293																	
STD OXH139	Standard			1.308																	
STD OXN134	Standard			7.450																	
STD OXN134	Standard			7.662																	
STD OXQ90	Standard					25.16	30.49														
STD OXQ90	Standard					25.12	30.34														
STD OXQ90	Standard					25.00	29.88														
STD OXQ90	Standard					24.92	30.02														
STD OXQ90	Standard					25.18	30.14														
STD OXQ90	Standard					25.16	30.01														
STD OXQ90	Standard					25.30	30.04														
STD OXQ90	Standard					25.25	29.98														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank			0.006																	
BLK	Blank			0.006																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.007																	
BLK	Blank			0.006																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000279.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000279.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
STD OXQ90 Expected																			
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000279.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank			0.007																	
BLK	Blank			0.007																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.02	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	0.8	0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		467	<0.005	<0.01	<0.17	36.63	1.10	1.95	1.55	27.3	8	0.9	3.6	447	1.80	0.9	0.4	1.5	2.2	24.4
ROCK-WHI	Prep Blank		461	<0.005	<0.01	<0.17	38.77	1.05	3.04	1.76	28.6	10	0.8	3.6	445	1.82	0.8	0.5	1.4	2.4	22.7



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000279.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.10	0.04	23	0.65	0.041	6.4	2.3	0.42	56.5	0.072	2	0.82	0.069	0.07	<0.1	2.6	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	0.04	0.03	22	0.55	0.045	6.7	2.3	0.42	63.3	0.078	2	0.78	0.069	0.08	<0.1	2.7	<0.02	<0.02	9



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000279.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.19	<0.1	0.11	0.20	2.0	0.3	<0.05	2.6	9.38	12.6	<0.02	<1	0.2	2.1	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.15	<0.1	0.12	0.21	2.2	0.3	<0.05	3.0	9.28	13.5	<0.02	<1	0.2	2.2	<10	<2