



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 30, 2019
Report Date: August 21, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000288.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-39
P.O. Number
Number of Samples: 75

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	72	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh		Completed	WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	75	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	75	Analysis sample split/packet			WHI
Split -150	75	Analysis sample split/packet			WHI
EN002	75	Environmental disposal charge-Fire assay lead waste			VAN
FS631	73	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	75	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	75	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Erika Cayer
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 21, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000288.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1833049	Drill Core	2.44	431	0.014	0.01	<0.17	38.31	1.70	3.58	21.53	73.1	238	4.1	4.5	551	1.54	31.9	7.4	8.6	26.3	12.3
1833050	Drill Core	1.86	361	0.010	<0.01	<0.17	35.44	1.06	4.87	27.50	104.0	251	6.3	6.0	496	1.63	28.7	7.0	5.0	27.4	17.0
1833051	Drill Core	3.12	502	0.013	0.01	<0.17	31.56	0.77	3.80	27.09	55.6	142	6.7	7.7	594	1.99	58.3	6.5	6.4	22.7	19.5
1833052	Drill Core	2.17	378	0.013	0.01	<0.17	30.76	0.49	6.60	25.13	78.4	195	6.5	5.6	459	2.04	55.3	5.6	6.7	21.5	20.1
1833053	Drill Core	2.69	516	0.077	0.07	<0.17	40.10	2.44	11.68	61.03	172.9	1749	11.6	9.4	546	3.35	150.4	13.1	69.4	13.9	42.1
1833054	Drill Core	1.72	363	0.032	0.03	<0.17	32.70	2.28	5.56	20.72	20.7	432	2.8	5.5	116	0.98	66.0	4.6	32.7	16.0	4.7
1833055	Drill Core	3.14	503	0.133	0.13	<0.17	40.42	3.88	10.84	21.96	68.9	2354	9.7	10.1	359	3.48	352.2	15.7	129.4	13.6	38.6
1833056	Drill Core	3.23	417	0.037	0.03	<0.17	35.30	2.15	12.65	26.53	130.7	479	8.3	7.6	419	2.15	206.7	11.9	85.7	17.7	18.4
1833057	Drill Core	2.72	412	0.089	0.09	<0.17	38.83	2.15	13.54	26.70	131.3	469	8.3	7.8	440	2.16	207.0	12.3	89.3	17.2	19.1
1833058	Drill Core	1.97	473	0.016	0.02	<0.17	34.96	1.64	14.56	23.72	72.4	285	3.2	4.9	367	1.39	52.3	9.6	14.9	26.4	16.2
1833059	Drill Core	1.38	518	0.018	0.02	<0.17	31.20	0.68	6.83	64.81	70.2	175	2.6	1.8	413	1.14	73.7	5.6	13.7	26.0	15.3
1833060	Core DUP		509	0.017	0.02	<0.17	29.86	0.64	5.82	63.47	68.5	165	2.2	1.9	403	1.06	71.6	5.4	14.1	25.4	14.8
1833061	Drill Core	1.54	383	0.040	0.04	<0.17	36.54	1.97	10.65	20.95	40.3	496	2.0	2.6	220	1.20	93.4	11.9	40.8	27.8	28.7
1833062	Drill Core	1.53	510	0.040	0.04	<0.17	45.47	1.85	5.93	13.01	29.7	251	1.9	1.6	81	1.53	62.5	7.2	74.6	26.3	17.3
1833063	Drill Core	1.37	459	0.030	0.03	<0.17	36.17	2.57	6.39	17.44	24.3	232	1.4	1.7	135	1.48	43.1	7.8	24.9	24.1	11.8
1833064	Drill Core	1.54	499	0.021	0.02	<0.17	44.13	1.35	2.86	8.17	23.0	156	2.1	2.5	237	1.42	29.2	6.7	20.3	27.9	14.2
1833065	Drill Core	2.68	470	0.008	<0.01	<0.17	29.81	0.69	2.58	23.56	38.0	150	2.2	3.0	355	1.44	10.4	5.8	5.2	26.0	21.4
1833066	Drill Core	2.72	481	0.012	0.01	<0.17	42.34	0.77	3.56	24.93	38.3	242	3.6	3.7	371	1.78	15.1	5.0	9.3	27.0	15.8
1833067	Drill Core	2.64	467	0.022	0.02	<0.17	45.77	1.89	11.36	11.14	27.9	289	3.6	4.0	394	1.70	26.9	5.2	17.3	22.0	15.5
1833068	Drill Core	2.46	470	0.013	0.01	<0.17	38.81	0.57	39.22	29.96	51.2	406	3.9	3.4	367	1.37	13.5	1.0	9.4	16.5	20.4
1833069	Drill Core	1.52	498	0.015	0.01	<0.17	36.94	0.37	33.00	25.50	44.9	348	2.5	3.0	405	1.20	15.9	1.4	12.2	16.8	28.4
1833070	Drill Core	3.09	544	0.014	0.01	<0.17	38.72	0.23	7.09	12.43	43.3	242	17.5	10.3	640	2.28	19.3	1.9	8.0	10.2	140.9
1833071	Drill Core	2.93	450	0.015	0.01	<0.17	39.22	0.38	4.90	4.73	21.6	109	3.2	3.1	326	1.23	19.0	1.5	9.9	16.2	23.4
1833072	Drill Core	3.42	442	0.017	0.02	<0.17	36.05	0.40	7.63	9.22	37.1	185	4.2	4.4	328	1.57	19.0	1.4	16.0	15.7	45.4
1833073	Drill Core	3.66	433	0.031	0.03	<0.17	42.73	0.65	8.51	6.35	30.0	184	4.6	5.5	387	1.71	5.6	1.3	20.3	14.9	59.7
1833074	Drill Core	2.64	466	0.049	0.04	<0.17	43.24	0.85	9.95	8.20	26.7	322	4.1	4.1	292	1.44	9.8	1.5	40.1	17.2	30.0
1833075	Drill Core	2.49	442	0.016	0.01	<0.17	35.83	0.58	6.52	14.71	31.3	197	2.9	3.2	235	1.26	13.9	2.0	9.8	16.3	31.9
1833076	Drill Core	1.95	464	0.018	0.02	<0.17	41.06	0.90	6.78	11.47	22.6	268	3.2	3.5	260	1.19	14.9	1.6	15.5	15.1	23.9
1833077	Drill Core	2.23	407	0.220	0.21	<0.17	34.15	0.91	14.37	14.90	48.4	1215	13.3	9.8	594	2.77	39.4	1.8	201.7	13.0	29.5
1833078	Drill Core	2.39	371	0.137	0.13	<0.17	35.41	1.16	22.08	14.97	114.4	495	26.1	19.1	712	3.96	13.8	1.5	131.1	7.2	131.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: August 21, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000288.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833049	Drill Core	1.42	0.98	0.10	4	0.11	0.024	47.3	2.4	0.16	245.2	0.001	2	0.79	0.008	0.25	0.3	1.5	0.15	<0.02	13			
1833050	Drill Core	1.51	0.82	0.12	6	0.19	0.032	54.5	2.5	0.29	250.6	0.002	4	0.95	0.008	0.29	0.2	2.1	0.18	<0.02	<5			
1833051	Drill Core	0.84	0.95	0.13	11	0.16	0.035	46.2	4.1	0.41	184.2	0.002	2	1.19	0.020	0.26	0.1	2.4	0.14	<0.02	6			
1833052	Drill Core	0.82	0.57	0.18	13	0.19	0.038	34.8	4.6	0.47	185.8	0.002	2	1.33	0.027	0.29	<0.1	2.5	0.14	<0.02	7			
1833053	Drill Core	2.35	14.87	0.46	26	0.19	0.054	32.6	11.5	0.62	1122.6	0.002	<1	1.54	0.018	0.26	<0.1	2.8	0.16	<0.02	38			
1833054	Drill Core	0.29	3.93	0.15	2	0.02	0.012	36.1	2.8	0.06	163.0	<0.001	<1	0.40	0.027	0.20	0.1	0.8	0.08	<0.02	12			
1833055	Drill Core	1.39	10.92	0.22	26	0.09	0.050	27.4	11.1	0.34	1538.7	0.001	<1	1.06	0.005	0.19	<0.1	1.8	0.12	0.08	33			
1833056	Drill Core	2.13	2.77	0.16	16	0.12	0.032	41.3	6.6	0.44	231.7	0.001	1	1.14	0.014	0.26	0.1	1.7	0.13	<0.02	25			
1833057	Drill Core	2.10	2.47	0.16	17	0.12	0.034	42.0	6.8	0.44	238.9	0.001	1	1.15	0.014	0.26	0.1	1.7	0.14	<0.02	22			
1833058	Drill Core	0.77	0.47	0.14	5	0.09	0.020	43.4	2.2	0.16	165.3	<0.001	1	0.77	0.012	0.22	0.2	1.0	0.13	<0.02	<5			
1833059	Drill Core	0.78	0.36	0.08	1	0.10	0.024	50.8	1.7	0.07	77.4	<0.001	3	0.57	0.003	0.27	<0.1	0.9	0.13	<0.02	25			
1833060	Core DUP	0.79	0.35	0.08	1	0.10	0.024	48.3	1.3	0.07	71.6	<0.001	2	0.58	0.003	0.28	<0.1	0.7	0.13	<0.02	29			
1833061	Drill Core	2.64	0.56	0.06	2	0.05	0.024	49.7	1.6	0.04	715.6	<0.001	1	0.53	0.003	0.25	<0.1	0.9	0.14	0.13	35			
1833062	Drill Core	0.36	0.34	0.09	3	0.07	0.024	58.8	1.9	0.08	62.4	<0.001	1	0.56	0.008	0.21	<0.1	1.2	0.09	0.21	17			
1833063	Drill Core	0.19	0.46	0.11	3	0.07	0.023	34.6	1.8	0.09	69.1	0.001	<1	0.59	0.012	0.22	0.1	1.1	0.09	0.16	13			
1833064	Drill Core	0.13	0.32	0.08	5	0.11	0.023	51.7	1.7	0.17	58.5	0.001	<1	0.68	0.019	0.20	<0.1	1.5	0.08	<0.02	11			
1833065	Drill Core	0.09	0.21	0.11	6	0.27	0.024	49.1	2.3	0.23	113.1	0.001	<1	0.74	0.024	0.19	0.1	1.4	0.08	<0.02	9			
1833066	Drill Core	0.11	0.28	0.30	10	0.18	0.026	50.8	3.7	0.34	53.8	0.001	<1	0.87	0.033	0.18	0.1	1.8	0.08	<0.02	<5			
1833067	Drill Core	0.10	0.44	0.24	9	0.13	0.025	43.3	3.4	0.38	94.2	<0.001	<1	0.91	0.023	0.20	0.2	1.5	0.08	<0.02	5			
1833068	Drill Core	0.15	0.51	0.14	7	0.37	0.034	41.7	8.5	0.51	207.3	0.002	1	0.87	0.032	0.27	0.1	2.0	0.10	0.05	22			
1833069	Drill Core	0.20	0.23	0.12	6	0.56	0.038	49.4	5.2	0.44	256.1	0.002	<1	0.80	0.033	0.30	<0.1	2.1	0.10	0.03	48			
1833070	Drill Core	0.12	0.31	0.43	38	2.57	0.045	27.8	41.5	1.29	299.1	0.007	3	1.53	0.028	0.44	<0.1	7.9	0.27	0.09	<5			
1833071	Drill Core	0.10	0.17	0.10	5	0.41	0.032	41.9	4.8	0.45	228.3	0.002	1	0.78	0.037	0.27	<0.1	2.2	0.11	0.04	9			
1833072	Drill Core	0.09	0.28	0.19	11	0.60	0.041	44.3	15.2	0.61	237.0	0.003	2	0.98	0.044	0.28	<0.1	3.2	0.14	0.02	12			
1833073	Drill Core	0.05	0.22	0.42	15	0.97	0.042	36.0	19.1	0.82	218.6	0.003	1	1.10	0.037	0.27	<0.1	3.5	0.14	0.05	13			
1833074	Drill Core	0.09	0.30	0.74	7	0.39	0.040	42.1	5.9	0.47	179.7	0.002	1	0.83	0.043	0.22	<0.1	2.3	0.10	<0.02	5			
1833075	Drill Core	0.12	0.35	0.33	4	0.47	0.035	38.1	4.9	0.42	257.1	0.003	2	0.76	0.044	0.25	<0.1	2.2	0.09	0.06	8			
1833076	Drill Core	0.09	0.27	0.31	4	0.46	0.037	31.9	5.6	0.35	422.7	0.002	1	0.68	0.032	0.26	0.2	1.8	0.10	0.03	6			
1833077	Drill Core	0.14	0.55	1.96	24	0.28	0.051	34.0	36.7	1.62	209.8	0.003	2	1.79	0.027	0.32	1.0	4.8	0.16	<0.02	11			
1833078	Drill Core	0.30	0.58	1.40	41	2.05	0.084	15.6	87.6	3.18	264.2	0.025	3	2.84	0.019	0.54	0.2	10.2	0.36	0.10	6			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 21, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000288.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833049	Drill Core	<0.1	<0.02	2.9	6.46	<0.1	0.59	<0.02	20.2	0.8	<0.05	17.0	25.96	100.5	0.03	<1	1.4	6.9	<10
1833050	Drill Core	<0.1	<0.02	3.3	4.45	<0.1	0.73	0.03	21.6	0.9	<0.05	21.2	32.65	98.6	<0.02	<1	1.6	10.5	31
1833051	Drill Core	<0.1	<0.02	4.8	4.33	<0.1	0.51	<0.02	22.4	1.0	<0.05	16.3	25.18	91.3	0.03	<1	1.2	15.4	<10
1833052	Drill Core	<0.1	<0.02	5.3	3.47	<0.1	0.42	<0.02	20.9	1.0	<0.05	14.7	21.40	77.1	0.02	<1	1.5	15.3	<10
1833053	Drill Core	<0.1	0.42	6.3	2.94	<0.1	0.18	<0.02	18.8	1.3	<0.05	9.5	20.65	65.0	0.03	<1	0.9	18.2	<10
1833054	Drill Core	<0.1	0.15	1.2	0.44	<0.1	0.33	<0.02	9.6	0.6	<0.05	8.5	7.51	70.1	<0.02	<1	0.3	2.6	<10
1833055	Drill Core	0.3	0.15	4.9	1.04	<0.1	0.19	<0.02	7.8	0.6	<0.05	8.4	13.81	56.5	0.02	<1	0.5	9.6	<10
1833056	Drill Core	<0.1	0.03	5.2	2.44	<0.1	0.47	<0.02	17.2	1.2	<0.05	16.2	21.31	74.6	<0.02	<1	0.9	12.0	<10
1833057	Drill Core	<0.1	0.03	4.8	2.36	<0.1	0.55	<0.02	17.2	1.2	<0.05	17.3	22.24	74.1	<0.02	<1	0.8	13.2	<10
1833058	Drill Core	<0.1	<0.02	3.6	4.49	<0.1	0.74	<0.02	20.9	0.7	<0.05	20.1	23.63	89.1	<0.02	1	0.8	5.2	<10
1833059	Drill Core	<0.1	<0.02	1.7	3.41	<0.1	0.48	<0.02	18.4	0.5	<0.05	12.9	28.80	73.2	<0.02	<1	3.0	2.7	<10
1833060	Core DUP	<0.1	<0.02	1.9	3.45	<0.1	0.43	<0.02	18.4	0.5	<0.05	13.7	27.36	74.8	<0.02	<1	2.8	2.7	<10
1833061	Drill Core	<0.1	<0.02	2.1	3.07	<0.1	0.66	<0.02	15.7	0.4	<0.05	17.0	19.74	97.4	<0.02	<1	0.9	1.7	<10
1833062	Drill Core	<0.1	<0.02	2.4	2.02	<0.1	0.72	<0.02	12.1	0.6	<0.05	18.1	20.21	94.1	<0.02	<1	1.5	2.6	<10
1833063	Drill Core	<0.1	<0.02	2.9	1.92	<0.1	0.76	<0.02	12.6	0.7	<0.05	19.8	14.84	54.7	<0.02	<1	1.0	4.4	<10
1833064	Drill Core	<0.1	<0.02	4.1	1.34	<0.1	1.06	<0.02	11.7	0.8	<0.05	27.7	25.70	91.0	<0.02	<1	0.6	9.6	22
1833065	Drill Core	<0.1	<0.02	4.9	1.20	<0.1	1.05	<0.02	11.2	0.9	<0.05	28.7	24.44	91.2	<0.02	<1	0.7	10.6	<10
1833066	Drill Core	<0.1	<0.02	6.2	0.89	<0.1	1.05	<0.02	9.3	1.1	<0.05	30.2	24.84	93.4	<0.02	<1	0.6	12.8	<10
1833067	Drill Core	<0.1	<0.02	5.6	1.91	<0.1	0.77	<0.02	11.6	1.0	<0.05	24.5	21.68	84.6	0.02	<1	0.8	11.7	<10
1833068	Drill Core	<0.1	<0.02	4.1	0.65	<0.1	0.11	<0.02	13.3	1.5	<0.05	3.1	9.95	73.8	<0.02	<1	0.6	11.7	<10
1833069	Drill Core	<0.1	<0.02	4.1	0.61	<0.1	0.06	<0.02	14.5	1.9	<0.05	2.1	11.16	84.2	0.02	<1	0.5	10.4	<10
1833070	Drill Core	<0.1	<0.02	5.2	3.83	<0.1	0.07	<0.02	27.2	4.4	<0.05	2.3	11.40	48.5	0.03	<1	1.2	22.3	<10
1833071	Drill Core	0.1	<0.02	3.6	0.82	<0.1	0.10	<0.02	13.5	1.4	<0.05	3.3	11.69	74.9	<0.02	<1	0.7	9.5	<10
1833072	Drill Core	<0.1	<0.02	4.7	1.68	<0.1	0.08	<0.02	16.3	1.2	<0.05	2.8	12.20	79.7	<0.02	<1	1.0	13.0	<10
1833073	Drill Core	<0.1	<0.02	4.5	1.55	<0.1	0.08	<0.02	15.4	1.0	<0.05	2.7	12.08	61.7	0.02	<1	0.7	14.4	<10
1833074	Drill Core	<0.1	<0.02	4.0	1.24	<0.1	0.10	<0.02	12.5	1.3	<0.05	3.1	10.43	76.2	0.03	<1	0.6	12.2	<10
1833075	Drill Core	<0.1	<0.02	3.1	0.92	<0.1	0.10	0.02	12.7	0.7	<0.05	3.6	7.45	65.3	<0.02	<1	0.8	11.9	<10
1833076	Drill Core	<0.1	<0.02	2.6	1.00	<0.1	0.09	<0.02	13.0	0.4	<0.05	3.0	8.05	57.5	<0.02	<1	0.5	9.8	<10
1833077	Drill Core	<0.1	0.10	6.7	1.86	<0.1	0.04	<0.02	16.7	2.8	<0.05	1.7	14.19	62.6	0.04	<1	0.9	30.3	<10
1833078	Drill Core	<0.1	0.05	7.0	3.23	<0.1	0.07	<0.02	27.0	3.0	<0.05	1.3	14.43	31.4	0.05	<1	1.2	33.7	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 21, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000288.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1833079	Drill Core	2.75	485	0.018	0.02	<0.17	48.85	0.32	7.07	7.59	24.8	128	3.8	2.7	255	0.93	4.5	1.7	17.6	12.7	71.9
1833080	Rock	0.24	172	0.006	<0.01	<0.17	48.77	0.51	1.43	1.55	3.1	14	1.7	0.6	89	0.70	1.1	0.2	0.8	1.1	3.3
1833081	Drill Core	2.69	352	0.182	0.18	<0.17	34.93	0.53	3.46	16.43	13.7	538	0.9	0.8	116	0.63	7.1	1.0	75.7	13.1	8.5
1833082	Drill Core	3.21	490	0.042	0.04	<0.17	36.04	0.36	7.50	14.56	41.9	139	4.0	2.2	267	0.88	2.2	1.4	22.2	13.8	79.3
1833083	Drill Core	3.21	429	2.684	2.84	4.21	43.90	0.32	4.02	9.62	14.1	892	0.7	0.8	113	0.71	2.7	3.1	3702.5	15.3	24.7
1833084	Drill Core	3.30	500	0.015	0.01	<0.17	39.89	0.23	6.83	18.86	51.9	167	13.1	10.5	457	2.30	6.0	2.3	7.3	11.0	119.0
1833085	Drill Core	2.69	483	0.017	0.02	<0.17	33.73	0.38	11.88	62.95	72.8	449	20.1	14.6	755	3.17	8.9	2.1	12.1	10.4	195.2
1833086	Drill Core	3.09	498	0.007	<0.01	<0.17	42.54	0.29	3.05	5.25	41.1	196	4.9	3.4	388	1.31	2.0	0.6	2.5	20.0	83.2
1833087	Drill Core	3.19	383	0.009	<0.01	<0.17	37.15	0.50	6.22	7.83	44.0	246	9.3	6.6	544	1.96	4.9	1.1	4.0	14.0	120.0
1833088	Drill Core	2.51	442	0.013	0.01	<0.17	42.14	0.41	1.64	21.62	41.7	159	4.9	3.8	599	1.32	8.5	0.7	5.5	14.9	58.3
1833089	Drill Core	2.13	505	0.007	<0.01	<0.17	41.33	0.40	3.33	8.52	46.0	134	10.8	7.5	745	1.97	2.7	1.0	<0.2	11.1	150.7
1833090	Drill Core	2.65	475	0.009	<0.01	<0.17	36.30	0.42	3.07	5.15	38.0	102	5.9	4.3	381	1.51	3.9	0.9	0.8	14.0	104.0
1833091	Drill Core	1.74	457	0.009	<0.01	<0.17	41.19	0.78	23.01	6.22	82.3	124	31.5	32.6	941	6.03	11.1	0.5	1.3	2.5	269.9
1833092	Drill Core	2.38	419	0.201	0.19	<0.17	43.88	1.38	35.63	21.23	104.2	1270	40.7	37.8	1444	7.57	375.4	3.8	180.3	0.7	139.9
1833093	Drill Core	3.17	503	0.035	0.03	<0.17	39.93	0.50	3.91	8.33	38.1	230	6.2	5.2	418	1.60	41.6	1.3	30.0	12.8	42.7
1833094	Drill Core	3.18	371	0.014	0.01	<0.17	36.57	0.43	12.77	22.37	60.8	289	18.3	12.9	543	3.09	16.5	1.3	8.8	10.5	64.2
1833095	Drill Core	2.60	404	0.009	<0.01	<0.17	41.07	0.24	1.31	5.99	48.7	70	3.9	2.8	312	1.20	4.2	1.0	3.5	16.9	73.6
1833096	Drill Core	2.40	440	0.006	<0.01	<0.17	34.63	0.31	1.40	4.99	36.8	63	0.9	0.9	292	0.86	0.8	1.0	0.3	17.7	77.9
1833097	Drill Core	3.18	472	0.008	<0.01	<0.17	38.37	2.50	5.96	16.30	24.3	375	1.1	0.8	165	0.67	6.6	2.0	<0.2	17.2	24.9
1833098	Drill Core	3.49	355	0.006	<0.01	<0.17	33.41	1.70	5.91	10.55	38.3	102	5.0	3.5	283	1.19	1.4	3.0	0.6	15.0	61.7
1833099	Drill Core	3.20	451	0.007	<0.01	<0.17	48.99	0.33	6.56	11.01	44.3	121	4.7	3.4	311	1.29	2.2	1.6	1.1	12.7	56.5
1833100	Rock Pulp	0.12	93	7.606				9.17	185.73	19.38	75.1	903	12.7	10.5	561	4.52	13.6	0.9	8132.8	2.7	75.2
1833101	Drill Core	3.16	496	0.009	<0.01	<0.17	43.14	0.35	5.44	9.00	28.5	84	4.3	3.4	268	1.16	1.3	1.6	4.2	15.7	38.6
1833102	Drill Core	2.00	375	0.007	<0.01	<0.17	37.97	0.60	9.14	9.21	64.6	119	20.5	19.6	886	4.08	0.7	2.3	3.7	11.9	111.5
1833103	Drill Core	2.25	420	0.007	<0.01	<0.17	45.11	0.49	4.30	12.21	68.6	93	17.4	15.8	887	3.72	1.2	3.5	2.1	14.2	122.0
1833104	Drill Core	1.34	518	0.009	<0.01	<0.17	31.50	0.88	6.37	34.01	75.3	181	12.3	12.0	785	3.13	2.9	5.0	3.4	15.6	116.5
1833105	Drill Core	2.12	368	0.011	0.01	<0.17	34.48	0.58	5.37	46.02	68.6	222	6.1	6.2	481	1.99	4.4	3.7	7.1	21.0	39.2
1833106	Drill Core	1.78	443	0.037	0.03	<0.17	37.51	0.55	7.03	59.21	70.6	480	3.2	3.7	332	1.54	31.0	5.0	28.9	26.4	19.9
1833107	Drill Core	1.93	453	0.009	<0.01	<0.17	32.19	0.86	7.73	36.40	37.2	172	1.8	2.5	332	1.27	5.9	5.2	4.7	28.5	56.7
1833108	Drill Core	1.61	497	0.007	<0.01	<0.17	40.79	0.23	5.40	27.92	47.1	53	2.3	3.1	358	1.29	1.2	3.0	1.7	28.5	73.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 21, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000288.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833079	Drill Core	0.09	0.14	0.14	5	1.15	0.008	28.7	12.9	0.62	225.2	0.002	2	0.73	0.026	0.25	0.1	2.5	0.08	0.03	12
1833080	Rock	0.04	0.08	0.05	2	0.10	0.002	2.5	4.2	0.03	11.8	0.003	2	0.09	0.005	0.02	<0.1	0.5	<0.02	<0.02	<5
1833081	Drill Core	0.09	0.27	0.18	<1	0.12	0.004	28.3	1.9	0.17	190.2	<0.001	<1	0.37	0.041	0.19	<0.1	1.1	0.06	0.05	8
1833082	Drill Core	0.39	0.21	0.15	2	1.27	0.006	28.9	9.9	0.48	284.0	0.002	1	0.65	0.026	0.27	0.1	2.1	0.08	0.03	12
1833083	Drill Core	0.13	0.15	0.08	<1	0.29	0.003	31.6	1.9	0.16	369.2	0.002	<1	0.45	0.047	0.27	<0.1	1.4	0.08	0.11	10
1833084	Drill Core	0.16	0.24	0.15	18	1.77	0.045	21.5	45.7	1.59	219.0	0.004	<1	1.50	0.016	0.23	<0.1	4.2	0.07	0.06	<5
1833085	Drill Core	0.15	0.37	0.65	24	2.84	0.065	22.7	72.1	2.41	200.5	0.007	1	2.13	0.009	0.24	<0.1	5.0	0.09	0.16	8
1833086	Drill Core	0.08	0.29	0.60	5	1.45	0.018	48.0	12.9	1.38	242.7	0.003	3	1.33	0.012	0.41	<0.1	3.3	0.24	<0.02	<5
1833087	Drill Core	0.07	0.31	0.62	17	2.58	0.036	31.1	32.4	1.90	289.9	0.005	1	1.72	0.014	0.42	<0.1	4.6	0.25	<0.02	6
1833088	Drill Core	0.10	0.21	0.22	7	1.53	0.021	37.9	7.8	1.36	175.9	0.001	1	1.21	0.015	0.23	<0.1	2.3	0.10	<0.02	11
1833089	Drill Core	0.16	0.21	0.28	23	3.15	0.038	35.5	38.5	1.88	361.5	0.007	2	1.66	0.016	0.38	0.1	4.8	0.24	<0.02	<5
1833090	Drill Core	0.11	0.27	0.64	11	2.18	0.023	39.7	19.1	1.41	295.2	0.003	2	1.38	0.016	0.35	<0.1	4.0	0.18	<0.02	<5
1833091	Drill Core	0.25	0.83	0.72	153	4.14	0.117	18.4	33.0	3.19	186.8	0.180	<1	3.74	0.300	0.34	<0.1	16.5	0.68	0.11	27
1833092	Drill Core	0.73	2.06	0.67	148	1.82	0.145	17.0	37.1	3.81	97.2	0.050	<1	4.48	0.164	0.18	<0.1	12.7	0.38	1.21	29
1833093	Drill Core	0.11	0.41	0.43	13	0.75	0.033	36.0	13.7	1.35	202.2	0.004	1	1.32	0.018	0.24	<0.1	2.8	0.12	0.04	<5
1833094	Drill Core	0.12	0.34	0.27	41	1.25	0.063	28.4	73.1	2.42	203.6	0.005	1	2.36	0.025	0.28	<0.1	7.3	0.20	0.06	5
1833095	Drill Core	0.10	0.14	0.11	5	1.21	0.012	50.2	19.2	1.31	253.5	0.001	<1	1.23	0.010	0.28	<0.1	3.4	0.10	<0.02	6
1833096	Drill Core	0.18	0.12	0.10	1	1.32	0.005	51.9	1.6	0.87	214.6	0.001	<1	0.88	0.009	0.27	<0.1	3.0	0.10	<0.02	<5
1833097	Drill Core	0.10	0.22	0.20	2	0.36	0.007	49.7	3.1	0.36	216.9	<0.001	<1	0.59	0.018	0.27	0.3	1.6	0.08	<0.02	21
1833098	Drill Core	0.11	0.19	0.18	6	1.10	0.017	43.3	19.3	0.90	186.4	0.002	<1	0.97	0.018	0.27	<0.1	2.9	0.12	<0.02	25
1833099	Drill Core	0.21	0.20	0.13	6	0.97	0.034	37.2	6.6	0.87	190.0	0.002	<1	1.05	0.011	0.30	<0.1	2.2	0.14	<0.02	<5
1833100	Rock Pulp	0.14	4.96	0.55	110	0.91	0.060	8.2	18.1	0.80	118.8	0.113	2	1.69	0.170	0.21	3.8	3.6	0.08	<0.02	198
1833101	Drill Core	0.16	0.21	0.08	8	0.70	0.025	47.0	6.3	0.63	189.2	0.002	<1	0.88	0.017	0.29	<0.1	2.7	0.13	<0.02	20
1833102	Drill Core	0.31	0.37	0.09	61	2.85	0.074	30.2	19.2	1.98	82.8	0.012	3	2.48	0.063	0.23	<0.1	9.0	0.15	<0.02	<5
1833103	Drill Core	0.30	0.40	0.08	45	2.31	0.073	36.7	16.1	1.54	293.5	0.012	2	2.11	0.043	0.22	<0.1	6.8	0.12	<0.02	<5
1833104	Drill Core	0.43	0.35	0.18	30	2.18	0.057	40.5	10.4	1.11	52.6	0.005	2	1.65	0.034	0.20	<0.1	5.1	0.10	0.03	<5
1833105	Drill Core	0.35	0.36	0.25	12	0.59	0.033	45.1	5.0	0.48	73.7	0.003	<1	1.08	0.035	0.22	0.1	2.9	0.09	<0.02	<5
1833106	Drill Core	0.29	0.41	0.41	6	0.23	0.025	47.7	3.1	0.29	76.5	0.002	<1	0.76	0.029	0.20	<0.1	1.9	0.08	0.04	<5
1833107	Drill Core	0.12	0.49	0.14	2	0.57	0.023	54.1	2.0	0.18	73.6	<0.001	<1	0.72	0.022	0.27	<0.1	1.4	0.11	0.05	<5
1833108	Drill Core	0.10	0.18	0.06	3	0.92	0.026	51.1	2.2	0.19	49.3	0.001	<1	0.77	0.017	0.29	<0.1	1.5	0.11	<0.02	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 21, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000288.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833079	Drill Core	<0.1	<0.02	2.1	0.39	<0.1	0.05	<0.02	9.9	0.3	<0.05	1.4	6.49	52.9	<0.02	<1	0.3	9.2	<10
1833080	Rock	<0.1	<0.02	0.4	0.17	<0.1	0.11	0.07	1.6	0.1	<0.05	2.0	1.15	5.0	<0.02	<1	<0.1	1.7	<10
1833081	Drill Core	<0.1	0.21	1.3	0.32	<0.1	0.06	<0.02	7.7	0.4	<0.05	1.7	5.16	53.2	<0.02	<1	0.3	4.0	<10
1833082	Drill Core	<0.1	<0.02	2.0	0.44	<0.1	0.06	0.02	11.1	0.7	<0.05	1.8	7.62	55.2	<0.02	<1	0.3	7.9	<10
1833083	Drill Core	<0.1	0.09	1.6	0.40	<0.1	0.05	0.05	10.8	0.4	<0.05	1.7	4.00	59.5	<0.02	<1	0.3	3.1	<10
1833084	Drill Core	<0.1	<0.02	4.2	0.84	<0.1	0.07	<0.02	9.7	0.2	<0.05	2.0	7.73	41.2	<0.02	<1	0.3	18.0	<10
1833085	Drill Core	<0.1	<0.02	6.6	0.88	<0.1	0.03	<0.02	10.4	0.4	<0.05	0.6	14.48	44.0	0.03	<1	0.5	27.0	<10
1833086	Drill Core	<0.1	0.02	4.1	3.79	<0.1	0.04	<0.02	23.7	1.3	<0.05	1.5	11.54	86.6	0.02	<1	1.0	25.1	<10
1833087	Drill Core	<0.1	<0.02	5.6	3.75	<0.1	0.03	<0.02	22.2	2.6	<0.05	0.8	11.40	55.5	0.03	<1	0.8	26.6	<10
1833088	Drill Core	<0.1	<0.02	4.7	1.05	<0.1	<0.02	<0.02	11.1	1.3	<0.05	0.8	10.53	70.9	0.02	<1	0.5	21.1	<10
1833089	Drill Core	<0.1	<0.02	5.1	2.94	<0.1	0.02	<0.02	20.6	5.4	<0.05	1.0	16.07	63.3	0.04	<1	0.6	30.8	<10
1833090	Drill Core	<0.1	<0.02	4.0	2.83	<0.1	0.11	<0.02	17.6	3.0	<0.05	2.1	12.32	72.0	0.04	<1	0.6	23.4	<10
1833091	Drill Core	0.1	<0.02	11.1	9.58	0.1	0.18	0.02	32.2	5.5	<0.05	4.2	21.18	40.6	0.07	<1	0.8	37.1	<10
1833092	Drill Core	<0.1	0.05	14.1	5.46	0.1	0.09	<0.02	13.8	1.0	<0.05	2.5	27.40	36.4	0.06	<1	0.7	86.2	<10
1833093	Drill Core	<0.1	<0.02	4.2	1.62	<0.1	0.04	<0.02	12.1	1.4	<0.05	1.0	13.28	61.4	0.02	<1	0.4	21.4	<10
1833094	Drill Core	<0.1	<0.02	8.4	3.13	<0.1	0.02	<0.02	16.4	2.1	<0.05	0.6	14.02	52.1	0.04	<1	0.5	29.3	<10
1833095	Drill Core	<0.1	<0.02	4.1	1.16	<0.1	0.07	<0.02	12.7	1.2	<0.05	2.4	16.98	90.8	0.03	<1	0.4	23.0	<10
1833096	Drill Core	<0.1	<0.02	2.8	1.11	<0.1	0.16	<0.02	13.3	1.2	<0.05	3.8	17.59	93.5	0.03	<1	0.6	17.6	<10
1833097	Drill Core	<0.1	<0.02	2.2	0.69	<0.1	0.13	<0.02	11.7	0.5	<0.05	2.9	13.86	90.7	0.02	<1	0.4	8.9	<10
1833098	Drill Core	<0.1	<0.02	3.4	1.31	<0.1	0.07	<0.02	13.5	1.8	<0.05	2.4	15.27	80.9	0.03	<1	0.6	18.4	<10
1833099	Drill Core	<0.1	<0.02	3.6	1.36	<0.1	0.10	<0.02	15.2	1.1	<0.05	3.0	14.11	67.0	<0.02	<1	0.5	18.4	<10
1833100	Rock Pulp	<0.1	0.16	5.1	0.69	<0.1	0.08	0.06	7.7	1.7	<0.05	1.2	5.61	15.5	0.04	<1	0.2	6.8	<10
1833101	Drill Core	<0.1	<0.02	3.2	1.35	<0.1	0.14	<0.02	16.2	1.9	<0.05	4.6	15.97	83.5	0.02	<1	0.8	14.7	<10
1833102	Drill Core	<0.1	<0.02	10.6	3.27	<0.1	0.45	<0.02	18.9	2.2	<0.05	14.5	23.35	59.0	0.07	<1	1.7	43.4	<10
1833103	Drill Core	<0.1	<0.02	9.2	3.02	<0.1	0.33	<0.02	18.4	2.4	<0.05	13.8	27.11	69.3	0.07	<1	2.1	42.0	<10
1833104	Drill Core	<0.1	<0.02	8.1	2.60	<0.1	0.62	<0.02	16.0	1.7	<0.05	20.5	27.46	73.5	0.04	<1	1.9	26.4	<10
1833105	Drill Core	<0.1	0.03	5.9	2.25	<0.1	0.87	<0.02	15.1	1.9	<0.05	25.4	26.63	79.3	0.03	<1	1.2	13.5	12
1833106	Drill Core	<0.1	<0.02	4.8	1.58	<0.1	0.98	<0.02	12.1	0.9	<0.05	25.1	25.33	86.7	0.02	<1	1.3	9.8	<10
1833107	Drill Core	<0.1	<0.02	3.6	2.60	<0.1	0.86	<0.02	17.3	0.6	<0.05	24.0	29.02	96.1	<0.02	<1	1.8	6.4	20
1833108	Drill Core	<0.1	<0.02	3.6	2.49	<0.1	0.78	<0.02	18.3	0.9	<0.05	22.2	26.91	93.3	0.02	<1	1.4	6.7	16



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 21, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000288.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1833109	Drill Core	1.43	445	0.032	0.03	<0.17	37.90	1.36	9.13	46.59	56.6	229	2.2	2.8	235	1.31	46.8	9.3	25.2	27.1	13.0
1833110	Drill Core	1.87	422	0.012	0.01	<0.17	34.59	0.97	3.97	21.26	44.0	125	3.4	4.0	393	1.62	14.3	7.7	7.3	25.8	56.5
1833111	Drill Core	1.64	539	0.009	<0.01	<0.17	46.64	1.04	1.93	18.98	36.3	111	1.9	2.4	299	1.23	3.5	6.5	2.9	28.9	60.0
1833112	Drill Core	1.53	520	0.028	0.03	<0.17	40.40	2.71	425.52	288.23	192.4	3471	1.4	2.2	272	1.31	16.0	8.2	18.8	27.4	50.4
1833113	Drill Core	1.54	476	0.024	0.02	<0.17	39.96	2.23	13.77	66.08	76.1	234	0.8	1.8	226	1.24	25.6	11.3	16.7	31.3	20.8
1833114	Drill Core	1.60	518	0.017	0.02	<0.17	38.61	1.60	4.57	15.85	25.6	142	1.0	1.7	278	1.18	18.1	11.0	7.5	29.5	32.6
1833115	Drill Core	1.50	510	0.031	0.03	<0.17	42.42	1.65	13.76	15.90	35.7	184	1.1	2.0	254	1.33	38.8	7.3	22.9	24.1	16.2
1833116	Drill Core	1.55	459	0.017	0.02	<0.17	35.41	0.75	24.14	13.01	24.9	251	1.1	2.0	300	1.19	17.8	7.2	9.0	24.3	33.5
1833117	Drill Core	1.50	481	0.011	0.01	<0.17	47.62	1.97	1.41	8.41	22.0	94	1.1	2.2	213	1.23	17.5	8.5	3.3	26.1	17.8
1833118	Drill Core	1.54	507	0.012	0.01	<0.17	38.80	1.35	2.02	10.89	29.4	99	1.5	2.4	260	1.25	19.0	9.0	3.6	24.6	21.3
1833119	Drill Core	1.41	466	0.013	0.01	<0.17	38.31	1.17	4.65	14.35	29.6	118	1.5	2.5	295	1.32	25.2	9.1	6.4	24.4	24.8
1833120	Rock Pulp	0.13	94	0.485				2.47	448.06	19.07	51.4	283	592.6	27.0	426	2.56	19.7	0.6	492.5	1.8	57.9
1833121	Drill Core	1.59	502	0.007	<0.01	<0.17	34.87	0.76	3.52	18.43	28.0	78	1.7	2.4	374	1.23	11.5	7.2	3.4	23.5	61.5
1833122	Drill Core	1.25	494	0.088	0.09	<0.17	41.48	4.83	3.70	11.94	18.1	354	1.7	2.7	284	1.36	119.7	7.2	83.0	21.3	31.0
1833123	Drill Core	1.54	492	0.012	0.01	<0.17	33.73	1.18	4.79	24.34	36.1	103	1.7	2.7	381	1.35	30.0	7.2	4.6	23.7	36.8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 21, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000288.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1833109	Drill Core	0.83	0.40	0.14	3	0.11	0.024	49.7	2.1	0.16	124.7	<0.001	<1	0.63	0.017	0.23	<0.1	1.1	0.09	0.27
1833110	Drill Core	0.19	0.36	0.09	7	1.00	0.025	44.6	2.9	0.32	44.2	0.002	1	0.88	0.026	0.26	0.2	2.3	0.10	0.07
1833111	Drill Core	0.26	0.23	0.13	3	0.72	0.021	49.9	1.8	0.17	48.4	0.001	<1	0.68	0.018	0.24	0.1	1.5	0.09	<0.02
1833112	Drill Core	1.82	9.29	1.31	2	0.65	0.021	48.2	1.8	0.13	46.6	0.001	<1	0.58	0.019	0.22	0.1	1.3	0.09	0.21
1833113	Drill Core	0.57	0.35	0.07	1	0.29	0.021	49.6	1.2	0.10	52.1	<0.001	<1	0.55	0.019	0.23	<0.1	0.8	0.11	0.28
1833114	Drill Core	0.14	0.25	0.08	1	0.40	0.022	50.0	1.6	0.12	44.9	<0.001	<1	0.52	0.014	0.20	<0.1	0.9	0.09	0.26
1833115	Drill Core	0.15	0.43	0.07	3	0.20	0.022	41.1	1.6	0.15	57.7	<0.001	<1	0.51	0.019	0.20	<0.1	0.9	0.07	0.47
1833116	Drill Core	0.08	0.22	0.14	2	0.54	0.025	42.0	1.4	0.11	133.3	<0.001	<1	0.55	0.007	0.23	<0.1	0.6	0.08	0.34
1833117	Drill Core	0.02	0.25	0.09	1	0.24	0.023	45.4	1.6	0.10	52.5	<0.001	1	0.58	0.013	0.22	<0.1	1.0	0.10	0.13
1833118	Drill Core	0.08	0.29	0.09	2	0.29	0.024	44.9	1.8	0.12	44.0	<0.001	1	0.62	0.010	0.23	<0.1	0.9	0.09	0.12
1833119	Drill Core	0.13	0.33	0.09	2	0.32	0.022	43.4	1.7	0.13	55.3	<0.001	2	0.62	0.013	0.24	<0.1	0.9	0.10	0.23
1833120	Rock Pulp	0.20	0.39	0.30	49	1.41	0.034	4.4	96.4	1.76	81.3	0.074	5	1.98	0.205	0.15	1.3	2.8	0.09	0.18
1833121	Drill Core	0.07	0.25	0.04	2	0.97	0.022	43.2	1.7	0.13	37.9	<0.001	2	0.64	0.010	0.26	<0.1	1.0	0.10	0.12
1833122	Drill Core	0.06	0.75	0.20	2	0.52	0.018	32.7	2.0	0.15	74.9	<0.001	1	0.50	0.007	0.20	<0.1	1.0	0.09	0.59
1833123	Drill Core	0.11	0.65	0.05	2	0.74	0.023	41.7	1.8	0.16	42.9	0.001	1	0.63	0.016	0.24	<0.1	1.0	0.09	0.30



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 21, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000288.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1833109	Drill Core	<0.1	<0.02	3.2	2.35	<0.1	0.87	0.03	13.9	0.5	<0.05	23.0	21.50	88.4	<0.02	<1	1.1	7.4	<10
1833110	Drill Core	<0.1	0.02	4.6	2.73	<0.1	0.86	0.02	16.9	1.0	<0.05	26.6	27.31	85.5	0.02	<1	1.4	9.4	<10
1833111	Drill Core	<0.1	<0.02	3.3	2.52	<0.1	1.00	0.03	16.2	0.5	<0.05	26.9	27.84	90.6	<0.02	<1	1.1	5.9	11
1833112	Drill Core	0.2	0.04	3.0	1.85	<0.1	1.01	0.04	12.5	0.4	<0.05	27.3	23.93	89.8	0.02	<1	1.1	6.0	<10
1833113	Drill Core	<0.1	0.03	2.9	1.76	<0.1	0.99	<0.02	13.5	0.2	<0.05	30.0	22.52	93.0	<0.02	<1	0.6	5.7	<10
1833114	Drill Core	<0.1	<0.02	3.4	1.56	<0.1	1.06	<0.02	12.0	0.2	<0.05	26.2	20.88	88.8	<0.02	<1	0.7	6.4	18
1833115	Drill Core	0.1	<0.02	4.2	1.05	<0.1	0.89	0.05	9.5	0.3	<0.05	32.6	19.31	78.9	<0.02	1	0.5	6.3	<10
1833116	Drill Core	<0.1	<0.02	3.0	1.47	<0.1	0.81	0.03	12.1	0.3	<0.05	27.6	20.48	80.6	<0.02	<1	0.8	6.7	<10
1833117	Drill Core	<0.1	<0.02	3.1	1.87	<0.1	0.86	0.04	13.3	0.4	<0.05	29.8	20.71	82.9	<0.02	<1	0.8	7.2	<10
1833118	Drill Core	<0.1	<0.02	3.0	2.20	0.1	0.80	0.03	13.5	0.6	<0.05	28.4	20.36	82.4	<0.02	<1	0.8	8.2	<10
1833119	Drill Core	0.1	<0.02	3.2	1.99	<0.1	0.88	0.03	13.5	0.5	<0.05	29.8	20.21	84.2	<0.02	<1	0.9	8.2	<10
1833120	Rock Pulp	0.6	0.16	4.3	0.61	0.1	0.08	0.03	6.2	0.4	<0.05	2.5	3.57	8.7	<0.02	3	0.1	7.6	266
1833121	Drill Core	<0.1	<0.02	3.4	2.25	<0.1	0.78	0.03	15.3	0.3	<0.05	29.9	21.49	85.6	<0.02	<1	1.1	6.7	<10
1833122	Drill Core	0.2	0.03	2.6	1.64	<0.1	0.80	0.06	9.7	0.4	<0.05	27.7	17.10	64.0	<0.02	<1	0.8	7.0	<10
1833123	Drill Core	<0.1	<0.02	3.3	2.28	<0.1	0.84	0.03	14.3	0.4	<0.05	27.0	20.35	81.8	<0.02	<1	1.2	7.5	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 21, 2019

Page:

1 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000288.1

Method		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1833063	Drill Core	1.37	459	0.030	0.03	<0.17	36.17	2.57	6.39	17.44	24.3	232	1.4	1.7	135	1.48	43.1	7.8	24.9	24.1	11.8
REP 1833063	QC	0.035																			
1833078	Drill Core	2.39	371	0.137	0.13	<0.17	35.41	1.16	22.08	14.97	114.4	495	26.1	19.1	712	3.96	13.8	1.5	131.1	7.2	131.2
REP 1833078	QC							1.17	23.39	14.85	109.8	511	26.1	19.6	685	3.93	13.6	1.6	125.3	7.0	136.1
1833096	Drill Core	2.40	440	0.006	<0.01	<0.17	34.63	0.31	1.40	4.99	36.8	63	0.9	0.9	292	0.86	0.8	1.0	0.3	17.7	77.9
REP 1833096	QC	0.006																			
1833113	Drill Core	1.54	476	0.024	0.02	<0.17	39.96	2.23	13.77	66.08	76.1	234	0.8	1.8	226	1.24	25.6	11.3	16.7	31.3	20.8
REP 1833113	QC							2.19	14.20	66.41	82.7	233	0.7	1.8	235	1.24	26.7	11.3	16.5	30.1	21.5
1833114	Drill Core	1.60	518	0.017	0.02	<0.17	38.61	1.60	4.57	15.85	25.6	142	1.0	1.7	278	1.18	18.1	11.0	7.5	29.5	32.6
REP 1833114	QC	0.016																			
1833123	Drill Core	1.54	492	0.012	0.01	<0.17	33.73	1.18	4.79	24.34	36.1	103	1.7	2.7	381	1.35	30.0	7.2	4.6	23.7	36.8
REP 1833123	QC							1.27	4.38	24.05	36.2	105	1.6	2.6	361	1.32	30.1	7.2	4.3	24.1	36.6
Core Reject Duplicates																					
1833072	Drill Core	3.42	442	0.017	0.02	<0.17	36.05	0.40	7.63	9.22	37.1	185	4.2	4.4	328	1.57	19.0	1.4	16.0	15.7	45.4
DUP 1833072	QC	421		0.019	0.02	<0.17	35.87	0.42	7.44	8.62	33.4	181	3.8	4.2	305	1.55	17.9	1.3	12.5	15.7	41.6
1833106	Drill Core	1.78	443	0.037	0.03	<0.17	37.51	0.55	7.03	59.21	70.6	480	3.2	3.7	332	1.54	31.0	5.0	28.9	26.4	19.9
DUP 1833106	QC	432		0.037	0.03	<0.17	37.86	0.53	7.15	58.94	67.5	478	3.0	3.6	347	1.55	30.3	5.1	30.5	25.5	20.4
Reference Materials																					
STD BVGEO01	Standard							11.07	4320.77	182.14	1829.9	2636	149.8	27.9	694	3.70	118.8	3.6	227.2	14.5	55.2
STD BVGEO01	Standard							10.52	4366.57	191.16	1798.6	2615	159.8	23.6	762	3.70	120.0	3.9	217.3	14.9	63.4
STD DS11	Standard							14.98	144.99	136.33	341.0	1788	74.5	12.5	1027	3.09	42.9	2.6	74.1	8.2	69.3
STD OREAS256	Standard	7.566																			
STD OREAS262	Standard							0.66	121.40	54.82	149.5	452	64.5	27.7	545	3.31	36.0	1.2	58.2	9.5	33.7
STD OREAS262	Standard							0.68	122.32	59.35	142.4	479	64.1	25.0	509	3.33	35.3	1.3	73.1	9.8	37.5
STD OREAS262	Standard							0.63	114.42	57.04	150.1	458	59.5	26.0	544	3.18	36.6	1.2	63.3	9.4	37.0
STD OXC145	Standard	0.219																			
STD OXC145	Standard	0.217																			
STD OXH139	Standard	1.305																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 21, 2019

Page:

1 of 2

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000288.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1833063	Drill Core	0.19	0.46	0.11	3	0.07	0.023	34.6	1.8	0.09	69.1	0.001	<1	0.59	0.012	0.22	0.1	1.1	0.09	0.16	13
REP 1833063	QC																				
1833078	Drill Core	0.30	0.58	1.40	41	2.05	0.084	15.6	87.6	3.18	264.2	0.025	3	2.84	0.019	0.54	0.2	10.2	0.36	0.10	6
REP 1833078	QC	0.28	0.60	1.35	41	2.03	0.083	15.3	91.0	3.18	268.4	0.024	2	2.83	0.019	0.53	0.2	10.5	0.36	0.10	<5
1833096	Drill Core	0.18	0.12	0.10	1	1.32	0.005	51.9	1.6	0.87	214.6	0.001	<1	0.88	0.009	0.27	<0.1	3.0	0.10	<0.02	<5
REP 1833096	QC																				
1833113	Drill Core	0.57	0.35	0.07	1	0.29	0.021	49.6	1.2	0.10	52.1	<0.001	<1	0.55	0.019	0.23	<0.1	0.8	0.11	0.28	9
REP 1833113	QC	0.57	0.35	0.07	1	0.29	0.021	50.5	1.4	0.10	52.5	<0.001	<1	0.55	0.019	0.23	<0.1	0.7	0.10	0.28	6
1833114	Drill Core	0.14	0.25	0.08	1	0.40	0.022	50.0	1.6	0.12	44.9	<0.001	<1	0.52	0.014	0.20	<0.1	0.9	0.09	0.26	7
REP 1833114	QC																				
1833123	Drill Core	0.11	0.65	0.05	2	0.74	0.023	41.7	1.8	0.16	42.9	0.001	1	0.63	0.016	0.24	<0.1	1.0	0.09	0.30	43
REP 1833123	QC	0.12	0.73	0.05	2	0.73	0.024	42.0	1.7	0.15	42.5	0.001	<1	0.63	0.017	0.24	<0.1	1.0	0.09	0.29	47
Core Reject Duplicates																					
1833072	Drill Core	0.09	0.28	0.19	11	0.60	0.041	44.3	15.2	0.61	237.0	0.003	2	0.98	0.044	0.28	<0.1	3.2	0.14	0.02	12
DUP 1833072	QC	0.08	0.28	0.18	11	0.57	0.039	44.4	14.4	0.59	220.9	0.003	1	0.95	0.044	0.27	<0.1	3.0	0.13	0.02	8
1833106	Drill Core	0.29	0.41	0.41	6	0.23	0.025	47.7	3.1	0.29	76.5	0.002	<1	0.76	0.029	0.20	<0.1	1.9	0.08	0.04	<5
DUP 1833106	QC	0.29	0.43	0.42	6	0.24	0.024	47.6	3.2	0.30	80.1	0.002	<1	0.78	0.030	0.21	0.1	1.8	0.08	0.04	11
Reference Materials																					
STD BVGE001	Standard	6.98	3.63	25.53	69	1.33	0.081	26.9	195.1	1.27	264.5	0.229	3	2.35	0.195	0.87	5.4	6.1	0.59	0.60	98
STD BVGE001	Standard	6.55	3.48	26.43	72	1.33	0.078	28.1	201.8	1.33	276.4	0.239	3	2.42	0.200	0.90	5.0	6.5	0.58	0.65	88
STD DS11	Standard	2.44	9.66	11.80	48	1.11	0.070	20.3	60.9	0.83	369.4	0.096	7	1.22	0.070	0.40	3.0	3.3	4.81	0.25	259
STD OREAS256	Standard																				
STD OREAS262	Standard	0.69	4.20	1.07	22	3.10	0.044	17.8	46.3	1.17	278.8	0.003	5	1.47	0.068	0.34	0.2	3.4	0.46	0.23	169
STD OREAS262	Standard	0.61	6.18	1.06	22	3.03	0.040	18.7	46.3	1.15	250.4	0.003	3	1.44	0.065	0.34	0.2	3.7	0.45	0.24	169
STD OREAS262	Standard	0.63	4.78	1.07	22	3.01	0.040	18.7	45.3	1.16	245.2	0.003	4	1.41	0.068	0.34	0.2	3.5	0.44	0.24	150
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 21, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000288.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1833063	Drill Core	<0.1	<0.02	2.9	1.92	<0.1	0.76	<0.02	12.6	0.7	<0.05	19.8	14.84	54.7	<0.02	<1	1.0	4.4	<10	<2
REP 1833063	QC																			
1833078	Drill Core	<0.1	0.05	7.0	3.23	<0.1	0.07	<0.02	27.0	3.0	<0.05	1.3	14.43	31.4	0.05	<1	1.2	33.7	<10	<2
REP 1833078	QC	<0.1	0.04	6.7	3.18	<0.1	0.07	<0.02	27.0	3.2	<0.05	1.3	14.24	29.3	0.08	<1	1.0	34.4	<10	<2
1833096	Drill Core	<0.1	<0.02	2.8	1.11	<0.1	0.16	<0.02	13.3	1.2	<0.05	3.8	17.59	93.5	0.03	<1	0.6	17.6	<10	<2
REP 1833096	QC																			
1833113	Drill Core	<0.1	0.03	2.9	1.76	<0.1	0.99	<0.02	13.5	0.2	<0.05	30.0	22.52	93.0	<0.02	<1	0.6	5.7	<10	<2
REP 1833113	QC	<0.1	0.03	2.8	1.74	<0.1	1.02	<0.02	13.5	0.2	<0.05	29.9	23.01	93.8	<0.02	<1	0.9	6.1	<10	<2
1833114	Drill Core	<0.1	<0.02	3.4	1.56	<0.1	1.06	<0.02	12.0	0.2	<0.05	26.2	20.88	88.8	<0.02	<1	0.7	6.4	18	<2
REP 1833114	QC																			
1833123	Drill Core	<0.1	<0.02	3.3	2.28	<0.1	0.84	0.03	14.3	0.4	<0.05	27.0	20.35	81.8	<0.02	<1	1.2	7.5	<10	<2
REP 1833123	QC	<0.1	<0.02	3.1	2.27	<0.1	0.83	0.04	14.3	0.4	<0.05	28.3	21.09	81.5	<0.02	<1	1.0	7.8	<10	<2
Core Reject Duplicates																				
1833072	Drill Core	<0.1	<0.02	4.7	1.68	<0.1	0.08	<0.02	16.3	1.2	<0.05	2.8	12.20	79.7	<0.02	<1	1.0	13.0	<10	2
DUP 1833072	QC	<0.1	<0.02	4.3	1.63	<0.1	0.06	<0.02	15.3	1.1	<0.05	2.5	11.79	75.7	0.03	<1	0.7	12.0	<10	<2
1833106	Drill Core	<0.1	<0.02	4.8	1.58	<0.1	0.98	<0.02	12.1	0.9	<0.05	25.1	25.33	86.7	0.02	<1	1.3	9.8	<10	<2
DUP 1833106	QC	<0.1	0.02	4.6	1.58	<0.1	0.98	<0.02	12.2	0.8	<0.05	25.3	25.49	87.1	0.02	<1	1.2	9.4	23	3
Reference Materials																				
STD BVGEO01	Standard	4.5	1.03	7.2	7.39	0.2	0.38	0.32	94.2	5.8	<0.05	10.7	15.31	54.4	0.52	4	0.5	20.5	128	187
STD BVGEO01	Standard	4.9	1.03	7.1	7.14	<0.1	0.40	0.23	93.8	6.1	<0.05	9.8	15.64	55.4	0.45	2	0.7	22.1	116	181
STD DS11	Standard	2.1	4.61	4.9	3.04	<0.1	0.06	1.61	33.4	1.9	<0.05	2.4	8.75	40.4	0.24	44	0.5	22.6	99	161
STD OREAS256	Standard																			
STD OREAS262	Standard	0.3	0.22	4.6	2.98	<0.1	0.26	<0.02	21.5	0.6	<0.05	10.9	10.98	36.1	0.04	<1	1.1	16.8	<10	<2
STD OREAS262	Standard	0.3	0.23	4.1	3.27	<0.1	0.29	<0.02	20.4	0.5	<0.05	9.3	11.35	36.9	0.04	<1	1.1	18.1	10	<2
STD OREAS262	Standard	0.2	0.20	4.1	2.83	<0.1	0.27	<0.02	20.1	0.6	<0.05	8.9	11.15	36.6	0.03	1	1.1	18.2	<10	4
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 21, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000288.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXH139	Standard			1.293																	
STD OXN134	Standard			7.696																	
STD OXQ90	Standard					25.22	30.25														
STD OXQ90	Standard					25.12	30.05														
STD OXQ90	Standard					25.91	30.10														
STD OXQ90	Standard					25.03	30.08														
STD OXQ90	Standard					25.20	29.64														
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank			0.006																	
BLK	Blank			0.007																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.007																	
BLK	Blank			0.006																	
BLK	Blank							<0.01	<0.01	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.2	<0.5
BLK	Blank							<0.01	0.02	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	0.8	0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		416	0.007	<0.01	<0.17	37.65	1.25	3.44	1.53	29.9	11	1.0	3.3	500	1.91	0.8	0.6	2.3	3.0	25.8
ROCK-WHI	Prep Blank		420	0.007	<0.01	<0.17	33.17	1.33	2.61	1.48	32.6	10	1.1	3.9	511	1.95	0.8	0.5	1.7	2.5	27.1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 21, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000288.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.03	0.08	<0.02	24	0.63	0.042	7.7	2.9	0.42	58.4	0.094	<1	0.87	0.089	0.08	<0.1	3.2	<0.02	<0.02	12
ROCK-WHI	Prep Blank	0.03	0.06	<0.02	25	0.66	0.042	7.3	3.8	0.46	59.5	0.094	2	0.94	0.099	0.09	<0.1	3.6	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 21, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000288.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90 Expected																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.15	<0.1	0.16	0.21	2.3	0.4	<0.05	3.6	10.02	14.7	<0.02	<1	0.2	2.4	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	4.1	0.16	<0.1	0.16	0.24	2.4	0.4	<0.05	3.2	9.96	14.7	<0.02	<1	0.4	2.3	<10