



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 30, 2019
Report Date: August 23, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000289.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-39
P.O. Number
Number of Samples: 109

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	104	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	109	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	109	Analysis sample split/packet			WHI
Split -150	109	Analysis sample split/packet			WHI
EN002	109	Environmental disposal charge-Fire assay lead waste			VAN
FS631	106	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	109	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	109	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Erika Cayer
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 23, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000289.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022654	Drill Core	4.25	452	0.060	0.06	<0.17	31.77	1.24	18.95	47.87	112.2	422	14.1	9.0	514	2.48	4.6	1.5	56.8	10.3	82.7
2022655	Drill Core	4.25	489	0.033	0.03	<0.17	28.16	1.49	8.33	181.27	173.7	398	13.8	8.9	804	2.80	6.7	2.0	30.8	13.1	82.6
2022656	Drill Core	4.81	400	0.006	<0.01	<0.17	39.36	1.28	21.33	10.12	63.8	298	16.2	9.6	457	2.50	4.8	1.3	1.7	9.9	91.0
2022657	Drill Core	4.95	523	0.006	<0.01	<0.17	32.34	0.78	23.69	8.95	72.3	364	14.9	9.4	397	2.39	3.7	1.4	0.4	10.2	98.2
2022658	Drill Core	5.16	463	<0.005	<0.01	<0.17	26.76	0.56	17.17	9.00	61.2	231	10.9	8.5	489	2.26	2.1	1.9	<0.2	12.8	83.2
2022659	Drill Core	4.95	471	0.006	<0.01	<0.17	35.14	0.62	15.26	37.51	78.1	218	10.4	7.5	493	2.20	1.4	1.7	<0.2	11.2	99.3
2022660	Core DUP		509	<0.005	<0.01	<0.17	32.56	0.56	13.94	40.14	89.8	240	10.5	7.6	472	2.15	1.5	1.7	<0.2	10.3	99.0
2022661	Drill Core	5.18	412	0.005	<0.01	<0.17	33.64	0.59	10.67	5.96	68.7	152	13.2	8.0	473	2.47	2.3	1.8	<0.2	10.7	107.4
2022662	Drill Core	4.91	554	<0.005	<0.01	<0.17	30.55	0.80	28.37	35.44	98.8	353	11.4	7.7	480	2.38	2.5	1.0	<0.2	10.8	80.7
2022663	Drill Core	5.04	393	0.006	<0.01	<0.17	41.94	0.50	15.14	14.47	67.5	207	11.8	8.3	456	2.42	1.2	1.4	<0.2	10.8	92.7
2022664	Drill Core	4.97	420	<0.005	<0.01	<0.17	35.36	0.43	13.15	7.78	70.4	164	12.5	8.5	563	2.62	0.6	1.3	<0.2	11.2	119.8
2022665	Drill Core	4.98	527	<0.005	<0.01	<0.17	39.04	0.42	15.36	9.57	84.6	182	12.4	8.4	598	2.59	0.6	1.7	<0.2	10.6	94.9
2022666	Drill Core	5.16	540	0.008	<0.01	<0.17	27.90	0.57	18.29	14.98	81.4	260	10.5	7.2	481	2.20	4.5	1.6	4.2	11.7	58.4
2022667	Drill Core	2.24	489	0.032	0.03	<0.17	34.27	0.58	4.93	13.05	29.5	256	2.3	2.8	143	0.89	10.2	2.3	23.0	11.4	11.8
2022668	Drill Core	2.35	523	0.052	0.05	<0.17	38.69	0.55	3.96	23.57	34.9	288	2.6	2.6	154	1.07	4.4	1.6	83.6	10.4	8.4
2022669	Drill Core	2.34	398	0.038	0.03	<0.17	33.94	0.36	8.67	25.33	36.4	340	2.3	2.7	177	0.83	4.1	3.7	33.4	11.0	31.2
2022670	Drill Core	4.79	502	<0.005	<0.01	<0.17	28.34	0.24	4.91	9.84	33.2	116	1.9	1.7	177	0.79	1.5	1.0	1.0	11.7	37.6
2022671	Drill Core	5.34	420	0.005	<0.01	<0.17	31.52	0.36	8.09	39.30	90.4	220	2.3	2.0	157	0.94	2.5	1.3	0.6	11.6	36.3
2022672	Drill Core	4.72	422	<0.005	<0.01	<0.17	27.16	0.29	4.53	12.53	38.4	222	1.7	1.7	168	0.89	2.0	1.5	<0.2	11.3	23.5
2022673	Drill Core	4.94	407	0.006	<0.01	<0.17	39.63	0.30	4.55	17.09	35.3	260	1.5	1.5	174	0.82	7.0	1.9	0.5	11.7	22.0
2022674	Drill Core	5.08	371	0.005	<0.01	<0.17	36.61	0.32	5.98	16.84	44.6	259	1.5	1.6	192	0.89	7.3	1.9	1.0	12.6	30.5
2022675	Drill Core	3.48	517	0.005	<0.01	<0.17	34.16	0.27	4.63	15.35	27.4	162	1.1	1.0	134	0.65	3.3	0.8	<0.2	12.3	23.2
2022676	Drill Core	4.51	454	<0.005	<0.01	<0.17	31.96	1.44	21.61	21.25	68.2	305	14.1	9.2	379	2.40	5.4	1.8	<0.2	10.2	50.9
2022677	Drill Core	5.10	460	<0.005	<0.01	<0.17	30.44	1.02	21.73	10.84	59.0	211	13.5	8.6	286	1.94	3.8	1.7	<0.2	8.6	47.6
2022678	Drill Core	5.11	513	<0.005	<0.01	<0.17	28.76	1.41	17.42	15.75	67.3	200	11.9	7.8	278	1.90	6.0	1.8	<0.2	10.4	39.5
2022679	Drill Core	4.84	452	<0.005	<0.01	<0.17	28.51	1.51	26.13	5.15	46.2	205	13.2	8.1	316	1.82	2.8	1.7	<0.2	9.8	36.7
2022680	Rock	0.23	171	<0.005	<0.01	<0.17	30.12	0.63	1.22	2.21	4.3	11	1.4	0.4	85	0.75	0.6	0.2	<0.2	1.4	1.8
2022681	Drill Core	4.83	506	0.005	<0.01	<0.17	46.14	1.38	17.41	10.23	47.8	160	12.3	7.3	317	1.75	2.3	1.6	<0.2	8.8	30.2
2022682	Drill Core	6.35	487	0.005	<0.01	<0.17	24.53	1.26	16.76	17.19	59.7	187	14.4	8.1	328	1.89	2.9	1.6	0.7	8.1	37.2
2022683	Drill Core	5.02	373	<0.005	<0.01	<0.17	33.72	0.51	13.65	13.65	82.5	159	13.0	9.5	332	2.07	5.1	1.5	1.0	8.6	57.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 23, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000289.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
			0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022654	Drill Core	1.01	0.90	0.30	23	0.82	0.061	26.7	26.3	1.15	491.2	0.057	2	1.48	0.023	0.45	0.5	4.6	0.25	0.17	13	
2022655	Drill Core	1.87	0.65	0.25	27	0.79	0.066	30.7	28.3	1.42	415.0	0.060	1	1.58	0.034	0.32	3.8	6.4	0.16	0.33	14	
2022656	Drill Core	0.32	0.66	0.10	29	0.64	0.065	27.5	29.9	1.20	340.7	0.035	<1	1.41	0.023	0.32	0.3	4.8	0.14	0.16	9	
2022657	Drill Core	0.34	0.61	0.17	28	0.70	0.066	27.4	29.0	1.13	269.9	0.055	<1	1.38	0.025	0.39	0.3	5.3	0.19	0.13	7	
2022658	Drill Core	0.26	0.58	0.04	21	0.75	0.065	32.4	22.1	1.02	319.1	0.047	1	1.30	0.023	0.39	0.2	5.3	0.17	0.10	8	
2022659	Drill Core	0.47	0.61	0.07	22	0.97	0.064	27.9	25.1	0.98	274.5	0.045	<1	1.22	0.029	0.36	0.2	5.4	0.15	0.07	8	
2022660	Core DUP	0.57	0.61	0.06	21	0.97	0.068	27.4	24.3	0.96	255.8	0.043	<1	1.17	0.026	0.33	0.2	4.9	0.15	0.06	<5	
2022661	Drill Core	0.30	0.67	0.03	26	0.88	0.060	26.8	27.0	1.22	285.7	0.074	1	1.41	0.027	0.43	0.3	5.8	0.21	0.06	<5	
2022662	Drill Core	0.87	0.53	0.09	25	0.78	0.060	27.7	27.5	1.05	209.8	0.027	<1	1.32	0.030	0.48	<0.1	5.7	0.25	0.07	<5	
2022663	Drill Core	0.24	0.60	0.07	25	0.87	0.061	30.2	28.5	1.11	240.6	0.019	<1	1.34	0.029	0.41	<0.1	5.3	0.20	0.02	6	
2022664	Drill Core	0.25	0.51	<0.02	28	1.04	0.069	29.8	32.8	1.21	304.1	0.025	<1	1.43	0.032	0.39	<0.1	6.0	0.19	0.02	9	
2022665	Drill Core	0.50	0.65	0.04	27	0.99	0.066	27.5	29.5	1.29	317.2	0.048	<1	1.49	0.027	0.55	0.1	6.1	0.32	<0.02	8	
2022666	Drill Core	0.84	0.65	0.07	19	0.62	0.066	31.8	21.1	1.04	239.0	0.015	<1	1.38	0.022	0.43	<0.1	4.3	0.21	<0.02	7	
2022667	Drill Core	0.56	0.90	0.15	4	0.15	0.026	27.2	6.1	0.23	354.4	0.015	1	0.67	0.017	0.41	0.6	2.3	0.18	0.17	26	
2022668	Drill Core	0.28	0.63	0.09	4	0.13	0.025	22.9	7.4	0.25	363.5	0.011	<1	0.60	0.019	0.37	0.6	2.5	0.14	0.26	35	
2022669	Drill Core	0.55	0.60	0.21	4	0.56	0.026	25.8	6.7	0.23	362.7	0.026	2	0.65	0.022	0.36	0.6	2.5	0.14	0.15	22	
2022670	Drill Core	0.40	0.66	0.11	4	0.46	0.020	26.2	5.9	0.27	328.4	0.040	<1	0.67	0.023	0.28	0.6	3.3	0.10	<0.02	27	
2022671	Drill Core	0.74	1.48	0.11	5	0.46	0.019	25.9	6.8	0.26	422.4	0.048	2	0.65	0.025	0.26	0.8	3.7	0.10	0.06	39	
2022672	Drill Core	0.58	0.56	0.11	5	0.40	0.019	31.0	6.9	0.25	348.4	0.055	<1	0.63	0.034	0.26	0.4	3.7	0.10	0.02	14	
2022673	Drill Core	0.55	0.55	0.17	4	0.36	0.019	31.0	4.9	0.18	349.0	0.043	<1	0.58	0.033	0.24	0.3	3.7	0.08	<0.02	5	
2022674	Drill Core	0.52	0.54	0.17	4	0.33	0.016	34.2	5.1	0.21	369.4	0.042	<1	0.60	0.040	0.25	0.2	4.0	0.09	<0.02	17	
2022675	Drill Core	0.26	0.32	0.22	2	0.27	0.012	34.9	3.3	0.19	334.4	0.007	<1	0.49	0.029	0.31	<0.1	2.1	0.09	<0.02	8	
2022676	Drill Core	0.57	0.45	0.17	28	0.82	0.077	22.0	32.4	1.07	257.0	0.115	1	1.26	0.035	0.63	0.2	6.4	0.29	0.14	9	
2022677	Drill Core	0.31	0.41	0.07	23	0.78	0.069	18.0	25.6	0.97	256.5	0.108	<1	1.07	0.022	0.76	0.2	4.5	0.34	0.14	<5	
2022678	Drill Core	0.40	0.35	0.13	21	0.63	0.066	20.8	25.2	0.93	286.7	0.101	<1	0.99	0.029	0.74	0.2	3.6	0.32	0.22	<5	
2022679	Drill Core	0.20	0.37	0.04	21	0.54	0.079	19.9	26.5	0.94	486.0	0.097	<1	0.98	0.025	0.67	0.3	3.2	0.26	0.14	<5	
2022680	Rock	0.02	0.04	<0.02	2	0.03	0.002	2.1	4.3	0.01	16.0	0.003	<1	0.07	0.006	0.02	<0.1	0.3	<0.02	<0.02	<5	
2022681	Drill Core	0.19	0.33	0.08	19	0.52	0.073	17.4	23.4	0.96	395.8	0.083	2	1.01	0.020	0.76	0.2	2.8	0.27	0.09	<5	
2022682	Drill Core	0.32	0.32	0.13	21	0.58	0.070	14.2	25.5	1.00	491.7	0.081	<1	1.00	0.021	0.70	0.2	3.3	0.27	0.14	<5	
2022683	Drill Core	0.48	0.42	0.14	25	1.01	0.066	13.9	27.4	1.14	275.4	0.085	1	1.11	0.040	0.71	0.2	3.7	0.32	0.25	<5	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 23, 2019

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000289.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022654	Drill Core	<0.1	0.04	7.3	3.28	<0.1	0.23	0.12	31.5	1.0	<0.05	5.6	17.42	48.0	0.03	<1	0.4	29.7	<10	<2			
2022655	Drill Core	0.3	0.05	9.0	2.33	<0.1	0.19	0.12	19.3	0.9	<0.05	4.8	17.73	58.9	0.04	<1	0.8	33.3	<10	<2			
2022656	Drill Core	<0.1	0.02	5.8	2.66	<0.1	0.19	0.04	17.8	0.5	<0.05	5.3	17.10	51.6	0.02	<1	0.9	25.2	<10	<2			
2022657	Drill Core	<0.1	<0.02	5.9	3.86	<0.1	0.20	0.07	23.4	0.7	<0.05	5.5	16.42	51.5	0.03	<1	0.9	24.3	<10	<2			
2022658	Drill Core	<0.1	0.02	6.0	2.84	<0.1	0.16	0.05	22.5	0.5	<0.05	4.0	16.64	61.3	0.02	<1	0.2	21.6	<10	<2			
2022659	Drill Core	<0.1	<0.02	6.2	2.42	<0.1	0.13	0.07	20.5	0.6	<0.05	2.9	14.13	51.4	0.02	1	0.8	19.2	<10	<2			
2022660	Core DUP	0.1	<0.02	5.6	2.36	<0.1	0.09	0.04	19.4	0.5	<0.05	2.6	13.94	52.2	0.02	<1	0.5	19.3	<10	<2			
2022661	Drill Core	<0.1	<0.02	6.3	3.55	<0.1	0.17	0.08	26.1	0.6	<0.05	4.5	15.87	52.7	0.03	<1	1.1	23.2	<10	<2			
2022662	Drill Core	0.2	<0.02	5.8	3.85	<0.1	0.11	<0.02	30.3	0.5	<0.05	3.7	11.47	54.8	<0.02	<1	0.4	22.7	<10	<2			
2022663	Drill Core	<0.1	<0.02	5.9	3.34	<0.1	0.14	<0.02	24.9	0.5	<0.05	5.2	11.07	56.2	0.03	<1	0.5	25.1	<10	<2			
2022664	Drill Core	<0.1	<0.02	6.2	3.35	<0.1	0.14	0.02	23.5	0.5	<0.05	4.3	11.55	55.0	0.02	<1	0.6	23.8	<10	<2			
2022665	Drill Core	<0.1	<0.02	6.1	5.89	<0.1	0.16	0.07	35.9	0.5	<0.05	4.2	13.55	54.4	<0.02	<1	1.0	25.3	<10	<2			
2022666	Drill Core	<0.1	<0.02	5.5	4.25	<0.1	0.10	<0.02	27.1	0.5	<0.05	3.2	14.34	59.2	0.02	<1	0.8	25.6	<10	<2			
2022667	Drill Core	<0.1	0.02	2.6	4.44	<0.1	0.05	0.13	23.9	0.5	<0.05	1.5	12.56	50.3	0.02	<1	0.4	7.0	<10	<2			
2022668	Drill Core	0.1	<0.02	2.3	2.55	<0.1	0.05	0.14	20.5	0.4	<0.05	4.4	10.23	44.2	<0.02	<1	0.3	8.2	<10	<2			
2022669	Drill Core	0.1	0.02	2.4	1.45	<0.1	0.07	0.27	19.5	0.4	<0.05	1.7	14.24	47.5	<0.02	<1	0.4	7.8	<10	<2			
2022670	Drill Core	<0.1	<0.02	3.4	0.93	<0.1	0.05	0.43	16.5	0.7	<0.05	1.6	17.32	49.5	0.04	<1	0.6	7.0	<10	<2			
2022671	Drill Core	<0.1	<0.02	3.4	1.07	<0.1	0.06	0.53	14.7	0.8	<0.05	1.5	18.44	48.7	0.03	<1	0.6	7.4	<10	<2			
2022672	Drill Core	<0.1	<0.02	3.2	0.88	<0.1	0.08	0.51	14.4	0.9	<0.05	1.5	18.90	56.1	0.03	<1	0.5	5.8	<10	<2			
2022673	Drill Core	<0.1	<0.02	2.9	0.84	<0.1	0.06	0.45	13.4	0.9	<0.05	1.9	18.94	58.6	0.02	<1	0.5	5.2	<10	<2			
2022674	Drill Core	<0.1	<0.02	3.1	1.33	0.1	0.09	0.47	14.7	0.8	<0.05	2.1	18.99	62.2	0.04	<1	0.5	5.3	<10	<2			
2022675	Drill Core	<0.1	<0.02	2.2	1.33	<0.1	0.15	0.13	14.9	0.5	<0.05	4.9	15.82	64.3	0.02	<1	0.6	5.1	<10	<2			
2022676	Drill Core	0.3	<0.02	5.2	4.84	0.1	0.20	0.13	37.5	0.7	<0.05	5.1	13.57	41.7	0.02	<1	0.7	16.8	<10	<2			
2022677	Drill Core	0.2	<0.02	3.9	5.74	<0.1	0.07	0.14	43.1	0.6	<0.05	2.3	10.37	34.8	<0.02	<1	0.2	12.9	<10	<2			
2022678	Drill Core	0.3	<0.02	4.1	6.35	<0.1	0.10	0.14	40.8	0.6	<0.05	2.8	10.98	38.1	<0.02	2	0.5	13.2	<10	<2			
2022679	Drill Core	0.3	<0.02	3.7	13.40	<0.1	0.06	0.15	35.6	0.5	<0.05	1.7	11.43	38.4	<0.02	2	0.3	13.2	<10	<2			
2022680	Rock	<0.1	<0.02	0.3	0.11	<0.1	0.11	0.07	0.9	<0.1	<0.05	2.2	0.94	4.1	<0.02	<1	<0.1	1.4	<10	<2			
2022681	Drill Core	0.2	<0.02	3.3	13.89	<0.1	0.09	0.12	39.2	0.5	<0.05	2.2	11.51	33.2	<0.02	1	0.4	14.1	<10	2			
2022682	Drill Core	0.2	<0.02	3.6	16.04	<0.1	0.06	0.12	36.1	0.5	<0.05	1.6	10.57	27.9	<0.02	1	0.4	12.4	<10	<2			
2022683	Drill Core	0.3	<0.02	4.4	6.17	<0.1	0.11	0.09	37.2	0.6	<0.05	4.0	10.93	26.4	<0.02	<1	0.8	14.1	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: August 23, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000289.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2022684	Drill Core	4.62	466	0.005	<0.01	<0.17	24.65	0.56	13.14	8.48	75.8	132	19.6	11.6	348	2.54	9.3	1.6	1.2	35.3
2022685	Drill Core	4.96	498	<0.005	<0.01	<0.17	27.77	0.73	7.72	15.07	58.2	103	13.0	8.9	337	2.16	4.5	1.7	0.3	40.9
2022686	Drill Core	5.46	377	0.006	<0.01	<0.17	38.54	0.43	13.16	16.42	63.7	169	13.0	9.2	307	2.36	4.5	1.6	<0.2	24.9
2022687	Drill Core	5.18	521	0.006	<0.01	<0.17	28.86	0.42	14.97	4.97	52.5	169	14.7	8.9	327	2.20	4.6	1.8	0.6	27.5
2022688	Drill Core	4.87	442	0.005	<0.01	<0.17	31.36	0.25	19.59	9.19	70.1	196	13.1	9.2	296	2.23	2.7	1.8	<0.2	23.5
2022689	Drill Core	4.61	494	<0.005	<0.01	<0.17	29.91	0.49	10.47	11.53	62.0	119	11.7	7.0	318	2.23	3.0	1.6	<0.2	25.7
2022690	Drill Core	5.18	490	0.005	<0.01	<0.17	37.62	0.92	18.52	46.63	75.0	260	10.7	7.6	355	1.97	3.3	1.9	<0.2	26.6
2022691	Drill Core	4.61	459	<0.005	<0.01	<0.17	28.29	0.48	14.60	8.21	47.5	144	10.9	7.8	298	2.01	3.7	2.3	<0.2	29.3
2022692	Drill Core	5.08	420	0.007	<0.01	<0.17	33.17	0.40	20.56	19.63	116.7	190	10.5	8.0	412	2.14	4.7	1.6	2.0	36.5
2022693	Drill Core	4.74	453	0.006	<0.01	<0.17	24.53	1.04	18.48	18.15	62.5	209	10.0	7.4	350	1.96	4.2	2.5	<0.2	22.5
2022694	Drill Core	4.90	466	<0.005	<0.01	<0.17	29.29	1.06	14.18	7.51	47.4	160	11.0	7.2	349	2.02	3.1	2.1	<0.2	31.0
2022695	Drill Core	5.23	420	<0.005	<0.01	<0.17	26.36	1.11	16.83	6.05	54.5	195	10.3	7.4	309	2.06	4.0	2.2	<0.2	25.4
2022696	Drill Core	5.14	465	<0.005	<0.01	<0.17	36.37	1.10	14.96	7.91	43.6	186	9.9	7.8	293	2.10	6.8	2.1	<0.2	26.5
2022697	Drill Core	4.61	486	<0.005	<0.01	<0.17	29.48	0.84	15.01	15.00	52.6	214	9.6	7.8	337	1.92	7.6	2.5	<0.2	32.6
2022698	Drill Core	4.58	376	0.006	<0.01	<0.17	34.14	0.21	18.20	36.78	126.4	307	9.8	7.1	474	1.99	5.0	1.2	<0.2	43.2
2022699	Drill Core	4.66	456	0.006	<0.01	<0.17	25.41	0.40	12.46	72.47	124.4	202	9.7	7.1	559	1.89	5.4	1.4	<0.2	57.8
2022700	Rock Pulp	0.12	87	7.442				9.69	198.17	19.91	79.0	880	13.3	11.5	599	4.80	14.7	0.9	7580.9	83.8
2022701	Drill Core	5.02	431	0.008	<0.01	<0.17	26.30	0.57	12.98	101.92	132.8	231	9.3	7.0	642	1.92	5.0	1.3	1.7	33.3
2022702	Drill Core	3.77	437	0.007	<0.01	<0.17	23.95	0.34	16.50	3.99	56.1	197	11.0	7.7	560	2.43	1.4	1.2	<0.2	33.7
2022703	Drill Core	5.81	542	0.005	<0.01	<0.17	25.15	0.21	23.36	5.32	52.4	214	9.6	7.7	403	1.97	1.0	1.0	<0.2	41.6
2022704	Drill Core	4.70	497	0.005	<0.01	<0.17	30.90	0.53	22.74	22.17	113.4	325	12.0	8.4	665	2.70	3.1	1.0	<0.2	37.2
2022705	Drill Core	5.50	384	0.006	<0.01	<0.17	29.44	0.43	18.75	43.47	104.5	289	12.9	8.4	498	2.47	0.5	1.3	<0.2	71.6
2022706	Drill Core	5.05	472	0.005	<0.01	<0.17	25.50	1.13	11.25	29.38	69.0	334	11.0	7.5	450	2.16	1.2	1.6	0.7	69.5
2022707	Drill Core	4.80	489	0.005	<0.01	<0.17	39.73	0.51	14.84	17.02	61.2	234	10.9	7.0	493	2.13	1.2	1.6	1.2	54.6
2022708	Drill Core	5.08	515	0.005	<0.01	<0.17	29.02	0.67	16.83	21.66	73.6	186	11.6	7.1	521	2.13	0.5	2.3	1.3	75.7
2022709	Drill Core	5.21	491	0.006	<0.01	<0.17	33.50	0.77	18.09	18.34	67.9	192	11.2	7.2	524	2.23	0.8	1.8	0.9	62.3
2022710	Drill Core	2.59	494	0.006	<0.01	<0.17	29.85	0.15	15.87	25.05	63.6	212	5.9	4.5	429	1.50	4.7	1.8	0.3	46.8
2022711	Drill Core	5.58	375	0.006	<0.01	<0.17	32.15	0.19	5.54	14.02	25.6	172	0.9	0.9	169	0.65	13.2	2.2	1.7	29.5
2022712	Drill Core	4.57	493	0.007	<0.01	<0.17	45.10	0.26	3.14	41.11	29.0	305	0.3	0.3	138	0.38	46.1	1.1	1.1	15.6
2022713	Drill Core	5.26	446	<0.005	<0.01	<0.17	32.27	0.28	1.48	16.95	9.7	238	0.2	0.1	156	0.34	23.0	1.3	1.1	59.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 23, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000289.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022684	Drill Core	0.21	0.60	0.08	34	0.48	0.086	18.8	38.7	1.13	249.6	0.094	<1	1.27	0.041	0.79	0.3	5.5	0.35	0.06	<5			
2022685	Drill Core	0.08	0.59	0.12	27	0.61	0.063	16.7	30.2	1.15	200.5	0.089	<1	1.20	0.030	0.73	0.6	4.7	0.30	0.12	<5			
2022686	Drill Core	0.28	0.52	0.12	28	0.40	0.064	17.1	27.4	1.15	244.5	0.096	1	1.26	0.030	0.98	0.3	5.2	0.42	0.27	<5			
2022687	Drill Core	0.10	0.57	0.12	28	0.40	0.070	19.4	31.9	1.11	246.8	0.098	1	1.23	0.028	0.83	0.3	5.5	0.35	0.22	<5			
2022688	Drill Core	0.31	0.50	0.07	25	0.37	0.071	19.1	26.2	1.14	257.6	0.096	<1	1.26	0.026	0.99	0.3	4.9	0.43	0.25	<5			
2022689	Drill Core	0.25	0.42	0.06	26	0.37	0.061	18.3	26.3	1.09	216.5	0.081	<1	1.19	0.030	0.86	0.2	4.6	0.38	0.15	<5			
2022690	Drill Core	0.44	0.51	0.21	21	0.38	0.069	19.2	22.4	0.99	260.1	0.073	<1	1.13	0.027	0.83	0.3	4.2	0.36	0.14	<5			
2022691	Drill Core	0.24	0.41	0.06	22	0.42	0.069	17.7	24.3	0.97	185.9	0.073	1	1.11	0.028	0.70	0.3	4.5	0.30	0.23	6			
2022692	Drill Core	0.21	0.69	0.11	24	0.49	0.062	17.2	26.6	1.29	190.4	0.084	<1	1.39	0.023	0.76	0.4	5.4	0.31	<0.02	14			
2022693	Drill Core	0.47	0.78	0.11	18	0.35	0.063	15.8	19.5	1.14	185.2	0.081	<1	1.27	0.015	0.96	0.3	4.1	0.47	0.17	5			
2022694	Drill Core	0.14	0.87	0.04	21	0.43	0.058	14.3	22.1	1.23	182.0	0.079	<1	1.35	0.016	0.88	0.2	4.8	0.45	0.10	<5			
2022695	Drill Core	0.17	0.67	0.10	19	0.35	0.061	15.5	20.3	1.19	205.8	0.089	2	1.35	0.018	0.94	0.2	4.9	0.47	0.11	<5			
2022696	Drill Core	0.13	0.70	0.08	18	0.36	0.058	16.9	19.4	1.14	192.7	0.080	1	1.32	0.020	0.98	0.2	4.5	0.48	0.14	<5			
2022697	Drill Core	0.21	0.76	0.12	20	0.45	0.051	18.3	20.8	1.14	203.0	0.081	2	1.27	0.021	0.75	0.3	5.0	0.39	0.09	5			
2022698	Drill Core	0.32	0.70	0.06	19	0.44	0.063	22.0	22.1	1.20	257.6	0.069	<1	1.44	0.020	0.80	0.4	4.3	0.34	<0.02	22			
2022699	Drill Core	0.50	0.74	0.03	19	0.57	0.059	22.5	22.9	1.19	229.6	0.050	<1	1.37	0.019	0.46	0.4	4.4	0.16	<0.02	35			
2022700	Rock Pulp	0.17	4.97	0.56	114	1.00	0.064	8.4	18.5	0.86	129.0	0.130	3	1.87	0.192	0.22	4.3	4.0	0.07	<0.02	207			
2022701	Drill Core	0.45	1.04	0.28	16	0.33	0.059	30.6	17.8	1.01	217.9	0.018	<1	1.33	0.012	0.46	0.5	3.9	0.20	<0.02	32			
2022702	Drill Core	0.26	0.38	0.03	22	0.46	0.064	31.4	27.6	1.01	173.6	0.009	<1	1.38	0.023	0.38	0.2	4.6	0.18	<0.02	18			
2022703	Drill Core	0.27	0.38	0.08	17	0.53	0.056	33.2	20.3	0.79	189.7	0.007	<1	1.22	0.021	0.43	<0.1	3.8	0.22	<0.02	25			
2022704	Drill Core	0.72	0.68	0.12	28	0.43	0.061	28.1	30.9	1.16	187.5	0.014	<1	1.61	0.022	0.51	0.2	5.3	0.38	<0.02	42			
2022705	Drill Core	0.60	0.79	0.21	31	0.98	0.064	30.0	34.9	1.09	158.7	0.031	<1	1.46	0.043	0.54	0.2	6.3	0.46	<0.02	46			
2022706	Drill Core	0.34	0.89	0.42	24	0.92	0.057	29.0	24.5	1.03	204.8	0.046	<1	1.43	0.028	0.63	0.4	5.3	0.51	0.02	36			
2022707	Drill Core	0.27	0.69	0.23	20	0.72	0.060	31.8	21.6	0.92	227.6	0.046	<1	1.29	0.030	0.57	0.3	4.8	0.42	0.04	26			
2022708	Drill Core	0.41	0.78	0.06	21	0.95	0.065	36.1	23.4	0.96	241.1	0.048	<1	1.34	0.034	0.53	0.3	5.2	0.40	0.02	21			
2022709	Drill Core	0.29	0.76	0.07	24	0.95	0.067	28.5	24.4	0.93	205.6	0.048	<1	1.34	0.028	0.66	0.3	4.8	0.51	0.02	30			
2022710	Drill Core	0.54	0.49	0.10	12	1.05	0.040	19.3	13.5	0.56	247.7	0.012	<1	0.90	0.029	0.43	0.2	3.0	0.27	0.08	31			
2022711	Drill Core	0.49	0.40	0.12	1	0.49	0.011	37.7	3.1	0.13	279.6	0.002	<1	0.48	0.036	0.30	<0.1	1.3	0.11	0.09	61			
2022712	Drill Core	0.72	0.90	0.44	<1	0.33	0.008	36.1	2.0	0.19	140.5	<0.001	<1	0.48	0.013	0.33	<0.1	0.8	0.10	<0.02	29			
2022713	Drill Core	0.16	0.49	0.42	<1	1.00	0.003	27.3	1.6	0.18	94.2	0.001	<1	0.42	0.010	0.30	<0.1	0.9	0.09	<0.02	16			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 23, 2019

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000289.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022684	Drill Core	<0.1	<0.02	5.8	8.33	<0.1	0.16	0.08	42.0	0.8	<0.05	4.5	13.23	36.1	<0.02	<1	0.7	20.7	<10	<2			
2022685	Drill Core	<0.1	<0.02	5.3	6.49	<0.1	0.16	0.09	39.3	0.9	<0.05	4.6	11.37	32.7	<0.02	<1	0.8	16.7	<10	<2			
2022686	Drill Core	0.5	0.02	5.0	8.80	<0.1	0.19	0.08	50.4	0.7	<0.05	6.2	11.70	32.5	<0.02	<1	0.5	18.8	<10	<2			
2022687	Drill Core	0.3	<0.02	5.5	8.50	<0.1	0.23	0.13	49.3	0.9	<0.05	8.9	13.71	39.0	0.02	<1	0.7	20.9	<10	<2			
2022688	Drill Core	<0.1	<0.02	5.1	9.31	<0.1	0.21	0.09	60.0	0.5	<0.05	8.2	13.40	37.7	<0.02	1	0.5	19.6	<10	<2			
2022689	Drill Core	<0.1	0.02	4.8	8.29	<0.1	0.18	0.08	50.4	0.5	<0.05	7.7	11.05	34.9	<0.02	<1	0.5	17.4	<10	<2			
2022690	Drill Core	0.2	0.03	4.1	8.80	<0.1	0.18	0.07	47.7	0.5	<0.05	7.7	11.71	39.1	<0.02	<1	0.5	18.6	<10	<2			
2022691	Drill Core	0.2	<0.02	4.4	6.67	<0.1	0.18	0.09	40.9	0.5	<0.05	7.0	11.94	34.6	<0.02	<1	0.4	16.6	<10	<2			
2022692	Drill Core	<0.1	<0.02	5.2	7.59	<0.1	0.18	0.07	43.0	0.6	<0.05	7.7	14.18	33.8	<0.02	<1	0.8	22.6	<10	<2			
2022693	Drill Core	0.3	<0.02	3.9	10.67	<0.1	0.21	0.09	58.6	0.4	<0.05	8.0	13.30	32.3	<0.02	1	0.5	18.3	<10	<2			
2022694	Drill Core	0.4	<0.02	4.9	9.60	<0.1	0.16	0.06	52.7	0.8	<0.05	7.9	13.11	29.0	<0.02	<1	0.4	22.5	<10	<2			
2022695	Drill Core	0.2	<0.02	4.7	9.54	<0.1	0.15	0.05	55.3	0.7	<0.05	7.4	13.11	32.2	<0.02	1	0.5	22.3	<10	<2			
2022696	Drill Core	0.1	<0.02	4.4	10.69	<0.1	0.18	0.03	57.6	0.7	<0.05	7.2	12.92	34.7	<0.02	<1	0.4	18.7	<10	<2			
2022697	Drill Core	0.2	<0.02	5.0	7.74	<0.1	0.22	0.07	43.0	0.7	<0.05	10.4	13.48	35.4	<0.02	2	0.8	19.6	<10	<2			
2022698	Drill Core	<0.1	0.03	4.7	10.63	0.1	0.22	0.04	48.0	0.7	<0.05	9.4	13.92	42.9	<0.02	1	0.7	21.8	<10	<2			
2022699	Drill Core	<0.1	<0.02	5.1	4.47	<0.1	0.19	<0.02	23.9	0.8	<0.05	9.1	13.07	45.4	<0.02	<1	0.7	20.1	<10	<2			
2022700	Rock Pulp	<0.1	0.19	5.4	0.71	0.2	0.09	0.07	8.5	2.0	<0.05	2.1	5.74	17.5	0.04	<1	0.2	7.6	<10	<2			
2022701	Drill Core	<0.1	0.03	4.4	6.53	<0.1	0.23	0.02	28.7	0.5	<0.05	10.3	15.41	57.2	<0.02	<1	0.6	20.8	<10	<2			
2022702	Drill Core	<0.1	0.03	6.4	4.32	<0.1	0.16	<0.02	24.7	0.2	<0.05	9.1	16.40	63.8	0.03	<1	0.6	23.0	<10	<2			
2022703	Drill Core	<0.1	0.03	5.2	5.03	<0.1	0.28	<0.02	28.5	0.2	<0.05	13.3	15.32	65.6	<0.02	<1	0.5	18.2	<10	<2			
2022704	Drill Core	<0.1	<0.02	6.8	10.50	<0.1	0.32	<0.02	43.9	0.5	<0.05	13.9	14.26	58.5	0.03	<1	0.8	29.6	<10	<2			
2022705	Drill Core	0.1	0.04	7.7	10.40	<0.1	0.32	<0.02	48.4	0.5	<0.05	12.5	16.09	58.8	0.03	1	0.7	27.2	<10	<2			
2022706	Drill Core	0.3	0.05	5.7	10.16	<0.1	0.31	<0.02	49.7	0.6	<0.05	13.0	15.49	57.4	<0.02	1	0.8	19.5	<10	<2			
2022707	Drill Core	<0.1	<0.02	5.8	7.11	<0.1	0.30	<0.02	43.9	0.5	<0.05	12.0	15.30	63.4	<0.02	<1	0.6	17.7	<10	<2			
2022708	Drill Core	0.2	0.02	6.0	7.21	<0.1	0.26	<0.02	43.2	0.6	<0.05	11.6	16.31	69.3	<0.02	<1	0.7	20.5	<10	<2			
2022709	Drill Core	0.2	0.03	5.2	11.00	<0.1	0.22	<0.02	51.8	0.4	<0.05	10.6	11.50	56.7	<0.02	2	0.8	14.3	<10	<2			
2022710	Drill Core	0.3	<0.02	3.4	5.06	<0.1	0.20	<0.02	27.8	0.3	<0.05	10.4	7.55	37.3	<0.02	<1	0.5	11.5	<10	<2			
2022711	Drill Core	0.3	<0.02	1.7	2.40	<0.1	0.14	<0.02	16.1	0.2	<0.05	5.1	11.04	70.1	<0.02	<1	0.3	5.1	<10	<2			
2022712	Drill Core	<0.1	0.03	1.9	1.64	<0.1	0.41	<0.02	13.3	0.4	<0.05	20.4	8.72	71.8	<0.02	<1	0.4	6.8	<10	<2			
2022713	Drill Core	<0.1	<0.02	1.4	0.72	<0.1	0.29	<0.02	10.2	0.4	<0.05	17.0	7.16	55.2	<0.02	<1	0.3	5.9	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 23, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000289.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2022714	Drill Core	5.07	502	0.006	<0.01	<0.17	38.22	0.34	2.72	21.50	14.1	218	0.3	0.2	177	0.45	12.1	2.3	1.1	13.7
2022715	Drill Core	4.86	407	<0.005	<0.01	<0.17	30.70	0.19	2.28	18.34	13.2	237	0.3	0.2	236	0.50	8.1	3.6	0.4	17.3
2022716	Drill Core	5.05	416	<0.005	<0.01	<0.17	39.40	0.54	2.34	16.08	9.0	239	0.2	0.2	133	0.43	0.6	2.1	<0.2	16.0
2022717	Drill Core	5.06	450	0.005	<0.01	<0.17	41.85	1.08	0.62	16.92	12.3	177	0.3	0.2	146	0.44	3.0	1.8	<0.2	18.3
2022718	Drill Core	2.44	499	<0.005	<0.01	<0.17	34.12	0.48	1.23	7.59	7.4	48	0.3	0.2	152	0.38	10.0	0.9	<0.2	17.2
2022719	Drill Core	2.75	516	<0.005	<0.01	<0.17	38.97	0.49	2.06	6.45	2.0	50	0.5	0.2	64	0.47	1.5	0.4	<0.2	5.5
2022720	Rock Pulp	0.12	92	0.442				2.41	450.36	18.14	50.0	277	587.5	25.2	416	2.54	18.9	0.6	451.7	1.9
2022721	Drill Core	4.84	421	<0.005	<0.01	<0.17	40.76	1.17	5.64	24.90	10.7	309	0.5	0.3	84	0.45	1.0	1.5	14.7	17.2
2022722	Drill Core	5.14	505	<0.005	<0.01	<0.17	45.63	0.86	3.67	14.09	9.4	180	0.4	0.4	46	0.35	1.0	1.5	1.8	11.5
2022723	Drill Core	5.17	461	<0.005	<0.01	<0.17	34.55	0.32	2.90	13.92	12.3	189	0.3	0.5	99	0.50	1.7	1.9	1.7	13.9
2022724	Drill Core	4.61	502	<0.005	<0.01	<0.17	30.85	0.25	3.31	19.55	13.5	245	0.3	0.4	106	0.45	1.2	1.3	0.9	14.4
2022725	Drill Core	4.73	413	<0.005	<0.01	<0.17	43.59	0.26	4.47	21.94	22.2	293	0.4	0.5	111	0.56	1.3	1.7	2.0	14.4
2022726	Drill Core	4.99	465	0.005	<0.01	<0.17	44.66	0.17	2.81	16.78	17.1	224	0.4	0.4	120	0.50	1.2	2.7	1.0	14.1
2022727	Drill Core	5.16	465	<0.005	<0.01	<0.17	47.04	0.22	4.52	24.16	18.8	289	0.4	0.4	101	0.46	1.4	1.0	1.8	16.4
2022728	Drill Core	4.68	479	0.006	<0.01	<0.17	41.23	0.16	5.34	17.23	22.2	254	0.5	0.4	106	0.45	1.5	0.8	0.9	14.4
2022729	Drill Core	5.28	472	<0.005	<0.01	<0.17	52.02	0.26	4.71	22.84	33.3	245	0.4	0.5	116	0.49	10.8	1.2	0.6	13.6
2022730	Drill Core	5.16	448	0.007	<0.01	<0.17	39.79	0.45	10.49	41.15	64.3	328	0.5	0.5	75	0.55	25.5	1.4	3.1	15.1
2022731	Drill Core	4.82	534	<0.005	<0.01	<0.17	38.05	0.17	5.96	34.19	36.5	325	0.3	0.4	93	0.49	7.2	1.3	0.8	13.9
2022732	Drill Core	4.96	536	<0.005	<0.01	<0.17	44.50	0.13	3.73	22.44	18.3	237	0.4	0.4	84	0.40	1.0	3.8	0.6	14.7
2022733	Drill Core	4.62	384	<0.005	<0.01	<0.17	34.11	0.27	6.13	28.79	27.5	280	0.5	0.5	99	0.52	4.1	4.8	0.5	15.5
2022734	Drill Core	4.92	520	0.005	<0.01	<0.17	33.46	0.18	4.09	19.36	22.1	199	0.4	0.4	114	0.47	2.1	2.1	0.3	14.5
2022735	Drill Core	4.94	542	<0.005	<0.01	<0.17	35.05	0.23	5.09	14.96	22.7	257	0.3	0.3	74	0.35	1.5	1.9	0.5	13.5
2022736	Drill Core	4.65	502	0.005	<0.01	<0.17	43.41	1.27	6.00	23.48	11.2	301	0.8	0.4	60	0.43	0.9	2.3	<0.2	13.6
2022737	Drill Core	5.19	449	<0.005	<0.01	<0.17	39.88	0.46	5.49	24.38	16.7	181	0.4	0.2	109	0.48	5.6	1.4	1.0	16.9
2022738	Drill Core	4.97	423	<0.005	<0.01	<0.17	39.59	0.37	7.84	39.83	27.4	211	0.5	0.3	91	0.49	5.7	1.4	0.8	16.9
2022739	Drill Core	4.79	377	<0.005	<0.01	<0.17	22.18	0.42	2.91	37.45	23.0	99	0.6	0.2	69	0.40	6.9	1.2	0.5	17.7
2022740	Rock Pulp	0.13	86	0.007				2.48	105.63	3.98	39.7	124	5.3	9.5	418	2.77	1.0	0.9	1.8	3.6
2022741	Drill Core	4.98	487	0.006	<0.01	<0.17	31.84	0.36	6.61	29.08	40.1	236	0.4	0.6	112	0.55	2.9	1.3	1.4	16.9
2022742	Drill Core	4.35	422	0.006	<0.01	<0.17	46.79	0.46	13.77	229.48	64.6	331	0.3	0.5	189	0.53	16.6	2.1	0.9	17.5
2022743	Drill Core	5.38	476	<0.005	<0.01	<0.17	43.66	1.07	3.91	51.38	38.8	112	0.3	0.1	104	0.36	15.9	1.6	1.0	19.0



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 23, 2019

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000289.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
			0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022714	Drill Core	0.17	0.60	0.30	<1	0.76	0.009	31.9	1.5	0.32	84.6	0.001	<1	0.53	0.013	0.28	<0.1	0.8	0.09	0.02	17	
2022715	Drill Core	0.07	0.60	0.49	<1	0.85	0.009	41.1	1.7	0.34	72.8	<0.001	<1	0.54	0.016	0.28	<0.1	0.9	0.11	0.03	19	
2022716	Drill Core	0.04	0.35	0.57	<1	0.75	0.005	27.1	1.4	0.32	103.7	0.002	<1	0.54	0.019	0.31	0.1	1.1	0.08	0.03	<5	
2022717	Drill Core	0.07	0.27	0.31	<1	0.77	0.005	35.2	1.9	0.43	102.5	0.004	<1	0.67	0.015	0.37	0.1	1.5	0.10	<0.02	6	
2022718	Drill Core	0.08	0.34	0.07	<1	0.56	0.007	35.9	2.0	0.19	85.9	<0.001	<1	0.45	0.007	0.29	<0.1	0.7	0.08	<0.02	10	
2022719	Drill Core	0.01	0.26	0.08	<1	0.09	0.004	10.1	4.6	0.03	58.0	<0.001	<1	0.13	0.008	0.11	<0.1	0.3	0.02	<0.02	14	
2022720	Rock Pulp	0.20	0.37	0.28	53	1.36	0.032	4.3	97.8	1.79	81.7	0.074	3	2.04	0.196	0.13	1.2	3.2	0.09	0.19	14	
2022721	Drill Core	0.10	0.31	0.48	<1	0.19	0.007	39.2	2.6	0.19	181.0	0.002	<1	0.53	0.016	0.37	<0.1	1.1	0.08	0.05	30	
2022722	Drill Core	0.16	0.47	0.25	<1	0.09	0.008	37.4	1.2	0.10	206.6	0.006	2	0.37	0.004	0.33	0.1	0.7	0.08	<0.02	17	
2022723	Drill Core	0.39	0.51	0.22	<1	0.23	0.006	36.0	1.2	0.08	344.3	0.002	2	0.35	0.024	0.29	<0.1	1.4	0.09	0.09	79	
2022724	Drill Core	0.27	0.49	0.25	<1	0.23	0.005	37.0	1.1	0.08	246.8	0.004	<1	0.37	0.021	0.29	0.1	1.9	0.09	0.06	54	
2022725	Drill Core	0.34	0.79	0.35	<1	0.24	0.007	34.1	1.8	0.11	926.4	0.006	<1	0.41	0.025	0.29	0.2	1.9	0.09	0.11	56	
2022726	Drill Core	0.31	0.69	0.26	<1	0.28	0.006	31.4	1.2	0.10	668.6	0.003	<1	0.40	0.021	0.30	0.1	1.4	0.09	0.17	85	
2022727	Drill Core	0.28	0.60	0.37	<1	0.16	0.007	40.6	1.3	0.09	279.0	0.001	<1	0.40	0.018	0.32	0.1	1.7	0.10	0.03	61	
2022728	Drill Core	0.18	0.45	0.31	<1	0.22	0.006	37.2	1.5	0.11	334.4	0.002	<1	0.44	0.022	0.30	0.1	1.6	0.09	<0.02	44	
2022729	Drill Core	0.51	0.62	0.31	<1	0.16	0.010	35.9	1.3	0.12	672.1	0.001	1	0.44	0.021	0.29	0.1	1.4	0.10	<0.02	60	
2022730	Drill Core	0.81	1.36	0.30	<1	0.06	0.009	41.9	1.6	0.14	695.8	0.001	<1	0.43	0.018	0.29	0.1	1.5	0.11	<0.02	59	
2022731	Drill Core	0.42	0.61	0.30	<1	0.11	0.008	34.8	1.4	0.12	205.9	0.002	1	0.46	0.023	0.29	0.1	1.8	0.09	<0.02	49	
2022732	Drill Core	0.63	0.62	0.28	<1	0.31	0.008	34.7	1.3	0.08	673.7	0.009	<1	0.38	0.024	0.29	0.3	1.9	0.09	0.07	53	
2022733	Drill Core	0.55	0.76	0.30	<1	0.14	0.012	36.4	1.7	0.10	482.5	0.004	<1	0.46	0.018	0.30	0.3	1.8	0.11	<0.02	62	
2022734	Drill Core	0.47	0.61	0.25	<1	0.24	0.006	35.0	1.1	0.10	282.9	0.003	<1	0.40	0.016	0.29	0.2	1.6	0.09	0.05	38	
2022735	Drill Core	0.56	0.74	0.34	<1	0.09	0.009	36.3	1.1	0.12	723.7	0.005	<1	0.40	0.011	0.33	0.2	1.4	0.09	0.02	21	
2022736	Drill Core	0.34	0.60	0.42	<1	0.10	0.007	36.2	1.5	0.12	204.4	0.004	1	0.38	0.018	0.32	0.2	1.6	0.07	0.06	10	
2022737	Drill Core	0.55	0.37	0.27	<1	0.26	0.006	36.9	1.2	0.12	106.0	0.001	<1	0.36	0.012	0.29	0.1	0.9	0.10	<0.02	15	
2022738	Drill Core	0.30	0.45	0.27	<1	0.06	0.006	40.0	1.5	0.18	119.7	0.001	<1	0.42	0.012	0.30	<0.1	1.2	0.10	<0.02	18	
2022739	Drill Core	0.26	0.35	0.14	<1	0.05	0.007	38.6	1.7	0.15	110.7	<0.001	<1	0.36	0.015	0.27	0.1	0.9	0.08	<0.02	10	
2022740	Rock Pulp	0.09	0.13	0.05	97	1.08	0.068	7.6	11.7	0.82	135.4	0.135	2	1.80	0.220	0.23	3.2	3.0	0.05	<0.02	<5	
2022741	Drill Core	0.20	0.40	0.47	<1	0.02	0.005	42.5	1.1	0.18	152.6	<0.001	1	0.43	0.018	0.26	<0.1	0.7	0.10	<0.02	14	
2022742	Drill Core	0.56	0.82	0.38	<1	0.48	0.006	46.9	1.4	0.14	127.0	<0.001	<1	0.39	0.017	0.25	0.1	0.7	0.09	<0.02	22	
2022743	Drill Core	0.58	0.48	0.14	<1	0.23	0.005	43.6	1.0	0.08	230.6	<0.001	<1	0.31	0.020	0.26	<0.1	0.7	0.08	<0.02	16	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 23, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000289.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022714 Drill Core	<0.1	<0.02	2.1	1.34	<0.1	0.35	<0.02	10.8	0.4	<0.05	17.5	9.44	64.6	<0.02	<1	0.3	9.5	<10	<2
2022715 Drill Core	<0.1	<0.02	2.1	2.44	<0.1	0.29	<0.02	11.9	0.4	<0.05	15.0	10.80	80.3	<0.02	1	0.5	10.0	<10	<2
2022716 Drill Core	<0.1	<0.02	1.6	0.78	<0.1	0.28	0.08	11.0	0.4	<0.05	12.2	9.23	56.8	<0.02	<1	0.5	8.7	<10	<2
2022717 Drill Core	<0.1	<0.02	2.0	1.36	<0.1	0.34	0.08	14.8	0.4	<0.05	14.9	10.74	68.4	<0.02	<1	0.8	10.8	<10	<2
2022718 Drill Core	<0.1	<0.02	1.5	3.19	<0.1	0.24	<0.02	11.9	0.3	<0.05	13.0	12.18	74.0	<0.02	<1	0.4	5.3	<10	<2
2022719 Drill Core	<0.1	<0.02	0.4	0.42	<0.1	0.13	<0.02	4.0	0.1	<0.05	5.7	2.38	20.3	<0.02	<1	<0.1	0.9	<10	<2
2022720 Rock Pulp	0.8	0.14	4.4	0.61	0.1	0.06	<0.02	5.7	0.3	<0.05	1.9	3.35	9.0	<0.02	2	0.1	8.2	268	127
2022721 Drill Core	<0.1	0.04	1.2	0.62	<0.1	0.42	<0.02	12.9	0.2	<0.05	25.3	17.44	75.8	<0.02	<1	0.3	4.6	<10	<2
2022722 Drill Core	<0.1	<0.02	1.2	0.71	<0.1	0.47	0.15	11.4	0.4	<0.05	12.7	18.22	68.1	<0.02	<1	0.5	2.8	18	<2
2022723 Drill Core	<0.1	<0.02	1.4	0.86	<0.1	0.18	0.07	13.9	0.3	<0.05	6.0	17.01	68.2	<0.02	1	0.3	3.6	<10	<2
2022724 Drill Core	<0.1	<0.02	1.4	0.97	<0.1	0.20	0.16	13.9	0.4	<0.05	5.8	20.09	66.1	0.03	<1	0.8	3.7	<10	<2
2022725 Drill Core	<0.1	0.02	1.5	1.39	<0.1	0.25	0.21	14.4	0.4	<0.05	6.8	18.91	62.9	0.03	<1	0.1	4.7	<10	<2
2022726 Drill Core	<0.1	<0.02	1.4	1.73	<0.1	0.13	0.21	14.1	0.3	<0.05	4.2	18.43	57.2	<0.02	<1	0.4	4.7	<10	<2
2022727 Drill Core	<0.1	<0.02	1.8	1.94	<0.1	0.22	0.06	15.7	0.4	<0.05	6.5	18.87	76.2	0.03	<1	0.6	4.1	<10	<2
2022728 Drill Core	<0.1	<0.02	1.7	0.98	<0.1	0.18	0.06	14.9	0.4	<0.05	5.7	19.29	66.3	0.02	<1	0.3	4.7	<10	<2
2022729 Drill Core	<0.1	<0.02	1.7	1.22	<0.1	0.18	0.04	13.4	0.4	<0.05	5.8	18.50	65.0	<0.02	<1	0.4	4.9	12	<2
2022730 Drill Core	<0.1	<0.02	1.8	1.61	<0.1	0.23	0.03	15.2	0.5	<0.05	7.3	19.23	81.9	0.02	<1	0.2	5.8	<10	<2
2022731 Drill Core	<0.1	<0.02	1.9	0.97	<0.1	0.18	0.05	13.1	0.4	<0.05	5.8	18.94	64.2	0.03	<1	0.4	4.9	<10	<2
2022732 Drill Core	0.3	<0.02	1.5	1.36	<0.1	0.16	0.26	14.2	0.4	<0.05	5.1	17.74	65.5	0.03	<1	0.3	3.6	<10	<2
2022733 Drill Core	<0.1	<0.02	1.8	3.54	<0.1	0.28	0.11	15.6	0.4	<0.05	7.9	20.90	70.9	0.02	<1	0.5	4.5	<10	<2
2022734 Drill Core	<0.1	<0.02	1.6	2.22	<0.1	0.20	0.17	13.4	0.3	<0.05	6.0	18.60	65.4	0.02	<1	0.3	4.5	<10	<2
2022735 Drill Core	<0.1	<0.02	1.4	1.77	<0.1	0.41	0.14	12.6	0.3	<0.05	11.9	14.82	68.2	<0.02	<1	0.5	3.8	<10	<2
2022736 Drill Core	<0.1	<0.02	1.3	1.12	<0.1	0.63	0.13	11.1	0.3	<0.05	14.6	14.21	66.3	<0.02	<1	0.4	3.5	<10	<2
2022737 Drill Core	<0.1	<0.02	1.6	0.96	<0.1	0.51	0.05	11.3	0.2	<0.05	12.2	9.21	73.1	<0.02	<1	0.3	4.2	<10	<2
2022738 Drill Core	<0.1	<0.02	1.8	1.04	<0.1	0.57	0.05	11.5	0.4	<0.05	15.0	10.57	79.6	<0.02	<1	0.5	6.0	<10	<2
2022739 Drill Core	<0.1	<0.02	1.6	0.76	<0.1	0.57	0.05	11.0	17.2	<0.05	12.3	9.07	75.0	<0.02	<1	0.7	4.4	<10	<2
2022740 Rock Pulp	<0.1	<0.02	5.2	0.33	0.1	0.13	0.10	7.1	0.2	<0.05	2.3	5.14	16.0	<0.02	<1	<0.1	6.6	<10	<2
2022741 Drill Core	<0.1	<0.02	2.1	0.96	<0.1	0.39	0.05	12.8	0.4	<0.05	9.1	10.92	80.6	0.02	<1	0.2	5.5	<10	<2
2022742 Drill Core	0.3	0.03	2.0	1.92	<0.1	0.52	0.05	14.1	0.3	<0.05	11.0	12.18	88.7	<0.02	<1	0.3	5.9	<10	2
2022743 Drill Core	<0.1	<0.02	1.7	1.14	<0.1	0.43	0.07	13.4	0.3	<0.05	9.3	11.88	90.8	<0.02	<1	0.5	4.3	<10	<2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 23, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000289.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2022744	Drill Core	4.34	467	0.005	<0.01	<0.17	15.82	0.30	4.72	49.85	53.4	148	0.3	0.1	74	0.40	7.1	0.7	1.7	16.4	4.8
2022745	Drill Core	3.22	457	0.006	<0.01	<0.17	24.99	0.50	9.78	37.07	76.9	206	0.3	0.2	48	0.39	2.7	0.9	2.2	17.0	3.0
2022746	Drill Core	3.56	490	0.275	0.27	<0.17	29.85	22.75	36.87	280.47	102.4	4710	0.3	0.1	38	0.91	82.2	3.1	381.0	13.5	6.6
2022747	Drill Core	4.10	494	0.005	<0.01	<0.17	53.41	0.56	10.18	11.76	32.6	85	0.3	0.2	39	0.40	4.1	1.0	1.4	15.9	6.1
2022748	Drill Core	5.64	497	<0.005	<0.01	<0.17	30.41	0.46	5.23	24.17	36.7	100	0.3	0.2	59	0.34	9.4	0.7	1.9	17.7	5.9
2022749	Drill Core	4.61	475	<0.005	<0.01	<0.17	40.33	0.42	2.29	36.51	35.6	63	0.2	0.2	65	0.35	9.0	0.7	1.2	16.8	3.8
2022750	Drill Core	4.90	512	0.006	<0.01	<0.17	37.48	0.96	5.67	149.85	51.7	404	0.4	0.2	81	0.41	13.4	1.5	2.1	17.1	3.5
2022751	Drill Core	4.89	518	0.009	<0.01	<0.17	34.69	3.11	35.85	316.44	159.6	822	0.4	0.4	98	0.60	28.8	1.7	4.8	17.6	3.3
2022752	Drill Core	5.76	503	0.006	<0.01	<0.17	47.50	1.17	24.11	359.30	95.4	367	0.3	0.4	134	0.47	9.0	1.2	3.0	16.8	3.0
2022753	Drill Core	4.98	459	0.007	<0.01	<0.17	35.07	0.41	6.48	46.32	42.0	242	0.3	0.2	47	0.37	16.2	1.4	3.0	16.1	3.4
2022754	Drill Core	5.04	391	0.005	<0.01	<0.17	33.26	0.41	3.91	27.67	34.4	134	0.3	0.2	48	0.34	8.3	1.3	1.4	16.6	4.5
2022755	Drill Core	4.80	397	0.006	<0.01	<0.17	18.52	0.27	4.31	18.85	29.4	127	0.4	0.2	45	0.38	11.5	1.0	1.5	16.7	3.7
2022756	Drill Core	6.07	542	<0.005	<0.01	<0.17	55.28	0.30	3.50	11.30	25.4	78	0.3	0.2	39	0.31	10.5	1.0	1.6	15.6	3.5
2022757	Drill Core	4.80	392	0.006	<0.01	<0.17	40.21	0.32	2.86	20.09	19.3	117	0.4	0.2	72	0.39	10.1	0.9	1.4	15.9	5.7
2022758	Drill Core	4.40	432	0.006	<0.01	<0.17	45.55	0.35	2.43	32.07	23.5	75	0.4	0.2	100	0.41	15.8	1.2	0.7	19.5	16.9
2022759	Drill Core	4.81	448	0.007	<0.01	<0.17	29.97	0.30	3.91	23.39	23.4	109	0.4	0.2	58	0.41	15.4	1.3	0.8	16.3	4.5
2022760	Core DUP		454	0.007	<0.01	<0.17	37.21	0.30	3.95	25.03	24.0	105	0.4	0.2	54	0.41	16.4	1.4	0.5	18.6	4.7
2022761	Drill Core	4.95	430	0.007	<0.01	<0.17	44.37	0.49	4.92	14.17	21.4	141	0.4	0.2	65	0.41	10.2	1.4	4.5	19.6	3.7
2022762	Drill Core	5.15	469	0.011	0.01	<0.17	43.74	0.48	5.38	28.87	31.2	201	0.3	0.4	80	0.43	12.6	1.2	2.9	18.9	4.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 23, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000289.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022744	Drill Core	0.43	0.36	0.16	<1	0.05	0.004	42.3	1.2	0.06	117.2	<0.001	<1	0.29	0.020	0.25	<0.1	0.7	0.09	<0.02	19
2022745	Drill Core	0.38	0.45	0.29	<1	0.02	0.004	42.2	1.0	0.03	113.5	<0.001	<1	0.25	0.020	0.25	<0.1	0.6	0.09	<0.02	23
2022746	Drill Core	2.76	7.80	7.23	<1	0.02	0.005	26.1	1.5	0.02	276.2	<0.001	<1	0.21	0.009	0.20	0.1	0.5	0.12	0.05	31
2022747	Drill Core	0.47	0.49	0.06	<1	0.02	0.006	31.0	1.0	0.04	111.4	<0.001	<1	0.25	0.019	0.24	<0.1	0.5	0.08	<0.02	11
2022748	Drill Core	0.33	0.40	0.07	<1	0.08	0.004	40.2	1.1	0.06	135.5	<0.001	<1	0.27	0.021	0.24	<0.1	0.6	0.07	<0.02	12
2022749	Drill Core	0.22	0.38	0.03	<1	0.05	0.005	43.4	1.1	0.06	108.6	<0.001	<1	0.28	0.022	0.24	<0.1	0.7	0.07	<0.02	19
2022750	Drill Core	0.27	0.62	0.54	<1	0.03	0.005	43.0	1.0	0.10	95.0	<0.001	<1	0.34	0.019	0.25	<0.1	0.6	0.09	<0.02	20
2022751	Drill Core	0.43	1.46	1.07	<1	0.02	0.005	42.0	1.1	0.16	86.9	<0.001	<1	0.42	0.015	0.25	<0.1	0.7	0.09	<0.02	29
2022752	Drill Core	0.21	0.70	0.33	<1	0.02	0.005	40.6	1.0	0.11	122.8	<0.001	<1	0.37	0.016	0.26	0.2	0.6	0.09	<0.02	19
2022753	Drill Core	0.34	0.63	0.39	<1	0.02	0.005	43.4	1.1	0.06	157.4	<0.001	<1	0.29	0.019	0.25	0.1	0.6	0.07	<0.02	17
2022754	Drill Core	0.25	0.44	0.21	<1	0.01	0.005	45.4	1.1	0.06	311.2	<0.001	<1	0.28	0.020	0.25	0.1	0.7	0.07	<0.02	14
2022755	Drill Core	0.33	0.49	0.10	<1	0.01	0.004	41.6	1.3	0.04	243.9	<0.001	<1	0.27	0.021	0.25	<0.1	0.7	0.07	<0.02	24
2022756	Drill Core	0.26	0.42	0.03	<1	0.01	0.005	42.1	1.0	0.04	199.2	<0.001	<1	0.26	0.019	0.25	0.1	0.6	0.07	<0.02	17
2022757	Drill Core	0.30	0.40	0.16	<1	0.05	0.005	48.8	1.0	0.06	305.2	<0.001	2	0.27	0.023	0.23	0.1	0.6	0.08	<0.02	9
2022758	Drill Core	0.52	0.52	0.10	<1	0.31	0.005	46.0	1.1	0.12	163.7	<0.001	3	0.33	0.023	0.22	0.2	1.0	0.07	<0.02	15
2022759	Drill Core	0.38	0.49	0.07	<1	0.04	0.004	44.0	1.0	0.09	129.8	<0.001	1	0.31	0.021	0.22	0.1	0.7	0.07	<0.02	13
2022760	Core DUP	0.40	0.54	0.06	<1	0.04	0.004	47.6	1.0	0.09	151.2	<0.001	2	0.29	0.021	0.22	0.1	0.7	0.07	<0.02	11
2022761	Drill Core	0.27	0.53	0.07	<1	0.02	0.006	45.3	1.0	0.08	274.7	<0.001	<1	0.30	0.016	0.23	0.1	0.6	0.09	<0.02	16
2022762	Drill Core	0.35	0.65	0.06	<1	0.03	0.006	43.5	1.2	0.08	102.4	<0.001	2	0.33	0.010	0.24	0.2	0.7	0.09	<0.02	14



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 23, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000289.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022744	Drill Core	<0.1	0.03	1.5	1.17	<0.1	0.22	0.07	14.5	0.2	<0.05	5.7	10.41	77.9	<0.02	<1	0.3	3.4	<10	<2
2022745	Drill Core	<0.1	<0.02	1.3	1.15	<0.1	0.26	0.08	13.7	0.2	<0.05	5.7	9.41	81.2	<0.02	<1	0.2	2.1	<10	<2
2022746	Drill Core	2.3	0.24	1.2	2.75	<0.1	0.23	0.05	10.6	0.2	<0.05	5.1	10.12	43.4	0.07	<1	0.4	1.4	<10	<2
2022747	Drill Core	<0.1	<0.02	1.4	1.52	<0.1	0.17	0.07	13.5	0.2	<0.05	4.0	8.04	57.5	<0.02	<1	0.3	2.2	<10	<2
2022748	Drill Core	<0.1	<0.02	1.6	1.09	<0.1	0.27	0.05	13.9	0.2	<0.05	6.0	8.98	75.8	<0.02	<1	0.3	3.2	<10	<2
2022749	Drill Core	<0.1	<0.02	1.4	1.07	<0.1	0.26	0.07	12.5	0.2	<0.05	5.5	9.98	82.1	<0.02	<1	0.4	3.3	<10	<2
2022750	Drill Core	<0.1	0.06	1.8	1.60	<0.1	0.39	0.06	13.5	0.3	<0.05	9.4	10.39	82.2	<0.02	<1	0.3	4.6	<10	<2
2022751	Drill Core	<0.1	0.07	2.2	2.40	<0.1	0.29	0.03	14.8	0.3	<0.05	7.7	8.53	79.4	0.03	<1	<0.1	6.7	<10	<2
2022752	Drill Core	<0.1	0.06	1.7	1.60	<0.1	0.30	0.04	13.2	0.3	<0.05	6.6	7.61	79.3	<0.02	<1	0.3	5.0	12	<2
2022753	Drill Core	<0.1	<0.02	1.3	1.46	<0.1	0.29	0.04	12.7	0.2	<0.05	7.5	10.32	80.4	<0.02	<1	0.6	2.6	<10	<2
2022754	Drill Core	<0.1	<0.02	1.4	1.38	<0.1	0.24	0.04	13.3	0.3	<0.05	5.7	10.90	84.6	<0.02	<1	0.2	2.8	<10	<2
2022755	Drill Core	<0.1	<0.02	1.4	1.63	<0.1	0.24	0.05	13.2	0.2	<0.05	6.2	10.68	77.3	<0.02	<1	0.6	2.1	<10	<2
2022756	Drill Core	<0.1	<0.02	1.2	1.62	<0.1	0.23	0.05	13.0	0.2	<0.05	5.9	10.38	78.7	<0.02	<1	0.4	2.0	<10	<2
2022757	Drill Core	<0.1	<0.02	1.3	1.15	<0.1	0.20	0.07	12.7	0.3	<0.05	5.7	11.95	91.4	<0.02	<1	0.3	2.5	<10	<2
2022758	Drill Core	<0.1	<0.02	1.5	1.39	<0.1	0.39	0.07	11.8	0.5	<0.05	10.7	12.99	90.6	<0.02	<1	0.5	4.9	<10	<2
2022759	Drill Core	<0.1	<0.02	1.4	1.59	<0.1	0.38	0.05	11.8	0.3	<0.05	9.7	11.84	88.9	<0.02	<1	0.3	3.4	<10	<2
2022760	Core DUP	<0.1	<0.02	1.5	1.72	<0.1	0.41	0.06	12.5	0.3	<0.05	10.5	11.92	98.0	<0.02	<1	0.3	3.8	<10	<2
2022761	Drill Core	<0.1	0.02	1.5	2.17	<0.1	0.39	0.05	14.2	0.4	<0.05	10.4	13.57	94.0	<0.02	<1	0.3	2.3	<10	<2
2022762	Drill Core	<0.1	<0.02	1.4	4.04	<0.1	0.34	0.03	13.9	0.3	<0.05	9.7	12.95	85.1	<0.02	<1	0.4	3.2	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 23, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000289.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
2022670	Drill Core	4.79	502	<0.005	<0.01	<0.17	28.34	0.24	4.91	9.84	33.2	116	1.9	1.7	177	0.79	1.5	1.0	1.0	11.7	37.6
REP 2022670	QC							0.23	5.17	10.06	31.6	124	2.2	1.7	172	0.80	1.7	1.1	<0.2	12.4	37.6
2022704	Drill Core	4.70	497	0.005	<0.01	<0.17	30.90	0.53	22.74	22.17	113.4	325	12.0	8.4	665	2.70	3.1	1.0	<0.2	10.5	37.2
REP 2022704	QC							0.51	22.99	23.17	122.0	330	13.2	8.5	683	2.70	3.4	1.0	0.7	10.4	38.9
2022718	Drill Core	2.44	499	<0.005	<0.01	<0.17	34.12	0.48	1.23	7.59	7.4	48	0.3	0.2	152	0.38	10.0	0.9	<0.2	17.2	23.1
REP 2022718	QC			<0.005																	
2022721	Drill Core	4.84	421	<0.005	<0.01	<0.17	40.76	1.17	5.64	24.90	10.7	309	0.5	0.3	84	0.45	1.0	1.5	14.7	17.2	16.9
REP 2022721	QC			<0.005																	
2022739	Drill Core	4.79	377	<0.005	<0.01	<0.17	22.18	0.42	2.91	37.45	23.0	99	0.6	0.2	69	0.40	6.9	1.2	0.5	17.7	5.4
REP 2022739	QC							0.38	2.92	41.37	21.4	107	0.5	0.2	68	0.39	7.0	1.2	0.6	17.0	5.3
2022760	Core DUP		454	0.007	<0.01	<0.17	37.21	0.30	3.95	25.03	24.0	105	0.4	0.2	54	0.41	16.4	1.4	0.5	18.6	4.7
REP 2022760	QC							0.29	3.92	24.11	25.0	110	0.3	0.2	57	0.41	15.6	1.3	<0.2	18.3	4.5
Core Reject Duplicates																					
2022660	Core DUP		509	<0.005	<0.01	<0.17	32.56	0.56	13.94	40.14	89.8	240	10.5	7.6	472	2.15	1.5	1.7	<0.2	10.3	99.0
DUP 2022660	QC		428	0.005	<0.01	<0.17	37.55	0.63	14.23	46.94	87.0	261	10.1	7.8	481	2.18	0.9	1.7	<0.2	10.5	99.0
2022694	Drill Core	4.90	466	<0.005	<0.01	<0.17	29.29	1.06	14.18	7.51	47.4	160	11.0	7.2	349	2.02	3.1	2.1	<0.2	9.2	31.0
DUP 2022694	QC		469	<0.005	<0.01	<0.17	26.47	1.07	13.12	7.72	47.7	153	10.1	7.1	352	2.02	3.2	2.0	<0.2	8.8	30.1
2022728	Drill Core	4.68	479	0.006	<0.01	<0.17	41.23	0.16	5.34	17.23	22.2	254	0.5	0.4	106	0.45	1.5	0.8	0.9	14.4	23.8
DUP 2022728	QC		438	<0.005	<0.01	<0.17	40.28	0.22	5.04	17.15	22.1	235	0.4	0.4	110	0.48	1.6	0.8	0.6	15.1	23.2
2022762	Drill Core	5.15	469	0.011	0.01	<0.17	43.74	0.48	5.38	28.87	31.2	201	0.3	0.4	80	0.43	12.6	1.2	2.9	18.9	4.1
DUP 2022762	QC		546	0.010	<0.01	<0.17	31.40	0.42	5.18	28.18	31.8	200	0.3	0.4	74	0.40	12.3	1.2	2.1	18.5	3.9
Reference Materials																					
STD BVGEO01	Standard							11.25	4403.05	193.43	1709.7	2616	166.2	24.5	727	3.67	122.2	4.0	231.4	16.4	57.7
STD BVGEO01	Standard							11.14	4431.49	189.55	1758.7	2483	160.7	24.7	718	3.67	116.9	3.8	218.8	16.0	60.2
STD DS11	Standard							15.36	153.69	136.08	340.1	1819	79.5	14.3	984	3.16	42.8	2.6	109.8	9.1	70.6
STD DS11	Standard							15.31	151.07	134.64	342.5	1762	82.1	14.0	1030	3.13	44.4	2.5	69.8	8.2	67.5
STD OREAS262	Standard							0.64	118.14	54.95	140.7	459	62.2	27.1	513	3.25	35.1	1.2	72.5	10.8	34.9
STD OREAS262	Standard							0.69	121.77	56.05	156.4	445	66.4	27.1	525	3.26	37.0	1.2	63.9	10.5	38.0



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 23, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000289.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2022670	Drill Core	0.40	0.66	0.11	4	0.46	0.020	26.2	5.9	0.27	328.4	0.040	<1	0.67	0.023	0.28	0.6	3.3	0.10	<0.02	27
REP 2022670	QC	0.38	0.70	0.12	4	0.47	0.021	28.5	6.4	0.28	345.0	0.043	<1	0.69	0.024	0.29	0.7	3.4	0.11	<0.02	26
2022704	Drill Core	0.72	0.68	0.12	28	0.43	0.061	28.1	30.9	1.16	187.5	0.014	<1	1.61	0.022	0.51	0.2	5.3	0.38	<0.02	42
REP 2022704	QC	0.74	0.68	0.13	28	0.44	0.062	30.6	32.0	1.15	208.2	0.016	<1	1.62	0.024	0.53	0.2	5.9	0.43	<0.02	40
2022718	Drill Core	0.08	0.34	0.07	<1	0.56	0.007	35.9	2.0	0.19	85.9	<0.001	<1	0.45	0.007	0.29	<0.1	0.7	0.08	<0.02	10
REP 2022718	QC																				
2022721	Drill Core	0.10	0.31	0.48	<1	0.19	0.007	39.2	2.6	0.19	181.0	0.002	<1	0.53	0.016	0.37	<0.1	1.1	0.08	0.05	30
REP 2022721	QC																				
2022739	Drill Core	0.26	0.35	0.14	<1	0.05	0.007	38.6	1.7	0.15	110.7	<0.001	<1	0.36	0.015	0.27	0.1	0.9	0.08	<0.02	10
REP 2022739	QC	0.26	0.33	0.12	<1	0.05	0.006	37.5	1.5	0.14	104.0	<0.001	<1	0.34	0.013	0.27	<0.1	0.8	0.08	<0.02	16
2022760	Core DUP	0.40	0.54	0.06	<1	0.04	0.004	47.6	1.0	0.09	151.2	<0.001	2	0.29	0.021	0.22	0.1	0.7	0.07	<0.02	11
REP 2022760	QC	0.40	0.50	0.06	<1	0.04	0.005	44.8	1.0	0.09	143.9	<0.001	<1	0.30	0.021	0.22	0.1	0.7	0.07	<0.02	11
Core Reject Duplicates																					
2022660	Core DUP	0.57	0.61	0.06	21	0.97	0.068	27.4	24.3	0.96	255.8	0.043	<1	1.17	0.026	0.33	0.2	4.9	0.15	0.06	<5
DUP 2022660	QC	0.62	0.63	0.09	22	0.95	0.065	28.4	24.8	0.97	279.1	0.047	<1	1.19	0.028	0.35	0.2	5.1	0.15	0.06	10
2022694	Drill Core	0.14	0.87	0.04	21	0.43	0.058	14.3	22.1	1.23	182.0	0.079	<1	1.35	0.016	0.88	0.2	4.8	0.45	0.10	<5
DUP 2022694	QC	0.10	0.88	0.05	21	0.43	0.064	14.3	21.9	1.22	185.5	0.076	<1	1.38	0.016	0.89	0.2	4.9	0.44	0.09	<5
2022728	Drill Core	0.18	0.45	0.31	<1	0.22	0.006	37.2	1.5	0.11	334.4	0.002	<1	0.44	0.022	0.30	0.1	1.6	0.09	<0.02	44
DUP 2022728	QC	0.19	0.45	0.29	<1	0.22	0.006	37.6	1.5	0.11	335.8	0.002	<1	0.44	0.022	0.30	<0.1	1.5	0.09	<0.02	43
2022762	Drill Core	0.35	0.65	0.06	<1	0.03	0.006	43.5	1.2	0.08	102.4	<0.001	2	0.33	0.010	0.24	0.2	0.7	0.09	<0.02	14
DUP 2022762	QC	0.32	0.60	0.06	<1	0.02	0.006	41.0	1.1	0.08	98.7	<0.001	<1	0.32	0.010	0.23	0.1	0.7	0.09	<0.02	17
Reference Materials																					
STD BVGEO01	Standard	6.71	4.21	26.36	75	1.37	0.073	27.1	182.4	1.29	305.8	0.243	4	2.39	0.192	0.87	5.5	6.2	0.63	0.65	102
STD BVGEO01	Standard	6.49	3.57	25.09	73	1.37	0.072	26.9	194.5	1.29	292.3	0.237	4	2.42	0.197	0.88	4.4	6.7	0.63	0.66	81
STD DS11	Standard	2.43	9.10	12.09	51	1.11	0.071	20.3	62.9	0.90	379.9	0.102	5	1.27	0.078	0.43	2.9	3.3	5.03	0.27	272
STD DS11	Standard	2.40	8.82	11.56	50	1.08	0.072	19.1	60.8	0.89	358.3	0.101	7	1.20	0.073	0.41	2.7	3.5	4.70	0.27	254
STD OREAS262	Standard	0.67	6.36	1.03	21	3.08	0.036	15.4	42.6	1.17	239.1	0.003	4	1.30	0.074	0.30	0.2	3.0	0.44	0.25	160
STD OREAS262	Standard	0.64	5.47	1.08	23	3.07	0.039	18.7	46.3	1.17	258.0	0.003	3	1.48	0.069	0.35	0.2	3.2	0.46	0.25	164



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 23, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000289.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2022670	Drill Core	<0.1	<0.02	3.4	0.93	<0.1	0.05	0.43	16.5	0.7	<0.05	1.6	17.32	49.5	0.04	<1	0.6	7.0	<10	<2
REP 2022670	QC	<0.1	<0.02	3.6	1.02	<0.1	0.09	0.43	16.8	0.8	<0.05	1.7	18.12	52.0	0.03	<1	0.7	7.1	<10	<2
2022704	Drill Core	<0.1	<0.02	6.8	10.50	<0.1	0.32	<0.02	43.9	0.5	<0.05	13.9	14.26	58.5	0.03	<1	0.8	29.6	<10	<2
REP 2022704	QC	<0.1	<0.02	7.8	11.03	<0.1	0.35	<0.02	46.8	0.5	<0.05	14.3	15.40	61.3	0.03	<1	0.8	31.3	<10	<2
2022718	Drill Core	<0.1	<0.02	1.5	3.19	<0.1	0.24	<0.02	11.9	0.3	<0.05	13.0	12.18	74.0	<0.02	<1	0.4	5.3	<10	<2
REP 2022718	QC																			
2022721	Drill Core	<0.1	0.04	1.2	0.62	<0.1	0.42	<0.02	12.9	0.2	<0.05	25.3	17.44	75.8	<0.02	<1	0.3	4.6	<10	<2
REP 2022721	QC																			
2022739	Drill Core	<0.1	<0.02	1.6	0.76	<0.1	0.57	0.05	11.0	17.2	<0.05	12.3	9.07	75.0	<0.02	<1	0.7	4.4	<10	<2
REP 2022739	QC	<0.1	<0.02	1.7	0.77	<0.1	0.47	0.07	10.7	29.0	<0.05	11.0	9.07	73.1	<0.02	<1	0.4	5.0	<10	<2
2022760	Core DUP	<0.1	<0.02	1.5	1.72	<0.1	0.41	0.06	12.5	0.3	<0.05	10.5	11.92	98.0	<0.02	<1	0.3	3.8	<10	<2
REP 2022760	QC	<0.1	<0.02	1.4	1.59	<0.1	0.43	0.04	12.1	0.3	<0.05	10.5	11.76	90.8	<0.02	<1	0.4	3.6	<10	<2
Core Reject Duplicates																				
2022660	Core DUP	0.1	<0.02	5.6	2.36	<0.1	0.09	0.04	19.4	0.5	<0.05	2.6	13.94	52.2	0.02	<1	0.5	19.3	<10	<2
DUP 2022660	QC	0.2	0.02	5.5	2.45	<0.1	0.10	0.06	20.3	0.5	<0.05	2.8	13.61	51.7	<0.02	1	0.6	19.2	<10	<2
2022694	Drill Core	0.4	<0.02	4.9	9.60	<0.1	0.16	0.06	52.7	0.8	<0.05	7.9	13.11	29.0	<0.02	<1	0.4	22.5	<10	<2
DUP 2022694	QC	0.3	<0.02	4.9	9.76	<0.1	0.15	0.05	49.8	0.5	<0.05	7.9	12.68	28.2	<0.02	1	0.5	24.6	<10	<2
2022728	Drill Core	<0.1	<0.02	1.7	0.98	<0.1	0.18	0.06	14.9	0.4	<0.05	5.7	19.29	66.3	0.02	<1	0.3	4.7	<10	<2
DUP 2022728	QC	<0.1	<0.02	1.7	1.02	<0.1	0.19	0.05	14.8	0.4	<0.05	5.7	19.00	67.9	0.02	<1	0.5	4.7	<10	<2
2022762	Drill Core	<0.1	<0.02	1.4	4.04	<0.1	0.34	0.03	13.9	0.3	<0.05	9.7	12.95	85.1	<0.02	<1	0.4	3.2	<10	<2
DUP 2022762	QC	<0.1	<0.02	1.5	3.93	<0.1	0.32	0.03	13.3	0.3	<0.05	9.3	12.14	81.5	<0.02	<1	0.5	3.3	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.0	1.02	7.3	7.54	0.2	0.34	0.34	93.5	6.4	<0.05	9.5	15.12	55.1	0.46	4	0.5	21.0	123	192
STD BVGEO01	Standard	4.8	1.05	7.6	7.21	0.3	0.26	0.26	95.3	5.8	<0.05	10.9	14.72	55.3	0.44	<1	0.8	21.5	86	191
STD DS11	Standard	1.8	4.58	5.2	2.98	<0.1	0.10	1.46	33.0	1.8	<0.05	3.7	8.07	39.3	0.24	46	1.0	22.3	99	179
STD DS11	Standard	2.1	4.61	4.8	2.82	<0.1	0.06	1.44	32.0	2.0	<0.05	2.6	7.63	37.1	0.24	47	0.6	22.2	103	172
STD OREAS262	Standard	0.1	0.22	3.5	2.92	<0.1	0.26	<0.02	17.9	0.6	<0.05	9.4	10.85	32.1	0.04	2	0.5	16.9	<10	<2
STD OREAS262	Standard	<0.1	0.21	4.3	2.93	<0.1	0.26	<0.02	20.5	0.5	<0.05	12.1	10.50	34.9	0.03	<1	1.4	16.5	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 23, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000289.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.67	118.25	55.33	148.1	445	66.0	28.0	535	3.26	35.9	1.1	58.2	9.4	34.7
STD OREAS262	Standard							0.68	122.09	60.68	142.1	462	66.6	26.9	579	3.23	36.2	1.4	63.2	9.6	35.7
STD OXC145	Standard			0.215																	
STD OXC145	Standard			0.213																	
STD OXC145	Standard			0.216																	
STD OXH139	Standard			1.303																	
STD OXH139	Standard			1.317																	
STD OXH139	Standard			1.308																	
STD OXN134	Standard			7.856																	
STD OXN134	Standard			7.496																	
STD OXN134	Standard			7.662																	
STD OXQ90	Standard					25.33	30.08														
STD OXQ90	Standard					25.02	30.10														
STD OXQ90	Standard					25.04	29.87														
STD OXQ90	Standard					25.17	30.16														
STD OXQ90	Standard					23.47	29.66														
STD OXQ90	Standard					24.87	29.84														
STD OXQ90	Standard					25.28	29.90														
STD OXQ90	Standard					25.15	29.62														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank			0.007																	
BLK	Blank			0.007																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 23, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000289.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OREAS262	Standard	0.62	4.64	1.05	22	3.01	0.038	16.2	43.7	1.18	242.6	0.003	5	1.33	0.069	0.32	0.2	3.1	0.46	0.25	175
STD OREAS262	Standard	0.70	5.07	1.09	23	3.06	0.041	18.2	47.5	1.16	270.0	0.003	3	1.43	0.067	0.32	0.2	3.4	0.50	0.25	169
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 23, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000289.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OREAS262	Standard	0.5	0.22	3.8	2.55	<0.1	0.25	<0.02	17.5	0.5	<0.05	11.8	10.37	32.0	0.03	<1	1.0	16.6	<10	3
STD OREAS262	Standard	0.1	0.24	4.3	3.07	<0.1	0.26	<0.02	21.6	0.4	<0.05	13.0	11.07	37.9	0.03	<1	1.3	17.5	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 23, 2019

Page:

3 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000289.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.5	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	0.3	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.1	<0.5
BLK	Blank							<0.01	0.02	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		516	<0.005	<0.01	<0.17	32.69	1.16	2.50	2.63	33.7	11	0.8	3.2	458	1.81	0.8	0.5	<0.2	2.1	23.5
ROCK-WHI	Prep Blank		362	<0.005	<0.01	<0.17	28.77	1.17	2.32	2.86	34.4	10	0.7	3.4	484	1.90	0.7	0.5	0.5	2.6	24.4



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 23, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000289.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.04	0.08	0.06	22	0.58	0.038	6.2	2.3	0.44	62.5	0.076	3	0.85	0.089	0.09	0.1	2.6	<0.02	<0.02	11
ROCK-WHI	Prep Blank	0.04	0.09	<0.02	23	0.62	0.043	7.1	2.1	0.45	78.5	0.088	<1	0.93	0.121	0.11	<0.1	3.1	<0.02	<0.02	6



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 23, 2019

Page:

3 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000289.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.4	0.18	<0.1	0.09	0.24	2.2	0.4	<0.05	1.9	8.10	12.5	<0.02	<1	<0.1	2.1	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.17	<0.1	0.11	0.22	2.6	0.4	<0.05	2.3	8.92	13.5	<0.02	<1	0.3	2.1	<10