



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: July 30, 2019
Report Date: August 22, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000290.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-39
P.O. Number
Number of Samples: 118

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	113	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	118	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	118	Analysis sample split/packet			WHI
Split -150	118	Analysis sample split/packet			WHI
EN002	118	Environmental disposal charge-Fire assay lead waste			VAN
FS631	114	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	118	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	118	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Erika Cayer
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000290.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2022987	Drill Core	1.43	485	0.013	0.01	<0.17	32.46	10.64	46.57	20.83	100.1	4029	5.7	5.2	292	1.80	66.8	3.6	7.5	16.0	12.5
2022988	Drill Core	3.89	458	0.032	0.03	<0.17	28.41	3.19	34.60	20.02	67.5	625	2.8	1.7	84	1.64	76.2	3.5	22.9	15.4	21.4
2022989	Drill Core	3.64	509	0.024	0.02	<0.17	26.79	1.78	19.51	25.50	27.1	307	1.1	0.6	40	0.94	61.9	2.3	21.7	16.1	18.3
2022990	Drill Core	2.76	477	0.027	0.02	<0.17	29.44	1.37	28.03	35.49	48.2	318	2.1	0.9	53	1.28	51.7	2.6	17.8	9.1	10.9
2022991	Drill Core	3.18	452	0.029	0.03	<0.17	26.38	1.71	50.10	34.32	103.7	1157	5.1	2.2	81	2.62	29.2	3.2	17.1	7.0	27.9
2022992	Drill Core	2.10	460	0.037	0.05	0.26	26.47	2.75	38.60	205.97	50.9	1327	2.4	0.7	54	2.20	16.4	1.9	23.6	7.0	52.3
2022993	Drill Core	1.91	443	0.015	0.01	<0.17	26.47	4.54	20.89	262.61	86.7	1631	3.9	1.3	56	2.62	17.4	0.8	7.1	5.1	25.4
2022994	Drill Core	1.18	443	0.027	0.03	<0.17	32.67	1.22	55.85	143.14	123.1	1303	5.1	1.9	76	3.90	35.1	1.0	18.9	9.9	99.1
2022995	Drill Core	1.41	472	0.023	0.02	<0.17	45.58	1.65	47.11	134.06	120.2	961	5.8	1.5	69	2.51	27.2	1.1	15.1	7.7	23.0
2022996	Drill Core	2.42	454	0.028	0.03	<0.17	24.24	2.52	118.49	533.88	342.3	2571	9.4	5.4	118	3.53	24.0	1.7	24.5	7.9	12.1
2022997	Drill Core	1.94	430	0.043	0.04	<0.17	47.12	1.99	94.99	128.93	270.7	2286	12.2	8.2	298	2.92	61.4	2.7	34.0	6.5	13.9
2022998	Drill Core	2.66	454	0.045	0.04	<0.17	28.73	7.49	91.40	139.74	212.2	2236	38.4	12.6	174	3.76	133.8	1.7	31.1	6.1	17.4
2022999	Drill Core	3.25	474	0.036	0.03	<0.17	37.21	5.06	125.32	172.98	288.7	2128	34.9	10.0	283	3.35	73.6	1.0	28.9	6.0	14.2
2023000	Rock Pulp	0.14	91	7.146				9.53	203.08	19.26	74.7	962	13.9	12.0	587	4.74	14.2	0.9	8998.3	2.9	67.5
2023001	Drill Core	2.71	469	0.311	0.53	2.40	48.68	1.45	114.40	8.18	558.8	575	48.8	50.0	2055	2.56	32.7	1.1	192.5	7.4	8.3
2023002	Drill Core	2.31	477	0.166	0.16	<0.17	34.75	3.70	106.12	7.28	482.1	703	31.4	25.9	1509	2.70	32.6	1.3	154.3	7.8	7.9
2023003	Drill Core	2.53	447	0.043	0.04	<0.17	30.85	7.50	92.04	7.55	522.3	499	31.7	34.3	2105	2.58	38.1	1.6	31.7	8.2	9.5
2023004	Drill Core	3.58	441	0.021	0.02	<0.17	42.38	11.62	96.78	12.61	328.3	500	23.6	17.6	1109	2.44	16.4	2.4	16.3	7.8	15.5
2023005	Drill Core	3.15	526	0.038	0.03	<0.17	43.34	2.00	24.36	23.59	138.8	277	15.3	14.0	1062	2.52	8.2	0.6	29.4	7.4	107.8
2023006	Drill Core	2.38	436	0.046	0.04	<0.17	42.30	2.05	45.89	22.10	155.2	586	18.0	12.7	576	2.46	8.2	1.1	36.0	6.8	64.7
2023007	Drill Core	2.63	490	0.212	0.20	<0.17	32.76	3.67	60.59	9.06	171.4	807	14.4	7.0	310	1.80	23.3	1.1	168.4	5.9	34.6
2023008	Drill Core	1.73	457	0.663	0.68	0.93	35.49	2.14	32.79	7.20	249.9	653	25.8	13.9	949	2.68	63.2	0.7	668.0	4.5	75.6
2023009	Drill Core	1.78	473	1.463	1.67	4.28	35.04	2.10	147.87	16.18	488.1	2724	42.3	10.7	538	3.39	40.7	4.0	1598.6	3.7	41.1
2023010	Drill Core	3.37	430	0.925	0.94	1.05	41.96	1.42	66.84	29.13	341.0	918	37.7	16.9	785	2.99	25.5	2.1	823.1	4.4	49.1
2023011	Drill Core	3.14	503	0.379	0.39	0.49	38.86	2.22	26.59	20.66	212.4	796	24.7	14.1	535	3.02	23.3	1.0	363.0	4.8	38.4
2023012	Drill Core	1.97	415	0.308	0.29	<0.17	23.99	2.09	27.79	5.41	217.6	357	19.4	14.4	777	2.72	20.2	1.1	275.6	5.5	128.6
2023013	Drill Core	1.54	515	0.209	0.20	<0.17	26.90	1.16	62.50	9.63	219.9	613	18.0	6.0	434	2.57	21.5	3.4	201.0	7.0	62.2
2023014	Drill Core	1.36	491	0.436	0.44	0.47	33.98	0.48	66.35	19.29	89.6	1293	7.6	2.5	154	1.47	11.8	2.3	887.2	5.6	17.3
2023015	Drill Core	1.52	487	0.025	0.02	<0.17	30.44	5.18	26.78	18.22	57.2	318	5.0	1.6	116	0.88	7.9	1.5	18.1	8.3	8.9
2023016	Drill Core	2.72	429	0.017	0.01	<0.17	45.08	0.47	14.88	13.02	39.3	148	2.9	1.3	93	0.56	4.4	1.7	11.2	12.7	5.9



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000290.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2022987	Drill Core	0.69	1.21	0.27	10	0.08	0.033	24.4	5.2	0.23	132.6	0.002	2	0.79	0.010	0.21	12.8	1.7	0.10	0.02	12			
2022988	Drill Core	0.28	1.30	0.14	9	0.06	0.030	28.3	5.8	0.12	68.1	<0.001	2	0.58	0.010	0.19	1.3	1.3	0.08	0.06	29			
2022989	Drill Core	0.10	0.88	0.11	2	0.04	0.017	27.0	2.2	0.04	52.3	<0.001	2	0.31	0.003	0.18	0.3	0.8	0.11	0.04	29			
2022990	Drill Core	0.12	0.96	0.14	6	0.05	0.024	17.9	4.1	0.07	55.1	<0.001	2	0.42	0.002	0.17	0.3	1.2	0.11	<0.02	10			
2022991	Drill Core	0.23	0.64	0.23	6	0.04	0.043	18.9	4.5	0.05	201.7	<0.001	1	0.44	0.012	0.27	1.5	1.6	0.11	0.09	12			
2022992	Drill Core	0.19	0.52	0.14	4	0.04	0.036	15.7	5.2	0.05	138.5	0.001	2	0.31	0.017	0.26	2.0	1.4	0.11	0.25	39			
2022993	Drill Core	0.12	0.60	0.17	4	0.02	0.036	12.4	7.4	0.03	125.6	0.001	2	0.28	0.059	0.24	3.6	0.8	0.09	0.32	34			
2022994	Drill Core	0.29	1.03	1.23	11	0.04	0.059	14.3	26.1	0.11	204.9	0.001	2	0.46	0.048	0.40	0.7	1.6	0.15	0.72	39			
2022995	Drill Core	0.21	0.90	0.33	8	0.02	0.049	15.6	18.2	0.13	170.2	0.001	<1	0.43	0.029	0.26	0.3	2.1	0.09	0.26	25			
2022996	Drill Core	0.47	1.24	0.42	6	<0.01	0.040	14.8	15.5	0.07	145.6	0.001	1	0.43	0.023	0.19	0.2	2.6	0.07	0.11	115			
2022997	Drill Core	0.69	1.81	0.73	9	0.02	0.060	16.4	23.9	0.41	157.2	0.002	2	0.83	0.010	0.26	0.1	1.7	0.07	0.07	66			
2022998	Drill Core	0.62	2.96	0.80	9	0.01	0.054	16.2	20.1	0.30	202.6	0.002	2	0.62	0.010	0.25	0.2	1.8	0.11	0.13	42			
2022999	Drill Core	0.39	1.67	0.58	12	0.03	0.064	15.6	17.3	0.52	187.0	0.002	1	1.03	0.013	0.26	0.1	1.7	0.09	0.13	33			
2023000	Rock Pulp	0.18	4.73	0.52	110	0.90	0.062	7.7	18.6	0.85	122.8	0.132	4	1.85	0.206	0.26	4.1	4.3	0.07	<0.02	228			
2023001	Drill Core	6.02	0.67	0.64	13	0.16	0.065	15.4	18.4	0.89	203.8	0.002	2	1.54	0.013	0.32	0.1	2.4	0.14	0.12	<5			
2023002	Drill Core	4.23	0.88	0.59	12	0.20	0.058	17.1	15.8	0.92	205.1	0.003	1	1.50	0.015	0.32	<0.1	2.3	0.14	0.25	8			
2023003	Drill Core	9.96	0.86	0.34	9	0.13	0.061	19.6	12.2	0.69	207.2	0.002	2	1.17	0.016	0.31	<0.1	2.1	0.39	0.20	<5			
2023004	Drill Core	4.96	0.90	0.21	8	0.34	0.059	12.8	10.3	0.46	226.8	0.003	<1	0.95	0.008	0.33	0.1	2.1	0.25	0.56	14			
2023005	Drill Core	1.04	0.68	0.06	5	2.25	0.061	6.6	12.0	1.19	56.9	0.002	1	0.61	0.005	0.28	<0.1	1.4	0.08	1.61	7			
2023006	Drill Core	0.76	0.64	0.06	5	0.80	0.060	7.1	10.9	0.56	62.3	0.002	1	0.58	0.006	0.28	<0.1	1.4	0.09	1.14	<5			
2023007	Drill Core	1.73	0.58	0.37	7	0.36	0.031	9.7	21.2	0.61	376.5	0.001	3	0.72	0.009	0.25	0.3	1.4	0.08	0.36	6			
2023008	Drill Core	5.32	1.25	0.73	17	0.96	0.068	10.2	73.5	2.34	177.0	0.003	2	1.47	0.007	0.18	0.1	2.7	0.08	0.37	15			
2023009	Drill Core	7.09	1.02	0.68	12	0.30	0.020	8.8	56.0	1.16	254.3	0.003	2	1.37	0.009	0.19	0.2	2.4	0.07	0.46	<5			
2023010	Drill Core	5.60	1.02	0.16	20	0.44	0.058	10.2	92.4	2.42	234.1	0.002	<1	1.89	0.005	0.20	0.2	2.5	0.08	0.53	<5			
2023011	Drill Core	1.83	0.92	0.03	19	0.43	0.055	7.3	97.2	2.42	86.0	0.002	2	1.75	0.013	0.20	0.1	2.8	0.07	0.71	<5			
2023012	Drill Core	2.03	1.25	0.05	11	1.21	0.065	5.2	46.8	1.88	142.6	0.002	2	1.14	0.006	0.21	0.1	2.5	0.07	0.69	7			
2023013	Drill Core	5.57	0.81	0.61	8	0.29	0.051	12.6	25.7	0.86	222.9	0.002	<1	0.92	0.013	0.24	0.2	1.5	0.08	0.22	7			
2023014	Drill Core	0.63	0.77	0.15	4	0.08	0.036	9.9	9.8	0.56	585.5	0.002	1	0.75	0.008	0.25	0.2	1.0	0.07	0.14	11			
2023015	Drill Core	0.39	0.48	0.25	1	0.05	0.014	16.1	3.7	0.30	308.5	<0.001	<1	0.49	0.007	0.21	0.2	0.5	0.06	0.08	7			
2023016	Drill Core	0.22	0.12	0.10	<1	0.02	0.006	29.3	2.4	0.16	529.0	<0.001	2	0.40	0.023	0.23	0.1	0.6	0.06	0.05	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000290.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2022987	Drill Core	<0.1	0.02	3.6	1.68	<0.1	0.43	<0.02	9.7	0.6	<0.05	12.7	8.37	57.1	0.02	<1	0.4	7.8	17	<2			
2022988	Drill Core	<0.1	<0.02	2.7	1.95	<0.1	0.43	<0.02	9.1	0.6	<0.05	11.4	7.92	56.6	<0.02	<1	0.7	4.6	<10	<2			
2022989	Drill Core	<0.1	<0.02	1.1	2.12	<0.1	0.28	<0.02	9.5	0.3	<0.05	9.2	6.00	50.6	<0.02	<1	0.2	1.1	<10	<2			
2022990	Drill Core	<0.1	<0.02	1.6	2.14	<0.1	0.19	<0.02	9.2	0.6	<0.05	6.2	4.17	32.6	<0.02	<1	0.3	2.1	<10	<2			
2022991	Drill Core	0.4	<0.02	1.0	1.03	<0.1	0.12	<0.02	9.4	0.3	<0.05	5.6	3.79	35.3	0.02	<1	0.4	8.5	10	2			
2022992	Drill Core	0.5	0.04	0.7	0.54	<0.1	0.16	<0.02	10.7	<0.1	<0.05	7.6	2.09	29.9	<0.02	<1	0.3	4.3	13	<2			
2022993	Drill Core	0.2	<0.02	0.7	0.32	<0.1	0.16	<0.02	8.3	0.2	<0.05	6.6	1.84	23.5	0.02	<1	<0.1	3.9	<10	<2			
2022994	Drill Core	0.4	<0.02	1.7	0.46	<0.1	0.15	<0.02	15.9	0.8	<0.05	6.6	3.05	32.0	0.04	<1	0.1	8.3	<10	<2			
2022995	Drill Core	0.2	<0.02	1.4	0.30	<0.1	0.11	<0.02	9.6	0.3	<0.05	5.2	2.79	31.0	0.03	<1	0.2	6.2	<10	<2			
2022996	Drill Core	0.2	0.10	1.1	0.32	<0.1	0.17	<0.02	6.7	0.2	<0.05	6.0	3.28	28.4	0.04	<1	0.2	4.3	<10	<2			
2022997	Drill Core	0.5	0.02	1.9	0.21	<0.1	0.22	<0.02	8.9	0.6	<0.05	6.3	5.18	33.8	0.04	<1	0.3	7.7	<10	<2			
2022998	Drill Core	1.8	0.11	2.0	0.18	<0.1	0.17	<0.02	9.1	0.3	<0.05	7.9	4.69	30.3	<0.02	<1	0.3	6.6	<10	<2			
2022999	Drill Core	1.5	0.05	2.6	0.19	<0.1	0.15	<0.02	8.7	0.3	<0.05	8.1	5.42	30.6	0.03	1	0.2	11.9	<10	3			
2023000	Rock Pulp	<0.1	0.16	4.9	0.68	0.2	0.10	0.10	8.4	1.8	<0.05	2.0	5.34	15.8	0.05	1	0.2	6.6	<10	<2			
2023001	Drill Core	0.2	0.04	3.3	0.30	<0.1	0.18	<0.02	11.3	0.5	<0.05	6.8	9.04	31.3	0.02	<1	0.4	22.1	<10	3			
2023002	Drill Core	0.3	0.03	3.6	0.28	<0.1	0.13	<0.02	11.2	0.9	<0.05	10.0	12.77	32.9	<0.02	<1	0.2	24.1	<10	<2			
2023003	Drill Core	0.6	<0.02	2.6	0.31	<0.1	0.18	<0.02	11.3	0.4	<0.05	7.1	15.77	39.8	<0.02	<1	0.7	17.7	<10	<2			
2023004	Drill Core	0.3	<0.02	1.9	0.31	<0.1	0.21	<0.02	11.1	0.6	<0.05	8.5	8.55	25.3	<0.02	<1	0.4	15.6	<10	2			
2023005	Drill Core	0.4	0.03	1.1	0.18	<0.1	0.27	<0.02	8.5	0.1	<0.05	9.6	10.95	13.6	<0.02	<1	0.6	5.9	<10	<2			
2023006	Drill Core	0.4	0.07	1.1	0.25	<0.1	0.30	0.05	8.5	0.2	<0.05	12.2	7.18	14.2	<0.02	<1	0.2	6.2	<10	<2			
2023007	Drill Core	0.2	0.08	1.7	0.35	<0.1	0.19	<0.02	8.8	0.4	<0.05	8.2	5.99	17.7	<0.02	<1	0.4	9.9	<10	<2			
2023008	Drill Core	0.3	0.08	3.3	0.29	<0.1	0.26	<0.02	6.7	0.6	<0.05	9.5	10.61	20.1	0.02	<1	0.4	23.4	<10	<2			
2023009	Drill Core	0.4	0.89	2.4	0.32	<0.1	0.25	<0.02	6.1	0.8	<0.05	10.6	9.64	17.7	0.03	1	1.0	25.1	<10	<2			
2023010	Drill Core	0.4	0.25	3.7	0.32	<0.1	0.26	<0.02	6.6	0.2	<0.05	9.5	10.83	20.4	<0.02	<1	0.6	30.2	<10	<2			
2023011	Drill Core	0.3	0.30	4.1	0.46	<0.1	0.32	<0.02	7.0	0.1	<0.05	10.3	6.56	14.3	<0.02	<1	0.4	30.4	<10	<2			
2023012	Drill Core	0.4	0.07	2.5	0.33	<0.1	0.36	<0.02	7.3	0.2	<0.05	12.8	8.10	10.6	<0.02	<1	0.2	18.4	10	<2			
2023013	Drill Core	0.4	0.06	2.1	0.38	<0.1	0.31	<0.02	8.6	0.4	<0.05	10.9	10.45	24.2	<0.02	<1	<0.1	15.1	<10	<2			
2023014	Drill Core	0.2	0.30	1.5	0.34	<0.1	0.24	<0.02	8.7	0.2	<0.05	8.2	3.66	19.2	<0.02	<1	0.3	10.5	<10	<2			
2023015	Drill Core	0.2	0.02	1.0	0.59	<0.1	0.36	<0.02	7.5	0.1	<0.05	10.9	4.02	31.8	<0.02	<1	0.3	5.4	<10	<2			
2023016	Drill Core	<0.1	0.03	1.2	0.65	<0.1	0.46	<0.02	7.8	0.2	<0.05	11.7	5.08	59.0	<0.02	<1	0.1	3.9	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000290.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2023017	Drill Core	2.54	464	0.307	0.31	0.33	45.92	1.19	10.65	4.89	83.4	629	5.9	4.5	257	1.89	71.3	2.1	356.3	9.6	18.9
2023018	Drill Core	3.56	496	0.016	0.02	<0.17	27.94	1.13	11.50	13.92	47.2	171	4.3	3.5	240	1.34	8.1	1.5	26.2	12.5	35.6
2023019	Drill Core	3.52	402	0.008	<0.01	<0.17	40.50	0.74	5.13	16.28	36.4	113	2.3	2.4	234	1.19	3.7	1.8	3.9	11.8	51.7
2023020	Rock Pulp	0.12	72	0.487				2.33	432.92	18.74	48.9	269	603.5	26.4	405	2.52	18.2	0.6	423.3	2.2	49.8
2023021	Drill Core	3.44	546	0.008	<0.01	<0.17	44.63	0.99	10.48	17.47	32.9	355	2.7	2.8	204	1.10	3.9	1.6	1.5	14.2	91.1
2023022	Drill Core	3.67	365	0.012	0.01	<0.17	30.92	1.16	8.87	11.86	32.3	255	2.7	3.0	210	1.08	6.7	1.3	5.6	14.1	94.9
2023023	Drill Core	1.97	432	0.006	<0.01	<0.17	39.83	1.34	12.25	9.64	49.7	330	35.4	12.3	464	2.02	2.5	0.8	2.1	10.2	140.5
2023024	Drill Core	2.72	496	0.039	0.03	<0.17	48.42	4.74	24.84	24.46	48.9	2165	5.1	3.5	202	0.69	3.4	1.3	18.6	16.4	27.7
2023025	Drill Core	3.32	510	0.038	0.03	<0.17	44.70	0.43	12.34	19.04	68.5	183	6.1	5.3	356	0.50	2.8	1.8	39.6	14.4	37.3
2023026	Drill Core	1.37	478	0.008	<0.01	<0.17	37.74	0.21	5.30	20.52	28.4	68	3.1	2.8	224	0.30	1.5	1.9	<0.2	12.8	56.0
2023027	Drill Core	3.40	420	0.007	<0.01	<0.17	37.78	0.25	6.61	17.91	47.7	94	4.2	2.1	191	0.45	3.1	1.0	1.8	14.9	39.5
2023028	Drill Core	3.12	420	0.007	<0.01	<0.17	45.30	0.30	5.28	18.02	26.1	114	1.8	1.2	92	0.43	3.9	0.9	2.0	16.3	29.3
2023029	Drill Core	3.28	434	0.031	0.03	<0.17	33.71	0.21	7.79	22.01	6.9	175	0.9	1.0	72	0.45	1.7	1.0	20.5	14.3	33.4
2023030	Drill Core	2.96	453	0.198	0.19	<0.17	24.68	0.44	14.45	19.99	93.6	509	5.5	5.1	295	0.82	5.5	1.6	555.4	14.1	26.8
2023031	Drill Core	3.30	433	0.017	0.02	<0.17	44.38	0.33	18.24	29.65	79.6	201	4.7	4.3	224	0.83	9.1	1.8	8.4	15.0	43.5
2023032	Drill Core	2.59	459	0.133	0.13	<0.17	41.84	0.15	6.21	24.94	23.6	316	1.8	2.8	192	0.93	1.0	3.4	94.4	15.3	102.6
2023033	Drill Core	1.60	350	0.008	<0.01	<0.17	42.15	0.15	10.24	16.67	68.3	126	15.7	6.9	455	1.92	1.6	1.2	<0.2	16.3	162.7
2023034	Drill Core	3.20	396	0.016	0.01	<0.17	29.53	0.51	11.43	16.83	78.6	165	6.9	4.3	321	1.19	10.3	1.3	7.5	15.6	63.6
2023035	Drill Core	3.38	492	0.007	<0.01	<0.17	36.25	0.51	6.42	9.90	78.5	69	11.4	10.9	456	2.26	2.3	1.2	2.1	11.2	84.0
2023036	Drill Core	3.23	386	0.008	<0.01	<0.17	37.86	0.63	7.51	16.91	72.0	115	5.0	4.4	381	1.54	8.4	1.2	3.8	16.9	47.1
2023037	Drill Core	3.09	414	0.006	<0.01	<0.17	38.62	0.28	3.26	15.83	50.2	83	2.5	2.6	281	1.39	1.5	2.0	1.9	14.8	50.3
2023038	Drill Core	3.19	398	0.009	<0.01	<0.17	30.93	0.27	3.83	13.83	47.6	94	2.2	2.4	269	1.35	7.6	3.0	3.9	16.3	48.2
2023039	Drill Core	3.51	428	<0.005	<0.01	<0.17	45.72	0.45	3.10	14.76	40.2	74	1.9	2.5	265	1.18	1.4	2.3	<0.2	12.5	69.3
2023040	Rock Pulp	0.12	77	0.006				2.32	93.10	3.53	34.4	109	4.7	8.8	365	2.60	0.9	0.8	9.5	3.9	60.1
2023041	Drill Core	3.22	451	0.012	0.01	<0.17	27.31	0.52	4.87	14.92	45.6	105	2.0	2.6	290	1.29	9.8	2.0	4.5	12.3	59.6
2023042	Drill Core	2.99	371	0.020	0.02	<0.17	34.74	0.41	4.78	22.79	36.5	174	1.8	2.1	253	1.27	18.1	4.0	12.3	16.2	53.0
2023043	Drill Core	3.34	472	0.021	0.02	<0.17	27.04	0.99	4.59	16.67	31.3	118	2.6	2.7	238	1.10	1.4	2.4	8.8	14.7	86.4
2023044	Drill Core	3.22	408	0.007	<0.01	<0.17	47.55	0.81	5.25	20.39	23.2	141	2.5	2.3	176	0.97	2.0	2.6	10.1	13.0	72.8
2023045	Drill Core	3.27	478	0.006	<0.01	<0.17	48.13	3.34	8.30	10.07	26.1	64	3.0	2.4	225	1.08	1.1	3.4	0.2	17.6	57.7
2023046	Drill Core	3.21	514	0.006	<0.01	<0.17	44.52	2.55	5.19	17.83	27.0	90	2.8	2.5	258	1.05	1.5	2.6	0.6	16.7	181.0



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000290.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023017	Drill Core	0.47	0.89	0.12	3	0.19	0.039	24.2	5.0	0.25	144.0	0.002	<1	0.48	0.032	0.19	0.1	1.0	0.05	0.23	15			
2023018	Drill Core	0.38	0.17	0.07	4	0.46	0.031	28.8	3.8	0.51	169.1	0.002	<1	0.75	0.025	0.25	<0.1	2.4	0.06	0.07	<5			
2023019	Drill Core	0.30	0.13	0.09	3	0.69	0.031	35.0	3.4	0.49	357.9	0.002	1	0.70	0.016	0.26	0.1	2.1	0.06	0.05	<5			
2023020	Rock Pulp	0.18	0.29	0.29	48	1.17	0.029	3.9	93.4	1.73	72.7	0.063	4	1.86	0.170	0.13	1.3	2.6	0.10	0.19	27			
2023021	Drill Core	0.25	0.11	0.54	4	0.96	0.034	41.3	2.9	0.36	217.3	0.003	2	0.66	0.023	0.30	0.3	1.9	0.07	0.05	<5			
2023022	Drill Core	0.27	0.11	0.32	5	1.00	0.033	36.8	3.7	0.36	212.5	0.003	2	0.68	0.029	0.32	0.3	2.0	0.08	0.07	6			
2023023	Drill Core	0.42	0.16	0.18	23	2.05	0.035	21.9	59.2	1.41	180.5	0.018	1	1.16	0.014	0.45	1.1	8.5	0.14	0.04	<5			
2023024	Drill Core	0.64	0.13	0.07	2	0.29	0.031	37.4	3.2	0.19	191.0	0.002	1	0.44	0.036	0.28	12.3	1.2	0.07	0.04	<5			
2023025	Drill Core	1.26	0.13	0.05	2	0.27	0.033	29.1	2.4	0.09	630.3	0.002	1	0.37	0.032	0.32	0.5	0.8	0.06	0.09	<5			
2023026	Drill Core	0.44	0.09	<0.02	1	0.46	0.032	26.3	2.0	0.05	266.6	0.002	1	0.33	0.029	0.32	0.2	0.8	0.06	<0.02	<5			
2023027	Drill Core	0.89	0.14	0.04	2	0.34	0.033	36.3	2.3	0.09	165.7	0.002	<1	0.36	0.031	0.30	<0.1	0.8	0.07	<0.02	<5			
2023028	Drill Core	0.20	0.11	0.10	2	0.27	0.034	35.0	2.7	0.10	189.2	0.002	<1	0.35	0.035	0.32	<0.1	0.8	0.07	<0.02	<5			
2023029	Drill Core	0.03	0.07	0.12	2	0.29	0.036	23.5	2.5	0.07	190.5	0.002	1	0.31	0.035	0.30	<0.1	0.7	0.06	0.07	<5			
2023030	Drill Core	1.58	0.26	0.08	4	0.40	0.036	19.1	8.5	0.12	209.5	0.002	<1	0.37	0.033	0.28	0.1	1.5	0.08	0.20	<5			
2023031	Drill Core	0.77	0.31	0.15	2	0.53	0.033	29.6	2.7	0.26	253.4	0.002	1	0.55	0.032	0.29	<0.1	1.3	0.09	0.10	<5			
2023032	Drill Core	0.14	0.09	0.26	2	1.02	0.031	28.4	2.6	0.38	363.7	0.003	<1	0.62	0.032	0.29	<0.1	1.6	0.09	0.14	<5			
2023033	Drill Core	0.40	0.07	0.15	14	1.93	0.039	36.5	21.5	1.22	913.5	0.005	1	1.43	0.030	0.38	<0.1	5.2	0.11	0.09	6			
2023034	Drill Core	1.12	0.39	0.13	3	1.05	0.029	37.3	5.3	0.45	177.7	0.002	<1	0.72	0.027	0.26	<0.1	1.9	0.08	0.10	5			
2023035	Drill Core	0.70	0.17	0.08	21	1.51	0.042	24.4	42.4	1.47	263.5	0.040	<1	1.30	0.020	0.24	<0.1	7.8	0.07	0.08	<5			
2023036	Drill Core	0.84	0.23	0.13	4	0.89	0.034	41.1	5.9	0.77	292.4	0.002	<1	0.92	0.016	0.27	<0.1	3.3	0.09	0.06	5			
2023037	Drill Core	0.16	0.18	0.14	3	0.71	0.031	36.7	3.6	0.41	178.9	0.007	<1	0.73	0.042	0.21	<0.1	1.9	0.07	0.05	<5			
2023038	Drill Core	0.15	0.30	0.10	3	0.58	0.031	41.0	3.4	0.41	238.2	0.007	<1	0.76	0.036	0.26	<0.1	2.9	0.09	0.06	6			
2023039	Drill Core	0.12	0.25	0.13	3	0.76	0.031	30.4	3.1	0.37	250.5	0.011	<1	0.66	0.036	0.22	<0.1	2.4	0.07	0.05	<5			
2023040	Rock Pulp	0.06	0.08	0.05	87	0.76	0.063	6.4	10.8	0.73	122.1	0.095	1	1.41	0.142	0.20	2.9	2.2	0.04	<0.02	<5			
2023041	Drill Core	0.12	0.30	0.11	2	0.86	0.029	33.2	2.9	0.34	202.8	0.007	<1	0.64	0.034	0.18	<0.1	1.9	0.06	0.07	6			
2023042	Drill Core	0.12	0.90	0.20	2	0.89	0.032	35.5	2.5	0.42	203.8	0.001	<1	0.67	0.022	0.26	<0.1	2.1	0.09	0.28	17			
2023043	Drill Core	0.15	0.10	0.23	3	1.03	0.032	35.2	3.5	0.58	272.0	0.015	<1	0.70	0.016	0.32	<0.1	3.2	0.09	0.05	<5			
2023044	Drill Core	0.13	0.07	0.24	3	0.81	0.031	32.8	3.0	0.39	243.3	0.007	<1	0.59	0.025	0.31	<0.1	2.5	0.07	0.08	<5			
2023045	Drill Core	0.13	0.04	0.10	3	0.92	0.037	43.3	3.1	0.59	231.6	0.002	<1	0.66	0.026	0.33	<0.1	3.2	0.08	0.06	5			
2023046	Drill Core	0.22	0.11	0.14	3	1.79	0.084	41.2	3.0	0.53	217.2	0.002	<1	0.67	0.024	0.32	<0.1	3.0	0.07	0.04	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000290.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2023017	Drill Core	<0.1	0.23	1.8	0.42	<0.1	0.03	<0.02	6.4	0.2	<0.05	1.9	5.47	46.4	<0.02	<1	0.3	5.9	<10
2023018	Drill Core	<0.1	<0.02	2.3	0.52	<0.1	0.30	<0.02	8.4	0.2	<0.05	8.6	8.12	53.1	<0.02	<1	0.2	11.2	<10
2023019	Drill Core	<0.1	<0.02	2.4	0.36	<0.1	0.21	0.04	9.6	0.4	<0.05	5.7	10.06	67.9	<0.02	<1	0.4	9.6	<10
2023020	Rock Pulp	0.5	0.16	4.2	0.59	<0.1	0.05	0.03	6.1	0.4	<0.05	1.2	2.92	8.1	<0.02	3	<0.1	7.6	276
2023021	Drill Core	<0.1	<0.02	2.2	0.34	<0.1	0.06	0.02	10.5	0.4	<0.05	1.9	13.68	76.9	<0.02	<1	0.3	7.8	<10
2023022	Drill Core	<0.1	<0.02	2.9	0.28	<0.1	0.02	<0.02	10.4	0.4	<0.05	1.4	14.38	71.8	<0.02	<1	0.2	7.3	<10
2023023	Drill Core	<0.1	<0.02	3.2	1.05	<0.1	0.18	<0.02	19.3	0.4	<0.05	5.9	11.70	41.9	<0.02	<1	0.5	14.6	<10
2023024	Drill Core	<0.1	<0.02	1.3	0.44	<0.1	0.40	<0.02	9.8	0.3	<0.05	11.1	7.53	68.5	<0.02	<1	0.2	5.2	<10
2023025	Drill Core	<0.1	0.02	0.9	0.28	<0.1	0.31	<0.02	9.9	0.2	<0.05	10.2	6.41	52.9	<0.02	<1	0.4	3.0	<10
2023026	Drill Core	<0.1	<0.02	0.8	0.22	<0.1	0.28	<0.02	10.1	0.2	<0.05	7.5	5.20	49.4	<0.02	<1	0.4	2.2	<10
2023027	Drill Core	<0.1	<0.02	0.9	0.29	<0.1	0.26	<0.02	10.6	0.3	<0.05	6.8	7.01	68.4	<0.02	<1	0.4	3.7	<10
2023028	Drill Core	<0.1	<0.02	1.0	0.41	<0.1	0.26	<0.02	11.2	0.3	<0.05	8.1	5.63	65.0	<0.02	<1	0.2	3.3	<10
2023029	Drill Core	<0.1	0.03	0.9	0.30	<0.1	0.33	<0.02	9.8	0.3	<0.05	8.0	4.47	42.7	<0.02	<1	0.3	2.2	<10
2023030	Drill Core	<0.1	0.07	1.0	0.32	<0.1	0.20	<0.02	9.4	0.2	<0.05	5.6	7.75	36.4	<0.02	<1	0.3	4.0	<10
2023031	Drill Core	<0.1	<0.02	1.4	0.34	<0.1	0.05	<0.02	10.9	0.3	<0.05	1.6	8.52	57.0	<0.02	<1	0.4	7.9	<10
2023032	Drill Core	<0.1	0.08	1.8	0.25	<0.1	0.04	<0.02	10.9	0.3	<0.05	0.8	5.78	51.7	<0.02	<1	0.3	4.1	<10
2023033	Drill Core	<0.1	<0.02	4.8	0.32	<0.1	0.02	0.04	16.1	0.3	<0.05	0.9	10.28	70.3	<0.02	<1	0.5	9.5	<10
2023034	Drill Core	<0.1	<0.02	2.6	0.39	<0.1	0.05	<0.02	10.5	0.4	<0.05	1.0	12.47	68.5	<0.02	<1	0.3	7.0	<10
2023035	Drill Core	<0.1	<0.02	4.1	0.41	<0.1	0.04	0.03	9.2	0.4	<0.05	0.8	13.83	44.0	0.02	<1	0.3	18.9	<10
2023036	Drill Core	<0.1	<0.02	2.8	0.56	<0.1	0.04	<0.02	11.8	0.4	<0.05	1.0	16.30	76.4	<0.02	<1	0.3	13.2	<10
2023037	Drill Core	<0.1	<0.02	2.8	0.83	<0.1	0.03	0.04	10.3	0.4	<0.05	0.7	14.55	67.7	<0.02	<1	0.3	5.6	<10
2023038	Drill Core	<0.1	<0.02	3.1	1.06	<0.1	0.04	0.04	13.9	0.6	<0.05	0.8	16.20	74.4	0.02	<1	0.5	8.5	<10
2023039	Drill Core	<0.1	<0.02	2.4	0.98	<0.1	0.03	0.08	11.1	0.5	<0.05	0.7	12.39	55.0	<0.02	<1	0.3	6.9	<10
2023040	Rock Pulp	<0.1	<0.02	4.2	0.32	<0.1	0.06	0.07	6.7	0.2	<0.05	0.9	4.03	13.8	<0.02	<1	<0.1	6.5	<10
2023041	Drill Core	<0.1	<0.02	2.5	1.13	<0.1	0.02	0.04	9.0	0.5	<0.05	0.7	13.12	58.5	<0.02	<1	0.3	6.0	<10
2023042	Drill Core	<0.1	<0.02	2.4	1.06	<0.1	0.03	<0.02	12.2	0.6	<0.05	0.6	12.33	65.9	<0.02	<1	0.4	8.1	<10
2023043	Drill Core	<0.1	<0.02	2.2	0.46	<0.1	0.03	0.07	12.1	0.5	<0.05	0.7	12.51	63.1	0.02	<1	0.3	9.0	<10
2023044	Drill Core	<0.1	<0.02	1.8	0.37	<0.1	0.05	0.04	10.5	0.3	<0.05	1.1	11.26	56.9	<0.02	1	0.3	4.9	<10
2023045	Drill Core	<0.1	<0.02	1.7	0.31	<0.1	0.10	<0.02	10.7	0.4	<0.05	2.8	13.03	75.0	<0.02	4	0.3	6.7	<10
2023046	Drill Core	<0.1	<0.02	1.7	0.29	<0.1	0.16	<0.02	10.2	0.3	<0.05	5.0	12.09	72.0	<0.02	3	0.2	6.4	<10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000290.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2023047	Drill Core	3.32	491	0.006	<0.01	<0.17	41.92	5.61	7.79	21.58	20.1	124	1.9	1.8	220	0.81	1.4	2.3	0.7	16.0	66.6
2023048	Drill Core	2.95	500	0.376	0.48	1.61	41.56	0.88	5.94	18.98	22.6	142	2.5	2.3	257	0.97	4.6	2.0	89.6	13.9	81.0
2023049	Drill Core	3.28	473	0.007	<0.01	<0.17	16.87	1.09	5.42	14.18	27.4	144	2.2	2.8	145	1.18	3.1	2.1	2.6	14.0	87.6
2023050	Drill Core	3.31	450	0.033	0.03	<0.17	29.63	0.62	5.16	15.69	26.9	172	2.1	2.5	210	1.08	3.2	1.2	13.7	13.5	147.5
2023051	Drill Core	3.03	509	0.011	<0.01	<0.17	39.10	0.46	6.64	18.52	28.1	164	2.7	2.3	196	0.95	7.2	5.7	5.7	17.5	75.7
2023052	Drill Core	3.24	526	0.011	<0.01	<0.17	39.93	0.96	6.26	20.18	23.2	168	1.6	1.8	204	0.83	13.6	1.6	4.7	15.3	89.1
2023053	Drill Core	3.06	537	0.009	<0.01	<0.17	21.99	0.22	5.48	17.96	29.2	154	2.2	2.3	206	1.09	6.3	3.5	2.9	18.0	70.2
2023054	Drill Core	3.39	441	0.010	<0.01	<0.17	33.07	0.33	5.66	22.67	32.5	147	2.7	2.3	205	1.17	5.5	7.5	5.9	18.5	68.0
2023055	Drill Core	3.08	449	0.006	<0.01	<0.17	33.41	0.32	10.74	21.85	28.8	107	2.7	2.5	146	0.94	3.0	3.1	1.5	19.3	54.4
2023056	Drill Core	3.29	489	0.007	<0.01	<0.17	30.00	0.35	7.86	24.19	25.3	135	2.4	2.5	168	0.87	4.9	5.1	2.5	17.6	52.5
2023057	Drill Core	3.28	485	0.005	<0.01	<0.17	46.28	0.59	5.08	19.61	27.2	106	2.3	2.3	147	0.93	1.5	2.1	0.2	16.3	80.6
2023058	Drill Core	3.74	481	0.006	<0.01	<0.17	38.67	0.64	3.79	18.00	46.7	74	3.5	3.5	169	1.42	4.4	2.0	1.1	15.8	74.8
2023059	Drill Core	3.07	477	0.005	<0.01	<0.17	38.36	0.63	4.75	18.45	40.0	80	2.9	3.1	183	1.25	1.8	3.1	<0.2	17.1	104.6
2023060	Core DUP		495	0.006	<0.01	<0.17	42.55	0.65	4.85	17.55	41.2	75	2.9	3.1	181	1.26	1.8	2.9	<0.2	16.7	102.2
2023061	Drill Core	3.34	367	0.020	0.02	<0.17	38.43	1.37	7.28	32.49	29.3	1632	2.2	2.4	150	0.91	11.0	1.7	8.9	17.6	52.9
2023062	Drill Core	2.41	440	0.007	<0.01	<0.17	38.22	0.30	7.91	22.41	34.3	101	4.7	3.9	232	1.06	8.5	1.6	2.3	17.9	86.2
2023063	Drill Core	2.32	407	0.006	<0.01	<0.17	42.56	0.46	9.54	18.24	28.3	73	5.8	5.5	298	1.21	1.3	2.5	<0.2	14.1	168.3
2023064	Drill Core	1.78	349	0.005	<0.01	<0.17	33.74	0.41	6.30	13.82	23.9	61	1.5	1.7	140	0.86	1.9	1.7	<0.2	10.6	92.3
2023065	Drill Core	1.69	383	0.008	<0.01	<0.17	33.57	0.43	6.23	17.23	52.9	122	9.8	6.2	390	1.65	10.8	2.3	2.9	14.4	117.5
2023066	Drill Core	2.33	403	0.007	<0.01	<0.17	48.34	0.71	5.72	4.82	58.4	73	16.3	27.5	727	3.72	6.3	0.6	1.8	0.8	301.0
2023067	Drill Core	2.96	478	0.009	<0.01	<0.17	45.67	1.60	10.12	11.90	34.1	123	4.3	5.6	271	1.45	4.4	2.6	2.6	15.1	171.1
2023068	Drill Core	2.92	399	0.008	<0.01	<0.17	35.64	0.72	5.07	23.74	43.1	266	2.3	2.5	295	1.33	5.7	4.3	4.3	16.5	133.2
2023069	Drill Core	3.32	519	0.007	<0.01	<0.17	37.97	0.44	5.24	23.78	38.9	166	2.7	2.3	265	1.20	5.3	4.5	2.0	16.4	100.1
2023070	Drill Core	3.31	459	0.007	<0.01	<0.17	48.14	0.40	8.06	22.82	52.4	253	5.1	3.4	264	1.10	3.8	2.8	1.2	17.6	77.1
2023071	Drill Core	3.86	475	0.075	0.07	<0.17	38.49	0.35	7.91	17.97	30.3	292	2.9	2.1	165	0.81	38.2	1.7	32.0	16.4	41.3
2023072	Drill Core	3.38	449	0.020	0.02	<0.17	29.87	0.85	6.40	10.74	36.3	145	4.9	2.6	146	0.80	21.1	1.2	13.6	14.6	24.4
2023073	Drill Core	3.31	443	0.006	<0.01	<0.17	37.53	1.03	22.34	4.89	95.2	187	31.5	32.1	1081	5.95	12.7	1.3	3.3	4.4	292.4
2023074	Drill Core	2.47	440	0.008	<0.01	<0.17	31.17	1.15	18.38	5.41	135.2	281	32.5	30.5	1371	5.07	16.6	2.8	1.7	5.5	302.1
2023075	Drill Core	2.84	525	0.051	0.05	<0.17	31.19	2.08	11.21	15.76	73.9	280	9.8	9.7	636	2.59	53.1	4.3	41.1	19.7	61.7
2023076	Drill Core	3.06	432	0.066	0.06	<0.17	28.15	9.23	31.78	26.74	82.7	6181	9.3	8.5	570	1.98	64.3	5.5	51.0	21.6	55.8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000290.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023047	Drill Core	0.15	0.14	0.17	2	0.99	0.032	33.7	2.6	0.34	228.7	0.002	<1	0.52	0.015	0.31	<0.1	2.2	0.07	0.06	<5			
2023048	Drill Core	0.15	0.15	0.21	2	1.39	0.035	29.2	2.6	0.36	215.7	0.002	<1	0.56	0.019	0.28	<0.1	2.2	0.07	0.09	5			
2023049	Drill Core	0.12	0.12	0.28	4	0.63	0.039	37.4	3.4	0.35	185.9	0.008	<1	0.62	0.020	0.34	<0.1	3.4	0.10	0.07	<5			
2023050	Drill Core	0.11	0.09	0.27	4	1.08	0.043	40.1	3.6	0.37	166.3	0.004	<1	0.61	0.017	0.32	<0.1	3.4	0.09	0.04	<5			
2023051	Drill Core	0.21	0.12	0.14	5	0.61	0.030	43.8	4.1	0.31	166.0	0.008	<1	0.54	0.034	0.29	<0.1	2.6	0.08	0.08	<5			
2023052	Drill Core	0.17	0.25	0.16	3	1.13	0.035	40.5	3.2	0.21	204.2	0.007	<1	0.51	0.024	0.29	<0.1	2.5	0.08	0.08	9			
2023053	Drill Core	0.12	0.23	0.16	6	0.68	0.034	42.5	4.9	0.29	129.6	0.016	<1	0.53	0.039	0.28	<0.1	2.6	0.12	0.09	11			
2023054	Drill Core	0.21	0.29	0.21	5	0.61	0.039	40.3	4.8	0.33	152.1	0.012	<1	0.59	0.035	0.32	<0.1	3.0	0.11	0.08	5			
2023055	Drill Core	0.23	0.14	0.17	5	0.39	0.040	40.1	4.3	0.28	154.3	0.023	<1	0.51	0.035	0.31	<0.1	3.1	0.12	0.04	<5			
2023056	Drill Core	0.19	0.19	0.18	3	0.47	0.040	40.7	3.2	0.25	172.7	0.005	<1	0.48	0.029	0.26	<0.1	3.4	0.07	0.05	6			
2023057	Drill Core	0.17	0.11	0.19	3	0.58	0.051	39.1	3.2	0.26	217.9	0.037	1	0.51	0.025	0.36	<0.1	3.7	0.12	0.04	<5			
2023058	Drill Core	0.22	0.14	0.12	5	0.39	0.056	39.5	4.2	0.60	198.1	0.081	1	0.77	0.020	0.50	0.1	3.0	0.31	<0.02	<5			
2023059	Drill Core	0.20	0.12	0.14	4	0.69	0.047	41.5	3.3	0.56	213.2	0.042	<1	0.69	0.018	0.44	<0.1	3.5	0.23	0.03	<5			
2023060	Core DUP	0.18	0.11	0.12	4	0.69	0.049	40.5	3.3	0.57	213.6	0.043	<1	0.71	0.018	0.45	<0.1	3.3	0.23	0.03	<5			
2023061	Drill Core	0.16	0.43	5.49	3	0.56	0.041	40.2	3.9	0.22	244.2	0.002	<1	0.50	0.029	0.30	<0.1	1.8	0.08	0.16	11			
2023062	Drill Core	0.26	0.18	0.13	7	0.92	0.038	39.9	11.2	0.37	240.1	0.004	1	0.51	0.031	0.28	<0.1	3.4	0.08	0.07	<5			
2023063	Drill Core	0.10	0.16	0.14	10	1.53	0.036	34.2	18.7	0.70	274.5	0.021	1	0.59	0.025	0.33	<0.1	5.4	0.11	0.04	<5			
2023064	Drill Core	0.09	0.15	0.10	3	0.60	0.039	25.6	2.4	0.31	248.5	0.043	1	0.59	0.033	0.32	0.1	2.4	0.08	0.08	7			
2023065	Drill Core	0.26	0.17	0.15	14	1.49	0.038	32.5	25.5	1.03	210.9	0.009	<1	1.10	0.017	0.29	<0.1	4.3	0.07	0.11	<5			
2023066	Drill Core	0.16	0.19	0.04	84	3.63	0.083	4.0	125.8	3.07	228.7	0.122	2	2.53	0.008	0.44	0.1	14.4	0.16	0.05	<5			
2023067	Drill Core	0.12	0.16	0.17	11	1.71	0.068	36.8	16.8	0.99	221.7	0.010	1	1.04	0.015	0.31	<0.1	4.3	0.08	0.14	<5			
2023068	Drill Core	0.15	0.35	0.54	3	1.38	0.037	37.4	2.8	0.94	271.8	0.005	1	1.01	0.013	0.37	<0.1	2.7	0.12	0.16	<5			
2023069	Drill Core	0.19	0.25	0.37	2	1.11	0.036	31.4	2.3	0.78	233.6	0.003	1	0.90	0.009	0.35	<0.1	2.4	0.11	0.11	<5			
2023070	Drill Core	0.32	0.23	0.71	3	0.97	0.038	36.9	6.0	0.50	257.7	0.003	1	0.76	0.020	0.32	<0.1	2.3	0.11	0.08	<5			
2023071	Drill Core	0.39	1.12	0.43	4	0.47	0.043	37.9	4.7	0.19	294.0	0.002	<1	0.45	0.036	0.26	<0.1	1.2	0.08	0.20	<5			
2023072	Drill Core	0.28	0.55	0.21	4	0.33	0.038	33.3	7.1	0.24	249.6	0.002	1	0.51	0.032	0.28	<0.1	1.3	0.08	0.11	<5			
2023073	Drill Core	0.49	0.47	0.23	110	4.42	0.126	18.6	31.3	3.16	68.9	0.013	<1	3.79	0.151	0.12	<0.1	9.4	0.21	0.17	15			
2023074	Drill Core	1.40	0.64	0.08	93	5.00	0.114	21.7	29.5	2.60	74.5	0.055	<1	3.51	0.226	0.13	0.1	10.6	0.21	0.16	11			
2023075	Drill Core	0.50	1.47	0.18	29	0.98	0.051	37.0	10.2	0.83	75.6	0.005	<1	1.19	0.030	0.12	<0.1	2.9	0.06	0.41	9			
2023076	Drill Core	1.06	1.06	0.37	13	0.99	0.035	37.7	12.2	0.53	132.8	0.002	<1	0.92	0.015	0.22	21.2	1.9	0.09	0.33	<5			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000290.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2023047	Drill Core	<0.1	<0.02	1.3	0.39	<0.1	0.17	<0.02	10.7	0.4	<0.05	4.6	8.05	60.0	<0.02	16	0.3	6.3	<10	<2
2023048	Drill Core	<0.1	<0.02	1.5	0.58	<0.1	0.18	<0.02	9.2	0.3	<0.05	4.4	9.28	52.3	<0.02	5	0.4	6.6	<10	<2
2023049	Drill Core	<0.1	<0.02	2.0	0.53	<0.1	0.13	<0.02	12.2	0.3	<0.05	3.5	13.09	68.4	<0.02	<1	0.2	6.3	<10	<2
2023050	Drill Core	<0.1	<0.02	2.4	0.45	<0.1	0.13	<0.02	11.7	0.2	<0.05	4.3	12.43	68.8	<0.02	<1	0.5	5.3	<10	<2
2023051	Drill Core	<0.1	<0.02	2.5	0.52	<0.1	0.26	0.03	11.6	0.4	<0.05	6.8	14.83	73.3	<0.02	5	0.5	6.4	<10	<2
2023052	Drill Core	<0.1	<0.02	1.9	1.28	<0.1	0.09	0.04	14.1	0.4	<0.05	2.5	14.47	68.4	<0.02	3	0.4	6.7	<10	<2
2023053	Drill Core	0.1	<0.02	2.9	0.99	<0.1	0.28	0.09	16.3	0.6	<0.05	6.0	14.58	74.4	0.02	<1	0.4	6.2	<10	<2
2023054	Drill Core	0.2	<0.02	3.6	0.64	<0.1	0.20	0.07	15.0	0.6	<0.05	6.2	14.93	73.6	0.04	2	0.4	7.2	<10	<2
2023055	Drill Core	0.1	<0.02	2.7	0.76	<0.1	0.28	0.11	15.3	0.6	<0.05	8.0	14.81	77.5	0.02	1	0.5	6.6	<10	<2
2023056	Drill Core	0.1	<0.02	2.3	0.44	<0.1	0.17	0.03	10.6	0.4	<0.05	5.7	14.39	75.1	<0.02	3	0.3	6.1	<10	<2
2023057	Drill Core	<0.1	<0.02	2.1	0.62	<0.1	0.28	0.22	14.6	0.4	<0.05	8.4	13.10	71.8	<0.02	2	0.3	5.2	<10	<2
2023058	Drill Core	<0.1	<0.02	3.2	2.23	<0.1	0.38	0.18	28.9	0.4	<0.05	12.2	10.54	71.4	<0.02	<1	0.3	9.3	<10	2
2023059	Drill Core	<0.1	<0.02	2.7	1.50	<0.1	0.24	0.13	22.2	0.4	<0.05	7.7	13.19	76.8	<0.02	<1	0.3	9.5	<10	<2
2023060	Core DUP	<0.1	<0.02	2.8	1.56	<0.1	0.19	0.11	23.3	0.4	<0.05	7.4	12.60	77.3	<0.02	1	0.4	9.2	<10	<2
2023061	Drill Core	<0.1	0.03	2.3	0.49	<0.1	0.13	0.03	11.9	0.7	<0.05	3.1	10.70	73.9	<0.02	<1	0.3	6.0	<10	<2
2023062	Drill Core	<0.1	<0.02	2.0	0.80	<0.1	0.14	<0.02	12.3	0.4	<0.05	4.4	14.13	72.2	<0.02	<1	0.3	6.0	<10	<2
2023063	Drill Core	<0.1	<0.02	2.4	0.70	<0.1	0.08	0.13	15.1	0.5	<0.05	2.8	15.97	57.5	0.02	1	0.4	9.8	<10	<2
2023064	Drill Core	<0.1	<0.02	2.5	0.43	<0.1	0.03	0.35	12.8	0.6	<0.05	1.0	8.88	43.9	<0.02	<1	0.3	5.1	<10	<2
2023065	Drill Core	<0.1	<0.02	4.4	0.43	<0.1	0.03	0.05	11.6	0.6	<0.05	1.2	13.16	59.2	0.02	1	0.3	11.1	<10	<2
2023066	Drill Core	<0.1	<0.02	6.6	0.94	<0.1	0.02	<0.02	18.2	0.3	<0.05	0.6	12.25	10.3	0.03	1	0.4	31.3	<10	<2
2023067	Drill Core	<0.1	<0.02	3.9	0.36	<0.1	<0.02	0.04	11.3	0.7	<0.05	0.9	13.21	64.0	0.03	1	0.2	10.1	<10	<2
2023068	Drill Core	<0.1	<0.02	3.5	0.82	<0.1	0.03	0.04	15.9	0.6	<0.05	0.8	12.70	73.3	0.03	<1	0.4	13.1	<10	<2
2023069	Drill Core	<0.1	<0.02	2.9	0.87	<0.1	0.03	0.03	14.4	0.4	<0.05	1.2	9.07	56.5	<0.02	<1	0.5	13.5	<10	<2
2023070	Drill Core	<0.1	<0.02	2.8	0.76	<0.1	<0.02	0.03	14.9	1.0	<0.05	1.4	11.47	65.9	0.02	<1	0.5	11.9	<10	<2
2023071	Drill Core	<0.1	<0.02	1.9	0.62	<0.1	0.13	<0.02	11.8	0.6	<0.05	4.4	9.25	66.9	<0.02	<1	0.4	5.6	<10	<2
2023072	Drill Core	<0.1	<0.02	2.1	0.94	<0.1	0.09	<0.02	12.3	0.7	<0.05	3.3	7.29	58.4	<0.02	1	0.3	5.9	<10	<2
2023073	Drill Core	<0.1	<0.02	10.5	9.85	0.1	0.08	<0.02	10.5	1.0	<0.05	3.9	25.99	39.5	0.08	<1	0.8	63.2	<10	<2
2023074	Drill Core	<0.1	<0.02	10.2	6.00	0.2	0.27	<0.02	11.9	1.4	<0.05	10.2	28.01	43.1	0.07	<1	1.2	59.6	<10	<2
2023075	Drill Core	<0.1	<0.02	8.0	0.56	<0.1	0.76	<0.02	5.2	1.7	<0.05	27.1	24.18	71.8	0.04	<1	0.7	25.2	<10	<2
2023076	Drill Core	<0.1	<0.02	4.5	1.58	<0.1	0.83	<0.02	11.5	1.0	<0.05	32.1	22.79	68.6	0.03	<1	0.9	16.5	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000290.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2023077	Drill Core	3.14	474	0.045	0.04	<0.17	36.84	2.33	4.41	25.84	40.5	422	3.7	4.5	292	1.67	87.0	8.2	40.1	26.3	27.0
2023078	Drill Core	2.93	514	0.058	0.06	<0.17	22.24	2.77	4.85	35.53	53.7	500	3.0	3.9	325	1.50	135.0	8.2	54.2	26.1	33.7
2023079	Drill Core	3.01	409	0.033	0.03	<0.17	39.82	2.17	5.36	29.62	58.1	455	5.1	5.2	321	1.69	140.4	11.2	30.1	27.0	40.9
2023080	Rock	0.23	176	0.006	<0.01	<0.17	30.86	0.44	1.31	1.29	3.0	11	1.6	0.5	76	0.59	1.5	0.2	2.1	1.6	3.2
2023081	Drill Core	3.12	491	0.053	0.05	<0.17	36.61	2.16	6.45	26.51	41.2	409	2.1	2.6	221	1.54	231.3	8.0	42.8	27.9	56.6
2023082	Drill Core	2.34	422	0.027	0.03	<0.17	28.53	1.88	6.76	25.18	57.0	406	3.9	4.5	498	1.38	181.5	7.7	22.5	29.0	62.1
2023083	Drill Core	3.01	465	0.118	0.11	<0.17	23.18	1.96	7.13	27.90	35.1	818	2.9	3.9	158	1.53	618.0	10.8	114.8	29.1	39.4
2023084	Drill Core	3.13	492	0.059	0.05	<0.17	46.30	1.49	5.28	30.76	24.9	604	1.0	1.6	45	1.32	220.2	8.1	46.3	25.5	57.8
2023085	Drill Core	3.07	402	0.074	0.07	<0.17	27.99	2.08	3.95	26.91	12.1	1169	0.5	0.6	35	1.41	154.4	5.8	72.4	26.3	116.7
2023086	Drill Core	2.68	499	0.073	0.07	<0.17	29.60	1.85	4.52	27.62	10.7	1339	0.5	0.8	33	1.13	85.8	5.0	67.4	25.3	69.7
2023087	Drill Core	2.91	451	0.089	0.08	<0.17	25.68	1.44	3.76	26.82	6.3	1245	0.4	0.5	31	1.13	62.2	4.2	82.8	24.2	38.6
2023088	Drill Core	3.04	483	0.055	0.05	<0.17	36.88	1.54	3.04	38.33	6.2	1167	0.5	0.7	46	1.12	75.3	4.1	58.0	25.1	50.0
2023089	Drill Core	3.12	454	0.058	0.05	<0.17	27.36	1.49	2.82	24.53	5.3	874	0.5	0.7	24	1.12	72.3	3.6	43.6	20.1	33.4
2023090	Drill Core	2.91	529	0.056	0.05	<0.17	45.98	1.66	3.25	17.32	9.4	992	0.6	1.5	27	1.09	66.0	6.5	46.7	26.2	25.5
2023091	Drill Core	2.75	498	0.064	0.06	<0.17	24.57	1.92	3.09	15.03	34.2	973	1.4	2.8	271	1.41	82.6	5.7	57.0	27.1	81.2
2023092	Drill Core	3.25	414	0.116	0.11	<0.17	30.94	1.93	4.20	17.51	27.6	750	0.8	2.2	50	1.25	113.8	7.1	113.0	29.4	17.2
2023093	Drill Core	3.23	451	0.062	0.06	<0.17	39.22	1.83	5.66	23.36	45.5	231	1.1	2.3	265	1.26	86.7	10.2	59.7	29.0	19.0
2023094	Drill Core	2.93	487	0.066	0.06	<0.17	38.42	2.22	4.64	22.61	43.5	318	1.2	2.6	242	1.41	146.4	11.8	60.0	30.2	60.4
2023095	Drill Core	3.12	446	0.053	0.05	<0.17	31.77	1.69	6.37	34.45	58.9	284	1.5	2.4	303	1.37	92.4	10.0	51.9	29.6	26.7
2023096	Drill Core	3.16	488	0.009	<0.01	<0.17	46.72	1.36	2.71	25.75	35.7	71	1.0	2.1	309	1.26	6.2	8.2	1.6	27.4	40.5
2023097	Drill Core	3.06	451	0.009	<0.01	<0.17	26.18	1.88	2.43	22.63	46.0	83	1.8	2.4	288	1.40	6.8	12.1	4.8	29.0	42.4
2023098	Drill Core	3.14	471	0.006	<0.01	<0.17	31.80	1.69	2.08	24.33	39.9	70	1.2	2.3	284	1.32	2.1	9.9	0.6	30.1	42.4
2023099	Drill Core	3.31	473	0.006	<0.01	<0.17	38.87	1.42	2.39	24.10	45.2	61	1.3	2.3	282	1.25	2.4	9.5	1.7	30.7	48.9
2023100	Rock Pulp	0.12	94	7.247				9.84	193.49	19.30	76.8	862	13.2	10.9	567	4.34	12.9	0.9	8065.4	4.3	60.0
2023101	Drill Core	2.51	409	0.008	<0.01	<0.17	36.01	1.28	1.96	24.24	44.8	68	1.3	2.3	280	1.32	2.1	7.4	1.2	29.6	39.5
2023102	Drill Core	2.97	501	0.011	<0.01	<0.17	46.52	1.22	1.50	24.88	46.3	111	1.1	2.3	258	1.26	8.0	9.8	3.2	28.5	39.8
2023103	Drill Core	3.15	505	0.008	<0.01	<0.17	43.51	1.44	1.57	23.48	49.6	84	1.7	2.8	267	1.34	7.1	15.3	3.3	28.3	31.7
2023104	Drill Core	2.15	464	0.011	0.01	<0.17	46.89	1.51	1.69	22.55	45.5	71	1.3	2.4	262	1.23	6.6	9.5	3.7	28.8	49.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000290.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023077	Drill Core	0.17	5.25	0.12	3	0.46	0.032	37.8	2.3	0.26	46.8	<0.001	2	0.64	0.005	0.23	0.2	1.2	0.13	0.94	16
2023078	Drill Core	0.98	4.96	0.14	2	0.20	0.030	39.4	1.7	0.27	59.4	<0.001	3	0.64	0.005	0.23	0.5	1.3	0.11	0.62	16
2023079	Drill Core	0.72	6.19	0.09	2	0.48	0.031	55.1	1.7	0.26	53.8	0.001	2	0.64	0.006	0.24	0.3	1.2	0.12	1.08	15
2023080	Rock	0.01	0.06	<0.02	1	0.08	0.003	2.6	3.2	0.02	11.7	0.003	2	0.08	0.004	0.02	<0.1	0.3	<0.02	<0.02	<5
2023081	Drill Core	0.90	2.50	0.10	2	0.27	0.032	37.9	1.7	0.20	62.0	<0.001	2	0.62	0.009	0.26	0.3	1.2	0.12	0.42	17
2023082	Drill Core	0.40	1.11	0.06	2	0.97	0.029	51.4	1.8	0.22	47.5	0.001	2	0.71	0.006	0.24	0.5	1.4	0.12	0.24	18
2023083	Drill Core	0.07	12.67	0.10	<1	0.28	0.030	34.4	1.4	0.15	55.9	<0.001	3	0.55	0.006	0.24	0.2	1.0	0.12	1.22	17
2023084	Drill Core	0.25	6.08	0.06	<1	0.12	0.023	33.8	0.9	0.05	107.6	<0.001	2	0.42	0.007	0.28	0.1	0.9	0.13	0.94	16
2023085	Drill Core	0.03	5.98	0.17	<1	0.09	0.039	36.9	1.1	0.03	149.5	<0.001	3	0.32	0.012	0.38	0.1	0.8	0.19	0.49	23
2023086	Drill Core	0.08	7.85	0.14	<1	0.23	0.027	31.0	1.1	0.03	134.2	<0.001	2	0.32	0.007	0.31	<0.1	0.7	0.16	0.65	24
2023087	Drill Core	0.02	8.18	0.13	<1	0.18	0.022	26.1	0.9	0.02	95.8	<0.001	2	0.31	0.005	0.31	<0.1	0.6	0.14	0.71	21
2023088	Drill Core	0.03	9.42	0.13	<1	0.15	0.022	24.4	1.1	0.02	66.5	<0.001	2	0.31	0.004	0.26	<0.1	0.7	0.14	0.80	21
2023089	Drill Core	0.03	9.81	0.09	3	0.16	0.016	18.1	0.9	0.02	45.0	<0.001	2	0.25	0.004	0.23	<0.1	0.8	0.11	0.85	14
2023090	Drill Core	0.07	11.91	0.09	2	0.16	0.019	21.2	1.2	0.02	49.0	<0.001	<1	0.24	0.003	0.18	<0.1	0.8	0.10	1.00	25
2023091	Drill Core	0.17	10.67	0.10	4	1.07	0.021	34.8	1.6	0.06	67.2	<0.001	<1	0.26	0.004	0.16	<0.1	0.9	0.08	1.22	18
2023092	Drill Core	0.11	8.71	0.10	2	0.17	0.023	39.6	1.2	0.03	36.7	<0.001	1	0.25	0.004	0.19	<0.1	0.6	0.09	1.19	23
2023093	Drill Core	0.13	1.31	0.10	3	0.17	0.021	45.5	1.5	0.16	46.1	<0.001	1	0.44	0.006	0.18	<0.1	0.7	0.08	0.64	8
2023094	Drill Core	0.29	3.58	0.11	4	0.93	0.022	39.7	1.5	0.10	71.7	<0.001	1	0.33	0.007	0.16	<0.1	0.8	0.07	1.10	12
2023095	Drill Core	0.38	0.85	0.09	5	0.37	0.022	43.6	1.7	0.14	62.2	<0.001	<1	0.49	0.015	0.17	<0.1	0.8	0.08	0.52	14
2023096	Drill Core	0.13	0.24	0.07	4	0.87	0.021	51.3	1.4	0.16	31.2	0.001	1	0.57	0.016	0.18	<0.1	1.1	0.07	0.04	<5
2023097	Drill Core	0.29	0.32	0.08	6	0.72	0.021	51.4	1.9	0.17	36.6	0.002	<1	0.61	0.022	0.16	<0.1	1.5	0.07	0.05	<5
2023098	Drill Core	0.15	0.17	0.07	5	0.83	0.022	52.5	1.5	0.16	30.4	0.001	1	0.59	0.020	0.18	<0.1	1.5	0.07	0.03	<5
2023099	Drill Core	0.24	0.19	0.07	4	0.81	0.024	54.3	1.5	0.14	99.4	0.001	<1	0.54	0.019	0.17	<0.1	1.4	0.06	0.05	5
2023100	Rock Pulp	0.19	4.67	0.53	114	0.79	0.058	7.2	17.6	0.84	125.5	0.099	2	1.55	0.146	0.21	3.7	3.1	0.07	<0.02	204
2023101	Drill Core	0.18	0.16	0.08	5	0.81	0.024	52.6	1.6	0.15	53.5	0.001	<1	0.57	0.022	0.17	<0.1	1.5	0.07	0.03	8
2023102	Drill Core	0.24	0.27	0.10	4	0.90	0.020	51.5	1.3	0.13	29.7	0.001	1	0.54	0.018	0.16	0.1	1.2	0.06	0.07	9
2023103	Drill Core	0.27	0.26	0.07	6	0.63	0.021	47.5	1.7	0.15	29.0	0.001	<1	0.60	0.019	0.16	<0.1	1.2	0.07	0.05	8
2023104	Drill Core	0.20	0.24	0.08	4	0.86	0.022	50.8	1.3	0.14	32.2	0.001	1	0.55	0.018	0.17	<0.1	1.3	0.06	0.04	<5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000290.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2023077	Drill Core	<0.1	<0.02	2.7	4.08	<0.1	1.00	<0.02	14.9	1.0	<0.05	35.6	24.95	71.6	<0.02	<1	1.2	8.7	<10
2023078	Drill Core	<0.1	<0.02	2.8	4.48	<0.1	0.96	<0.02	15.4	0.8	<0.05	33.6	21.91	78.4	0.03	1	1.2	9.1	<10
2023079	Drill Core	<0.1	<0.02	2.5	4.30	<0.1	1.06	0.02	16.1	1.0	<0.05	37.4	28.16	106.5	0.02	1	1.5	9.2	<10
2023080	Rock	<0.1	<0.02	0.3	0.14	<0.1	0.13	0.02	1.3	<0.1	<0.05	3.8	1.16	5.4	<0.02	<1	<0.1	1.6	<10
2023081	Drill Core	<0.1	<0.02	2.5	3.93	<0.1	0.76	<0.02	16.1	0.9	<0.05	28.1	17.51	66.5	0.02	<1	0.9	7.1	<10
2023082	Drill Core	<0.1	<0.02	2.8	4.49	<0.1	0.81	<0.02	16.8	1.0	<0.05	28.7	32.07	100.2	0.02	<1	1.4	10.0	<10
2023083	Drill Core	<0.1	<0.02	1.8	4.52	<0.1	0.84	<0.02	15.3	1.1	<0.05	30.2	21.27	61.7	0.02	1	0.9	4.4	<10
2023084	Drill Core	<0.1	<0.02	1.3	4.92	<0.1	0.61	<0.02	15.9	0.7	<0.05	23.4	10.71	53.7	0.02	1	0.9	1.5	<10
2023085	Drill Core	<0.1	0.03	1.4	4.54	<0.1	0.50	<0.02	18.2	0.7	<0.05	18.1	8.99	60.9	0.02	<1	0.4	0.9	<10
2023086	Drill Core	<0.1	0.03	1.1	3.37	<0.1	0.69	0.02	13.9	0.7	<0.05	21.5	8.35	49.8	<0.02	<1	0.5	0.7	<10
2023087	Drill Core	<0.1	0.03	1.0	4.00	<0.1	0.60	<0.02	14.6	0.6	<0.05	21.1	7.71	43.5	<0.02	1	0.5	0.7	<10
2023088	Drill Core	<0.1	<0.02	1.0	4.50	<0.1	0.63	<0.02	15.0	0.5	<0.05	22.6	7.82	42.0	<0.02	<1	0.6	0.6	<10
2023089	Drill Core	<0.1	<0.02	0.6	4.28	<0.1	0.57	0.07	11.4	0.6	<0.05	17.3	6.35	30.0	<0.02	<1	0.5	0.4	<10
2023090	Drill Core	<0.1	<0.02	0.4	3.99	<0.1	0.78	0.08	10.7	0.6	<0.05	20.1	9.24	39.4	<0.02	<1	0.8	0.4	<10
2023091	Drill Core	<0.1	0.02	0.7	2.33	<0.1	1.07	0.09	8.3	0.6	<0.05	26.2	23.14	63.4	0.02	<1	1.0	1.6	<10
2023092	Drill Core	<0.1	<0.02	0.4	4.00	<0.1	0.91	0.07	11.5	0.5	<0.05	24.1	20.31	73.5	<0.02	<1	1.1	0.5	<10
2023093	Drill Core	<0.1	<0.02	1.9	2.74	<0.1	1.00	0.06	10.8	0.4	<0.05	25.4	23.81	81.3	<0.02	<1	1.0	5.3	<10
2023094	Drill Core	<0.1	<0.02	1.4	2.30	<0.1	1.12	0.10	9.1	0.5	<0.05	26.1	23.60	74.7	<0.02	<1	1.1	3.4	<10
2023095	Drill Core	<0.1	<0.02	2.6	1.92	<0.1	1.17	0.06	10.8	0.5	<0.05	26.6	24.71	81.9	0.02	<1	0.7	5.8	<10
2023096	Drill Core	<0.1	<0.02	2.9	1.96	<0.1	1.05	0.04	11.3	0.5	<0.05	24.0	24.44	92.3	0.02	<1	1.1	7.2	<10
2023097	Drill Core	<0.1	<0.02	3.6	1.43	<0.1	1.17	0.06	9.7	0.6	<0.05	25.2	25.09	93.3	<0.02	<1	1.0	7.0	<10
2023098	Drill Core	<0.1	<0.02	2.8	1.89	<0.1	1.10	0.04	11.6	0.5	<0.05	23.9	26.27	94.4	0.02	<1	1.5	6.2	<10
2023099	Drill Core	<0.1	<0.02	2.8	1.83	<0.1	0.99	0.05	11.0	0.4	<0.05	21.4	27.61	97.9	<0.02	<1	1.4	5.0	<10
2023100	Rock Pulp	0.1	0.15	4.4	0.66	<0.1	0.11	0.06	7.7	1.6	<0.05	1.8	5.03	14.0	0.05	<1	0.1	6.1	<10
2023101	Drill Core	<0.1	<0.02	3.0	1.68	<0.1	1.01	0.03	11.3	0.4	<0.05	20.7	26.42	97.2	<0.02	<1	1.1	5.4	<10
2023102	Drill Core	<0.1	<0.02	2.3	1.53	<0.1	1.04	0.05	9.1	0.3	<0.05	19.6	25.20	90.5	<0.02	<1	1.3	5.9	<10
2023103	Drill Core	<0.1	<0.02	2.7	1.69	<0.1	1.06	0.04	10.0	0.3	<0.05	19.7	24.99	88.0	<0.02	<1	1.2	6.9	<10
2023104	Drill Core	<0.1	<0.02	2.4	1.79	<0.1	1.14	0.04	10.6	0.3	<0.05	19.8	26.20	89.3	<0.02	<1	1.3	5.9	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 22, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000290.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																						
2022992	Drill Core	2.10	460	0.037	0.05	0.26	26.47	2.75	38.60	205.97	50.9	1327	2.4	0.7	54	2.20	16.4	1.9	23.6	7.0	52.3	
REP 2022992	QC							2.71	40.76	220.16	49.3	1344	2.2	0.6	55	2.23	16.8	1.9	24.9	7.6	53.4	
REP 2022999	QC	0.039																				
2023026	Drill Core	1.37	478	0.008	<0.01	<0.17	37.74	0.21	5.30	20.52	28.4	68	3.1	2.8	224	0.30	1.5	1.9	<0.2	12.8	56.0	
REP 2023026	QC							0.21	4.93	18.50	26.8	67	2.8	2.7	211	0.30	1.4	1.8	1.1	12.2	53.1	
2023047	Drill Core	3.32	491	0.006	<0.01	<0.17	41.92	5.61	7.79	21.58	20.1	124	1.9	1.8	220	0.81	1.4	2.3	0.7	16.0	66.6	
REP 2023047	QC	0.006																				
2023061	Drill Core	3.34	367	0.020	0.02	<0.17	38.43	1.37	7.28	32.49	29.3	1632	2.2	2.4	150	0.91	11.0	1.7	8.9	17.6	52.9	
REP 2023061	QC							1.29	6.96	31.25	28.6	1521	2.1	2.4	149	0.90	10.6	1.7	9.1	17.5	51.6	
REP 2023067	QC	0.009																				
2023092	Drill Core	3.25	414	0.116	0.11	<0.17	30.94	1.93	4.20	17.51	27.6	750	0.8	2.2	50	1.25	113.8	7.1	113.0	29.4	17.2	
REP 2023092	QC							2.03	4.30	17.35	29.2	743	0.8	2.2	51	1.24	112.6	6.9	117.3	30.1	16.7	
2023098	Drill Core	3.14	471	0.006	<0.01	<0.17	31.80	1.69	2.08	24.33	39.9	70	1.2	2.3	284	1.32	2.1	9.9	0.6	30.1	42.4	
REP 2023098	QC	0.006																				
Core Reject Duplicates																						
2022999	Drill Core	3.25	474	0.036	0.03	<0.17	37.21	5.06	125.32	172.98	288.7	2128	34.9	10.0	283	3.35	73.6	1.0	28.9	6.0	14.2	
DUP 2022999	QC	483		0.038	0.03	<0.17	40.59	5.07	118.49	172.26	287.5	2069	34.3	9.0	269	3.31	71.2	1.0	29.0	5.8	13.6	
2023033	Drill Core	1.60	350	0.008	<0.01	<0.17	42.15	0.15	10.24	16.67	68.3	126	15.7	6.9	455	1.92	1.6	1.2	<0.2	16.3	162.7	
DUP 2023033	QC	345		0.005	<0.01	<0.17	47.40	0.15	9.04	16.21	70.2	122	14.8	6.5	434	1.89	1.5	1.1	0.7	14.8	163.2	
2023067	Drill Core	2.96	478	0.009	<0.01	<0.17	45.67	1.60	10.12	11.90	34.1	123	4.3	5.6	271	1.45	4.4	2.6	2.6	15.1	171.1	
DUP 2023067	QC	441		0.010	<0.01	<0.17	37.26	1.67	11.29	11.74	33.2	117	3.9	5.4	275	1.46	4.8	2.5	1.5	14.9	166.4	
2023101	Drill Core	2.51	409	0.008	<0.01	<0.17	36.01	1.28	1.96	24.24	44.8	68	1.3	2.3	280	1.32	2.1	7.4	1.2	29.6	39.5	
DUP 2023101	QC	409		0.007	<0.01	<0.17	25.83	1.31	1.96	22.26	42.3	80	1.1	2.2	284	1.31	2.0	7.2	<0.2	27.8	36.4	
Reference Materials																						
STD BVGEO01	Standard							10.89	4452.46	198.38	1782.3	2549	165.0	25.5	748	3.66	117.2	4.0	221.0	17.5	53.2	
STD BVGEO01	Standard							11.23	4481.84	194.33	1728.0	2593	163.8	25.4	749	3.65	119.9	4.0	232.0	17.4	52.3	
STD DS11	Standard							14.18	152.49	132.65	331.0	1688	79.7	13.2	1024	3.05	41.3	2.6	88.6	8.4	60.0	
STD DS11	Standard							14.74	157.50	140.90	336.5	1807	76.1	14.4	1023	3.19	45.1	2.8	93.9	9.0	67.6	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000290.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2022992	Drill Core	0.19	0.52	0.14	4	0.04	0.036	15.7	5.2	0.05	138.5	0.001	2	0.31	0.017	0.26	2.0	1.4	0.11	0.25	39
REP 2022992	QC	0.20	0.53	0.14	4	0.04	0.040	16.6	5.3	0.05	151.3	0.001	1	0.33	0.017	0.27	2.3	1.3	0.12	0.26	40
REP 2022999	QC																				
2023026	Drill Core	0.44	0.09	<0.02	1	0.46	0.032	26.3	2.0	0.05	266.6	0.002	1	0.33	0.029	0.32	0.2	0.8	0.06	<0.02	<5
REP 2023026	QC	0.46	0.09	<0.02	1	0.46	0.030	24.1	1.7	0.05	263.8	0.002	<1	0.33	0.029	0.33	0.1	0.8	0.05	<0.02	<5
2023047	Drill Core	0.15	0.14	0.17	2	0.99	0.032	33.7	2.6	0.34	228.7	0.002	<1	0.52	0.015	0.31	<0.1	2.2	0.07	0.06	<5
REP 2023047	QC																				
2023061	Drill Core	0.16	0.43	5.49	3	0.56	0.041	40.2	3.9	0.22	244.2	0.002	<1	0.50	0.029	0.30	<0.1	1.8	0.08	0.16	11
REP 2023061	QC	0.16	0.42	5.58	3	0.57	0.038	39.2	3.4	0.22	239.9	0.002	1	0.49	0.029	0.30	<0.1	1.6	0.07	0.16	<5
REP 2023067	QC																				
2023092	Drill Core	0.11	8.71	0.10	2	0.17	0.023	39.6	1.2	0.03	36.7	<0.001	1	0.25	0.004	0.19	<0.1	0.6	0.09	1.19	23
REP 2023092	QC	0.12	8.58	0.10	2	0.17	0.022	39.0	1.3	0.03	35.6	<0.001	<1	0.24	0.003	0.19	<0.1	0.6	0.09	1.17	26
2023098	Drill Core	0.15	0.17	0.07	5	0.83	0.022	52.5	1.5	0.16	30.4	0.001	1	0.59	0.020	0.18	<0.1	1.5	0.07	0.03	<5
REP 2023098	QC																				
Core Reject Duplicates																					
2022999	Drill Core	0.39	1.67	0.58	12	0.03	0.064	15.6	17.3	0.52	187.0	0.002	1	1.03	0.013	0.26	0.1	1.7	0.09	0.13	33
DUP 2022999	QC	0.40	1.73	0.57	11	0.03	0.062	14.5	16.0	0.51	176.8	0.002	2	0.99	0.013	0.25	0.1	1.6	0.08	0.13	32
2023033	Drill Core	0.40	0.07	0.15	14	1.93	0.039	36.5	21.5	1.22	913.5	0.005	1	1.43	0.030	0.38	<0.1	5.2	0.11	0.09	6
DUP 2023033	QC	0.38	0.07	0.14	13	1.92	0.035	35.8	20.4	1.21	872.5	0.005	<1	1.41	0.030	0.36	<0.1	4.8	0.10	0.08	<5
2023067	Drill Core	0.12	0.16	0.17	11	1.71	0.068	36.8	16.8	0.99	221.7	0.010	1	1.04	0.015	0.31	<0.1	4.3	0.08	0.14	<5
DUP 2023067	QC	0.13	0.16	0.16	11	1.70	0.061	37.4	16.1	0.97	221.6	0.009	<1	1.03	0.015	0.32	<0.1	4.0	0.08	0.14	<5
2023101	Drill Core	0.18	0.16	0.08	5	0.81	0.024	52.6	1.6	0.15	53.5	0.001	<1	0.57	0.022	0.17	<0.1	1.5	0.07	0.03	8
DUP 2023101	QC	0.15	0.16	0.09	5	0.82	0.019	48.2	1.5	0.15	47.6	0.001	1	0.57	0.022	0.17	<0.1	1.4	0.05	0.04	<5
Reference Materials																					
STD BVGEO01	Standard	6.35	3.26	25.80	72	1.29	0.077	26.7	178.9	1.28	296.8	0.239	5	2.25	0.177	0.87	5.9	6.4	0.63	0.66	93
STD BVGEO01	Standard	6.69	3.51	26.39	78	1.35	0.070	27.3	162.2	1.28	257.5	0.220	3	2.31	0.182	0.87	5.4	6.0	0.62	0.65	91
STD DS11	Standard	2.34	7.98	10.73	50	1.01	0.069	17.2	61.1	0.84	355.8	0.094	7	1.15	0.074	0.40	3.2	3.2	4.83	0.27	288
STD DS11	Standard	2.76	8.80	12.58	49	1.08	0.084	19.1	59.1	0.85	384.8	0.098	7	1.20	0.076	0.42	3.2	2.9	5.02	0.28	241



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000290.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2022992	Drill Core	0.5	0.04	0.7	0.54	<0.1	0.16	<0.02	10.7	<0.1	<0.05	7.6	2.09	29.9	<0.02	<1	0.3	4.3	13	<2
REP 2022992	QC	0.5	0.03	0.7	0.55	<0.1	0.21	<0.02	10.9	0.1	<0.05	8.4	2.24	32.2	<0.02	<1	<0.1	5.1	<10	<2
REP 2022999	QC																			
2023026	Drill Core	<0.1	<0.02	0.8	0.22	<0.1	0.28	<0.02	10.1	0.2	<0.05	7.5	5.20	49.4	<0.02	<1	0.4	2.2	<10	<2
REP 2023026	QC	<0.1	<0.02	0.8	0.21	<0.1	0.22	<0.02	9.7	0.2	<0.05	7.1	4.70	44.5	<0.02	<1	0.2	2.0	<10	<2
2023047	Drill Core	<0.1	<0.02	1.3	0.39	<0.1	0.17	<0.02	10.7	0.4	<0.05	4.6	8.05	60.0	<0.02	16	0.3	6.3	<10	<2
REP 2023047	QC																			
2023061	Drill Core	<0.1	0.03	2.3	0.49	<0.1	0.13	0.03	11.9	0.7	<0.05	3.1	10.70	73.9	<0.02	<1	0.3	6.0	<10	<2
REP 2023061	QC	<0.1	0.04	2.2	0.49	<0.1	0.09	<0.02	11.4	0.6	<0.05	3.1	9.98	69.9	<0.02	<1	0.2	6.1	<10	<2
REP 2023067	QC																			
2023092	Drill Core	<0.1	<0.02	0.4	4.00	<0.1	0.91	0.07	11.5	0.5	<0.05	24.1	20.31	73.5	<0.02	<1	1.1	0.5	<10	<2
REP 2023092	QC	<0.1	<0.02	0.5	3.79	<0.1	1.00	0.07	11.4	0.5	<0.05	24.7	19.84	68.2	<0.02	<1	1.4	0.5	<10	<2
2023098	Drill Core	<0.1	<0.02	2.8	1.89	<0.1	1.10	0.04	11.6	0.5	<0.05	23.9	26.27	94.4	0.02	<1	1.5	6.2	<10	<2
REP 2023098	QC																			
Core Reject Duplicates																				
2022999	Drill Core	1.5	0.05	2.6	0.19	<0.1	0.15	<0.02	8.7	0.3	<0.05	8.1	5.42	30.6	0.03	1	0.2	11.9	<10	3
DUP 2022999	QC	1.4	0.05	2.5	0.19	<0.1	0.16	<0.02	8.2	0.4	<0.05	7.4	5.02	28.2	0.02	2	0.3	10.7	<10	3
2023033	Drill Core	<0.1	<0.02	4.8	0.32	<0.1	0.02	0.04	16.1	0.3	<0.05	0.9	10.28	70.3	<0.02	<1	0.5	9.5	<10	<2
DUP 2023033	QC	<0.1	<0.02	4.4	0.30	<0.1	0.03	0.04	14.1	0.4	<0.05	0.8	9.66	66.8	<0.02	<1	0.4	9.0	<10	<2
2023067	Drill Core	<0.1	<0.02	3.9	0.36	<0.1	<0.02	0.04	11.3	0.7	<0.05	0.9	13.21	64.0	0.03	1	0.2	10.1	<10	<2
DUP 2023067	QC	<0.1	<0.02	3.5	0.37	<0.1	0.02	0.02	11.6	0.6	<0.05	0.8	12.81	65.7	0.03	<1	0.3	9.9	<10	<2
2023101	Drill Core	<0.1	<0.02	3.0	1.68	<0.1	1.01	0.03	11.3	0.4	<0.05	20.7	26.42	97.2	<0.02	<1	1.1	5.4	<10	<2
DUP 2023101	QC	<0.1	<0.02	2.9	1.60	<0.1	0.99	0.04	10.5	0.4	<0.05	19.5	24.65	89.5	<0.02	<1	1.2	4.9	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.7	1.01	7.6	7.65	0.2	0.32	0.30	99.5	5.3	<0.05	8.1	15.22	54.3	0.43	3	0.7	20.9	127	178
STD BVGEO01	Standard	5.0	1.12	6.8	7.45	0.2	0.37	0.23	94.4	5.4	<0.05	6.3	14.67	52.9	0.49	3	0.7	20.5	125	185
STD DS11	Standard	1.8	4.52	4.7	2.83	<0.1	0.09	1.54	31.3	1.8	<0.05	3.2	7.58	35.5	0.22	51	0.5	23.5	100	179
STD DS11	Standard	2.3	4.69	4.8	3.12	0.1	0.07	1.68	36.1	2.0	<0.05	2.9	8.97	38.3	0.28	44	0.6	24.6	92	180



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000290.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.65	119.68	54.43	142.7	456	64.1	28.3	534	3.16	34.1	1.2	64.8	9.3	32.1
STD OREAS262	Standard							0.62	122.73	57.88	139.4	438	63.4	26.7	535	3.21	35.1	1.2	59.0	10.5	33.7
STD OREAS262	Standard							0.62	114.53	52.95	143.8	418	63.6	27.2	515	3.25	33.6	1.1	84.3	9.4	33.6
STD OREAS262	Standard							0.66	127.64	60.63	153.0	486	65.0	29.4	568	3.36	38.1	1.3	56.4	10.9	40.5
STD OXC145	Standard			0.214																	
STD OXC145	Standard			0.215																	
STD OXH139	Standard			1.353																	
STD OXH139	Standard			1.259																	
STD OXN134	Standard			7.710																	
STD OXN134	Standard			7.421																	
STD OXQ90	Standard					25.08	29.82														
STD OXQ90	Standard					24.85	30.34														
STD OXQ90	Standard					24.98	30.14														
STD OXQ90	Standard					24.97	30.32														
STD OXQ90	Standard					25.25	29.86														
STD OXQ90	Standard					25.42	31.55														
STD OXQ90	Standard					25.01	29.59														
STD OXQ90 Expected						24.88															
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			0.006																	
BLK	Blank					<0.17	30.00														



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: August 22, 2019

Part: 2 of 3

WHI19000290.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: August 22, 2019

Part: 3 of 3

WHI19000290.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000290.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.006																	
BLK	Blank			0.006																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	0.2	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		498	0.005	<0.01	<0.17	33.29	1.00	2.01	1.17	26.6	9	0.7	3.2	442	1.71	0.9	0.5	<0.2	3.0	23.1
ROCK-WHI	Prep Blank		476	0.006	<0.01	<0.17	34.69	1.14	3.04	1.16	29.8	9	0.9	3.4	468	1.75	0.7	0.5	<0.2	2.7	21.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000290.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.7	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	7
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.01	0.06	<0.02	22	0.60	0.037	6.3	2.8	0.41	59.9	0.079	4	0.96	0.154	0.13	<0.1	3.6	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.01	0.05	<0.02	21	0.58	0.040	5.8	3.0	0.42	57.5	0.076	<1	0.87	0.127	0.11	<0.1	2.6	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 22, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000290.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	0.03	<0.02	<0.1	<0.1	<0.05	0.7	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.3	0.17	0.1	0.12	0.28	2.4	0.3	<0.05	2.6	8.64	12.6	<0.02	<1	0.2	2.1	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.4	0.16	<0.1	0.09	0.20	2.3	0.4	<0.05	2.4	8.31	12.0	<0.02	1	0.3	1.8	<10