



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 05, 2019
Report Date: August 28, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000315.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-40
P.O. Number
Number of Samples: 86

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	82	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	86	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	86	Analysis sample split/packet			WHI
Split -150	86	Analysis sample split/packet			WHI
EN002	86	Environmental disposal charge-Fire assay lead waste			VAN
FS631	83	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	86	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	86	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Peter Tallman
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 28, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000315.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1831278	Drill Core	2.73	369	0.066	0.06	<0.17	29.14	0.71	17.52	13.65	59.7	13793	3.2	0.3	136	0.73	6.1	1.1	73.2	18.2	7.4
1831279	Drill Core	2.37	401	0.987	2.44	13.64	46.05	0.85	17.74	20.91	43.3	3382	1.3	0.2	222	0.70	7.9	1.2	853.1	15.8	8.3
1831280	Rock	0.23	165	<0.005	<0.01	<0.17	20.77	0.47	1.29	1.18	2.3	41	1.4	0.4	89	0.69	0.7	0.2	<0.2	1.5	1.9
1831281	Drill Core	2.24	373	0.113	0.10	<0.17	42.20	0.63	7.38	36.12	23.0	1205	2.5	0.5	96	0.63	13.4	1.4	33.9	13.4	13.1
1831282	Drill Core	2.74	452	0.073	0.09	0.21	48.55	1.51	14.52	21.93	35.9	4348	19.2	8.0	284	1.55	191.8	2.0	87.8	11.8	15.8
1831283	Drill Core	3.80	425	1.905	1.91	1.91	34.49	1.04	43.93	15.02	98.8	1397	54.3	19.2	611	5.17	6284.6	10.5	1933.8	6.1	58.7
1831284	Drill Core	4.06	368	0.384	0.39	0.40	42.04	0.57	27.36	10.74	79.6	650	21.5	13.5	484	3.78	1451.9	9.8	333.0	7.4	29.6
1831285	Drill Core	3.55	458	0.214	0.21	0.18	38.57	3.62	13.76	14.00	44.0	447	5.4	4.8	276	1.86	688.4	3.0	218.2	14.5	24.4
1831286	Drill Core	2.08	360	0.078	0.07	<0.17	44.63	1.23	35.13	8.60	88.4	366	72.4	28.2	612	5.86	711.2	6.7	71.6	6.6	76.7
1831287	Drill Core	2.72	407	0.063	0.06	<0.17	17.20	1.32	15.38	12.85	48.1	582	11.5	7.5	479	2.23	293.2	2.2	65.9	10.6	23.3
1831288	Drill Core	3.41	467	1.047	1.12	1.84	40.84	0.68	17.25	15.10	51.3	691	4.2	4.5	458	2.01	152.7	1.0	881.1	12.8	60.9
1831289	Drill Core	3.12	433	0.011	0.01	<0.17	23.20	1.45	10.49	16.89	37.4	231	3.9	4.5	506	1.67	106.3	0.9	7.5	11.5	58.6
1831290	Drill Core	3.67	436	0.033	0.03	<0.17	41.26	0.53	9.92	8.89	46.2	136	3.8	4.9	386	2.10	43.4	1.2	11.8	14.0	55.6
1831291	Drill Core	3.95	459	0.107	0.10	<0.17	20.79	0.83	11.56	14.12	33.3	254	2.4	4.5	384	1.47	162.0	1.1	58.9	13.0	52.0
1831292	Drill Core	1.99	394	2.035	4.15	52.58	16.47	0.93	10.41	10.47	20.2	2640	3.3	4.0	266	1.56	107.7	1.5	8387.6	12.2	16.6
1831293	Drill Core	2.84	417	0.030	0.03	<0.17	20.18	1.21	10.19	11.28	32.4	331	6.5	6.4	487	1.65	223.3	1.4	21.3	10.4	52.8
1831294	Drill Core	2.74	400	0.024	0.02	<0.17	37.35	0.93	8.42	19.60	46.3	376	4.8	4.6	486	1.84	70.6	0.9	23.0	14.8	60.3
1831295	Drill Core	3.29	422	0.006	<0.01	<0.17	43.54	0.50	9.48	12.52	52.6	163	4.4	4.1	335	2.17	15.4	0.8	4.2	14.2	49.5
1831296	Drill Core	3.20	445	<0.005	<0.01	<0.17	39.50	0.78	8.96	15.47	58.9	125	6.3	5.5	374	2.33	9.5	0.9	0.3	15.1	68.0
1831297	Drill Core	3.25	462	0.007	<0.01	<0.17	42.22	1.09	12.96	18.15	40.8	226	6.7	5.8	463	1.89	33.9	1.3	3.8	12.5	94.8
1831298	Drill Core	1.54	494	0.006	<0.01	<0.17	40.20	0.65	10.84	30.48	30.2	322	4.6	6.7	324	1.64	13.9	0.8	3.9	11.5	52.5
1831299	Drill Core	2.37	433	0.024	0.02	<0.17	40.21	0.35	11.56	12.91	71.8	120	9.9	10.0	517	2.63	7.7	1.6	10.0	10.0	214.3
1831300	Rock Pulp	0.12	88	7.472				9.90	214.59	22.34	85.3	913	13.3	11.8	594	5.10	16.4	1.0	7957.3	3.8	77.7
1831301	Drill Core	2.11	447	0.009	<0.01	<0.17	39.84	0.40	8.76	15.02	49.3	94	6.3	5.1	343	1.73	5.6	1.1	5.1	10.3	152.4
1831302	Drill Core	3.75	372	0.396	0.66	3.63	30.58	0.28	5.70	19.38	38.6	129	3.6	3.6	237	1.55	3.0	1.0	274.7	11.0	76.4
1831303	Drill Core	2.74	499	0.008	<0.01	<0.17	41.57	0.19	5.14	13.89	48.0	68	4.4	4.7	197	1.61	6.0	1.2	3.5	11.8	46.1
1831304	Drill Core	1.29	455	0.875	0.96	1.95	35.83	0.40	18.39	8.13	86.3	480	55.0	16.3	724	2.92	18.7	1.6	1127.0	8.0	155.3
1831305	Drill Core	3.40	378	0.028	0.03	<0.17	42.47	0.27	6.97	11.66	37.4	85	3.8	3.0	235	1.21	3.2	0.7	11.0	12.6	45.5
1831306	Drill Core	3.30	445	0.006	<0.01	<0.17	38.91	0.99	7.15	38.21	60.2	201	2.7	1.2	139	0.89	4.0	0.6	0.3	14.8	21.6
1831307	Drill Core	3.16	430	0.008	<0.01	<0.17	34.63	0.64	5.05	14.25	40.2	96	1.5	1.0	259	0.85	5.5	0.6	1.1	15.7	39.8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 28, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000315.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831278	Drill Core	0.26	0.17	0.12	<1	0.07	0.003	34.0	2.2	0.48	198.6	<0.001	<1	0.69	0.013	0.19	36.3	0.9	0.05	<0.02	<5			
1831279	Drill Core	0.31	0.23	0.12	<1	0.09	0.003	29.7	2.6	0.30	201.5	<0.001	1	0.68	0.008	0.22	6.5	0.8	0.06	<0.02	<5			
1831280	Rock	<0.01	0.05	<0.02	1	0.04	0.002	2.2	3.3	0.02	11.1	0.003	2	0.07	0.005	0.02	0.1	0.3	<0.02	<0.02	<5			
1831281	Drill Core	0.83	0.20	0.15	3	0.05	0.006	24.8	4.2	0.19	1652.3	<0.001	<1	0.45	0.016	0.21	1.7	0.8	0.05	0.04	<5			
1831282	Drill Core	0.19	1.45	0.08	15	0.15	0.033	24.2	23.8	0.45	418.4	0.001	<1	0.76	0.012	0.20	9.0	3.0	0.08	<0.02	<5			
1831283	Drill Core	0.34	34.68	0.09	51	0.39	0.071	12.7	96.9	2.96	549.0	0.005	<1	2.73	0.008	0.36	0.2	6.2	0.16	0.27	11			
1831284	Drill Core	0.23	6.02	0.07	31	0.22	0.043	17.5	74.1	2.79	161.4	0.003	1	2.56	0.018	0.27	0.1	5.7	0.11	0.10	<5			
1831285	Drill Core	0.18	4.41	0.08	7	0.30	0.044	31.9	12.2	0.93	255.0	0.002	<1	1.17	0.005	0.31	0.3	1.9	0.10	0.11	<5			
1831286	Drill Core	0.33	5.36	0.03	90	1.22	0.161	24.9	92.5	1.82	314.7	0.006	<1	4.52	0.008	0.21	<0.1	15.4	0.15	0.10	36			
1831287	Drill Core	0.18	2.49	0.04	9	0.17	0.058	24.8	19.7	1.09	171.6	0.002	<1	1.28	0.015	0.30	<0.1	2.5	0.09	<0.02	8			
1831288	Drill Core	0.22	1.25	0.13	5	0.57	0.051	30.7	5.5	0.78	311.5	0.003	1	1.18	0.028	0.31	0.1	2.4	0.09	0.08	10			
1831289	Drill Core	0.22	0.91	0.10	3	0.90	0.046	25.8	4.5	0.47	243.3	0.002	<1	0.84	0.020	0.25	0.1	1.9	0.06	0.06	<5			
1831290	Drill Core	0.13	0.36	0.05	8	0.67	0.056	34.3	8.5	0.57	243.7	0.003	1	1.09	0.041	0.25	<0.1	2.6	0.06	<0.02	<5			
1831291	Drill Core	0.22	1.17	0.03	3	0.38	0.052	28.0	3.1	0.39	628.6	0.003	<1	0.74	0.032	0.32	0.2	1.9	0.08	0.04	<5			
1831292	Drill Core	0.16	0.88	<0.02	2	0.10	0.039	27.9	3.7	0.30	292.0	0.002	<1	0.55	0.041	0.24	<0.1	1.4	0.06	0.06	<5			
1831293	Drill Core	0.25	2.16	0.03	6	0.85	0.054	23.4	10.7	0.55	280.4	0.002	<1	0.82	0.024	0.32	<0.1	2.5	0.07	0.05	<5			
1831294	Drill Core	0.16	0.82	0.08	4	0.66	0.050	31.7	5.1	0.68	574.7	0.002	<1	1.01	0.020	0.32	<0.1	1.8	0.08	0.05	<5			
1831295	Drill Core	0.11	0.22	0.05	5	0.81	0.056	31.9	5.8	0.76	200.7	0.003	1	1.24	0.033	0.26	<0.1	2.0	0.06	<0.02	<5			
1831296	Drill Core	0.16	0.12	0.05	7	0.94	0.061	31.6	8.1	1.11	203.9	0.003	<1	1.52	0.031	0.32	<0.1	3.3	0.06	<0.02	7			
1831297	Drill Core	0.21	0.43	0.07	6	1.36	0.063	24.8	7.9	0.75	182.1	0.003	<1	1.05	0.028	0.28	<0.1	2.7	0.06	0.08	<5			
1831298	Drill Core	0.14	0.20	0.29	9	0.94	0.068	21.8	9.2	0.66	172.8	0.002	<1	0.93	0.029	0.30	<0.1	2.4	0.06	0.16	<5			
1831299	Drill Core	0.31	0.28	0.03	17	2.07	0.081	21.0	21.2	1.32	203.9	0.004	<1	1.60	0.029	0.29	<0.1	4.9	0.07	0.11	6			
1831300	Rock Pulp	0.22	5.03	0.61	113	0.99	0.076	9.2	17.7	0.88	150.5	0.143	3	1.98	0.211	0.27	4.5	4.4	0.07	<0.02	222			
1831301	Drill Core	0.23	0.20	0.05	8	1.35	0.061	23.7	6.2	0.70	234.1	0.004	<1	1.01	0.036	0.29	<0.1	3.4	0.07	0.03	<5			
1831302	Drill Core	0.13	0.15	<0.02	5	0.67	0.050	24.0	4.0	0.53	234.8	0.004	<1	0.88	0.069	0.31	<0.1	2.9	0.07	0.07	<5			
1831303	Drill Core	0.10	0.24	<0.02	7	0.39	0.051	25.9	4.8	0.57	198.0	0.003	<1	0.98	0.070	0.28	<0.1	3.4	0.06	0.06	<5			
1831304	Drill Core	0.67	0.42	<0.02	28	1.85	0.058	18.8	73.8	1.78	294.5	0.005	<1	1.93	0.030	0.28	<0.1	6.7	0.07	0.07	<5			
1831305	Drill Core	0.21	0.11	<0.02	4	0.74	0.043	24.2	3.9	0.65	225.8	0.003	<1	0.90	0.039	0.29	<0.1	2.2	0.06	0.04	<5			
1831306	Drill Core	0.09	0.10	0.20	1	0.21	0.006	29.3	3.5	0.90	352.2	0.001	<1	0.88	0.026	0.22	<0.1	1.1	0.05	<0.02	<5			
1831307	Drill Core	0.37	0.13	0.03	1	0.88	0.006	25.6	3.9	0.60	465.6	0.001	<1	0.75	0.027	0.27	<0.1	1.1	0.06	0.04	<5			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 28, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000315.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1831278	Drill Core	<0.1	0.02	1.8	0.40	<0.1	0.07	0.06	7.1	0.4	<0.05	1.8	7.49	61.1	<0.02	<1	0.2	8.0	<10
1831279	Drill Core	<0.1	0.30	1.5	0.54	<0.1	0.06	0.02	7.4	0.3	<0.05	1.3	8.00	52.6	<0.02	<1	0.3	5.0	<10
1831280	Rock	<0.1	<0.02	0.3	0.09	<0.1	0.11	0.03	1.0	0.1	<0.05	2.1	1.02	4.3	<0.02	<1	<0.1	1.3	<10
1831281	Drill Core	<0.1	0.14	1.2	0.30	<0.1	0.24	<0.02	7.4	0.2	<0.05	4.5	7.14	43.7	<0.02	<1	0.3	4.9	<10
1831282	Drill Core	<0.1	0.05	2.2	0.97	<0.1	0.19	<0.02	8.9	0.3	<0.05	4.6	8.80	43.3	<0.02	<1	0.5	12.8	<10
1831283	Drill Core	0.3	0.14	7.3	0.35	<0.1	0.06	<0.02	12.0	0.4	<0.05	1.8	13.26	25.9	0.05	1	0.4	45.7	<10
1831284	Drill Core	0.2	0.05	5.6	0.38	<0.1	0.03	<0.02	8.8	0.3	<0.05	0.7	11.15	33.2	0.03	<1	0.4	40.5	<10
1831285	Drill Core	<0.1	0.02	2.6	0.39	<0.1	0.04	<0.02	10.8	0.5	<0.05	1.2	11.42	53.3	<0.02	<1	0.3	16.4	<10
1831286	Drill Core	0.1	<0.02	9.6	3.03	<0.1	0.08	<0.02	9.7	1.4	<0.05	3.1	25.16	50.1	0.05	2	1.5	105.9	<10
1831287	Drill Core	<0.1	<0.02	2.9	0.45	<0.1	0.24	<0.02	10.3	0.2	<0.05	7.9	6.44	43.2	<0.02	<1	0.3	22.9	<10
1831288	Drill Core	<0.1	0.03	3.2	0.27	<0.1	0.03	<0.02	10.8	0.3	<0.05	0.9	8.18	51.7	<0.02	<1	0.3	18.5	<10
1831289	Drill Core	0.1	<0.02	2.3	0.31	<0.1	<0.02	<0.02	8.4	0.2	<0.05	0.8	8.08	44.5	<0.02	<1	0.3	12.2	<10
1831290	Drill Core	<0.1	<0.02	3.6	0.34	<0.1	0.02	<0.02	9.3	0.3	<0.05	0.8	9.09	57.4	<0.02	<1	0.2	15.1	<10
1831291	Drill Core	<0.1	<0.02	2.1	0.26	<0.1	0.17	<0.02	11.7	0.3	<0.05	5.4	6.09	48.4	<0.02	<1	0.3	9.9	<10
1831292	Drill Core	<0.1	0.32	1.6	0.19	<0.1	0.38	<0.02	7.7	0.3	<0.05	9.6	5.99	47.6	<0.02	<1	0.2	7.2	<10
1831293	Drill Core	<0.1	0.03	2.0	0.19	<0.1	0.17	<0.02	10.5	0.3	<0.05	4.7	7.62	41.6	<0.02	<1	0.3	11.3	<10
1831294	Drill Core	<0.1	0.04	2.6	0.20	<0.1	0.03	<0.02	11.0	0.3	<0.05	1.3	6.71	52.3	<0.02	<1	0.3	16.2	<10
1831295	Drill Core	<0.1	<0.02	3.8	0.18	<0.1	0.04	<0.02	8.6	0.2	<0.05	0.9	7.70	54.4	<0.02	<1	0.2	19.5	<10
1831296	Drill Core	<0.1	<0.02	4.5	0.14	<0.1	0.03	<0.02	8.6	0.2	<0.05	0.8	6.09	54.9	<0.02	<1	0.2	15.2	<10
1831297	Drill Core	0.1	<0.02	3.0	0.20	<0.1	0.11	<0.02	8.7	0.2	<0.05	3.3	8.11	45.4	<0.02	<1	0.3	17.2	<10
1831298	Drill Core	0.3	<0.02	2.3	0.16	<0.1	0.09	<0.02	9.0	0.3	<0.05	2.7	6.86	39.8	<0.02	<1	0.3	12.0	<10
1831299	Drill Core	0.1	<0.02	4.0	0.27	<0.1	<0.02	<0.02	9.2	0.2	<0.05	0.7	8.72	37.9	0.02	<1	0.3	25.3	<10
1831300	Rock Pulp	<0.1	0.17	5.4	0.76	0.1	0.08	0.11	9.5	2.0	<0.05	1.4	6.16	17.9	0.06	<1	0.2	7.8	<10
1831301	Drill Core	<0.1	<0.02	2.9	0.21	<0.1	0.08	<0.02	9.5	0.2	<0.05	2.6	5.90	41.8	<0.02	<1	0.3	13.0	<10
1831302	Drill Core	<0.1	0.02	2.5	0.14	<0.1	0.27	0.02	9.8	0.2	<0.05	7.4	4.58	44.2	<0.02	<1	0.3	7.5	<10
1831303	Drill Core	<0.1	<0.02	3.0	0.17	<0.1	0.19	0.03	8.1	0.2	<0.05	5.7	4.90	45.5	<0.02	<1	0.2	11.7	<10
1831304	Drill Core	<0.1	0.06	5.8	0.24	<0.1	0.25	<0.02	8.6	0.2	<0.05	5.1	9.16	33.5	<0.02	<1	0.5	30.3	10
1831305	Drill Core	<0.1	<0.02	2.5	0.15	<0.1	0.13	<0.02	8.4	0.2	<0.05	4.1	4.81	43.8	<0.02	<1	0.3	11.2	<10
1831306	Drill Core	<0.1	<0.02	2.5	0.15	<0.1	0.10	<0.02	7.0	0.3	<0.05	2.5	3.90	48.5	<0.02	<1	0.2	10.5	<10
1831307	Drill Core	<0.1	<0.02	1.9	0.15	<0.1	0.13	0.02	8.1	0.2	<0.05	2.9	5.04	44.1	<0.02	<1	0.2	7.6	<10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 28, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000315.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.1	0.1	0.1	0.2	0.1	0.5
1831308	Drill Core	3.04	442	0.009	<0.01	<0.17	36.68	0.83	22.93	15.29	120.5	251	11.0	9.5	271	2.16	11.6	1.7	1.9	20.8
1831309	Drill Core	2.48	445	0.016	0.01	<0.17	36.43	1.21	20.15	35.81	80.8	299	8.2	8.0	352	1.66	11.6	1.0	10.1	22.9
1831310	Drill Core	3.42	346	0.478	0.49	0.59	25.27	1.33	26.61	16.24	87.0	482	9.9	7.8	220	2.08	12.1	3.3	583.7	28.0
1831311	Drill Core	3.92	429	0.273	0.27	0.22	27.57	0.96	24.83	21.71	46.4	496	5.7	3.7	152	1.60	3.8	3.7	271.0	36.6
1831312	Drill Core	2.71	495	0.314	0.31	0.26	41.92	2.07	17.19	85.00	39.7	882	4.7	2.9	129	1.13	6.6	2.6	281.6	11.6
1831313	Drill Core	4.21	361	0.043	0.04	<0.17	32.87	2.15	20.23	37.56	54.8	562	5.7	3.7	166	1.35	15.4	3.1	81.3	15.2
1831314	Drill Core	4.73	541	0.018	0.02	<0.17	45.07	1.92	19.51	40.37	41.2	681	4.3	2.3	176	1.53	34.5	2.7	8.5	49.2
1831315	Drill Core	2.66	411	0.019	0.02	<0.17	37.55	0.64	5.55	55.25	8.1	479	0.8	0.5	73	0.53	18.6	1.3	12.8	19.0
1831316	Drill Core	1.70	419	0.033	0.03	<0.17	39.15	0.46	4.68	22.02	12.9	285	2.0	0.8	102	0.63	28.8	1.6	23.5	45.7
1831317	Drill Core	3.48	364	0.012	0.01	<0.17	39.93	3.56	18.66	79.88	94.0	491	11.7	6.9	192	1.61	51.2	2.0	5.3	29.2
1831318	Drill Core	3.26	513	0.237	0.23	<0.17	36.23	2.18	25.13	15.84	70.5	429	13.0	10.8	517	1.94	43.6	2.8	200.8	87.4
1831319	Drill Core	3.25	464	0.017	0.02	<0.17	36.08	1.40	25.64	6.81	108.5	354	18.9	15.5	681	2.73	29.8	2.1	8.4	120.6
1831320	Rock Pulp	0.13	94	0.481				2.35	426.23	19.15	50.3	277	586.0	25.7	387	2.28	20.1	0.6	445.5	50.4
1831321	Drill Core	3.18	531	0.032	0.03	<0.17	34.13	3.34	27.79	42.46	100.2	418	20.9	18.9	582	3.15	63.7	2.3	22.0	84.2
1831322	Drill Core	3.17	514	0.065	0.06	<0.17	37.11	4.19	38.64	98.25	108.7	717	16.5	14.4	482	2.92	178.2	2.2	47.2	24.0
1831323	Drill Core	3.39	412	0.021	0.02	<0.17	32.84	2.26	11.69	28.88	32.3	433	3.6	4.3	238	1.13	12.0	2.1	15.4	56.3
1831324	Drill Core	3.04	452	0.778	0.98	3.54	33.57	0.96	30.03	31.78	89.2	1090	10.8	8.9	547	1.71	10.3	2.8	1825.1	109.2
1831325	Drill Core	3.11	502	0.041	0.04	<0.17	49.53	0.32	7.49	4.87	14.4	209	3.2	3.7	261	0.82	12.6	2.0	37.6	46.1
1831326	Drill Core	3.34	432	1.018	1.45	6.91	31.55	0.55	14.97	9.41	46.9	1078	6.0	5.9	324	1.48	21.7	2.4	1752.1	103.6
1831327	Drill Core	3.34	513	0.044	0.04	<0.17	39.09	1.47	38.25	32.91	81.1	453	9.4	8.3	523	1.84	156.2	2.4	45.0	75.8
1831328	Drill Core	3.17	512	0.328	0.37	0.88	36.41	1.03	35.08	10.38	44.0	451	8.0	8.4	535	1.61	100.8	1.2	314.3	60.6
1831329	Drill Core	2.16	489	0.269	0.33	1.21	30.68	1.07	33.95	17.20	83.7	571	10.0	8.8	480	1.71	39.0	2.3	114.8	119.9
1831330	Drill Core	2.16	530	1.542	1.78	4.87	38.63	1.04	37.03	31.10	101.8	1620	10.9	10.6	518	2.12	35.3	2.2	3769.1	138.4
1831331	Drill Core	1.95	554	0.963	0.91	<0.17	35.75	0.61	48.37	49.97	96.3	3007	14.1	9.1	589	1.77	60.9	1.9	1511.4	159.1
1831332	Drill Core	1.78	524	0.636	0.59	<0.17	40.08	4.08	26.90	110.27	94.9	1689	18.9	13.4	667	1.66	17.8	3.2	626.7	129.3
1831333	Drill Core	3.89	505	0.076	0.07	<0.17	35.22	1.85	20.95	17.54	22.2	636	6.3	4.9	181	1.61	2.9	1.4	68.3	36.1
1831334	Drill Core	3.57	434	0.012	0.01	<0.17	32.48	0.83	19.78	6.39	26.7	257	7.4	7.6	312	1.28	3.7	0.9	3.5	29.1
1831335	Drill Core	2.05	420	0.019	0.02	<0.17	34.17	1.45	22.40	13.10	42.2	438	11.1	10.4	611	1.54	30.3	1.5	44.3	43.5
1831336	Drill Core	2.00	531	0.385	0.36	<0.17	33.52	0.48	33.97	13.20	48.5	703	11.7	8.9	526	1.68	31.0	1.3	658.1	34.5
1831337	Drill Core	1.66	552	0.496	0.65	2.63	39.58	0.29	26.82	29.42	39.0	1630	11.4	7.6	364	1.56	14.8	1.5	545.4	96.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 28, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000315.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831308	Drill Core	0.27	0.21	<0.02	9	0.26	0.070	8.7	46.6	1.59	209.4	0.003	<1	1.47	0.007	0.26	0.1	1.9	0.06	0.47	<5
1831309	Drill Core	0.32	0.20	0.15	6	0.31	0.059	11.7	29.9	1.01	190.7	0.003	<1	0.99	0.023	0.25	0.2	1.8	0.06	0.41	<5
1831310	Drill Core	0.16	0.30	0.10	6	0.15	0.054	12.2	23.8	0.87	184.6	0.003	<1	0.98	0.050	0.22	0.1	1.6	0.05	0.28	<5
1831311	Drill Core	0.17	0.30	0.27	3	0.07	0.039	15.6	8.8	0.45	199.5	0.002	<1	0.60	0.024	0.18	0.2	0.9	0.06	0.11	13
1831312	Drill Core	0.15	0.49	0.79	2	0.05	0.025	11.8	10.5	0.46	198.4	0.001	<1	0.53	0.017	0.12	0.7	0.7	0.03	0.04	<5
1831313	Drill Core	0.40	0.73	0.23	3	0.05	0.027	22.2	9.1	0.65	199.4	0.001	<1	0.75	0.013	0.17	0.5	0.8	0.06	0.03	12
1831314	Drill Core	0.20	0.93	0.17	4	0.13	0.046	15.2	17.9	0.70	160.5	0.001	1	0.72	0.015	0.16	0.2	0.8	0.05	0.15	7
1831315	Drill Core	0.04	0.48	0.34	<1	0.05	0.007	32.8	3.0	0.15	151.3	<0.001	2	0.32	0.004	0.21	0.3	0.4	0.07	0.07	<5
1831316	Drill Core	0.06	0.59	0.08	1	0.03	0.019	25.5	3.4	0.30	168.6	<0.001	<1	0.37	0.009	0.19	<0.1	0.5	0.06	0.05	<5
1831317	Drill Core	0.17	0.98	0.29	5	0.22	0.048	11.9	33.3	0.99	345.4	0.001	1	0.97	0.012	0.18	0.2	1.1	0.05	0.39	<5
1831318	Drill Core	0.54	0.60	0.07	5	0.72	0.060	8.0	19.5	0.86	204.8	0.002	<1	0.71	0.011	0.19	0.1	1.2	0.06	0.79	<5
1831319	Drill Core	0.50	0.51	0.03	10	1.22	0.080	4.7	67.5	1.87	172.9	0.002	1	1.25	0.008	0.17	0.1	2.1	0.06	0.99	8
1831320	Rock Pulp	0.21	0.36	0.28	41	1.04	0.031	3.7	84.2	1.57	69.3	0.061	3	1.60	0.153	0.12	1.4	2.2	0.09	0.18	17
1831321	Drill Core	0.50	0.93	0.10	16	0.72	0.081	3.5	117.8	2.27	113.8	0.003	<1	1.61	0.009	0.12	<0.1	2.5	0.04	1.76	<5
1831322	Drill Core	0.40	2.18	0.20	13	0.27	0.070	5.4	98.1	2.38	108.1	0.002	<1	1.64	0.007	0.17	<0.1	2.1	0.05	1.83	<5
1831323	Drill Core	0.27	0.49	0.07	2	0.40	0.040	6.6	4.5	0.43	259.2	0.002	<1	0.44	0.012	0.19	<0.1	0.6	0.06	0.58	6
1831324	Drill Core	0.79	0.47	0.08	5	1.04	0.045	7.4	22.9	1.03	213.1	0.002	<1	0.79	0.013	0.19	0.1	1.3	0.07	0.85	14
1831325	Drill Core	0.27	0.49	<0.02	2	0.47	0.033	8.1	4.4	0.21	231.3	0.001	2	0.31	0.013	0.18	0.1	0.5	0.05	0.42	<5
1831326	Drill Core	0.39	0.39	<0.02	4	0.91	0.033	8.7	6.5	0.66	184.5	0.002	<1	0.56	0.008	0.20	0.2	1.1	0.06	0.98	8
1831327	Drill Core	0.60	1.14	0.12	4	1.11	0.071	6.6	14.2	0.76	140.1	0.002	1	0.70	0.010	0.21	0.1	1.3	0.06	1.23	17
1831328	Drill Core	0.43	0.46	0.10	6	1.01	0.074	9.0	7.1	0.60	188.0	0.002	<1	0.73	0.010	0.30	0.2	1.5	0.08	0.91	9
1831329	Drill Core	0.52	0.87	0.05	3	0.86	0.036	7.2	6.4	0.85	142.6	0.001	1	0.68	0.009	0.17	<0.1	0.8	0.05	1.21	11
1831330	Drill Core	0.87	2.46	0.19	4	0.94	0.037	9.6	12.5	1.05	127.1	0.002	1	0.90	0.009	0.24	0.1	1.4	0.07	1.35	10
1831331	Drill Core	1.22	5.71	0.08	3	1.69	0.018	6.0	6.3	0.91	135.3	0.001	<1	0.68	0.006	0.17	0.1	1.5	0.05	1.36	7
1831332	Drill Core	1.35	1.56	0.18	3	1.45	0.047	5.9	4.8	0.74	136.8	0.001	1	0.61	0.007	0.18	0.2	0.9	0.06	1.35	10
1831333	Drill Core	0.22	2.05	0.04	3	0.29	0.061	12.0	4.9	0.23	264.5	0.002	1	0.39	0.031	0.22	0.3	0.7	0.06	0.71	<5
1831334	Drill Core	0.40	0.35	<0.02	3	0.53	0.072	10.9	5.2	0.23	220.9	0.002	1	0.46	0.023	0.25	0.1	1.1	0.06	0.75	<5
1831335	Drill Core	0.36	0.36	0.04	4	0.92	0.073	11.0	6.2	0.39	185.6	0.003	2	0.58	0.021	0.23	0.1	1.3	0.06	1.05	<5
1831336	Drill Core	0.51	0.53	<0.02	4	0.67	0.070	12.0	5.7	0.44	198.1	0.003	1	0.65	0.017	0.24	0.1	1.5	0.06	0.99	16
1831337	Drill Core	0.55	0.77	0.06	3	0.88	0.081	9.0	6.0	0.38	102.0	0.002	<1	0.47	0.020	0.20	0.1	1.3	0.06	1.21	8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 28, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000315.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
			0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1831308	Drill Core	0.2	<0.02	3.3	0.12	<0.1	0.36	<0.02	7.5	0.2	<0.05	11.5	4.50	16.2	<0.02	<1	0.3	12.2	12	<2	
1831309	Drill Core	<0.1	<0.02	2.6	0.09	<0.1	0.43	<0.02	8.4	0.2	<0.05	12.4	5.14	21.2	<0.02	<1	0.3	8.5	<10	<2	
1831310	Drill Core	0.3	0.03	2.8	0.12	<0.1	0.50	<0.02	7.1	0.2	<0.05	12.6	4.11	22.7	<0.02	1	0.2	9.7	<10	<2	
1831311	Drill Core	<0.1	0.08	1.9	0.17	<0.1	0.44	<0.02	7.4	0.2	<0.05	14.3	3.02	29.0	0.02	<1	0.2	8.7	<10	<2	
1831312	Drill Core	<0.1	0.05	1.4	0.17	<0.1	0.32	<0.02	5.3	<0.1	<0.05	11.1	2.26	22.0	<0.02	<1	0.1	9.2	<10	<2	
1831313	Drill Core	<0.1	0.02	1.9	0.36	<0.1	0.37	<0.02	7.5	0.1	<0.05	14.0	3.69	39.4	<0.02	<1	0.1	13.8	<10	4	
1831314	Drill Core	<0.1	0.02	1.8	0.43	<0.1	0.31	<0.02	6.7	<0.1	<0.05	10.4	3.04	28.2	<0.02	<1	0.1	11.7	<10	<2	
1831315	Drill Core	<0.1	<0.02	0.9	1.33	<0.1	0.45	0.04	9.0	0.2	<0.05	16.2	5.09	56.1	<0.02	<1	0.1	2.4	<10	2	
1831316	Drill Core	<0.1	<0.02	0.9	0.42	<0.1	0.40	<0.02	7.4	<0.1	<0.05	13.7	3.90	44.5	<0.02	<1	0.1	4.3	<10	3	
1831317	Drill Core	0.2	<0.02	1.9	0.31	<0.1	0.56	<0.02	7.1	<0.1	<0.05	20.6	3.78	22.6	<0.02	<1	0.3	16.6	<10	2	
1831318	Drill Core	0.2	0.03	1.6	0.23	<0.1	0.40	<0.02	8.1	<0.1	<0.05	14.3	5.37	15.2	<0.02	<1	0.2	8.6	<10	3	
1831319	Drill Core	0.3	<0.02	2.7	0.54	<0.1	0.34	<0.02	7.0	<0.1	<0.05	15.2	4.36	8.8	<0.02	<1	0.2	17.1	<10	3	
1831320	Rock Pulp	0.5	0.16	3.5	0.61	<0.1	0.05	<0.02	6.2	0.2	<0.05	1.5	2.87	7.7	<0.02	2	<0.1	7.7	262	110	
1831321	Drill Core	0.4	<0.02	4.0	0.53	<0.1	0.29	<0.02	5.1	<0.1	<0.05	12.9	2.77	6.9	<0.02	4	0.2	22.9	<10	2	
1831322	Drill Core	0.5	0.02	3.7	0.28	<0.1	0.39	<0.02	5.7	<0.1	<0.05	13.7	2.66	10.3	<0.02	5	0.1	17.6	<10	<2	
1831323	Drill Core	<0.1	<0.02	1.0	0.25	<0.1	0.36	<0.02	7.7	<0.1	<0.05	13.0	2.64	12.2	<0.02	<1	<0.1	3.9	<10	2	
1831324	Drill Core	<0.1	0.20	2.0	0.39	<0.1	0.53	<0.02	8.3	<0.1	<0.05	17.2	4.93	14.0	<0.02	<1	0.2	9.1	<10	<2	
1831325	Drill Core	<0.1	0.03	0.9	0.29	<0.1	0.21	<0.02	7.4	<0.1	<0.05	8.9	3.51	14.8	<0.02	<1	<0.1	2.2	<10	2	
1831326	Drill Core	<0.1	0.36	1.6	0.33	<0.1	0.43	<0.02	8.6	0.1	<0.05	15.2	4.26	16.7	<0.02	<1	0.2	5.8	<10	<2	
1831327	Drill Core	0.3	0.04	1.4	0.33	<0.1	0.31	<0.02	8.2	<0.1	<0.05	12.9	4.10	12.3	<0.02	<1	0.1	8.4	<10	<2	
1831328	Drill Core	0.2	0.04	1.6	0.20	<0.1	0.19	<0.02	11.7	<0.1	<0.05	7.9	4.68	17.1	<0.02	1	0.1	6.6	<10	<2	
1831329	Drill Core	0.3	0.08	1.4	0.19	<0.1	0.45	<0.02	6.6	<0.1	<0.05	16.0	5.52	14.2	<0.02	1	0.2	9.1	<10	<2	
1831330	Drill Core	0.2	0.26	1.9	0.21	<0.1	0.58	<0.02	9.2	<0.1	<0.05	25.2	6.66	18.1	<0.02	1	0.2	11.7	<10	<2	
1831331	Drill Core	0.4	0.77	1.4	0.53	<0.1	0.44	<0.02	6.9	<0.1	<0.05	17.1	7.07	11.8	<0.02	<1	0.3	9.7	<10	<2	
1831332	Drill Core	0.4	0.42	1.3	0.32	<0.1	0.63	<0.02	7.4	0.2	<0.05	22.7	8.85	12.2	<0.02	<1	0.2	8.4	<10	<2	
1831333	Drill Core	0.2	0.09	1.1	0.33	<0.1	0.40	<0.02	8.6	<0.1	<0.05	14.6	3.14	22.2	<0.02	<1	0.2	3.9	<10	<2	
1831334	Drill Core	0.2	<0.02	1.1	0.23	<0.1	0.15	<0.02	10.1	0.1	<0.05	6.1	3.74	19.6	<0.02	<1	0.2	4.1	<10	<2	
1831335	Drill Core	0.3	<0.02	1.4	0.43	<0.1	0.17	<0.02	10.1	0.1	<0.05	6.9	6.83	20.8	<0.02	<1	0.2	7.5	<10	3	
1831336	Drill Core	0.4	0.04	1.3	0.46	<0.1	0.20	<0.02	10.5	0.2	<0.05	8.0	8.50	23.4	<0.02	<1	0.2	8.8	<10	<2	
1831337	Drill Core	0.3	0.58	1.3	0.28	<0.1	0.15	<0.02	8.3	0.1	<0.05	5.7	4.81	18.1	<0.02	<1	0.1	7.0	<10	<2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 28, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000315.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1831338	Drill Core	3.39	465	0.040	0.04	<0.17	32.54	2.81	32.66	17.64	54.3	596	11.5	9.1	397	1.44	22.1	1.2	39.1	9.5	40.7
1831339	Drill Core	3.53	447	0.044	0.04	<0.17	42.86	0.93	41.16	18.08	93.7	988	11.0	8.7	613	1.81	53.6	2.4	39.2	9.4	49.5
1831340	Rock Pulp	0.12	80	0.007				3.89	22.75	0.93	32.3	19	6.8	4.3	563	2.29	1.5	0.4	2.6	2.4	30.3
1831341	Drill Core	2.98	447	0.048	0.04	<0.17	32.82	3.76	31.26	81.89	84.9	1113	13.3	9.8	1104	2.22	77.5	1.0	39.1	8.4	72.7
1831342	Drill Core	3.73	371	0.029	0.03	<0.17	34.85	11.48	21.43	105.57	47.5	848	16.9	10.1	1280	2.49	60.1	1.2	20.5	8.7	71.8
1831343	Drill Core	3.37	408	0.038	0.03	<0.17	38.36	1.58	29.65	17.28	92.3	610	12.8	9.7	1063	2.33	106.7	1.5	30.9	9.8	57.9
1831344	Drill Core	3.61	392	0.022	0.02	<0.17	36.68	2.79	29.17	18.35	50.1	704	12.3	7.8	1085	1.95	44.7	0.8	13.3	10.2	71.5
1831345	Drill Core	3.28	450	0.021	0.02	<0.17	42.54	2.11	19.89	51.74	90.6	513	11.7	7.8	849	1.75	35.0	1.2	14.2	9.3	62.0
1831346	Drill Core	3.04	463	0.027	0.02	<0.17	49.24	0.62	25.12	7.72	55.9	471	12.2	7.1	506	1.44	40.3	1.7	20.0	9.7	41.7
1831347	Drill Core	3.23	399	0.016	0.01	<0.17	27.07	1.57	21.48	9.61	68.0	464	11.5	7.4	677	2.19	33.0	1.5	8.1	10.6	64.6
1831348	Drill Core	3.17	367	0.035	0.03	<0.17	37.51	2.29	14.45	16.79	63.8	459	11.3	8.1	804	2.31	55.5	1.9	27.2	10.0	67.8
1831349	Drill Core	3.55	363	0.012	0.01	<0.17	24.82	1.70	22.48	11.15	42.1	330	10.0	6.9	850	1.73	37.2	1.7	6.2	9.5	65.6
1831350	Drill Core	3.36	425	0.011	<0.01	<0.17	43.95	2.64	12.21	25.09	24.6	268	13.0	8.0	293	2.19	14.0	0.9	3.9	8.8	34.8
1831351	Drill Core	3.08	440	0.043	0.04	<0.17	31.47	1.46	12.64	10.19	51.1	530	8.5	7.6	792	2.38	105.1	1.4	33.1	7.1	51.0
1831352	Drill Core	3.25	437	0.016	0.01	<0.17	38.40	1.70	28.50	10.88	48.6	434	8.8	7.5	574	1.79	53.7	2.7	10.3	9.4	60.0
1831353	Drill Core	3.43	361	0.014	0.01	<0.17	26.15	0.45	15.21	11.10	49.2	317	7.8	6.0	449	1.40	38.8	2.8	8.4	11.7	47.5
1831354	Drill Core	3.80	426	0.017	0.02	<0.17	30.35	1.17	19.61	29.19	46.5	446	8.2	6.3	547	1.47	40.5	2.6	10.6	10.7	62.6
1831355	Drill Core	2.56	472	0.026	0.03	<0.17	21.92	0.73	16.51	13.48	57.0	640	9.5	7.9	715	1.97	72.3	2.2	19.7	10.6	135.6
1831356	Drill Core	3.43	400	0.016	0.01	<0.17	39.37	0.55	18.81	9.48	51.1	399	6.9	6.9	489	1.99	45.1	1.6	8.4	9.8	58.7
1831357	Drill Core	3.68	514	0.009	<0.01	<0.17	31.03	1.20	14.32	14.06	26.0	288	7.8	8.2	528	1.24	22.6	1.9	3.8	9.4	72.7
1831358	Drill Core	3.35	510	0.010	<0.01	<0.17	50.78	1.86	22.71	12.84	42.4	423	10.9	7.6	663	1.46	27.3	2.5	3.3	10.8	67.9
1831359	Drill Core	3.37	368	0.009	<0.01	<0.17	32.90	1.88	25.53	15.77	57.7	452	13.9	9.1	700	3.00	18.6	2.2	3.5	9.8	78.4
1831360	Core DUP		418	0.011	<0.01	<0.17	43.58	1.74	27.19	14.41	53.6	433	13.5	8.7	697	3.01	18.2	2.1	3.3	9.8	74.8
1831361	Drill Core	3.13	465	0.009	<0.01	<0.17	32.06	1.08	21.97	13.85	50.7	189	13.6	8.9	421	2.00	1.0	1.7	4.3	10.2	93.7
1831362	Drill Core	3.24	429	0.173	0.16	<0.17	41.01	1.55	22.40	8.97	42.5	324	12.1	9.0	301	2.04	3.7	2.1	46.5	9.3	54.5
1831363	Drill Core	3.22	412	0.132	0.23	1.30	35.38	1.15	21.97	7.55	80.4	834	15.7	13.6	690	2.86	10.9	1.6	349.6	7.0	115.8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 28, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000315.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831338	Drill Core	0.59	1.02	0.05	3	0.85	0.078	12.5	6.1	0.44	179.5	0.003	2	0.63	0.016	0.27	0.1	1.0	0.08	1.05	9			
1831339	Drill Core	0.76	1.21	<0.02	3	1.25	0.070	9.6	5.8	0.61	144.3	0.002	1	0.71	0.012	0.25	0.1	0.9	0.08	1.38	8			
1831340	Rock Pulp	0.02	0.18	<0.02	20	0.70	0.044	5.1	14.5	0.47	58.1	0.069	2	0.97	0.066	0.07	0.2	2.8	<0.02	0.04	<5			
1831341	Drill Core	0.73	0.93	0.24	4	2.04	0.074	5.8	7.2	0.87	128.1	0.002	2	0.82	0.006	0.24	0.1	1.0	0.07	1.79	<5			
1831342	Drill Core	0.40	0.90	0.16	4	2.21	0.063	4.5	6.9	0.97	106.3	0.002	<1	0.84	0.007	0.23	<0.1	1.1	0.06	2.19	7			
1831343	Drill Core	0.83	0.88	<0.02	5	2.01	0.081	8.7	6.9	0.77	119.7	0.002	1	0.76	0.006	0.23	<0.1	1.3	0.07	1.92	12			
1831344	Drill Core	0.32	0.84	<0.02	3	2.12	0.064	7.4	5.4	0.66	116.8	0.001	<1	0.67	0.007	0.22	<0.1	0.8	0.07	1.49	7			
1831345	Drill Core	1.01	0.97	0.07	4	2.12	0.056	5.0	6.1	0.51	111.9	0.001	<1	0.58	0.008	0.21	<0.1	0.8	0.06	1.30	<5			
1831346	Drill Core	0.36	1.11	0.06	4	1.36	0.069	14.9	8.2	0.42	183.5	0.003	2	0.69	0.023	0.24	<0.1	1.3	0.08	0.63	<5			
1831347	Drill Core	0.47	0.50	0.06	11	1.91	0.074	28.0	12.1	0.49	262.6	0.007	1	0.91	0.038	0.27	<0.1	2.3	0.08	0.70	<5			
1831348	Drill Core	0.29	1.47	0.08	8	2.14	0.070	25.9	9.6	0.51	89.7	0.005	1	0.80	0.028	0.26	0.1	1.6	0.09	1.41	<5			
1831349	Drill Core	0.28	0.30	0.09	5	2.22	0.071	20.3	6.8	0.34	124.9	0.003	<1	0.58	0.027	0.26	<0.1	1.3	0.08	1.13	<5			
1831350	Drill Core	0.28	0.51	0.07	3	0.95	0.065	10.9	5.0	0.15	77.8	0.003	1	0.34	0.026	0.21	<0.1	0.9	0.07	2.24	6			
1831351	Drill Core	0.51	1.97	0.04	5	2.39	0.062	7.6	6.5	0.32	102.0	0.002	<1	0.51	0.014	0.25	0.1	1.3	0.08	2.08	12			
1831352	Drill Core	0.39	0.51	0.06	4	1.84	0.073	10.2	7.6	0.33	149.3	0.002	1	0.56	0.019	0.27	<0.1	1.3	0.08	1.41	<5			
1831353	Drill Core	0.33	0.71	0.05	5	1.11	0.056	19.8	9.6	0.35	244.4	0.003	1	0.59	0.038	0.24	<0.1	1.4	0.07	0.74	6			
1831354	Drill Core	0.38	0.79	0.21	5	1.53	0.057	16.6	11.6	0.41	199.0	0.003	<1	0.62	0.032	0.20	<0.1	1.4	0.06	0.70	<5			
1831355	Drill Core	0.38	1.35	0.12	8	2.11	0.057	19.2	15.9	0.48	170.2	0.004	1	0.73	0.035	0.23	<0.1	2.1	0.07	1.16	5			
1831356	Drill Core	0.30	0.51	0.08	10	1.22	0.073	18.8	10.5	0.36	116.5	0.004	<1	0.70	0.039	0.29	<0.1	2.1	0.10	1.21	5			
1831357	Drill Core	0.42	0.38	0.09	5	1.89	0.072	12.6	10.8	0.17	211.9	0.004	2	0.46	0.029	0.27	<0.1	1.5	0.08	0.78	<5			
1831358	Drill Core	0.38	0.33	0.11	7	1.64	0.075	18.3	7.5	0.18	245.1	0.007	1	0.56	0.034	0.27	<0.1	1.9	0.08	0.78	<5			
1831359	Drill Core	0.50	0.26	0.10	8	2.32	0.069	17.2	10.7	0.33	63.1	0.005	2	0.76	0.046	0.27	<0.1	2.4	0.08	2.34	<5			
1831360	Core DUP	0.49	0.25	0.10	7	2.32	0.066	16.5	9.3	0.33	60.8	0.005	1	0.70	0.039	0.23	<0.1	2.2	0.06	2.39	9			
1831361	Drill Core	0.55	0.12	0.11	5	1.96	0.068	12.7	6.3	0.27	64.7	0.003	<1	0.51	0.034	0.22	<0.1	1.8	0.07	1.69	40			
1831362	Drill Core	0.35	0.14	0.08	4	1.39	0.070	8.0	5.4	0.24	72.0	0.002	2	0.49	0.031	0.23	<0.1	1.6	0.08	1.83	30			
1831363	Drill Core	0.46	0.15	0.08	11	2.58	0.082	6.0	40.3	1.05	72.1	0.004	1	0.98	0.022	0.21	<0.1	2.8	0.06	1.69	30			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 28, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000315.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1831338	Drill Core	0.4	0.06	1.5	0.49	<0.1	0.25	<0.02	11.8	0.3	<0.05	8.1	7.14	23.9	<0.02	3	0.2	8.6	<10
1831339	Drill Core	0.4	0.21	1.4	0.52	<0.1	0.14	<0.02	11.1	0.3	<0.05	6.4	6.53	17.4	<0.02	1	0.2	12.1	<10
1831340	Rock Pulp	<0.1	<0.02	3.6	0.13	<0.1	0.12	0.38	2.0	1.7	<0.05	2.9	7.31	10.6	<0.02	<1	0.3	1.1	<10
1831341	Drill Core	0.6	0.25	1.7	0.30	<0.1	0.15	<0.02	9.8	0.3	<0.05	5.5	6.73	11.0	<0.02	2	0.1	13.2	<10
1831342	Drill Core	0.6	0.06	2.0	0.22	<0.1	0.15	<0.02	9.5	0.2	<0.05	6.9	5.84	9.0	<0.02	6	0.2	13.4	<10
1831343	Drill Core	0.5	0.03	2.1	0.29	<0.1	0.09	<0.02	10.7	0.3	<0.05	4.1	6.82	16.9	<0.02	<1	0.1	13.5	<10
1831344	Drill Core	0.4	<0.02	1.8	0.34	<0.1	0.10	<0.02	10.1	0.3	<0.05	4.8	7.34	14.1	<0.02	<1	0.2	11.2	<10
1831345	Drill Core	0.4	<0.02	1.4	0.30	<0.1	0.10	<0.02	8.9	<0.1	<0.05	4.2	6.98	9.8	<0.02	<1	0.2	8.5	<10
1831346	Drill Core	0.3	0.02	1.9	0.26	<0.1	0.06	<0.02	10.3	0.3	<0.05	2.6	6.40	28.3	<0.02	3	0.2	7.8	11
1831347	Drill Core	0.5	0.03	3.1	0.38	<0.1	0.13	<0.02	12.5	0.3	<0.05	2.9	12.68	49.2	<0.02	3	0.3	10.1	<10
1831348	Drill Core	0.6	0.02	2.7	0.24	<0.1	0.07	<0.02	11.0	0.3	<0.05	2.8	11.33	47.8	<0.02	2	0.2	7.7	<10
1831349	Drill Core	0.4	<0.02	1.7	0.26	<0.1	0.08	<0.02	11.0	0.3	<0.05	3.8	10.03	36.1	<0.02	2	0.2	8.0	<10
1831350	Drill Core	0.6	<0.02	1.1	0.23	<0.1	0.15	<0.02	8.8	0.4	<0.05	6.7	7.13	20.8	<0.02	3	0.2	3.5	<10
1831351	Drill Core	0.5	<0.02	1.4	0.33	<0.1	0.07	<0.02	10.5	0.4	<0.05	3.5	7.40	14.4	<0.02	2	0.1	7.2	<10
1831352	Drill Core	0.5	0.03	1.7	0.36	<0.1	0.08	<0.02	12.0	0.3	<0.05	3.1	8.31	19.1	<0.02	2	0.2	7.9	<10
1831353	Drill Core	0.2	<0.02	2.2	0.26	<0.1	0.07	<0.02	10.6	0.4	<0.05	2.8	8.61	37.6	<0.02	<1	0.2	7.4	<10
1831354	Drill Core	0.3	<0.02	2.3	0.20	<0.1	0.07	<0.02	8.7	0.3	<0.05	2.6	8.86	28.8	<0.02	3	0.3	6.7	<10
1831355	Drill Core	0.4	0.05	2.6	0.21	<0.1	0.13	<0.02	9.8	0.3	<0.05	2.6	10.40	35.5	<0.02	1	0.3	7.7	<10
1831356	Drill Core	0.5	0.02	2.3	0.19	<0.1	0.07	0.03	12.4	0.3	<0.05	4.8	9.87	35.6	<0.02	<1	0.4	6.5	<10
1831357	Drill Core	0.5	<0.02	1.6	0.20	<0.1	0.08	<0.02	12.2	0.3	<0.05	2.9	7.74	23.5	<0.02	2	0.3	4.6	<10
1831358	Drill Core	0.4	<0.02	1.8	0.39	<0.1	0.05	0.03	12.9	0.4	<0.05	2.6	10.17	34.0	<0.02	1	0.2	5.2	<10
1831359	Drill Core	0.6	<0.02	2.5	0.28	<0.1	0.07	0.03	12.3	0.3	<0.05	3.5	9.40	33.1	<0.02	2	0.2	8.1	<10
1831360	Core DUP	0.6	<0.02	2.2	0.26	<0.1	0.06	0.02	10.2	0.3	<0.05	3.5	8.85	31.5	<0.02	3	0.2	8.3	<10
1831361	Drill Core	0.5	0.02	1.5	0.22	<0.1	0.08	<0.02	9.6	0.4	<0.05	3.5	4.82	25.3	<0.02	<1	0.2	4.4	<10
1831362	Drill Core	0.5	0.05	1.5	0.23	<0.1	0.08	<0.02	9.2	0.4	<0.05	3.4	4.32	15.4	<0.02	3	0.1	4.5	<10
1831363	Drill Core	0.5	0.15	2.9	0.29	<0.1	0.05	<0.02	7.9	0.3	<0.05	2.8	6.55	12.2	<0.02	1	0.3	14.5	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 28, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000315.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1831290	Drill Core	3.67	436	0.033	0.03	<0.17	41.26	0.53	9.92	8.89	46.2	136	3.8	4.9	386	2.10	43.4	1.2	11.8	14.0	55.6
REP 1831290	QC	0.015																			
1831291	Drill Core	3.95	459	0.107	0.10	<0.17	20.79	0.83	11.56	14.12	33.3	254	2.4	4.5	384	1.47	162.0	1.1	58.9	13.0	52.0
REP 1831291	QC	0.116																			
1831306	Drill Core	3.30	445	0.006	<0.01	<0.17	38.91	0.99	7.15	38.21	60.2	201	2.7	1.2	139	0.89	4.0	0.6	0.3	14.8	21.6
REP 1831306	QC	1.00 7.34 39.00 56.0 197 2.7 1.3 149 0.88 3.9 0.6 0.9 15.6 20.9																			
1831341	Drill Core	2.98	447	0.048	0.04	<0.17	32.82	3.76	31.26	81.89	84.9	1113	13.3	9.8	1104	2.22	77.5	1.0	39.1	8.4	72.7
REP 1831341	QC	3.69 28.81 80.69 83.5 1080 12.8 9.2 1051 2.15 74.8 1.0 37.7 8.4 72.1																			
1831349	Drill Core	3.55	363	0.012	0.01	<0.17	24.82	1.70	22.48	11.15	42.1	330	10.0	6.9	850	1.73	37.2	1.7	6.2	9.5	65.6
REP 1831349	QC	0.013																			
1831350	Drill Core	3.36	425	0.011	<0.01	<0.17	43.95	2.64	12.21	25.09	24.6	268	13.0	8.0	293	2.19	14.0	0.9	3.9	8.8	34.8
REP 1831350	QC	0.012																			
1831361	Drill Core	3.13	465	0.009	<0.01	<0.17	32.06	1.08	21.97	13.85	50.7	189	13.6	8.9	421	2.00	1.0	1.7	4.3	10.2	93.7
REP 1831361	QC	1.08 20.94 13.83 47.7 190 12.7 8.8 401 1.98 0.9 1.7 3.9 10.1 90.8																			
Core Reject Duplicates																					
1831304	Drill Core	1.29	455	0.875	0.96	1.95	35.83	0.40	18.39	8.13	86.3	480	55.0	16.3	724	2.92	18.7	1.6	1127.0	8.0	155.3
DUP 1831304	QC	466 0.845 0.99 2.99 32.41 0.44 18.37 8.28 87.7 463 53.7 16.8 714 2.88 18.7 1.6 1007.3 8.1 168.1																			
1831338	Drill Core	3.39	465	0.040	0.04	<0.17	32.54	2.81	32.66	17.64	54.3	596	11.5	9.1	397	1.44	22.1	1.2	39.1	9.5	40.7
DUP 1831338	QC	464 0.036 0.03 <0.17 31.39 2.45 28.19 15.60 50.4 517 9.4 7.8 336 1.31 19.5 1.0 23.4 8.7 36.8																			
Reference Materials																					
STD BVGEO01	Standard	10.73 4241.81 185.22 1736.0 2533 157.5 23.5 720 3.56 121.1 4.2 223.6 17.1 55.7																			
STD DS11	Standard	15.05 162.14 142.64 342.9 1783 81.0 13.7 968 3.17 46.7 2.8 67.1 8.8 68.4																			
STD DS11	Standard	14.98 166.00 136.33 362.4 1733 81.1 14.1 998 3.26 47.0 2.8 74.4 9.0 68.4																			
STD OREAS262	Standard	0.70 130.62 59.83 153.8 454 62.9 26.8 529 3.38 38.5 1.3 74.5 10.7 38.2																			
STD OREAS262	Standard	0.66 135.64 59.34 163.6 472 63.0 27.8 515 3.39 37.2 1.3 69.0 10.6 38.1																			
STD OREAS262	Standard	0.67 123.14 56.07 139.8 466 59.4 27.6 497 3.12 36.5 1.2 73.3 9.3 37.1																			
STD OXC145	Standard	0.211																			
STD OXC145	Standard	0.212																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 28, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000315.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1831290	Drill Core	0.13	0.36	0.05	8	0.67	0.056	34.3	8.5	0.57	243.7	0.003	1	1.09	0.041	0.25	<0.1	2.6	0.06	<0.02	<5
REP 1831290	QC																				
1831291	Drill Core	0.22	1.17	0.03	3	0.38	0.052	28.0	3.1	0.39	628.6	0.003	<1	0.74	0.032	0.32	0.2	1.9	0.08	0.04	<5
REP 1831291	QC																				
1831306	Drill Core	0.09	0.10	0.20	1	0.21	0.006	29.3	3.5	0.90	352.2	0.001	<1	0.88	0.026	0.22	<0.1	1.1	0.05	<0.02	<5
REP 1831306	QC	0.09	0.11	0.21	1	0.21	0.006	27.2	3.2	0.90	346.7	0.001	<1	0.86	0.025	0.21	<0.1	1.1	0.05	<0.02	6
1831341	Drill Core	0.73	0.93	0.24	4	2.04	0.074	5.8	7.2	0.87	128.1	0.002	2	0.82	0.006	0.24	0.1	1.0	0.07	1.79	<5
REP 1831341	QC	0.73	0.95	0.22	3	1.98	0.070	5.2	6.9	0.81	123.6	0.002	2	0.75	0.005	0.23	0.1	0.9	0.06	1.74	7
1831349	Drill Core	0.28	0.30	0.09	5	2.22	0.071	20.3	6.8	0.34	124.9	0.003	<1	0.58	0.027	0.26	<0.1	1.3	0.08	1.13	<5
REP 1831349	QC																				
1831350	Drill Core	0.28	0.51	0.07	3	0.95	0.065	10.9	5.0	0.15	77.8	0.003	1	0.34	0.026	0.21	<0.1	0.9	0.07	2.24	6
REP 1831350	QC																				
1831361	Drill Core	0.55	0.12	0.11	5	1.96	0.068	12.7	6.3	0.27	64.7	0.003	<1	0.51	0.034	0.22	<0.1	1.8	0.07	1.69	40
REP 1831361	QC	0.57	0.12	0.11	5	1.95	0.068	12.7	6.0	0.28	56.6	0.002	1	0.50	0.034	0.22	<0.1	1.6	0.08	1.67	36
Core Reject Duplicates																					
1831304	Drill Core	0.67	0.42	<0.02	28	1.85	0.058	18.8	73.8	1.78	294.5	0.005	<1	1.93	0.030	0.28	<0.1	6.7	0.07	0.07	<5
DUP 1831304	QC	0.69	0.43	<0.02	28	1.83	0.065	19.9	76.2	1.75	303.3	0.006	1	1.89	0.028	0.27	<0.1	7.3	0.07	0.07	<5
1831338	Drill Core	0.59	1.02	0.05	3	0.85	0.078	12.5	6.1	0.44	179.5	0.003	2	0.63	0.016	0.27	0.1	1.0	0.08	1.05	9
DUP 1831338	QC	0.56	0.89	0.05	3	0.82	0.072	9.9	4.6	0.40	140.9	0.002	2	0.53	0.014	0.23	<0.1	0.7	0.06	0.98	<5
Reference Materials																					
STD BVGE001	Standard	7.37	4.22	26.61	69	1.23	0.081	26.8	171.0	1.25	295.1	0.219	3	2.16	0.176	0.85	5.7	5.8	0.61	0.62	86
STD DS11	Standard	2.74	9.88	12.86	48	1.06	0.082	19.1	56.7	0.87	391.8	0.095	7	1.17	0.071	0.40	3.4	3.2	4.99	0.26	264
STD DS11	Standard	2.74	8.41	12.72	49	1.08	0.075	19.7	59.3	0.85	388.3	0.099	7	1.19	0.076	0.41	3.1	3.4	4.86	0.27	244
STD OREAS262	Standard	0.75	6.22	1.12	21	3.13	0.046	16.0	41.1	1.20	261.9	0.003	4	1.28	0.069	0.30	0.2	3.3	0.48	0.25	150
STD OREAS262	Standard	0.71	4.65	1.09	21	3.01	0.046	17.0	43.7	1.17	268.7	0.003	4	1.33	0.070	0.30	0.2	3.5	0.46	0.25	159
STD OREAS262	Standard	0.71	6.41	1.07	20	2.94	0.045	15.9	41.2	1.13	248.9	0.003	4	1.25	0.067	0.29	0.2	3.2	0.43	0.24	164
STD OXC145	Standard																				
STD OXC145	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 28, 2019

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000315.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1831290	Drill Core	<0.1	<0.02	3.6	0.34	<0.1	0.02	<0.02	9.3	0.3	<0.05	0.8	9.09	57.4	<0.02	<1	0.2	15.1	<10	<2
REP 1831290	QC																			
1831291	Drill Core	<0.1	<0.02	2.1	0.26	<0.1	0.17	<0.02	11.7	0.3	<0.05	5.4	6.09	48.4	<0.02	<1	0.3	9.9	<10	<2
REP 1831291	QC																			
1831306	Drill Core	<0.1	<0.02	2.5	0.15	<0.1	0.10	<0.02	7.0	0.3	<0.05	2.5	3.90	48.5	<0.02	<1	0.2	10.5	<10	<2
REP 1831306	QC	<0.1	<0.02	2.5	0.15	<0.1	0.10	<0.02	6.9	0.3	<0.05	2.7	3.79	48.2	<0.02	<1	0.3	11.2	<10	<2
1831341	Drill Core	0.6	0.25	1.7	0.30	<0.1	0.15	<0.02	9.8	0.3	<0.05	5.5	6.73	11.0	<0.02	2	0.1	13.2	<10	<2
REP 1831341	QC	0.6	0.25	1.7	0.30	<0.1	0.11	<0.02	9.6	0.2	<0.05	4.9	6.68	10.6	<0.02	1	0.2	12.2	<10	<2
1831349	Drill Core	0.4	<0.02	1.7	0.26	<0.1	0.08	<0.02	11.0	0.3	<0.05	3.8	10.03	36.1	<0.02	2	0.2	8.0	<10	<2
REP 1831349	QC																			
1831350	Drill Core	0.6	<0.02	1.1	0.23	<0.1	0.15	<0.02	8.8	0.4	<0.05	6.7	7.13	20.8	<0.02	3	0.2	3.5	<10	<2
REP 1831350	QC																			
1831361	Drill Core	0.5	0.02	1.5	0.22	<0.1	0.08	<0.02	9.6	0.4	<0.05	3.5	4.82	25.3	<0.02	<1	0.2	4.4	<10	<2
REP 1831361	QC	0.4	<0.02	1.4	0.22	<0.1	0.08	<0.02	9.5	0.4	<0.05	3.4	4.67	24.8	<0.02	2	0.2	4.4	<10	<2
Core Reject Duplicates																				
1831304	Drill Core	<0.1	0.06	5.8	0.24	<0.1	0.25	<0.02	8.6	0.2	<0.05	5.1	9.16	33.5	<0.02	<1	0.5	30.3	10	<2
DUP 1831304	QC	<0.1	0.07	5.8	0.25	<0.1	0.18	<0.02	8.8	0.2	<0.05	5.8	9.79	35.0	0.02	<1	0.5	31.6	<10	<2
1831338	Drill Core	0.4	0.06	1.5	0.49	<0.1	0.25	<0.02	11.8	0.3	<0.05	8.1	7.14	23.9	<0.02	3	0.2	8.6	<10	<2
DUP 1831338	QC	0.3	0.06	1.2	0.49	<0.1	0.19	<0.02	10.0	0.2	<0.05	6.9	6.13	19.1	<0.02	1	0.2	7.5	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.9	1.10	6.8	7.31	0.2	0.31	0.37	96.3	6.0	<0.05	8.1	14.33	52.8	0.46	5	0.7	22.4	81	185
STD DS11	Standard	2.3	4.70	5.4	3.28	0.1	0.06	1.70	38.1	2.2	<0.05	3.0	8.50	38.2	0.26	44	0.7	24.8	95	171
STD DS11	Standard	2.2	4.61	4.8	3.06	0.1	0.10	1.62	37.0	2.0	<0.05	3.4	8.69	37.0	0.26	51	0.6	24.6	84	162
STD OREAS262	Standard	0.4	0.23	4.1	3.26	<0.1	0.24	<0.02	19.6	0.6	<0.05	9.3	10.62	32.7	0.04	<1	1.1	18.6	<10	<2
STD OREAS262	Standard	0.5	0.21	4.1	2.71	<0.1	0.22	<0.02	19.4	0.6	<0.05	6.8	11.57	33.9	0.03	<1	1.2	18.8	<10	<2
STD OREAS262	Standard	0.4	0.21	3.6	3.11	<0.1	0.15	0.02	18.8	0.6	<0.05	10.3	10.37	31.2	0.04	<1	0.8	17.5	<10	2
STD OXC145	Standard																			
STD OXC145	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 28, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000315.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXC145	Standard			0.210																	
STD OXC152	Standard			0.219																	
STD OXH139	Standard			1.284																	
STD OXH139	Standard			1.315																	
STD OXH139	Standard			1.308																	
STD OXH139	Standard			1.287																	
STD OXN134	Standard			7.744																	
STD OXN134	Standard			7.835																	
STD OXN134	Standard			7.654																	
STD OXN134	Standard			7.563																	
STD OXQ90	Standard					25.01	30.07														
STD OXQ90	Standard					25.28	29.90														
STD OXQ90	Standard					25.15	29.62														
STD OXQ90	Standard					25.03	29.73														
STD OXQ90	Standard					24.86	29.60														
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank			0.007																	
BLK	Blank			0.007																	
BLK	Blank			0.006																	
BLK	Blank			0.006																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 28, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000315.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXC145	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 28, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000315.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OXC145	Standard																		
STD OXC152	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90 Expected																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 28, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000315.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.3	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			0.007																	
BLK	Blank			0.006																	
Prep Wash																					
ROCK-WHI	Prep Blank		536	<0.005	<0.01	<0.17	24.78	0.94	3.08	2.09	33.1	12	0.9	3.8	504	1.83	1.3	0.5	<0.2	2.9	28.8
ROCK-WHI	Prep Blank		448	<0.005	<0.01	<0.17	33.82	1.05	3.00	3.60	39.3	9	1.1	3.8	520	1.87	1.5	0.5	<0.2	2.8	32.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 28, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000315.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	0.03	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
	Prep Wash																				
ROCK-WHI	Prep Blank	0.02	0.04	<0.02	23	0.72	0.051	7.1	2.7	0.45	73.8	0.089	2	1.10	0.164	0.13	<0.1	3.7	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.04	0.05	<0.02	22	0.76	0.050	7.3	3.2	0.46	88.4	0.089	3	1.18	0.168	0.14	<0.1	4.1	<0.02	0.02	7



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 28, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000315.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	4.0	0.18	0.1	0.12	0.25	2.3	0.4	<0.05	2.4	9.56	13.5	<0.02	<1	0.2	2.2	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	4.3	0.22	0.1	0.14	0.33	2.8	0.4	<0.05	2.8	10.01	14.2	<0.02	<1	0.3	2.3	<10	<2