



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 05, 2019
Report Date: August 30, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000316.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-40
P.O. Number
Number of Samples: 131

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|-----------------|-------------------|---|--------------|---------------|-----|
| PRP70-500 | 126 | Crush, split and pulverize 500g rock to 200 mesh | | | WHI |
| SPTRF | 1 | Split samples by riffle splitter | | | WHI |
| PUL85 | 1 | Pulverize to 85% passing 200 mesh | | | WHI |
| SLBHP | 4 | Sort, label and box pulps | | | WHI |
| FS631 | 131 | Metallic Sieve 500g to 150 mesh | | | WHI |
| Split +150 mesh | 131 | Analysis sample split/packet | | | WHI |
| Split -150 | 131 | Analysis sample split/packet | | | WHI |
| EN002 | 131 | Environmental disposal charge-Fire assay lead waste | | | VAN |
| FS631 | 127 | Metallics Fire Assay for Au | 30 | Completed | VAN |
| AQ251_EXT | 131 | 1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis | 15 | Completed | VAN |
| SHP01 | 131 | Per sample shipping charges for branch shipments | | | VAN |

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Graeme Joyce
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 2 of 6 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000316.1

| Method Analyte Unit MDL | | WGHT | M150 | FA430 | FS600 | FS600 | FS600 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|----------------------------------|------------|------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Wgt | TotWt | -Au | TotAu | +Au | +Wt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr |
| | | kg | g | gm/t | gm/t | gm/t | g | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm |
| | | 0.01 | 1 | 0.005 | 0.01 | 0.17 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.1 | 2 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | 0.1 | 0.2 | 0.1 |
| 2023105 | Drill Core | 4.22 | 455 | 0.022 | 0.02 | <0.17 | 30.32 | 0.95 | 10.41 | 18.31 | 44.2 | 263 | 4.6 | 4.4 | 318 | 1.87 | 25.5 | 1.3 | 14.3 | 11.9 | 64.1 |
| 2023106 | Drill Core | 3.04 | 503 | 0.033 | 0.03 | <0.17 | 22.64 | 0.53 | 8.32 | 16.88 | 44.1 | 287 | 3.8 | 4.3 | 326 | 1.83 | 268.3 | 5.5 | 24.7 | 14.4 | 64.8 |
| 2023107 | Drill Core | 2.16 | 497 | 0.099 | 0.10 | <0.17 | 38.43 | 0.45 | 12.51 | 8.24 | 21.0 | 345 | 1.9 | 3.1 | 257 | 1.38 | 369.1 | 1.6 | 74.6 | 10.8 | 20.6 |
| 2023108 | Drill Core | 3.26 | 471 | 0.821 | 0.87 | 1.34 | 40.41 | 0.49 | 13.77 | 8.71 | 26.9 | 1185 | 3.1 | 4.3 | 363 | 1.69 | 129.1 | 1.5 | 710.8 | 14.1 | 47.4 |
| 2023109 | Drill Core | 3.03 | 501 | 0.046 | 0.04 | <0.17 | 41.00 | 0.45 | 7.45 | 16.17 | 36.6 | 165 | 2.9 | 3.8 | 387 | 1.46 | 40.7 | 2.6 | 34.6 | 13.9 | 124.9 |
| 2023110 | Drill Core | 2.60 | 421 | 0.008 | <0.01 | <0.17 | 31.41 | 0.92 | 12.20 | 22.54 | 52.3 | 181 | 4.7 | 4.4 | 303 | 2.17 | 16.6 | 1.9 | 1.6 | 14.3 | 71.4 |
| 2023111 | Drill Core | 3.63 | 486 | 0.009 | <0.01 | <0.17 | 41.32 | 0.61 | 13.41 | 40.27 | 43.3 | 264 | 3.8 | 4.1 | 244 | 1.76 | 39.6 | 1.5 | 2.9 | 13.6 | 67.8 |
| 2023112 | Drill Core | 2.92 | 465 | 0.006 | <0.01 | <0.17 | 35.19 | 0.42 | 12.31 | 17.53 | 52.7 | 100 | 5.9 | 5.1 | 285 | 2.08 | 3.8 | 1.4 | 0.9 | 13.9 | 109.6 |
| 2023113 | Drill Core | 2.84 | 447 | 0.016 | 0.01 | <0.17 | 36.12 | 1.72 | 5.39 | 12.12 | 48.9 | 132 | 3.1 | 3.8 | 400 | 1.98 | 36.1 | 1.7 | 7.8 | 15.7 | 119.6 |
| 2023114 | Drill Core | 3.30 | 512 | 0.006 | <0.01 | <0.17 | 32.44 | 0.35 | 6.35 | 13.58 | 43.1 | 69 | 2.4 | 3.3 | 278 | 1.84 | 2.1 | 1.3 | 0.9 | 15.6 | 65.5 |
| 2023115 | Drill Core | 3.39 | 440 | 0.006 | <0.01 | <0.17 | 39.97 | 0.41 | 10.96 | 10.24 | 55.9 | 78 | 13.2 | 16.2 | 492 | 3.10 | 11.0 | 1.0 | <0.2 | 8.9 | 94.9 |
| 2023116 | Drill Core | 3.34 | 433 | 0.005 | <0.01 | <0.17 | 46.48 | 0.57 | 17.12 | 13.47 | 55.2 | 100 | 16.0 | 9.1 | 329 | 2.32 | 9.9 | 2.1 | <0.2 | 12.0 | 74.2 |
| 2023117 | Drill Core | 3.26 | 473 | 0.067 | 0.07 | <0.17 | 33.95 | 0.51 | 7.40 | 22.57 | 40.1 | 177 | 4.2 | 3.9 | 267 | 1.61 | 11.3 | 1.1 | 163.0 | 14.7 | 110.5 |
| 2023118 | Drill Core | 3.11 | 445 | 0.009 | <0.01 | <0.17 | 42.38 | 1.11 | 16.04 | 19.20 | 63.3 | 156 | 28.6 | 13.2 | 456 | 2.96 | 61.5 | 1.8 | 4.3 | 10.5 | 115.5 |
| 2023119 | Drill Core | 2.37 | 467 | 0.013 | 0.01 | <0.17 | 31.75 | 0.85 | 18.62 | 26.84 | 43.0 | 283 | 4.1 | 3.6 | 253 | 1.54 | 45.4 | 1.0 | 5.9 | 14.1 | 28.3 |
| 2023120 | Rock Pulp | 0.12 | 87 | 0.517 | | | | 2.48 | 429.27 | 20.02 | 52.8 | 286 | 614.4 | 29.1 | 430 | 2.63 | 21.2 | 0.6 | 460.2 | 2.5 | 65.0 |
| 2023121 | Drill Core | 1.55 | 502 | 0.011 | 0.01 | <0.17 | 32.54 | 0.64 | 8.93 | 30.77 | 43.0 | 247 | 2.7 | 3.2 | 205 | 1.45 | 27.3 | 1.2 | 18.0 | 17.0 | 16.7 |
| 2023122 | Drill Core | 3.44 | 467 | 0.035 | 0.04 | <0.17 | 32.55 | 1.51 | 10.19 | 19.74 | 44.9 | 278 | 2.7 | 2.9 | 217 | 1.44 | 62.7 | 0.9 | 28.2 | 14.1 | 17.2 |
| 2023123 | Drill Core | 1.81 | 421 | 0.010 | <0.01 | <0.17 | 32.85 | 0.56 | 7.15 | 18.19 | 35.5 | 118 | 2.3 | 2.2 | 185 | 1.29 | 29.3 | 0.8 | 2.7 | 14.0 | 25.8 |
| 2023124 | Drill Core | 3.68 | 406 | 0.057 | 0.06 | <0.17 | 32.39 | 0.74 | 14.84 | 22.16 | 42.6 | 447 | 1.9 | 2.5 | 185 | 1.05 | 69.7 | 1.1 | 68.1 | 14.4 | 15.2 |
| 2023125 | Drill Core | 1.46 | 475 | 0.213 | 0.21 | 0.21 | 37.47 | 0.56 | 7.14 | 4.48 | 15.9 | 1505 | 1.5 | 2.4 | 104 | 1.00 | 46.7 | 1.2 | 214.1 | 13.1 | 15.0 |
| 2023126 | Drill Core | 1.18 | 425 | 0.040 | 0.04 | <0.17 | 37.15 | 0.59 | 4.47 | 12.03 | 22.7 | 152 | 1.2 | 2.2 | 146 | 0.93 | 69.6 | 1.2 | 30.5 | 16.3 | 19.1 |
| 2023127 | Drill Core | 2.51 | 466 | 0.061 | 0.07 | <0.17 | 32.06 | 1.16 | 9.09 | 14.82 | 26.2 | 414 | 1.5 | 2.1 | 180 | 0.83 | 55.7 | 1.1 | 46.8 | 12.7 | 19.8 |
| 2023128 | Drill Core | 2.42 | 468 | 0.036 | 0.04 | <0.17 | 37.85 | 0.77 | 9.74 | 20.06 | 18.1 | 209 | 2.0 | 2.6 | 189 | 1.02 | 24.3 | 1.2 | 25.6 | 13.8 | 15.8 |
| 2023129 | Drill Core | 4.65 | 479 | 0.017 | 0.02 | <0.17 | 33.68 | 0.35 | 15.72 | 9.15 | 52.0 | 123 | 86.8 | 27.6 | 796 | 3.74 | 16.2 | 1.6 | 4.6 | 1.7 | 291.8 |
| 2023130 | Drill Core | 3.23 | 473 | 0.220 | 0.21 | <0.17 | 33.50 | 0.27 | 23.83 | 10.57 | 10.2 | 512 | 3.9 | 2.7 | 150 | 0.67 | 4.1 | 1.2 | 203.6 | 13.3 | 31.8 |
| 2023131 | Drill Core | 3.39 | 395 | 0.167 | 0.17 | 0.21 | 38.79 | 0.24 | 15.32 | 56.96 | 27.1 | 666 | 0.9 | 0.7 | 109 | 0.49 | 1.7 | 1.3 | 139.5 | 14.1 | 54.8 |
| 2023132 | Drill Core | 3.10 | 519 | 0.177 | 0.18 | <0.17 | 37.20 | 0.31 | 12.24 | 75.97 | 51.3 | 404 | 1.9 | 2.3 | 194 | 0.91 | 4.5 | 2.1 | 270.0 | 16.2 | 76.2 |
| 2023133 | Drill Core | 2.99 | 519 | 0.008 | <0.01 | <0.17 | 34.35 | 0.27 | 4.73 | 19.93 | 43.4 | 123 | 8.9 | 4.9 | 329 | 1.38 | 2.3 | 4.2 | 4.0 | 15.3 | 110.8 |
| 2023134 | Drill Core | 3.23 | 492 | 0.013 | 0.01 | <0.17 | 30.19 | 0.24 | 10.02 | 19.27 | 23.0 | 146 | 2.3 | 2.7 | 245 | 1.04 | 4.4 | 1.5 | 6.1 | 15.7 | 70.3 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000316.1

| Method Analyte Unit MDL | | | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | |
|----------------------------------|------------|------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| | | | Cd | Sb | Bi | V | Ca | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Sc | Tl | S | Hg |
| | | | ppm | ppm | ppm | ppm | % | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | % | ppb |
| | | | 0.01 | 0.02 | 0.02 | 1 | 0.01 | 0.001 | 0.5 | 0.5 | 0.01 | 0.5 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 0.02 | 0.02 | 5 |
| 2023105 | Drill Core | 0.18 | 0.51 | 0.14 | 9 | 0.62 | 0.049 | 33.6 | 7.3 | 0.48 | 600.6 | 0.006 | <1 | 0.80 | 0.026 | 0.20 | 1.2 | 2.8 | 0.07 | 0.05 | <5 | |
| 2023106 | Drill Core | 0.23 | 1.08 | 0.09 | 5 | 0.68 | 0.060 | 36.3 | 4.8 | 0.55 | 230.9 | 0.004 | 2 | 0.87 | 0.031 | 0.30 | 0.3 | 2.1 | 0.11 | 0.13 | 6 | |
| 2023107 | Drill Core | 0.15 | 1.27 | 0.09 | 2 | 0.31 | 0.045 | 29.4 | 2.9 | 0.35 | 229.0 | 0.002 | <1 | 0.64 | 0.021 | 0.31 | <0.1 | 1.1 | 0.07 | 0.06 | 6 | |
| 2023108 | Drill Core | 0.21 | 0.70 | 0.05 | 3 | 0.68 | 0.060 | 33.9 | 3.2 | 0.35 | 269.3 | 0.003 | <1 | 0.79 | 0.029 | 0.36 | 0.1 | 1.8 | 0.08 | 0.05 | <5 | |
| 2023109 | Drill Core | 0.21 | 0.38 | 0.12 | 3 | 1.76 | 0.057 | 35.1 | 3.1 | 0.31 | 224.9 | 0.003 | <1 | 0.77 | 0.027 | 0.34 | 0.1 | 2.1 | 0.08 | 0.14 | <5 | |
| 2023110 | Drill Core | 0.14 | 0.41 | 0.09 | 9 | 0.88 | 0.053 | 38.1 | 6.8 | 0.56 | 178.9 | 0.006 | <1 | 1.12 | 0.078 | 0.26 | <0.1 | 4.5 | 0.08 | 0.07 | <5 | |
| 2023111 | Drill Core | 0.14 | 0.61 | 0.13 | 7 | 0.74 | 0.047 | 36.7 | 5.5 | 0.60 | 162.2 | 0.003 | <1 | 0.95 | 0.044 | 0.23 | <0.1 | 3.1 | 0.06 | 0.06 | <5 | |
| 2023112 | Drill Core | 0.12 | 0.19 | 0.04 | 9 | 1.18 | 0.052 | 37.0 | 8.1 | 0.73 | 192.0 | 0.005 | 1 | 1.15 | 0.049 | 0.27 | <0.1 | 3.7 | 0.08 | 0.03 | <5 | |
| 2023113 | Drill Core | 0.26 | 0.33 | 0.02 | 6 | 1.93 | 0.058 | 43.7 | 4.9 | 0.66 | 220.9 | 0.002 | <1 | 1.02 | 0.026 | 0.25 | 0.1 | 3.3 | 0.08 | <0.02 | <5 | |
| 2023114 | Drill Core | 0.14 | 0.11 | 0.07 | 4 | 1.20 | 0.039 | 44.3 | 3.9 | 0.67 | 210.6 | 0.004 | 2 | 1.12 | 0.036 | 0.31 | <0.1 | 3.3 | 0.08 | <0.02 | 5 | |
| 2023115 | Drill Core | 0.14 | 0.14 | 0.05 | 41 | 1.68 | 0.067 | 20.5 | 72.4 | 1.86 | 198.9 | 0.120 | <1 | 2.03 | 0.035 | 0.22 | 0.8 | 6.2 | 0.05 | 0.03 | <5 | |
| 2023116 | Drill Core | 0.17 | 0.11 | 0.09 | 21 | 0.99 | 0.064 | 29.7 | 28.5 | 1.16 | 235.1 | 0.074 | <1 | 1.48 | 0.035 | 0.26 | 0.1 | 4.4 | 0.06 | 0.04 | <5 | |
| 2023117 | Drill Core | 0.15 | 0.14 | 0.26 | 8 | 1.17 | 0.042 | 36.1 | 8.3 | 0.63 | 236.0 | 0.012 | <1 | 0.99 | 0.042 | 0.32 | <0.1 | 3.7 | 0.07 | 0.04 | <5 | |
| 2023118 | Drill Core | 0.24 | 0.28 | 0.17 | 33 | 1.59 | 0.069 | 28.8 | 40.3 | 1.48 | 255.6 | 0.025 | <1 | 1.48 | 0.010 | 0.28 | 0.1 | 8.3 | 0.08 | 0.03 | <5 | |
| 2023119 | Drill Core | 0.23 | 0.29 | 0.23 | 6 | 0.34 | 0.043 | 39.0 | 5.6 | 0.60 | 223.1 | 0.002 | 1 | 0.89 | 0.020 | 0.31 | <0.1 | 2.4 | 0.08 | <0.02 | <5 | |
| 2023120 | Rock Pulp | 0.24 | 0.44 | 0.30 | 53 | 1.37 | 0.037 | 4.8 | 100.2 | 1.83 | 84.9 | 0.081 | 4 | 2.13 | 0.212 | 0.15 | 1.3 | 3.5 | 0.09 | 0.19 | 25 | |
| 2023121 | Drill Core | 0.27 | 0.25 | 0.21 | 4 | 0.14 | 0.046 | 43.9 | 3.6 | 0.54 | 436.7 | 0.002 | <1 | 0.84 | 0.015 | 0.29 | <0.1 | 2.1 | 0.08 | <0.02 | <5 | |
| 2023122 | Drill Core | 0.37 | 0.46 | 0.07 | 4 | 0.13 | 0.038 | 38.7 | 3.4 | 0.51 | 229.2 | 0.002 | <1 | 0.81 | 0.021 | 0.29 | <0.1 | 1.7 | 0.08 | <0.02 | <5 | |
| 2023123 | Drill Core | 0.31 | 0.30 | 0.06 | 3 | 0.25 | 0.038 | 36.7 | 2.7 | 0.47 | 169.0 | 0.002 | <1 | 0.73 | 0.014 | 0.25 | <0.1 | 1.6 | 0.07 | <0.02 | <5 | |
| 2023124 | Drill Core | 0.52 | 0.56 | 0.13 | 3 | 0.10 | 0.043 | 36.0 | 3.2 | 0.19 | 340.7 | 0.002 | 1 | 0.53 | 0.039 | 0.32 | <0.1 | 1.2 | 0.08 | <0.02 | <5 | |
| 2023125 | Drill Core | 0.24 | 0.35 | <0.02 | 2 | 0.09 | 0.043 | 28.4 | 2.5 | 0.10 | 219.6 | 0.002 | <1 | 0.40 | 0.041 | 0.28 | <0.1 | 1.0 | 0.06 | <0.02 | <5 | |
| 2023126 | Drill Core | 0.34 | 0.72 | 0.03 | 3 | 0.11 | 0.048 | 46.9 | 2.7 | 0.17 | 276.7 | 0.002 | <1 | 0.54 | 0.038 | 0.39 | <0.1 | 1.1 | 0.09 | <0.02 | <5 | |
| 2023127 | Drill Core | 0.37 | 0.61 | 0.07 | 2 | 0.10 | 0.046 | 34.7 | 2.9 | 0.13 | 1221.0 | 0.002 | <1 | 0.37 | 0.025 | 0.25 | 0.4 | 0.9 | 0.08 | 0.03 | <5 | |
| 2023128 | Drill Core | 0.09 | 0.40 | 0.07 | 3 | 0.13 | 0.043 | 29.4 | 3.5 | 0.28 | 212.6 | 0.002 | <1 | 0.56 | 0.036 | 0.32 | <0.1 | 1.1 | 0.08 | 0.05 | <5 | |
| 2023129 | Drill Core | 0.24 | 0.53 | <0.02 | 53 | 4.62 | 0.087 | 3.9 | 117.2 | 3.30 | 309.7 | 0.118 | <1 | 2.21 | 0.003 | 1.08 | <0.1 | 10.7 | 0.54 | 0.03 | <5 | |
| 2023130 | Drill Core | 0.11 | 0.26 | <0.02 | 3 | 0.49 | 0.043 | 22.4 | 4.9 | 0.19 | 329.5 | 0.002 | <1 | 0.44 | 0.044 | 0.35 | 0.1 | 1.2 | 0.07 | 0.13 | <5 | |
| 2023131 | Drill Core | 0.14 | 0.11 | 0.15 | 2 | 0.45 | 0.043 | 24.2 | 2.7 | 0.09 | 264.6 | 0.002 | <1 | 0.38 | 0.052 | 0.32 | <0.1 | 0.8 | 0.07 | 0.13 | <5 | |
| 2023132 | Drill Core | 0.22 | 0.23 | 0.09 | 2 | 1.07 | 0.037 | 31.4 | 2.9 | 0.39 | 398.7 | 0.002 | <1 | 0.66 | 0.040 | 0.34 | <0.1 | 1.4 | 0.09 | 0.09 | <5 | |
| 2023133 | Drill Core | 0.15 | 0.14 | 0.12 | 6 | 1.55 | 0.048 | 29.2 | 10.5 | 0.82 | 378.5 | 0.003 | <1 | 0.90 | 0.028 | 0.31 | <0.1 | 2.1 | 0.09 | 0.10 | <5 | |
| 2023134 | Drill Core | 0.11 | 0.15 | 0.09 | 2 | 1.19 | 0.032 | 27.4 | 3.3 | 0.51 | 348.3 | 0.002 | <1 | 0.68 | 0.025 | 0.33 | 0.1 | 1.3 | 0.09 | 0.14 | <5 | |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000316.1

| Method Analyte Unit MDL | | | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | |
|----------------------------------|------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| | | | Se | Te | Ga | Cs | Ge | Hf | Nb | Rb | Sn | Ta | Zr | Y | Ce | In | Re | Be | Li | Pd | Pt |
| | | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppb | ppb |
| | | | 0.1 | 0.02 | 0.1 | 0.02 | 0.1 | 0.02 | 0.02 | 0.1 | 0.1 | 0.05 | 0.1 | 0.01 | 0.1 | 0.02 | 1 | 0.1 | 0.1 | 10 | 2 |
| 2023105 | Drill Core | <0.1 | <0.02 | 3.2 | 0.63 | <0.1 | 0.12 | 0.06 | 9.2 | 0.4 | <0.05 | 3.7 | 10.19 | 56.9 | 0.02 | <1 | 0.3 | 8.1 | <10 | <2 | |
| 2023106 | Drill Core | <0.1 | 0.02 | 2.5 | 0.61 | <0.1 | 0.12 | 0.02 | 12.4 | 0.3 | <0.05 | 3.4 | 8.39 | 60.0 | <0.02 | 2 | 0.5 | 13.8 | <10 | <2 | |
| 2023107 | Drill Core | <0.1 | 0.10 | 1.6 | 0.29 | <0.1 | 0.03 | 0.02 | 11.4 | 0.2 | <0.05 | 1.0 | 8.20 | 49.8 | <0.02 | <1 | 0.2 | 8.2 | <10 | <2 | |
| 2023108 | Drill Core | <0.1 | 0.41 | 1.9 | 0.39 | <0.1 | 0.02 | 0.02 | 13.3 | 0.2 | <0.05 | 1.0 | 9.08 | 58.9 | <0.02 | <1 | 0.3 | 10.1 | <10 | <2 | |
| 2023109 | Drill Core | <0.1 | <0.02 | 2.0 | 0.41 | <0.1 | 0.04 | <0.02 | 12.9 | 0.2 | <0.05 | 1.6 | 10.13 | 58.7 | <0.02 | <1 | 0.3 | 10.7 | <10 | <2 | |
| 2023110 | Drill Core | <0.1 | <0.02 | 4.2 | 0.74 | <0.1 | 0.05 | 0.04 | 10.3 | 0.3 | <0.05 | 2.0 | 13.80 | 67.7 | 0.04 | <1 | 0.3 | 11.3 | <10 | <2 | |
| 2023111 | Drill Core | <0.1 | <0.02 | 3.1 | 0.41 | <0.1 | 0.15 | 0.06 | 9.4 | 0.3 | <0.05 | 3.7 | 12.44 | 61.9 | 0.02 | <1 | 0.4 | 14.1 | <10 | <2 | |
| 2023112 | Drill Core | <0.1 | <0.02 | 4.1 | 0.58 | <0.1 | 0.16 | <0.02 | 11.7 | 0.3 | <0.05 | 5.2 | 15.12 | 64.5 | 0.02 | <1 | 0.3 | 13.5 | <10 | <2 | |
| 2023113 | Drill Core | <0.1 | <0.02 | 3.6 | 0.58 | <0.1 | 0.06 | 0.02 | 11.3 | 0.3 | <0.05 | 2.1 | 14.85 | 73.8 | 0.03 | <1 | 0.4 | 13.5 | <10 | <2 | |
| 2023114 | Drill Core | <0.1 | <0.02 | 3.8 | 0.54 | <0.1 | 0.03 | 0.03 | 11.2 | 0.2 | <0.05 | 1.1 | 12.80 | 72.5 | 0.02 | <1 | 0.3 | 9.0 | <10 | <2 | |
| 2023115 | Drill Core | <0.1 | <0.02 | 5.9 | 0.52 | <0.1 | 0.03 | 0.02 | 7.3 | 0.3 | <0.05 | 0.6 | 13.54 | 39.0 | 0.02 | <1 | 0.2 | 24.5 | <10 | <2 | |
| 2023116 | Drill Core | <0.1 | <0.02 | 5.2 | 0.32 | <0.1 | 0.03 | 0.15 | 8.7 | 0.3 | <0.05 | 1.0 | 14.04 | 51.4 | 0.02 | <1 | 0.3 | 14.7 | <10 | 2 | |
| 2023117 | Drill Core | <0.1 | <0.02 | 3.6 | 0.40 | <0.1 | <0.02 | 0.06 | 11.5 | 0.4 | <0.05 | 0.8 | 15.28 | 62.1 | 0.02 | 1 | 0.3 | 7.6 | <10 | <2 | |
| 2023118 | Drill Core | <0.1 | <0.02 | 4.6 | 0.70 | <0.1 | 0.11 | <0.02 | 10.3 | 0.3 | <0.05 | 3.4 | 16.64 | 51.0 | 0.03 | <1 | 0.4 | 18.3 | <10 | <2 | |
| 2023119 | Drill Core | <0.1 | <0.02 | 2.6 | 0.50 | <0.1 | 0.06 | <0.02 | 10.4 | 0.3 | <0.05 | 1.8 | 9.07 | 63.8 | <0.02 | <1 | 0.3 | 10.5 | <10 | <2 | |
| 2023120 | Rock Pulp | 0.5 | 0.16 | 4.6 | 0.65 | <0.1 | 0.06 | 0.05 | 6.8 | 0.5 | <0.05 | 1.3 | 3.42 | 9.1 | <0.02 | 2 | 0.1 | 8.1 | 274 | 117 | |
| 2023121 | Drill Core | <0.1 | <0.02 | 2.7 | 1.00 | <0.1 | 0.06 | <0.02 | 11.6 | 0.3 | <0.05 | 1.9 | 10.24 | 74.9 | <0.02 | <1 | 0.4 | 12.6 | <10 | <2 | |
| 2023122 | Drill Core | <0.1 | <0.02 | 2.7 | 0.80 | <0.1 | 0.21 | <0.02 | 11.3 | 0.2 | <0.05 | 5.9 | 8.34 | 65.6 | <0.02 | <1 | 0.3 | 12.1 | <10 | <2 | |
| 2023123 | Drill Core | <0.1 | <0.02 | 2.3 | 0.96 | <0.1 | 0.22 | <0.02 | 10.2 | 0.1 | <0.05 | 7.2 | 6.77 | 62.4 | <0.02 | <1 | 0.2 | 11.3 | <10 | <2 | |
| 2023124 | Drill Core | <0.1 | 0.11 | 1.9 | 0.50 | <0.1 | 0.09 | <0.02 | 11.4 | 0.3 | <0.05 | 3.0 | 9.33 | 63.8 | <0.02 | <1 | 0.3 | 4.6 | <10 | <2 | |
| 2023125 | Drill Core | <0.1 | 0.67 | 1.2 | 0.42 | <0.1 | 0.16 | <0.02 | 9.3 | 0.2 | <0.05 | 5.2 | 6.56 | 46.6 | <0.02 | <1 | 0.2 | 3.3 | <10 | <2 | |
| 2023126 | Drill Core | <0.1 | <0.02 | 1.6 | 0.53 | <0.1 | 0.21 | <0.02 | 13.4 | 0.3 | <0.05 | 6.6 | 9.26 | 76.8 | <0.02 | <1 | 0.3 | 4.6 | <10 | <2 | |
| 2023127 | Drill Core | <0.1 | 0.07 | 1.3 | 1.19 | <0.1 | 0.18 | <0.02 | 10.4 | 0.3 | <0.05 | 5.0 | 8.20 | 56.0 | <0.02 | <1 | 0.3 | 3.3 | <10 | <2 | |
| 2023128 | Drill Core | <0.1 | <0.02 | 1.8 | 0.62 | <0.1 | 0.28 | 0.03 | 11.8 | 0.2 | <0.05 | 8.0 | 6.56 | 50.7 | <0.02 | <1 | 0.3 | 5.8 | <10 | <2 | |
| 2023129 | Drill Core | <0.1 | <0.02 | 4.8 | 5.78 | <0.1 | 0.07 | <0.02 | 55.5 | 0.2 | <0.05 | 2.1 | 11.02 | 9.0 | <0.02 | <1 | 0.6 | 30.9 | <10 | <2 | |
| 2023130 | Drill Core | <0.1 | 0.13 | 1.2 | 0.25 | <0.1 | 0.31 | <0.02 | 11.0 | 0.2 | <0.05 | 8.9 | 4.68 | 38.6 | <0.02 | <1 | 0.3 | 3.4 | <10 | <2 | |
| 2023131 | Drill Core | <0.1 | 0.23 | 1.0 | 0.23 | <0.1 | 0.25 | <0.02 | 11.4 | 0.3 | <0.05 | 7.0 | 4.22 | 41.7 | <0.02 | <1 | 0.2 | 2.0 | <10 | <2 | |
| 2023132 | Drill Core | <0.1 | 0.03 | 1.8 | 0.30 | <0.1 | 0.06 | <0.02 | 12.4 | 0.3 | <0.05 | 1.8 | 6.99 | 51.8 | <0.02 | 1 | 0.2 | 4.9 | <10 | <2 | |
| 2023133 | Drill Core | <0.1 | <0.02 | 2.7 | 0.33 | <0.1 | 0.04 | <0.02 | 12.7 | 0.3 | <0.05 | 1.3 | 7.10 | 49.2 | <0.02 | <1 | 0.3 | 8.3 | <10 | <2 | |
| 2023134 | Drill Core | <0.1 | <0.02 | 1.8 | 0.25 | <0.1 | 0.03 | <0.02 | 12.6 | 0.3 | <0.05 | 1.0 | 6.91 | 45.9 | <0.02 | <1 | 0.2 | 6.4 | <10 | <2 | |



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000316.1

| Method Analyte Unit MDL | | | WGHT | M150 | FA430 | FS600 | FS600 | FS600 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | |
|----------------------------------|------------|------|------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-----|
| | | | Wgt | TotWt | -Au | TotAu | +Au | +Wt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr |
| | | | kg | g | gm/t | gm/t | gm/t | g | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm |
| | | | 0.01 | 1 | 0.005 | 0.01 | 0.17 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.1 | 2 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | 0.1 | 0.2 | 0.1 |
| 2023135 | Drill Core | 3.13 | 458 | 0.287 | 0.30 | 0.41 | 36.16 | 0.29 | 8.40 | 12.02 | 31.2 | 503 | 5.1 | 3.6 | 296 | 1.16 | 6.6 | 1.6 | 249.6 | 16.3 | 88.5 | |
| 2023136 | Drill Core | 3.02 | 502 | 0.035 | 0.03 | <0.17 | 33.35 | 0.23 | 6.95 | 22.73 | 42.8 | 122 | 7.9 | 4.2 | 335 | 1.32 | 1.1 | 3.7 | 20.4 | 16.4 | 133.3 | |
| 2023137 | Drill Core | 2.91 | 482 | 0.018 | 0.02 | <0.17 | 37.87 | 0.27 | 4.50 | 20.05 | 38.5 | 114 | 1.9 | 2.2 | 279 | 1.08 | 2.4 | 2.5 | 8.0 | 15.2 | 75.1 | |
| 2023138 | Drill Core | 2.96 | 488 | 0.064 | 0.06 | <0.17 | 41.74 | 0.49 | 4.58 | 21.39 | 40.5 | 109 | 1.9 | 2.0 | 249 | 0.99 | 1.3 | 1.6 | 2.3 | 14.9 | 62.7 | |
| 2023139 | Drill Core | 2.26 | 495 | 0.008 | <0.01 | <0.17 | 47.55 | 0.36 | 8.96 | 11.82 | 36.1 | 230 | 1.5 | 2.2 | 330 | 1.05 | 3.8 | 1.3 | 41.5 | 14.4 | 82.3 | |
| 2023140 | Rock Pulp | 0.12 | 89 | 0.012 | | | | 2.54 | 100.59 | 3.93 | 39.7 | 124 | 4.9 | 9.3 | 375 | 2.61 | 0.8 | 0.9 | 3.5 | 3.4 | 69.8 | |
| 2023141 | Drill Core | 1.59 | 485 | 0.999 | 1.18 | 3.55 | 33.53 | 0.25 | 5.77 | 15.57 | 25.6 | 908 | 1.3 | 2.2 | 276 | 0.98 | 2.3 | 3.8 | 2151.2 | 13.5 | 92.2 | |
| 2023142 | Drill Core | 3.17 | 419 | 0.018 | 0.02 | <0.17 | 33.52 | 0.37 | 4.15 | 17.22 | 37.4 | 102 | 1.8 | 2.5 | 297 | 1.19 | 1.8 | 5.0 | 31.0 | 16.2 | 93.1 | |
| 2023143 | Drill Core | 1.61 | 441 | 0.085 | 0.08 | <0.17 | 35.38 | 0.29 | 7.43 | 25.74 | 30.1 | 408 | 1.4 | 2.3 | 253 | 0.97 | 6.0 | 3.3 | 60.9 | 13.8 | 65.7 | |
| 2023144 | Drill Core | 3.49 | 444 | 0.063 | 0.06 | <0.17 | 41.38 | 0.36 | 8.20 | 19.20 | 36.1 | 260 | 3.2 | 6.0 | 381 | 1.57 | 8.5 | 2.5 | 36.9 | 14.7 | 99.0 | |
| 2023145 | Drill Core | 3.04 | 511 | 0.008 | <0.01 | <0.17 | 36.62 | 0.27 | 5.82 | 6.26 | 68.7 | 73 | 13.4 | 24.9 | 673 | 4.11 | 7.3 | 1.1 | 1.8 | 3.9 | 148.3 | |
| 2023146 | Drill Core | 2.85 | 471 | 0.010 | <0.01 | <0.17 | 32.57 | 0.33 | 6.15 | 16.42 | 43.3 | 111 | 2.4 | 2.6 | 276 | 1.11 | 9.0 | 1.1 | 5.7 | 13.5 | 23.6 | |
| 2023147 | Drill Core | 3.20 | 467 | 0.009 | <0.01 | <0.17 | 28.08 | 0.22 | 4.58 | 17.67 | 36.5 | 116 | 1.7 | 2.1 | 203 | 0.94 | 6.8 | 1.0 | 7.3 | 10.5 | 42.4 | |
| 2023148 | Drill Core | 3.20 | 498 | 0.010 | <0.01 | <0.17 | 29.31 | 0.19 | 4.44 | 14.15 | 44.3 | 76 | 2.2 | 2.3 | 247 | 1.23 | 2.9 | 1.3 | 5.0 | 14.8 | 59.1 | |
| 2023149 | Drill Core | 3.07 | 457 | 0.007 | <0.01 | <0.17 | 37.55 | 0.26 | 3.85 | 23.03 | 34.6 | 115 | 3.1 | 2.8 | 230 | 1.02 | 3.4 | 0.8 | 1.4 | 16.0 | 54.9 | |
| 2023150 | Drill Core | 3.25 | 468 | 0.006 | <0.01 | <0.17 | 40.63 | 0.48 | 6.45 | 25.94 | 37.7 | 141 | 2.8 | 2.9 | 198 | 1.14 | 2.5 | 1.3 | 1.1 | 14.1 | 72.8 | |
| 2023151 | Drill Core | 3.19 | 476 | 0.192 | 0.22 | 0.53 | 34.25 | 0.32 | 11.65 | 7.85 | 38.9 | 123 | 3.2 | 4.0 | 208 | 1.47 | 3.4 | 2.0 | 150.2 | 11.5 | 115.9 | |
| 2023152 | Drill Core | 3.07 | 528 | 0.031 | 0.03 | <0.17 | 34.41 | 0.65 | 5.57 | 8.39 | 44.0 | 45 | 3.1 | 3.7 | 237 | 1.40 | 2.7 | 3.5 | 21.3 | 15.9 | 133.4 | |
| 2023153 | Drill Core | 3.17 | 469 | 0.016 | 0.02 | <0.17 | 32.58 | 0.37 | 12.16 | 19.22 | 38.1 | 160 | 3.7 | 3.6 | 222 | 1.41 | 2.6 | 2.3 | 23.4 | 15.9 | 110.2 | |
| 2023154 | Drill Core | 3.25 | 464 | 0.007 | <0.01 | <0.17 | 35.81 | 1.52 | 9.85 | 20.78 | 25.7 | 171 | 2.4 | 2.6 | 199 | 0.93 | 5.1 | 2.0 | 1.4 | 14.4 | 76.6 | |
| 2023155 | Drill Core | 3.28 | 493 | 0.024 | 0.02 | <0.17 | 37.61 | 0.71 | 7.57 | 14.35 | 18.5 | 147 | 1.9 | 2.5 | 141 | 0.72 | 11.3 | 2.7 | 5.8 | 14.2 | 61.4 | |
| 2023156 | Drill Core | 2.64 | 471 | 0.030 | 0.03 | <0.17 | 35.43 | 0.91 | 8.52 | 17.38 | 22.0 | 146 | 2.4 | 2.6 | 212 | 0.86 | 33.5 | 2.9 | 14.5 | 13.8 | 40.8 | |
| 2023157 | Drill Core | 3.25 | 439 | 0.007 | <0.01 | <0.17 | 33.73 | 0.55 | 5.60 | 16.71 | 20.1 | 102 | 2.0 | 2.2 | 212 | 0.75 | 1.0 | 5.1 | <0.2 | 15.8 | 101.9 | |
| 2023158 | Drill Core | 3.52 | 441 | 0.280 | 0.30 | 0.54 | 36.87 | 0.56 | 10.76 | 19.72 | 20.8 | 550 | 2.8 | 3.2 | 258 | 1.04 | 7.3 | 1.9 | 328.6 | 15.6 | 64.0 | |
| 2023159 | Drill Core | 3.11 | 565 | 0.117 | 0.11 | <0.17 | 42.58 | 0.30 | 7.02 | 16.95 | 22.6 | 210 | 2.9 | 2.8 | 254 | 0.90 | 4.2 | 1.8 | 81.6 | 15.0 | 69.4 | |
| 2023160 | Core DUP | | 552 | 0.146 | 0.14 | <0.17 | 34.19 | 0.34 | 6.39 | 16.03 | 21.7 | 172 | 3.1 | 2.7 | 230 | 0.88 | 3.8 | 1.7 | 86.1 | 13.5 | 68.6 | |
| 2023161 | Drill Core | 3.45 | 487 | 0.157 | 0.16 | 0.17 | 35.22 | 0.32 | 9.73 | 21.31 | 29.0 | 212 | 4.0 | 3.5 | 225 | 1.02 | 14.3 | 2.1 | 122.5 | 16.4 | 56.2 | |
| 2023162 | Drill Core | 3.13 | 450 | 0.024 | 0.02 | <0.17 | 33.17 | 0.57 | 9.11 | 21.26 | 28.1 | 233 | 2.7 | 2.7 | 217 | 0.87 | 38.7 | 1.4 | 22.2 | 15.7 | 28.2 | |
| 2023163 | Drill Core | 2.43 | 385 | 0.068 | 0.07 | <0.17 | 31.09 | 1.14 | 8.74 | 20.79 | 51.9 | 399 | 3.9 | 4.1 | 253 | 1.02 | 129.0 | 1.8 | 64.5 | 15.9 | 18.0 | |
| 2023164 | Drill Core | 3.43 | 527 | 0.015 | 0.01 | <0.17 | 34.24 | 0.38 | 10.09 | 30.12 | 32.7 | 225 | 3.6 | 3.4 | 226 | 1.14 | 27.2 | 1.9 | 12.9 | 18.1 | 49.2 | |



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000316.1

| Method Analyte Unit MDL | | | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | |
|----------------------------------|------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| | | | Cd | Sb | Bi | V | Ca | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Sc | Tl | S | Hg |
| | | | ppm | ppm | ppm | ppm | % | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | % | ppb |
| | | | 0.01 | 0.02 | 0.02 | 1 | 0.01 | 0.001 | 0.5 | 0.5 | 0.01 | 0.5 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 0.02 | 0.02 | 5 |
| 2023135 | Drill Core | 0.26 | 0.19 | 0.04 | 3 | 1.29 | 0.037 | 30.0 | 5.7 | 0.52 | 224.1 | 0.002 | <1 | 0.68 | 0.033 | 0.31 | 0.1 | 1.6 | 0.08 | 0.11 | <5 | |
| 2023136 | Drill Core | 0.18 | 0.11 | 0.12 | 5 | 1.67 | 0.038 | 34.2 | 10.0 | 0.79 | 422.1 | 0.004 | <1 | 1.01 | 0.038 | 0.36 | <0.1 | 2.4 | 0.10 | 0.07 | <5 | |
| 2023137 | Drill Core | 0.19 | 0.15 | 0.12 | 2 | 1.18 | 0.034 | 29.7 | 2.6 | 0.44 | 201.4 | 0.003 | <1 | 0.73 | 0.046 | 0.28 | <0.1 | 1.6 | 0.08 | 0.06 | <5 | |
| 2023138 | Drill Core | 0.12 | 0.13 | 0.16 | 1 | 1.04 | 0.027 | 30.3 | 2.6 | 0.52 | 165.5 | 0.002 | 3 | 0.73 | 0.013 | 0.27 | <0.1 | 1.1 | 0.07 | <0.02 | 6 | |
| 2023139 | Drill Core | 0.26 | 0.17 | 0.11 | 2 | 1.46 | 0.028 | 27.5 | 3.1 | 0.44 | 187.1 | 0.001 | 2 | 0.63 | 0.017 | 0.27 | 0.1 | 1.2 | 0.07 | 0.06 | 18 | |
| 2023140 | Rock Pulp | 0.07 | 0.13 | 0.06 | 93 | 0.86 | 0.060 | 7.4 | 11.0 | 0.75 | 121.0 | 0.116 | 4 | 1.51 | 0.163 | 0.21 | 2.9 | 2.3 | 0.05 | <0.02 | 6 | |
| 2023141 | Drill Core | 0.21 | 0.13 | 0.12 | 1 | 1.12 | 0.027 | 20.7 | 2.3 | 0.40 | 221.3 | 0.001 | 2 | 0.54 | 0.014 | 0.29 | 0.1 | 1.1 | 0.08 | 0.18 | 11 | |
| 2023142 | Drill Core | 0.13 | 0.14 | 0.14 | 2 | 1.27 | 0.030 | 30.9 | 3.2 | 0.56 | 227.2 | 0.002 | 2 | 0.78 | 0.025 | 0.32 | <0.1 | 1.4 | 0.07 | 0.07 | 13 | |
| 2023143 | Drill Core | 0.24 | 0.17 | 0.16 | 1 | 0.96 | 0.030 | 23.1 | 2.9 | 0.39 | 182.5 | 0.001 | 1 | 0.54 | 0.019 | 0.25 | 0.1 | 1.1 | 0.06 | 0.16 | 7 | |
| 2023144 | Drill Core | 0.25 | 0.21 | 0.16 | 13 | 1.65 | 0.032 | 23.9 | 25.4 | 0.87 | 440.2 | 0.003 | 2 | 1.00 | 0.027 | 0.29 | 0.1 | 3.5 | 0.08 | 0.20 | 8 | |
| 2023145 | Drill Core | 0.14 | 0.19 | 0.03 | 89 | 2.67 | 0.050 | 8.2 | 166.9 | 3.74 | 584.1 | 0.027 | 1 | 3.11 | 0.008 | 0.30 | <0.1 | 16.2 | 0.14 | <0.02 | <5 | |
| 2023146 | Drill Core | 0.10 | 0.19 | 0.13 | 2 | 0.25 | 0.029 | 34.3 | 4.1 | 0.34 | 182.6 | 0.013 | 2 | 0.65 | 0.032 | 0.24 | 0.1 | 1.7 | 0.08 | <0.02 | <5 | |
| 2023147 | Drill Core | 0.09 | 0.20 | 0.19 | 2 | 0.36 | 0.031 | 27.5 | 3.1 | 0.27 | 230.6 | 0.022 | 1 | 0.60 | 0.030 | 0.23 | <0.1 | 1.5 | 0.08 | <0.02 | 6 | |
| 2023148 | Drill Core | 0.08 | 0.17 | 0.12 | 3 | 0.62 | 0.030 | 37.1 | 3.6 | 0.47 | 400.0 | 0.018 | <1 | 0.80 | 0.038 | 0.28 | <0.1 | 1.9 | 0.09 | 0.03 | <5 | |
| 2023149 | Drill Core | 0.11 | 0.19 | 0.26 | 3 | 0.57 | 0.029 | 38.8 | 4.5 | 0.72 | 421.5 | 0.005 | <1 | 0.80 | 0.010 | 0.27 | <0.1 | 1.9 | 0.09 | <0.02 | <5 | |
| 2023150 | Drill Core | 0.09 | 0.14 | 0.29 | 4 | 0.69 | 0.030 | 25.6 | 4.3 | 0.73 | 347.6 | 0.003 | <1 | 0.83 | 0.016 | 0.26 | <0.1 | 2.3 | 0.07 | 0.03 | <5 | |
| 2023151 | Drill Core | 0.11 | 0.12 | 0.08 | 5 | 0.98 | 0.034 | 20.7 | 5.7 | 0.68 | 309.3 | 0.003 | <1 | 0.84 | 0.031 | 0.28 | <0.1 | 3.2 | 0.08 | 0.12 | <5 | |
| 2023152 | Drill Core | 0.19 | 0.15 | 0.06 | 4 | 1.19 | 0.036 | 23.4 | 4.2 | 0.83 | 230.0 | 0.005 | 1 | 0.86 | 0.011 | 0.31 | <0.1 | 3.6 | 0.10 | 0.06 | <5 | |
| 2023153 | Drill Core | 0.15 | 0.13 | 0.20 | 6 | 1.02 | 0.029 | 32.4 | 5.4 | 0.70 | 282.3 | 0.009 | 1 | 0.87 | 0.027 | 0.34 | <0.1 | 2.9 | 0.11 | 0.12 | 7 | |
| 2023154 | Drill Core | 0.17 | 0.13 | 0.32 | 3 | 0.65 | 0.027 | 35.9 | 4.1 | 0.29 | 204.7 | 0.006 | 1 | 0.51 | 0.025 | 0.26 | <0.1 | 2.0 | 0.08 | 0.09 | <5 | |
| 2023155 | Drill Core | 0.11 | 0.22 | 0.18 | 2 | 0.56 | 0.031 | 32.3 | 2.5 | 0.22 | 195.8 | 0.003 | <1 | 0.43 | 0.023 | 0.28 | <0.1 | 1.6 | 0.06 | 0.08 | 6 | |
| 2023156 | Drill Core | 0.18 | 0.30 | 0.15 | 3 | 0.39 | 0.025 | 32.7 | 3.2 | 0.19 | 207.2 | 0.004 | <1 | 0.43 | 0.033 | 0.27 | <0.1 | 1.2 | 0.07 | 0.05 | 8 | |
| 2023157 | Drill Core | 0.16 | 0.10 | 0.20 | 3 | 0.82 | 0.027 | 41.1 | 3.0 | 0.24 | 404.6 | 0.012 | <1 | 0.48 | 0.037 | 0.33 | <0.1 | 1.7 | 0.10 | 0.03 | 6 | |
| 2023158 | Drill Core | 0.17 | 0.21 | 0.15 | 3 | 0.51 | 0.030 | 31.0 | 3.7 | 0.22 | 355.9 | 0.005 | <1 | 0.46 | 0.048 | 0.24 | <0.1 | 1.3 | 0.07 | 0.15 | 15 | |
| 2023159 | Drill Core | 0.13 | 0.16 | 0.14 | 2 | 0.64 | 0.029 | 31.9 | 3.0 | 0.21 | 266.5 | 0.004 | 1 | 0.44 | 0.047 | 0.21 | <0.1 | 1.3 | 0.06 | 0.14 | <5 | |
| 2023160 | Core DUP | 0.10 | 0.14 | 0.13 | 3 | 0.61 | 0.027 | 29.5 | 2.9 | 0.20 | 247.4 | 0.003 | 1 | 0.42 | 0.045 | 0.21 | <0.1 | 1.2 | 0.05 | 0.14 | 7 | |
| 2023161 | Drill Core | 0.18 | 0.24 | 0.16 | 3 | 0.47 | 0.029 | 42.7 | 4.0 | 0.20 | 231.9 | 0.004 | <1 | 0.47 | 0.053 | 0.22 | <0.1 | 1.6 | 0.05 | 0.17 | 12 | |
| 2023162 | Drill Core | 0.21 | 0.41 | 0.21 | 3 | 0.24 | 0.027 | 41.2 | 3.4 | 0.20 | 185.1 | 0.003 | <1 | 0.42 | 0.031 | 0.26 | <0.1 | 1.1 | 0.06 | 0.05 | 11 | |
| 2023163 | Drill Core | 0.42 | 0.97 | 0.14 | 3 | 0.08 | 0.031 | 39.6 | 3.5 | 0.17 | 195.8 | 0.002 | 1 | 0.37 | 0.041 | 0.22 | 0.3 | 0.9 | 0.05 | 0.04 | 15 | |
| 2023164 | Drill Core | 0.18 | 0.37 | 0.22 | 6 | 0.41 | 0.032 | 43.6 | 5.4 | 0.25 | 207.2 | 0.012 | <1 | 0.51 | 0.048 | 0.25 | <0.1 | 2.2 | 0.09 | 0.10 | 8 | |



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 3 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000316.1

| Method Analyte Unit MDL | | | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | |
|----------------------------------|------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| | | | Se | Te | Ga | Cs | Ge | Hf | Nb | Rb | Sn | Ta | Zr | Y | Ce | In | Re | Be | Li | Pd | Pt |
| | | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppb | ppb |
| | | | 0.1 | 0.02 | 0.1 | 0.02 | 0.1 | 0.02 | 0.02 | 0.1 | 0.1 | 0.05 | 0.1 | 0.01 | 0.1 | 0.02 | 1 | 0.1 | 0.1 | 10 | 2 |
| 2023135 | Drill Core | <0.1 | 0.17 | 2.0 | 0.28 | <0.1 | 0.02 | <0.02 | 12.2 | 0.3 | <0.05 | 1.2 | 7.52 | 49.5 | <0.02 | <1 | 0.3 | 6.8 | <10 | <2 | |
| 2023136 | Drill Core | <0.1 | <0.02 | 3.1 | 0.27 | <0.1 | <0.02 | <0.02 | 14.0 | 0.3 | <0.05 | 0.9 | 7.59 | 56.4 | <0.02 | <1 | 0.3 | 7.4 | <10 | <2 | |
| 2023137 | Drill Core | <0.1 | <0.02 | 2.4 | 0.28 | <0.1 | 0.03 | 0.02 | 10.9 | 0.2 | <0.05 | 1.0 | 6.65 | 50.6 | <0.02 | <1 | 0.2 | 6.2 | <10 | <2 | |
| 2023138 | Drill Core | <0.1 | <0.02 | 2.4 | 0.23 | 0.1 | <0.02 | 0.03 | 10.2 | 0.5 | <0.05 | 0.6 | 4.53 | 55.1 | 0.02 | <1 | 0.1 | 5.6 | <10 | <2 | |
| 2023139 | Drill Core | <0.1 | 0.08 | 1.8 | 0.31 | <0.1 | 0.03 | <0.02 | 9.9 | 0.3 | <0.05 | 0.9 | 6.98 | 50.1 | <0.02 | <1 | 0.7 | 7.3 | <10 | <2 | |
| 2023140 | Rock Pulp | <0.1 | <0.02 | 4.5 | 0.32 | <0.1 | 0.08 | 0.10 | 6.8 | 0.3 | <0.05 | 1.2 | 4.68 | 14.9 | <0.02 | <1 | 0.2 | 5.5 | <10 | <2 | |
| 2023141 | Drill Core | <0.1 | 0.24 | 1.7 | 0.25 | <0.1 | 0.04 | 0.03 | 10.2 | 0.2 | <0.05 | 0.8 | 5.79 | 39.0 | <0.02 | <1 | 0.3 | 5.2 | <10 | <2 | |
| 2023142 | Drill Core | <0.1 | <0.02 | 2.4 | 0.26 | <0.1 | <0.02 | <0.02 | 11.5 | 0.3 | <0.05 | 0.7 | 6.13 | 57.8 | <0.02 | <1 | 0.4 | 8.2 | <10 | <2 | |
| 2023143 | Drill Core | <0.1 | 0.18 | 1.5 | 0.25 | <0.1 | 0.03 | <0.02 | 9.4 | 0.2 | <0.05 | 0.8 | 5.57 | 42.8 | <0.02 | <1 | 0.2 | 8.3 | <10 | <2 | |
| 2023144 | Drill Core | <0.1 | 0.05 | 3.1 | 0.27 | <0.1 | 0.03 | <0.02 | 10.5 | 0.3 | <0.05 | 0.9 | 6.45 | 44.1 | <0.02 | <1 | 0.9 | 9.5 | <10 | <2 | |
| 2023145 | Drill Core | <0.1 | 0.03 | 7.9 | 0.98 | <0.1 | 0.03 | <0.02 | 15.6 | 0.3 | <0.05 | 0.5 | 7.15 | 15.5 | <0.02 | <1 | 0.6 | 25.6 | 14 | <2 | |
| 2023146 | Drill Core | <0.1 | <0.02 | 3.2 | 0.63 | <0.1 | 0.04 | 0.14 | 11.7 | 0.5 | <0.05 | 1.2 | 9.96 | 63.0 | <0.02 | <1 | 0.2 | 3.9 | <10 | <2 | |
| 2023147 | Drill Core | <0.1 | <0.02 | 2.5 | 0.47 | <0.1 | 0.02 | 0.22 | 11.6 | 0.5 | <0.05 | 1.1 | 8.44 | 48.7 | <0.02 | <1 | 0.2 | 3.9 | <10 | <2 | |
| 2023148 | Drill Core | <0.1 | 0.03 | 3.3 | 0.40 | <0.1 | 0.05 | 0.15 | 12.2 | 0.5 | <0.05 | 1.1 | 10.96 | 65.6 | 0.02 | <1 | 0.1 | 5.0 | <10 | <2 | |
| 2023149 | Drill Core | <0.1 | <0.02 | 2.6 | 0.39 | <0.1 | 0.03 | 0.05 | 10.6 | 0.4 | <0.05 | 1.1 | 10.11 | 66.4 | <0.02 | <1 | 0.4 | 6.7 | <10 | <2 | |
| 2023150 | Drill Core | <0.1 | <0.02 | 3.0 | 0.36 | <0.1 | 0.02 | 0.03 | 10.0 | 0.3 | <0.05 | 0.8 | 6.88 | 45.3 | <0.02 | <1 | 0.3 | 5.9 | <10 | <2 | |
| 2023151 | Drill Core | <0.1 | 0.03 | 2.7 | 0.38 | <0.1 | 0.07 | <0.02 | 10.3 | 0.2 | <0.05 | 1.9 | 6.75 | 37.0 | 0.02 | <1 | 0.2 | 7.7 | <10 | <2 | |
| 2023152 | Drill Core | <0.1 | 0.03 | 2.9 | 0.59 | <0.1 | 0.08 | <0.02 | 12.8 | 0.3 | <0.05 | 2.3 | 7.10 | 42.3 | <0.02 | <1 | 0.7 | 9.5 | <10 | <2 | |
| 2023153 | Drill Core | <0.1 | <0.02 | 3.3 | 0.56 | <0.1 | 0.06 | 0.05 | 13.4 | 0.4 | <0.05 | 1.4 | 11.83 | 57.5 | <0.02 | <1 | 0.5 | 7.9 | <10 | <2 | |
| 2023154 | Drill Core | <0.1 | 0.03 | 2.2 | 0.46 | <0.1 | 0.09 | 0.06 | 10.3 | 0.3 | <0.05 | 3.3 | 9.40 | 63.1 | <0.02 | <1 | 0.3 | 4.5 | <10 | <2 | |
| 2023155 | Drill Core | <0.1 | <0.02 | 1.4 | 0.32 | <0.1 | 0.25 | 0.03 | 9.5 | 0.3 | <0.05 | 9.4 | 7.20 | 55.9 | <0.02 | 2 | 0.3 | 5.5 | <10 | <2 | |
| 2023156 | Drill Core | <0.1 | 0.03 | 1.6 | 0.42 | <0.1 | 0.31 | 0.04 | 9.4 | 0.3 | <0.05 | 10.9 | 9.09 | 57.1 | <0.02 | <1 | 0.4 | 4.5 | <10 | <2 | |
| 2023157 | Drill Core | <0.1 | <0.02 | 1.8 | 0.48 | <0.1 | 0.42 | 0.08 | 11.9 | 0.4 | <0.05 | 12.3 | 8.34 | 67.6 | <0.02 | 2 | <0.1 | 4.2 | <10 | <2 | |
| 2023158 | Drill Core | <0.1 | 0.22 | 2.0 | 0.39 | <0.1 | 0.45 | 0.03 | 10.0 | 0.4 | <0.05 | 14.1 | 6.92 | 54.2 | <0.02 | <1 | 0.6 | 4.5 | <10 | <2 | |
| 2023159 | Drill Core | <0.1 | 0.05 | 1.7 | 0.36 | <0.1 | 0.37 | 0.03 | 8.7 | 0.3 | <0.05 | 10.5 | 6.53 | 56.1 | <0.02 | <1 | <0.1 | 5.9 | <10 | <2 | |
| 2023160 | Core DUP | <0.1 | 0.06 | 1.7 | 0.35 | <0.1 | 0.31 | 0.03 | 8.1 | 0.3 | <0.05 | 9.9 | 6.29 | 50.6 | <0.02 | <1 | 0.4 | 5.1 | <10 | <2 | |
| 2023161 | Drill Core | <0.1 | 0.04 | 2.2 | 0.38 | <0.1 | 0.33 | 0.04 | 8.8 | 0.4 | <0.05 | 11.4 | 9.96 | 73.6 | <0.02 | <1 | 0.2 | 7.1 | <10 | <2 | |
| 2023162 | Drill Core | <0.1 | 0.03 | 1.9 | 0.37 | <0.1 | 0.29 | 0.04 | 9.5 | 0.4 | <0.05 | 10.3 | 10.90 | 71.8 | <0.02 | <1 | 0.3 | 5.1 | <10 | 3 | |
| 2023163 | Drill Core | <0.1 | 0.08 | 1.6 | 0.39 | <0.1 | 0.34 | 0.04 | 8.3 | 0.4 | <0.05 | 10.4 | 11.80 | 70.8 | <0.02 | <1 | 0.6 | 3.8 | <10 | <2 | |
| 2023164 | Drill Core | <0.1 | 0.03 | 2.9 | 0.56 | <0.1 | 0.32 | 0.09 | 12.9 | 0.8 | <0.05 | 10.4 | 13.12 | 76.8 | <0.02 | <1 | 0.4 | 5.6 | <10 | <2 | |



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000316.1

| | Method Analyte Unit MDL | WGHT | M150 | FA430 | FS600 | FS600 | FS600 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|---------|----------------------------------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Wgt | TotWt | -Au | TotAu | +Au | +Wt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr |
| | | kg | g | gm/t | gm/t | gm/t | g | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm |
| | | 0.01 | 1 | 0.005 | 0.01 | 0.17 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.1 | 2 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | 0.1 | 0.2 | 0.1 |
| 2023165 | Drill Core | 2.29 | 521 | 0.051 | 0.05 | <0.17 | 34.59 | 0.94 | 15.05 | 23.86 | 35.5 | 319 | 2.8 | 2.7 | 172 | 0.88 | 54.0 | 2.1 | 47.5 | 18.6 | 31.8 |
| 2023166 | Drill Core | 2.93 | 441 | 0.007 | <0.01 | <0.17 | 35.81 | 0.26 | 5.87 | 23.34 | 29.0 | 146 | 2.3 | 2.5 | 222 | 0.96 | 3.8 | 2.0 | 19.2 | 16.6 | 90.4 |
| 2023167 | Drill Core | 3.20 | 469 | 0.030 | 0.03 | <0.17 | 37.80 | 0.15 | 6.00 | 10.74 | 26.3 | 81 | 2.8 | 2.5 | 206 | 1.11 | 0.8 | 3.1 | 84.3 | 16.6 | 73.2 |
| 2023168 | Drill Core | 1.37 | 487 | 0.012 | 0.01 | <0.17 | 38.03 | 0.19 | 7.46 | 27.03 | 40.7 | 250 | 3.9 | 4.6 | 408 | 2.06 | 9.0 | 2.6 | 8.8 | 10.1 | 94.4 |
| 2023169 | Drill Core | 3.21 | 438 | 0.006 | <0.01 | <0.17 | 37.32 | 0.16 | 8.13 | 17.01 | 28.4 | 146 | 3.1 | 2.6 | 266 | 1.04 | 3.2 | 3.6 | 4.1 | 18.5 | 97.8 |
| 2023170 | Drill Core | 3.30 | 486 | 0.113 | 0.10 | <0.17 | 36.15 | 0.21 | 4.44 | 26.09 | 25.0 | 164 | 2.3 | 2.3 | 197 | 0.86 | 1.4 | 3.1 | 51.7 | 17.7 | 87.6 |
| 2023171 | Drill Core | 3.19 | 421 | 0.006 | <0.01 | <0.17 | 31.47 | 0.23 | 9.00 | 20.12 | 25.0 | 108 | 2.4 | 2.4 | 229 | 0.96 | 0.3 | 5.0 | 1.3 | 17.5 | 105.8 |
| 2023172 | Drill Core | 3.11 | 498 | 0.006 | <0.01 | <0.17 | 35.82 | 0.57 | 9.36 | 23.47 | 21.6 | 111 | 1.9 | 2.3 | 176 | 0.85 | 2.7 | 4.1 | 2.0 | 16.3 | 79.0 |
| 2023173 | Drill Core | 3.09 | 424 | 0.006 | <0.01 | <0.17 | 30.56 | 0.46 | 10.18 | 18.32 | 32.1 | 88 | 3.0 | 3.8 | 198 | 1.15 | 2.9 | 1.8 | <0.2 | 12.9 | 133.7 |
| 2023174 | Drill Core | 3.07 | 368 | <0.005 | <0.01 | <0.17 | 41.12 | 0.49 | 10.31 | 21.82 | 35.3 | 130 | 3.5 | 3.4 | 205 | 1.32 | 5.6 | 2.3 | <0.2 | 15.0 | 86.7 |
| 2023175 | Drill Core | 2.50 | 498 | 0.012 | 0.01 | <0.17 | 30.80 | 1.05 | 7.77 | 14.89 | 38.0 | 109 | 6.3 | 6.4 | 283 | 1.62 | 3.0 | 3.9 | 0.8 | 12.9 | 163.0 |
| 2023176 | Drill Core | 3.19 | 516 | 0.006 | <0.01 | <0.17 | 34.46 | 1.17 | 5.88 | 21.98 | 39.7 | 98 | 10.5 | 6.3 | 254 | 1.56 | 2.9 | 3.0 | <0.2 | 10.9 | 193.1 |
| 2023177 | Drill Core | 3.11 | 446 | 0.010 | <0.01 | <0.17 | 32.06 | 0.24 | 6.93 | 19.15 | 33.5 | 89 | 2.4 | 3.0 | 186 | 1.09 | 12.4 | 2.5 | 4.7 | 12.6 | 138.0 |
| 2023178 | Drill Core | 3.26 | 370 | 0.030 | 0.03 | <0.17 | 24.32 | 0.49 | 7.05 | 16.91 | 40.4 | 166 | 3.0 | 3.7 | 236 | 1.43 | 36.2 | 2.0 | 20.6 | 11.6 | 182.7 |
| 2023179 | Drill Core | 3.37 | 430 | 0.107 | 0.11 | <0.17 | 32.47 | 0.33 | 8.05 | 16.93 | 35.3 | 98 | 2.6 | 3.0 | 191 | 1.10 | 1.1 | 2.3 | 112.4 | 11.3 | 117.4 |
| 2023180 | Rock | 0.23 | 167 | 0.005 | <0.01 | <0.17 | 32.43 | 0.52 | 1.21 | 1.31 | 1.9 | 8 | 1.5 | 0.5 | 76 | 0.69 | 0.8 | 0.2 | <0.2 | 1.3 | 1.5 |
| 2023181 | Drill Core | 2.73 | 428 | 0.403 | 0.45 | 0.92 | 41.30 | 0.39 | 12.09 | 23.85 | 21.9 | 467 | 2.1 | 3.0 | 193 | 0.81 | 2.3 | 1.6 | 421.9 | 11.7 | 90.6 |
| 2023182 | Drill Core | 3.09 | 484 | 0.006 | <0.01 | <0.17 | 33.21 | 0.39 | 3.63 | 20.66 | 42.6 | 39 | 3.9 | 3.6 | 217 | 1.24 | 0.7 | 1.9 | 0.4 | 13.5 | 91.7 |
| 2023183 | Drill Core | 3.53 | 427 | <0.005 | <0.01 | <0.17 | 38.44 | 0.38 | 5.16 | 26.15 | 47.6 | 51 | 3.5 | 3.7 | 180 | 1.48 | 0.7 | 2.0 | <0.2 | 12.4 | 102.9 |
| 2023184 | Drill Core | 3.32 | 399 | 0.103 | 0.13 | 0.43 | 37.33 | 0.39 | 6.92 | 23.85 | 40.7 | 108 | 3.2 | 3.4 | 184 | 1.29 | 0.5 | 1.7 | 140.4 | 12.6 | 107.2 |
| 2023185 | Drill Core | 3.08 | 448 | 0.006 | <0.01 | <0.17 | 29.15 | 0.36 | 4.58 | 25.26 | 43.5 | 57 | 3.1 | 3.4 | 183 | 1.41 | 0.5 | 1.6 | <0.2 | 11.6 | 118.2 |
| 2023186 | Drill Core | 3.17 | 481 | 0.028 | 0.04 | 0.25 | 28.41 | 0.51 | 7.22 | 21.22 | 47.9 | 84 | 3.1 | 3.6 | 173 | 1.46 | 1.3 | 1.6 | 22.8 | 11.4 | 126.5 |
| 2023187 | Drill Core | 3.20 | 458 | 0.008 | <0.01 | <0.17 | 40.49 | 0.62 | 4.46 | 18.76 | 44.3 | 56 | 3.3 | 3.8 | 215 | 1.35 | 1.3 | 1.2 | <0.2 | 12.7 | 123.5 |
| 2023188 | Drill Core | 2.85 | 455 | 0.022 | 0.03 | <0.17 | 35.69 | 0.42 | 18.89 | 9.63 | 28.2 | 123 | 4.8 | 4.2 | 204 | 1.25 | 7.7 | 1.6 | 10.6 | 11.1 | 146.8 |
| 2023189 | Drill Core | 3.35 | 397 | 0.006 | <0.01 | <0.17 | 34.42 | 0.47 | 11.76 | 2.72 | 22.8 | 47 | 4.0 | 9.2 | 166 | 1.20 | 20.3 | 2.4 | <0.2 | 11.2 | 78.4 |
| 2023190 | Drill Core | 3.07 | 438 | 0.005 | <0.01 | <0.17 | 36.31 | 0.57 | 11.87 | 10.60 | 26.5 | 32 | 3.6 | 3.9 | 125 | 1.05 | 39.3 | 2.4 | 0.6 | 13.6 | 53.5 |
| 2023191 | Drill Core | 3.34 | 449 | 0.007 | <0.01 | <0.17 | 33.73 | 0.95 | 7.40 | 14.48 | 22.9 | 67 | 3.5 | 4.1 | 177 | 1.09 | 18.7 | 2.4 | 0.7 | 14.1 | 607.0 |
| 2023192 | Drill Core | 3.41 | 457 | 0.005 | <0.01 | <0.17 | 39.44 | 1.07 | 20.85 | 18.39 | 11.8 | 135 | 3.7 | 4.0 | 108 | 0.65 | 14.8 | 2.6 | <0.2 | 14.2 | 94.1 |
| 2023193 | Drill Core | 3.05 | 412 | 0.005 | <0.01 | <0.17 | 33.47 | 0.41 | 14.71 | 6.20 | 6.9 | 40 | 5.0 | 6.5 | 89 | 0.51 | 8.9 | 1.4 | <0.2 | 8.3 | 70.7 |
| 2023194 | Drill Core | 3.31 | 441 | 0.006 | <0.01 | <0.17 | 29.84 | 0.53 | 14.43 | 18.46 | 14.0 | 96 | 4.7 | 3.8 | 103 | 0.63 | 5.9 | 2.5 | <0.2 | 12.3 | 76.1 |



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000316.1

| | Method | Analyte | Unit | MDL | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | | | |
|---------|------------|---------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|-----|
| | | | | | Cd | Sb | Bi | V | Ca | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Sc | Tl | S | Hg |
| | | | | | ppm | ppm | ppm | ppm | % | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | % | ppb |
| | | | | | 0.01 | 0.02 | 0.02 | 1 | 0.01 | 0.001 | 0.5 | 0.5 | 0.01 | 0.5 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 0.02 | 0.02 | 5 |
| 2023165 | Drill Core | 0.30 | 0.79 | 0.17 | 3 | 0.26 | 0.036 | 43.0 | 3.8 | 0.18 | 248.9 | 0.006 | 2 | 0.43 | 0.026 | 0.29 | <0.1 | 1.6 | 0.09 | 0.08 | 19 | | | |
| 2023166 | Drill Core | 0.16 | 0.16 | 0.22 | 4 | 0.75 | 0.033 | 39.2 | 4.2 | 0.33 | 451.9 | 0.026 | 2 | 0.54 | 0.035 | 0.31 | <0.1 | 2.4 | 0.08 | 0.06 | 9 | | | |
| 2023167 | Drill Core | 0.10 | 0.16 | 0.09 | 8 | 0.70 | 0.030 | 41.2 | 6.0 | 0.34 | 488.1 | 0.066 | <1 | 0.51 | 0.055 | 0.32 | <0.1 | 2.2 | 0.13 | 0.06 | <5 | | | |
| 2023168 | Drill Core | 0.21 | 0.49 | 0.20 | 16 | 1.44 | 0.015 | 24.8 | 6.6 | 0.75 | 225.4 | 0.040 | 1 | 0.65 | 0.069 | 0.22 | <0.1 | 2.4 | 0.11 | 0.50 | 6 | | | |
| 2023169 | Drill Core | 0.15 | 0.16 | 0.13 | 7 | 0.96 | 0.033 | 50.5 | 6.2 | 0.35 | 420.8 | 0.026 | 1 | 0.60 | 0.043 | 0.35 | <0.1 | 2.6 | 0.13 | 0.08 | 7 | | | |
| 2023170 | Drill Core | 0.18 | 0.09 | 0.24 | 4 | 0.69 | 0.035 | 45.8 | 4.0 | 0.31 | 492.0 | 0.017 | <1 | 0.57 | 0.029 | 0.43 | <0.1 | 1.8 | 0.13 | 0.05 | <5 | | | |
| 2023171 | Drill Core | 0.22 | 0.09 | 0.15 | 5 | 0.92 | 0.033 | 44.3 | 4.6 | 0.32 | 353.5 | 0.029 | 1 | 0.55 | 0.036 | 0.43 | <0.1 | 2.4 | 0.15 | 0.04 | <5 | | | |
| 2023172 | Drill Core | 0.16 | 0.14 | 0.17 | 4 | 0.62 | 0.031 | 42.9 | 3.7 | 0.30 | 339.1 | 0.040 | <1 | 0.54 | 0.034 | 0.40 | <0.1 | 2.7 | 0.11 | 0.05 | <5 | | | |
| 2023173 | Drill Core | 0.16 | 0.13 | 0.11 | 5 | 0.95 | 0.042 | 32.4 | 3.8 | 0.38 | 259.6 | 0.031 | <1 | 0.60 | 0.023 | 0.43 | <0.1 | 3.5 | 0.13 | 0.11 | <5 | | | |
| 2023174 | Drill Core | 0.14 | 0.13 | 0.14 | 6 | 0.68 | 0.037 | 34.9 | 5.0 | 0.49 | 288.4 | 0.023 | <1 | 0.71 | 0.033 | 0.41 | <0.1 | 2.8 | 0.14 | 0.09 | 5 | | | |
| 2023175 | Drill Core | 0.18 | 0.12 | 0.13 | 17 | 1.39 | 0.034 | 21.5 | 30.5 | 1.14 | 428.9 | 0.045 | <1 | 1.08 | 0.019 | 0.49 | <0.1 | 5.2 | 0.14 | 0.11 | <5 | | | |
| 2023176 | Drill Core | 0.18 | 0.14 | 0.10 | 15 | 1.61 | 0.040 | 21.7 | 27.3 | 0.98 | 295.1 | 0.034 | 1 | 1.06 | 0.024 | 0.48 | <0.1 | 4.7 | 0.13 | 0.07 | <5 | | | |
| 2023177 | Drill Core | 0.16 | 0.15 | <0.02 | 5 | 0.76 | 0.039 | 27.3 | 3.5 | 0.48 | 261.5 | 0.011 | 1 | 0.76 | 0.028 | 0.43 | <0.1 | 2.6 | 0.11 | 0.14 | <5 | | | |
| 2023178 | Drill Core | 0.22 | 0.22 | 0.03 | 5 | 0.74 | 0.038 | 21.9 | 4.1 | 0.51 | 164.3 | 0.005 | <1 | 0.68 | 0.025 | 0.27 | <0.1 | 2.0 | 0.08 | 0.39 | <5 | | | |
| 2023179 | Drill Core | 0.15 | 0.11 | <0.02 | 4 | 0.91 | 0.038 | 20.7 | 3.1 | 0.47 | 222.1 | 0.012 | <1 | 0.63 | 0.024 | 0.39 | <0.1 | 2.3 | 0.12 | 0.11 | <5 | | | |
| 2023180 | Rock | <0.01 | 0.03 | <0.02 | 1 | 0.01 | 0.002 | 1.9 | 3.6 | 0.01 | 10.9 | 0.002 | 1 | 0.06 | 0.004 | 0.02 | <0.1 | 0.2 | <0.02 | <0.02 | 5 | | | |
| 2023181 | Drill Core | 0.15 | 0.12 | 0.06 | 2 | 1.05 | 0.041 | 23.6 | 2.4 | 0.23 | 222.8 | 0.002 | <1 | 0.47 | 0.016 | 0.34 | <0.1 | 1.6 | 0.09 | 0.15 | 5 | | | |
| 2023182 | Drill Core | 0.17 | 0.09 | <0.02 | 4 | 0.93 | 0.038 | 33.5 | 3.5 | 0.60 | 201.7 | 0.011 | <1 | 0.74 | 0.018 | 0.39 | <0.1 | 3.2 | 0.09 | <0.02 | <5 | | | |
| 2023183 | Drill Core | 0.14 | 0.12 | <0.02 | 6 | 0.66 | 0.042 | 31.2 | 4.1 | 0.57 | 210.0 | 0.039 | <1 | 0.75 | 0.024 | 0.46 | <0.1 | 3.3 | 0.19 | <0.02 | 5 | | | |
| 2023184 | Drill Core | 0.16 | 0.09 | 0.05 | 6 | 0.64 | 0.040 | 29.1 | 4.2 | 0.46 | 251.4 | 0.040 | 1 | 0.68 | 0.032 | 0.50 | <0.1 | 3.4 | 0.19 | 0.03 | <5 | | | |
| 2023185 | Drill Core | 0.18 | 0.08 | 0.05 | 7 | 0.63 | 0.038 | 27.4 | 4.5 | 0.51 | 232.7 | 0.055 | <1 | 0.72 | 0.030 | 0.54 | <0.1 | 3.9 | 0.24 | <0.02 | <5 | | | |
| 2023186 | Drill Core | 0.12 | 0.13 | 0.07 | 5 | 0.61 | 0.041 | 26.0 | 3.7 | 0.51 | 205.1 | 0.025 | <1 | 0.71 | 0.028 | 0.39 | <0.1 | 3.1 | 0.17 | 0.04 | 5 | | | |
| 2023187 | Drill Core | 0.12 | 0.12 | 0.02 | 4 | 0.74 | 0.041 | 29.1 | 3.8 | 0.57 | 177.9 | 0.014 | <1 | 0.71 | 0.018 | 0.37 | <0.1 | 3.2 | 0.12 | 0.03 | <5 | | | |
| 2023188 | Drill Core | 0.08 | 0.19 | 0.06 | 7 | 1.18 | 0.036 | 28.8 | 8.7 | 0.56 | 168.6 | 0.021 | <1 | 0.68 | 0.017 | 0.34 | <0.1 | 3.0 | 0.08 | 0.10 | <5 | | | |
| 2023189 | Drill Core | 0.05 | 0.20 | <0.02 | 12 | 0.74 | 0.058 | 31.5 | 17.0 | 0.70 | 163.9 | 0.099 | <1 | 0.75 | 0.013 | 0.50 | 0.2 | 3.6 | 0.18 | 0.05 | <5 | | | |
| 2023190 | Drill Core | 0.08 | 0.14 | 0.02 | 4 | 0.38 | 0.045 | 36.2 | 4.2 | 0.39 | 153.1 | 0.055 | <1 | 0.54 | 0.014 | 0.37 | 0.1 | 2.8 | 0.12 | 0.12 | <5 | | | |
| 2023191 | Drill Core | 0.08 | 0.12 | 0.08 | 6 | 1.29 | 0.043 | 34.7 | 7.4 | 0.57 | 176.8 | 0.060 | <1 | 0.68 | 0.010 | 0.36 | 0.1 | 3.1 | 0.09 | 0.06 | <5 | | | |
| 2023192 | Drill Core | 0.05 | 0.26 | 0.14 | 5 | 0.62 | 0.035 | 32.8 | 8.0 | 0.20 | 193.3 | 0.073 | <1 | 0.41 | 0.026 | 0.32 | 0.1 | 1.8 | 0.10 | 0.09 | <5 | | | |
| 2023193 | Drill Core | 0.04 | 0.16 | 0.04 | 9 | 0.54 | 0.029 | 19.1 | 18.8 | 0.25 | 156.8 | 0.127 | <1 | 0.41 | 0.017 | 0.34 | 0.2 | 1.1 | 0.09 | <0.02 | <5 | | | |
| 2023194 | Drill Core | 0.08 | 0.13 | 0.19 | 6 | 0.48 | 0.039 | 27.1 | 13.4 | 0.26 | 160.7 | 0.077 | <1 | 0.42 | 0.013 | 0.34 | 0.1 | 1.3 | 0.11 | 0.05 | <5 | | | |



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000316.1

| Method Analyte Unit MDL | | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|----------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Se | Te | Ga | Cs | Ge | Hf | Nb | Rb | Sn | Ta | Zr | Y | Ce | In | Re | Be | Li | Pd | Pt |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppb | ppb |
| | | 0.1 | 0.02 | 0.1 | 0.02 | 0.1 | 0.02 | 0.02 | 0.1 | 0.1 | 0.05 | 0.1 | 0.01 | 0.1 | 0.02 | 1 | 0.1 | 0.1 | 10 | 2 |
| 2023165 | Drill Core | <0.1 | <0.02 | 2.2 | 0.60 | <0.1 | 0.37 | 0.06 | 13.7 | 0.4 | <0.05 | 10.4 | 12.37 | 75.4 | <0.02 | <1 | 0.5 | 5.7 | <10 | <2 |
| 2023166 | Drill Core | <0.1 | <0.02 | 2.6 | 0.30 | <0.1 | 0.33 | 0.17 | 13.1 | 0.5 | <0.05 | 9.8 | 10.65 | 67.7 | <0.02 | <1 | 0.6 | 4.6 | <10 | <2 |
| 2023167 | Drill Core | <0.1 | 0.03 | 2.7 | 0.61 | <0.1 | 0.28 | 0.41 | 18.4 | 0.8 | <0.05 | 7.6 | 12.12 | 71.4 | <0.02 | <1 | 0.8 | 4.7 | <10 | <2 |
| 2023168 | Drill Core | <0.1 | 0.02 | 2.6 | 0.82 | 0.1 | 0.20 | 0.19 | 14.0 | 0.9 | <0.05 | 6.1 | 9.78 | 43.3 | 0.02 | 2 | 1.0 | 8.1 | <10 | <2 |
| 2023169 | Drill Core | <0.1 | <0.02 | 3.3 | 0.69 | <0.1 | 0.21 | 0.15 | 19.1 | 0.5 | <0.05 | 5.9 | 16.64 | 88.9 | <0.02 | <1 | 0.8 | 6.3 | <10 | <2 |
| 2023170 | Drill Core | <0.1 | <0.02 | 2.7 | 0.56 | <0.1 | 0.32 | 0.10 | 18.3 | 0.4 | <0.05 | 9.8 | 9.62 | 78.4 | <0.02 | <1 | 0.5 | 5.7 | <10 | <2 |
| 2023171 | Drill Core | 0.2 | <0.02 | 2.8 | 0.74 | <0.1 | 0.30 | 0.17 | 20.8 | 0.6 | <0.05 | 8.3 | 11.96 | 78.2 | 0.02 | <1 | 0.3 | 5.7 | <10 | <2 |
| 2023172 | Drill Core | 0.1 | <0.02 | 2.4 | 0.47 | <0.1 | 0.25 | 0.27 | 15.7 | 0.7 | <0.05 | 7.8 | 11.81 | 72.6 | 0.02 | 2 | 0.3 | 4.8 | 10 | <2 |
| 2023173 | Drill Core | <0.1 | 0.03 | 2.5 | 0.75 | <0.1 | 0.15 | 0.13 | 16.7 | 0.4 | <0.05 | 3.9 | 9.68 | 58.4 | <0.02 | <1 | 0.2 | 6.8 | <10 | <2 |
| 2023174 | Drill Core | <0.1 | <0.02 | 2.9 | 0.79 | <0.1 | 0.20 | 0.08 | 15.2 | 0.5 | <0.05 | 5.6 | 9.67 | 62.7 | <0.02 | 2 | 0.3 | 8.0 | <10 | <2 |
| 2023175 | Drill Core | <0.1 | <0.02 | 3.5 | 1.01 | <0.1 | 0.05 | 0.07 | 17.2 | 0.4 | <0.05 | 1.3 | 7.77 | 39.7 | 0.02 | <1 | 0.4 | 9.7 | <10 | <2 |
| 2023176 | Drill Core | <0.1 | <0.02 | 3.3 | 0.74 | <0.1 | 0.06 | 0.04 | 15.7 | 0.3 | <0.05 | 1.1 | 7.17 | 39.1 | <0.02 | <1 | 0.5 | 9.6 | <10 | <2 |
| 2023177 | Drill Core | <0.1 | <0.02 | 2.7 | 0.49 | <0.1 | 0.06 | 0.06 | 13.9 | 0.3 | <0.05 | 1.9 | 6.79 | 49.9 | <0.02 | <1 | 0.4 | 8.5 | <10 | <2 |
| 2023178 | Drill Core | <0.1 | <0.02 | 2.8 | 0.44 | <0.1 | 0.12 | <0.02 | 9.2 | 0.2 | <0.05 | 4.6 | 6.44 | 40.3 | <0.02 | <1 | 0.3 | 10.6 | <10 | <2 |
| 2023179 | Drill Core | <0.1 | 0.04 | 2.0 | 0.82 | <0.1 | 0.16 | 0.03 | 13.7 | 0.3 | <0.05 | 4.4 | 4.78 | 37.7 | <0.02 | <1 | 0.2 | 6.8 | <10 | <2 |
| 2023180 | Rock | <0.1 | <0.02 | 0.2 | 0.09 | <0.1 | 0.11 | 0.06 | 0.9 | 0.1 | <0.05 | 2.6 | 0.83 | 3.7 | <0.02 | <1 | <0.1 | 1.0 | <10 | <2 |
| 2023181 | Drill Core | <0.1 | 0.20 | 1.5 | 0.88 | <0.1 | 0.06 | <0.02 | 11.0 | 0.4 | <0.05 | 2.0 | 5.35 | 43.0 | <0.02 | 1 | 0.4 | 5.2 | <10 | <2 |
| 2023182 | Drill Core | <0.1 | <0.02 | 2.6 | 0.70 | <0.1 | 0.09 | 0.03 | 13.1 | 0.4 | <0.05 | 2.3 | 6.83 | 61.2 | <0.02 | <1 | 0.1 | 7.9 | <10 | <2 |
| 2023183 | Drill Core | <0.1 | <0.02 | 3.0 | 1.46 | <0.1 | 0.13 | 0.07 | 20.4 | 0.3 | <0.05 | 4.2 | 6.47 | 57.7 | <0.02 | 1 | 0.3 | 8.0 | <10 | <2 |
| 2023184 | Drill Core | <0.1 | 0.02 | 2.8 | 1.25 | <0.1 | 0.19 | 0.05 | 20.8 | 0.3 | <0.05 | 5.9 | 4.47 | 53.6 | <0.02 | <1 | 0.5 | 6.2 | <10 | <2 |
| 2023185 | Drill Core | <0.1 | <0.02 | 3.0 | 1.78 | <0.1 | 0.12 | 0.11 | 24.1 | 0.4 | <0.05 | 4.1 | 7.41 | 51.1 | <0.02 | <1 | 0.5 | 6.6 | <10 | <2 |
| 2023186 | Drill Core | <0.1 | 0.03 | 2.9 | 1.11 | <0.1 | 0.16 | 0.05 | 16.3 | 0.3 | <0.05 | 4.7 | 4.88 | 46.9 | <0.02 | <1 | 0.4 | 7.4 | <10 | <2 |
| 2023187 | Drill Core | <0.1 | <0.02 | 2.5 | 0.64 | <0.1 | 0.23 | 0.02 | 13.4 | 0.2 | <0.05 | 7.5 | 6.18 | 52.5 | <0.02 | <1 | 0.4 | 7.3 | <10 | <2 |
| 2023188 | Drill Core | <0.1 | 0.02 | 2.2 | 0.45 | <0.1 | 0.05 | 0.05 | 10.5 | 0.3 | <0.05 | 1.8 | 8.49 | 52.1 | 0.02 | <1 | 0.3 | 5.6 | <10 | <2 |
| 2023189 | Drill Core | <0.1 | <0.02 | 2.3 | 1.04 | <0.1 | 0.08 | 0.16 | 18.7 | 0.3 | <0.05 | 2.2 | 9.16 | 57.2 | <0.02 | <1 | 0.5 | 6.4 | <10 | <2 |
| 2023190 | Drill Core | <0.1 | <0.02 | 2.1 | 0.88 | <0.1 | 0.13 | 0.28 | 14.4 | 0.3 | <0.05 | 4.1 | 9.36 | 67.0 | <0.02 | <1 | 0.2 | 5.2 | <10 | <2 |
| 2023191 | Drill Core | <0.1 | 0.03 | 2.4 | 0.45 | 0.1 | 0.09 | 0.22 | 10.8 | 0.3 | <0.05 | 3.1 | 10.17 | 63.2 | <0.02 | <1 | 0.2 | 7.6 | <10 | <2 |
| 2023192 | Drill Core | <0.1 | <0.02 | 1.6 | 0.53 | <0.1 | 0.23 | 0.36 | 9.9 | 0.5 | <0.05 | 5.6 | 8.90 | 58.5 | <0.02 | 2 | 0.3 | 3.3 | <10 | <2 |
| 2023193 | Drill Core | <0.1 | <0.02 | 1.3 | 0.43 | <0.1 | 0.13 | 0.24 | 10.2 | 0.4 | <0.05 | 3.6 | 7.69 | 34.2 | <0.02 | <1 | 0.3 | 3.9 | <10 | <2 |
| 2023194 | Drill Core | <0.1 | <0.02 | 1.4 | 0.50 | <0.1 | 0.21 | 0.25 | 11.7 | 0.3 | <0.05 | 4.8 | 7.99 | 49.0 | <0.02 | 1 | 0.2 | 4.9 | 12 | <2 |



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000316.1

| | Method Analyte Unit MDL | WGHT | M150 | FA430 | FS600 | FS600 | FS600 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|---------|----------------------------------|------|-------|--------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
| | | Wgt | TotWt | -Au | TotAu | +Au | +Wt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr |
| | | kg | g | gm/t | gm/t | gm/t | g | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm |
| | | 0.01 | 1 | 0.005 | 0.01 | 0.17 | 0.01 | 0.01 | 0.01 | 0.01 | 0.1 | 2 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | 0.1 | 0.2 | 0.1 | 0.5 |
| 2023195 | Drill Core | 3.20 | 504 | 0.005 | <0.01 | <0.17 | 34.86 | 1.15 | 12.58 | 18.32 | 35.0 | 114 | 14.7 | 6.6 | 120 | 0.95 | 10.8 | 2.7 | <0.2 | 9.6 | 53.0 |
| 2023196 | Drill Core | 2.88 | 440 | 0.006 | <0.01 | <0.17 | 31.41 | 0.22 | 10.67 | 13.64 | 15.0 | 81 | 3.5 | 2.6 | 118 | 0.72 | 1.9 | 2.1 | <0.2 | 12.2 | 93.4 |
| 2023197 | Drill Core | 3.21 | 463 | <0.005 | <0.01 | <0.17 | 32.09 | 0.46 | 10.44 | 12.55 | 14.4 | 116 | 5.5 | 4.9 | 115 | 0.70 | 4.5 | 2.1 | <0.2 | 10.4 | 69.6 |
| 2023198 | Drill Core | 3.24 | 462 | 0.005 | <0.01 | <0.17 | 33.75 | 0.63 | 11.93 | 25.15 | 32.8 | 140 | 14.9 | 7.3 | 195 | 1.23 | 4.7 | 2.4 | <0.2 | 11.4 | 144.4 |
| 2023199 | Drill Core | 3.24 | 366 | 0.006 | <0.01 | <0.17 | 27.05 | 0.41 | 12.01 | 17.90 | 35.7 | 154 | 17.1 | 7.7 | 245 | 1.38 | 4.1 | 2.0 | <0.2 | 9.4 | 113.3 |
| 2023200 | Rock Pulp | 0.13 | 73 | 7.206 | | | | 9.62 | 200.10 | 20.23 | 78.2 | 841 | 13.9 | 11.7 | 559 | 4.64 | 13.2 | 0.9 | 7561.4 | 3.0 | 61.5 |
| 2023201 | Drill Core | 3.33 | 510 | 0.005 | <0.01 | <0.17 | 32.58 | 1.09 | 18.81 | 8.57 | 47.3 | 96 | 16.5 | 10.4 | 208 | 1.01 | 10.1 | 2.6 | 1.1 | 9.5 | 91.1 |
| 2023202 | Drill Core | 2.93 | 503 | 0.009 | <0.01 | <0.17 | 27.20 | 0.64 | 7.95 | 37.97 | 40.1 | 232 | 3.1 | 3.4 | 216 | 0.92 | 5.6 | 3.6 | 5.7 | 15.7 | 108.5 |
| 2023203 | Drill Core | 2.83 | 476 | 0.011 | 0.01 | <0.17 | 34.19 | 2.34 | 7.57 | 27.86 | 48.6 | 222 | 6.6 | 5.3 | 383 | 1.13 | 11.7 | 3.7 | 4.7 | 14.6 | 152.2 |
| 2023204 | Drill Core | 3.29 | 478 | 0.166 | 0.16 | <0.17 | 27.50 | 1.81 | 4.69 | 25.46 | 14.5 | 197 | 1.9 | 3.0 | 164 | 0.72 | 10.2 | 2.4 | 81.4 | 13.3 | 73.8 |
| 2023205 | Drill Core | 3.24 | 556 | 0.011 | 0.01 | <0.17 | 33.51 | 0.75 | 6.39 | 23.58 | 26.4 | 144 | 2.4 | 2.6 | 171 | 0.89 | 9.7 | 1.8 | 5.2 | 15.0 | 67.8 |
| 2023206 | Drill Core | 3.14 | 468 | 0.017 | 0.02 | <0.17 | 27.29 | 0.36 | 5.43 | 16.36 | 45.2 | 145 | 3.9 | 3.8 | 190 | 1.60 | 18.1 | 1.3 | 9.5 | 14.2 | 67.0 |
| 2023207 | Drill Core | 3.27 | 435 | 0.074 | 0.07 | <0.17 | 28.70 | 0.30 | 5.87 | 18.19 | 41.1 | 243 | 18.5 | 8.1 | 400 | 2.08 | 46.5 | 3.2 | 53.3 | 10.0 | 107.3 |
| 2023208 | Drill Core | 3.28 | 449 | 0.035 | 0.03 | <0.17 | 30.24 | 0.64 | 11.15 | 13.82 | 43.1 | 226 | 3.8 | 3.3 | 247 | 1.47 | 27.2 | 1.4 | 21.5 | 11.7 | 52.4 |
| 2023209 | Drill Core | 3.56 | 351 | 0.038 | 0.04 | <0.17 | 28.63 | 0.54 | 13.97 | 11.92 | 37.1 | 379 | 4.1 | 3.5 | 218 | 1.71 | 61.7 | 2.0 | 30.7 | 16.7 | 45.1 |
| 2023210 | Drill Core | 3.23 | 424 | 0.120 | 0.11 | <0.17 | 35.08 | 2.57 | 3.77 | 9.38 | 29.1 | 625 | 4.1 | 4.0 | 260 | 1.97 | 146.6 | 2.2 | 113.0 | 15.1 | 76.9 |
| 2023211 | Drill Core | 1.63 | 353 | 0.201 | 0.26 | 0.78 | 34.74 | 1.23 | 6.04 | 8.41 | 30.6 | 532 | 3.5 | 3.6 | 265 | 1.69 | 148.3 | 3.3 | 201.1 | 14.3 | 120.6 |
| 2023212 | Drill Core | 3.61 | 355 | 0.071 | 0.07 | <0.17 | 25.87 | 0.96 | 5.27 | 14.64 | 27.0 | 223 | 3.5 | 3.6 | 157 | 1.50 | 77.4 | 3.2 | 59.8 | 14.1 | 34.2 |
| 2023213 | Drill Core | 3.17 | 491 | 0.009 | <0.01 | <0.17 | 33.73 | 0.99 | 10.05 | 65.64 | 34.2 | 346 | 5.7 | 3.8 | 296 | 1.37 | 3.5 | 1.4 | 1.1 | 14.2 | 86.5 |
| 2023214 | Drill Core | 3.34 | 459 | 0.005 | <0.01 | <0.17 | 41.92 | 0.69 | 8.53 | 14.96 | 25.4 | 103 | 5.5 | 4.4 | 178 | 1.12 | 5.9 | 3.3 | <0.2 | 15.7 | 57.3 |
| 2023215 | Drill Core | 3.41 | 504 | 0.006 | <0.01 | <0.17 | 41.95 | 0.97 | 6.61 | 13.53 | 24.0 | 82 | 3.0 | 2.4 | 185 | 1.05 | 3.9 | 2.9 | <0.2 | 15.7 | 69.8 |
| 2023216 | Drill Core | 3.38 | 440 | 0.009 | <0.01 | <0.17 | 31.05 | 0.41 | 6.45 | 18.07 | 35.1 | 87 | 4.5 | 3.7 | 209 | 1.53 | 6.9 | 2.1 | 1.2 | 16.0 | 83.0 |
| 2023217 | Drill Core | 3.63 | 361 | 0.005 | <0.01 | <0.17 | 40.29 | 0.37 | 35.69 | 8.61 | 32.7 | 140 | 15.8 | 8.9 | 144 | 1.30 | 12.1 | 1.9 | 0.5 | 11.8 | 55.2 |
| 2023218 | Drill Core | 3.72 | 358 | 0.007 | <0.01 | <0.17 | 40.68 | 0.35 | 17.05 | 29.81 | 64.1 | 151 | 18.8 | 9.8 | 264 | 1.59 | 10.9 | 2.2 | 0.2 | 13.1 | 119.0 |
| 2023219 | Drill Core | 3.05 | 449 | 0.005 | <0.01 | <0.17 | 31.92 | 0.72 | 34.76 | 50.19 | 17.0 | 215 | 18.2 | 12.1 | 122 | 1.00 | 16.1 | 0.7 | <0.2 | 6.2 | 75.8 |
| 2023220 | Rock Pulp | 0.12 | 81 | 0.409 | | | | 2.34 | 437.97 | 17.78 | 43.0 | 265 | 629.1 | 24.7 | 427 | 2.54 | 18.0 | 0.6 | 512.5 | 3.0 | 54.9 |
| 2023221 | Drill Core | 3.31 | 490 | 0.007 | <0.01 | <0.17 | 33.23 | 1.01 | 16.30 | 7.27 | 32.1 | 161 | 25.2 | 12.2 | 207 | 1.53 | 13.7 | 2.6 | 1.5 | 9.3 | 81.5 |
| 2023222 | Drill Core | 3.01 | 444 | 0.095 | 0.13 | 0.77 | 26.05 | 0.44 | 6.98 | 21.83 | 47.5 | 99 | 3.8 | 3.6 | 174 | 1.68 | 2.2 | 2.7 | 59.8 | 14.5 | 71.0 |
| 2023223 | Drill Core | 3.19 | 465 | 0.008 | <0.01 | <0.17 | 37.86 | 0.44 | 6.63 | 16.35 | 56.3 | 73 | 3.3 | 3.7 | 168 | 1.59 | 0.4 | 2.8 | 0.7 | 15.7 | 70.7 |
| 2023224 | Drill Core | 3.13 | 436 | 0.005 | <0.01 | <0.17 | 25.74 | 0.50 | 1.88 | 17.19 | 45.3 | 39 | 4.5 | 3.6 | 196 | 1.55 | 1.2 | 2.7 | <0.2 | 18.0 | 70.5 |



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000316.1

| Method | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|---------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Cd | Sb | Bi | V | Ca | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Sc | Ti | S | Hg |
| Unit | ppm | ppm | ppm | ppm | % | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | % | ppb |
| MDL | 0.01 | 0.02 | 0.02 | 1 | 0.01 | 0.001 | 0.5 | 0.5 | 0.01 | 0.5 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 0.02 | 0.02 | 5 |
| 2023195 | Drill Core | 0.10 | 0.18 | 0.19 | 10 | 0.41 | 0.043 | 22.9 | 23.0 | 0.45 | 144.6 | 0.109 | <1 | 0.57 | 0.016 | 0.36 | 0.1 | 1.4 | 0.17 | <5 |
| 2023196 | Drill Core | 0.05 | 0.15 | 0.12 | 6 | 0.50 | 0.032 | 26.8 | 9.5 | 0.24 | 184.9 | 0.080 | <1 | 0.43 | 0.034 | 0.29 | 0.1 | 1.7 | 0.08 | <5 |
| 2023197 | Drill Core | 0.08 | 0.17 | 0.10 | 7 | 0.47 | 0.043 | 25.9 | 13.2 | 0.32 | 178.3 | 0.090 | <1 | 0.44 | 0.018 | 0.32 | 0.1 | 1.4 | 0.09 | <5 |
| 2023198 | Drill Core | 0.18 | 0.18 | 0.20 | 14 | 0.99 | 0.072 | 31.9 | 24.1 | 0.63 | 170.8 | 0.068 | <1 | 0.72 | 0.022 | 0.41 | <0.1 | 3.0 | 0.17 | <5 |
| 2023199 | Drill Core | 0.22 | 0.23 | 0.19 | 16 | 1.10 | 0.051 | 24.5 | 29.5 | 0.82 | 158.4 | 0.068 | <1 | 0.78 | 0.017 | 0.44 | <0.1 | 2.7 | 0.17 | <5 |
| 2023200 | Rock Pulp | 0.19 | 4.95 | 0.55 | 109 | 0.84 | 0.060 | 7.9 | 19.0 | 0.84 | 118.4 | 0.119 | 2 | 1.65 | 0.158 | 0.22 | 3.8 | 3.2 | 0.06 | 209 |
| 2023201 | Drill Core | 0.48 | 0.31 | 0.12 | 13 | 1.06 | 0.068 | 24.7 | 26.8 | 0.59 | 159.2 | 0.063 | <1 | 0.62 | 0.009 | 0.42 | <0.1 | 2.1 | 0.17 | <5 |
| 2023202 | Drill Core | 0.36 | 0.30 | 0.34 | 5 | 1.10 | 0.040 | 34.5 | 3.8 | 0.23 | 221.6 | 0.005 | <1 | 0.49 | 0.028 | 0.29 | <0.1 | 1.7 | 0.10 | 8 |
| 2023203 | Drill Core | 0.50 | 0.37 | 0.28 | 4 | 1.83 | 0.043 | 27.4 | 9.8 | 0.61 | 199.7 | 0.002 | <1 | 0.71 | 0.015 | 0.30 | <0.1 | 1.7 | 0.09 | 5 |
| 2023204 | Drill Core | 0.14 | 0.36 | 0.04 | 3 | 0.88 | 0.041 | 28.7 | 2.6 | 0.13 | 191.7 | 0.002 | <1 | 0.36 | 0.034 | 0.24 | <0.1 | 0.9 | 0.07 | 7 |
| 2023205 | Drill Core | 0.16 | 0.32 | 0.09 | 3 | 0.72 | 0.039 | 31.0 | 3.0 | 0.32 | 207.7 | 0.002 | <1 | 0.55 | 0.024 | 0.30 | 0.1 | 1.7 | 0.06 | <5 |
| 2023206 | Drill Core | 0.16 | 0.37 | 0.04 | 10 | 0.63 | 0.036 | 34.7 | 6.7 | 0.48 | 113.5 | 0.006 | <1 | 0.70 | 0.039 | 0.19 | <0.1 | 2.9 | 0.04 | 9 |
| 2023207 | Drill Core | 0.19 | 1.07 | 0.04 | 29 | 1.70 | 0.037 | 17.2 | 41.4 | 0.75 | 129.9 | 0.024 | <1 | 0.84 | 0.035 | 0.32 | <0.1 | 4.4 | 0.13 | 10 |
| 2023208 | Drill Core | 0.21 | 0.42 | 0.04 | 11 | 0.50 | 0.041 | 29.8 | 5.7 | 0.45 | 113.9 | 0.006 | 2 | 0.65 | 0.027 | 0.21 | <0.1 | 2.3 | 0.07 | <5 |
| 2023209 | Drill Core | 0.29 | 1.63 | <0.02 | 12 | 0.49 | 0.042 | 29.1 | 5.9 | 0.35 | 131.1 | 0.003 | 1 | 0.57 | 0.033 | 0.23 | <0.1 | 2.6 | 0.07 | 11 |
| 2023210 | Drill Core | 0.13 | 3.25 | 0.03 | 11 | 1.22 | 0.040 | 17.4 | 5.4 | 0.34 | 90.9 | 0.002 | <1 | 0.50 | 0.027 | 0.17 | <0.1 | 2.2 | 0.09 | 9 |
| 2023211 | Drill Core | 0.11 | 1.28 | <0.02 | 9 | 1.52 | 0.039 | 19.9 | 4.2 | 0.30 | 119.4 | 0.002 | 1 | 0.52 | 0.027 | 0.19 | <0.1 | 1.6 | 0.07 | <5 |
| 2023212 | Drill Core | 0.10 | 0.74 | <0.02 | 8 | 0.35 | 0.037 | 24.7 | 3.9 | 0.39 | 145.7 | 0.002 | <1 | 0.66 | 0.025 | 0.25 | <0.1 | 1.8 | 0.07 | 11 |
| 2023213 | Drill Core | 0.27 | 0.13 | 0.55 | 8 | 1.02 | 0.038 | 34.6 | 6.5 | 0.73 | 165.5 | 0.003 | 2 | 0.80 | 0.010 | 0.33 | <0.1 | 3.1 | 0.09 | <5 |
| 2023214 | Drill Core | 0.14 | 0.11 | 0.11 | 8 | 0.73 | 0.035 | 31.7 | 10.9 | 0.73 | 160.1 | 0.047 | 1 | 0.74 | 0.006 | 0.45 | <0.1 | 2.1 | 0.15 | <5 |
| 2023215 | Drill Core | 0.09 | 0.07 | 0.07 | 6 | 0.71 | 0.038 | 37.0 | 3.0 | 0.58 | 168.4 | 0.006 | <1 | 0.69 | 0.009 | 0.36 | <0.1 | 2.9 | 0.09 | <5 |
| 2023216 | Drill Core | 0.17 | 0.09 | <0.02 | 12 | 0.83 | 0.036 | 34.2 | 5.5 | 0.62 | 130.6 | 0.012 | 1 | 0.78 | 0.031 | 0.28 | <0.1 | 3.1 | 0.10 | <5 |
| 2023217 | Drill Core | 0.09 | 0.17 | <0.02 | 15 | 0.44 | 0.053 | 23.6 | 23.9 | 0.58 | 139.7 | 0.105 | <1 | 0.72 | 0.016 | 0.50 | <0.1 | 2.4 | 0.25 | <5 |
| 2023218 | Drill Core | 0.32 | 0.15 | 0.08 | 20 | 0.84 | 0.057 | 27.5 | 27.6 | 0.92 | 139.4 | 0.029 | <1 | 0.86 | 0.014 | 0.33 | <0.1 | 3.9 | 0.13 | <5 |
| 2023219 | Drill Core | 0.12 | 0.13 | 0.11 | 16 | 0.66 | 0.105 | 14.2 | 22.7 | 0.56 | 117.9 | 0.099 | 1 | 0.61 | 0.010 | 0.49 | <0.1 | 1.6 | 0.22 | <5 |
| 2023220 | Rock Pulp | 0.17 | 0.29 | 0.28 | 57 | 1.34 | 0.031 | 3.7 | 89.6 | 1.72 | 73.1 | 0.066 | 4 | 1.96 | 0.187 | 0.13 | 1.2 | 2.9 | 0.08 | 26 |
| 2023221 | Drill Core | 0.08 | 0.19 | <0.02 | 18 | 0.72 | 0.054 | 23.0 | 29.9 | 0.86 | 109.9 | 0.076 | <1 | 0.85 | 0.014 | 0.55 | <0.1 | 2.4 | 0.32 | <5 |
| 2023222 | Drill Core | 0.14 | 0.20 | <0.02 | 14 | 0.59 | 0.034 | 34.4 | 6.3 | 0.43 | 115.7 | 0.020 | <1 | 0.71 | 0.036 | 0.30 | <0.1 | 4.1 | 0.14 | <5 |
| 2023223 | Drill Core | 0.22 | 0.13 | <0.02 | 15 | 0.50 | 0.037 | 39.7 | 5.2 | 0.44 | 102.6 | 0.034 | <1 | 0.70 | 0.033 | 0.46 | <0.1 | 4.9 | 0.26 | <5 |
| 2023224 | Drill Core | 0.13 | 0.10 | <0.02 | 11 | 0.50 | 0.042 | 41.2 | 6.6 | 0.49 | 144.8 | 0.027 | <1 | 0.75 | 0.031 | 0.46 | <0.1 | 4.6 | 0.22 | <5 |



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 5 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000316.1

| Method Analyte Unit MDL | | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|----------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Se | Te | Ga | Cs | Ge | Hf | Nb | Rb | Sn | Ta | Zr | Y | Ce | In | Re | Be | Li | Pd | Pt |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppb | ppb |
| | | 0.1 | 0.02 | 0.1 | 0.02 | 0.1 | 0.02 | 0.02 | 0.1 | 0.1 | 0.05 | 0.1 | 0.01 | 0.1 | 0.02 | 1 | 0.1 | 0.1 | 10 | 2 |
| 2023195 | Drill Core | <0.1 | <0.02 | 1.9 | 1.07 | <0.1 | 0.10 | 0.16 | 14.8 | 0.4 | <0.05 | 3.3 | 9.44 | 40.6 | <0.02 | <1 | 0.2 | 7.2 | <10 | <2 |
| 2023196 | Drill Core | <0.1 | <0.02 | 1.9 | 0.36 | <0.1 | 0.13 | 0.38 | 9.7 | 0.5 | <0.05 | 3.1 | 9.34 | 48.1 | <0.02 | <1 | 0.1 | 3.4 | <10 | <2 |
| 2023197 | Drill Core | <0.1 | 0.04 | 1.5 | 0.38 | <0.1 | 0.11 | 0.28 | 11.2 | 0.4 | <0.05 | 2.9 | 8.37 | 45.5 | <0.02 | 3 | 0.4 | 4.7 | <10 | <2 |
| 2023198 | Drill Core | <0.1 | <0.02 | 2.7 | 0.89 | <0.1 | 0.14 | 0.11 | 18.1 | 0.5 | <0.05 | 4.7 | 12.96 | 58.7 | <0.02 | <1 | 0.5 | 7.4 | <10 | <2 |
| 2023199 | Drill Core | 0.3 | <0.02 | 2.3 | 1.15 | <0.1 | 0.13 | 0.06 | 19.7 | 0.4 | <0.05 | 3.9 | 11.66 | 45.9 | <0.02 | 1 | <0.1 | 8.6 | <10 | <2 |
| 2023200 | Rock Pulp | 0.1 | 0.18 | 4.7 | 0.65 | <0.1 | 0.08 | 0.09 | 7.6 | 1.7 | <0.05 | 1.5 | 4.98 | 15.4 | 0.04 | <1 | 0.1 | 6.7 | <10 | 2 |
| 2023201 | Drill Core | <0.1 | <0.02 | 1.7 | 1.54 | <0.1 | 0.12 | 0.09 | 19.1 | 0.3 | <0.05 | 3.6 | 14.42 | 50.1 | <0.02 | <1 | 0.2 | 6.8 | <10 | <2 |
| 2023202 | Drill Core | <0.1 | <0.02 | 2.4 | 0.45 | <0.1 | 0.04 | 0.06 | 12.3 | 0.7 | <0.05 | 1.6 | 13.05 | 60.9 | 0.03 | <1 | 0.4 | 6.7 | <10 | <2 |
| 2023203 | Drill Core | <0.1 | <0.02 | 2.3 | 0.27 | <0.1 | 0.04 | <0.02 | 10.1 | 0.3 | <0.05 | 1.0 | 10.44 | 52.0 | <0.02 | 1 | 0.3 | 12.5 | <10 | <2 |
| 2023204 | Drill Core | <0.1 | 0.04 | 1.3 | 0.24 | <0.1 | 0.05 | <0.02 | 7.9 | 0.2 | <0.05 | 1.3 | 7.94 | 49.9 | <0.02 | <1 | 0.2 | 3.2 | <10 | <2 |
| 2023205 | Drill Core | <0.1 | <0.02 | 1.8 | 0.36 | <0.1 | 0.16 | <0.02 | 10.6 | 0.3 | <0.05 | 5.5 | 9.50 | 55.4 | <0.02 | <1 | 0.2 | 8.2 | <10 | <2 |
| 2023206 | Drill Core | <0.1 | <0.02 | 4.1 | 0.26 | <0.1 | 0.15 | 0.02 | 7.0 | 0.3 | <0.05 | 5.0 | 12.44 | 63.8 | <0.02 | <1 | 0.1 | 11.2 | <10 | <2 |
| 2023207 | Drill Core | <0.1 | 0.05 | 3.8 | 0.75 | <0.1 | 0.21 | <0.02 | 17.9 | 0.4 | <0.05 | 6.2 | 10.20 | 31.6 | 0.03 | 3 | 0.8 | 12.9 | <10 | <2 |
| 2023208 | Drill Core | <0.1 | <0.02 | 4.0 | 0.29 | <0.1 | 0.16 | 0.04 | 9.0 | 0.6 | <0.05 | 2.7 | 9.19 | 58.2 | <0.02 | <1 | 0.3 | 11.9 | <10 | <2 |
| 2023209 | Drill Core | <0.1 | <0.02 | 3.2 | 0.30 | <0.1 | 0.20 | 0.04 | 9.3 | 0.5 | <0.05 | 4.0 | 9.39 | 59.1 | <0.02 | <1 | 0.3 | 9.3 | <10 | <2 |
| 2023210 | Drill Core | 0.1 | 0.04 | 2.8 | 0.59 | <0.1 | 0.15 | 0.03 | 6.5 | 0.4 | <0.05 | 3.9 | 7.86 | 35.8 | <0.02 | 3 | 0.3 | 10.1 | <10 | <2 |
| 2023211 | Drill Core | <0.1 | 0.10 | 2.2 | 0.81 | <0.1 | 0.15 | 0.02 | 7.3 | 0.2 | <0.05 | 4.9 | 9.59 | 40.4 | <0.02 | <1 | 0.4 | 10.2 | <10 | <2 |
| 2023212 | Drill Core | <0.1 | <0.02 | 2.6 | 1.10 | <0.1 | 0.12 | 0.02 | 9.6 | 0.4 | <0.05 | 3.5 | 7.77 | 49.0 | <0.02 | <1 | 0.3 | 12.6 | <10 | <2 |
| 2023213 | Drill Core | <0.1 | <0.02 | 2.2 | 0.88 | <0.1 | 0.05 | <0.02 | 11.8 | 0.5 | <0.05 | 1.3 | 12.06 | 68.9 | <0.02 | <1 | 0.2 | 10.3 | <10 | <2 |
| 2023214 | Drill Core | <0.1 | <0.02 | 1.8 | 0.81 | <0.1 | 0.04 | 0.11 | 18.5 | 0.4 | <0.05 | 0.9 | 11.80 | 68.0 | <0.02 | <1 | 0.2 | 7.1 | <10 | <2 |
| 2023215 | Drill Core | <0.1 | <0.02 | 1.7 | 0.42 | <0.1 | 0.08 | 0.05 | 12.0 | 0.3 | <0.05 | 1.4 | 12.34 | 72.9 | <0.02 | <1 | 0.3 | 8.4 | <10 | <2 |
| 2023216 | Drill Core | <0.1 | <0.02 | 3.6 | 0.56 | <0.1 | 0.11 | <0.02 | 12.3 | 0.3 | <0.05 | 2.2 | 13.07 | 69.2 | <0.02 | 2 | 0.3 | 10.8 | <10 | <2 |
| 2023217 | Drill Core | <0.1 | <0.02 | 2.9 | 1.39 | <0.1 | 0.11 | 0.08 | 28.4 | 0.3 | <0.05 | 2.3 | 11.23 | 49.4 | <0.02 | <1 | 0.3 | 7.7 | <10 | <2 |
| 2023218 | Drill Core | <0.1 | <0.02 | 3.3 | 0.83 | <0.1 | 0.16 | <0.02 | 14.0 | 0.5 | <0.05 | 3.9 | 10.82 | 52.0 | <0.02 | <1 | 0.2 | 11.8 | <10 | <2 |
| 2023219 | Drill Core | <0.1 | <0.02 | 1.4 | 1.24 | <0.1 | 0.06 | 0.05 | 23.7 | 0.2 | <0.05 | 1.7 | 7.28 | 30.3 | <0.02 | 1 | 0.1 | 4.3 | <10 | <2 |
| 2023220 | Rock Pulp | 0.4 | 0.20 | 3.8 | 0.57 | <0.1 | 0.05 | <0.02 | 5.5 | 0.4 | <0.05 | 0.7 | 3.30 | 8.2 | <0.02 | <1 | <0.1 | 7.9 | 274 | 103 |
| 2023221 | Drill Core | <0.1 | <0.02 | 2.5 | 2.21 | <0.1 | 0.13 | 0.02 | 32.7 | 0.2 | <0.05 | 2.4 | 11.61 | 45.5 | <0.02 | 3 | 0.4 | 10.4 | <10 | <2 |
| 2023222 | Drill Core | <0.1 | <0.02 | 4.3 | 1.09 | <0.1 | 0.16 | 0.03 | 16.8 | 0.3 | <0.05 | 3.6 | 10.56 | 66.4 | 0.02 | <1 | 0.4 | 8.0 | <10 | <2 |
| 2023223 | Drill Core | <0.1 | <0.02 | 4.0 | 2.04 | <0.1 | 0.17 | 0.05 | 29.8 | 0.4 | <0.05 | 4.0 | 12.71 | 71.7 | <0.02 | <1 | 0.8 | 6.1 | <10 | <2 |
| 2023224 | Drill Core | <0.1 | <0.02 | 4.0 | 1.50 | <0.1 | 0.12 | 0.04 | 28.7 | 0.3 | <0.05 | 3.3 | 11.67 | 79.3 | 0.02 | <1 | 0.4 | 8.7 | <10 | <2 |



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000316.1

| | Method | WGHT | M150 | FA430 | FS600 | FS600 | FS600 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|---------|------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Analyte | Wgt | TotWt | -Au | TotAu | +Au | +Wt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr |
| | Unit | kg | g | gm/t | gm/t | gm/t | g | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm |
| | MDL | 0.01 | 1 | 0.005 | 0.01 | 0.17 | 0.01 | 0.01 | 0.01 | 0.01 | 0.1 | 2 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | 0.1 | 0.2 | 0.1 | 0.5 |
| 2023225 | Drill Core | 3.09 | 447 | 0.007 | <0.01 | <0.17 | 31.97 | 0.35 | 5.69 | 17.85 | 35.7 | 84 | 5.3 | 3.6 | 182 | 1.50 | 4.3 | 2.6 | 0.7 | 17.0 | 95.6 |
| 2023226 | Drill Core | 3.29 | 454 | 0.006 | <0.01 | <0.17 | 28.47 | 0.60 | 2.02 | 9.34 | 34.5 | 28 | 11.7 | 6.8 | 281 | 1.61 | 0.8 | 1.9 | <0.2 | 15.5 | 117.5 |
| 2023227 | Drill Core | 3.38 | 430 | 0.211 | 0.27 | 1.01 | 32.56 | 0.52 | 7.24 | 12.11 | 33.6 | 142 | 4.3 | 3.9 | 217 | 1.41 | 1.1 | 2.2 | 151.8 | 14.4 | 103.2 |
| 2023228 | Drill Core | 3.28 | 431 | 0.007 | <0.01 | <0.17 | 34.52 | 0.39 | 6.54 | 13.42 | 37.6 | 36 | 3.2 | 3.1 | 161 | 1.42 | 0.4 | 2.4 | 1.8 | 15.0 | 65.3 |
| 2023229 | Drill Core | 3.09 | 465 | 0.015 | 0.01 | <0.17 | 30.47 | 0.36 | 5.69 | 11.64 | 38.2 | 97 | 3.4 | 3.1 | 220 | 1.50 | 7.6 | 2.8 | 6.8 | 14.6 | 62.3 |
| 2023230 | Drill Core | 3.42 | 419 | 0.013 | 0.01 | <0.17 | 27.10 | 0.41 | 9.17 | 21.23 | 37.9 | 177 | 10.4 | 6.7 | 440 | 1.83 | 8.1 | 2.0 | 4.9 | 14.2 | 155.8 |
| 2023231 | Drill Core | 3.42 | 451 | 0.009 | <0.01 | <0.17 | 27.53 | 0.36 | 3.07 | 11.87 | 33.4 | 106 | 3.2 | 3.6 | 230 | 1.39 | 4.1 | 2.1 | <0.2 | 14.1 | 77.5 |
| 2023232 | Drill Core | 2.82 | 546 | 0.010 | <0.01 | <0.17 | 32.82 | 0.34 | 8.90 | 18.74 | 36.0 | 147 | 2.8 | 3.5 | 257 | 1.40 | 3.9 | 2.2 | 1.2 | 11.7 | 85.6 |
| 2023233 | Drill Core | 3.08 | 456 | 0.007 | <0.01 | <0.17 | 30.09 | 0.57 | 8.01 | 51.86 | 30.1 | 156 | 2.6 | 3.4 | 267 | 1.24 | 2.3 | 2.2 | <0.2 | 14.2 | 66.3 |
| 2023234 | Drill Core | 3.44 | 405 | 0.008 | 0.05 | 0.56 | 31.91 | 0.75 | 6.30 | 21.08 | 30.5 | 129 | 2.5 | 3.0 | 537 | 1.27 | 3.1 | 2.3 | <0.2 | 14.5 | 69.7 |
| 2023235 | Drill Core | 3.10 | 350 | 0.007 | <0.01 | <0.17 | 28.09 | 0.47 | 7.41 | 23.02 | 25.0 | 196 | 3.1 | 2.7 | 303 | 1.17 | 3.1 | 3.0 | <0.2 | 16.2 | 54.1 |



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000316.1

| | Method | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|---------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Analyte | Cd | Sb | Bi | V | Ca | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Sc | Tl | S |
| | Unit | ppm | ppm | ppm | ppm | % | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | % |
| | MDL | 0.01 | 0.02 | 0.02 | 1 | 0.01 | 0.001 | 0.5 | 0.5 | 0.01 | 0.5 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 0.02 | 0.02 |
| 2023225 | Drill Core | 0.11 | 0.09 | <0.02 | 12 | 0.63 | 0.035 | 38.3 | 6.7 | 0.51 | 156.2 | 0.027 | <1 | 0.75 | 0.032 | 0.44 | <0.1 | 4.3 | 0.18 | 0.06 |
| 2023226 | Drill Core | 0.15 | 0.10 | <0.02 | 19 | 1.32 | 0.034 | 36.4 | 30.5 | 1.05 | 175.4 | 0.045 | <1 | 1.02 | 0.011 | 0.78 | <0.1 | 5.3 | 0.25 | <0.02 |
| 2023227 | Drill Core | 0.12 | 0.13 | <0.02 | 10 | 0.90 | 0.040 | 26.0 | 8.5 | 0.67 | 183.8 | 0.013 | <1 | 0.76 | 0.022 | 0.37 | <0.1 | 2.6 | 0.12 | 0.14 |
| 2023228 | Drill Core | 0.13 | 0.13 | 0.02 | 9 | 0.57 | 0.036 | 32.1 | 4.4 | 0.47 | 165.7 | 0.018 | <1 | 0.69 | 0.031 | 0.28 | <0.1 | 2.8 | 0.09 | 0.07 |
| 2023229 | Drill Core | 0.15 | 0.24 | <0.02 | 9 | 0.51 | 0.039 | 32.1 | 4.5 | 0.54 | 127.2 | 0.006 | <1 | 0.73 | 0.026 | 0.23 | <0.1 | 2.4 | 0.06 | 0.13 |
| 2023230 | Drill Core | 0.13 | 0.21 | 0.11 | 16 | 1.84 | 0.038 | 23.9 | 23.6 | 0.98 | 102.4 | 0.005 | <1 | 1.01 | 0.017 | 0.24 | 0.1 | 4.3 | 0.09 | 0.13 |
| 2023231 | Drill Core | 0.09 | 0.27 | 0.10 | 8 | 0.84 | 0.043 | 34.2 | 4.1 | 0.55 | 114.4 | 0.004 | <1 | 0.77 | 0.017 | 0.30 | <0.1 | 2.8 | 0.09 | 0.09 |
| 2023232 | Drill Core | 0.24 | 0.31 | 0.04 | 7 | 1.04 | 0.038 | 25.4 | 2.5 | 0.55 | 115.7 | 0.004 | <1 | 0.75 | 0.009 | 0.31 | <0.1 | 2.2 | 0.12 | 0.13 |
| 2023233 | Drill Core | 0.14 | 0.48 | 0.06 | 6 | 0.84 | 0.041 | 35.3 | 2.6 | 0.45 | 118.6 | 0.004 | <1 | 0.70 | 0.009 | 0.37 | <0.1 | 2.1 | 0.15 | 0.10 |
| 2023234 | Drill Core | 0.14 | 0.41 | 0.16 | 5 | 0.92 | 0.040 | 34.8 | 2.6 | 0.48 | 112.6 | 0.008 | <1 | 0.67 | 0.009 | 0.37 | <0.1 | 2.0 | 0.15 | 0.08 |
| 2023235 | Drill Core | 0.10 | 0.32 | 0.24 | 6 | 0.68 | 0.033 | 33.4 | 3.2 | 0.40 | 101.4 | 0.010 | <1 | 0.58 | 0.011 | 0.31 | <0.1 | 1.8 | 0.12 | 0.10 |



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000316.1

| | Method Analyte Unit MDL | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|---------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Se | Te | Ga | Cs | Ge | Hf | Nb | Rb | Sn | Ta | Zr | Y | Ce | In | Re | Be | Li | Pd |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppb |
| | | 0.1 | 0.02 | 0.1 | 0.02 | 0.1 | 0.02 | 0.02 | 0.1 | 0.1 | 0.05 | 0.1 | 0.01 | 0.1 | 0.02 | 1 | 0.1 | 0.1 | 10 |
| 2023225 | Drill Core | <0.1 | <0.02 | 3.5 | 0.87 | <0.1 | 0.08 | 0.03 | 21.3 | 0.4 | <0.05 | 2.3 | 13.62 | 74.9 | 0.02 | <1 | 0.4 | 8.9 | <10 |
| 2023226 | Drill Core | <0.1 | <0.02 | 2.6 | 1.74 | <0.1 | 0.14 | 0.02 | 35.5 | 0.3 | <0.05 | 3.6 | 10.09 | 66.3 | <0.02 | 1 | 0.3 | 9.8 | <10 |
| 2023227 | Drill Core | <0.1 | <0.02 | 2.3 | 0.68 | <0.1 | 0.16 | <0.02 | 14.8 | 0.2 | <0.05 | 3.4 | 7.58 | 50.8 | <0.02 | <1 | 0.3 | 9.8 | <10 |
| 2023228 | Drill Core | 0.1 | <0.02 | 3.0 | 0.67 | <0.1 | 0.13 | <0.02 | 11.0 | 0.2 | <0.05 | 2.5 | 8.19 | 59.5 | <0.02 | <1 | 0.2 | 7.4 | <10 |
| 2023229 | Drill Core | <0.1 | <0.02 | 3.0 | 0.66 | <0.1 | 0.08 | <0.02 | 9.0 | 0.2 | <0.05 | 2.1 | 9.62 | 60.8 | <0.02 | <1 | 0.3 | 10.5 | <10 |
| 2023230 | Drill Core | <0.1 | <0.02 | 3.4 | 1.19 | <0.1 | 0.13 | <0.02 | 11.5 | 0.2 | <0.05 | 3.2 | 10.38 | 48.3 | <0.02 | <1 | 0.4 | 16.3 | <10 |
| 2023231 | Drill Core | <0.1 | <0.02 | 2.3 | 1.12 | <0.1 | 0.12 | <0.02 | 12.1 | 0.1 | <0.05 | 3.6 | 10.72 | 62.3 | <0.02 | <1 | 0.4 | 10.6 | <10 |
| 2023232 | Drill Core | <0.1 | <0.02 | 1.9 | 1.12 | <0.1 | 0.16 | <0.02 | 13.1 | 0.2 | <0.05 | 3.8 | 8.98 | 46.2 | 0.02 | <1 | 0.5 | 9.8 | <10 |
| 2023233 | Drill Core | <0.1 | <0.02 | 1.7 | 2.66 | <0.1 | 0.14 | <0.02 | 18.4 | 0.2 | <0.05 | 4.5 | 10.90 | 68.3 | <0.02 | <1 | 0.4 | 8.7 | <10 |
| 2023234 | Drill Core | <0.1 | <0.02 | 2.0 | 1.55 | <0.1 | 0.11 | <0.02 | 16.9 | 0.3 | <0.05 | 3.2 | 8.46 | 62.3 | <0.02 | <1 | 0.4 | 7.9 | <10 |
| 2023235 | Drill Core | <0.1 | <0.02 | 2.2 | 1.45 | <0.1 | 0.13 | <0.02 | 13.1 | 0.4 | <0.05 | 2.9 | 7.04 | 59.7 | <0.02 | <1 | 0.4 | 6.2 | <10 |



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 30, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000316.1

| | Method Analyte Unit MDL | WGHT | M150 | FA430 | FS600 | FS600 | FS600 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | |
|------------------------|----------------------------------|------|-------|-------|-------|-------|-------|-------|---------|--------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| | | Wgt | TotWt | -Au | TotAu | +Au | +Wt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | |
| | | kg | g | gm/t | gm/t | gm/t | g | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | |
| | | 0.01 | 1 | 0.005 | 0.01 | 0.17 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.1 | 2 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | 0.1 | 0.2 | 0.1 | 0.5 |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | | |
| 2023133 | Drill Core | 2.99 | 519 | 0.008 | <0.01 | <0.17 | 34.35 | 0.27 | 4.73 | 19.93 | 43.4 | 123 | 8.9 | 4.9 | 329 | 1.38 | 2.3 | 4.2 | 4.0 | 15.3 | 110.8 | |
| REP 2023133 | QC | | | | | | | 0.28 | 4.39 | 18.69 | 46.2 | 119 | 8.0 | 5.0 | 335 | 1.38 | 2.2 | 3.9 | 1.5 | 15.4 | 105.5 | |
| 2023152 | Drill Core | 3.07 | 528 | 0.031 | 0.03 | <0.17 | 34.41 | 0.65 | 5.57 | 8.39 | 44.0 | 45 | 3.1 | 3.7 | 237 | 1.40 | 2.7 | 3.5 | 21.3 | 15.9 | 133.4 | |
| REP 2023152 | QC | | | | | | | 0.042 | | | | | | | | | | | | | | |
| 2023156 | Drill Core | 2.64 | 471 | 0.030 | 0.03 | <0.17 | 35.43 | 0.91 | 8.52 | 17.38 | 22.0 | 146 | 2.4 | 2.6 | 212 | 0.86 | 33.5 | 2.9 | 14.5 | 13.8 | 40.8 | |
| REP 2023156 | QC | | | | | | | 0.021 | | | | | | | | | | | | | | |
| 2023168 | Drill Core | 1.37 | 487 | 0.012 | 0.01 | <0.17 | 38.03 | 0.19 | 7.46 | 27.03 | 40.7 | 250 | 3.9 | 4.6 | 408 | 2.06 | 9.0 | 2.6 | 8.8 | 10.1 | 94.4 | |
| REP 2023168 | QC | | | | | | | 0.19 | 7.45 | 27.80 | 43.5 | 245 | 4.0 | 4.9 | 410 | 2.11 | 9.2 | 2.7 | 5.3 | 10.7 | 99.7 | |
| 2023203 | Drill Core | 2.83 | 476 | 0.011 | 0.01 | <0.17 | 34.19 | 2.34 | 7.57 | 27.86 | 48.6 | 222 | 6.6 | 5.3 | 383 | 1.13 | 11.7 | 3.7 | 4.7 | 14.6 | 152.2 | |
| REP 2023203 | QC | | | | | | | 2.37 | 7.76 | 28.61 | 49.9 | 217 | 6.6 | 5.8 | 389 | 1.14 | 11.7 | 3.6 | 4.4 | 15.2 | 166.8 | |
| 2023225 | Drill Core | 3.09 | 447 | 0.007 | <0.01 | <0.17 | 31.97 | 0.35 | 5.69 | 17.85 | 35.7 | 84 | 5.3 | 3.6 | 182 | 1.50 | 4.3 | 2.6 | 0.7 | 17.0 | 95.6 | |
| REP 2023225 | QC | | | | | | | 0.019 | | | | | | | | | | | | | | |
| 2023229 | Drill Core | 3.09 | 465 | 0.015 | 0.01 | <0.17 | 30.47 | 0.36 | 5.69 | 11.64 | 38.2 | 97 | 3.4 | 3.1 | 220 | 1.50 | 7.6 | 2.8 | 6.8 | 14.6 | 62.3 | |
| REP 2023229 | QC | | | | | | | 0.013 | | | | | | | | | | | | | | |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | | | | |
| 2023114 | Drill Core | 3.30 | 512 | 0.006 | <0.01 | <0.17 | 32.44 | 0.35 | 6.35 | 13.58 | 43.1 | 69 | 2.4 | 3.3 | 278 | 1.84 | 2.1 | 1.3 | 0.9 | 15.6 | 65.5 | |
| DUP 2023114 | QC | | | 503 | 0.008 | <0.01 | <0.17 | 32.09 | 0.35 | 6.25 | 14.65 | 48.6 | 69 | 2.7 | 3.4 | 271 | 1.83 | 2.2 | 1.4 | <0.2 | 16.7 | 68.1 |
| 2023148 | Drill Core | 3.20 | 498 | 0.010 | <0.01 | <0.17 | 29.31 | 0.19 | 4.44 | 14.15 | 44.3 | 76 | 2.2 | 2.3 | 247 | 1.23 | 2.9 | 1.3 | 5.0 | 14.8 | 59.1 | |
| DUP 2023148 | QC | | | 471 | 0.009 | <0.01 | <0.17 | 35.12 | 0.19 | 4.58 | 14.41 | 43.5 | 70 | 2.1 | 2.3 | 258 | 1.22 | 2.9 | 1.3 | 3.2 | 14.8 | 59.6 |
| 2023182 | Drill Core | 3.09 | 484 | 0.006 | <0.01 | <0.17 | 33.21 | 0.39 | 3.63 | 20.66 | 42.6 | 39 | 3.9 | 3.6 | 217 | 1.24 | 0.7 | 1.9 | 0.4 | 13.5 | 91.7 | |
| DUP 2023182 | QC | | | 443 | 0.006 | <0.01 | <0.17 | 33.05 | 0.35 | 3.87 | 18.65 | 42.2 | 40 | 3.3 | 3.6 | 205 | 1.23 | 1.0 | 1.8 | <0.2 | 13.5 | 91.1 |
| 2023216 | Drill Core | 3.38 | 440 | 0.009 | <0.01 | <0.17 | 31.05 | 0.41 | 6.45 | 18.07 | 35.1 | 87 | 4.5 | 3.7 | 209 | 1.53 | 6.9 | 2.1 | 1.2 | 16.0 | 83.0 | |
| DUP 2023216 | QC | | | 447 | 0.009 | <0.01 | <0.17 | 37.59 | 0.43 | 6.31 | 21.60 | 35.9 | 90 | 4.3 | 3.4 | 239 | 1.53 | 7.2 | 2.2 | 2.1 | 17.0 | 84.3 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | | |
| STD BVGEO01 | Standard | | | | | | | 10.77 | 4333.63 | 187.02 | 1786.8 | 2477 | 169.1 | 24.9 | 690 | 3.64 | 113.9 | 3.9 | 211.9 | 15.6 | 57.0 | |
| STD BVGEO01 | Standard | | | | | | | 11.21 | 4309.71 | 194.48 | 1736.3 | 2446 | 156.5 | 25.7 | 711 | 3.64 | 115.5 | 3.8 | 218.7 | 15.5 | 56.6 | |
| STD DS11 | Standard | | | | | | | 15.40 | 166.08 | 140.14 | 360.4 | 1789 | 75.8 | 14.0 | 959 | 3.26 | 45.9 | 2.8 | 74.7 | 9.4 | 68.7 | |
| STD DS11 | Standard | | | | | | | 13.56 | 142.31 | 132.41 | 342.6 | 1749 | 75.7 | 13.4 | 998 | 3.04 | 42.6 | 2.6 | 66.2 | 7.6 | 62.0 | |



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000316.1

| | Method Analyte Unit MDL | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | |
|------------------------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| | | Cd | Sb | Bi | V | Ca | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Sc | Tl | S | Hg |
| | | ppm | ppm | ppm | ppm | % | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | % | ppb |
| | | 0.01 | 0.02 | 0.02 | 1 | 0.01 | 0.001 | 0.5 | 0.5 | 0.01 | 0.5 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 0.02 | 0.02 | 5 |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| 2023133 | Drill Core | 0.15 | 0.14 | 0.12 | 6 | 1.55 | 0.048 | 29.2 | 10.5 | 0.82 | 378.5 | 0.003 | <1 | 0.90 | 0.028 | 0.31 | <0.1 | 2.1 | 0.09 | 0.10 | <5 |
| REP 2023133 | QC | 0.17 | 0.12 | 0.10 | 5 | 1.56 | 0.047 | 26.9 | 10.0 | 0.81 | 363.7 | 0.003 | <1 | 0.88 | 0.027 | 0.31 | <0.1 | 2.2 | 0.08 | 0.10 | <5 |
| 2023152 | Drill Core | 0.19 | 0.15 | 0.06 | 4 | 1.19 | 0.036 | 23.4 | 4.2 | 0.83 | 230.0 | 0.005 | 1 | 0.86 | 0.011 | 0.31 | <0.1 | 3.6 | 0.10 | 0.06 | <5 |
| REP 2023152 | QC | | | | | | | | | | | | | | | | | | | | |
| 2023156 | Drill Core | 0.18 | 0.30 | 0.15 | 3 | 0.39 | 0.025 | 32.7 | 3.2 | 0.19 | 207.2 | 0.004 | <1 | 0.43 | 0.033 | 0.27 | <0.1 | 1.2 | 0.07 | 0.05 | 8 |
| REP 2023156 | QC | | | | | | | | | | | | | | | | | | | | |
| 2023168 | Drill Core | 0.21 | 0.49 | 0.20 | 16 | 1.44 | 0.015 | 24.8 | 6.6 | 0.75 | 225.4 | 0.040 | 1 | 0.65 | 0.069 | 0.22 | <0.1 | 2.4 | 0.11 | 0.50 | 6 |
| REP 2023168 | QC | 0.21 | 0.52 | 0.22 | 17 | 1.49 | 0.016 | 26.1 | 7.4 | 0.77 | 197.0 | 0.042 | <1 | 0.67 | 0.069 | 0.22 | <0.1 | 2.5 | 0.11 | 0.52 | <5 |
| 2023203 | Drill Core | 0.50 | 0.37 | 0.28 | 4 | 1.83 | 0.043 | 27.4 | 9.8 | 0.61 | 199.7 | 0.002 | <1 | 0.71 | 0.015 | 0.30 | <0.1 | 1.7 | 0.09 | 0.23 | 5 |
| REP 2023203 | QC | 0.53 | 0.36 | 0.27 | 4 | 1.84 | 0.041 | 28.1 | 9.7 | 0.61 | 202.3 | 0.002 | <1 | 0.73 | 0.016 | 0.30 | <0.1 | 1.5 | 0.09 | 0.24 | <5 |
| 2023225 | Drill Core | 0.11 | 0.09 | <0.02 | 12 | 0.63 | 0.035 | 38.3 | 6.7 | 0.51 | 156.2 | 0.027 | <1 | 0.75 | 0.032 | 0.44 | <0.1 | 4.3 | 0.18 | 0.06 | <5 |
| REP 2023225 | QC | | | | | | | | | | | | | | | | | | | | |
| 2023229 | Drill Core | 0.15 | 0.24 | <0.02 | 9 | 0.51 | 0.039 | 32.1 | 4.5 | 0.54 | 127.2 | 0.006 | <1 | 0.73 | 0.026 | 0.23 | <0.1 | 2.4 | 0.06 | 0.13 | <5 |
| REP 2023229 | QC | | | | | | | | | | | | | | | | | | | | |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | | | |
| 2023114 | Drill Core | 0.14 | 0.11 | 0.07 | 4 | 1.20 | 0.039 | 44.3 | 3.9 | 0.67 | 210.6 | 0.004 | 2 | 1.12 | 0.036 | 0.31 | <0.1 | 3.3 | 0.08 | <0.02 | 5 |
| DUP 2023114 | QC | 0.17 | 0.12 | 0.07 | 5 | 1.17 | 0.041 | 45.1 | 4.3 | 0.68 | 230.5 | 0.004 | <1 | 1.13 | 0.036 | 0.31 | <0.1 | 3.3 | 0.08 | 0.02 | 6 |
| 2023148 | Drill Core | 0.08 | 0.17 | 0.12 | 3 | 0.62 | 0.030 | 37.1 | 3.6 | 0.47 | 400.0 | 0.018 | <1 | 0.80 | 0.038 | 0.28 | <0.1 | 1.9 | 0.09 | 0.03 | <5 |
| DUP 2023148 | QC | 0.13 | 0.17 | 0.12 | 3 | 0.58 | 0.029 | 36.7 | 3.5 | 0.47 | 415.8 | 0.018 | 1 | 0.79 | 0.037 | 0.27 | <0.1 | 2.0 | 0.09 | 0.03 | 9 |
| 2023182 | Drill Core | 0.17 | 0.09 | <0.02 | 4 | 0.93 | 0.038 | 33.5 | 3.5 | 0.60 | 201.7 | 0.011 | <1 | 0.74 | 0.018 | 0.39 | <0.1 | 3.2 | 0.09 | <0.02 | <5 |
| DUP 2023182 | QC | 0.15 | 0.08 | <0.02 | 4 | 0.94 | 0.037 | 32.5 | 3.2 | 0.60 | 191.9 | 0.011 | <1 | 0.73 | 0.017 | 0.37 | <0.1 | 2.8 | 0.09 | <0.02 | 7 |
| 2023216 | Drill Core | 0.17 | 0.09 | <0.02 | 12 | 0.83 | 0.036 | 34.2 | 5.5 | 0.62 | 130.6 | 0.012 | 1 | 0.78 | 0.031 | 0.28 | <0.1 | 3.1 | 0.10 | 0.08 | <5 |
| DUP 2023216 | QC | 0.12 | 0.12 | <0.02 | 11 | 0.82 | 0.043 | 34.2 | 5.6 | 0.63 | 132.9 | 0.012 | 1 | 0.78 | 0.030 | 0.29 | <0.1 | 2.8 | 0.11 | 0.08 | <5 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD BVGEO01 | Standard | 6.13 | 3.21 | 24.29 | 80 | 1.39 | 0.069 | 28.2 | 181.7 | 1.27 | 255.1 | 0.235 | 3 | 2.35 | 0.188 | 0.87 | 5.2 | 7.0 | 0.63 | 0.64 | 76 |
| STD BVGEO01 | Standard | 6.13 | 3.85 | 25.24 | 73 | 1.33 | 0.070 | 28.5 | 191.7 | 1.27 | 280.7 | 0.251 | 3 | 2.31 | 0.194 | 0.90 | 4.6 | 5.3 | 0.59 | 0.66 | 92 |
| STD DS11 | Standard | 2.63 | 9.39 | 12.53 | 49 | 1.09 | 0.084 | 20.5 | 58.9 | 0.84 | 382.1 | 0.103 | 8 | 1.21 | 0.078 | 0.42 | 3.2 | 3.6 | 4.98 | 0.27 | 263 |
| STD DS11 | Standard | 2.57 | 9.26 | 11.69 | 49 | 1.01 | 0.070 | 17.7 | 60.7 | 0.82 | 334.3 | 0.083 | 6 | 1.12 | 0.070 | 0.38 | 3.0 | 3.0 | 4.74 | 0.28 | 251 |



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000316.1

| | Method Analyte Unit MDL | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|------------------------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Se | Te | Ga | Cs | Ge | Hf | Nb | Rb | Sn | Ta | Zr | Y | Ce | In | Re | Be | Li | Pd |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppb |
| | | 0.1 | 0.02 | 0.1 | 0.02 | 0.1 | 0.02 | 0.02 | 0.1 | 0.1 | 0.05 | 0.1 | 0.01 | 0.1 | 0.02 | 1 | 0.1 | 0.1 | 10 |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | |
| 2023133 | Drill Core | <0.1 | <0.02 | 2.7 | 0.33 | <0.1 | 0.04 | <0.02 | 12.7 | 0.3 | <0.05 | 1.3 | 7.10 | 49.2 | <0.02 | <1 | 0.3 | 8.3 | <10 |
| REP 2023133 | QC | <0.1 | <0.02 | 2.6 | 0.30 | <0.1 | 0.04 | <0.02 | 11.9 | 0.3 | <0.05 | 1.2 | 7.33 | 47.0 | <0.02 | <1 | 0.3 | 8.1 | <10 |
| 2023152 | Drill Core | <0.1 | 0.03 | 2.9 | 0.59 | <0.1 | 0.08 | <0.02 | 12.8 | 0.3 | <0.05 | 2.3 | 7.10 | 42.3 | <0.02 | <1 | 0.7 | 9.5 | <10 |
| REP 2023152 | QC | | | | | | | | | | | | | | | | | | |
| 2023156 | Drill Core | <0.1 | 0.03 | 1.6 | 0.42 | <0.1 | 0.31 | 0.04 | 9.4 | 0.3 | <0.05 | 10.9 | 9.09 | 57.1 | <0.02 | <1 | 0.4 | 4.5 | <10 |
| REP 2023156 | QC | | | | | | | | | | | | | | | | | | |
| 2023168 | Drill Core | <0.1 | 0.02 | 2.6 | 0.82 | 0.1 | 0.20 | 0.19 | 14.0 | 0.9 | <0.05 | 6.1 | 9.78 | 43.3 | 0.02 | 2 | 1.0 | 8.1 | <10 |
| REP 2023168 | QC | <0.1 | <0.02 | 3.0 | 0.85 | <0.1 | 0.25 | 0.16 | 15.0 | 0.8 | <0.05 | 6.3 | 10.13 | 44.9 | 0.02 | 2 | 0.8 | 7.9 | <10 |
| 2023203 | Drill Core | <0.1 | <0.02 | 2.3 | 0.27 | <0.1 | 0.04 | <0.02 | 10.1 | 0.3 | <0.05 | 1.0 | 10.44 | 52.0 | <0.02 | 1 | 0.3 | 12.5 | <10 |
| REP 2023203 | QC | <0.1 | <0.02 | 2.3 | 0.27 | <0.1 | 0.03 | <0.02 | 10.4 | 0.3 | <0.05 | 1.1 | 10.74 | 51.6 | <0.02 | <1 | 0.3 | 11.8 | <10 |
| 2023225 | Drill Core | <0.1 | <0.02 | 3.5 | 0.87 | <0.1 | 0.08 | 0.03 | 21.3 | 0.4 | <0.05 | 2.3 | 13.62 | 74.9 | 0.02 | <1 | 0.4 | 8.9 | <10 |
| REP 2023225 | QC | | | | | | | | | | | | | | | | | | |
| 2023229 | Drill Core | <0.1 | <0.02 | 3.0 | 0.66 | <0.1 | 0.08 | <0.02 | 9.0 | 0.2 | <0.05 | 2.1 | 9.62 | 60.8 | <0.02 | <1 | 0.3 | 10.5 | <10 |
| REP 2023229 | QC | | | | | | | | | | | | | | | | | | |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | |
| 2023114 | Drill Core | <0.1 | <0.02 | 3.8 | 0.54 | <0.1 | 0.03 | 0.03 | 11.2 | 0.2 | <0.05 | 1.1 | 12.80 | 72.5 | 0.02 | <1 | 0.3 | 9.0 | <10 |
| DUP 2023114 | QC | <0.1 | <0.02 | 3.8 | 0.57 | <0.1 | 0.04 | 0.04 | 12.1 | 0.2 | <0.05 | 1.1 | 13.19 | 76.5 | <0.02 | <1 | 0.4 | 9.9 | <10 |
| 2023148 | Drill Core | <0.1 | 0.03 | 3.3 | 0.40 | <0.1 | 0.05 | 0.15 | 12.2 | 0.5 | <0.05 | 1.1 | 10.96 | 65.6 | 0.02 | <1 | 0.1 | 5.0 | <10 |
| DUP 2023148 | QC | <0.1 | <0.02 | 3.4 | 0.43 | <0.1 | 0.04 | 0.14 | 12.7 | 0.5 | <0.05 | 1.2 | 11.04 | 64.8 | <0.02 | <1 | 0.2 | 4.9 | <10 |
| 2023182 | Drill Core | <0.1 | <0.02 | 2.6 | 0.70 | <0.1 | 0.09 | 0.03 | 13.1 | 0.4 | <0.05 | 2.3 | 6.83 | 61.2 | <0.02 | <1 | 0.1 | 7.9 | <10 |
| DUP 2023182 | QC | <0.1 | <0.02 | 2.3 | 0.65 | <0.1 | 0.04 | 0.03 | 12.3 | 0.4 | <0.05 | 2.4 | 6.57 | 59.1 | <0.02 | <1 | 0.3 | 7.8 | <10 |
| 2023216 | Drill Core | <0.1 | <0.02 | 3.6 | 0.56 | <0.1 | 0.11 | <0.02 | 12.3 | 0.3 | <0.05 | 2.2 | 13.07 | 69.2 | <0.02 | 2 | 0.3 | 10.8 | <10 |
| DUP 2023216 | QC | <0.1 | <0.02 | 3.9 | 0.57 | <0.1 | 0.11 | 0.03 | 12.9 | 0.3 | <0.05 | 2.3 | 13.19 | 68.6 | 0.02 | <1 | 0.4 | 10.1 | <10 |
| Reference Materials | | | | | | | | | | | | | | | | | | | |
| STD BVGEO01 | Standard | 4.4 | 0.88 | 6.9 | 7.19 | 0.1 | 0.32 | 0.26 | 93.8 | 5.0 | <0.05 | 6.4 | 14.90 | 55.1 | 0.43 | 4 | 0.7 | 20.4 | 143 |
| STD BVGEO01 | Standard | 4.2 | 0.98 | 6.8 | 7.15 | 0.2 | 0.31 | 0.28 | 88.4 | 5.7 | <0.05 | 8.9 | 14.81 | 54.8 | 0.47 | 2 | 0.4 | 21.6 | 134 |
| STD DS11 | Standard | 2.2 | 4.64 | 5.0 | 3.11 | 0.1 | 0.08 | 1.75 | 37.5 | 2.0 | <0.05 | 2.9 | 8.78 | 38.3 | 0.27 | 52 | 0.8 | 24.5 | 90 |
| STD DS11 | Standard | 2.0 | 4.49 | 4.5 | 2.95 | <0.1 | 0.06 | 1.56 | 33.6 | 1.8 | <0.05 | 2.8 | 7.87 | 34.4 | 0.25 | 45 | 0.6 | 23.9 | 90 |



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000316.1

| | | WGHT | M150 | FA430 | FS600 | FS600 | FS600 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|-----------------------|----------|------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Wgt | TotWt | -Au | TotAu | +Au | +Wt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr |
| | | kg | g | gm/t | gm/t | gm/t | g | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm |
| | | 0.01 | 1 | 0.005 | 0.01 | 0.17 | 0.01 | 0.01 | 0.01 | 0.01 | 0.1 | 2 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | 0.1 | 0.2 | 0.1 | 0.5 |
| STD OREAS262 | Standard | | | | | | | 0.66 | 122.13 | 58.69 | 155.0 | 451 | 62.9 | 27.0 | 534 | 3.41 | 36.2 | 1.2 | 64.7 | 10.6 | 37.2 |
| STD OREAS262 | Standard | | | | | | | 0.64 | 113.17 | 55.36 | 146.5 | 455 | 67.1 | 26.4 | 536 | 3.24 | 34.5 | 1.2 | 57.2 | 10.9 | 33.3 |
| STD OREAS262 | Standard | | | | | | | 0.72 | 122.33 | 59.42 | 145.8 | 446 | 65.7 | 28.7 | 493 | 3.17 | 34.9 | 1.3 | 73.6 | 9.8 | 34.6 |
| STD OREAS262 | Standard | | | | | | | 0.72 | 122.49 | 57.73 | 145.8 | 431 | 65.4 | 28.6 | 528 | 3.16 | 33.5 | 1.2 | 65.7 | 9.6 | 34.1 |
| STD OXC145 | Standard | | | 0.216 | | | | | | | | | | | | | | | | | |
| STD OXC145 | Standard | | | 0.214 | | | | | | | | | | | | | | | | | |
| STD OXH139 | Standard | | | 1.362 | | | | | | | | | | | | | | | | | |
| STD OXH139 | Standard | | | 1.305 | | | | | | | | | | | | | | | | | |
| STD OXN134 | Standard | | | 7.680 | | | | | | | | | | | | | | | | | |
| STD OXN134 | Standard | | | 7.692 | | | | | | | | | | | | | | | | | |
| STD OXQ90 | Standard | | | | | 24.93 | 30.28 | | | | | | | | | | | | | | |
| STD OXQ90 | Standard | | | | | 25.12 | 30.34 | | | | | | | | | | | | | | |
| STD OXQ90 | Standard | | | | | 25.46 | 30.56 | | | | | | | | | | | | | | |
| STD OXQ90 | Standard | | | | | 25.02 | 30.45 | | | | | | | | | | | | | | |
| STD OXQ90 | Standard | | | | | 25.22 | 30.09 | | | | | | | | | | | | | | |
| STD OXQ90 | Standard | | | | | 25.10 | 30.12 | | | | | | | | | | | | | | |
| STD OXQ90 | Standard | | | | | 25.48 | 30.38 | | | | | | | | | | | | | | |
| STD OXQ90 | Standard | | | | | 25.06 | 30.09 | | | | | | | | | | | | | | |
| STD OXQ90 Expected | | | | | | 24.88 | | | | | | | | | | | | | | | |
| STD BVGEO01 Expected | | | | | | | | 11.2 | 4415 | 187 | 1741 | 2530 | 163 | 25 | 733 | 3.7 | 121 | 3.77 | 219 | 14.4 | 55 |
| STD DS11 Expected | | | | | | | | 14.6 | 149 | 138 | 345 | 1710 | 77.7 | 14.2 | 1055 | 3.1 | 42.8 | 2.59 | 79 | 7.65 | 67.3 |
| STD OREAS262 Expected | | | | | | | | 0.68 | 118 | 56 | 154 | 450 | 62 | 26.9 | 530 | 3.284 | 35.8 | 1.22 | 65 | 9.33 | 36 |
| BLK | Blank | | | | | <0.17 | 30.00 | | | | | | | | | | | | | | |
| BLK | Blank | | | | | <0.17 | 30.00 | | | | | | | | | | | | | | |
| BLK | Blank | | | | | <0.17 | 30.00 | | | | | | | | | | | | | | |
| BLK | Blank | | | | | <0.17 | 30.00 | | | | | | | | | | | | | | |
| BLK | Blank | | | | | <0.17 | 30.00 | | | | | | | | | | | | | | |
| BLK | Blank | | | | | <0.17 | 30.00 | | | | | | | | | | | | | | |
| BLK | Blank | | | | | <0.17 | 30.00 | | | | | | | | | | | | | | |



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: August 30, 2019

Part: 2 of 3

WHI19000316.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: August 30, 2019

Part: 3 of 3

WHI19000316.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000316.1

| | | WGHT | M150 | FA430 | FS600 | FS600 | FS600 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 |
|-----------|------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Wgt | TotWt | -Au | TotAu | +Au | +Wt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr |
| | | kg | g | gm/t | gm/t | gm/t | g | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm |
| | | 0.01 | 1 | 0.005 | 0.01 | 0.17 | 0.01 | 0.01 | 0.01 | 0.01 | 0.1 | 2 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | 0.1 | 0.2 | 0.1 | 0.5 |
| BLK | Blank | | | | | <0.17 | 30.00 | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | <0.01 | <0.01 | 0.05 | 0.1 | 3 | <0.1 | <0.1 | <1 | <0.01 | <0.1 | <0.1 | <0.2 | 0.5 | <0.5 |
| BLK | Blank | | | | | | | <0.01 | <0.01 | <0.01 | 0.2 | <2 | <0.1 | <0.1 | <1 | <0.01 | 0.3 | <0.1 | <0.2 | 0.3 | <0.5 |
| BLK | Blank | | | | | | | <0.01 | 0.02 | <0.01 | <0.1 | <2 | <0.1 | <0.1 | <1 | <0.01 | <0.1 | <0.1 | <0.2 | 0.1 | <0.5 |
| BLK | Blank | | | | | | | <0.01 | 0.02 | <0.01 | 0.2 | <2 | <0.1 | <0.1 | <1 | <0.01 | <0.1 | <0.1 | <0.2 | <0.1 | <0.5 |
| BLK | Blank | | | 0.005 | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | 0.006 | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | 0.006 | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | 0.006 | | | | | | | | | | | | | | | | | |
| Prep Wash | | | | | | | | | | | | | | | | | | | | | |
| ROCK-WHI | Prep Blank | | 426 | 0.006 | <0.01 | <0.17 | 49.66 | 1.18 | 2.41 | 1.20 | 26.1 | 9 | 0.8 | 3.6 | 454 | 1.83 | 0.9 | 0.5 | 0.2 | 2.5 | 22.1 |
| ROCK-WHI | Prep Blank | | 419 | 0.005 | <0.01 | <0.17 | 27.28 | 1.07 | 2.85 | 1.24 | 31.2 | 10 | 1.5 | 4.1 | 548 | 1.92 | 0.9 | 0.5 | <0.2 | 2.9 | 28.3 |



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI19000316.1

| | | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | AQ251 | |
|-----------|------------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-----|
| | | Cd | Sb | Bi | V | Ca | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Sc | Tl | S | Hg |
| | | ppm | ppm | ppm | ppm | % | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | % | ppb |
| | | 0.01 | 0.02 | 0.02 | 1 | 0.01 | 0.001 | 0.5 | 0.5 | 0.01 | 0.5 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 0.02 | 0.02 | 5 |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.01 | <0.02 | <0.02 | <1 | <0.01 | <0.001 | <0.5 | <0.5 | <0.01 | <0.5 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.1 | <0.02 | <0.02 | <5 |
| BLK | Blank | <0.01 | <0.02 | <0.02 | <1 | <0.01 | <0.001 | <0.5 | <0.5 | <0.01 | <0.5 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.1 | <0.02 | <0.02 | <5 |
| BLK | Blank | <0.01 | <0.02 | <0.02 | <1 | <0.01 | <0.001 | <0.5 | <0.5 | <0.01 | <0.5 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.1 | <0.02 | <0.02 | <5 |
| BLK | Blank | <0.01 | <0.02 | 0.03 | <1 | <0.01 | <0.001 | <0.5 | <0.5 | <0.01 | <0.5 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.1 | <0.02 | <0.02 | <5 |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | | |
| Prep Wash | | | | | | | | | | | | | | | | | | | | | |
| ROCK-WHI | Prep Blank | 0.02 | 0.06 | 0.04 | 22 | 0.62 | 0.047 | 6.7 | 3.1 | 0.44 | 60.2 | 0.087 | 2 | 0.95 | 0.145 | 0.12 | <0.1 | 3.1 | <0.02 | <0.02 | <5 |
| ROCK-WHI | Prep Blank | 0.01 | 0.08 | 0.03 | 25 | 0.63 | 0.047 | 7.5 | 4.7 | 0.49 | 66.5 | 0.099 | 2 | 1.08 | 0.170 | 0.13 | <0.1 | 3.6 | <0.02 | <0.02 | <5 |



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000316.1

| | | AQ251 Se ppm 0.1 | AQ251 Te ppm 0.02 | AQ251 Ga ppm 0.1 | AQ251 Cs ppm 0.02 | AQ251 Ge ppm 0.1 | AQ251 Hf ppm 0.02 | AQ251 Nb ppm 0.02 | AQ251 Rb ppm 0.1 | AQ251 Sn ppm 0.1 | AQ251 Ta ppm 0.05 | AQ251 Zr ppm 0.1 | AQ251 Y ppm 0.01 | AQ251 Ce ppm 0.1 | AQ251 In ppm 0.02 | AQ251 Re ppb 1 | AQ251 Be ppm 0.1 | AQ251 Li ppm 0.1 | AQ251 Pd ppb 10 | AQ251 Pt ppb 2 |
|-----------|------------|---------------------------|----------------------------|---------------------------|----------------------------|---------------------------|----------------------------|----------------------------|---------------------------|---------------------------|----------------------------|---------------------------|---------------------------|---------------------------|----------------------------|-------------------------|---------------------------|---------------------------|--------------------------|-------------------------|
| BLK | Blank | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.1 | <0.02 | <0.1 | <0.02 | <0.1 | <0.02 | <0.02 | <0.1 | <0.1 | <0.05 | 0.2 | <0.01 | <0.1 | <0.02 | <1 | <0.1 | <0.1 | <10 | <2 |
| BLK | Blank | <0.1 | <0.02 | <0.1 | <0.02 | <0.1 | <0.02 | <0.02 | <0.1 | <0.1 | <0.05 | 0.1 | 0.02 | <0.1 | <0.02 | <1 | <0.1 | <0.1 | <10 | <2 |
| BLK | Blank | <0.1 | <0.02 | <0.1 | <0.02 | <0.1 | <0.02 | <0.02 | <0.1 | <0.1 | <0.05 | 0.2 | <0.01 | <0.1 | <0.02 | <1 | <0.1 | <0.1 | <10 | <2 |
| BLK | Blank | <0.1 | <0.02 | <0.1 | <0.02 | <0.1 | <0.02 | <0.02 | <0.1 | <0.1 | <0.05 | <0.1 | <0.01 | <0.1 | <0.02 | <1 | <0.1 | <0.1 | <10 | <2 |
| BLK | Blank | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | | | | | | | | | | | | | | | | | | | |
| Prep Wash | | | | | | | | | | | | | | | | | | | | |
| ROCK-WHI | Prep Blank | <0.1 | <0.02 | 3.4 | 0.17 | <0.1 | 0.10 | 0.23 | 2.4 | 0.3 | <0.05 | 1.9 | 9.40 | 13.3 | <0.02 | <1 | 0.1 | 2.3 | <10 | <2 |
| ROCK-WHI | Prep Blank | <0.1 | <0.02 | 3.9 | 0.16 | 0.1 | 0.13 | 0.27 | 2.6 | 0.4 | <0.05 | 2.6 | 10.09 | 14.8 | <0.02 | <1 | 0.3 | 2.3 | <10 | <2 |