



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 05, 2019
Report Date: August 29, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000317.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-40
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	133	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	138	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	138	Analysis sample split/packet			WHI
Split -150	138	Analysis sample split/packet			WHI
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
FS631	134	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	138	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Peter Tallman
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000317.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1831070	Drill Core	3.33	463	0.474	0.67	2.81	39.55	0.46	9.81	8.01	23.1	712	2.3	2.1	174	0.87	12.4	1.2	437.0	10.3	10.0
1831071	Drill Core	1.45	531	0.124	0.12	<0.17	38.28	0.38	16.13	9.60	41.3	424	3.8	4.7	291	1.61	5.9	1.5	63.2	12.3	18.8
1831072	Drill Core	2.26	529	0.017	0.02	<0.17	41.50	0.50	7.76	13.20	42.9	205	2.9	4.5	343	1.62	4.9	1.4	2.5	14.4	18.0
1831073	Drill Core	1.81	436	0.113	0.38	3.27	36.96	0.56	21.30	7.86	29.3	249	2.3	3.6	329	1.41	4.2	0.9	100.8	13.2	14.6
1831074	Drill Core	1.16	524	1.012	1.76	12.59	33.68	0.46	15.30	7.42	32.9	1248	2.2	3.3	402	1.28	4.7	0.9	1831.8	11.0	27.1
1831075	Drill Core	1.28	525	0.631	0.72	1.96	35.17	0.22	10.18	9.50	30.5	423	2.0	3.7	306	1.41	7.3	1.0	505.8	10.6	49.7
1831076	Drill Core	1.25	483	0.212	0.22	0.32	40.08	0.29	5.75	7.77	33.6	536	2.4	3.9	309	1.53	3.9	0.9	271.0	11.9	58.8
1831077	Drill Core	2.85	449	0.704	1.12	8.07	25.66	0.33	21.23	10.14	33.3	769	3.0	4.7	341	1.71	15.0	1.4	970.0	11.6	36.4
1831078	Drill Core	2.56	528	1.412	2.36	12.75	44.09	0.52	35.47	17.66	59.8	1409	8.5	6.8	481	2.15	9.2	2.2	2487.2	11.5	23.9
1831079	Drill Core	1.46	509	0.812	0.82	0.92	34.87	0.48	11.00	8.48	31.8	751	3.1	5.2	316	1.70	18.0	1.1	849.8	12.4	18.4
1831080	Rock	0.23	171	0.011	<0.01	<0.17	34.75	0.46	1.77	1.27	2.7	8	1.5	0.5	91	0.72	0.7	0.2	0.7	1.3	1.7
1831081	Drill Core	1.31	563	0.049	0.05	<0.17	31.20	0.29	13.37	10.80	31.4	375	1.3	2.8	390	1.56	40.2	0.7	43.5	12.5	32.2
1831082	Drill Core	1.63	373	0.059	0.06	<0.17	45.96	0.26	10.57	7.26	52.2	194	9.8	11.3	591	2.61	34.7	1.1	61.0	7.9	182.2
1831083	Drill Core	1.48	447	1.517	2.49	12.12	41.18	0.78	8.94	6.77	52.2	1305	10.3	6.3	370	2.04	10.8	1.3	1881.8	10.7	44.7
1831084	Drill Core	1.75	411	3.862	5.93	32.96	29.19	0.81	16.37	11.39	22.6	1957	5.2	3.0	335	1.55	6.0	0.8	4480.8	5.4	67.5
1831085	Drill Core	2.89	441	0.759	1.55	9.05	41.87	0.87	29.86	6.74	40.3	969	5.9	4.7	302	1.76	8.5	1.0	3050.6	11.4	52.9
1831086	Drill Core	1.64	378	3.497	3.60	4.63	35.62	0.51	206.51	8.57	27.1	3706	5.6	5.0	296	1.89	10.1	1.4	3683.1	11.0	97.1
1831087	Drill Core	1.34	561	0.261	0.26	0.32	37.34	0.40	13.66	6.01	32.8	371	1.5	2.7	281	1.40	13.6	2.6	235.2	11.8	23.1
1831088	Drill Core	2.96	448	0.172	0.17	<0.17	38.26	0.36	9.70	8.15	25.2	420	1.8	2.8	278	1.51	35.1	1.7	243.2	13.0	33.7
1831089	Drill Core	2.57	481	0.348	0.39	1.06	30.05	0.42	9.56	14.90	25.9	538	2.3	3.4	316	1.35	22.2	1.5	284.0	12.3	57.5
1831090	Drill Core	2.53	546	0.272	0.28	0.34	35.76	0.45	10.16	14.51	26.5	515	2.2	3.3	329	1.32	23.2	1.4	255.6	13.1	54.5
1831091	Drill Core	2.26	396	0.030	0.03	<0.17	33.42	0.54	7.07	17.32	22.8	271	5.5	3.0	281	0.95	19.1	1.3	21.5	12.7	51.3
1831092	Drill Core	1.42	488	0.167	0.16	<0.17	36.51	0.54	6.27	56.09	30.8	815	2.4	2.4	272	1.10	30.2	1.4	92.1	13.5	14.3
1831093	Drill Core	2.91	527	0.039	0.04	<0.17	37.60	0.51	19.36	62.78	58.9	581	3.3	5.4	280	1.18	39.1	1.3	32.8	14.6	61.5
1831094	Drill Core	3.15	427	0.073	0.07	<0.17	37.16	0.52	14.75	47.43	59.0	485	2.7	3.2	333	1.38	24.5	1.4	61.5	15.0	78.0
1831095	Drill Core	3.44	483	0.298	0.33	0.74	38.04	0.46	8.25	10.50	39.9	453	2.8	3.1	205	1.26	15.7	1.1	299.6	11.9	39.7
1831096	Drill Core	2.94	483	0.028	0.03	<0.17	31.85	0.43	5.29	19.14	29.7	219	1.9	2.2	273	1.00	20.2	1.5	35.8	14.4	67.1
1831097	Drill Core	1.29	474	0.045	0.04	<0.17	36.65	0.19	9.80	12.40	11.8	232	1.2	1.1	126	0.67	16.1	1.2	43.7	15.0	13.0
1831098	Drill Core	1.36	519	0.017	0.02	<0.17	37.08	1.04	5.89	44.91	37.1	428	2.1	2.4	238	1.17	18.9	1.7	11.6	15.0	52.5
1831099	Drill Core	3.16	477	0.012	0.01	<0.17	43.50	0.34	6.26	17.20	36.2	193	2.8	2.7	262	1.13	17.1	2.5	5.9	15.8	38.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000317.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831070	Drill Core	0.25	0.19	0.05	5	0.08	0.027	20.8	4.4	0.18	267.1	0.002	<1	0.41	0.025	0.20	0.8	0.8	0.04	<0.02	<5			
1831071	Drill Core	0.38	0.13	0.06	7	0.18	0.054	21.5	4.0	0.50	198.4	0.002	<1	0.82	0.010	0.27	0.8	1.7	0.06	<0.02	<5			
1831072	Drill Core	0.38	0.17	0.03	7	0.15	0.044	32.5	3.8	0.56	217.5	0.002	<1	0.88	0.020	0.23	0.4	1.9	0.06	<0.02	<5			
1831073	Drill Core	0.19	0.11	<0.02	6	0.12	0.036	29.0	3.1	0.54	263.0	0.001	<1	0.72	0.016	0.21	0.2	1.2	0.04	<0.02	<5			
1831074	Drill Core	0.43	0.13	0.04	3	0.23	0.044	26.6	2.8	0.56	327.8	0.001	2	0.66	0.012	0.22	<0.1	1.4	0.06	<0.02	<5			
1831075	Drill Core	0.25	0.11	0.04	2	0.68	0.047	18.4	2.1	0.56	142.1	0.002	6	0.71	0.016	0.23	<0.1	1.3	0.05	0.06	<5			
1831076	Drill Core	0.16	0.12	0.04	3	0.66	0.048	23.0	2.5	0.65	136.3	0.002	5	0.83	0.022	0.24	<0.1	1.7	0.06	<0.02	7			
1831077	Drill Core	0.15	0.17	0.03	3	0.35	0.045	21.8	3.2	0.55	155.3	0.002	3	0.80	0.032	0.24	<0.1	1.7	0.07	0.07	15			
1831078	Drill Core	0.42	0.26	0.06	8	0.16	0.047	25.8	11.2	0.73	213.9	0.002	3	1.04	0.027	0.25	<0.1	2.4	0.07	0.03	16			
1831079	Drill Core	0.32	0.35	0.04	5	0.22	0.038	27.8	3.4	0.55	202.7	0.001	2	0.84	0.031	0.27	<0.1	1.8	0.07	<0.02	9			
1831080	Rock	0.01	0.04	<0.02	1	0.02	0.002	2.2	3.1	0.03	13.0	0.003	4	0.09	0.005	0.02	<0.1	0.3	<0.02	<0.02	13			
1831081	Drill Core	0.21	0.52	0.12	3	0.56	0.030	29.8	2.7	0.39	177.4	0.002	3	0.65	0.045	0.22	<0.1	1.7	0.05	0.07	16			
1831082	Drill Core	0.30	0.65	0.02	20	2.79	0.042	17.6	34.6	1.08	224.8	0.005	1	1.34	0.027	0.32	0.1	5.2	0.09	0.06	21			
1831083	Drill Core	0.53	0.13	0.05	8	0.58	0.040	22.1	12.8	0.87	275.1	0.002	2	1.00	0.030	0.29	0.1	2.5	0.07	0.15	12			
1831084	Drill Core	0.30	0.14	0.11	3	1.10	0.005	11.0	6.0	0.44	80.9	0.001	2	0.41	0.018	0.11	<0.1	1.9	0.03	0.41	16			
1831085	Drill Core	0.37	0.17	0.05	7	0.67	0.045	18.9	6.5	0.82	253.0	0.002	2	0.99	0.019	0.27	<0.1	1.9	0.08	0.17	16			
1831086	Drill Core	0.91	0.30	0.04	4	1.18	0.028	16.4	6.0	0.72	206.4	0.002	2	0.92	0.025	0.33	0.1	1.9	0.10	0.58	11			
1831087	Drill Core	0.27	0.16	0.04	3	0.25	0.056	24.9	2.4	0.48	288.3	0.002	3	0.76	0.025	0.28	<0.1	1.2	0.07	0.04	14			
1831088	Drill Core	0.26	0.30	0.15	4	0.40	0.097	27.3	3.0	0.38	203.8	0.002	2	0.70	0.044	0.29	0.1	1.3	0.07	0.28	47			
1831089	Drill Core	0.21	0.29	0.13	3	0.86	0.041	23.4	2.6	0.47	186.8	0.002	3	0.73	0.031	0.29	<0.1	1.3	0.08	0.31	29			
1831090	Drill Core	0.18	0.31	0.13	3	0.85	0.043	25.0	2.5	0.48	204.0	0.002	1	0.73	0.030	0.30	0.1	1.1	0.07	0.28	20			
1831091	Drill Core	0.36	0.24	0.09	4	0.56	0.039	22.6	7.2	0.47	230.8	0.001	1	0.62	0.022	0.27	<0.1	1.1	0.07	0.04	17			
1831092	Drill Core	0.36	0.27	0.36	3	0.12	0.038	27.5	4.1	0.33	183.4	0.001	<1	0.57	0.046	0.27	<0.1	1.0	0.07	0.03	6			
1831093	Drill Core	0.43	0.45	0.24	4	0.59	0.043	30.6	6.5	0.56	210.1	0.002	1	0.79	0.033	0.31	<0.1	1.5	0.05	0.06	18			
1831094	Drill Core	0.38	0.29	0.29	2	0.92	0.034	27.6	3.4	0.76	209.7	0.002	2	0.89	0.024	0.27	<0.1	1.3	0.11	0.07	16			
1831095	Drill Core	0.25	0.25	0.10	2	0.50	0.031	23.3	2.8	0.65	199.5	0.001	2	0.78	0.031	0.24	0.1	1.1	0.09	0.06	17			
1831096	Drill Core	0.11	0.35	0.13	2	0.68	0.034	24.6	2.5	0.53	231.3	0.002	2	0.74	0.035	0.28	0.1	1.1	0.10	0.04	23			
1831097	Drill Core	0.11	0.19	0.03	2	0.13	0.036	35.0	2.2	0.19	291.8	0.001	<1	0.46	0.055	0.29	<0.1	0.9	0.07	<0.02	12			
1831098	Drill Core	0.31	0.26	0.48	1	0.65	0.040	28.8	2.7	0.52	176.9	0.001	2	0.73	0.041	0.25	<0.1	2.1	0.07	0.04	29			
1831099	Drill Core	0.28	0.27	0.12	2	0.65	0.033	37.1	2.7	0.45	223.4	0.002	3	0.73	0.043	0.25	<0.1	1.0	0.09	0.07	25			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000317.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1831070	Drill Core	<0.1	0.16	1.3	0.35	<0.1	0.16	<0.02	6.9	0.2	<0.05	3.6	4.40	42.9	<0.02	<1	0.2	5.1	<10	<2
1831071	Drill Core	0.1	<0.02	1.6	0.37	<0.1	0.21	<0.02	9.0	0.1	<0.05	4.7	5.93	41.0	<0.02	<1	0.3	10.9	<10	<2
1831072	Drill Core	<0.1	<0.02	2.4	0.36	<0.1	0.26	<0.02	8.4	0.1	<0.05	6.8	6.12	61.3	<0.02	<1	0.3	15.3	<10	<2
1831073	Drill Core	0.2	0.03	1.8	0.18	<0.1	0.26	<0.02	6.6	0.2	<0.05	6.3	7.22	51.1	<0.02	<1	0.2	10.5	<10	<2
1831074	Drill Core	<0.1	0.30	2.3	0.19	<0.1	0.31	<0.02	6.4	0.2	<0.05	9.7	7.93	50.1	<0.02	<1	0.5	11.0	19	2
1831075	Drill Core	<0.1	0.13	1.9	0.18	<0.1	0.39	<0.02	6.8	0.2	<0.05	12.8	5.47	35.9	<0.02	<1	0.3	10.1	<10	<2
1831076	Drill Core	<0.1	0.22	2.7	0.22	<0.1	0.41	<0.02	7.4	0.2	<0.05	11.8	5.61	45.3	<0.02	<1	0.3	13.5	<10	<2
1831077	Drill Core	<0.1	0.18	2.4	0.26	<0.1	0.36	<0.02	7.5	0.1	<0.05	12.1	6.62	42.5	<0.02	<1	0.3	11.7	12	<2
1831078	Drill Core	<0.1	0.18	3.8	0.57	<0.1	0.33	<0.02	8.2	0.2	<0.05	10.3	8.46	47.9	<0.02	<1	0.4	17.6	15	<2
1831079	Drill Core	<0.1	0.11	2.7	0.47	<0.1	0.06	<0.02	8.5	0.2	<0.05	2.0	7.23	55.1	<0.02	<1	0.2	11.9	<10	<2
1831080	Rock	<0.1	<0.02	0.3	0.11	<0.1	0.10	<0.02	1.1	<0.1	<0.05	2.7	0.99	4.5	<0.02	<1	<0.1	1.4	<10	4
1831081	Drill Core	<0.1	0.08	2.6	0.20	<0.1	0.03	<0.02	7.2	0.2	<0.05	0.9	9.19	58.3	0.02	<1	0.4	6.8	<10	<2
1831082	Drill Core	<0.1	<0.02	3.7	0.59	<0.1	0.02	<0.02	10.0	0.2	<0.05	0.8	9.89	34.7	<0.02	<1	0.8	20.8	17	<2
1831083	Drill Core	<0.1	0.31	2.8	0.34	<0.1	<0.02	<0.02	8.3	0.2	<0.05	1.0	9.28	42.4	<0.02	<1	0.4	13.5	<10	<2
1831084	Drill Core	<0.1	0.48	1.6	0.18	<0.1	0.08	<0.02	3.6	0.2	<0.05	2.2	6.58	21.3	<0.02	1	0.4	5.5	<10	2
1831085	Drill Core	0.1	0.12	2.8	0.34	<0.1	0.08	<0.02	8.2	0.2	<0.05	3.2	9.07	37.6	<0.02	<1	0.5	18.0	<10	<2
1831086	Drill Core	0.2	0.91	2.5	0.48	<0.1	<0.02	<0.02	9.6	0.3	<0.05	1.0	6.88	31.1	0.02	<1	0.6	13.7	<10	<2
1831087	Drill Core	<0.1	0.08	2.4	0.44	<0.1	<0.02	<0.02	9.1	0.2	<0.05	0.6	6.90	45.0	<0.02	<1	0.2	9.1	<10	<2
1831088	Drill Core	0.1	0.12	2.4	0.27	<0.1	0.03	<0.02	9.2	0.2	<0.05	0.9	12.04	50.6	<0.02	<1	0.4	7.8	<10	<2
1831089	Drill Core	<0.1	0.13	2.3	0.31	<0.1	0.03	<0.02	9.6	0.2	<0.05	0.8	7.51	45.5	<0.02	<1	0.3	8.9	<10	<2
1831090	Drill Core	<0.1	0.13	2.5	0.34	<0.1	0.03	<0.02	10.7	0.2	<0.05	0.9	7.45	47.2	<0.02	<1	0.4	9.2	<10	<2
1831091	Drill Core	<0.1	0.04	2.1	0.33	<0.1	0.28	<0.02	8.8	0.2	<0.05	9.3	6.24	42.8	<0.02	<1	0.2	8.5	<10	<2
1831092	Drill Core	0.4	0.31	1.9	0.38	0.1	0.14	<0.02	8.7	0.3	<0.05	4.7	8.70	53.3	<0.02	<1	0.2	6.9	<10	<2
1831093	Drill Core	<0.1	0.02	2.7	0.41	<0.1	0.06	<0.02	10.1	0.3	<0.05	1.7	8.37	54.7	0.03	<1	0.4	13.1	<10	4
1831094	Drill Core	<0.1	0.04	2.6	0.38	<0.1	0.06	<0.02	9.4	0.3	<0.05	1.9	9.03	51.1	<0.02	<1	0.7	14.4	<10	2
1831095	Drill Core	<0.1	0.09	2.1	0.29	<0.1	0.04	<0.02	7.2	0.2	<0.05	1.1	6.25	43.6	<0.02	<1	0.3	11.2	<10	<2
1831096	Drill Core	<0.1	<0.02	1.7	0.46	<0.1	0.17	<0.02	8.7	0.2	<0.05	5.5	6.06	46.2	<0.02	<1	<0.1	10.2	<10	<2
1831097	Drill Core	<0.1	0.04	1.4	0.39	<0.1	0.23	<0.02	9.5	0.2	<0.05	6.9	7.75	64.0	<0.02	<1	0.1	4.5	<10	<2
1831098	Drill Core	<0.1	0.03	1.9	0.42	<0.1	0.07	<0.02	8.3	0.1	<0.05	2.4	6.22	54.4	<0.02	<1	0.3	10.2	<10	<2
1831099	Drill Core	<0.1	<0.02	2.3	0.59	<0.1	0.03	<0.02	8.9	0.2	<0.05	1.1	8.76	67.2	<0.02	<1	0.5	12.0	<10	2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000317.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1831100	Rock Pulp	0.12	69	7.180				9.09	206.62	19.63	77.2	951	14.1	10.7	603	4.57	14.3	0.9	8330.8	3.0	70.6
1831101	Drill Core	2.61	421	0.011	0.01	<0.17	29.70	0.66	8.62	22.89	40.3	298	2.9	2.9	286	1.20	16.0	1.8	4.4	15.7	13.5
1831102	Drill Core	2.57	505	0.009	<0.01	<0.17	31.86	0.53	5.31	23.30	39.8	237	1.9	1.7	207	0.91	9.7	1.3	2.8	15.5	8.4
1831103	Drill Core	2.83	415	0.015	0.01	<0.17	38.36	0.81	9.21	21.70	63.2	387	10.5	7.4	458	2.01	11.9	1.8	4.1	14.1	54.4
1831104	Drill Core	2.48	428	0.012	0.01	<0.17	28.42	0.86	6.99	26.15	24.8	322	2.8	2.8	265	0.96	1.2	1.8	3.8	12.4	81.7
1831105	Drill Core	2.43	367	0.009	<0.01	<0.17	32.49	1.12	2.54	31.57	54.2	349	0.8	0.7	179	0.83	5.2	1.2	4.5	18.1	22.4
1831106	Drill Core	2.10	368	0.008	<0.01	<0.17	41.79	0.30	2.61	35.17	12.2	154	0.4	0.2	57	0.41	2.2	1.3	0.8	14.6	3.0
1831107	Drill Core	1.68	368	0.009	<0.01	<0.17	33.29	0.52	1.30	37.63	9.6	359	0.5	0.2	49	0.37	5.1	1.7	2.5	17.7	2.9
1831108	Drill Core	2.27	478	0.009	<0.01	<0.17	38.24	0.43	1.57	30.95	9.6	466	0.3	0.2	41	0.35	5.3	1.5	2.6	14.9	2.9
1831109	Drill Core	2.82	419	0.019	0.02	<0.17	37.78	0.53	2.32	34.34	5.3	1103	0.3	0.2	33	0.29	3.2	1.4	9.2	11.1	3.1
1831110	Drill Core	3.10	372	0.011	<0.01	<0.17	42.79	0.78	2.00	23.00	5.4	202	0.4	0.1	39	0.36	4.8	1.7	4.4	15.6	3.6
1831111	Drill Core	3.10	404	0.012	0.01	<0.17	31.54	0.84	2.16	15.64	5.2	444	0.3	0.2	30	0.33	5.9	1.3	7.4	13.6	2.6
1831112	Drill Core	2.62	422	0.012	0.01	<0.17	39.74	0.54	1.80	16.60	5.8	176	0.3	<0.1	36	0.36	8.4	1.4	6.7	15.2	2.8
1831113	Drill Core	2.32	398	0.013	0.01	<0.17	34.54	1.22	3.46	15.61	6.8	2014	0.4	0.2	44	0.38	9.7	1.5	7.2	15.1	3.7
1831114	Drill Core	3.30	439	0.012	0.01	<0.17	34.76	2.12	10.65	15.82	8.4	10076	2.0	0.2	43	0.41	6.1	1.6	4.8	15.6	4.8
1831115	Drill Core	2.84	419	0.007	<0.01	<0.17	31.45	0.54	3.11	11.68	3.7	413	0.3	0.3	27	0.28	2.1	1.1	2.5	14.9	3.2
1831116	Drill Core	1.85	464	0.016	0.01	<0.17	34.49	1.67	11.73	15.23	7.2	9807	2.0	0.2	43	0.32	5.7	1.4	10.6	17.1	6.1
1831117	Drill Core	2.43	375	0.013	0.01	<0.17	38.55	3.10	35.22	16.80	8.1	3123	1.3	1.6	55	0.44	8.6	2.1	5.8	16.2	10.0
1831118	Drill Core	2.78	437	0.009	<0.01	<0.17	36.06	1.29	8.59	14.01	6.0	9035	1.7	0.3	41	0.36	4.1	1.1	3.3	14.9	4.8
1831119	Drill Core	3.24	408	0.008	<0.01	<0.17	38.72	0.27	2.46	14.77	5.7	214	0.5	0.3	30	0.29	3.0	1.0	3.6	16.4	3.0
1831120	Rock Pulp	0.12	74	0.471				2.42	443.55	18.74	49.2	285	601.0	27.2	429	2.54	18.9	0.6	492.2	2.1	52.3
1831121	Drill Core	4.02	374	0.007	<0.01	<0.17	33.55	0.45	4.16	22.61	5.3	247	0.4	0.5	36	0.38	5.0	1.1	2.6	16.7	2.9
1831122	Drill Core	2.03	460	0.008	<0.01	<0.17	32.14	0.47	3.45	17.38	4.8	348	0.2	0.6	33	0.31	5.0	1.2	2.8	16.0	7.3
1831123	Drill Core	2.76	389	0.006	<0.01	<0.17	30.19	0.60	2.50	17.28	4.8	181	0.4	0.4	30	0.33	1.5	1.6	1.1	17.0	3.8
1831124	Drill Core	1.81	392	0.007	<0.01	<0.17	36.16	1.58	19.20	23.04	18.8	194	2.6	2.8	95	0.67	7.8	1.7	1.7	14.5	15.8
1831125	Drill Core	1.80	394	0.006	<0.01	<0.17	37.39	1.96	5.13	20.05	5.5	182	0.8	0.5	50	0.33	1.9	1.8	<0.2	16.7	6.3
1831126	Drill Core	1.49	378	0.011	<0.01	<0.17	33.99	1.35	0.94	20.57	5.3	162	0.4	0.2	44	0.27	0.7	1.7	0.4	17.2	6.4
1831127	Drill Core	2.45	475	0.008	<0.01	<0.17	32.54	1.60	20.04	19.63	24.8	318	6.5	6.1	286	1.04	7.7	1.3	1.5	9.5	95.9
1831128	Drill Core	2.35	510	0.008	<0.01	<0.17	34.89	1.78	18.87	12.15	29.7	261	5.8	5.4	263	1.09	8.2	1.4	1.5	9.6	72.0
1831129	Drill Core	2.86	470	0.008	<0.01	<0.17	39.01	0.86	6.81	15.79	6.3	176	1.2	1.1	76	0.44	7.0	3.0	3.2	16.8	16.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000317.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831100	Rock Pulp	0.17	4.68	0.55	110	0.89	0.064	8.0	17.2	0.85	138.9	0.118	3	1.78	0.187	0.25	4.1	3.5	0.07	<0.02	255
1831101	Drill Core	0.30	0.25	0.26	2	0.15	0.037	36.8	3.4	0.46	263.0	0.002	<1	0.71	0.031	0.21	<0.1	1.1	0.08	0.05	37
1831102	Drill Core	0.22	0.21	0.20	<1	0.06	0.018	37.9	2.0	0.51	245.4	<0.001	2	0.69	0.014	0.22	0.1	0.7	0.06	<0.02	47
1831103	Drill Core	0.64	0.30	0.15	14	0.65	0.035	27.0	32.8	1.59	287.9	0.002	4	1.59	0.010	0.22	0.3	3.0	0.07	0.02	19
1831104	Drill Core	0.37	0.12	0.19	2	1.92	0.037	22.6	3.4	0.60	189.2	0.001	2	0.70	0.008	0.25	<0.1	1.4	0.06	0.08	13
1831105	Drill Core	0.30	0.18	0.10	<1	0.26	0.004	41.8	1.8	0.56	220.3	<0.001	2	0.64	0.014	0.23	0.3	0.8	0.07	<0.02	26
1831106	Drill Core	0.05	0.12	0.12	<1	0.01	0.002	36.6	1.2	0.09	219.9	<0.001	<1	0.36	0.022	0.23	<0.1	0.5	0.06	<0.02	28
1831107	Drill Core	0.03	0.20	0.21	<1	0.01	0.003	32.3	1.1	0.06	194.6	<0.001	1	0.31	0.031	0.22	0.4	0.5	0.06	<0.02	18
1831108	Drill Core	0.03	0.23	0.16	<1	<0.01	0.002	32.4	0.8	0.04	142.9	<0.001	2	0.27	0.032	0.23	0.6	0.4	0.06	<0.02	17
1831109	Drill Core	0.03	0.37	0.25	<1	<0.01	0.003	31.5	1.0	0.03	158.9	<0.001	1	0.25	0.034	0.22	1.6	0.5	0.06	<0.02	<5
1831110	Drill Core	0.06	0.54	0.13	<1	0.01	0.003	33.9	1.1	0.04	143.4	<0.001	<1	0.25	0.022	0.24	0.2	0.4	0.07	<0.02	10
1831111	Drill Core	0.07	0.39	0.15	<1	<0.01	0.002	27.2	0.9	0.03	114.4	<0.001	2	0.22	0.025	0.21	0.5	0.4	0.05	<0.02	10
1831112	Drill Core	0.07	0.49	0.14	<1	<0.01	0.002	22.9	1.1	0.04	106.0	<0.001	1	0.21	0.028	0.19	0.1	0.5	0.04	<0.02	<5
1831113	Drill Core	0.08	0.29	0.10	<1	0.01	0.002	24.0	1.1	0.06	110.5	<0.001	<1	0.25	0.024	0.21	6.3	0.5	0.05	<0.02	<5
1831114	Drill Core	0.07	0.28	0.14	<1	0.02	0.002	30.7	1.9	0.04	166.8	<0.001	2	0.22	0.022	0.19	24.9	0.4	0.04	<0.02	<5
1831115	Drill Core	0.02	0.14	0.13	<1	0.01	0.002	36.0	1.1	0.03	102.2	<0.001	2	0.21	0.030	0.20	1.1	0.3	0.05	<0.02	<5
1831116	Drill Core	0.08	0.28	0.15	<1	0.03	0.002	40.7	2.3	0.06	212.7	<0.001	<1	0.28	0.025	0.20	28.0	0.4	0.06	<0.02	<5
1831117	Drill Core	0.13	0.68	0.34	<1	0.05	0.004	46.9	2.6	0.07	242.7	<0.001	<1	0.34	0.012	0.23	8.5	0.4	0.08	<0.02	8
1831118	Drill Core	0.07	0.23	0.12	<1	0.02	0.003	39.5	2.0	0.04	166.2	<0.001	<1	0.24	0.013	0.20	20.9	0.3	0.05	<0.02	<5
1831119	Drill Core	0.05	0.16	0.14	<1	0.01	0.002	41.0	1.3	0.04	124.5	<0.001	<1	0.25	0.027	0.21	0.7	0.3	0.05	<0.02	8
1831120	Rock Pulp	0.17	0.36	0.30	50	1.25	0.031	4.2	88.0	1.74	77.7	0.066	2	1.94	0.187	0.14	1.4	2.6	0.09	0.19	39
1831121	Drill Core	0.06	0.30	0.14	<1	0.02	0.002	30.5	1.5	0.03	142.8	<0.001	2	0.26	0.020	0.21	0.5	0.3	0.05	<0.02	10
1831122	Drill Core	0.05	0.22	0.15	<1	0.02	0.002	27.2	1.4	0.03	728.0	<0.001	1	0.23	0.014	0.21	0.9	0.2	0.06	<0.02	26
1831123	Drill Core	0.04	0.19	0.18	<1	0.02	0.004	31.7	1.5	0.04	187.7	<0.001	<1	0.29	0.015	0.25	0.3	0.4	0.05	0.04	18
1831124	Drill Core	0.21	0.29	0.20	2	0.08	0.029	34.9	3.8	0.18	642.6	0.002	1	0.45	0.013	0.33	0.1	0.9	0.08	0.09	5
1831125	Drill Core	0.04	0.14	0.23	<1	0.05	0.009	34.0	1.9	0.08	189.0	<0.001	<1	0.33	0.021	0.31	<0.1	0.6	0.06	<0.02	10
1831126	Drill Core	0.03	0.06	0.18	<1	0.07	0.004	40.8	1.2	0.09	184.3	<0.001	<1	0.31	0.020	0.27	<0.1	0.4	0.05	<0.02	8
1831127	Drill Core	0.33	0.32	0.18	4	1.06	0.059	12.7	4.8	0.40	301.3	0.002	<1	0.54	0.003	0.28	0.1	1.6	0.06	0.21	<5
1831128	Drill Core	0.27	0.31	0.11	4	0.88	0.063	16.1	4.4	0.46	137.8	0.002	<1	0.61	0.003	0.26	<0.1	1.1	0.07	0.12	14
1831129	Drill Core	0.09	0.17	0.14	<1	0.19	0.009	29.7	1.6	0.11	141.4	<0.001	<1	0.28	0.037	0.21	<0.1	0.8	0.04	0.12	10



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000317.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1831100	Rock Pulp	<0.1	0.17	4.9	0.72	<0.1	0.10	0.04	8.2	1.8	<0.05	1.5	5.68	16.2	0.05	<1	0.2	7.6	<10	<2			
1831101	Drill Core	<0.1	<0.02	2.3	0.58	<0.1	0.04	<0.02	8.1	0.2	<0.05	1.0	7.97	64.5	<0.02	<1	<0.1	12.6	<10	<2			
1831102	Drill Core	<0.1	<0.02	1.6	0.53	<0.1	0.04	<0.02	7.0	0.2	<0.05	1.4	7.95	70.2	<0.02	<1	0.3	9.9	<10	<2			
1831103	Drill Core	<0.1	<0.02	4.7	0.66	<0.1	0.10	0.03	6.9	0.2	<0.05	3.0	10.56	53.0	0.02	<1	0.6	25.8	<10	<2			
1831104	Drill Core	<0.1	<0.02	1.6	0.23	<0.1	0.09	<0.02	7.3	0.1	<0.05	2.3	5.76	40.9	<0.02	<1	0.2	6.8	<10	<2			
1831105	Drill Core	<0.1	<0.02	1.9	0.36	<0.1	0.11	<0.02	7.8	0.2	<0.05	2.8	9.00	81.8	<0.02	<1	0.1	8.4	<10	<2			
1831106	Drill Core	<0.1	<0.02	1.1	0.30	<0.1	0.07	<0.02	7.8	0.2	<0.05	2.0	8.56	67.6	<0.02	<1	<0.1	3.4	<10	3			
1831107	Drill Core	<0.1	<0.02	1.0	0.60	<0.1	0.45	<0.02	9.3	0.2	<0.05	12.5	7.59	65.8	<0.02	<1	0.3	2.1	<10	<2			
1831108	Drill Core	<0.1	<0.02	0.9	0.55	<0.1	0.55	<0.02	10.0	0.1	<0.05	19.6	7.13	60.7	<0.02	<1	0.2	1.4	<10	<2			
1831109	Drill Core	<0.1	0.08	0.5	0.51	<0.1	0.36	0.07	9.4	0.3	<0.05	16.2	5.83	62.3	0.02	<1	0.3	1.3	<10	<2			
1831110	Drill Core	<0.1	<0.02	0.7	0.29	<0.1	0.52	0.06	9.8	0.3	<0.05	21.2	8.18	68.5	<0.02	<1	0.3	1.8	<10	<2			
1831111	Drill Core	0.2	<0.02	0.7	0.29	<0.1	0.49	0.06	7.8	0.2	<0.05	18.7	6.02	52.3	<0.02	<1	0.3	1.4	<10	<2			
1831112	Drill Core	<0.1	<0.02	0.7	0.25	<0.1	0.45	0.07	7.3	0.3	<0.05	18.8	6.68	46.3	<0.02	<1	0.2	1.6	<10	<2			
1831113	Drill Core	0.1	0.03	0.8	0.24	<0.1	0.57	0.05	7.5	0.3	<0.05	20.8	6.79	49.8	<0.02	<1	0.2	2.1	<10	<2			
1831114	Drill Core	0.1	<0.02	0.5	0.41	<0.1	0.51	0.04	6.9	0.3	<0.05	16.6	8.18	60.1	<0.02	<1	0.2	1.7	<10	<2			
1831115	Drill Core	0.1	<0.02	0.8	0.31	0.1	0.44	0.05	7.0	0.3	<0.05	17.2	7.86	69.7	<0.02	<1	0.2	1.2	<10	4			
1831116	Drill Core	0.1	0.02	0.7	1.42	<0.1	0.55	0.05	8.4	0.3	<0.05	19.5	10.05	79.5	<0.02	<1	0.3	1.9	<10	<2			
1831117	Drill Core	0.1	<0.02	0.7	2.77	<0.1	0.49	0.03	9.4	4.1	<0.05	20.4	13.04	97.5	<0.02	<1	0.3	1.6	<10	<2			
1831118	Drill Core	0.1	<0.02	0.7	0.83	<0.1	0.45	0.03	6.9	0.2	<0.05	17.8	9.35	80.0	<0.02	<1	0.2	1.5	<10	<2			
1831119	Drill Core	0.2	<0.02	0.9	0.56	<0.1	0.46	0.03	7.3	0.3	<0.05	17.4	7.46	78.1	<0.02	<1	0.3	1.4	<10	<2			
1831120	Rock Pulp	0.4	0.13	4.0	0.61	<0.1	0.07	<0.02	6.2	0.4	<0.05	1.4	3.43	8.3	<0.02	2	0.2	7.8	257	121			
1831121	Drill Core	<0.1	<0.02	0.8	0.97	<0.1	0.38	0.13	7.1	0.4	<0.05	17.1	5.91	58.7	<0.02	<1	0.2	1.0	<10	<2			
1831122	Drill Core	<0.1	<0.02	0.6	0.93	<0.1	0.45	0.04	7.4	0.3	<0.05	14.2	5.86	52.9	<0.02	<1	0.2	0.9	<10	<2			
1831123	Drill Core	0.2	<0.02	0.7	0.49	<0.1	0.39	0.03	7.8	0.3	<0.05	15.0	6.68	62.6	<0.02	<1	0.2	1.0	<10	<2			
1831124	Drill Core	0.2	<0.02	1.5	0.37	<0.1	0.37	0.05	10.7	1.8	<0.05	14.4	13.58	65.5	<0.02	<1	0.3	3.3	<10	<2			
1831125	Drill Core	<0.1	<0.02	0.9	0.21	<0.1	0.49	0.03	8.8	0.3	<0.05	17.2	9.46	69.7	<0.02	<1	0.4	1.7	<10	<2			
1831126	Drill Core	0.2	<0.02	1.0	0.25	<0.1	0.37	0.03	7.1	0.2	<0.05	17.0	7.23	79.6	<0.02	<1	0.3	1.8	<10	<2			
1831127	Drill Core	0.2	0.03	1.3	0.29	<0.1	0.22	<0.02	9.5	<0.1	<0.05	7.4	6.27	24.5	<0.02	<1	0.2	7.1	<10	<2			
1831128	Drill Core	<0.1	<0.02	1.4	0.27	<0.1	0.17	<0.02	8.8	<0.1	<0.05	6.1	7.19	31.9	<0.02	<1	0.2	7.9	<10	<2			
1831129	Drill Core	<0.1	<0.02	0.7	0.22	<0.1	0.49	0.03	6.3	0.2	<0.05	17.5	9.21	58.0	<0.02	<1	0.1	2.0	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000317.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1831130	Drill Core	2.95	412	0.007	<0.01	<0.17	37.07	0.48	1.19	20.26	4.1	147	0.3	0.3	61	0.30	3.0	3.1	2.0	16.5	13.0
1831131	Drill Core	2.73	424	0.006	<0.01	<0.17	32.97	0.17	2.36	21.67	4.9	128	0.4	0.1	41	0.32	1.8	4.3	0.4	18.0	5.5
1831132	Drill Core	6.05	411	0.006	<0.01	<0.17	35.94	0.34	8.13	19.91	10.8	143	0.3	0.6	96	0.39	3.6	3.1	1.4	16.1	24.2
1831133	Drill Core	1.39	412	0.022	0.02	<0.17	34.48	1.02	8.14	38.17	33.2	321	2.5	2.4	261	0.94	6.3	7.6	12.9	16.9	75.5
1831134	Drill Core	1.39	477	1.180	1.57	6.50	35.21	0.27	17.30	8.81	37.3	2068	14.0	7.8	466	1.99	12.7	3.3	2935.3	9.8	106.6
1831135	Drill Core	3.28	463	0.034	0.03	<0.17	39.84	1.08	9.57	14.82	20.4	236	2.6	2.4	276	1.07	28.6	1.3	31.5	15.1	57.5
1831136	Drill Core	2.37	430	0.028	0.03	<0.17	33.56	0.40	2.78	8.35	14.0	154	1.7	1.8	253	0.90	25.3	1.1	21.6	15.7	56.1
1831137	Drill Core	2.47	474	0.068	0.06	<0.17	33.70	0.21	6.56	6.54	15.9	151	1.6	1.5	209	0.82	13.1	1.9	46.7	15.9	35.6
1831138	Drill Core	1.39	495	0.043	0.04	<0.17	26.94	0.20	6.02	6.53	12.3	127	1.2	1.3	179	0.68	7.9	5.8	23.1	14.9	38.0
1831139	Drill Core	2.90	473	0.096	0.09	<0.17	28.96	0.22	4.61	6.33	18.8	376	1.7	2.1	277	1.05	28.9	2.5	81.0	15.1	49.4
1831140	Rock Pulp	0.12	82	<0.005				3.75	20.85	0.86	30.5	13	6.6	4.1	589	2.35	0.7	0.4	2.2	2.5	28.6
1831141	Drill Core	3.10	523	0.069	0.06	<0.17	30.68	0.35	2.11	12.31	14.2	300	1.6	2.0	182	0.91	38.1	1.3	67.3	13.8	42.1
1831142	Drill Core	1.87	436	0.020	0.02	<0.17	36.97	0.40	7.94	15.32	21.2	616	1.9	1.9	194	0.88	24.1	2.1	17.5	16.7	31.5
1831143	Drill Core	1.47	478	0.011	<0.01	<0.17	27.79	0.22	7.85	16.60	20.1	188	1.7	1.7	270	0.85	10.0	2.7	6.3	17.1	68.6
1831144	Drill Core	2.23	497	0.024	0.02	<0.17	32.83	0.27	8.16	18.93	26.7	266	1.7	2.0	190	0.83	28.2	2.1	19.1	14.1	41.8
1831145	Drill Core	2.75	453	0.010	<0.01	<0.17	27.24	0.27	9.11	13.65	17.7	198	1.8	2.0	201	0.85	13.9	1.8	5.0	17.3	29.9
1831146	Drill Core	2.89	419	0.024	0.02	<0.17	28.39	0.15	9.46	18.03	36.9	230	2.8	3.9	298	1.20	25.1	3.1	20.6	19.6	62.9
1831147	Drill Core	2.83	472	0.007	<0.01	<0.17	28.82	0.18	7.59	19.98	33.7	196	2.8	3.2	252	1.18	8.9	3.2	3.9	16.3	57.0
1831148	Drill Core	3.29	414	0.013	0.01	<0.17	30.39	0.40	10.04	27.80	26.7	233	2.4	3.0	233	1.03	6.7	3.1	14.7	16.3	59.2
1831149	Drill Core	2.42	535	0.022	0.02	<0.17	34.77	0.20	6.83	13.89	24.5	256	2.7	2.9	185	1.08	29.2	2.4	18.3	17.5	39.5
1831150	Drill Core	2.36	376	0.008	<0.01	<0.17	30.69	0.11	6.63	16.56	25.2	205	2.5	2.5	222	1.01	8.4	5.1	3.6	15.4	83.8
1831151	Drill Core	2.32	501	<0.005	<0.01	<0.17	28.88	0.18	13.32	6.43	55.5	121	10.6	9.6	555	2.44	2.3	4.0	<0.2	17.8	224.9
1831152	Drill Core	1.61	435	<0.005	<0.01	<0.17	37.14	0.95	6.85	3.62	130.1	132	47.1	33.7	849	6.14	3.8	5.3	1.4	4.0	233.9
1831153	Drill Core	3.05	432	0.006	<0.01	<0.17	31.45	0.44	4.42	15.43	36.0	149	5.1	4.1	313	1.39	3.8	2.0	0.8	15.5	84.4
1831154	Drill Core	2.96	474	0.005	<0.01	<0.17	31.79	0.22	1.12	6.21	36.3	45	2.4	2.3	399	1.08	1.0	1.8	<0.2	16.2	152.6
1831155	Drill Core	2.92	467	0.006	<0.01	<0.17	39.35	0.53	11.06	19.48	40.0	218	7.9	5.9	343	1.54	3.4	4.0	1.4	14.6	125.8
1831156	Drill Core	2.44	458	0.006	<0.01	<0.17	32.19	0.97	3.76	17.15	27.2	107	1.8	1.5	198	0.81	2.1	1.8	<0.2	16.3	91.2
1831157	Drill Core	2.62	417	0.006	<0.01	<0.17	30.38	0.43	5.80	14.48	22.4	119	2.6	2.8	214	0.84	6.2	2.7	<0.2	15.2	50.9
1831158	Drill Core	2.42	434	0.011	0.01	<0.17	29.63	0.25	5.93	18.45	18.4	188	1.6	2.1	186	1.00	23.4	1.9	4.7	16.6	35.2
1831159	Drill Core	3.20	468	0.014	0.02	<0.17	29.08	0.22	5.58	17.21	24.0	202	2.3	2.1	227	1.13	33.2	2.1	8.3	16.9	65.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: August 29, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000317.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831130	Drill Core	0.03	0.09	0.18	<1	0.16	0.002	30.4	1.0	0.08	539.0	<0.001	1	0.26	0.021	0.24	<0.1	0.4	0.05	0.08	5			
1831131	Drill Core	0.08	0.08	0.15	<1	0.06	0.002	43.5	1.1	0.08	242.3	<0.001	1	0.33	0.023	0.25	<0.1	0.7	0.06	0.04	29			
1831132	Drill Core	0.12	0.09	0.13	<1	0.42	0.002	36.9	1.1	0.14	277.3	<0.001	<1	0.39	0.007	0.20	0.2	0.6	0.06	0.10	26			
1831133	Drill Core	0.12	0.33	0.10	2	0.97	0.007	37.9	5.9	0.51	685.4	<0.001	<1	0.97	0.005	0.30	0.4	1.1	0.10	0.18	10			
1831134	Drill Core	0.13	0.17	<0.02	13	1.53	0.031	14.0	20.2	1.12	216.7	0.001	<1	0.87	0.020	0.20	0.1	2.1	0.06	0.54	15			
1831135	Drill Core	0.16	0.22	0.17	3	0.73	0.031	23.7	3.7	0.34	354.2	0.001	<1	0.55	0.034	0.24	0.1	1.1	0.08	0.27	<5			
1831136	Drill Core	0.05	0.18	0.10	3	0.83	0.029	26.5	3.1	0.30	484.9	0.001	<1	0.52	0.027	0.27	<0.1	1.0	0.09	0.26	20			
1831137	Drill Core	0.09	0.16	0.09	2	0.50	0.029	29.8	2.7	0.22	279.0	0.002	1	0.50	0.035	0.28	<0.1	1.3	0.09	0.15	14			
1831138	Drill Core	0.06	0.16	0.11	2	0.44	0.031	29.3	2.5	0.19	458.0	0.001	<1	0.44	0.026	0.28	<0.1	0.8	0.07	0.18	11			
1831139	Drill Core	0.10	0.18	0.10	3	0.81	0.029	22.9	3.5	0.30	305.4	0.001	<1	0.48	0.028	0.22	0.1	1.0	0.08	0.44	29			
1831140	Rock Pulp	0.02	0.16	<0.02	21	0.72	0.036	5.1	14.1	0.48	57.8	0.069	2	0.98	0.064	0.07	0.3	3.1	<0.02	0.05	<5			
1831141	Drill Core	0.15	0.25	0.13	2	0.58	0.030	27.8	3.8	0.24	374.2	<0.001	<1	0.42	0.032	0.20	0.4	0.8	0.07	0.35	21			
1831142	Drill Core	0.16	0.30	0.16	3	0.45	0.033	37.0	3.5	0.22	273.7	0.002	1	0.48	0.032	0.27	1.3	1.1	0.08	0.21	27			
1831143	Drill Core	0.15	0.24	0.12	3	1.11	0.033	38.9	3.5	0.21	335.2	0.002	<1	0.47	0.033	0.25	0.1	1.7	0.08	0.13	22			
1831144	Drill Core	0.25	0.25	0.14	3	0.63	0.031	37.5	3.8	0.20	247.5	0.002	<1	0.44	0.033	0.24	0.2	1.2	0.07	0.23	26			
1831145	Drill Core	0.22	0.23	0.14	3	0.52	0.031	39.1	3.7	0.25	229.4	0.002	<1	0.49	0.030	0.28	<0.1	1.5	0.13	0.18	30			
1831146	Drill Core	0.25	0.23	0.18	4	0.73	0.047	37.3	5.4	0.44	372.9	0.002	<1	0.65	0.031	0.23	<0.1	2.0	0.13	0.23	10			
1831147	Drill Core	0.15	0.16	0.15	6	0.70	0.032	37.1	8.1	0.42	338.3	0.002	<1	0.60	0.033	0.21	<0.1	2.6	0.09	0.20	10			
1831148	Drill Core	0.15	0.19	0.23	4	0.64	0.034	31.2	6.1	0.34	268.3	0.002	<1	0.51	0.030	0.22	<0.1	2.3	0.08	0.18	8			
1831149	Drill Core	0.11	0.28	0.15	4	0.27	0.032	36.9	4.6	0.28	192.7	0.002	<1	0.50	0.038	0.20	<0.1	1.5	0.09	0.28	14			
1831150	Drill Core	0.13	0.21	0.27	4	0.63	0.029	34.4	5.2	0.36	205.2	0.002	<1	0.52	0.040	0.21	<0.1	1.8	0.32	0.18	13			
1831151	Drill Core	0.23	0.26	<0.02	20	2.63	0.043	30.9	16.1	1.85	1213.2	0.002	2	1.58	0.015	0.23	<0.1	5.9	0.12	0.10	24			
1831152	Drill Core	0.18	0.41	<0.02	99	3.18	0.106	12.9	163.7	5.16	360.2	0.067	<1	3.98	0.006	0.91	<0.1	19.3	0.44	0.24	17			
1831153	Drill Core	0.11	0.15	0.20	9	0.98	0.026	38.0	13.6	1.14	435.9	0.001	<1	0.92	0.017	0.19	<0.1	2.5	0.08	0.10	23			
1831154	Drill Core	0.09	0.12	0.04	3	2.13	0.019	35.9	3.5	1.34	169.0	<0.001	<1	0.86	0.007	0.21	<0.1	2.4	0.07	0.05	22			
1831155	Drill Core	0.12	0.20	0.20	11	1.51	0.034	34.8	18.2	1.40	275.0	0.001	1	1.01	0.010	0.21	<0.1	3.1	0.07	0.18	29			
1831156	Drill Core	0.16	0.17	0.12	2	0.98	0.005	45.6	3.9	0.73	198.1	<0.001	<1	0.59	0.018	0.21	<0.1	1.8	0.07	0.07	17			
1831157	Drill Core	0.13	0.26	0.10	4	0.74	0.026	37.0	7.8	0.48	238.1	0.002	<1	0.58	0.021	0.24	<0.1	1.9	0.08	0.13	25			
1831158	Drill Core	0.12	0.71	0.18	4	0.41	0.034	37.8	3.9	0.26	223.9	0.002	<1	0.51	0.030	0.25	<0.1	1.6	0.09	0.30	39			
1831159	Drill Core	0.13	0.83	0.14	4	0.61	0.033	39.2	4.7	0.38	203.4	0.001	<1	0.57	0.030	0.21	0.1	1.6	0.09	0.30	72			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000317.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1831130	Drill Core	0.2	0.02	0.8	0.23	<0.1	0.47	0.06	7.2	<0.1	<0.05	15.1	9.76	62.1	<0.02	<1	0.2	1.6	<10	<2			
1831131	Drill Core	<0.1	<0.02	1.0	0.78	<0.1	0.17	0.03	8.9	0.2	<0.05	5.8	11.48	85.9	<0.02	<1	0.1	2.2	<10	<2			
1831132	Drill Core	0.1	<0.02	0.9	1.52	<0.1	0.07	0.03	7.5	0.9	<0.05	1.3	11.35	74.2	<0.02	<1	0.1	4.2	<10	<2			
1831133	Drill Core	0.4	<0.02	2.5	4.61	<0.1	0.07	<0.02	13.5	0.9	<0.05	1.4	11.55	76.8	<0.02	<1	0.5	12.7	<10	<2			
1831134	Drill Core	<0.1	0.51	3.3	0.68	<0.1	0.08	<0.02	8.1	0.2	<0.05	2.4	10.25	27.4	<0.02	<1	0.3	13.2	<10	<2			
1831135	Drill Core	0.1	0.03	2.1	0.38	<0.1	0.12	<0.02	11.1	0.2	<0.05	2.6	6.99	47.2	<0.02	<1	0.2	6.8	<10	<2			
1831136	Drill Core	<0.1	<0.02	2.3	0.41	<0.1	0.08	<0.02	13.2	0.2	<0.05	1.8	8.89	52.1	<0.02	<1	0.2	5.7	<10	<2			
1831137	Drill Core	<0.1	<0.02	1.7	0.47	<0.1	0.06	<0.02	12.7	0.2	<0.05	2.5	6.39	58.1	<0.02	<1	0.3	5.6	<10	<2			
1831138	Drill Core	<0.1	0.02	1.5	0.53	<0.1	0.08	<0.02	12.8	0.2	<0.05	3.3	5.71	55.3	<0.02	<1	0.2	5.0	<10	<2			
1831139	Drill Core	0.1	0.11	1.8	0.53	<0.1	0.10	<0.02	10.2	0.1	<0.05	2.5	8.00	43.8	<0.02	<1	0.2	5.9	<10	<2			
1831140	Rock Pulp	0.1	<0.02	3.9	0.12	0.2	0.10	0.35	1.9	1.7	<0.05	3.7	7.58	10.9	<0.02	<1	0.2	1.1	<10	<2			
1831141	Drill Core	0.2	<0.02	1.8	0.50	<0.1	0.16	<0.02	9.6	0.1	<0.05	5.5	8.34	52.8	<0.02	<1	0.2	5.1	<10	<2			
1831142	Drill Core	<0.1	<0.02	2.1	0.66	<0.1	0.18	<0.02	13.0	0.3	<0.05	5.8	10.36	72.4	<0.02	<1	0.4	6.2	<10	<2			
1831143	Drill Core	<0.1	<0.02	2.0	0.43	<0.1	0.08	0.02	11.6	0.2	<0.05	1.9	10.18	73.9	<0.02	<1	0.3	6.5	<10	<2			
1831144	Drill Core	<0.1	<0.02	1.8	0.50	<0.1	0.11	0.03	11.6	0.3	<0.05	3.6	9.67	67.6	0.02	<1	0.1	5.0	<10	<2			
1831145	Drill Core	<0.1	0.05	1.9	0.50	<0.1	0.09	<0.02	12.7	0.3	<0.05	4.8	8.60	70.4	<0.02	<1	0.2	5.1	<10	<2			
1831146	Drill Core	<0.1	0.04	2.9	0.42	<0.1	0.22	<0.02	10.3	0.2	<0.05	7.9	11.09	69.0	<0.02	<1	0.2	8.8	<10	<2			
1831147	Drill Core	<0.1	0.02	2.6	0.40	<0.1	0.19	<0.02	9.1	0.3	<0.05	6.9	10.35	66.6	<0.02	<1	0.3	8.4	<10	<2			
1831148	Drill Core	<0.1	<0.02	1.9	0.37	<0.1	0.18	<0.02	10.2	0.2	<0.05	6.2	8.47	56.7	<0.02	<1	0.3	7.2	<10	<2			
1831149	Drill Core	<0.1	<0.02	2.2	0.65	<0.1	0.23	<0.02	9.4	0.2	<0.05	6.9	9.11	68.9	<0.02	<1	0.4	7.1	<10	<2			
1831150	Drill Core	<0.1	<0.02	2.0	0.59	<0.1	0.13	<0.02	9.5	0.2	<0.05	3.8	8.10	63.7	<0.02	<1	0.1	7.5	<10	<2			
1831151	Drill Core	<0.1	0.03	5.1	1.64	<0.1	0.07	<0.02	10.2	0.1	<0.05	1.8	12.12	58.2	0.02	<1	0.7	36.0	<10	<2			
1831152	Drill Core	<0.1	<0.02	13.2	5.24	0.1	0.07	<0.02	48.7	0.3	<0.05	3.7	20.30	27.4	0.05	2	1.7	77.6	<10	2			
1831153	Drill Core	<0.1	<0.02	3.4	0.71	<0.1	0.04	<0.02	7.9	0.2	<0.05	2.0	13.84	71.1	0.03	2	0.3	18.1	<10	<2			
1831154	Drill Core	<0.1	<0.02	2.5	0.59	<0.1	0.04	<0.02	7.9	0.2	<0.05	2.0	14.69	66.9	0.03	<1	0.3	17.7	<10	<2			
1831155	Drill Core	<0.1	<0.02	3.2	0.66	<0.1	0.05	<0.02	8.2	0.3	<0.05	1.6	13.68	63.4	<0.02	2	0.4	19.8	<10	<2			
1831156	Drill Core	<0.1	<0.02	1.9	0.77	<0.1	0.09	<0.02	8.6	0.3	<0.05	3.1	14.67	83.7	<0.02	1	0.3	9.1	<10	<2			
1831157	Drill Core	<0.1	<0.02	2.1	0.78	<0.1	0.08	<0.02	10.4	0.2	<0.05	2.9	10.71	67.2	<0.02	<1	0.3	8.8	<10	<2			
1831158	Drill Core	<0.1	<0.02	2.2	1.25	<0.1	0.11	<0.02	12.0	0.1	<0.05	4.3	10.10	68.5	<0.02	1	0.3	7.0	<10	2			
1831159	Drill Core	<0.1	<0.02	2.4	1.41	<0.1	0.20	<0.02	10.5	0.2	<0.05	6.6	11.56	71.3	<0.02	<1	0.4	9.3	<10	3			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000317.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1831160	Core DUP		456	0.015	0.01	<0.17	31.53	0.22	5.82	17.03	24.1	208	2.3	2.1	221	1.11	32.4	2.0	8.0	61.8
1831161	Drill Core	2.95	413	0.019	0.02	<0.17	28.56	0.63	10.90	15.71	42.6	1668	11.9	9.5	418	2.17	42.8	5.3	10.3	152.5
1831162	Drill Core	3.23	534	0.032	0.03	<0.17	32.90	0.16	27.20	28.05	55.5	455	3.4	3.5	277	1.51	43.7	2.6	26.1	41.3
1831163	Drill Core	3.11	501	0.038	0.04	<0.17	30.62	0.44	9.74	13.50	43.7	155	4.9	4.4	325	1.47	41.7	4.1	29.2	132.1
1831164	Drill Core	2.49	467	0.029	0.03	<0.17	29.35	1.39	17.82	19.32	44.4	253	5.4	5.8	218	1.19	38.7	2.3	20.5	85.7
1831165	Drill Core	2.33	508	0.017	0.02	<0.17	36.75	0.74	16.40	17.59	12.9	9457	3.6	1.0	84	0.62	10.4	1.5	10.7	24.4
1831166	Drill Core	2.24	484	0.012	0.01	<0.17	30.26	0.53	9.85	23.14	29.1	411	2.6	2.4	143	0.84	13.8	1.6	6.9	46.5
1831167	Drill Core	2.43	524	0.020	0.02	<0.17	30.44	0.57	2.16	16.00	17.7	108	0.6	0.6	149	0.55	6.8	1.6	14.5	44.2
1831168	Drill Core	3.21	450	0.009	<0.01	<0.17	32.58	0.21	6.10	17.13	28.3	172	2.6	4.1	216	1.07	7.1	3.6	5.9	102.9
1831169	Drill Core	2.95	499	<0.005	<0.01	<0.17	38.92	0.11	6.32	21.62	20.3	182	2.1	2.2	180	0.83	1.2	3.4	0.5	16.2
1831170	Drill Core	3.21	402	0.052	0.05	<0.17	28.43	0.26	12.73	45.03	15.7	288	4.4	3.0	226	0.89	0.7	2.7	49.1	136.4
1831171	Drill Core	3.05	447	0.366	0.39	0.73	31.36	0.20	8.64	17.35	23.3	444	2.8	2.8	226	1.12	0.7	2.6	357.2	134.3
1831172	Drill Core	3.10	487	0.049	0.05	<0.17	28.00	0.27	7.24	13.96	23.4	85	2.0	2.7	202	1.07	1.7	2.3	17.3	139.8
1831173	Drill Core	3.77	421	<0.005	<0.01	<0.17	26.28	0.34	4.84	18.76	35.9	179	2.9	2.7	231	1.33	0.8	3.0	10.6	124.7
1831174	Drill Core	3.19	457	0.056	0.05	<0.17	30.83	0.39	9.58	14.95	37.0	77	5.9	5.0	321	1.54	1.1	2.7	6.9	209.5
1831175	Drill Core	3.13	432	0.013	0.01	<0.17	32.34	0.90	10.83	20.52	31.9	279	2.7	3.2	192	1.26	5.0	2.6	4.6	95.5
1831176	Drill Core	2.09	430	0.009	<0.01	<0.17	27.35	1.35	15.80	25.08	47.0	476	6.4	4.7	294	1.81	4.3	5.6	3.9	124.9
1831177	Drill Core	2.76	432	<0.005	<0.01	<0.17	31.52	0.93	10.93	19.96	42.9	111	9.7	5.9	278	1.75	6.0	3.2	0.9	12.3
1831178	Drill Core	3.07	424	0.008	<0.01	<0.17	31.65	1.18	10.50	33.17	61.2	291	3.8	2.2	202	0.90	14.2	2.7	1.9	14.4
1831179	Drill Core	3.19	474	0.010	<0.01	<0.17	27.01	1.02	11.36	19.06	43.2	217	5.6	4.8	334	1.56	13.7	3.7	4.7	114.4
1831180	Rock	0.23	178	<0.005	<0.01	<0.17	39.39	0.41	2.75	1.56	3.0	22	1.4	0.7	75	0.65	1.1	0.2	<0.2	1.6
1831181	Drill Core	2.64	401	0.039	0.04	<0.17	30.55	1.33	7.71	17.27	46.7	293	3.6	3.7	346	1.99	82.1	3.5	32.1	92.0
1831182	Drill Core	2.99	442	0.047	0.04	<0.17	28.65	0.30	7.77	11.50	56.4	297	4.0	4.1	243	1.85	57.2	2.7	39.7	58.4
1831183	Drill Core	3.01	420	0.027	0.02	<0.17	28.69	0.43	8.86	16.29	46.3	458	5.7	4.0	238	1.56	29.1	2.2	25.0	60.6
1831184	Drill Core	3.33	430	0.018	0.02	<0.17	29.45	0.90	12.24	19.64	48.1	381	25.5	7.1	347	1.66	19.1	4.1	9.7	99.6
1831185	Drill Core	2.97	417	0.013	0.01	<0.17	29.89	2.73	5.34	16.62	45.8	148	1.1	0.6	134	0.84	11.1	4.4	7.5	50.4
1831186	Drill Core	2.95	476	0.010	<0.01	<0.17	38.25	0.41	8.82	17.94	44.7	159	10.6	4.5	208	1.25	9.9	3.6	3.4	74.3
1831187	Drill Core	1.55	407	0.007	<0.01	<0.17	37.77	0.15	1.37	17.93	6.4	119	0.6	0.3	61	0.35	1.9	3.1	<0.2	29.5
1831188	Drill Core	1.55	388	0.008	<0.01	<0.17	39.94	0.25	1.60	25.33	9.5	144	1.8	0.4	114	0.46	3.0	2.8	<0.2	64.0
1831189	Drill Core	1.64	384	0.009	<0.01	<0.17	39.27	0.30	1.27	26.68	5.2	121	0.3	0.1	60	0.31	2.6	2.4	<0.2	37.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000317.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831160	Core DUP	0.12	0.79	0.14	4	0.58	0.030	39.0	4.5	0.38	205.6	0.001	<1	0.56	0.029	0.21	0.2	1.6	0.08	0.29	69			
1831161	Drill Core	0.17	0.66	0.11	20	1.62	0.047	31.3	30.2	1.18	199.0	0.002	<1	1.13	0.022	0.24	4.2	6.7	0.10	0.29	30			
1831162	Drill Core	0.43	0.43	0.23	7	0.35	0.032	38.3	6.6	0.74	176.7	0.002	<1	0.76	0.033	0.16	<0.1	2.2	0.06	0.50	27			
1831163	Drill Core	0.21	0.37	0.08	6	1.30	0.028	31.6	8.6	1.06	206.0	0.002	2	0.93	0.010	0.24	<0.1	2.6	0.08	0.22	8			
1831164	Drill Core	0.15	0.55	0.10	3	1.00	0.035	13.7	3.9	0.72	104.7	0.001	<1	0.57	0.004	0.21	0.3	1.5	0.06	0.28	9			
1831165	Drill Core	0.06	0.26	0.15	1	0.15	0.008	29.7	3.1	0.31	131.4	<0.001	<1	0.39	0.013	0.19	25.4	0.7	0.06	0.09	<5			
1831166	Drill Core	0.22	0.23	0.10	2	0.49	0.019	18.4	4.3	0.66	137.8	<0.001	<1	0.57	0.004	0.24	0.6	1.3	0.06	0.14	18			
1831167	Drill Core	0.12	0.16	0.10	<1	0.55	0.004	29.0	2.0	0.37	230.9	<0.001	1	0.41	0.014	0.22	0.2	0.9	0.05	0.07	7			
1831168	Drill Core	0.11	0.22	0.21	7	0.95	0.034	29.5	11.4	0.48	289.5	0.005	<1	0.59	0.021	0.28	<0.1	2.7	0.07	0.14	8			
1831169	Drill Core	0.09	0.10	0.29	3	0.81	0.032	31.1	3.7	0.28	255.2	0.005	<1	0.46	0.032	0.27	0.1	1.7	0.06	0.11	7			
1831170	Drill Core	0.15	0.13	0.43	3	1.03	0.033	23.2	5.6	0.41	279.3	0.003	1	0.47	0.027	0.28	0.1	1.8	0.06	0.15	<5			
1831171	Drill Core	0.12	0.17	0.07	4	0.83	0.045	19.1	3.2	0.39	224.8	0.009	<1	0.54	0.023	0.33	<0.1	2.2	0.07	0.18	<5			
1831172	Drill Core	0.10	0.31	0.09	3	0.85	0.036	19.8	3.2	0.36	203.5	0.009	1	0.53	0.020	0.32	0.1	2.2	0.08	0.15	<5			
1831173	Drill Core	0.14	0.15	0.30	5	0.93	0.037	29.0	4.2	0.47	237.3	0.014	<1	0.69	0.025	0.33	<0.1	2.9	0.09	0.04	<5			
1831174	Drill Core	0.16	0.22	0.06	10	1.61	0.046	35.4	8.8	0.76	243.2	0.020	<1	0.82	0.018	0.40	<0.1	4.0	0.16	0.04	<5			
1831175	Drill Core	0.13	0.18	0.47	6	0.83	0.038	36.6	3.8	0.45	185.7	0.004	<1	0.65	0.027	0.29	<0.1	2.6	0.09	0.16	<5			
1831176	Drill Core	0.19	0.14	1.01	7	1.02	0.048	38.4	4.9	0.90	213.3	0.003	1	1.03	0.007	0.36	<0.1	3.8	0.09	0.08	5			
1831177	Drill Core	0.20	0.11	0.17	11	1.26	0.052	31.4	10.2	0.91	218.0	0.019	<1	0.98	0.012	0.36	<0.1	5.4	0.10	0.05	<5			
1831178	Drill Core	0.65	0.13	0.35	4	0.82	0.032	35.1	3.2	0.28	291.2	0.002	<1	0.47	0.026	0.25	<0.1	1.7	0.06	0.22	8			
1831179	Drill Core	0.23	0.33	0.21	9	1.43	0.044	37.6	7.6	0.66	192.4	0.005	<1	0.79	0.020	0.26	0.1	4.5	0.08	0.24	9			
1831180	Rock	0.01	0.06	0.03	2	0.03	0.005	2.4	4.1	0.04	13.4	0.003	1	0.09	0.005	0.02	<0.1	0.6	<0.02	<0.02	6			
1831181	Drill Core	0.19	1.57	0.11	6	1.20	0.046	38.4	7.1	0.45	123.8	0.002	1	0.81	0.025	0.21	0.1	3.1	0.08	0.70	52			
1831182	Drill Core	0.20	1.17	0.05	8	0.66	0.041	30.1	6.7	0.61	101.3	0.002	<1	0.81	0.027	0.17	0.3	2.4	0.06	0.76	42			
1831183	Drill Core	0.18	0.36	0.06	5	0.67	0.041	27.2	8.4	0.81	139.7	0.001	<1	0.92	0.017	0.21	0.6	2.1	0.06	0.34	27			
1831184	Drill Core	0.19	0.26	0.12	14	1.09	0.020	25.7	56.1	1.83	92.7	<0.001	<1	1.44	0.010	0.13	0.4	3.1	0.04	0.15	15			
1831185	Drill Core	0.17	0.27	0.15	<1	0.43	0.005	41.6	2.6	0.89	132.6	<0.001	1	0.75	0.008	0.16	<0.1	1.0	0.03	0.07	25			
1831186	Drill Core	0.23	0.20	0.14	7	0.82	0.009	33.0	36.7	1.39	116.2	<0.001	<1	1.14	0.010	0.16	<0.1	2.2	0.04	0.13	19			
1831187	Drill Core	0.05	0.13	0.12	<1	0.23	0.003	38.2	1.9	0.13	783.9	<0.001	<1	0.30	0.025	0.22	<0.1	0.7	0.04	0.07	7			
1831188	Drill Core	0.14	0.20	0.15	<1	0.47	0.009	27.5	3.0	0.27	908.4	<0.001	<1	0.31	0.008	0.24	<0.1	1.0	0.05	0.10	7			
1831189	Drill Core	0.09	0.13	0.15	<1	0.16	0.002	32.7	1.4	0.12	710.5	<0.001	<1	0.30	0.019	0.25	<0.1	1.0	0.06	0.09	10			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000317.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1831160	Core DUP	<0.1	<0.02	2.4	1.45	<0.1	0.18	<0.02	10.5	0.3	<0.05	6.6	11.25	69.7	<0.02	<1	0.4	8.9	<10
1831161	Drill Core	<0.1	<0.02	3.9	1.63	<0.1	0.14	<0.02	10.8	0.4	<0.05	4.3	13.64	59.5	<0.02	1	0.7	21.8	<10
1831162	Drill Core	<0.1	0.05	3.6	0.89	<0.1	0.10	<0.02	7.9	0.4	<0.05	2.7	11.46	69.4	0.03	1	0.3	13.5	<10
1831163	Drill Core	<0.1	<0.02	2.9	1.23	<0.1	0.10	<0.02	9.1	0.1	<0.05	3.2	10.95	58.2	0.03	<1	0.4	15.7	<10
1831164	Drill Core	<0.1	0.04	1.3	0.73	<0.1	0.24	<0.02	7.3	0.2	<0.05	7.9	7.44	26.4	<0.02	<1	0.2	10.3	<10
1831165	Drill Core	<0.1	<0.02	1.1	0.96	<0.1	0.35	<0.02	6.7	0.2	<0.05	11.3	7.14	56.6	<0.02	1	0.1	5.2	<10
1831166	Drill Core	<0.1	<0.02	1.5	0.37	<0.1	0.16	<0.02	7.7	<0.1	<0.05	5.8	5.60	34.9	<0.02	2	0.2	8.8	<10
1831167	Drill Core	<0.1	0.02	1.2	0.42	<0.1	0.11	<0.02	7.4	0.1	<0.05	2.9	7.29	55.5	<0.02	<1	0.1	5.6	<10
1831168	Drill Core	<0.1	<0.02	2.2	0.58	<0.1	0.11	<0.02	10.0	0.2	<0.05	4.1	8.49	52.4	<0.02	<1	0.2	9.0	<10
1831169	Drill Core	<0.1	<0.02	1.6	0.34	<0.1	0.16	<0.02	9.2	0.4	<0.05	5.2	7.23	55.9	<0.02	<1	0.3	4.7	<10
1831170	Drill Core	<0.1	0.02	1.2	0.33	<0.1	0.11	<0.02	9.1	0.1	<0.05	3.1	4.96	42.2	<0.02	<1	0.1	4.4	<10
1831171	Drill Core	<0.1	0.23	1.9	0.39	<0.1	0.14	0.03	10.9	0.1	<0.05	4.9	4.26	35.3	<0.02	1	0.1	5.4	<10
1831172	Drill Core	<0.1	0.05	1.5	0.46	<0.1	0.17	0.04	11.0	0.2	<0.05	5.5	4.82	36.6	<0.02	<1	0.2	6.0	<10
1831173	Drill Core	<0.1	0.03	2.7	0.62	<0.1	0.06	0.04	12.7	0.3	<0.05	1.7	7.56	53.9	<0.02	<1	0.2	7.4	<10
1831174	Drill Core	<0.1	<0.02	2.6	1.28	<0.1	0.06	<0.02	18.7	0.2	<0.05	1.9	12.25	66.3	<0.02	2	0.4	7.4	<10
1831175	Drill Core	<0.1	0.03	2.5	0.57	<0.1	0.12	<0.02	10.1	0.2	<0.05	3.5	11.71	69.4	0.02	<1	<0.1	8.2	<10
1831176	Drill Core	<0.1	0.06	3.1	0.58	<0.1	0.06	<0.02	11.4	0.2	<0.05	1.2	12.67	72.3	0.03	2	0.5	11.6	<10
1831177	Drill Core	<0.1	<0.02	3.5	0.74	<0.1	0.04	<0.02	13.1	0.2	<0.05	0.8	15.43	60.5	0.04	1	0.3	9.7	<10
1831178	Drill Core	0.1	0.04	1.8	0.35	<0.1	0.13	<0.02	7.9	0.2	<0.05	4.7	12.75	65.8	0.02	2	0.3	5.4	<10
1831179	Drill Core	<0.1	<0.02	2.6	0.62	<0.1	0.05	<0.02	9.8	0.3	<0.05	2.7	15.50	70.5	0.03	2	0.3	11.3	<10
1831180	Rock	<0.1	0.05	0.3	0.15	<0.1	0.11	0.05	1.4	0.2	<0.05	2.4	1.27	4.9	<0.02	1	<0.1	1.4	<10
1831181	Drill Core	<0.1	0.02	4.0	1.29	<0.1	0.02	<0.02	9.6	0.3	<0.05	0.9	14.80	72.1	0.03	2	0.5	11.9	<10
1831182	Drill Core	<0.1	0.02	3.7	0.76	<0.1	0.07	<0.02	6.9	0.2	<0.05	1.6	9.48	56.7	0.03	<1	0.3	13.2	<10
1831183	Drill Core	<0.1	<0.02	3.2	0.44	<0.1	0.04	<0.02	7.9	0.2	<0.05	1.5	8.37	51.0	<0.02	<1	0.3	17.8	<10
1831184	Drill Core	<0.1	<0.02	4.4	0.70	<0.1	0.04	<0.02	4.8	0.3	<0.05	0.9	10.09	49.3	<0.02	3	0.3	29.0	<10
1831185	Drill Core	<0.1	<0.02	1.8	0.69	<0.1	0.02	<0.02	5.4	0.2	<0.05	0.6	9.69	79.7	<0.02	1	0.3	14.8	<10
1831186	Drill Core	<0.1	<0.02	3.4	0.40	<0.1	0.05	<0.02	5.4	0.2	<0.05	1.5	11.36	63.0	<0.02	2	0.2	18.8	<10
1831187	Drill Core	<0.1	<0.02	0.9	0.20	<0.1	0.27	0.05	7.8	0.2	<0.05	8.3	8.50	73.3	<0.02	<1	0.3	2.4	<10
1831188	Drill Core	<0.1	<0.02	0.8	0.16	<0.1	0.26	0.05	8.1	0.2	<0.05	6.4	7.05	53.1	0.03	<1	0.2	2.1	<10
1831189	Drill Core	<0.1	<0.02	0.9	0.14	<0.1	0.38	0.14	9.0	0.2	<0.05	10.8	7.67	61.8	<0.02	1	0.2	1.6	<10



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000317.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1831190	Drill Core	2.59	438	0.009	<0.01	<0.17	31.90	0.45	2.46	25.64	18.3	145	0.6	0.2	117	0.41	3.5	3.7	<0.2	15.9	47.9
1831191	Drill Core	2.84	426	0.011	0.01	<0.17	27.85	2.64	17.26	13.77	58.4	150	19.0	4.8	359	1.25	2.0	2.5	1.9	11.1	89.7
1831192	Drill Core	3.21	454	0.031	0.03	<0.17	29.23	0.67	11.59	44.98	47.0	203	11.5	3.9	302	1.11	1.2	2.5	28.5	10.6	103.4
1831193	Drill Core	2.97	436	0.059	0.05	<0.17	32.16	3.28	15.43	38.31	39.7	253	3.6	2.8	353	0.89	0.7	2.7	9.5	10.1	143.0
1831194	Drill Core	2.85	488	0.019	0.02	<0.17	33.91	1.66	6.00	30.26	34.3	194	4.4	1.6	222	0.78	1.0	3.9	10.4	14.7	92.7
1831195	Drill Core	3.31	473	0.027	0.02	<0.17	37.37	1.77	37.55	29.94	78.5	826	10.8	8.1	623	2.19	12.0	1.5	20.2	9.9	72.9
1831196	Drill Core	3.34	488	0.021	0.02	<0.17	37.61	1.85	24.97	24.46	82.8	761	13.8	10.2	755	2.56	3.9	1.1	15.9	8.0	108.4
1831197	Drill Core	2.91	498	0.026	0.02	<0.17	31.01	1.64	33.24	75.01	97.1	711	10.0	8.4	592	1.76	3.1	1.6	20.2	7.7	78.3
1831198	Drill Core	3.34	450	0.014	0.01	<0.17	36.50	0.25	14.53	7.70	65.7	286	10.5	6.8	625	1.48	10.9	2.0	12.7	8.8	77.7
1831199	Drill Core	2.95	429	0.027	0.02	<0.17	30.44	0.31	24.80	11.53	55.3	364	10.0	7.3	562	1.68	26.2	2.1	21.5	9.2	79.8
1831200	Rock Pulp	0.12	93	7.461				9.09	178.80	20.45	72.3	837	12.7	10.4	557	4.49	13.5	0.9	8413.7	3.2	70.8
1831201	Drill Core	3.01	519	0.033	0.03	<0.17	40.35	0.74	39.18	28.13	77.9	535	11.5	7.1	582	2.06	34.1	1.8	26.0	8.2	93.7
1831202	Drill Core	3.41	473	0.019	0.02	<0.17	33.78	1.12	24.27	11.50	65.8	361	11.6	7.5	637	2.30	14.7	1.7	9.6	9.8	73.8
1831203	Drill Core	3.11	486	0.007	<0.01	<0.17	39.66	1.52	15.61	11.56	60.9	242	11.6	7.2	661	1.91	8.3	1.1	0.5	9.7	97.3
1831204	Drill Core	3.19	457	0.007	<0.01	<0.17	29.32	1.04	16.07	12.51	59.8	230	11.2	6.9	833	2.41	4.9	1.6	<0.2	9.6	99.2
1831205	Drill Core	2.85	433	0.007	<0.01	<0.17	37.91	1.43	17.63	9.77	59.0	294	10.9	8.0	401	1.98	3.9	1.4	<0.2	10.2	64.7
1831206	Drill Core	2.69	507	0.006	<0.01	<0.17	35.47	1.33	18.68	9.14	13.7	261	11.6	8.0	288	2.14	2.6	1.6	<0.2	10.0	59.7
1831207	Drill Core	3.18	552	0.008	<0.01	<0.17	34.24	0.92	16.02	9.92	67.4	210	12.1	8.1	500	2.00	1.9	1.8	1.4	8.9	75.4



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000317.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831190	Drill Core	0.14	0.26	0.14	<1	0.21	0.001	14.2	1.1	0.30	619.8	<0.001	<1	0.27	0.007	0.14	0.3	0.4	0.03	0.06	11
1831191	Drill Core	0.32	0.28	0.08	2	0.56	0.020	6.5	9.6	0.88	237.7	0.001	<1	0.63	0.005	0.18	<0.1	0.8	0.04	0.54	19
1831192	Drill Core	0.27	0.22	0.14	3	0.54	0.030	6.9	7.6	0.81	212.3	0.001	<1	0.58	0.008	0.17	<0.1	0.9	0.04	0.51	<5
1831193	Drill Core	0.28	0.28	0.13	2	0.79	0.020	8.0	2.8	0.76	395.0	0.001	<1	0.59	0.007	0.18	<0.1	0.9	0.04	0.29	11
1831194	Drill Core	0.17	0.30	0.13	2	0.48	0.008	12.7	3.1	0.66	720.2	<0.001	<1	0.64	0.006	0.20	0.2	0.8	0.08	0.17	6
1831195	Drill Core	0.56	0.21	0.09	8	1.50	0.053	7.9	15.9	0.77	70.0	0.002	<1	0.78	0.015	0.23	<0.1	1.9	0.07	1.58	14
1831196	Drill Core	0.71	0.26	0.03	6	2.33	0.057	5.4	16.2	0.80	42.5	0.001	<1	0.61	0.010	0.22	0.2	1.7	0.05	2.13	22
1831197	Drill Core	1.56	0.18	0.07	6	2.21	0.055	6.4	12.7	0.50	104.3	0.002	<1	0.61	0.014	0.24	0.1	1.5	0.08	1.20	31
1831198	Drill Core	0.43	0.25	0.03	5	2.17	0.055	10.4	7.9	0.57	150.2	0.002	1	0.75	0.015	0.23	0.1	1.4	0.07	0.45	9
1831199	Drill Core	0.36	0.28	0.05	6	1.78	0.053	13.5	8.8	0.50	137.1	0.002	<1	0.68	0.015	0.23	<0.1	1.4	0.08	0.88	20
1831200	Rock Pulp	0.19	5.25	0.58	112	0.88	0.058	7.7	17.0	0.82	116.2	0.115	3	1.70	0.162	0.21	3.8	3.8	0.08	<0.02	244
1831201	Drill Core	0.67	0.38	0.11	11	1.74	0.052	14.5	16.3	0.56	104.8	0.002	<1	0.72	0.021	0.17	<0.1	1.7	0.06	1.25	16
1831202	Drill Core	0.45	0.21	0.10	12	1.73	0.059	25.5	14.1	0.54	134.3	0.004	<1	0.90	0.028	0.22	<0.1	2.4	0.06	0.99	8
1831203	Drill Core	0.40	0.13	0.10	9	2.03	0.058	27.9	9.9	0.43	221.8	0.004	<1	0.78	0.021	0.23	<0.1	1.9	0.06	0.53	<5
1831204	Drill Core	0.41	0.18	0.10	8	2.43	0.056	24.2	9.0	0.38	120.8	0.003	1	0.84	0.018	0.25	<0.1	2.2	0.07	1.12	11
1831205	Drill Core	0.32	0.16	0.08	6	1.37	0.059	26.3	9.3	0.22	96.6	0.003	1	0.55	0.026	0.23	<0.1	1.6	0.06	1.35	19
1831206	Drill Core	0.31	0.17	0.07	4	1.17	0.059	28.5	5.8	0.03	53.3	0.005	1	0.29	0.039	0.21	0.1	1.6	0.06	2.19	16
1831207	Drill Core	0.35	0.12	0.06	7	1.72	0.057	23.3	9.8	0.37	126.0	0.004	2	0.75	0.026	0.24	<0.1	2.1	0.05	0.98	8



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000317.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1831190	Drill Core	<0.1	<0.02	0.7	0.14	<0.1	0.25	0.31	5.0	0.1	<0.05	7.4	6.56	28.0	<0.02	1	0.2	3.4	<10	<2
1831191	Drill Core	<0.1	<0.02	1.6	0.24	<0.1	0.19	<0.02	6.0	0.1	<0.05	6.8	3.03	12.8	<0.02	4	0.3	9.6	<10	<2
1831192	Drill Core	<0.1	<0.02	1.6	0.27	<0.1	0.18	<0.02	5.7	0.1	<0.05	6.0	2.88	12.9	<0.02	2	<0.1	8.9	<10	<2
1831193	Drill Core	<0.1	0.06	1.5	0.37	<0.1	0.14	<0.02	6.0	0.1	<0.05	5.2	2.76	14.8	<0.02	5	0.2	8.6	<10	<2
1831194	Drill Core	<0.1	<0.02	1.9	1.19	<0.1	0.13	0.03	7.4	0.3	<0.05	5.3	3.22	24.5	<0.02	2	0.3	9.8	<10	<2
1831195	Drill Core	0.1	0.02	2.5	0.50	<0.1	0.09	<0.02	9.2	0.1	<0.05	5.1	4.99	15.2	<0.02	2	0.2	11.9	<10	2
1831196	Drill Core	0.2	0.02	1.5	0.49	<0.1	0.10	<0.02	8.0	0.2	<0.05	4.5	6.84	10.5	<0.02	3	0.3	7.0	<10	<2
1831197	Drill Core	0.2	0.04	1.4	0.26	<0.1	0.13	<0.02	8.9	0.2	<0.05	4.8	5.16	12.4	<0.02	<1	0.2	7.4	<10	<2
1831198	Drill Core	<0.1	0.04	1.7	0.54	<0.1	0.10	<0.02	9.2	0.1	<0.05	4.4	5.98	20.2	<0.02	<1	0.1	12.1	<10	<2
1831199	Drill Core	0.1	0.06	2.0	0.34	<0.1	0.13	<0.02	9.6	0.1	<0.05	5.0	6.91	26.0	<0.02	404	0.2	10.4	<10	<2
1831200	Rock Pulp	<0.1	0.18	4.7	0.67	<0.1	0.11	0.08	7.7	1.6	<0.05	1.7	5.01	15.1	0.04	1	0.1	6.9	<10	2
1831201	Drill Core	0.3	0.07	2.9	0.41	<0.1	0.08	<0.02	7.1	0.2	<0.05	3.4	9.11	28.1	<0.02	2	0.2	13.1	<10	<2
1831202	Drill Core	0.1	<0.02	2.8	0.31	<0.1	0.09	<0.02	9.2	0.1	<0.05	3.3	12.53	47.5	<0.02	3	0.2	9.2	<10	<2
1831203	Drill Core	0.2	0.03	2.4	0.37	<0.1	0.06	<0.02	9.9	0.2	<0.05	3.1	14.23	53.1	<0.02	2	0.2	9.5	<10	<2
1831204	Drill Core	0.4	0.02	2.2	0.40	<0.1	0.10	<0.02	9.4	0.2	<0.05	4.3	15.10	47.0	<0.02	2	0.3	14.5	<10	<2
1831205	Drill Core	0.4	<0.02	1.8	0.28	<0.1	0.08	0.03	9.1	0.2	<0.05	3.4	12.52	50.8	<0.02	<1	0.2	6.4	<10	<2
1831206	Drill Core	<0.1	<0.02	1.0	0.23	<0.1	0.07	0.10	8.0	0.2	<0.05	2.4	14.40	53.9	<0.02	3	0.2	1.5	<10	<2
1831207	Drill Core	0.2	<0.02	2.4	0.20	<0.1	0.07	0.05	8.9	0.1	<0.05	2.4	11.41	44.8	<0.02	2	0.1	5.3	<10	<2



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000317.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
Pulp Duplicates																					
REP 1831070	QC							0.52	9.38	7.35	22.1	641	2.0	2.3	171	0.85	12.5	1.1	331.0	10.3	9.5
1831097	Drill Core	1.29	474	0.045	0.04	<0.17	36.65	0.19	9.80	12.40	11.8	232	1.2	1.1	126	0.67	16.1	1.2	43.7	15.0	13.0
REP 1831097	QC			0.062																	
REP 1831104	QC							0.78	5.75	25.21	27.0	299	2.4	2.6	238	0.95	1.1	1.6	3.3	12.3	76.1
1831121	Drill Core	4.02	374	0.007	<0.01	<0.17	33.55	0.45	4.16	22.61	5.3	247	0.4	0.5	36	0.38	5.0	1.1	2.6	16.7	2.9
REP 1831121	QC			0.007																	
1831139	Drill Core	2.90	473	0.096	0.09	<0.17	28.96	0.22	4.61	6.33	18.8	376	1.7	2.1	277	1.05	28.9	2.5	81.0	15.1	49.4
REP 1831139	QC							0.21	4.83	6.36	18.1	384	1.9	2.0	250	1.07	29.3	2.5	179.1	14.9	50.7
1831174	Drill Core	3.19	457	0.056	0.05	<0.17	30.83	0.39	9.58	14.95	37.0	77	5.9	5.0	321	1.54	1.1	2.7	6.9	13.5	209.5
REP 1831174	QC							0.34	9.98	14.71	36.1	81	5.6	5.1	324	1.54	1.2	2.7	5.1	13.8	214.2
1831194	Drill Core	2.85	488	0.019	0.02	<0.17	33.91	1.66	6.00	30.26	34.3	194	4.4	1.6	222	0.78	1.0	3.9	10.4	14.7	92.7
REP 1831194	QC			0.017																	
1831205	Drill Core	2.85	433	0.007	<0.01	<0.17	37.91	1.43	17.63	9.77	59.0	294	10.9	8.0	401	1.98	3.9	1.4	<0.2	10.2	64.7
REP 1831205	QC							1.41	17.79	9.71	58.5	297	11.5	8.0	423	2.06	3.9	1.4	<0.2	10.1	65.7
Core Reject Duplicates																					
1831070	Drill Core	3.33	463	0.474	0.67	2.81	39.55	0.46	9.81	8.01	23.1	712	2.3	2.1	174	0.87	12.4	1.2	437.0	10.3	10.0
DUP 1831070	QC		463	0.417	0.42	0.45	31.38	0.49	9.86	8.18	22.9	853	2.2	2.2	184	0.83	12.6	1.2	248.0	10.4	10.0
1831104	Drill Core	2.48	428	0.012	0.01	<0.17	28.42	0.86	6.99	26.15	24.8	322	2.8	2.8	265	0.96	1.2	1.8	3.8	12.4	81.7
DUP 1831104	QC		422	0.011	<0.01	<0.17	34.51	0.83	6.17	24.34	26.9	297	2.2	2.6	254	0.95	1.0	1.6	3.0	12.0	75.9
1831138	Drill Core	1.39	495	0.043	0.04	<0.17	26.94	0.20	6.02	6.53	12.3	127	1.2	1.3	179	0.68	7.9	5.8	23.1	14.9	38.0
DUP 1831138	QC		476	0.039	0.04	<0.17	26.88	0.18	5.55	6.35	12.0	123	1.1	1.5	177	0.66	7.0	5.5	33.4	14.5	36.7
1831172	Drill Core	3.10	487	0.049	0.05	<0.17	28.00	0.27	7.24	13.96	23.4	85	2.0	2.7	202	1.07	1.7	2.3	17.3	12.2	139.8
DUP 1831172	QC		448	0.051	0.05	<0.17	29.20	0.26	6.28	13.49	22.9	93	2.1	2.5	200	1.05	1.8	2.1	65.9	11.7	135.8
1831206	Drill Core	2.69	507	0.006	<0.01	<0.17	35.47	1.33	18.68	9.14	13.7	261	11.6	8.0	288	2.14	2.6	1.6	<0.2	10.0	59.7
DUP 1831206	QC		512	0.007	<0.01	<0.17	38.20	1.37	18.76	9.53	12.7	275	11.7	7.7	282	2.14	2.6	1.6	<0.2	10.3	58.6
Reference Materials																					
STD BVGEO01	Standard							10.31	4436.22	180.78	1687.1	2430	154.5	24.5	742	3.70	117.2	3.6	218.9	16.1	53.8
STD BVGEO01	Standard							10.77	4333.63	187.02	1786.8	2477	169.1	24.9	690	3.64	113.9	3.9	211.9	15.6	57.0



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 29, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000317.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
REP 1831070	QC	0.24	0.18	0.05	5	0.07	0.025	20.3	4.1	0.18	275.7	0.002	<1	0.39	0.023	0.19	0.9	0.8	0.04	<0.02	<5
1831097	Drill Core	0.11	0.19	0.03	2	0.13	0.036	35.0	2.2	0.19	291.8	0.001	<1	0.46	0.055	0.29	<0.1	0.9	0.07	<0.02	12
REP 1831097																					
REP 1831104	QC	0.39	0.10	0.17	2	1.91	0.030	20.6	2.9	0.59	172.2	0.001	<1	0.72	0.009	0.26	<0.1	1.4	0.06	0.08	13
1831121	Drill Core	0.06	0.30	0.14	<1	0.02	0.002	30.5	1.5	0.03	142.8	<0.001	2	0.26	0.020	0.21	0.5	0.3	0.05	<0.02	10
REP 1831121																					
1831139	Drill Core	0.10	0.18	0.10	3	0.81	0.029	22.9	3.5	0.30	305.4	0.001	<1	0.48	0.028	0.22	0.1	1.0	0.08	0.44	29
REP 1831139	QC	0.12	0.16	0.09	3	0.83	0.034	22.4	3.4	0.30	296.6	0.001	<1	0.49	0.028	0.22	<0.1	0.8	0.07	0.45	19
1831174	Drill Core	0.16	0.22	0.06	10	1.61	0.046	35.4	8.8	0.76	243.2	0.020	<1	0.82	0.018	0.40	<0.1	4.0	0.16	0.04	<5
REP 1831174	QC	0.19	0.23	0.06	9	1.49	0.043	35.7	8.9	0.77	247.0	0.020	<1	0.82	0.018	0.40	<0.1	4.2	0.17	0.03	9
1831194	Drill Core	0.17	0.30	0.13	2	0.48	0.008	12.7	3.1	0.66	720.2	<0.001	<1	0.64	0.006	0.20	0.2	0.8	0.08	0.17	6
REP 1831194																					
1831205	Drill Core	0.32	0.16	0.08	6	1.37	0.059	26.3	9.3	0.22	96.6	0.003	1	0.55	0.026	0.23	<0.1	1.6	0.06	1.35	19
REP 1831205	QC	0.32	0.14	0.08	6	1.44	0.059	26.7	9.6	0.23	98.6	0.003	<1	0.59	0.029	0.24	<0.1	1.7	0.07	1.41	21
Core Reject Duplicates																					
1831070	Drill Core	0.25	0.19	0.05	5	0.08	0.027	20.8	4.4	0.18	267.1	0.002	<1	0.41	0.025	0.20	0.8	0.8	0.04	<0.02	<5
DUP 1831070	QC	0.27	0.19	0.05	5	0.07	0.026	21.2	4.2	0.18	284.3	0.002	<1	0.39	0.024	0.19	0.9	0.8	0.04	<0.02	10
1831104	Drill Core	0.37	0.12	0.19	2	1.92	0.037	22.6	3.4	0.60	189.2	0.001	2	0.70	0.008	0.25	<0.1	1.4	0.06	0.08	13
DUP 1831104	QC	0.37	0.10	0.17	2	1.91	0.029	22.2	3.0	0.59	174.4	0.001	1	0.70	0.009	0.25	<0.1	1.4	0.06	0.08	19
1831138	Drill Core	0.06	0.16	0.11	2	0.44	0.031	29.3	2.5	0.19	458.0	0.001	<1	0.44	0.026	0.28	<0.1	0.8	0.07	0.18	11
DUP 1831138	QC	0.04	0.14	0.11	2	0.44	0.029	26.4	2.1	0.18	408.5	0.001	<1	0.40	0.025	0.26	<0.1	0.8	0.08	0.17	10
1831172	Drill Core	0.10	0.31	0.09	3	0.85	0.036	19.8	3.2	0.36	203.5	0.009	1	0.53	0.020	0.32	0.1	2.2	0.08	0.15	<5
DUP 1831172	QC	0.09	0.29	0.08	3	0.82	0.033	18.1	2.8	0.35	184.4	0.008	2	0.51	0.019	0.30	0.1	2.1	0.07	0.15	11
1831206	Drill Core	0.31	0.17	0.07	4	1.17	0.059	28.5	5.8	0.03	53.3	0.005	1	0.29	0.039	0.21	0.1	1.6	0.06	2.19	16
DUP 1831206	QC	0.31	0.16	0.08	4	1.26	0.060	28.2	5.5	0.03	49.1	0.005	1	0.28	0.038	0.20	<0.1	1.7	0.06	2.18	15
Reference Materials																					
STD BVGEO01	Standard	6.31	3.75	24.70	72	1.30	0.073	25.6	181.5	1.29	268.4	0.228	4	2.36	0.193	0.92	5.2	6.2	0.60	0.66	68
STD BVGEO01	Standard	6.13	3.21	24.29	80	1.39	0.069	28.2	181.7	1.27	255.1	0.235	3	2.35	0.188	0.87	5.2	7.0	0.63	0.64	76



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 29, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000317.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
REP 1831070	QC	<0.1	0.14	1.2	0.34	<0.1	0.15	<0.02	6.4	0.2	<0.05	3.6	4.28	39.2	<0.02	<1	0.2	4.2	<10	<2
1831097	Drill Core	<0.1	0.04	1.4	0.39	<0.1	0.23	<0.02	9.5	0.2	<0.05	6.9	7.75	64.0	<0.02	<1	0.1	4.5	<10	<2
REP 1831097	QC																			
REP 1831104	QC	<0.1	0.02	1.7	0.22	<0.1	0.08	<0.02	7.3	0.2	<0.05	2.4	5.18	40.5	<0.02	<1	0.3	6.6	<10	<2
1831121	Drill Core	<0.1	<0.02	0.8	0.97	<0.1	0.38	0.13	7.1	0.4	<0.05	17.1	5.91	58.7	<0.02	<1	0.2	1.0	<10	<2
REP 1831121	QC																			
1831139	Drill Core	0.1	0.11	1.8	0.53	<0.1	0.10	<0.02	10.2	0.1	<0.05	2.5	8.00	43.8	<0.02	<1	0.2	5.9	<10	<2
REP 1831139	QC	0.3	0.09	2.0	0.52	<0.1	0.10	<0.02	10.5	0.2	<0.05	2.4	7.96	44.2	<0.02	<1	0.3	6.4	<10	<2
1831174	Drill Core	<0.1	<0.02	2.6	1.28	<0.1	0.06	<0.02	18.7	0.2	<0.05	1.9	12.25	66.3	<0.02	2	0.4	7.4	<10	<2
REP 1831174	QC	<0.1	0.04	2.6	1.30	<0.1	0.07	<0.02	18.8	0.1	<0.05	2.0	12.21	67.5	0.03	2	0.3	7.1	<10	<2
1831194	Drill Core	<0.1	<0.02	1.9	1.19	<0.1	0.13	0.03	7.4	0.3	<0.05	5.3	3.22	24.5	<0.02	2	0.3	9.8	<10	<2
REP 1831194	QC																			
1831205	Drill Core	0.4	<0.02	1.8	0.28	<0.1	0.08	0.03	9.1	0.2	<0.05	3.4	12.52	50.8	<0.02	<1	0.2	6.4	<10	<2
REP 1831205	QC	0.2	<0.02	1.9	0.29	<0.1	0.09	0.02	9.2	0.2	<0.05	3.5	12.54	51.5	<0.02	3	0.1	6.7	<10	<2
Core Reject Duplicates																				
1831070	Drill Core	<0.1	0.16	1.3	0.35	<0.1	0.16	<0.02	6.9	0.2	<0.05	3.6	4.40	42.9	<0.02	<1	0.2	5.1	<10	<2
DUP 1831070	QC	<0.1	0.16	1.3	0.32	<0.1	0.14	<0.02	7.0	0.2	<0.05	3.6	4.25	41.2	<0.02	<1	0.2	4.4	<10	2
1831104	Drill Core	<0.1	<0.02	1.6	0.23	<0.1	0.09	<0.02	7.3	0.1	<0.05	2.3	5.76	40.9	<0.02	<1	0.2	6.8	<10	<2
DUP 1831104	QC	<0.1	<0.02	1.7	0.21	<0.1	0.06	<0.02	7.4	0.2	<0.05	2.4	5.33	39.7	<0.02	<1	0.1	6.5	<10	<2
1831138	Drill Core	<0.1	0.02	1.5	0.53	<0.1	0.08	<0.02	12.8	0.2	<0.05	3.3	5.71	55.3	<0.02	<1	0.2	5.0	<10	<2
DUP 1831138	QC	<0.1	<0.02	1.3	0.55	<0.1	0.08	<0.02	12.2	0.2	<0.05	3.0	5.37	50.0	<0.02	<1	0.4	4.4	<10	<2
1831172	Drill Core	<0.1	0.05	1.5	0.46	<0.1	0.17	0.04	11.0	0.2	<0.05	5.5	4.82	36.6	<0.02	<1	0.2	6.0	<10	<2
DUP 1831172	QC	<0.1	0.04	1.6	0.47	<0.1	0.14	0.04	10.6	0.1	<0.05	4.7	4.38	34.2	<0.02	1	0.4	6.2	<10	<2
1831206	Drill Core	<0.1	<0.02	1.0	0.23	<0.1	0.07	0.10	8.0	0.2	<0.05	2.4	14.40	53.9	<0.02	3	0.2	1.5	<10	<2
DUP 1831206	QC	0.2	0.03	0.9	0.21	<0.1	0.07	0.07	8.0	0.2	<0.05	2.5	14.35	54.1	<0.02	2	0.1	1.5	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.8	1.04	7.4	7.23	0.1	0.30	0.30	96.1	5.7	<0.05	9.0	14.23	53.8	0.39	2	0.6	21.0	110	173
STD BVGEO01	Standard	4.4	0.88	6.9	7.19	0.1	0.32	0.26	93.8	5.0	<0.05	6.4	14.90	55.1	0.43	4	0.7	20.4	143	180



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 29, 2019

Page:

2 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000317.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD BVGE001	Standard							10.80	4376.78	196.59	1790.8	2545	168.3	24.4	718	3.60	116.9	4.1	220.7	16.2	59.2
STD DS11	Standard							13.88	149.60	136.53	356.2	1861	72.4	13.3	1032	3.14	42.3	2.4	191.8	8.2	64.7
STD DS11	Standard							14.78	149.68	148.39	339.7	1733	78.3	13.2	998	3.07	42.2	2.8	110.2	8.7	69.5
STD OREAS262	Standard							0.63	110.39	59.52	147.8	478	65.4	27.1	508	3.26	35.6	1.2	53.9	9.9	36.1
STD OREAS262	Standard							0.65	117.37	57.03	147.5	473	64.2	27.1	561	3.27	36.2	1.2	67.7	10.0	36.7
STD OREAS262	Standard							0.64	113.17	55.36	146.5	455	67.1	26.4	536	3.24	34.5	1.2	57.2	10.9	33.3
STD OREAS262	Standard							0.63	116.34	59.50	145.9	462	61.6	27.3	513	3.21	35.3	1.3	74.4	10.7	36.3
STD OREAS262	Standard							0.65	111.34	58.85	145.1	457	59.0	26.1	510	3.19	34.2	1.3	66.9	10.1	35.5
STD OXC145	Standard			0.208																	
STD OXC145	Standard			0.214																	
STD OXC152	Standard			0.209																	
STD OXH139	Standard			1.264																	
STD OXH139	Standard			1.318																	
STD OXH139	Standard			1.397																	
STD OXN134	Standard			7.752																	
STD OXN134	Standard			7.808																	
STD OXN134	Standard			8.074																	
STD OXQ90	Standard					24.93	30.28														
STD OXQ90	Standard					25.12	30.34														
STD OXQ90	Standard					25.28	29.99														
STD OXQ90	Standard					24.88	29.54														
STD OXQ90	Standard					25.02	30.34														
STD OXQ90	Standard					25.08	29.79														
STD OXQ90	Standard					25.62	30.45														
STD OXQ90	Standard					25.01	29.91														
STD OXQ90	Standard					25.19	29.61														
STD OXQ90	Standard					24.98	30.42														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000317.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Tl ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD BVGE001	Standard	6.29	4.01	26.01	75	1.37	0.074	27.4	177.6	1.27	274.5	0.227	3	2.34	0.184	0.86	5.5	6.5	0.55	0.64	110
STD DS11	Standard	2.40	8.58	12.10	48	1.06	0.069	19.4	53.7	0.86	372.3	0.092	11	1.19	0.078	0.41	3.1	3.2	5.02	0.27	279
STD DS11	Standard	2.44	9.16	12.21	50	1.03	0.064	18.6	59.4	0.85	346.4	0.090	9	1.15	0.069	0.40	2.9	2.9	4.71	0.27	259
STD OREAS262	Standard	0.63	4.72	1.03	21	3.09	0.042	13.6	39.6	1.18	232.3	0.003	6	1.24	0.068	0.30	0.2	3.4	0.46	0.25	183
STD OREAS262	Standard	0.66	6.08	1.05	21	2.93	0.041	15.8	41.2	1.18	261.6	0.002	4	1.34	0.069	0.30	0.2	3.3	0.50	0.25	150
STD OREAS262	Standard	0.64	4.11	1.01	23	3.09	0.035	16.0	42.3	1.16	248.3	0.003	3	1.31	0.069	0.31	0.2	3.6	0.45	0.25	161
STD OREAS262	Standard	0.68	6.04	1.03	22	2.99	0.038	16.0	42.8	1.15	244.8	0.002	4	1.30	0.068	0.31	0.3	3.2	0.43	0.25	192
STD OREAS262	Standard	0.60	6.00	1.02	22	3.05	0.038	15.6	41.4	1.16	236.8	0.002	3	1.31	0.068	0.31	0.2	3.3	0.42	0.25	165
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000317.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD BVGE001	Standard	5.0	1.03	7.2	7.28	0.1	0.32	0.27	92.3	5.4	<0.05	8.7	13.96	54.4	0.49	7	0.6	20.2	128	191
STD DS11	Standard	1.7	4.76	5.0	2.93	<0.1	0.07	1.47	34.2	1.8	<0.05	3.4	8.04	39.1	0.25	49	0.8	23.4	98	181
STD DS11	Standard	1.6	4.62	5.0	2.78	<0.1	0.06	1.46	32.3	1.9	<0.05	3.2	7.83	37.1	0.25	46	0.5	23.2	117	159
STD OREAS262	Standard	0.4	0.25	4.0	2.55	<0.1	0.28	0.03	17.1	0.6	<0.05	9.3	10.10	29.9	0.04	<1	1.4	16.7	12	5
STD OREAS262	Standard	0.8	0.24	3.8	2.90	<0.1	0.30	0.03	19.0	0.4	<0.05	11.7	10.95	33.5	0.02	<1	1.1	18.9	<10	<2
STD OREAS262	Standard	0.4	0.25	3.7	2.64	<0.1	0.21	<0.02	18.4	0.4	<0.05	5.6	10.78	32.7	0.04	<1	0.8	16.5	<10	3
STD OREAS262	Standard	0.2	0.22	3.7	2.75	<0.1	0.27	<0.02	17.6	0.6	<0.05	11.0	10.37	32.1	0.04	<1	0.9	17.0	<10	2
STD OREAS262	Standard	0.3	0.22	3.6	2.77	<0.1	0.26	<0.02	17.7	0.5	<0.05	10.3	10.05	31.2	0.03	1	1.0	17.1	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000317.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank			0.007																	
BLK	Blank			0.009																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.2	<0.5
BLK	Blank							<0.01	0.02	<0.01	0.3	6	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	0.2	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	0.3	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	0.2	<0.5
BLK	Blank							<0.01	0.01	0.04	0.2	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	0.2	<0.5
BLK	Blank			0.005																	
BLK	Blank			0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		440	0.008	<0.01	<0.17	37.75	1.14	2.45	1.44	34.5	10	0.8	3.3	501	1.83	0.7	0.5	<0.2	4.8	21.9
ROCK-WHI	Prep Blank		429	0.009	<0.01	<0.17	36.31	1.14	2.72	1.11	25.1	10	0.8	3.4	437	1.86	0.8	0.5	<0.2	3.5	24.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000317.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.02	<0.02	25	0.62	0.037	6.7	3.5	0.45	53.9	0.085	<1	0.88	0.095	0.09	<0.1	3.5	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	0.06	<0.02	26	0.59	0.038	6.8	3.1	0.43	58.5	0.083	<1	0.85	0.090	0.08	<0.1	2.8	<0.02	0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000317.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	0.02	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.20	<0.1	0.11	0.21	2.3	0.2	<0.05	1.9	9.88	13.4	<0.02	<1	0.1	2.2	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.1	0.18	<0.1	0.10	0.17	2.3	0.2	<0.05	1.9	9.33	12.9	<0.02	<1	0.2	2.3	<10	<2