



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 05, 2019
Report Date: August 26, 2019
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000318.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-40
P.O. Number
Number of Samples: 27

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	26	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FS631	27	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	27	Analysis sample split/packet			WHI
Split -150	27	Analysis sample split/packet			WHI
EN002	27	Environmental disposal charge-Fire assay lead waste			VAN
FS631	26	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	27	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	27	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Peter Tallman
Graeme Joyce


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 2 of 2

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000318.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1831208	Drill Core	3.01	421	<0.005	<0.01	<0.17	39.44	0.32	22.31	10.20	77.2	232	15.2	9.8	531	2.27	0.5	1.8	2.8	10.8
1831209	Drill Core	3.23	491	<0.005	<0.01	<0.17	40.72	1.05	10.48	8.81	93.0	152	10.0	8.5	667	2.46	0.1	2.0	2.5	9.4
1831210	Drill Core	3.15	434	<0.005	<0.01	<0.17	35.33	1.45	10.57	8.80	87.4	145	10.1	8.9	714	2.43	0.5	1.8	2.3	9.5
1831211	Drill Core	3.16	438	<0.005	<0.01	<0.17	32.97	1.34	11.30	10.01	92.5	170	11.9	8.5	622	2.71	<0.1	1.9	1.5	10.3
1831212	Drill Core	3.14	355	0.007	0.02	<0.17	30.79	2.24	14.36	8.12	83.1	192	15.0	9.2	560	2.48	1.3	1.4	2.2	8.5
1831213	Drill Core	3.34	370	<0.005	<0.01	<0.17	36.24	1.32	13.94	6.31	78.9	206	15.4	9.0	610	2.37	1.8	2.0	3.8	9.2
1831214	Drill Core	2.99	416	<0.005	<0.01	<0.17	38.69	2.02	16.07	6.45	78.9	200	16.2	9.0	703	2.30	0.5	1.6	1.9	9.6
1831215	Drill Core	2.90	510	<0.005	<0.01	<0.17	32.83	3.31	15.17	23.00	70.1	252	16.2	11.7	847	2.33	0.6	1.7	2.1	8.0
1831216	Drill Core	3.22	439	<0.005	<0.01	<0.17	41.48	1.69	17.52	7.57	61.7	215	13.9	8.6	561	1.87	<0.1	1.8	1.8	11.0
1831217	Drill Core	3.04	429	<0.005	<0.01	<0.17	34.47	1.57	14.47	11.01	64.4	224	12.4	8.6	422	1.90	0.4	2.1	1.9	12.0
1831218	Drill Core	2.03	469	<0.005	<0.01	<0.17	37.43	2.32	20.56	6.45	63.1	220	17.2	10.6	505	2.24	0.8	1.7	1.6	10.0
1831219	Drill Core	3.06	401	<0.005	<0.01	<0.17	34.75	0.95	5.94	60.00	11.8	302	7.4	5.9	232	1.34	1.0	2.5	<0.2	13.0
1831220	Rock Pulp	0.13	93	0.424				2.67	466.15	19.44	56.7	264	636.4	27.2	422	2.60	18.8	0.6	407.8	2.4
1831221	Drill Core	2.97	534	<0.005	<0.01	<0.17	30.84	0.28	6.16	41.31	38.0	330	9.4	6.3	271	1.32	1.2	1.7	<0.2	8.1
1831222	Drill Core	2.99	423	<0.005	<0.01	<0.17	38.72	1.09	12.88	18.36	21.2	225	11.0	9.1	148	1.41	0.7	1.9	<0.2	11.5
1831223	Drill Core	2.87	479	<0.005	<0.01	<0.17	34.19	1.58	5.71	16.94	7.0	226	8.5	6.8	139	1.61	1.0	2.1	0.5	11.7
1831224	Drill Core	3.13	450	<0.005	<0.01	<0.17	34.41	0.63	7.64	9.87	6.0	291	5.3	4.9	145	1.40	1.2	1.6	2.7	10.7
1831225	Drill Core	3.10	410	<0.005	<0.01	<0.17	36.85	1.86	5.31	25.34	8.3	214	6.7	5.8	225	1.60	0.5	1.9	1.9	10.9
1831226	Drill Core	3.32	487	<0.005	<0.01	<0.17	35.62	1.47	3.27	17.82	7.8	247	9.6	7.3	199	1.29	0.9	1.7	2.2	10.9
1831227	Drill Core	3.23	428	0.010	<0.01	<0.17	35.24	1.72	16.30	18.76	51.3	286	13.1	9.6	212	1.80	2.6	2.2	2.8	12.7
1831228	Drill Core	3.24	460	<0.005	<0.01	<0.17	38.11	0.45	13.80	10.06	10.5	258	8.5	6.6	249	1.50	1.4	2.3	0.3	10.8
1831229	Drill Core	3.46	506	<0.005	<0.01	<0.17	33.30	1.16	15.32	23.27	23.7	424	11.0	9.2	262	1.63	3.7	3.5	4.0	13.0
1831230	Drill Core	2.95	442	0.007	<0.01	<0.17	43.98	0.87	12.02	113.17	48.0	609	1.8	2.2	109	0.84	7.2	3.7	5.4	17.4
1831231	Drill Core	2.95	526	0.006	<0.01	<0.17	44.63	1.20	11.95	128.64	23.3	918	4.4	3.9	121	1.36	4.3	4.2	5.8	15.8
1831232	Drill Core	3.15	441	0.006	<0.01	<0.17	37.62	1.96	11.66	59.35	33.2	412	5.8	4.5	132	1.49	4.6	3.2	3.8	15.1
1831233	Drill Core	3.23	480	0.023	0.02	<0.17	40.68	1.43	14.71	53.75	27.1	386	8.9	6.3	170	1.61	2.3	2.8	3.8	13.4
1831234	Drill Core	3.02	469	0.006	<0.01	<0.17	37.04	1.07	14.19	14.99	8.4	339	10.1	7.3	144	1.58	2.1	2.2	3.2	12.1



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 2 of 2

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000318.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831208	Drill Core	0.37	0.13	0.08	11	1.91	0.064	31.0	16.5	0.46	193.8	0.013	1	1.05	0.095	0.29	0.1	4.7	0.07	1.02	13
1831209	Drill Core	0.35	0.13	0.06	13	2.45	0.062	29.1	18.5	0.77	258.2	0.015	1	1.36	0.068	0.31	<0.1	5.0	0.09	0.73	31
1831210	Drill Core	0.44	0.12	0.05	12	2.83	0.059	29.3	16.8	0.69	223.0	0.013	2	1.31	0.069	0.32	<0.1	4.8	0.08	0.91	20
1831211	Drill Core	0.35	0.13	0.07	15	2.18	0.062	28.7	20.9	0.89	245.1	0.011	2	1.47	0.089	0.30	<0.1	5.1	0.08	1.00	30
1831212	Drill Core	0.31	0.15	0.09	12	2.03	0.058	19.9	19.3	0.81	158.1	0.010	1	1.35	0.068	0.29	<0.1	4.2	0.08	1.06	40
1831213	Drill Core	0.30	0.16	0.05	10	2.14	0.059	23.0	16.3	0.87	188.9	0.009	1	1.37	0.068	0.29	<0.1	4.0	0.07	0.90	22
1831214	Drill Core	0.39	0.15	0.04	11	2.87	0.055	24.9	34.9	0.97	162.2	0.008	<1	1.32	0.071	0.25	<0.1	4.1	0.07	1.08	24
1831215	Drill Core	0.52	0.16	0.18	10	3.97	0.052	16.1	57.9	0.90	146.1	0.005	<1	1.22	0.031	0.27	<0.1	3.9	0.07	1.38	29
1831216	Drill Core	0.40	0.15	0.06	7	2.64	0.049	30.9	13.5	0.90	203.1	0.006	<1	1.19	0.034	0.28	0.1	3.0	0.07	0.73	17
1831217	Drill Core	0.22	0.15	0.08	8	1.86	0.048	30.1	15.4	0.99	192.6	0.007	2	1.30	0.037	0.31	<0.1	2.7	0.06	0.73	15
1831218	Drill Core	0.23	0.23	0.06	8	2.02	0.053	24.1	20.9	0.94	162.1	0.008	<1	1.23	0.047	0.27	<0.1	3.3	0.06	1.25	32
1831219	Drill Core	0.15	0.23	0.24	3	0.77	0.038	25.2	7.8	0.12	99.4	0.005	<1	0.45	0.079	0.24	0.1	1.4	0.06	1.16	12
1831220	Rock Pulp	0.20	0.34	0.30	54	1.40	0.028	4.3	103.1	1.85	81.1	0.070	3	2.08	0.218	0.16	1.2	4.7	0.09	0.19	24
1831221	Drill Core	0.17	0.24	0.31	3	0.63	0.033	12.3	14.5	0.38	76.3	0.002	<1	0.54	0.036	0.21	<0.1	1.2	0.05	0.82	6
1831222	Drill Core	0.18	0.20	0.13	3	0.50	0.045	17.4	5.9	0.18	119.1	0.003	<1	0.46	0.062	0.24	<0.1	1.1	0.06	1.18	6
1831223	Drill Core	0.09	0.14	0.03	3	0.84	0.040	13.9	4.4	0.06	74.6	0.003	<1	0.31	0.066	0.19	<0.1	1.1	0.04	1.60	<5
1831224	Drill Core	0.07	0.10	<0.02	3	0.58	0.045	18.1	6.3	0.06	95.8	0.003	<1	0.30	0.070	0.17	<0.1	1.3	0.04	1.32	<5
1831225	Drill Core	0.15	0.15	0.03	3	0.84	0.048	14.1	5.7	0.07	78.3	0.004	<1	0.34	0.082	0.20	<0.1	1.3	0.05	1.55	<5
1831226	Drill Core	0.08	0.10	0.08	2	0.88	0.040	12.9	4.6	0.07	114.5	0.002	<1	0.30	0.057	0.19	<0.1	0.9	0.05	1.19	<5
1831227	Drill Core	0.27	0.20	0.09	4	0.51	0.047	10.2	13.9	0.30	96.7	0.003	<1	0.55	0.040	0.26	<0.1	1.5	0.07	1.52	<5
1831228	Drill Core	0.28	0.14	0.08	4	0.84	0.046	19.7	5.3	0.06	63.6	0.005	<1	0.43	0.076	0.27	<0.1	1.9	0.08	1.43	<5
1831229	Drill Core	0.37	0.25	0.12	4	0.80	0.032	16.6	18.7	0.19	76.7	0.004	<1	0.49	0.038	0.32	<0.1	1.9	0.10	1.48	6
1831230	Drill Core	0.88	0.24	0.05	<1	0.40	0.013	27.4	1.9	0.04	171.8	0.002	<1	0.31	0.064	0.23	<0.1	0.8	0.06	0.67	10
1831231	Drill Core	0.59	0.22	0.05	1	0.48	0.028	31.0	2.9	0.04	62.2	0.003	<1	0.36	0.061	0.26	<0.1	0.9	0.06	1.33	10
1831232	Drill Core	0.60	0.22	0.05	2	0.56	0.033	30.5	3.2	0.03	51.3	0.003	<1	0.32	0.060	0.23	<0.1	0.8	0.06	1.46	9
1831233	Drill Core	0.66	0.25	0.14	3	0.74	0.044	30.6	4.6	0.04	53.8	0.004	<1	0.39	0.060	0.26	<0.1	1.3	0.06	1.61	8
1831234	Drill Core	0.17	0.27	0.07	4	0.70	0.046	27.9	5.6	0.04	56.9	0.007	<1	0.42	0.070	0.28	<0.1	1.5	0.06	1.57	6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 2 of 2

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000318.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1831208	Drill Core	0.6	0.02	3.0	0.27	<0.1	0.10	0.27	11.5	0.5	<0.05	15.7	18.31	62.8	<0.02	<1	0.3	7.0	33	<2
1831209	Drill Core	0.2	<0.02	3.8	0.20	<0.1	0.13	0.32	11.5	0.4	<0.05	9.3	16.57	56.1	<0.02	1	0.3	10.2	21	<2
1831210	Drill Core	0.2	<0.02	3.6	0.20	<0.1	0.09	0.26	11.9	0.2	<0.05	10.1	14.77	54.8	0.02	2	0.2	9.8	<10	<2
1831211	Drill Core	0.2	<0.02	4.1	0.23	<0.1	0.13	0.17	11.1	0.3	<0.05	16.1	13.62	55.0	<0.02	1	0.3	12.9	18	<2
1831212	Drill Core	0.5	0.02	3.5	0.21	<0.1	0.13	0.17	10.4	0.3	<0.05	18.9	10.82	39.4	0.02	<1	0.2	12.7	<10	<2
1831213	Drill Core	0.6	<0.02	3.6	0.27	<0.1	0.10	0.15	10.0	0.3	<0.05	18.4	12.60	42.9	<0.02	1	0.2	12.3	14	2
1831214	Drill Core	0.5	<0.02	3.3	0.30	<0.1	0.21	0.12	8.1	0.2	<0.05	21.2	13.55	49.0	<0.02	<1	0.1	13.2	33	<2
1831215	Drill Core	0.6	0.02	3.2	0.32	<0.1	0.13	0.09	8.8	0.1	<0.05	12.7	10.92	30.8	<0.02	2	0.2	12.8	20	<2
1831216	Drill Core	0.2	<0.02	2.8	0.20	<0.1	0.09	0.08	8.8	0.2	<0.05	9.3	12.87	58.1	<0.02	<1	0.2	11.9	<10	<2
1831217	Drill Core	0.3	<0.02	2.9	0.15	<0.1	0.06	0.24	8.9	0.2	<0.05	4.1	12.39	55.3	<0.02	2	0.2	12.0	<10	<2
1831218	Drill Core	0.6	<0.02	2.8	0.25	<0.1	0.20	0.18	7.9	0.2	<0.05	16.9	11.19	46.0	<0.02	3	0.2	11.4	<10	<2
1831219	Drill Core	0.3	<0.02	1.1	0.13	<0.1	0.18	0.08	8.3	0.3	<0.05	6.6	10.55	47.2	<0.02	<1	0.2	3.0	<10	<2
1831220	Rock Pulp	0.6	0.17	4.1	0.63	<0.1	0.06	0.08	6.2	0.3	<0.05	1.8	3.48	9.2	<0.02	3	<0.1	7.8	303	131
1831221	Drill Core	0.5	<0.02	1.6	0.08	<0.1	0.16	<0.02	6.3	0.1	<0.05	7.6	6.29	22.8	<0.02	<1	0.1	5.3	<10	<2
1831222	Drill Core	0.2	<0.02	1.1	0.12	<0.1	0.18	0.04	7.0	0.1	<0.05	7.5	7.46	32.1	<0.02	2	0.2	4.4	<10	<2
1831223	Drill Core	0.5	<0.02	1.0	0.19	<0.1	0.11	0.03	6.0	0.2	<0.05	3.5	7.70	25.7	<0.02	2	0.2	2.0	<10	<2
1831224	Drill Core	0.5	<0.02	0.9	0.20	<0.1	0.13	0.03	5.9	0.2	<0.05	3.4	8.13	33.8	<0.02	<1	0.2	2.5	<10	<2
1831225	Drill Core	0.7	<0.02	0.9	0.09	<0.1	0.10	0.05	5.9	0.1	<0.05	3.9	8.76	27.4	<0.02	<1	0.2	2.1	<10	<2
1831226	Drill Core	0.4	<0.02	0.8	0.12	<0.1	0.11	0.02	6.3	0.2	<0.05	4.4	8.06	24.5	<0.02	1	0.2	2.4	<10	<2
1831227	Drill Core	0.4	<0.02	1.5	0.26	<0.1	0.23	0.06	8.9	0.1	<0.05	9.9	8.28	19.3	<0.02	1	0.2	8.2	<10	<2
1831228	Drill Core	0.3	<0.02	1.0	0.15	<0.1	0.24	0.14	8.9	0.2	<0.05	12.1	10.12	37.7	<0.02	<1	0.2	1.9	<10	<2
1831229	Drill Core	0.2	<0.02	1.1	0.16	<0.1	0.26	0.11	9.8	0.2	<0.05	11.7	10.21	32.8	<0.02	2	0.2	3.4	<10	<2
1831230	Drill Core	<0.1	<0.02	0.7	0.09	<0.1	0.20	0.06	7.9	0.3	<0.05	5.5	10.69	51.6	<0.02	<1	0.1	1.1	<10	<2
1831231	Drill Core	<0.1	<0.02	0.7	0.10	<0.1	0.17	0.07	8.0	0.3	<0.05	6.4	12.64	59.7	<0.02	2	0.2	0.9	<10	<2
1831232	Drill Core	<0.1	<0.02	0.7	0.15	<0.1	0.18	0.06	7.6	0.2	<0.05	5.7	12.77	59.2	<0.02	1	0.2	0.9	<10	<2
1831233	Drill Core	0.2	<0.02	0.9	0.21	<0.1	0.24	0.10	8.2	0.2	<0.05	8.9	14.55	58.9	<0.02	<1	0.1	1.1	<10	<2
1831234	Drill Core	0.1	<0.02	0.9	0.11	<0.1	0.24	0.12	8.9	0.2	<0.05	10.1	13.69	52.7	<0.02	<1	0.2	0.8	<10	2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 1 of 1

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000318.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
1831218	Drill Core	2.03	469	<0.005	<0.01	<0.17	37.43	2.32	20.56	6.45	63.1	220	17.2	10.6	505	2.24	0.8	1.7	1.6	10.0	64.3	
REP 1831218	QC							2.37	20.27	6.26	66.8	221	17.7	10.4	483	2.24	0.9	1.7	1.5	9.6	67.4	
Reference Materials																						
STD DS11	Standard							15.15	159.03	136.93	345.9	1601	77.0	14.1	979	3.12	41.9	2.7	82.0	8.5	63.3	
STD OREAS262	Standard							0.66	116.82	57.76	150.6	432	65.7	26.6	528	3.27	35.0	1.3	70.6	10.0	35.6	
STD OXC145	Standard	0.209																				
STD OXH139	Standard	1.286																				
STD OXN134	Standard	7.530																				
STD OXQ90	Standard	24.95					30.46															
STD OXQ90	Standard	25.40					30.16															
STD OXQ90 Expected		24.88																				
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	
BLK	Blank	<0.17					30.00															
BLK	Blank	<0.17					30.00															
BLK	Blank	<0.01						<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5		
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
Prep Wash																						
ROCK-WHI	Prep Blank	396	<0.005	<0.01	<0.17	37.65	1.13	2.52	1.07	29.9	5	0.8	3.4	488	1.80	0.7	0.5	3.6	2.4	23.9		
ROCK-WHI	Prep Blank	396	<0.005	<0.01	<0.17	31.19	1.07	3.17	1.18	33.0	6	0.8	3.7	508	1.85	0.4	0.5	2.8	2.7	22.5		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 1 of 1

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000318.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1831218	Drill Core	0.23	0.23	0.06	8	2.02	0.053	24.1	20.9	0.94	162.1	0.008	<1	1.23	0.047	0.27	<0.1	3.3	0.06	1.25	32
REP 1831218	QC	0.26	0.21	0.06	8	2.03	0.056	24.2	20.8	0.95	152.2	0.007	<1	1.22	0.046	0.26	0.1	3.5	0.06	1.25	33
Reference Materials																					
STD DS11	Standard	2.35	7.98	11.30	49	1.05	0.058	18.6	60.2	0.85	376.3	0.091	7	1.21	0.075	0.40	3.0	3.3	4.76	0.27	247
STD OREAS262	Standard	0.62	4.89	1.04	22	3.15	0.035	16.4	41.9	1.16	252.4	0.003	3	1.31	0.072	0.31	0.2	3.2	0.43	0.25	150
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.7	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.01	0.09	<0.02	22	0.65	0.041	6.2	2.5	0.43	63.6	0.073	2	0.97	0.162	0.12	<0.1	4.4	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	<0.01	0.07	<0.02	22	0.64	0.043	6.8	2.8	0.45	69.1	0.076	2	1.05	0.183	0.14	<0.1	4.9	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 26, 2019

Page: 1 of 1

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000318.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1831218	Drill Core	0.6	<0.02	2.8	0.25	<0.1	0.20	0.18	7.9	0.2	<0.05	16.9	11.19	46.0	<0.02	3	0.2	11.4	<10	<2
REP 1831218	QC	0.6	<0.02	3.0	0.25	<0.1	0.12	0.20	8.2	0.3	<0.05	15.6	11.84	46.0	<0.02	1	0.2	11.5	<10	<2
Reference Materials																				
STD DS11	Standard	2.0	4.54	5.2	2.92	<0.1	0.09	1.58	31.8	1.8	<0.05	2.7	7.98	37.8	0.25	45	0.5	21.5	103	166
STD OREAS262	Standard	0.3	0.23	3.7	2.64	<0.1	0.26	<0.02	18.3	0.5	<0.05	10.8	11.78	33.4	0.03	2	0.8	18.1	<10	<2
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.3	0.16	0.1	0.12	0.29	2.5	0.4	<0.05	3.9	8.85	12.7	<0.02	<1	0.2	2.3	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.17	<0.1	0.12	0.33	2.9	0.4	<0.05	4.3	9.01	13.1	<0.02	<1	0.2	2.3	<10	<2