



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 06, 2019
Report Date: August 29, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000329.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-41
P.O. Number
Number of Samples: 131

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	126	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	131	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	131	Analysis sample split/packet			WHI
Split -150	131	Analysis sample split/packet			WHI
EN002	131	Environmental disposal charge-Fire assay lead waste			VAN
FS631	127	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	131	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	131	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Peter Tallman
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000329.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1833124	Drill Core	1.36	461	0.057	0.09	0.39	41.44	0.59	6.22	12.78	30.2	260	2.1	2.5	161	0.61	7.9	0.9	58.6	7.4	7.2
1833125	Drill Core	2.07	460	0.198	0.27	1.41	28.29	0.71	6.93	62.59	44.1	2923	1.8	0.6	193	0.58	4.4	1.2	94.2	16.1	8.0
1833126	Drill Core	1.82	400	0.034	0.03	<0.17	36.49	1.03	5.72	29.28	24.2	1501	1.7	0.4	168	0.50	5.7	1.0	24.1	15.3	7.5
1833127	Drill Core	2.46	471	0.109	0.11	<0.17	37.57	6.21	10.75	18.26	17.3	2485	1.6	0.7	142	0.39	4.8	0.8	167.1	14.6	5.8
1833128	Drill Core	2.78	552	0.119	0.13	0.31	32.21	0.44	4.54	24.48	10.8	308	0.4	0.7	86	0.28	0.9	0.6	471.7	11.9	10.7
1833129	Drill Core	2.28	521	0.055	0.05	<0.17	36.84	0.41	6.03	15.61	7.0	381	0.5	0.9	42	0.29	3.1	0.8	11.0	14.6	9.7
1833130	Drill Core	4.70	425	0.010	<0.01	<0.17	30.72	0.26	2.23	17.11	5.0	160	0.3	0.4	42	0.28	4.3	0.9	12.0	14.8	5.5
1833131	Drill Core	1.83	448	0.007	<0.01	<0.17	39.94	0.38	3.76	21.10	5.0	161	0.2	1.8	53	0.31	5.7	1.0	6.9	15.3	6.7
1833132	Drill Core	1.73	418	0.009	<0.01	<0.17	32.64	0.52	3.99	18.52	4.2	199	0.2	2.5	42	0.27	4.6	2.9	3.6	16.2	3.5
1833133	Drill Core	2.51	495	0.256	0.30	1.00	30.03	0.26	10.91	17.56	16.8	215	0.4	10.4	104	0.44	4.1	2.0	157.7	16.2	24.8
1833134	Drill Core	2.95	454	0.841	1.11	4.83	30.25	1.87	10.50	12.21	36.1	457	1.2	3.2	239	0.66	1.3	3.0	963.0	12.0	85.7
1833135	Drill Core	2.19	518	0.456	0.54	1.52	38.94	0.24	9.77	10.24	13.1	755	1.1	2.5	166	0.56	3.4	1.4	14402.2	7.6	54.3
1833136	Drill Core	3.13	378	0.083	0.08	<0.17	34.02	0.68	18.57	83.47	88.3	669	0.9	1.6	270	0.75	32.8	5.4	112.3	13.8	31.0
1833137	Drill Core	3.02	556	0.409	0.55	2.97	31.00	0.42	25.17	19.90	27.8	929	2.9	3.9	252	0.87	45.1	3.0	2169.0	11.5	34.5
1833138	Drill Core	2.80	467	0.036	0.03	<0.17	38.55	0.73	10.90	18.28	23.9	261	2.4	5.4	375	1.09	46.6	2.5	33.3	10.7	64.8
1833139	Drill Core	2.15	517	0.021	0.02	<0.17	35.43	1.27	10.15	20.73	18.4	206	6.6	4.3	271	1.03	10.2	1.9	11.6	12.0	108.2
1833140	Rock Pulp	0.13	94	0.008				3.79	20.35	0.91	27.7	17	6.9	4.1	560	2.31	1.0	0.4	<0.2	2.4	26.6
1833141	Drill Core	1.48	468	0.942	1.05	2.63	29.67	0.18	13.10	5.08	60.3	792	20.0	8.5	520	1.90	27.1	4.2	906.9	6.9	101.6
1833142	Drill Core	3.35	476	0.005	<0.01	<0.17	28.24	0.47	6.16	15.74	23.9	72	2.9	3.0	206	1.08	1.0	2.0	4.6	10.6	71.3
1833143	Drill Core	3.28	473	0.016	0.01	<0.17	38.55	0.69	10.95	17.04	34.0	210	4.7	4.2	213	1.28	2.5	1.5	<0.2	9.1	57.8
1833144	Drill Core	3.24	519	0.032	0.03	<0.17	41.49	0.54	25.48	21.46	29.7	583	2.4	4.6	311	1.10	31.5	1.8	11.5	13.0	74.8
1833145	Drill Core	2.55	506	0.010	<0.01	<0.17	36.51	0.36	13.00	17.49	58.3	527	25.3	13.3	801	2.98	95.4	3.7	25.1	8.1	106.9
1833146	Drill Core	3.55	422	0.469	0.53	1.15	37.23	0.36	23.54	19.38	47.4	626	27.0	9.8	510	2.07	81.7	1.9	244.5	9.6	66.0
1833147	Drill Core	2.93	505	0.117	0.11	<0.17	40.61	0.49	10.71	18.52	33.8	548	3.1	4.0	212	1.39	1738.4	3.7	115.1	11.5	25.1
1833148	Drill Core	3.79	430	0.055	0.07	0.17	40.47	0.85	16.73	20.94	51.3	404	5.4	4.8	387	2.01	845.3	3.7	51.7	10.8	74.6
1833149	Drill Core	1.71	495	0.027	0.02	<0.17	38.68	0.83	6.89	11.46	30.3	376	3.1	3.0	427	1.27	118.8	4.8	26.0	11.6	77.1
1833150	Drill Core	1.53	478	0.048	0.04	<0.17	37.05	0.73	8.51	20.21	46.0	564	10.6	5.3	300	1.29	46.8	1.8	15.9	12.2	45.0
1833151	Drill Core	2.16	405	0.086	0.13	0.57	40.51	2.58	21.45	39.65	52.0	1243	7.7	7.2	276	1.57	121.2	0.8	92.3	7.9	23.2
1833152	Drill Core	3.09	534	0.170	0.18	0.25	31.51	1.18	15.53	237.83	89.1	1946	7.3	6.8	260	1.70	50.0	0.6	157.7	7.4	36.8
1833153	Drill Core	1.78	374	0.017	0.02	<0.17	39.09	0.97	15.40	20.34	66.0	484	7.8	7.4	259	1.59	82.3	0.9	12.0	6.7	29.8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000329.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833124	Drill Core	0.37	0.28	0.15	<1	0.08	0.006	17.9	2.5	0.31	117.4	<0.001	<1	0.43	0.005	0.11	0.2	0.6	0.03	<0.02	<5
1833125	Drill Core	0.50	0.26	0.15	<1	0.07	0.002	24.1	1.7	0.29	491.2	<0.001	<1	0.43	0.005	0.16	8.7	0.7	0.05	<0.02	<5
1833126	Drill Core	0.23	0.26	0.20	<1	0.05	0.002	25.2	2.6	0.14	758.6	<0.001	<1	0.31	0.006	0.16	5.3	0.5	0.04	<0.02	<5
1833127	Drill Core	0.20	0.18	0.14	<1	0.03	0.002	23.8	1.6	0.10	446.6	<0.001	<1	0.28	0.015	0.17	9.3	0.6	0.04	0.02	<5
1833128	Drill Core	0.13	0.16	0.11	<1	0.01	0.001	19.7	0.8	0.04	1352.0	<0.001	<1	0.16	0.022	0.14	0.1	0.5	0.05	0.04	8
1833129	Drill Core	0.08	0.31	0.13	<1	0.01	0.002	20.5	0.9	0.04	886.1	<0.001	<1	0.20	0.029	0.18	0.1	0.5	0.04	0.03	<5
1833130	Drill Core	0.04	0.18	0.15	<1	0.02	0.001	32.9	1.0	0.03	480.7	<0.001	<1	0.19	0.019	0.19	<0.1	0.5	0.04	<0.02	<5
1833131	Drill Core	0.08	0.14	0.17	<1	0.06	0.001	32.3	0.9	0.08	435.8	<0.001	<1	0.23	0.014	0.21	<0.1	0.5	0.04	0.05	<5
1833132	Drill Core	0.16	0.16	0.13	<1	0.03	0.002	36.4	1.0	0.06	138.1	<0.001	<1	0.24	0.015	0.19	<0.1	0.4	0.04	0.03	<5
1833133	Drill Core	0.10	0.24	0.15	<1	0.26	0.001	22.2	1.2	0.28	215.9	<0.001	<1	0.28	0.008	0.19	0.1	0.6	0.05	0.07	<5
1833134	Drill Core	0.39	0.14	0.09	1	1.18	0.003	10.1	1.5	0.59	654.2	<0.001	<1	0.31	0.005	0.18	<0.1	0.8	0.04	0.17	9
1833135	Drill Core	0.16	0.17	0.09	<1	0.69	0.006	10.7	1.7	0.31	262.7	<0.001	<1	0.25	0.005	0.17	<0.1	0.7	0.04	0.08	9
1833136	Drill Core	0.77	0.58	0.11	1	0.51	0.011	23.8	2.2	0.56	303.7	<0.001	<1	0.58	0.016	0.18	<0.1	0.9	0.05	0.24	<5
1833137	Drill Core	0.19	0.39	0.05	2	0.56	0.036	12.2	7.1	0.36	149.0	0.001	1	0.41	0.023	0.24	<0.1	0.9	0.05	0.51	5
1833138	Drill Core	0.19	0.50	0.11	6	1.19	0.029	13.2	13.5	0.57	365.1	0.001	<1	0.50	0.020	0.25	<0.1	2.3	0.05	0.27	<5
1833139	Drill Core	0.13	0.19	0.22	3	1.29	0.031	16.8	7.3	0.51	243.4	0.002	<1	0.55	0.020	0.27	<0.1	1.6	0.06	0.20	<5
1833140	Rock Pulp	0.02	0.17	<0.02	20	0.68	0.037	4.7	14.1	0.50	54.9	0.054	2	0.99	0.075	0.08	0.2	4.0	<0.02	0.05	<5
1833141	Drill Core	0.32	0.28	<0.02	8	1.84	0.035	8.5	23.4	0.99	143.1	0.003	<1	0.84	0.008	0.24	<0.1	2.7	0.05	0.39	12
1833142	Drill Core	0.08	0.27	0.07	3	0.68	0.036	19.7	2.9	0.44	184.7	0.003	<1	0.59	0.022	0.28	<0.1	1.8	0.05	0.06	8
1833143	Drill Core	0.18	0.14	0.27	5	0.64	0.038	14.8	4.9	0.59	167.3	0.013	<1	0.68	0.015	0.29	<0.1	2.0	0.10	0.07	7
1833144	Drill Core	0.21	0.41	0.30	3	0.93	0.037	19.4	2.4	0.48	225.6	0.001	<1	0.61	0.018	0.28	<0.1	1.4	0.06	0.33	<5
1833145	Drill Core	0.30	0.94	0.27	34	1.50	0.047	10.5	60.3	2.30	137.4	0.002	<1	2.05	0.005	0.20	<0.1	4.9	0.06	0.37	6
1833146	Drill Core	0.26	0.79	0.17	15	1.04	0.038	16.6	27.5	1.15	168.8	0.002	<1	1.22	0.009	0.24	<0.1	2.6	0.05	0.37	<5
1833147	Drill Core	0.15	7.49	0.04	3	0.31	0.041	17.2	2.6	0.55	152.4	0.001	<1	0.65	0.017	0.25	<0.1	1.2	0.06	0.74	<5
1833148	Drill Core	0.19	2.84	0.13	5	1.09	0.047	16.2	5.2	1.11	141.0	<0.001	<1	1.24	0.005	0.22	0.4	1.7	0.06	0.37	<5
1833149	Drill Core	0.10	1.04	0.06	2	1.25	0.029	16.4	3.0	0.71	333.6	<0.001	<1	0.83	0.007	0.20	0.4	1.3	0.07	0.27	6
1833150	Drill Core	0.22	0.90	0.07	11	0.68	0.024	17.9	14.5	0.78	308.2	<0.001	<1	1.01	0.004	0.22	1.0	1.9	0.07	0.31	10
1833151	Drill Core	0.29	1.37	0.09	4	0.23	0.045	9.1	16.7	1.13	131.5	<0.001	<1	0.89	0.005	0.16	2.2	0.9	0.05	0.71	9
1833152	Drill Core	1.02	1.01	0.22	3	0.47	0.039	7.6	9.7	0.72	89.1	<0.001	<1	0.64	0.006	0.19	2.4	0.8	0.05	1.06	53
1833153	Drill Core	0.41	0.90	0.06	4	0.20	0.041	7.8	18.4	0.89	162.6	<0.001	<1	0.76	0.007	0.17	0.5	0.8	0.06	0.68	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: August 29, 2019

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000329.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833124	Drill Core	<0.1	0.03	1.0	2.17	<0.1	0.05	<0.02	4.8	0.6	<0.05	2.3	5.66	33.6	<0.02	<1	0.2	5.5	<10	<2			
1833125	Drill Core	<0.1	0.04	1.0	2.15	<0.1	0.12	0.09	6.4	0.2	<0.05	3.6	7.86	45.4	<0.02	<1	<0.1	5.8	<10	<2			
1833126	Drill Core	<0.1	<0.02	0.8	0.74	<0.1	0.05	0.09	5.1	0.1	<0.05	2.1	6.75	48.4	<0.02	1	0.2	3.3	<10	<2			
1833127	Drill Core	<0.1	0.04	0.7	0.93	<0.1	0.11	0.07	5.4	0.2	<0.05	3.3	5.01	46.8	<0.02	<1	0.1	2.5	<10	<2			
1833128	Drill Core	<0.1	0.03	0.4	0.23	<0.1	0.25	0.08	4.9	0.1	<0.05	6.7	4.14	38.9	<0.02	<1	0.2	1.0	<10	<2			
1833129	Drill Core	<0.1	0.03	0.7	0.28	<0.1	0.36	0.07	5.7	0.2	<0.05	9.7	4.77	40.8	<0.02	<1	0.2	1.6	<10	<2			
1833130	Drill Core	<0.1	<0.02	0.5	0.38	<0.1	0.44	0.06	6.0	0.2	<0.05	12.6	6.04	63.4	<0.02	<1	0.1	1.1	<10	<2			
1833131	Drill Core	<0.1	<0.02	0.7	0.20	<0.1	0.48	0.06	6.4	0.4	<0.05	14.9	6.16	63.1	<0.02	1	0.2	2.3	<10	<2			
1833132	Drill Core	<0.1	<0.02	0.6	0.90	<0.1	0.33	0.03	6.3	0.4	<0.05	9.8	8.53	69.7	<0.02	<1	0.3	1.9	<10	<2			
1833133	Drill Core	<0.1	<0.02	0.7	0.23	<0.1	0.13	0.10	5.5	0.9	<0.05	4.8	5.41	42.8	<0.02	<1	0.2	3.7	<10	<2			
1833134	Drill Core	<0.1	0.11	0.8	0.20	<0.1	0.10	<0.02	5.1	0.7	<0.05	3.9	4.54	19.0	<0.02	<1	0.3	5.0	<10	<2			
1833135	Drill Core	<0.1	0.07	0.4	0.18	<0.1	0.13	<0.02	4.6	0.8	<0.05	3.8	3.01	20.7	<0.02	<1	0.1	3.7	<10	<2			
1833136	Drill Core	0.3	0.11	1.3	1.03	<0.1	0.09	<0.02	6.1	0.4	<0.05	3.3	7.36	44.9	<0.02	<1	0.3	8.4	<10	<2			
1833137	Drill Core	<0.1	0.19	0.9	0.26	<0.1	0.15	<0.02	6.8	0.4	<0.05	4.4	4.87	23.2	<0.02	<1	0.1	5.3	<10	<2			
1833138	Drill Core	<0.1	<0.02	1.2	0.23	<0.1	0.12	<0.02	6.9	0.3	<0.05	3.9	5.28	25.6	<0.02	2	0.3	7.5	<10	<2			
1833139	Drill Core	<0.1	0.03	1.4	0.22	<0.1	<0.02	<0.02	7.7	0.3	<0.05	1.1	5.06	32.2	<0.02	<1	0.2	6.9	<10	<2			
1833140	Rock Pulp	<0.1	<0.02	3.7	0.12	<0.1	0.11	0.19	1.8	1.7	<0.05	2.8	6.66	9.4	<0.02	1	0.2	1.0	<10	<2			
1833141	Drill Core	<0.1	0.34	2.3	0.37	<0.1	0.16	<0.02	6.7	0.2	<0.05	5.2	5.65	16.3	<0.02	<1	0.3	13.8	<10	<2			
1833142	Drill Core	<0.1	<0.02	1.6	0.22	<0.1	0.14	<0.02	9.1	0.4	<0.05	5.3	4.97	38.9	<0.02	2	0.3	6.5	<10	<2			
1833143	Drill Core	<0.1	<0.02	2.0	0.67	<0.1	0.22	<0.02	11.8	0.5	<0.05	6.9	4.35	28.5	<0.02	<1	0.2	8.9	<10	<2			
1833144	Drill Core	<0.1	<0.02	1.6	0.30	0.1	0.06	<0.02	8.6	0.7	<0.05	1.5	5.29	37.7	<0.02	<1	0.2	8.1	<10	<2			
1833145	Drill Core	<0.1	0.02	5.6	0.52	<0.1	<0.02	<0.02	6.3	0.5	<0.05	0.7	6.76	21.4	<0.02	<1	0.3	42.2	<10	<2			
1833146	Drill Core	<0.1	<0.02	2.9	0.39	<0.1	<0.02	<0.02	7.7	0.3	<0.05	0.7	6.88	32.8	<0.02	<1	0.4	19.4	<10	<2			
1833147	Drill Core	0.1	0.06	1.6	0.65	<0.1	0.11	<0.02	8.5	0.5	<0.05	4.7	5.67	33.7	<0.02	2	0.2	10.2	<10	<2			
1833148	Drill Core	<0.1	0.03	3.0	2.50	<0.1	0.07	<0.02	7.4	0.2	<0.05	2.1	6.57	31.5	<0.02	<1	0.4	15.6	<10	<2			
1833149	Drill Core	0.1	0.02	2.1	2.02	<0.1	0.13	<0.02	7.4	0.2	<0.05	3.5	7.04	32.3	<0.02	2	0.2	12.1	<10	<2			
1833150	Drill Core	<0.1	0.03	2.3	1.59	<0.1	0.29	<0.02	8.0	0.2	<0.05	8.9	8.08	35.7	<0.02	<1	0.3	17.0	<10	<2			
1833151	Drill Core	<0.1	0.04	1.6	0.31	<0.1	0.34	<0.02	5.5	0.8	<0.05	12.8	3.99	17.6	<0.02	2	0.1	13.3	<10	2			
1833152	Drill Core	0.4	0.33	1.1	0.21	<0.1	0.41	<0.02	5.9	0.3	<0.05	12.6	3.88	15.0	<0.02	<1	0.2	9.0	<10	<2			
1833153	Drill Core	0.1	0.02	1.5	0.29	<0.1	0.37	<0.02	5.4	0.1	<0.05	13.6	4.41	15.6	<0.02	<1	0.1	11.3	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000329.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1833154	Drill Core	2.94	511	0.032	0.03	<0.17	38.64	1.82	18.90	80.82	80.4	874	9.1	7.0	278	1.86	109.7	0.8	30.2	6.0	30.9
1833155	Drill Core	3.41	505	0.396	0.42	0.64	38.93	0.98	23.41	15.09	115.7	571	19.3	16.2	548	2.76	135.2	1.0	374.4	6.0	31.9
1833156	Drill Core	3.69	379	0.028	0.02	<0.17	45.08	1.07	18.87	23.79	83.0	396	10.4	10.2	483	1.76	9.2	1.7	28.3	7.9	19.9
1833157	Drill Core	3.31	381	0.152	0.21	0.65	42.91	0.73	15.72	14.14	55.8	343	4.6	5.6	145	1.45	9.2	1.6	93.3	9.6	23.9
1833158	Drill Core	3.47	356	0.425	0.53	1.28	42.93	0.52	29.05	11.12	97.9	986	8.8	9.7	556	1.58	7.5	1.5	3311.0	9.9	49.3
1833159	Drill Core	3.15	328	0.079	0.18	0.78	48.58	1.28	29.11	70.27	54.3	1377	3.9	2.9	365	2.04	107.4	2.0	49.9	7.8	62.6
1833160	Core DUP		325	0.269	0.34	1.11	26.10	1.36	28.96	69.84	55.6	1418	3.8	3.1	352	2.08	106.4	1.9	178.6	7.6	64.1
1833161	Drill Core	2.62	408	0.020	0.02	<0.17	23.99	0.96	25.50	42.12	50.4	756	4.7	2.6	251	1.64	97.1	2.6	16.2	9.1	45.3
1833162	Drill Core	3.19	346	0.014	0.01	<0.17	34.10	0.29	40.37	5.39	44.9	1103	3.6	2.8	294	1.42	41.3	2.6	10.4	12.8	27.5
1833163	Drill Core	3.09	487	0.299	1.22	17.11	26.60	0.55	30.94	19.00	59.3	793	4.7	3.9	254	1.48	42.4	2.5	249.2	10.4	22.1
1833164	Drill Core	3.14	376	0.009	<0.01	<0.17	33.50	1.09	21.84	24.93	61.9	420	6.5	4.5	239	1.77	21.7	1.6	5.4	9.4	13.8
1833165	Drill Core	2.88	517	0.013	0.01	<0.17	30.27	1.79	26.44	18.02	61.9	559	10.1	4.8	276	1.79	43.2	1.4	8.2	8.1	45.1
1833166	Drill Core	1.56	478	0.018	0.02	<0.17	37.89	1.04	17.69	8.78	20.5	784	2.9	1.6	121	1.18	26.3	1.4	12.3	7.0	58.1
1833167	Drill Core	3.33	436	0.012	0.01	<0.17	19.71	2.82	19.94	35.93	42.4	754	5.3	3.7	163	1.60	14.8	1.5	8.0	8.0	22.4
1833168	Drill Core	3.00	506	0.009	<0.01	<0.17	30.48	1.45	26.95	6.28	50.9	649	5.6	4.1	259	1.83	29.7	2.5	5.1	9.5	35.7
1833169	Drill Core	1.43	434	0.114	0.11	<0.17	27.73	1.57	56.89	18.09	58.2	1364	4.9	3.6	206	1.55	64.6	2.5	40.1	10.3	66.0
1833170	Drill Core	1.86	460	0.934	3.29	40.95	27.13	1.71	62.45	382.43	65.5	11539	5.7	4.2	466	1.67	60.7	2.6	5302.3	5.6	39.5
1833171	Drill Core	3.28	504	0.021	0.02	<0.17	46.62	2.72	82.07	111.94	87.9	1032	10.4	9.0	689	1.91	6.7	1.1	30.2	8.5	71.7
1833172	Drill Core	3.16	557	0.011	<0.01	<0.17	51.82	0.66	24.69	18.92	36.5	313	9.3	8.7	485	1.70	1.1	0.9	6.7	8.6	56.2
1833173	Drill Core	3.18	490	0.008	<0.01	<0.17	47.19	1.77	23.45	11.70	95.3	308	11.4	8.6	636	2.01	1.5	1.2	4.1	8.5	65.4
1833174	Drill Core	3.71	444	0.010	<0.01	<0.17	36.18	1.33	33.07	23.95	32.8	360	11.2	9.0	414	1.94	1.9	1.6	11.4	8.2	55.2
1833175	Drill Core	3.07	407	0.671	0.67	0.63	38.27	1.07	14.64	3.98	23.5	1107	9.4	6.7	351	1.99	1.4	2.3	1045.0	7.6	61.8
1833176	Drill Core	2.95	408	0.010	<0.01	<0.17	37.10	3.41	138.19	109.56	170.8	1560	9.9	9.0	751	2.14	15.4	1.9	5.3	8.3	40.7
1833177	Drill Core	3.29	451	0.012	0.01	<0.17	38.63	0.57	31.99	23.93	78.3	553	11.0	8.1	735	1.68	25.0	2.0	7.3	8.7	41.5
1833178	Drill Core	3.31	385	0.010	<0.01	<0.17	34.94	0.76	27.45	9.01	71.5	323	11.2	9.2	529	1.72	2.0	1.2	6.3	9.1	60.1
1833179	Drill Core	2.63	412	1.163	1.17	1.26	32.49	2.60	32.37	42.69	75.6	700	13.6	9.5	717	1.94	2.8	1.9	687.3	7.0	81.3
1833180	Rock	0.23	169	<0.005	<0.01	<0.17	33.09	0.50	1.60	1.63	3.6	11	1.6	0.6	73	0.66	1.3	0.2	<0.2	1.6	2.0
1833181	Drill Core	3.44	405	0.809	1.01	3.20	34.11	0.42	27.86	10.47	59.4	920	9.4	7.7	736	1.82	38.2	1.1	701.0	8.2	60.3
1833182	Drill Core	1.69	397	0.022	0.02	<0.17	33.26	0.72	184.01	108.43	143.3	1014	11.6	7.1	608	1.66	30.5	2.0	18.0	5.4	23.3
1833183	Drill Core	3.21	389	0.021	0.02	<0.17	31.11	9.88	125.56	219.46	151.2	1881	21.7	12.6	789	2.65	9.1	1.3	15.3	7.7	58.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000329.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833154	Drill Core	0.34	1.52	0.10	6	0.14	0.047	7.2	43.2	1.26	201.6	0.001	<1	1.03	0.006	0.16	0.5	1.1	0.11	0.69	6			
1833155	Drill Core	0.36	0.56	<0.02	12	0.32	0.064	4.9	81.2	2.02	91.8	0.001	<1	1.49	0.007	0.14	0.2	1.9	0.04	0.97	<5			
1833156	Drill Core	0.47	0.42	0.07	7	0.13	0.051	6.2	46.1	1.22	279.1	0.001	<1	0.97	0.007	0.15	0.1	1.2	0.09	0.44	6			
1833157	Drill Core	0.15	0.50	0.10	4	0.10	0.047	8.4	13.4	0.68	288.2	0.001	<1	0.65	0.008	0.19	0.2	0.9	0.05	0.40	8			
1833158	Drill Core	1.08	0.46	0.07	4	0.36	0.034	7.0	9.4	0.77	190.6	0.001	<1	0.74	0.011	0.19	<0.1	0.9	0.06	0.84	7			
1833159	Drill Core	0.28	1.62	0.25	5	0.09	0.049	10.6	28.0	1.05	305.5	0.001	<1	0.93	0.008	0.27	0.3	0.9	0.09	0.37	8			
1833160	Core DUP	0.30	1.57	0.28	6	0.09	0.049	10.9	27.8	1.08	309.1	0.001	<1	0.96	0.009	0.27	0.3	0.9	0.09	0.37	10			
1833161	Drill Core	0.11	0.82	0.24	4	0.10	0.049	12.0	16.9	0.85	224.9	0.002	<1	0.77	0.013	0.23	0.3	0.8	0.07	0.25	21			
1833162	Drill Core	0.23	0.43	0.07	3	0.42	0.044	11.2	4.6	0.61	247.4	0.001	<1	0.73	0.012	0.23	0.1	0.7	0.06	0.52	14			
1833163	Drill Core	0.12	0.35	0.17	4	0.14	0.043	11.5	7.3	0.74	346.2	0.001	<1	0.79	0.012	0.22	0.3	0.9	0.06	0.34	7			
1833164	Drill Core	0.06	0.34	0.14	5	0.11	0.047	8.2	12.2	0.96	223.6	0.001	<1	0.96	0.012	0.20	<0.1	1.1	0.05	0.51	8			
1833165	Drill Core	0.07	0.76	0.08	5	0.13	0.055	9.6	15.6	1.04	217.7	0.001	<1	0.95	0.016	0.20	0.1	0.9	0.06	0.51	<5			
1833166	Drill Core	0.12	1.27	0.08	2	0.11	0.045	9.9	4.9	0.28	486.9	0.001	<1	0.40	0.015	0.24	0.2	0.6	0.07	0.25	10			
1833167	Drill Core	0.07	0.43	0.24	3	0.15	0.060	10.2	6.5	0.52	190.7	0.002	<1	0.55	0.018	0.21	0.4	0.8	0.06	0.48	6			
1833168	Drill Core	0.11	0.43	0.06	3	0.13	0.063	13.8	5.6	0.72	172.5	0.001	<1	0.74	0.012	0.22	0.5	0.8	0.06	0.34	<5			
1833169	Drill Core	0.16	1.27	0.12	3	0.15	0.053	15.2	4.9	0.74	201.7	0.001	<1	0.77	0.008	0.24	0.2	0.7	0.08	0.27	5			
1833170	Drill Core	0.25	3.76	1.43	3	0.18	0.041	11.3	4.7	0.94	545.6	0.001	<1	0.80	0.007	0.19	0.6	1.4	0.08	0.28	19			
1833171	Drill Core	1.38	1.17	0.12	5	1.54	0.062	6.8	5.8	0.59	74.1	0.003	<1	0.65	0.009	0.29	0.1	1.3	0.07	1.47	13			
1833172	Drill Core	0.53	0.19	0.09	6	1.75	0.061	7.2	5.9	0.31	107.3	0.004	<1	0.51	0.020	0.29	<0.1	1.4	0.06	1.23	8			
1833173	Drill Core	0.48	0.20	0.06	5	1.64	0.063	8.7	8.9	0.72	116.5	0.004	<1	0.80	0.016	0.26	<0.1	1.3	0.07	1.17	<5			
1833174	Drill Core	0.41	0.25	0.11	6	1.35	0.068	7.9	6.4	0.33	56.6	0.004	<1	0.55	0.022	0.31	0.1	1.3	0.07	1.65	6			
1833175	Drill Core	0.25	0.22	0.04	5	0.97	0.070	7.4	6.9	0.26	64.7	0.005	<1	0.46	0.036	0.26	0.1	1.6	0.08	1.53	<5			
1833176	Drill Core	1.95	0.37	0.18	5	1.50	0.064	9.4	7.6	0.47	99.5	0.003	<1	0.69	0.017	0.29	0.1	1.6	0.08	1.59	18			
1833177	Drill Core	0.61	0.25	0.05	6	1.57	0.065	10.4	9.8	0.53	190.1	0.002	<1	0.76	0.015	0.25	<0.1	1.5	0.08	0.68	<5			
1833178	Drill Core	0.33	0.20	0.03	7	1.74	0.068	14.0	11.7	0.61	245.9	0.008	<1	0.78	0.016	0.30	0.1	1.8	0.09	0.64	6			
1833179	Drill Core	0.94	0.19	0.07	6	2.14	0.061	7.9	8.2	0.67	86.5	0.003	<1	0.66	0.017	0.26	<0.1	1.6	0.08	1.33	16			
1833180	Rock	0.01	0.06	<0.02	2	0.02	0.003	2.9	4.3	0.03	13.2	0.004	2	0.10	0.006	0.03	<0.1	0.3	<0.02	<0.02	<5			
1833181	Drill Core	0.99	0.29	0.04	7	1.66	0.058	12.1	8.4	0.65	131.1	0.002	<1	0.75	0.022	0.28	0.1	1.6	0.08	1.17	8			
1833182	Drill Core	1.50	0.63	0.02	5	0.69	0.042	8.9	8.3	0.48	120.8	0.002	<1	0.58	0.010	0.21	<0.1	1.1	0.06	1.09	14			
1833183	Drill Core	3.09	0.42	0.19	6	1.67	0.059	5.8	12.9	0.74	66.9	0.002	<1	0.74	0.017	0.25	<0.1	1.5	0.06	2.27	27			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000329.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833154	Drill Core	0.4	0.04	2.3	0.26	<0.1	0.40	<0.02	5.3	<0.1	<0.05	13.6	2.65	14.4	<0.02	2	0.1	13.9	<10
1833155	Drill Core	0.3	0.13	3.6	0.18	<0.1	0.39	<0.02	4.0	0.2	<0.05	14.4	4.29	10.1	<0.02	<1	0.2	19.1	<10
1833156	Drill Core	<0.1	0.04	2.4	0.08	<0.1	0.42	<0.02	4.6	0.2	<0.05	16.3	3.60	12.1	<0.02	<1	0.2	9.0	<10
1833157	Drill Core	<0.1	0.03	1.8	0.11	<0.1	0.45	0.02	6.9	0.3	<0.05	17.9	2.21	14.6	<0.02	<1	0.2	6.3	<10
1833158	Drill Core	<0.1	0.09	1.7	0.12	<0.1	0.55	<0.02	6.7	0.3	<0.05	16.9	4.79	14.0	<0.02	<1	0.3	10.9	<10
1833159	Drill Core	0.1	0.15	2.1	0.39	<0.1	0.33	<0.02	9.1	0.9	<0.05	14.3	2.39	20.3	<0.02	<1	0.1	17.4	<10
1833160	Core DUP	0.2	0.16	2.2	0.38	<0.1	0.33	<0.02	8.9	0.9	<0.05	15.0	2.36	20.3	<0.02	<1	0.1	16.9	<10
1833161	Drill Core	<0.1	0.05	1.8	0.18	<0.1	0.37	<0.02	8.0	0.2	<0.05	15.6	2.75	23.1	<0.02	<1	0.2	13.0	<10
1833162	Drill Core	0.2	0.07	1.7	0.16	<0.1	0.47	<0.02	8.2	0.3	<0.05	16.6	3.93	21.1	<0.02	<1	0.2	10.2	<10
1833163	Drill Core	0.1	0.06	2.0	0.13	<0.1	0.49	<0.02	8.3	0.2	<0.05	18.4	3.76	21.5	<0.02	<1	0.2	12.2	<10
1833164	Drill Core	0.4	<0.02	2.4	0.21	<0.1	0.48	<0.02	6.9	0.3	<0.05	18.6	2.41	14.9	<0.02	<1	0.1	21.4	<10
1833165	Drill Core	0.3	0.03	2.1	0.37	<0.1	0.40	<0.02	7.2	0.5	<0.05	18.0	2.65	17.7	<0.02	<1	0.2	20.2	<10
1833166	Drill Core	<0.1	0.02	1.1	0.29	<0.1	0.30	<0.02	8.4	0.5	<0.05	12.5	1.91	18.8	<0.02	<1	<0.1	5.0	<10
1833167	Drill Core	0.3	0.07	1.5	0.11	<0.1	0.36	<0.02	7.3	0.4	<0.05	15.6	2.68	18.4	<0.02	1	0.1	8.2	<10
1833168	Drill Core	<0.1	0.06	2.0	0.18	<0.1	0.42	<0.02	8.3	0.4	<0.05	16.5	4.41	25.2	<0.02	<1	<0.1	11.6	<10
1833169	Drill Core	0.2	0.03	1.6	0.69	<0.1	0.41	<0.02	9.3	0.3	<0.05	16.6	4.21	27.3	<0.02	<1	0.2	14.3	<10
1833170	Drill Core	0.3	3.95	1.9	0.32	<0.1	0.37	<0.02	6.6	1.1	<0.05	14.2	3.92	22.2	<0.02	<1	0.3	13.1	<10
1833171	Drill Core	0.4	0.04	1.4	0.21	<0.1	0.33	<0.02	10.3	0.2	<0.05	14.9	4.87	13.1	<0.02	2	0.2	5.4	<10
1833172	Drill Core	0.3	0.02	1.3	0.22	<0.1	0.19	0.03	10.1	0.2	<0.05	8.5	4.12	13.6	<0.02	<1	0.2	3.1	<10
1833173	Drill Core	0.3	<0.02	2.1	0.31	<0.1	0.31	<0.02	9.7	0.2	<0.05	12.3	5.06	15.7	<0.02	2	0.2	11.1	<10
1833174	Drill Core	0.4	0.02	1.5	0.25	<0.1	0.25	0.03	11.4	0.2	<0.05	11.0	4.74	15.0	<0.02	2	0.2	3.6	<10
1833175	Drill Core	<0.1	0.38	1.4	0.18	<0.1	0.26	<0.02	9.3	0.2	<0.05	10.5	4.29	15.0	<0.02	<1	0.2	3.1	<10
1833176	Drill Core	0.3	0.03	1.7	0.19	<0.1	0.15	<0.02	11.1	0.2	<0.05	7.9	6.77	17.2	<0.02	2	0.2	8.6	<10
1833177	Drill Core	0.2	0.02	2.2	0.25	<0.1	0.16	<0.02	10.4	0.2	<0.05	7.0	6.49	19.4	<0.02	<1	0.2	13.2	<10
1833178	Drill Core	0.3	<0.02	2.2	0.33	<0.1	0.23	0.02	11.5	0.3	<0.05	10.5	5.79	25.5	<0.02	1	0.2	8.7	<10
1833179	Drill Core	0.5	0.10	1.6	0.20	<0.1	0.19	<0.02	9.6	0.2	<0.05	8.6	5.12	14.9	<0.02	3	0.2	6.1	<10
1833180	Rock	<0.1	<0.02	0.4	0.16	<0.1	0.15	0.06	1.4	<0.1	<0.05	3.5	1.29	5.6	<0.02	<1	<0.1	2.1	<10
1833181	Drill Core	0.5	0.26	2.1	0.18	<0.1	0.13	<0.02	11.1	0.2	<0.05	6.0	6.66	22.5	<0.02	<1	0.2	9.4	<10
1833182	Drill Core	0.4	0.02	1.7	0.15	<0.1	0.14	<0.02	8.7	0.2	<0.05	6.9	5.01	16.5	<0.02	<1	0.2	9.1	<10
1833183	Drill Core	0.8	0.04	1.6	0.15	<0.1	0.29	<0.02	9.5	0.3	<0.05	12.8	4.70	10.7	<0.02	5	0.3	10.0	<10



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000329.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.1	0.1	0.1	0.2	0.1	0.5
1833184	Drill Core	3.30	497	0.006	<0.01	<0.17	36.71	0.80	21.77	10.68	127.3	419	11.5	8.7	753	2.12	5.3	0.7	2.0	52.8
1833185	Drill Core	3.14	417	<0.005	<0.01	<0.17	35.90	1.50	18.68	13.56	48.2	301	12.8	9.9	384	1.82	4.1	1.1	<0.2	28.1
1833186	Drill Core	2.86	399	0.007	<0.01	<0.17	33.21	0.79	37.67	81.23	58.5	572	9.1	5.7	474	1.46	17.9	1.2	1.8	43.9
1833187	Drill Core	2.09	437	0.006	<0.01	<0.17	36.11	1.18	30.52	32.32	66.7	482	9.6	5.9	443	1.84	20.5	1.4	0.9	37.9
1833188	Drill Core	2.43	450	0.005	<0.01	<0.17	34.74	1.97	16.35	21.03	42.7	276	10.9	8.6	624	1.74	10.1	1.2	0.5	47.4
1833189	Drill Core	2.09	449	0.008	<0.01	<0.17	37.98	1.24	23.39	17.11	69.0	522	11.8	9.4	620	1.86	21.9	1.6	3.2	42.6
1833190	Drill Core	3.01	495	0.013	0.03	0.25	36.02	0.77	22.63	8.88	37.7	318	8.1	8.4	571	1.75	17.7	1.0	6.7	46.7
1833191	Drill Core	3.42	413	0.310	0.28	<0.17	34.22	0.60	15.30	7.06	29.0	560	6.6	7.4	467	1.42	10.9	0.9	803.3	56.9
1833192	Drill Core	2.94	474	1.677	1.73	2.31	41.16	0.94	25.17	20.29	45.0	1341	10.6	7.6	540	1.95	1.6	0.9	1479.2	72.4
1833193	Drill Core	2.94	451	0.008	<0.01	<0.17	34.99	1.50	19.33	12.48	31.5	198	9.4	7.9	568	1.88	1.2	0.7	9.6	70.7
1833194	Drill Core	3.58	418	0.007	<0.01	<0.17	17.97	0.91	21.43	11.56	62.3	303	11.9	8.5	499	1.71	6.8	1.3	7.7	71.4
1833195	Drill Core	2.92	417	0.012	0.01	<0.17	41.30	1.78	19.81	9.89	56.2	468	11.4	8.4	670	2.13	59.5	1.1	11.6	53.8
1833196	Drill Core	3.37	395	0.031	0.03	<0.17	39.26	1.49	22.36	220.72	60.2	1133	11.8	8.1	839	2.16	67.8	1.4	24.5	78.6
1833197	Drill Core	3.28	405	0.005	<0.01	<0.17	40.69	2.01	16.49	18.39	50.2	283	14.8	8.9	511	2.72	6.2	2.1	1.8	63.6
1833198	Drill Core	3.05	412	0.005	<0.01	<0.17	33.81	1.91	22.26	11.01	53.3	265	14.5	8.5	392	2.58	2.5	3.2	1.3	47.1
1833199	Drill Core	3.03	459	0.010	<0.01	<0.17	31.59	1.21	12.57	7.48	102.8	210	11.9	9.5	603	2.95	3.3	1.7	6.6	65.5
1833200	Rock Pulp	0.12	92	7.491				9.76	197.02	19.97	78.1	820	13.8	11.6	559	4.54	13.7	0.9	7427.7	70.8
1833201	Drill Core	3.47	419	0.008	<0.01	<0.17	45.42	1.54	16.28	7.79	75.5	245	16.2	9.4	769	2.56	12.0	1.4	6.7	85.0
1833202	Drill Core	3.25	399	0.006	<0.01	<0.17	24.62	2.93	22.99	9.58	65.9	301	19.2	12.4	602	2.64	4.6	1.6	5.3	56.0
1833203	Drill Core	3.11	435	0.006	<0.01	<0.17	31.33	1.11	22.00	6.01	61.3	229	15.8	8.6	567	2.12	2.9	2.0	3.9	56.0
1833204	Drill Core	3.10	441	0.008	<0.01	<0.17	37.28	1.94	18.39	15.49	60.9	303	15.0	8.7	578	2.35	6.5	1.3	7.8	98.2
1833205	Drill Core	2.26	414	0.006	<0.01	<0.17	44.32	2.30	18.17	21.55	47.7	302	11.7	7.0	482	2.00	6.9	1.8	6.4	66.1
1833206	Drill Core	2.47	399	0.011	0.01	<0.17	35.39	0.30	14.03	5.36	22.9	202	9.0	6.2	222	1.65	5.8	2.2	2.9	25.3
1833207	Drill Core	1.04	449	0.005	<0.01	<0.17	41.32	0.49	18.64	15.08	22.6	198	10.2	6.2	267	1.69	8.3	3.5	3.8	27.4
1833208	Drill Core	2.98	411	0.005	<0.01	<0.17	46.06	0.20	3.64	4.76	17.4	146	1.6	1.3	309	0.58	8.6	3.5	1.7	36.6
1833209	Drill Core	3.69	391	0.009	<0.01	<0.17	42.92	1.79	19.21	30.36	55.0	682	20.4	13.3	561	3.09	13.1	1.6	5.8	56.7
1833210	Drill Core	3.48	511	0.011	0.01	<0.17	34.58	1.65	40.11	20.78	19.8	788	8.8	7.3	304	1.89	6.6	1.2	6.7	41.2
1833211	Drill Core	3.36	473	0.006	<0.01	<0.17	32.61	1.77	12.91	21.69	18.8	458	8.2	6.2	213	1.67	2.9	2.1	3.5	34.4
1833212	Drill Core	3.09	462	0.006	<0.01	<0.17	36.57	1.60	11.77	13.23	14.3	338	8.5	6.7	197	1.59	2.7	2.4	3.3	45.3
1833213	Drill Core	3.30	482	0.005	<0.01	<0.17	38.08	1.09	14.74	15.58	10.9	354	9.0	6.4	225	1.74	2.7	2.0	2.4	35.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000329.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833184	Drill Core	0.98	0.18	0.04	13	1.64	0.060	10.1	13.4	0.51	148.5	0.003	<1	0.86	0.017	0.24	<0.1	2.1	0.06	0.71	<5			
1833185	Drill Core	0.43	0.23	0.06	5	0.89	0.068	10.9	8.3	0.25	98.5	0.003	<1	0.56	0.022	0.29	<0.1	1.4	0.08	1.40	<5			
1833186	Drill Core	0.45	0.31	0.08	5	0.85	0.058	12.2	9.2	0.28	201.6	0.002	<1	0.55	0.019	0.27	<0.1	1.2	0.08	0.76	<5			
1833187	Drill Core	0.32	0.34	0.06	5	0.64	0.067	12.3	9.7	0.34	174.8	0.003	<1	0.56	0.026	0.26	<0.1	1.1	0.08	1.02	10			
1833188	Drill Core	0.44	0.19	0.08	5	2.04	0.060	9.3	7.0	0.28	121.8	0.002	<1	0.52	0.018	0.28	<0.1	1.6	0.08	1.45	6			
1833189	Drill Core	0.65	0.24	0.09	7	1.69	0.070	10.8	9.7	0.23	104.1	0.003	<1	0.56	0.027	0.29	<0.1	1.9	0.08	1.56	9			
1833190	Drill Core	0.34	0.17	0.06	6	1.88	0.058	9.4	7.8	0.31	128.0	0.002	<1	0.59	0.018	0.29	<0.1	1.7	0.10	1.30	10			
1833191	Drill Core	0.41	0.15	0.09	5	1.51	0.054	14.6	7.7	0.29	185.6	0.002	<1	0.56	0.026	0.28	0.1	1.3	0.09	0.88	<5			
1833192	Drill Core	0.46	0.23	0.12	10	1.44	0.057	18.7	10.2	0.36	207.9	0.005	1	0.55	0.034	0.22	<0.1	1.8	0.11	0.77	<5			
1833193	Drill Core	0.37	0.24	0.12	10	1.49	0.060	25.4	11.1	0.15	194.5	0.006	<1	0.46	0.037	0.26	<0.1	2.0	0.12	0.47	6			
1833194	Drill Core	0.36	0.23	0.09	9	1.43	0.063	25.4	13.7	0.42	233.6	0.003	<1	0.74	0.036	0.22	<0.1	2.2	0.07	0.48	7			
1833195	Drill Core	0.40	0.40	0.11	10	1.61	0.064	21.8	10.5	0.28	112.7	0.003	<1	0.66	0.027	0.28	<0.1	2.2	0.08	1.31	<5			
1833196	Drill Core	0.46	0.52	1.35	7	2.31	0.055	21.8	9.9	0.48	144.3	0.002	2	0.79	0.014	0.28	0.1	1.7	0.08	1.28	5			
1833197	Drill Core	0.47	0.19	0.10	6	2.39	0.053	10.6	12.3	0.41	57.3	0.002	1	0.60	0.029	0.21	<0.1	1.5	0.05	2.49	11			
1833198	Drill Core	0.53	0.17	0.10	5	1.81	0.057	11.7	7.3	0.18	57.2	0.002	2	0.49	0.030	0.22	<0.1	1.3	0.08	2.50	31			
1833199	Drill Core	0.32	0.21	0.07	16	2.19	0.065	13.8	26.8	1.17	142.5	0.002	3	1.59	0.026	0.18	<0.1	3.4	0.07	0.90	15			
1833200	Rock Pulp	0.20	5.33	0.56	109	0.92	0.061	7.9	18.7	0.85	118.4	0.132	3	1.68	0.180	0.23	3.9	3.4	0.08	<0.02	186			
1833201	Drill Core	0.37	0.18	0.06	11	2.90	0.053	9.7	57.7	1.08	114.6	0.001	2	1.28	0.014	0.16	<0.1	2.5	0.04	1.08	22			
1833202	Drill Core	0.29	0.12	0.09	10	2.22	0.062	4.7	62.5	1.11	113.5	0.002	<1	1.24	0.013	0.20	<0.1	1.9	0.05	1.78	20			
1833203	Drill Core	0.27	0.13	0.05	5	2.14	0.049	5.8	10.3	0.97	125.5	0.002	1	1.07	0.015	0.20	<0.1	1.7	0.05	1.37	12			
1833204	Drill Core	0.29	0.24	0.10	6	2.10	0.046	4.5	19.0	1.01	80.1	0.001	2	0.90	0.012	0.19	<0.1	1.6	0.05	1.94	17			
1833205	Drill Core	0.33	0.47	0.06	4	1.87	0.045	8.9	8.1	0.59	56.6	0.001	<1	0.50	0.029	0.17	<0.1	1.3	0.04	1.89	24			
1833206	Drill Core	0.24	0.25	0.07	3	0.70	0.042	16.6	5.6	0.07	86.4	0.002	<1	0.31	0.043	0.20	<0.1	0.9	0.05	1.65	10			
1833207	Drill Core	0.30	0.31	0.08	3	0.79	0.042	13.4	5.4	0.11	89.5	0.002	<1	0.25	0.043	0.16	<0.1	1.0	0.04	1.65	<5			
1833208	Drill Core	0.14	0.26	<0.02	<1	0.58	0.011	23.8	2.7	0.23	211.9	<0.001	<1	0.34	0.028	0.21	<0.1	0.4	0.05	0.31	12			
1833209	Drill Core	0.34	0.67	0.13	6	1.15	0.044	7.9	40.2	0.66	48.4	0.002	<1	0.60	0.022	0.22	<0.1	1.3	0.05	3.16	15			
1833210	Drill Core	0.32	0.76	0.12	2	1.10	0.047	12.4	4.2	0.08	88.2	0.001	1	0.33	0.019	0.22	<0.1	0.7	0.07	1.90	13			
1833211	Drill Core	0.32	0.58	0.15	2	0.77	0.045	18.3	3.9	0.03	57.1	0.002	<1	0.29	0.029	0.22	<0.1	0.7	0.06	1.73	28			
1833212	Drill Core	0.25	0.57	0.09	2	0.69	0.047	25.1	4.3	0.03	55.5	0.003	<1	0.31	0.034	0.23	<0.1	0.9	0.06	1.63	37			
1833213	Drill Core	0.22	0.64	0.10	2	0.73	0.050	18.1	4.2	0.04	45.0	0.002	<1	0.30	0.030	0.24	<0.1	0.6	0.07	1.75	14			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000329.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833184	Drill Core	0.3	<0.02	2.3	0.24	<0.1	0.15	<0.02	9.7	0.2	<0.05	7.6	7.19	19.0	<0.02	<1	0.2	13.2	<10	<2			
1833185	Drill Core	0.5	<0.02	1.8	0.26	<0.1	0.27	0.04	12.3	0.2	<0.05	11.4	5.35	20.2	<0.02	<1	0.3	8.9	<10	<2			
1833186	Drill Core	0.4	<0.02	1.9	0.24	<0.1	0.24	0.02	10.6	0.3	<0.05	10.0	5.88	23.2	0.02	<1	0.2	9.4	<10	<2			
1833187	Drill Core	0.4	<0.02	2.0	0.30	<0.1	0.27	<0.02	10.3	0.2	<0.05	12.2	5.46	22.5	0.02	<1	0.2	10.3	<10	<2			
1833188	Drill Core	0.4	<0.02	1.6	0.25	<0.1	0.19	<0.02	10.9	0.1	<0.05	8.0	5.78	17.1	<0.02	1	0.3	7.4	<10	<2			
1833189	Drill Core	0.4	0.02	1.9	0.31	<0.1	0.07	<0.02	12.6	0.1	<0.05	4.2	5.71	20.9	<0.02	<1	0.2	8.1	<10	<2			
1833190	Drill Core	0.3	<0.02	1.7	0.30	<0.1	0.05	<0.02	12.2	0.1	<0.05	3.1	5.42	17.1	<0.02	<1	0.2	9.5	<10	<2			
1833191	Drill Core	0.3	0.04	1.7	0.21	<0.1	0.08	<0.02	12.1	0.1	<0.05	3.7	6.40	26.4	<0.02	<1	0.3	7.1	<10	<2			
1833192	Drill Core	<0.1	0.55	1.9	0.21	<0.1	0.07	0.04	7.8	0.3	<0.05	4.1	6.57	35.8	<0.02	<1	0.2	5.0	<10	<2			
1833193	Drill Core	0.3	0.05	1.7	0.26	<0.1	0.08	0.05	9.9	0.2	<0.05	4.1	6.32	48.0	<0.02	3	<0.1	5.4	<10	<2			
1833194	Drill Core	0.2	0.03	2.7	0.42	<0.1	0.09	0.02	9.0	0.2	<0.05	5.4	7.56	47.1	<0.02	2	0.4	11.4	<10	<2			
1833195	Drill Core	0.4	0.05	2.0	0.31	<0.1	0.07	0.03	10.8	0.2	<0.05	4.5	10.08	41.0	<0.02	2	<0.1	8.2	<10	<2			
1833196	Drill Core	0.5	0.07	2.1	0.45	0.1	0.07	<0.02	11.5	0.2	<0.05	4.5	11.45	40.7	<0.02	2	0.3	9.9	<10	<2			
1833197	Drill Core	0.4	0.03	1.6	0.25	<0.1	0.14	<0.02	7.9	0.1	<0.05	5.7	5.34	19.9	<0.02	2	0.2	8.4	<10	<2			
1833198	Drill Core	0.5	0.02	1.5	0.29	<0.1	0.10	<0.02	8.6	0.2	<0.05	5.2	5.73	23.0	<0.02	2	<0.1	5.9	<10	<2			
1833199	Drill Core	0.3	0.05	4.1	0.49	<0.1	0.08	<0.02	6.5	0.2	<0.05	3.0	5.96	26.1	<0.02	1	0.2	33.9	<10	<2			
1833200	Rock Pulp	0.1	0.18	4.8	0.67	0.1	0.10	0.12	7.8	1.7	<0.05	1.6	5.40	15.8	0.05	<1	<0.1	6.7	<10	<2			
1833201	Drill Core	0.3	0.03	3.0	0.51	<0.1	0.08	<0.02	6.0	0.2	<0.05	4.2	6.85	18.5	<0.02	3	0.3	30.5	<10	<2			
1833202	Drill Core	0.4	0.03	2.7	0.23	<0.1	0.17	0.02	6.6	0.2	<0.05	4.7	4.20	8.8	<0.02	3	0.3	22.1	<10	<2			
1833203	Drill Core	0.6	0.03	2.4	0.22	<0.1	0.17	<0.02	6.7	0.2	<0.05	5.1	4.00	12.7	<0.02	1	0.1	17.6	<10	<2			
1833204	Drill Core	0.4	0.03	2.1	0.62	<0.1	0.17	<0.02	6.6	0.2	<0.05	6.7	4.35	8.8	<0.02	1	<0.1	17.8	<10	<2			
1833205	Drill Core	0.4	0.03	1.5	0.32	<0.1	0.15	<0.02	5.5	0.1	<0.05	6.4	4.40	16.8	<0.02	4	0.2	7.8	<10	<2			
1833206	Drill Core	0.1	<0.02	1.1	0.25	<0.1	0.19	<0.02	6.8	0.2	<0.05	7.1	3.91	31.5	<0.02	<1	0.2	2.0	<10	<2			
1833207	Drill Core	<0.1	<0.02	0.9	0.28	<0.1	0.32	0.03	5.7	0.2	<0.05	12.9	5.12	24.5	<0.02	<1	0.2	2.3	<10	<2			
1833208	Drill Core	<0.1	<0.02	1.1	0.23	<0.1	0.34	0.08	7.4	0.2	<0.05	11.0	7.41	43.5	<0.02	<1	<0.1	4.1	<10	<2			
1833209	Drill Core	0.2	0.02	1.5	0.31	<0.1	0.35	<0.02	8.1	0.3	<0.05	13.7	5.37	15.1	<0.02	1	0.2	9.1	<10	<2			
1833210	Drill Core	<0.1	<0.02	0.9	0.53	<0.1	0.27	0.02	9.1	0.3	<0.05	9.8	5.73	23.3	<0.02	2	<0.1	1.9	<10	<2			
1833211	Drill Core	<0.1	<0.02	0.9	0.28	<0.1	0.27	0.03	7.8	0.2	<0.05	10.8	6.95	34.7	<0.02	3	<0.1	1.0	<10	<2			
1833212	Drill Core	<0.1	<0.02	1.2	0.19	<0.1	0.31	0.04	8.4	0.2	<0.05	11.1	9.26	47.0	<0.02	5	<0.1	1.1	<10	<2			
1833213	Drill Core	0.2	0.02	0.9	0.15	<0.1	0.32	0.03	8.1	0.2	<0.05	12.5	6.68	33.6	<0.02	3	<0.1	1.4	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000329.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1833214	Drill Core	3.49	495	0.010	<0.01	<0.17	35.94	1.23	9.10	12.78	13.3	246	8.5	6.6	411	1.57	4.6	1.6	5.7	9.1	45.0
1833215	Drill Core	3.28	481	0.010	<0.01	<0.17	36.68	0.77	12.05	6.16	33.2	347	8.2	6.5	354	1.42	19.2	1.8	6.6	10.0	40.7
1833216	Drill Core	3.53	544	0.010	<0.01	<0.17	38.45	1.91	25.26	11.06	40.4	528	8.9	6.6	332	1.46	10.7	1.7	5.5	9.2	36.7
1833217	Drill Core	3.40	488	0.005	<0.01	<0.17	38.71	0.64	13.92	8.52	8.2	389	7.8	6.2	305	1.58	0.7	1.5	2.5	9.6	29.5
1833218	Drill Core	3.14	439	0.007	<0.01	<0.17	39.13	2.65	14.70	20.25	11.9	334	8.8	6.8	441	1.76	1.4	1.7	1.4	9.4	38.2
1833219	Drill Core	3.10	446	0.052	0.05	<0.17	48.19	1.96	16.28	16.64	57.4	547	11.1	7.4	433	2.19	4.1	1.6	57.2	8.2	58.5
1833220	Rock Pulp	0.13	80	0.437				2.48	421.10	18.72	47.1	259	571.0	26.1	401	2.41	18.1	0.6	387.6	1.8	54.3
1833221	Drill Core	3.09	465	0.006	<0.01	<0.17	33.11	1.71	25.12	24.51	56.7	259	13.4	6.7	337	1.91	0.9	1.9	2.7	9.8	31.9
1833222	Drill Core	3.43	519	0.006	<0.01	<0.17	38.74	1.11	15.29	12.63	65.9	203	11.0	7.1	341	2.01	0.8	1.9	1.8	10.3	30.6
1833223	Drill Core	2.78	422	<0.005	<0.01	<0.17	43.45	1.32	12.58	19.08	68.2	229	10.2	6.5	326	1.76	1.6	1.8	1.6	10.6	31.1
1833224	Drill Core	3.57	510	0.007	<0.01	<0.17	37.11	1.17	14.69	13.00	59.3	270	10.4	6.6	314	1.61	1.8	1.4	2.9	11.3	28.8
1833225	Drill Core	2.86	453	0.007	<0.01	<0.17	39.63	1.63	14.42	16.41	50.5	206	9.8	6.4	298	1.93	1.3	1.6	0.5	11.2	17.0
1833226	Drill Core	3.18	431	<0.005	<0.01	<0.17	35.17	1.58	13.46	6.76	67.7	162	10.8	6.4	320	1.67	1.1	1.9	1.4	10.9	27.3
1833227	Drill Core	3.24	432	0.011	0.01	<0.17	38.64	2.06	17.17	15.35	65.3	238	31.9	16.6	739	2.78	1.1	1.7	6.0	8.0	59.8
1833228	Drill Core	3.41	490	0.109	0.13	0.35	34.29	1.04	34.52	41.44	84.1	373	49.5	31.4	1207	3.66	16.1	1.1	120.5	5.3	132.8
1833229	Drill Core	1.72	462	1.219	1.32	2.33	40.80	0.63	21.12	4.03	48.6	609	19.9	13.5	507	1.90	7.4	1.1	665.6	6.9	86.2
1833230	Drill Core	3.98	383	0.007	<0.01	<0.17	27.78	1.63	15.42	11.73	7.9	292	7.8	6.0	329	1.32	1.2	1.7	2.0	11.6	37.5
1833231	Drill Core	2.98	504	0.007	<0.01	<0.17	25.42	0.95	15.69	8.38	16.9	264	8.6	6.2	293	1.22	1.5	2.2	1.9	12.6	29.2
1833232	Drill Core	3.35	371	0.006	<0.01	<0.17	38.07	1.07	19.08	15.05	11.3	346	10.3	8.5	408	1.46	1.2	1.9	1.3	13.0	46.5
1833233	Drill Core	3.40	470	0.012	0.01	<0.17	20.38	1.87	23.94	11.90	12.9	1479	8.4	6.2	363	1.32	2.4	1.3	9.2	12.1	34.4
1833234	Drill Core	3.01	423	0.012	0.01	<0.17	37.14	1.16	24.81	29.29	28.7	1517	8.0	6.3	311	1.61	16.0	1.4	9.3	11.8	30.1
1833235	Drill Core	2.97	472	0.009	<0.01	<0.17	50.66	1.86	48.12	24.21	14.0	2622	8.1	6.1	273	1.39	5.5	1.5	7.6	11.6	31.2
1833236	Drill Core	3.31	492	<0.005	<0.01	<0.17	42.63	1.28	16.82	19.76	10.8	712	7.9	5.5	264	1.21	1.4	1.5	2.1	12.3	27.7
1833237	Drill Core	3.32	373	0.007	<0.01	<0.17	29.90	1.40	16.32	22.70	13.9	496	9.8	7.5	185	1.68	1.2	1.8	2.0	12.9	31.2
1833238	Drill Core	2.91	462	0.005	<0.01	<0.17	35.40	1.05	15.39	16.00	24.9	478	9.9	7.3	310	1.69	0.9	2.1	1.4	14.0	35.6
1833239	Drill Core	3.40	363	0.010	<0.01	<0.17	39.19	3.49	84.14	36.66	14.8	3791	9.6	6.2	272	2.06	4.2	1.8	12.8	10.7	33.6
1833240	Rock Pulp	0.13	81	0.006				3.76	20.87	0.95	31.0	21	6.6	4.0	522	2.28	1.5	0.4	0.3	2.2	28.4
1833241	Drill Core	3.22	498	0.005	<0.01	<0.17	43.88	1.61	15.80	24.82	13.2	691	10.0	7.1	215	1.82	1.2	1.9	2.2	11.6	29.3
1833242	Drill Core	3.31	481	0.023	0.02	<0.17	36.55	0.61	31.44	6.82	96.9	505	66.5	33.4	933	3.33	24.5	1.1	14.4	6.8	131.7
1833243	Drill Core	2.99	511	0.006	<0.01	<0.17	48.50	1.19	11.19	32.32	16.6	318	8.2	5.8	179	1.52	3.5	2.8	2.1	12.1	46.4



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000329.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833214	Drill Core	0.24	0.47	0.08	2	1.29	0.042	9.0	5.8	0.11	88.3	0.001	<1	0.31	0.016	0.22	<0.1	0.7	0.07	<5
1833215	Drill Core	0.24	0.33	0.08	3	0.90	0.044	13.1	5.6	0.26	102.2	0.002	<1	0.40	0.026	0.24	<0.1	0.7	0.06	19
1833216	Drill Core	0.46	0.36	0.10	3	1.07	0.045	11.0	8.6	0.17	71.5	0.002	<1	0.36	0.031	0.24	<0.1	0.8	0.06	14
1833217	Drill Core	0.26	0.34	0.06	3	0.94	0.041	15.2	4.1	0.05	64.7	0.003	<1	0.32	0.023	0.27	<0.1	0.8	0.06	7
1833218	Drill Core	0.37	0.38	0.09	3	0.94	0.045	12.0	5.2	0.13	48.9	0.002	<1	0.34	0.028	0.26	<0.1	0.9	0.07	10
1833219	Drill Core	0.24	0.30	0.10	6	1.09	0.038	10.8	14.8	0.69	44.9	0.002	<1	0.57	0.037	0.17	1.1	1.6	0.04	<5
1833220	Rock Pulp	0.20	0.42	0.29	49	1.20	0.029	4.0	93.5	1.70	68.8	0.068	3	1.85	0.191	0.14	1.2	2.4	0.08	19
1833221	Drill Core	0.21	0.23	0.13	7	0.65	0.045	12.5	17.5	0.77	59.6	0.002	<1	0.64	0.044	0.15	<0.1	1.8	0.04	<5
1833222	Drill Core	0.14	0.18	0.07	8	0.41	0.050	10.3	17.4	0.86	66.4	0.002	<1	0.83	0.043	0.17	<0.1	1.7	0.04	<5
1833223	Drill Core	0.14	0.18	0.14	7	0.41	0.047	11.2	16.0	0.98	89.3	0.002	<1	0.88	0.041	0.15	<0.1	1.5	0.03	<5
1833224	Drill Core	0.12	0.20	0.11	6	0.57	0.047	18.9	14.5	0.91	106.7	0.001	<1	0.80	0.033	0.17	<0.1	1.1	0.04	<5
1833225	Drill Core	0.18	0.20	0.15	6	0.52	0.047	23.8	12.1	0.60	69.7	0.002	<1	0.66	0.034	0.21	<0.1	1.3	0.05	<5
1833226	Drill Core	0.13	0.14	0.08	6	0.34	0.050	15.4	14.5	0.94	181.7	0.002	<1	0.97	0.033	0.21	<0.1	1.5	0.05	5
1833227	Drill Core	0.41	0.25	0.13	23	1.73	0.044	7.9	254.7	2.14	45.3	0.002	1	1.50	0.021	0.14	<0.1	3.4	0.04	7
1833228	Drill Core	0.62	0.47	0.09	29	3.90	0.049	4.3	387.6	3.08	36.3	0.003	1	1.89	0.013	0.14	<0.1	4.8	0.05	16
1833229	Drill Core	0.58	0.36	0.06	8	1.97	0.030	6.2	118.3	1.14	116.4	0.002	2	0.79	0.009	0.19	<0.1	1.6	0.05	10
1833230	Drill Core	0.45	0.32	0.09	2	1.08	0.051	11.4	4.6	0.09	109.7	0.001	<1	0.27	0.029	0.22	<0.1	0.9	0.06	<5
1833231	Drill Core	0.51	0.20	0.04	3	0.83	0.050	22.4	4.6	0.08	129.0	0.002	<1	0.32	0.031	0.25	<0.1	0.9	0.07	<5
1833232	Drill Core	0.58	0.26	0.08	4	1.22	0.055	30.5	7.9	0.06	80.3	0.003	1	0.36	0.032	0.29	0.1	1.1	0.08	<5
1833233	Drill Core	0.51	0.93	0.06	2	1.20	0.046	15.7	3.8	0.06	128.8	0.002	<1	0.28	0.021	0.24	<0.1	0.8	0.06	7
1833234	Drill Core	0.88	1.76	0.11	2	0.93	0.046	12.0	3.7	0.06	77.7	0.002	1	0.30	0.018	0.26	<0.1	0.8	0.07	<5
1833235	Drill Core	0.53	3.28	0.08	2	0.85	0.043	10.8	3.6	0.06	108.5	0.003	<1	0.27	0.019	0.24	<0.1	0.7	0.07	8
1833236	Drill Core	0.34	0.31	0.10	2	0.71	0.038	12.3	4.2	0.06	106.7	0.004	<1	0.25	0.024	0.21	<0.1	0.8	0.05	<5
1833237	Drill Core	0.23	0.24	0.13	3	0.54	0.050	11.2	4.7	0.09	68.1	0.003	<1	0.29	0.029	0.24	<0.1	0.9	0.07	<5
1833238	Drill Core	0.41	0.25	0.21	3	0.82	0.052	20.0	6.7	0.15	76.1	0.004	<1	0.34	0.040	0.23	<0.1	1.0	0.07	<5
1833239	Drill Core	0.48	0.54	0.11	3	0.90	0.044	11.4	8.5	0.08	52.2	0.002	1	0.31	0.030	0.23	0.7	0.9	0.06	10
1833240	Rock Pulp	0.02	0.17	<0.02	21	0.69	0.036	4.9	13.6	0.49	56.7	0.064	2	0.98	0.070	0.08	0.2	2.4	<0.02	6
1833241	Drill Core	0.39	0.25	0.09	3	0.81	0.046	10.5	6.1	0.04	60.0	0.003	<1	0.31	0.029	0.26	<0.1	0.9	0.07	5
1833242	Drill Core	0.53	0.46	0.05	28	2.42	0.051	11.2	305.5	2.55	63.6	0.003	<1	1.24	0.008	0.24	0.1	5.5	0.11	10
1833243	Drill Core	0.40	0.51	0.12	3	0.62	0.035	16.2	7.6	0.08	56.4	0.003	<1	0.26	0.037	0.22	<0.1	0.6	0.05	5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000329.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833214	Drill Core	0.3	<0.02	0.9	0.62	<0.1	0.27	<0.02	8.3	0.4	<0.05	11.6	6.42	17.1	<0.02	1	0.2	2.5	<10	<2			
1833215	Drill Core	0.2	<0.02	1.2	0.32	<0.1	0.17	<0.02	9.3	0.2	<0.05	6.9	6.51	24.1	<0.02	2	<0.1	4.2	<10	<2			
1833216	Drill Core	<0.1	<0.02	1.0	0.18	<0.1	0.21	<0.02	8.7	0.2	<0.05	7.7	4.91	20.6	<0.02	<1	<0.1	2.8	<10	<2			
1833217	Drill Core	<0.1	<0.02	1.1	0.15	<0.1	0.20	0.04	9.1	0.2	<0.05	7.8	5.24	28.3	<0.02	<1	0.2	1.7	<10	<2			
1833218	Drill Core	<0.1	0.02	1.2	0.15	<0.1	0.27	0.04	8.6	0.3	<0.05	8.9	4.35	23.5	<0.02	<1	0.2	2.3	<10	<2			
1833219	Drill Core	0.2	0.03	2.2	0.20	<0.1	0.26	<0.02	5.2	0.2	<0.05	10.0	5.59	20.6	<0.02	1	0.2	6.0	<10	<2			
1833220	Rock Pulp	0.5	0.19	3.9	0.59	<0.1	0.06	0.03	5.7	0.4	<0.05	1.5	3.17	8.2	<0.02	2	<0.1	6.9	287	110			
1833221	Drill Core	0.3	<0.02	2.8	0.15	<0.1	0.31	<0.02	5.0	0.3	<0.05	10.4	4.34	23.6	<0.02	2	<0.1	6.3	<10	<2			
1833222	Drill Core	0.1	<0.02	3.6	0.16	<0.1	0.30	<0.02	5.7	0.2	<0.05	10.2	2.98	19.9	<0.02	<1	0.3	6.7	<10	<2			
1833223	Drill Core	0.3	<0.02	3.8	0.22	<0.1	0.25	<0.02	4.9	0.2	<0.05	8.6	3.84	21.6	<0.02	2	0.5	7.8	<10	<2			
1833224	Drill Core	0.3	<0.02	3.1	0.37	<0.1	0.19	<0.02	5.6	0.2	<0.05	6.9	6.01	36.3	<0.02	1	0.1	7.4	<10	<2			
1833225	Drill Core	0.2	0.02	2.5	0.29	<0.1	0.13	<0.02	7.2	0.3	<0.05	6.9	6.90	45.2	<0.02	2	0.2	4.5	<10	<2			
1833226	Drill Core	0.2	0.04	3.7	0.27	<0.1	0.23	<0.02	7.1	0.3	<0.05	8.2	3.78	28.8	<0.02	1	0.4	6.9	<10	<2			
1833227	Drill Core	0.3	<0.02	4.4	0.39	<0.1	0.28	<0.02	4.9	0.3	<0.05	5.3	4.67	14.9	<0.02	3	0.2	18.4	<10	<2			
1833228	Drill Core	0.3	0.04	4.4	0.71	<0.1	0.14	<0.02	4.6	0.2	<0.05	5.7	7.07	8.5	0.02	<1	0.3	37.9	<10	<2			
1833229	Drill Core	0.2	0.13	2.0	0.23	<0.1	0.11	<0.02	6.4	0.2	<0.05	3.8	4.64	12.5	<0.02	<1	0.3	10.9	<10	<2			
1833230	Drill Core	0.3	<0.02	1.0	0.14	<0.1	0.10	<0.02	9.2	0.2	<0.05	4.1	4.52	22.1	<0.02	1	0.3	1.9	<10	<2			
1833231	Drill Core	0.2	<0.02	1.1	0.16	<0.1	0.09	0.03	10.8	0.2	<0.05	3.1	6.74	40.4	<0.02	1	0.1	1.8	<10	<2			
1833232	Drill Core	0.3	<0.02	1.2	0.72	<0.1	0.09	0.03	13.1	0.2	<0.05	5.1	14.34	57.5	<0.02	2	0.2	2.1	<10	<2			
1833233	Drill Core	0.1	<0.02	0.9	0.29	<0.1	0.13	<0.02	9.7	0.2	<0.05	4.3	8.93	30.3	<0.02	2	<0.1	1.6	<10	<2			
1833234	Drill Core	0.2	<0.02	0.9	0.15	<0.1	0.12	<0.02	10.2	0.2	<0.05	4.6	6.87	23.1	<0.02	<1	0.1	1.7	<10	<2			
1833235	Drill Core	0.1	<0.02	0.9	0.10	<0.1	0.13	<0.02	9.7	0.3	<0.05	4.0	9.16	20.9	<0.02	<1	<0.1	1.3	<10	<2			
1833236	Drill Core	0.3	<0.02	0.9	0.09	<0.1	0.12	0.03	7.9	0.2	<0.05	3.9	11.56	24.3	<0.02	2	0.1	1.3	<10	<2			
1833237	Drill Core	0.2	<0.02	1.1	0.09	<0.1	0.16	<0.02	8.8	0.2	<0.05	4.9	8.03	21.6	<0.02	2	0.2	2.0	<10	<2			
1833238	Drill Core	0.3	<0.02	1.3	0.11	<0.1	0.14	0.05	9.4	0.3	<0.05	5.3	13.42	38.9	<0.02	2	0.1	2.9	<10	<2			
1833239	Drill Core	0.3	<0.02	1.0	0.11	<0.1	0.16	<0.02	9.0	0.2	<0.05	5.8	7.83	22.8	<0.02	2	<0.1	2.1	<10	<2			
1833240	Rock Pulp	<0.1	<0.02	3.7	0.13	0.1	0.10	0.24	1.9	1.7	<0.05	2.8	6.86	9.9	<0.02	1	0.2	1.0	<10	<2			
1833241	Drill Core	0.2	<0.02	0.9	0.08	<0.1	0.22	0.02	8.9	0.2	<0.05	7.4	5.91	20.2	<0.02	<1	0.2	2.0	<10	<2			
1833242	Drill Core	0.3	<0.02	3.5	0.56	<0.1	0.36	<0.02	10.2	0.3	<0.05	9.6	11.15	22.5	0.02	<1	0.2	26.8	<10	<2			
1833243	Drill Core	0.2	<0.02	0.9	0.08	<0.1	0.13	0.04	6.9	0.2	<0.05	4.0	7.51	30.7	<0.02	2	<0.1	2.1	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000329.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1833244	Drill Core	2.68	415	0.006	<0.01	<0.17	42.71	1.84	5.82	43.62	17.2	291	3.1	2.0	147	0.81	3.9	3.4	0.5	16.3	25.8
1833245	Drill Core	2.90	450	0.006	<0.01	<0.17	32.22	0.44	6.15	19.58	18.7	265	1.8	1.7	181	0.67	8.8	2.8	3.5	15.4	35.0
1833246	Drill Core	2.37	430	0.007	<0.01	<0.17	35.00	0.22	8.07	34.29	19.6	240	1.1	1.5	168	0.54	11.4	2.9	1.4	17.0	29.6
1833247	Drill Core	2.16	470	0.009	<0.01	<0.17	31.35	2.11	37.57	175.60	11.2	2579	0.8	1.1	59	0.47	2.9	2.9	2.8	16.5	21.3
1833248	Drill Core	1.46	438	<0.005	<0.01	<0.17	32.06	1.07	13.02	63.97	40.7	449	1.4	2.6	66	0.51	6.2	2.8	1.5	13.2	15.8
1833249	Drill Core	3.37	516	0.007	<0.01	<0.17	34.40	1.56	4.16	28.81	10.1	257	0.9	1.3	92	0.47	4.5	2.5	1.8	17.2	19.8
1833250	Drill Core	3.22	409	<0.005	<0.01	<0.17	35.63	0.37	4.05	21.59	9.3	179	0.4	0.3	74	0.48	3.2	2.8	1.0	19.9	30.9
1833251	Drill Core	3.46	406	0.010	<0.01	<0.17	39.77	0.80	9.50	94.79	93.7	256	1.4	1.7	136	0.57	15.1	3.0	5.1	19.9	33.0
1833252	Drill Core	3.64	505	<0.005	<0.01	<0.17	38.26	2.80	6.18	35.18	8.7	366	0.2	0.2	60	0.28	1.9	2.5	0.8	19.9	22.3
1833253	Drill Core	2.84	466	<0.005	<0.01	<0.17	36.80	0.90	1.87	18.12	5.8	196	0.3	0.2	61	0.36	1.5	2.2	0.4	18.9	25.1
1833254	Drill Core	2.65	442	<0.005	<0.01	<0.17	32.34	1.65	3.13	28.82	4.4	357	0.4	0.4	65	0.62	1.6	3.9	0.6	15.9	57.9



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000329.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1833244	Drill Core	0.15	0.28	0.13	<1	0.26	0.010	19.8	2.6	0.11	207.5	<0.001	<1	0.20	0.009	0.19	<0.1	0.4	0.05	0.60
1833245	Drill Core	0.14	0.38	0.08	<1	0.27	0.011	26.1	2.0	0.14	185.4	<0.001	<1	0.24	0.007	0.23	<0.1	0.4	0.06	0.36
1833246	Drill Core	0.22	0.25	0.13	1	0.28	0.017	42.1	1.8	0.10	482.2	0.002	<1	0.28	0.031	0.28	<0.1	0.8	0.07	0.29
1833247	Drill Core	0.67	2.72	0.96	<1	0.06	0.006	28.3	1.3	0.06	479.1	<0.001	<1	0.23	0.019	0.22	<0.1	0.4	0.05	0.29
1833248	Drill Core	0.47	0.33	0.25	1	0.11	0.022	25.8	2.0	0.06	396.2	0.001	<1	0.26	0.011	0.27	0.1	0.4	0.07	0.29
1833249	Drill Core	0.16	0.20	0.24	<1	0.12	0.011	35.0	1.5	0.08	598.8	0.001	<1	0.25	0.021	0.25	<0.1	0.4	0.06	0.26
1833250	Drill Core	0.14	0.13	0.11	<1	0.10	0.004	54.9	1.3	0.07	638.3	0.002	<1	0.27	0.036	0.26	<0.1	0.7	0.06	0.24
1833251	Drill Core	0.91	0.32	0.13	1	0.23	0.018	47.1	2.3	0.14	476.9	0.002	<1	0.33	0.028	0.29	<0.1	1.0	0.08	0.28
1833252	Drill Core	0.25	0.12	0.77	<1	0.08	0.003	44.4	0.8	0.07	656.1	<0.001	<1	0.25	0.026	0.24	<0.1	0.6	0.06	0.10
1833253	Drill Core	0.09	0.14	0.26	<1	0.15	0.002	44.6	1.0	0.07	1004.4	<0.001	<1	0.30	0.021	0.28	<0.1	0.8	0.07	0.15
1833254	Drill Core	0.16	0.39	0.20	<1	0.38	0.003	33.2	1.0	0.06	235.2	0.001	<1	0.31	0.012	0.28	<0.1	0.5	0.12	0.43



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000329.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1833244	Drill Core	<0.1	<0.02	0.7	0.10	<0.1	0.18	0.12	6.1	0.2	<0.05	4.6	6.03	37.2	<0.02	1	0.2	2.1	<10
1833245	Drill Core	<0.1	<0.02	0.9	0.24	<0.1	0.16	<0.02	8.4	0.8	<0.05	5.2	8.59	48.5	<0.02	<1	0.2	2.7	<10
1833246	Drill Core	<0.1	<0.02	1.1	0.22	<0.1	0.18	0.04	11.1	0.3	<0.05	5.6	12.75	76.6	<0.02	<1	0.3	2.1	<10
1833247	Drill Core	<0.1	<0.02	0.8	0.12	<0.1	0.18	0.04	7.8	0.7	<0.05	5.5	8.65	54.9	<0.02	2	0.1	1.7	<10
1833248	Drill Core	<0.1	<0.02	0.9	0.11	<0.1	0.11	<0.02	9.3	0.2	<0.05	3.4	7.42	48.3	<0.02	1	0.2	1.9	<10
1833249	Drill Core	<0.1	<0.02	0.9	0.29	<0.1	0.24	0.03	9.6	0.2	<0.05	6.9	10.18	63.5	<0.02	<1	0.1	1.8	<10
1833250	Drill Core	0.1	<0.02	1.2	0.16	<0.1	0.29	0.05	10.4	0.3	<0.05	8.3	18.89	98.8	<0.02	<1	0.2	1.5	<10
1833251	Drill Core	<0.1	<0.02	1.3	0.29	<0.1	0.28	0.04	12.2	0.3	<0.05	7.6	19.75	85.3	<0.02	<1	0.2	3.7	<10
1833252	Drill Core	<0.1	<0.02	0.9	0.21	<0.1	0.31	0.05	9.1	0.3	<0.05	8.2	18.61	85.7	<0.02	<1	0.2	2.1	<10
1833253	Drill Core	<0.1	<0.02	1.0	0.11	<0.1	0.23	0.05	9.8	0.3	<0.05	6.7	17.49	82.1	<0.02	<1	0.2	2.4	<10
1833254	Drill Core	<0.1	<0.02	1.2	0.11	<0.1	0.14	0.05	11.8	0.4	<0.05	4.4	18.63	63.0	<0.02	1	0.2	1.8	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000329.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																				
REP 1833150	QC						0.73	8.59	18.37	44.7	584	10.8	5.3	296	1.32	43.3	1.8	14.1	12.4	44.1
REP 1833184	QC						0.75	20.96	9.97	137.2	407	11.3	8.0	791	2.18	5.1	0.7	0.8	7.9	51.8
1833187	Drill Core	2.09	437	0.006	<0.01	<0.17	36.11	1.18	30.52	32.32	66.7	482	9.6	5.9	443	1.84	20.5	1.4	0.9	9.8
REP 1833187	QC			0.007																
1833191	Drill Core	3.42	413	0.310	0.28	<0.17	34.22	0.60	15.30	7.06	29.0	560	6.6	7.4	467	1.42	10.9	0.9	803.3	9.9
REP 1833191	QC			0.299																
1833219	Drill Core	3.10	446	0.052	0.05	<0.17	48.19	1.96	16.28	16.64	57.4	547	11.1	7.4	433	2.19	4.1	1.6	57.2	8.2
REP 1833219	QC						2.15	16.27	17.00	57.1	602	11.3	7.4	431	2.16	4.2	1.6	70.1	8.5	60.7
1833250	Drill Core	3.22	409	<0.005	<0.01	<0.17	35.63	0.37	4.05	21.59	9.3	179	0.4	0.3	74	0.48	3.2	2.8	1.0	19.9
REP 1833250	QC						0.38	4.26	21.80	9.0	175	0.4	0.4	70	0.49	3.2	2.7	<0.2	20.0	31.1
Core Reject Duplicates																				
1833150	Drill Core	1.53	478	0.048	0.04	<0.17	37.05	0.73	8.51	20.21	46.0	564	10.6	5.3	300	1.29	46.8	1.8	15.9	12.2
DUP 1833150	QC		436	0.019	0.02	<0.17	39.55	0.72	9.10	18.42	45.6	678	10.7	5.3	305	1.34	43.0	1.8	13.8	12.4
1833184	Drill Core	3.30	497	0.006	<0.01	<0.17	36.71	0.80	21.77	10.68	127.3	419	11.5	8.7	753	2.12	5.3	0.7	2.0	8.4
DUP 1833184	QC		445	0.005	<0.01	<0.17	32.36	0.80	22.06	10.59	133.1	414	12.1	8.6	751	2.20	5.3	0.7	1.4	8.8
1833218	Drill Core	3.14	439	0.007	<0.01	<0.17	39.13	2.65	14.70	20.25	11.9	334	8.8	6.8	441	1.76	1.4	1.7	1.4	9.4
DUP 1833218	QC		410	0.006	<0.01	<0.17	31.21	2.67	14.85	19.67	12.3	336	8.7	6.7	445	1.76	1.0	1.6	1.6	9.3
1833252	Drill Core	3.64	505	<0.005	<0.01	<0.17	38.26	2.80	6.18	35.18	8.7	366	0.2	0.2	60	0.28	1.9	2.5	0.8	19.9
DUP 1833252	QC		486	0.005	<0.01	<0.17	36.32	2.75	6.39	34.63	8.9	361	0.2	0.2	55	0.29	2.3	2.5	1.0	19.5
Reference Materials																				
STD BVGEO01	Standard						11.23	4414.69	191.61	1768.3	2522	154.7	23.9	689	3.63	117.4	4.0	232.7	16.0	54.7
STD BVGEO01	Standard						10.85	4292.36	184.11	1723.5	2603	155.0	25.7	726	3.59	119.1	3.7	214.3	14.4	58.4
STD DS11	Standard						14.89	154.76	138.71	335.0	1586	80.4	13.7	1001	3.04	40.3	2.5	69.7	7.8	65.6
STD DS11	Standard						11.84	139.98	133.34	331.9	1698	71.4	12.8	958	2.84	39.2	2.5	79.8	7.2	60.1
STD OREAS262	Standard						0.71	121.54	59.40	153.0	456	62.0	27.6	488	3.19	36.4	1.3	70.8	10.7	34.9
STD OREAS262	Standard						0.73	118.73	56.72	146.3	444	63.0	26.8	524	3.17	34.2	1.2	68.5	9.0	33.9
STD OREAS262	Standard						0.67	109.61	57.27	150.8	458	58.8	27.5	485	3.15	35.7	1.3	67.7	9.7	35.8
STD OREAS262	Standard						0.63	113.27	57.46	149.2	431	62.5	27.2	528	3.22	34.9	1.2	76.1	10.1	35.7



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 29, 2019

Page:

1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000329.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
REP 1833150	QC	0.22	0.87	0.07	11	0.69	0.024	18.1	14.6	0.78	328.6	<0.001	<1	1.04	0.005	0.23	1.0	2.0	0.08	0.32	7
REP 1833184	QC	0.98	0.19	0.04	13	1.65	0.057	10.1	13.3	0.53	143.7	0.004	<1	0.88	0.018	0.24	<0.1	2.2	0.07	0.68	5
1833187	Drill Core	0.32	0.34	0.06	5	0.64	0.067	12.3	9.7	0.34	174.8	0.003	<1	0.56	0.026	0.26	<0.1	1.1	0.08	1.02	10
REP 1833187	QC																				
1833191	Drill Core	0.41	0.15	0.09	5	1.51	0.054	14.6	7.7	0.29	185.6	0.002	<1	0.56	0.026	0.28	0.1	1.3	0.09	0.88	<5
REP 1833191	QC																				
1833219	Drill Core	0.24	0.30	0.10	6	1.09	0.038	10.8	14.8	0.69	44.9	0.002	<1	0.57	0.037	0.17	1.1	1.6	0.04	1.79	<5
REP 1833219	QC	0.24	0.30	0.09	5	1.06	0.039	11.1	15.2	0.68	49.8	0.002	<1	0.56	0.037	0.16	1.2	1.7	0.04	1.74	<5
1833250	Drill Core	0.14	0.13	0.11	<1	0.10	0.004	54.9	1.3	0.07	638.3	0.002	<1	0.27	0.036	0.26	<0.1	0.7	0.06	0.24	<5
REP 1833250	QC	0.12	0.13	0.11	<1	0.10	0.004	54.6	1.4	0.06	647.9	0.001	<1	0.27	0.037	0.26	<0.1	0.6	0.06	0.24	<5
Core Reject Duplicates																					
1833150	Drill Core	0.22	0.90	0.07	11	0.68	0.024	17.9	14.5	0.78	308.2	<0.001	<1	1.01	0.004	0.22	1.0	1.9	0.07	0.31	10
DUP 1833150	QC	0.23	0.80	0.07	11	0.68	0.025	17.8	14.9	0.80	278.8	<0.001	<1	1.05	0.005	0.22	1.0	2.1	0.07	0.31	<5
1833184	Drill Core	0.98	0.18	0.04	13	1.64	0.060	10.1	13.4	0.51	148.5	0.003	<1	0.86	0.017	0.24	<0.1	2.1	0.06	0.71	<5
DUP 1833184	QC	1.02	0.18	0.05	13	1.71	0.060	9.9	13.6	0.54	147.8	0.004	<1	0.90	0.018	0.24	<0.1	2.2	0.07	0.70	9
1833218	Drill Core	0.37	0.38	0.09	3	0.94	0.045	12.0	5.2	0.13	48.9	0.002	<1	0.34	0.028	0.26	<0.1	0.9	0.07	1.73	10
DUP 1833218	QC	0.40	0.39	0.09	3	1.01	0.043	11.7	5.0	0.12	47.3	0.002	<1	0.33	0.029	0.25	<0.1	0.8	0.06	1.80	19
1833252	Drill Core	0.25	0.12	0.77	<1	0.08	0.003	44.4	0.8	0.07	656.1	<0.001	<1	0.25	0.026	0.24	<0.1	0.6	0.06	0.10	<5
DUP 1833252	QC	0.26	0.12	0.78	<1	0.08	0.003	45.9	0.8	0.06	619.2	<0.001	<1	0.26	0.026	0.24	<0.1	0.6	0.06	0.10	<5
Reference Materials																					
STD BVGEO01	Standard	6.93	3.82	26.96	72	1.30	0.079	27.1	168.1	1.29	283.1	0.226	5	2.29	0.193	0.90	5.4	6.1	0.64	0.67	98
STD BVGEO01	Standard	6.69	3.81	25.09	72	1.36	0.073	25.2	187.7	1.27	282.2	0.214	3	2.31	0.201	0.91	5.1	6.1	0.60	0.69	87
STD DS11	Standard	2.20	8.75	11.25	49	1.07	0.072	18.8	62.5	0.86	350.2	0.098	8	1.16	0.070	0.40	2.8	3.1	4.59	0.29	233
STD DS11	Standard	2.26	8.68	11.53	47	0.98	0.067	15.1	53.0	0.81	316.5	0.075	6	1.03	0.062	0.38	2.8	2.8	4.51	0.27	254
STD OREAS262	Standard	0.71	5.98	1.05	22	2.88	0.039	16.0	42.8	1.16	255.6	0.003	5	1.28	0.067	0.31	0.2	3.3	0.46	0.25	155
STD OREAS262	Standard	0.61	6.23	0.96	21	2.91	0.039	16.5	43.8	1.14	236.3	0.003	3	1.33	0.066	0.31	0.2	3.1	0.42	0.26	144
STD OREAS262	Standard	0.72	6.18	1.09	23	2.95	0.044	17.3	44.3	1.14	234.8	0.003	4	1.37	0.066	0.33	0.2	3.5	0.46	0.26	171
STD OREAS262	Standard	0.68	5.99	1.02	20	3.03	0.039	12.4	40.8	1.16	235.6	0.002	3	1.16	0.068	0.28	0.3	2.9	0.40	0.26	169



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 29, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000329.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
REP 1833150	QC	<0.1	<0.02	2.4	1.60	<0.1	0.30	<0.02	8.4	0.3	<0.05	9.0	8.07	36.6	<0.02	2	0.5	17.3	<10	<2
REP 1833184	QC	0.2	<0.02	2.3	0.24	<0.1	0.20	<0.02	9.2	0.2	<0.05	7.0	6.88	18.7	<0.02	<1	0.3	13.5	<10	<2
1833187	Drill Core	0.4	<0.02	2.0	0.30	<0.1	0.27	<0.02	10.3	0.2	<0.05	12.2	5.46	22.5	0.02	<1	0.2	10.3	<10	<2
REP 1833187	QC																			
1833191	Drill Core	0.3	0.04	1.7	0.21	<0.1	0.08	<0.02	12.1	0.1	<0.05	3.7	6.40	26.4	<0.02	<1	0.3	7.1	<10	<2
REP 1833191	QC																			
1833219	Drill Core	0.2	0.03	2.2	0.20	<0.1	0.26	<0.02	5.2	0.2	<0.05	10.0	5.59	20.6	<0.02	1	0.2	6.0	<10	<2
REP 1833219	QC	0.1	0.05	2.2	0.23	<0.1	0.28	<0.02	5.7	0.2	<0.05	10.0	5.60	21.5	<0.02	<1	<0.1	6.1	<10	<2
1833250	Drill Core	0.1	<0.02	1.2	0.16	<0.1	0.29	0.05	10.4	0.3	<0.05	8.3	18.89	98.8	<0.02	<1	0.2	1.5	<10	<2
REP 1833250	QC	<0.1	<0.02	1.2	0.16	<0.1	0.30	0.05	10.7	0.3	<0.05	8.5	19.33	99.0	<0.02	<1	0.1	1.4	<10	<2
Core Reject Duplicates																				
1833150	Drill Core	<0.1	0.03	2.3	1.59	<0.1	0.29	<0.02	8.0	0.2	<0.05	8.9	8.08	35.7	<0.02	<1	0.3	17.0	<10	<2
DUP 1833150	QC	<0.1	0.03	2.4	1.49	<0.1	0.23	<0.02	8.3	0.3	<0.05	9.0	8.42	36.0	<0.02	<1	0.4	17.3	<10	<2
1833184	Drill Core	0.3	<0.02	2.3	0.24	<0.1	0.15	<0.02	9.7	0.2	<0.05	7.6	7.19	19.0	<0.02	<1	0.2	13.2	<10	<2
DUP 1833184	QC	0.2	<0.02	2.4	0.23	<0.1	0.18	<0.02	9.9	0.2	<0.05	7.9	7.50	19.1	<0.02	<1	0.2	14.6	<10	<2
1833218	Drill Core	<0.1	0.02	1.2	0.15	<0.1	0.27	0.04	8.6	0.3	<0.05	8.9	4.35	23.5	<0.02	<1	0.2	2.3	<10	<2
DUP 1833218	QC	0.3	0.02	1.0	0.17	<0.1	0.23	0.03	8.6	0.3	<0.05	8.7	4.26	23.3	<0.02	2	0.2	2.3	<10	<2
1833252	Drill Core	<0.1	<0.02	0.9	0.21	<0.1	0.31	0.05	9.1	0.3	<0.05	8.2	18.61	85.7	<0.02	<1	0.2	2.1	<10	<2
DUP 1833252	QC	<0.1	<0.02	1.0	0.21	<0.1	0.31	0.05	9.2	0.3	<0.05	9.4	18.97	84.2	<0.02	<1	0.3	2.0	<10	<2
Reference Materials																				
STD BVGEO01	Standard	5.0	1.00	7.0	7.51	0.2	0.31	0.31	96.8	5.7	<0.05	7.4	14.95	52.8	0.53	4	0.7	23.0	111	187
STD BVGEO01	Standard	4.6	1.00	7.8	7.29	0.2	0.35	0.33	89.1	5.8	<0.05	9.6	14.47	49.9	0.47	3	0.7	21.2	117	177
STD DS11	Standard	2.2	4.49	4.7	2.80	0.1	0.08	1.55	32.0	1.8	<0.05	2.7	7.99	36.6	0.22	45	0.7	22.8	109	158
STD DS11	Standard	2.4	4.49	4.4	2.59	<0.1	0.08	1.19	30.1	1.6	<0.05	3.1	6.57	31.4	0.22	45	0.5	22.5	112	161
STD OREAS262	Standard	0.4	0.24	4.0	2.98	<0.1	0.24	<0.02	19.8	0.6	<0.05	8.1	10.91	31.8	0.03	<1	1.2	18.4	<10	<2
STD OREAS262	Standard	0.3	0.25	3.7	2.90	<0.1	0.26	<0.02	18.0	0.5	<0.05	10.7	10.68	32.6	0.02	1	1.5	16.7	<10	<2
STD OREAS262	Standard	0.3	0.25	4.0	3.21	<0.1	0.29	<0.02	19.9	0.6	<0.05	10.7	11.15	33.4	0.03	<1	1.2	18.2	<10	<2
STD OREAS262	Standard	0.4	0.23	3.4	2.49	<0.1	0.29	<0.02	15.6	0.6	<0.05	11.0	9.98	26.2	0.04	1	1.0	16.9	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000329.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXC145	Standard			0.215																	
STD OXC145	Standard			0.216																	
STD OXC145	Standard			0.218																	
STD OXH139	Standard			1.284																	
STD OXH139	Standard			1.362																	
STD OXH139	Standard			1.315																	
STD OXN134	Standard			7.664																	
STD OXN134	Standard			7.680																	
STD OXN134	Standard			7.745																	
STD OXQ90	Standard					24.73	29.68														
STD OXQ90	Standard					24.57	29.55														
STD OXQ90	Standard					25.28	30.82														
STD OXQ90	Standard					25.10	29.60														
STD OXQ90	Standard					25.36	30.25														
STD OXQ90	Standard					25.17	29.88														
STD OXQ90	Standard					25.29	30.17														
STD OXQ90	Standard					25.25	30.57														
STD OXQ90	Standard					25.02	30.34														
STD OXQ90	Standard					25.08	29.79														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000329.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000329.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000329.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.3	<0.5
BLK	Blank							<0.01	0.02	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.02	0.02	0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	0.02	0.04	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.3	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.005																	
BLK	Blank			0.006																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		454	0.006	<0.01	<0.17	33.45	1.19	4.04	1.09	27.9	13	0.9	3.2	436	1.75	0.9	0.4	1.9	2.1	19.1
ROCK-WHI	Prep Blank		455	0.005	<0.01	<0.17	34.71	0.97	2.86	1.17	26.2	11	0.9	3.3	453	1.77	0.6	0.4	<0.2	2.1	19.0



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000329.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.03	0.08	0.06	20	0.55	0.038	5.3	2.3	0.43	49.3	0.054	2	0.73	0.064	0.07	<0.1	2.6	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.04	0.08	0.03	21	0.55	0.039	5.5	2.8	0.43	49.8	0.052	<1	0.74	0.067	0.07	<0.1	2.4	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000329.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	2	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	0.02	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.1	0.16	<0.1	0.11	0.13	1.8	0.3	<0.05	2.2	7.86	11.2	<0.02	<1	0.1	2.2	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.1	0.16	0.1	0.09	0.11	1.7	0.3	<0.05	2.1	7.85	11.2	<0.02	<1	0.1	1.9	<10	<2