



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: August 06, 2019  
Report Date: August 29, 2019  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI19000330.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-41  
P.O. Number  
Number of Samples: 138

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	132	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	5	Sort, label and box pulps			WHI
FS631	138	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	138	Analysis sample split/packet			WHI
Split -150	138	Analysis sample split/packet			WHI
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
FS631	133	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	138	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Erika Cayer  
Peter Tallman  
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 2 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000330.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2023287	Drill Core	1.87	404	0.011	<0.01	<0.17	44.39	0.64	3.68	25.25	10.0	489	1.0	0.3	53	0.39	2.0	1.1	19.4	12.7	6.9
2023288	Drill Core	2.16	512	<0.005	<0.01	<0.17	31.74	0.23	1.45	18.72	5.6	134	0.4	0.2	36	0.24	2.8	1.3	1.7	15.5	3.6
2023289	Drill Core	3.58	492	<0.005	<0.01	<0.17	32.68	0.26	1.73	23.80	6.2	121	0.3	0.2	56	0.28	2.2	1.2	2.7	13.5	11.9
2023290	Drill Core	1.13	495	0.006	<0.01	<0.17	43.75	0.22	3.05	33.74	7.5	124	0.6	0.2	64	0.32	2.4	1.4	1.3	18.7	4.5
2023291	Drill Core	0.92	497	0.007	<0.01	<0.17	40.31	0.30	1.53	20.19	5.8	100	0.4	0.2	50	0.32	3.3	1.1	2.2	14.9	2.1
2023292	Drill Core	2.90	551	0.008	<0.01	<0.17	48.31	0.19	1.77	21.42	6.4	126	0.4	0.2	42	0.25	2.6	1.7	3.4	14.0	6.7
2023293	Drill Core	1.68	576	0.011	0.01	<0.17	38.96	0.21	3.55	12.39	4.1	96	0.3	0.1	41	0.33	1.4	1.0	4.8	10.4	3.9
2023294	Drill Core	1.38	504	0.016	0.01	<0.17	31.01	0.27	2.18	14.70	3.8	120	0.3	0.1	50	0.35	1.1	0.9	6.8	6.7	3.6
2023295	Drill Core	1.30	407	0.010	<0.01	<0.17	29.39	0.28	1.37	9.59	3.8	125	0.4	0.1	46	0.37	0.9	0.9	5.9	9.0	5.5
2023296	Drill Core	2.95	423	0.062	0.06	<0.17	32.45	0.21	3.06	17.94	9.4	152	0.3	0.1	38	0.32	1.8	1.5	20.8	13.8	3.5
2023297	Drill Core	1.13	406	0.032	0.03	<0.17	29.41	0.27	3.55	18.98	13.4	167	0.4	0.7	73	0.45	1.9	1.4	38.4	16.6	5.2
2023298	Drill Core	1.70	495	0.085	0.08	<0.17	28.40	0.55	3.01	29.26	15.6	579	0.5	0.4	125	0.49	1.8	1.3	64.1	14.0	4.8
2023299	Drill Core	3.10	499	0.058	0.05	<0.17	39.81	0.27	4.00	33.82	25.9	221	0.5	0.3	126	0.54	1.2	1.6	63.6	17.8	25.0
2023300	Rock Pulp	0.12	79	6.151				9.77	192.34	21.11	80.6	938	13.1	10.9	624	4.78	14.5	0.9	8195.3	5.6	83.9
2023301	Drill Core	3.19	501	0.283	0.26	<0.17	39.79	0.21	1.96	20.78	35.0	151	0.4	0.3	101	0.62	1.6	1.4	6.1	19.5	50.2
2023302	Drill Core	2.82	430	<0.005	<0.01	<0.17	25.76	0.17	1.51	11.28	40.5	85	0.2	0.2	87	0.72	0.2	0.8	<0.2	21.8	67.9
2023303	Drill Core	2.67	269	<0.005	<0.01	<0.17	27.38	0.21	3.80	23.52	40.3	115	0.2	0.4	109	0.70	0.2	1.1	<0.2	17.7	35.3
2023304	Drill Core	2.89	430	<0.005	<0.01	<0.17	31.94	0.20	6.25	12.94	36.0	71	4.7	3.4	253	0.99	1.1	1.5	3.7	17.0	55.1
2023305	Drill Core	3.11	402	<0.005	<0.01	<0.17	39.12	0.26	5.47	15.83	42.4	102	5.0	3.2	213	1.07	3.4	1.1	10.4	17.6	32.5
2023306	Drill Core	2.67	498	0.013	0.01	<0.17	38.03	0.32	9.50	15.78	60.7	168	11.3	8.2	351	2.04	12.6	2.4	8.3	18.9	37.5
2023307	Drill Core	3.31	539	0.016	0.01	<0.17	40.86	0.26	6.32	16.54	39.1	167	4.9	4.1	316	1.27	8.4	1.5	15.4	15.2	50.2
2023308	Drill Core	2.92	499	0.809	0.79	0.52	36.76	0.16	8.43	17.12	16.6	384	1.8	2.1	240	0.85	2.5	0.7	500.6	16.1	62.1
2023309	Drill Core	3.17	491	0.009	<0.01	<0.17	32.94	0.23	8.55	19.86	23.0	165	1.8	2.5	290	0.86	3.5	1.1	4.3	19.6	27.9
2023310	Drill Core	2.44	408	0.005	<0.01	<0.17	35.01	0.14	7.42	15.51	25.4	135	2.7	2.9	184	1.02	1.9	1.1	1.2	18.3	36.7
2023311	Drill Core	3.37	480	0.018	0.02	<0.17	36.17	0.17	7.06	16.74	28.8	196	2.4	2.8	252	1.10	9.4	1.4	13.1	18.3	41.4
2023312	Drill Core	2.86	482	0.283	0.27	<0.17	36.23	0.16	6.71	12.44	16.9	480	1.7	2.3	228	0.94	19.5	1.1	1314.0	14.6	64.8
2023313	Drill Core	2.20	472	0.396	0.63	4.27	29.05	0.20	7.60	11.17	17.6	245	2.3	2.9	262	0.99	25.5	1.3	245.3	12.1	68.6
2023314	Drill Core	1.50	510	1.899	2.74	16.02	30.27	0.06	15.08	11.35	52.2	797	38.8	22.8	916	3.21	36.0	2.2	2426.2	2.5	367.4
2023315	Drill Core	2.92	452	1.242	1.25	1.30	36.09	0.21	12.21	12.52	40.7	595	12.0	8.3	364	1.90	439.1	2.1	1953.8	10.9	207.8
2023316	Drill Core	2.79	500	0.705	0.70	0.57	30.03	0.25	5.32	10.31	20.7	187	2.2	1.8	150	0.77	130.7	1.2	700.8	16.1	71.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 2 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000330.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023287	Drill Core	0.06	0.29	0.16	<1	0.02	0.004	28.5	2.3	0.05	389.1	<0.001	<1	0.26	0.021	0.19	2.3	0.7	0.04	<0.02	<5			
2023288	Drill Core	0.07	0.22	0.14	<1	<0.01	0.002	33.2	0.9	0.03	220.0	<0.001	<1	0.24	0.041	0.20	0.3	0.8	0.04	<0.02	<5			
2023289	Drill Core	0.10	0.22	0.14	<1	<0.01	0.002	30.9	0.9	0.03	905.7	<0.001	<1	0.23	0.030	0.20	<0.1	0.7	0.04	<0.02	<5			
2023290	Drill Core	0.11	0.17	0.20	<1	<0.01	0.002	32.7	0.9	0.06	422.9	<0.001	1	0.38	0.010	0.32	<0.1	1.2	0.06	<0.02	<5			
2023291	Drill Core	0.09	0.25	0.14	<1	<0.01	0.003	32.3	1.3	0.04	163.0	<0.001	<1	0.27	0.017	0.23	<0.1	0.7	0.05	<0.02	<5			
2023292	Drill Core	0.09	0.25	0.12	<1	<0.01	0.002	30.1	1.0	0.04	655.4	<0.001	1	0.29	0.026	0.24	0.2	0.6	0.05	<0.02	10			
2023293	Drill Core	0.08	0.44	0.04	<1	<0.01	0.003	21.4	1.1	0.02	237.3	<0.001	<1	0.18	0.036	0.14	<0.1	0.6	0.02	<0.02	8			
2023294	Drill Core	0.05	0.62	0.13	<1	<0.01	0.003	15.7	1.3	0.02	226.7	<0.001	<1	0.13	0.023	0.11	<0.1	0.4	0.03	<0.02	18			
2023295	Drill Core	0.04	0.24	0.08	<1	<0.01	0.003	23.5	1.5	0.02	415.7	<0.001	1	0.17	0.027	0.13	0.2	0.4	0.03	<0.02	<5			
2023296	Drill Core	0.09	0.25	0.09	<1	0.01	0.005	32.9	1.0	0.06	172.5	<0.001	2	0.28	0.031	0.19	0.2	0.8	0.05	<0.02	11			
2023297	Drill Core	0.13	0.31	0.09	<1	0.02	0.004	32.7	1.2	0.13	389.9	<0.001	2	0.40	0.022	0.22	<0.1	1.0	0.05	<0.02	16			
2023298	Drill Core	0.19	0.40	0.06	1	0.02	0.003	25.9	1.5	0.15	361.6	<0.001	<1	0.41	0.004	0.24	0.2	1.3	0.05	<0.02	23			
2023299	Drill Core	0.21	0.21	0.18	<1	0.15	0.003	32.7	1.0	0.33	316.4	0.001	1	0.57	0.008	0.25	0.4	1.3	0.06	<0.02	11			
2023300	Rock Pulp	0.21	5.23	0.63	117	0.99	0.063	8.6	17.8	0.87	137.7	0.132	3	2.02	0.237	0.28	4.5	6.5	0.07	<0.02	242			
2023301	Drill Core	0.20	0.12	0.17	<1	0.38	0.002	37.1	1.0	0.59	224.1	<0.001	<1	0.68	0.014	0.24	0.2	1.4	0.05	<0.02	<5			
2023302	Drill Core	0.15	0.09	0.13	<1	0.46	0.001	39.4	1.0	0.84	447.5	<0.001	<1	0.73	0.010	0.21	0.1	1.5	0.05	<0.02	9			
2023303	Drill Core	0.16	0.13	0.13	<1	0.29	0.004	40.5	1.1	0.65	447.4	0.001	<1	0.86	0.037	0.31	0.1	1.9	0.06	<0.02	10			
2023304	Drill Core	0.34	0.09	0.04	5	0.72	0.016	27.5	9.0	0.75	249.8	0.001	<1	0.85	0.024	0.28	<0.1	2.3	0.06	<0.02	<5			
2023305	Drill Core	0.19	0.14	0.09	7	0.34	0.010	39.9	16.8	0.67	271.2	0.001	<1	0.91	0.045	0.24	<0.1	2.8	0.06	<0.02	<5			
2023306	Drill Core	0.32	0.48	0.07	17	0.34	0.040	40.8	32.9	1.08	331.7	0.004	1	1.42	0.085	0.22	0.1	5.7	0.08	<0.02	<5			
2023307	Drill Core	0.24	0.28	0.13	7	0.38	0.029	30.1	9.0	0.52	279.6	0.005	<1	0.83	0.063	0.24	0.2	3.3	0.08	0.03	5			
2023308	Drill Core	0.08	0.11	0.13	3	0.60	0.034	30.0	2.6	0.24	287.1	0.004	2	0.55	0.064	0.28	0.1	2.6	0.09	0.08	6			
2023309	Drill Core	0.20	0.14	0.17	4	0.23	0.036	42.7	2.9	0.23	336.0	0.003	<1	0.64	0.068	0.31	<0.1	2.3	0.09	<0.02	<5			
2023310	Drill Core	0.11	0.15	0.15	4	0.31	0.035	38.8	3.2	0.25	378.8	0.004	<1	0.69	0.092	0.29	<0.1	2.6	0.09	<0.02	<5			
2023311	Drill Core	0.13	0.17	0.14	5	0.45	0.037	40.1	4.2	0.29	259.4	0.003	<1	0.65	0.071	0.23	0.2	2.5	0.07	<0.02	13			
2023312	Drill Core	0.11	0.24	0.09	3	0.78	0.030	24.9	2.8	0.26	239.0	0.002	<1	0.53	0.043	0.25	0.1	2.3	0.06	0.05	5			
2023313	Drill Core	0.14	0.23	0.06	4	0.82	0.031	21.9	2.6	0.35	225.5	0.002	<1	0.54	0.043	0.23	0.2	1.8	0.07	0.08	<5			
2023314	Drill Core	0.24	0.47	0.06	37	4.43	0.059	6.7	57.1	2.10	188.7	0.011	3	1.83	0.018	0.27	<0.1	9.5	0.14	0.05	<5			
2023315	Drill Core	0.24	0.83	0.06	13	1.78	0.053	16.7	17.6	0.90	151.3	0.004	2	0.92	0.039	0.22	0.1	4.3	0.09	0.23	13			
2023316	Drill Core	0.14	0.36	0.10	2	0.55	0.013	25.4	3.1	0.36	198.2	0.001	<1	0.51	0.031	0.23	0.1	2.2	0.08	0.06	10			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 2 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000330.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2023287	Drill Core	<0.1	<0.02	0.7	0.15	<0.1	0.35	0.06	5.7	0.3	<0.05	8.1	5.54	54.9	<0.02	<1	0.2	1.9	11	<2
2023288	Drill Core	<0.1	<0.02	0.6	0.13	<0.1	0.58	0.07	7.1	0.2	<0.05	10.0	5.55	63.6	<0.02	<1	0.3	1.3	10	<2
2023289	Drill Core	<0.1	<0.02	0.6	0.20	<0.1	0.37	0.04	6.7	0.3	<0.05	7.7	5.04	61.7	<0.02	<1	0.3	1.0	<10	<2
2023290	Drill Core	<0.1	<0.02	0.8	0.17	<0.1	0.40	0.07	9.4	0.4	<0.05	8.6	5.89	79.1	<0.02	<1	0.3	1.5	<10	<2
2023291	Drill Core	<0.1	<0.02	0.6	0.28	<0.1	0.28	0.05	6.9	0.3	<0.05	6.5	5.93	60.8	<0.02	<1	0.3	1.0	<10	4
2023292	Drill Core	<0.1	<0.02	0.7	0.28	<0.1	0.31	<0.02	7.2	0.1	<0.05	10.2	6.65	68.0	<0.02	<1	0.3	0.9	<10	<2
2023293	Drill Core	<0.1	<0.02	0.4	0.26	<0.1	0.28	<0.02	5.4	<0.1	<0.05	7.4	3.39	42.3	<0.02	<1	<0.1	0.6	<10	3
2023294	Drill Core	<0.1	0.02	0.3	0.28	<0.1	0.20	<0.02	4.3	0.2	<0.05	4.1	3.13	27.5	<0.02	<1	<0.1	0.7	<10	<2
2023295	Drill Core	<0.1	<0.02	0.4	0.37	<0.1	0.24	<0.02	5.4	0.1	<0.05	4.9	4.13	44.1	<0.02	<1	0.1	0.7	<10	<2
2023296	Drill Core	<0.1	0.02	0.6	0.58	<0.1	0.31	<0.02	7.0	0.1	<0.05	6.5	4.81	61.8	<0.02	<1	0.2	1.3	<10	<2
2023297	Drill Core	<0.1	0.05	1.1	0.40	<0.1	0.15	<0.02	6.9	0.3	<0.05	3.3	4.43	62.1	<0.02	<1	<0.1	2.5	<10	<2
2023298	Drill Core	<0.1	0.23	1.0	0.31	<0.1	0.08	0.03	7.3	0.3	<0.05	2.2	3.30	48.7	<0.02	<1	0.3	3.0	<10	<2
2023299	Drill Core	<0.1	<0.02	1.1	0.23	<0.1	0.08	0.12	7.1	0.3	<0.05	2.2	8.72	62.7	<0.02	<1	0.3	5.6	<10	<2
2023300	Rock Pulp	<0.1	0.15	5.4	0.74	0.1	0.12	0.14	8.9	1.9	<0.05	1.6	5.71	17.6	0.05	<1	0.2	7.2	<10	2
2023301	Drill Core	<0.1	<0.02	1.4	0.36	<0.1	0.06	0.05	7.4	0.2	<0.05	2.7	6.51	74.9	<0.02	<1	0.1	8.7	<10	<2
2023302	Drill Core	<0.1	0.02	1.7	0.44	<0.1	0.08	0.03	6.4	0.1	<0.05	2.5	6.12	78.3	<0.02	<1	0.5	9.7	<10	3
2023303	Drill Core	<0.1	<0.02	2.0	0.45	<0.1	0.06	0.03	9.2	0.2	<0.05	2.7	4.82	77.7	<0.02	<1	0.2	10.4	<10	3
2023304	Drill Core	<0.1	<0.02	2.1	0.29	<0.1	0.12	0.10	8.0	<0.1	<0.05	4.9	4.77	52.7	<0.02	<1	0.3	10.2	<10	<2
2023305	Drill Core	<0.1	0.02	2.9	0.29	<0.1	0.09	<0.02	8.2	0.1	<0.05	3.0	6.83	73.4	<0.02	<1	0.3	16.0	<10	<2
2023306	Drill Core	<0.1	<0.02	4.6	0.67	<0.1	0.27	<0.02	9.0	0.3	<0.05	3.9	10.75	75.0	<0.02	<1	0.4	24.6	<10	<2
2023307	Drill Core	<0.1	<0.02	2.7	0.56	<0.1	0.10	<0.02	9.1	0.3	<0.05	2.9	6.76	55.5	<0.02	<1	0.4	12.4	<10	<2
2023308	Drill Core	<0.1	0.07	1.7	0.40	<0.1	0.06	<0.02	11.7	0.2	<0.05	1.8	6.01	54.0	<0.02	<1	0.4	4.5	<10	<2
2023309	Drill Core	<0.1	<0.02	2.1	0.47	<0.1	0.06	<0.02	13.5	<0.1	<0.05	2.4	8.25	80.0	<0.02	<1	0.4	5.6	<10	<2
2023310	Drill Core	<0.1	0.03	2.2	0.45	<0.1	0.08	<0.02	12.0	0.1	<0.05	3.2	7.92	73.2	<0.02	<1	0.6	6.8	<10	<2
2023311	Drill Core	<0.1	<0.02	2.3	0.37	<0.1	0.07	<0.02	9.9	0.1	<0.05	2.3	8.12	73.7	<0.02	<1	0.3	8.1	<10	<2
2023312	Drill Core	<0.1	0.03	1.6	0.34	<0.1	0.04	<0.02	9.0	0.3	<0.05	1.3	5.18	46.5	<0.02	<1	0.4	4.4	<10	<2
2023313	Drill Core	<0.1	0.08	1.5	0.36	<0.1	0.05	<0.02	8.1	0.3	<0.05	1.4	4.85	40.4	<0.02	<1	0.3	5.3	<10	<2
2023314	Drill Core	<0.1	0.09	5.1	3.32	<0.1	0.04	<0.02	12.2	0.1	<0.05	0.7	6.68	14.6	<0.02	<1	0.3	38.4	<10	<2
2023315	Drill Core	<0.1	0.13	2.9	1.04	<0.1	0.05	<0.02	8.0	0.2	<0.05	1.4	5.87	30.8	0.02	<1	0.4	15.5	<10	<2
2023316	Drill Core	<0.1	0.09	1.3	0.43	<0.1	0.07	<0.02	7.4	0.3	<0.05	2.0	4.27	48.6	<0.02	<1	0.2	5.6	<10	<2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 3 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000330.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2023317	Drill Core	3.05	495	0.133	0.13	<0.17	32.00	0.29	10.27	20.63	35.6	131	9.0	6.1	339	1.52	147.6	1.7	119.7	13.4	131.1
2023318	Drill Core	3.70	547	0.143	0.14	<0.17	35.12	0.41	5.52	13.65	23.7	183	2.5	1.9	242	0.80	33.2	1.1	134.1	13.3	40.0
2023319	Drill Core	1.50	495	0.132	0.12	<0.17	32.32	0.49	6.45	14.91	26.7	566	2.5	2.4	284	0.83	18.5	1.5	138.3	9.5	65.9
2023320	Rock Pulp	0.12	81	0.534				2.50	429.98	20.66	56.9	303	631.2	29.6	457	2.69	20.2	0.7	523.8	1.9	67.1
2023321	Drill Core	1.48	562	2.129	4.34	31.92	41.63	0.23	8.38	9.17	22.1	2755	1.5	1.1	192	0.81	3.9	2.2	1769.6	14.3	80.5
2023322	Drill Core	2.96	553	0.035	0.07	0.58	31.10	0.37	16.10	16.05	25.7	138	2.1	1.5	209	0.66	3.1	1.4	17.8	14.1	103.2
2023323	Drill Core	1.48	425	6.881	11.43	55.93	39.44	0.27	10.86	8.29	52.2	4315	6.7	5.2	302	1.31	0.8	2.2	17440.5	12.9	152.4
2023324	Drill Core	1.51	455	0.014	0.07	0.80	32.33	0.32	24.81	8.99	86.7	134	36.2	27.3	788	4.35	4.0	2.0	60.4	4.4	346.0
2023325	Drill Core	2.91	428	0.014	0.01	<0.17	37.46	0.21	4.46	11.71	34.5	48	3.5	3.9	243	1.23	1.1	0.8	8.2	16.1	90.0
2023326	Drill Core	2.74	405	0.006	<0.01	<0.17	35.29	0.46	5.59	24.07	42.9	250	2.6	2.3	308	1.01	0.7	1.0	0.4	16.8	120.3
2023327	Drill Core	3.11	481	0.008	<0.01	<0.17	43.11	0.73	8.41	18.17	47.5	149	6.2	4.9	279	1.07	1.9	1.2	3.4	16.2	66.8
2023328	Drill Core	3.52	480	0.036	0.07	0.48	31.16	0.37	5.03	13.32	26.8	113	1.4	1.7	227	0.77	0.7	1.0	35.7	17.5	67.0
2023329	Drill Core	1.51	440	0.037	0.05	0.18	45.00	0.58	5.37	18.84	43.4	364	0.3	0.9	240	0.85	1.7	1.0	33.5	19.4	7.3
2023330	Drill Core	1.43	407	0.478	0.97	5.20	42.32	0.73	18.72	676.83	72.8	9301	0.5	0.3	210	0.75	1.9	1.1	4043.5	13.6	59.0
2023331	Drill Core	3.07	417	0.131	0.12	<0.17	26.18	0.56	9.03	14.39	50.5	386	1.5	1.3	156	0.88	0.7	1.7	228.2	16.7	78.4
2023332	Drill Core	3.44	378	0.493	0.57	1.81	21.59	0.24	11.18	7.48	24.4	618	3.4	2.9	201	0.92	0.5	0.9	530.7	10.5	121.4
2023333	Drill Core	2.81	486	0.073	0.07	<0.17	34.61	0.37	12.25	13.80	24.4	148	3.0	4.2	220	0.81	2.1	1.1	92.0	12.5	125.5
2023334	Drill Core	3.13	467	0.014	0.02	<0.17	30.61	0.43	9.98	7.61	31.5	69	5.1	5.0	285	1.13	4.8	1.2	5.3	12.1	92.8
2023335	Drill Core	3.12	428	0.034	0.05	0.18	37.90	1.46	14.22	19.99	44.6	145	5.4	4.9	175	1.16	5.3	1.8	10.8	13.8	82.4
2023336	Drill Core	1.53	422	0.041	0.04	<0.17	30.41	0.80	3.70	16.38	17.0	214	1.9	1.2	118	0.58	2.3	2.2	38.7	14.3	52.6
2023337	Drill Core	1.43	483	0.038	0.04	<0.17	39.77	0.21	4.80	14.36	4.2	289	0.5	0.2	34	0.31	2.3	1.7	20.1	12.6	4.6
2023338	Drill Core	2.14	481	0.028	0.03	<0.17	38.52	0.30	5.68	102.62	7.8	687	0.3	0.2	44	0.35	2.8	1.4	14.9	14.9	4.8
2023339	Drill Core	1.74	518	0.026	0.02	<0.17	41.34	0.29	2.72	15.96	8.2	162	0.3	0.2	59	0.34	5.1	1.6	21.6	18.1	13.4
2023340	Rock Pulp	0.12	80	0.005				3.96	23.22	1.06	32.8	16	6.9	4.3	597	2.44	1.5	0.4	<0.2	2.3	35.9
2023341	Drill Core	3.33	459	0.009	<0.01	<0.17	34.95	0.41	4.05	19.82	23.2	163	1.5	1.2	111	0.67	3.6	1.4	3.7	16.0	49.2
2023342	Drill Core	2.84	500	0.019	0.02	<0.17	36.04	1.13	10.00	10.96	33.7	122	3.4	3.9	158	1.06	16.0	2.0	9.9	12.5	76.3
2023343	Drill Core	2.90	484	0.014	0.01	<0.17	33.37	0.73	4.57	18.23	33.9	132	0.5	0.6	126	0.64	1.1	1.5	1.7	16.8	84.3
2023344	Drill Core	2.96	465	0.456	0.64	2.91	34.74	0.16	2.75	16.16	8.5	257	0.3	0.2	70	0.40	3.2	0.9	368.4	15.8	8.1
2023345	Drill Core	2.81	481	0.026	0.02	<0.17	40.22	0.29	2.98	26.69	12.6	162	0.4	0.3	133	0.49	3.8	1.3	4.7	16.6	39.3
2023346	Drill Core	1.73	533	0.203	0.25	0.98	32.75	0.23	9.15	11.63	17.5	360	2.0	2.6	238	0.85	14.8	1.4	766.9	12.9	38.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS  
Report Date: August 29, 2019

Page: 3 of 6

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000330.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023317	Drill Core	0.31	0.48	0.12	9	1.46	0.032	21.7	16.8	0.85	166.7	0.004	1	0.83	0.020	0.25	0.1	3.4	0.12	<5
2023318	Drill Core	0.28	0.27	0.12	3	0.42	0.009	23.5	3.8	0.48	369.5	0.001	<1	0.59	0.023	0.22	0.3	1.8	0.07	<0.02
2023319	Drill Core	0.46	0.30	0.19	3	0.89	0.006	17.2	8.3	0.40	209.1	0.001	<1	0.47	0.024	0.17	1.2	2.1	0.06	<0.02
2023320	Rock Pulp	0.25	0.45	0.41	59	1.47	0.039	4.9	104.0	1.91	88.8	0.093	5	2.21	0.235	0.16	1.5	3.5	0.09	0.19
2023321	Drill Core	0.42	0.23	0.10	1	1.11	0.007	19.3	1.6	0.34	286.4	0.001	1	0.50	0.028	0.26	0.1	1.5	0.07	0.31
2023322	Drill Core	0.30	0.15	0.21	2	1.17	0.008	29.8	5.2	0.44	239.1	0.002	<1	0.50	0.021	0.26	<0.1	1.6	0.06	0.04
2023323	Drill Core	0.69	0.17	0.02	8	1.79	0.022	19.3	15.8	0.97	298.1	0.003	<1	0.86	0.026	0.28	0.1	3.0	0.07	0.10
2023324	Drill Core	0.38	0.31	0.04	48	3.41	0.123	8.5	119.9	3.44	231.4	0.009	3	2.93	0.027	0.24	0.1	9.7	0.07	0.03
2023325	Drill Core	0.14	0.09	<0.02	4	0.92	0.039	31.0	5.9	0.70	378.2	0.003	1	0.91	0.036	0.30	0.1	1.8	0.06	0.03
2023326	Drill Core	0.44	0.14	0.38	2	1.33	0.030	41.4	3.5	0.59	1057.2	0.002	2	0.75	0.025	0.28	0.1	1.6	0.07	0.03
2023327	Drill Core	0.43	0.16	0.12	5	0.94	0.013	40.3	18.7	0.78	310.2	0.002	<1	0.87	0.029	0.21	0.2	1.8	0.05	<0.02
2023328	Drill Core	0.27	0.15	0.07	2	0.74	0.010	31.2	2.7	0.65	346.3	0.001	1	0.73	0.015	0.25	0.1	1.4	0.06	0.02
2023329	Drill Core	0.19	0.64	0.14	2	0.04	0.004	35.1	1.4	0.94	210.1	0.001	<1	0.93	0.013	0.24	0.3	1.3	0.05	0.03
2023330	Drill Core	1.27	1.12	1.54	1	0.37	0.003	22.9	2.0	0.63	1469.7	0.001	<1	0.57	0.012	0.20	0.6	1.2	0.05	0.09
2023331	Drill Core	0.29	0.19	0.05	1	0.70	0.012	23.5	1.9	0.88	198.0	0.002	<1	0.76	0.011	0.26	0.5	1.3	0.05	0.08
2023332	Drill Core	0.31	0.19	<0.02	3	1.03	0.028	17.1	4.5	0.56	322.9	0.002	<1	0.66	0.016	0.30	0.5	1.6	0.05	0.12
2023333	Drill Core	0.30	0.20	0.03	4	0.65	0.046	23.7	4.3	0.51	289.9	0.002	1	0.68	0.014	0.32	0.2	2.0	0.07	0.03
2023334	Drill Core	0.36	0.20	<0.02	6	1.12	0.048	19.8	6.7	0.69	286.0	0.003	2	0.78	0.013	0.32	<0.1	2.3	0.06	0.03
2023335	Drill Core	0.20	0.30	0.10	4	0.74	0.043	15.8	5.3	0.70	210.5	0.003	<1	0.69	0.013	0.30	<0.1	2.0	0.07	0.18
2023336	Drill Core	0.15	0.28	0.16	2	0.46	0.015	22.2	2.6	0.30	283.9	0.001	1	0.44	0.021	0.27	<0.1	1.2	0.06	0.10
2023337	Drill Core	0.01	0.23	0.08	<1	0.02	0.004	28.3	1.0	0.03	261.7	<0.001	<1	0.23	0.032	0.20	<0.1	0.5	0.04	0.02
2023338	Drill Core	0.03	1.09	0.44	<1	0.02	0.006	29.8	1.1	0.09	159.9	<0.001	<1	0.30	0.026	0.22	<0.1	0.6	0.05	0.02
2023339	Drill Core	0.05	0.40	0.11	<1	0.11	0.005	37.4	0.8	0.13	197.2	<0.001	<1	0.34	0.017	0.23	<0.1	0.7	0.06	0.04
2023340	Rock Pulp	0.01	0.16	<0.02	24	0.85	0.046	6.7	15.2	0.52	63.3	0.097	3	1.14	0.088	0.10	0.2	3.4	<0.02	0.05
2023341	Drill Core	0.13	0.20	0.16	1	0.59	0.011	30.1	2.3	0.48	207.1	0.001	<1	0.55	0.008	0.29	0.1	1.2	0.06	0.04
2023342	Drill Core	0.26	0.17	0.05	3	0.72	0.041	20.2	3.6	0.71	271.9	0.002	<1	0.73	0.015	0.31	<0.1	1.9	0.07	0.13
2023343	Drill Core	0.16	0.20	0.13	<1	0.62	0.005	39.7	1.4	0.62	378.7	0.002	<1	0.60	0.016	0.29	0.2	1.4	0.07	0.03
2023344	Drill Core	0.05	0.21	0.08	<1	0.06	0.003	35.9	0.9	0.08	342.0	0.001	<1	0.32	0.050	0.22	<0.1	0.8	0.06	0.07
2023345	Drill Core	0.09	0.17	0.16	<1	0.53	0.004	36.0	0.9	0.29	257.6	0.001	<1	0.45	0.029	0.27	<0.1	1.1	0.06	0.03
2023346	Drill Core	0.10	0.22	<0.02	3	0.61	0.036	23.4	3.3	0.33	315.8	0.002	<1	0.56	0.026	0.29	<0.1	1.2	0.06	0.17



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 3 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000330.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2023317	Drill Core	<0.1	0.04	2.2	1.20	<0.1	0.07	<0.02	9.6	0.2	<0.05	1.6	4.96	40.3	<0.02	<1	0.4	11.6	<10	<2
2023318	Drill Core	<0.1	0.04	1.4	0.45	<0.1	0.14	<0.02	6.9	0.2	<0.05	3.7	4.55	46.6	<0.02	<1	0.3	7.0	<10	<2
2023319	Drill Core	<0.1	0.14	1.3	0.28	<0.1	0.08	<0.02	5.7	0.2	<0.05	2.5	5.06	32.5	<0.02	<1	0.3	6.1	<10	<2
2023320	Rock Pulp	0.7	0.15	4.9	0.67	<0.1	0.06	0.09	7.0	0.5	<0.05	1.3	3.99	9.6	<0.02	2	<0.1	8.8	263	132
2023321	Drill Core	0.2	1.43	1.7	0.42	<0.1	0.10	0.05	10.1	0.3	<0.05	3.9	5.18	34.9	<0.02	<1	0.3	5.2	<10	<2
2023322	Drill Core	<0.1	<0.02	1.6	0.31	<0.1	0.05	<0.02	8.9	0.2	<0.05	1.4	4.20	51.8	<0.02	<1	0.2	4.9	<10	<2
2023323	Drill Core	<0.1	0.93	2.6	0.49	<0.1	0.07	<0.02	9.9	0.2	<0.05	1.7	5.30	36.0	<0.02	<1	0.2	11.6	<10	<2
2023324	Drill Core	<0.1	<0.02	7.8	1.59	<0.1	<0.02	<0.02	8.6	0.1	<0.05	5.2	7.41	18.0	0.03	<1	0.3	70.5	<10	<2
2023325	Drill Core	<0.1	<0.02	2.8	0.44	<0.1	0.03	<0.02	10.5	0.3	<0.05	1.0	5.50	50.9	<0.02	<1	0.3	13.0	<10	<2
2023326	Drill Core	<0.1	<0.02	2.4	0.42	<0.1	0.04	<0.02	10.6	0.2	<0.05	1.8	6.96	67.9	<0.02	<1	0.2	8.8	<10	<2
2023327	Drill Core	<0.1	<0.02	2.9	0.71	<0.1	0.05	<0.02	8.2	0.2	<0.05	2.3	7.79	68.9	<0.02	<1	0.3	17.8	<10	<2
2023328	Drill Core	<0.1	<0.02	2.1	0.61	<0.1	0.07	0.04	8.6	0.2	<0.05	2.9	6.98	55.5	<0.02	<1	0.2	9.7	<10	<2
2023329	Drill Core	<0.1	0.23	3.6	0.53	<0.1	0.10	0.06	8.1	0.4	<0.05	2.9	9.41	59.7	<0.02	<1	0.3	19.2	<10	<2
2023330	Drill Core	1.3	4.89	1.8	0.35	<0.1	0.10	0.05	6.5	0.2	<0.05	2.6	6.10	42.0	0.04	<1	0.2	9.4	<10	<2
2023331	Drill Core	<0.1	0.14	2.0	0.28	<0.1	0.10	0.04	8.0	0.2	<0.05	3.0	5.12	43.3	<0.02	<1	0.4	10.0	<10	<2
2023332	Drill Core	<0.1	0.21	1.6	0.24	<0.1	0.12	<0.02	8.2	0.1	<0.05	4.0	3.50	30.6	<0.02	<1	0.2	6.4	<10	<2
2023333	Drill Core	<0.1	<0.02	1.8	0.29	<0.1	0.13	<0.02	10.4	0.2	<0.05	5.4	4.29	41.1	<0.02	<1	0.2	8.1	<10	<2
2023334	Drill Core	<0.1	<0.02	1.8	0.29	<0.1	0.18	<0.02	9.5	0.2	<0.05	5.1	4.28	35.0	<0.02	<1	0.3	8.9	<10	<2
2023335	Drill Core	<0.1	<0.02	1.7	0.32	<0.1	0.56	<0.02	9.9	0.2	<0.05	14.6	4.36	29.5	<0.02	<1	0.2	7.2	<10	<2
2023336	Drill Core	<0.1	<0.02	1.3	0.22	<0.1	0.55	0.03	8.6	0.2	<0.05	15.7	4.96	39.0	<0.02	<1	0.2	3.5	<10	<2
2023337	Drill Core	<0.1	0.10	0.9	0.28	<0.1	0.43	0.03	6.6	0.2	<0.05	12.2	4.99	49.1	<0.02	<1	0.2	0.8	<10	<2
2023338	Drill Core	<0.1	0.10	1.0	0.36	<0.1	0.34	<0.02	8.4	0.2	<0.05	10.6	5.97	54.0	<0.02	<1	0.2	1.9	<10	<2
2023339	Drill Core	<0.1	<0.02	1.0	0.63	<0.1	0.19	0.05	8.9	0.3	<0.05	5.9	6.95	67.3	<0.02	<1	0.1	2.4	<10	<2
2023340	Rock Pulp	<0.1	<0.02	4.3	0.13	<0.1	0.13	0.28	2.4	1.9	<0.05	2.3	9.34	12.8	<0.02	<1	0.2	1.0	<10	<2
2023341	Drill Core	<0.1	<0.02	1.4	0.30	<0.1	0.21	0.08	9.1	0.2	<0.05	6.7	5.44	51.0	<0.02	<1	0.2	6.2	<10	<2
2023342	Drill Core	<0.1	<0.02	1.8	0.31	<0.1	0.21	<0.02	10.2	0.2	<0.05	7.3	4.57	35.5	<0.02	<1	0.2	9.0	<10	<2
2023343	Drill Core	<0.1	<0.02	1.8	0.27	<0.1	0.13	0.13	10.4	0.2	0.07	4.0	7.36	65.3	<0.02	<1	0.2	6.2	<10	<2
2023344	Drill Core	<0.1	0.05	1.3	0.35	<0.1	0.32	0.04	9.7	0.2	<0.05	8.5	4.93	65.5	<0.02	<1	0.2	2.0	<10	2
2023345	Drill Core	<0.1	<0.02	1.3	0.36	<0.1	0.15	0.04	9.2	0.2	<0.05	4.5	5.69	60.8	<0.02	<1	0.3	4.3	<10	<2
2023346	Drill Core	<0.1	0.06	1.8	0.69	<0.1	0.22	<0.02	10.0	0.6	<0.05	7.3	5.64	40.3	<0.02	<1	0.2	6.8	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 4 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000330.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2023347	Drill Core	1.27	467	1.174	1.24	2.02	37.69	0.20	27.56	4.34	14.4	1042	1.9	2.3	218	0.82	6.7	1.3	1499.0	13.7	36.9
2023348	Drill Core	1.56	431	0.475	0.46	0.35	37.08	0.32	10.30	14.11	15.1	459	1.7	2.6	182	0.81	38.4	1.2	458.8	16.0	39.7
2023349	Drill Core	3.48	456	0.230	0.21	<0.17	34.73	0.28	7.14	16.12	17.2	233	2.0	3.8	183	0.85	23.4	2.0	222.7	14.3	76.3
2023350	Drill Core	1.96	446	0.024	0.02	<0.17	32.79	0.39	7.44	6.27	19.9	110	9.0	5.0	317	1.08	7.4	1.0	15.9	8.3	106.3
2023351	Drill Core	2.69	447	0.040	0.04	<0.17	35.61	0.45	17.94	13.02	22.1	234	2.0	2.9	161	1.09	5.1	1.4	30.3	13.6	33.8
2023352	Drill Core	3.21	482	0.050	0.05	<0.17	28.39	0.55	7.86	14.97	49.6	161	9.2	10.7	627	2.09	7.7	1.4	32.2	8.9	190.2
2023353	Drill Core	3.44	432	0.040	0.04	<0.17	28.09	2.15	10.23	21.94	39.8	318	6.1	5.5	396	1.55	27.9	1.4	33.2	12.5	72.6
2023354	Drill Core	3.07	443	0.022	0.02	<0.17	31.47	0.49	10.38	18.55	32.7	185	2.5	3.0	334	1.30	13.3	2.8	9.8	13.2	97.6
2023355	Drill Core	3.25	484	0.013	0.01	<0.17	27.07	0.24	11.55	13.70	39.2	274	3.8	3.7	224	1.51	9.2	1.9	4.1	11.9	62.8
2023356	Drill Core	1.66	492	0.007	<0.01	<0.17	32.55	0.75	4.97	9.86	56.6	91	25.5	18.6	746	3.02	8.7	2.1	0.9	7.6	267.1
2023357	Drill Core	3.73	528	0.023	0.02	<0.17	33.13	0.67	6.64	19.91	34.9	181	2.6	3.1	375	1.27	12.4	1.8	8.4	14.5	61.8
2023358	Drill Core	3.48	546	0.016	0.01	<0.17	35.06	0.98	11.49	45.17	40.0	337	20.9	5.6	453	1.63	25.7	3.6	9.2	15.2	109.4
2023359	Drill Core	1.71	463	0.011	0.01	<0.17	43.13	0.60	11.77	20.30	39.9	224	4.5	4.6	475	1.63	13.7	2.0	3.8	16.4	133.5
2023360	Core DUP		461	0.011	0.01	<0.17	42.26	0.57	12.25	18.43	39.8	210	4.4	4.2	416	1.63	12.3	1.8	3.2	15.5	127.3
2023361	Drill Core	1.74	434	0.011	<0.01	<0.17	31.82	0.46	12.99	18.28	52.1	246	5.0	5.1	354	1.96	7.9	4.3	6.4	15.0	99.4
2023362	Drill Core	3.38	492	0.022	0.02	<0.17	33.58	0.91	11.58	24.39	65.5	376	5.5	5.5	471	2.02	21.9	1.7	13.8	14.4	59.7
2023363	Drill Core	1.48	472	0.012	0.01	<0.17	35.89	0.94	10.70	12.71	48.0	214	3.8	4.3	451	1.63	15.2	1.4	5.6	14.7	70.9
2023364	Drill Core	1.61	473	0.009	<0.01	<0.17	29.24	0.21	5.60	23.26	23.8	178	2.9	3.0	229	0.94	8.5	1.1	4.2	13.4	59.7
2023365	Drill Core	3.72	443	0.013	0.01	<0.17	23.83	0.59	5.79	18.88	24.6	217	2.1	2.8	217	0.86	14.3	1.0	4.4	15.1	22.5
2023366	Drill Core	3.46	446	0.007	<0.01	<0.17	26.92	0.69	9.32	24.87	39.3	513	5.4	3.5	271	1.31	3.8	1.2	1.2	14.1	48.6
2023367	Drill Core	2.08	504	0.025	0.02	<0.17	28.03	0.25	14.80	10.92	63.5	205	6.2	6.2	314	2.03	3.3	1.5	17.0	12.9	57.1
2023368	Drill Core	3.88	463	0.010	<0.01	<0.17	28.74	0.46	14.80	12.78	45.6	154	8.4	6.5	337	1.61	2.2	2.3	2.3	12.2	90.7
2023369	Drill Core	3.07	430	0.006	<0.01	<0.17	41.01	0.14	7.28	15.52	46.5	125	7.3	5.1	236	1.51	1.3	1.2	<0.2	13.7	43.8
2023370	Drill Core	3.22	501	0.035	0.03	<0.17	37.87	0.17	7.99	17.50	49.1	225	5.3	4.5	230	1.47	28.4	1.0	21.7	12.9	46.6
2023371	Drill Core	3.49	418	0.017	0.02	<0.17	34.89	0.20	5.93	7.76	27.0	105	2.7	2.1	233	0.86	10.8	4.5	15.3	18.0	61.6
2023372	Drill Core	2.72	431	0.059	0.10	0.56	35.95	0.25	2.09	14.20	17.0	115	2.0	0.7	153	0.59	2.9	1.8	29.3	19.5	20.7
2023373	Drill Core	4.46	483	0.015	0.01	<0.17	32.24	1.58	13.49	37.42	78.4	502	7.2	6.7	389	1.70	7.1	1.8	9.0	12.2	40.1
2023374	Drill Core	3.44	410	0.010	<0.01	<0.17	32.36	1.56	20.27	39.55	111.8	349	12.4	11.0	591	2.44	6.2	1.9	1.6	14.2	65.3
2023375	Drill Core	2.62	456	0.008	<0.01	<0.17	34.11	1.11	17.07	51.79	69.7	391	8.1	7.1	638	1.65	4.6	1.4	<0.2	9.2	90.7
2023376	Drill Core	4.15	445	0.009	<0.01	<0.17	31.93	2.56	19.65	56.59	89.8	410	10.3	8.6	483	2.09	4.9	1.6	0.2	9.7	45.8





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 4 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000330.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023347	Drill Core	0.22	0.70	<0.02	2	0.58	0.037	18.9	2.0	0.18	357.1	0.002	<1	0.41	0.048	0.26	<0.1	1.1	0.05	0.35	<5			
2023348	Drill Core	0.09	0.34	0.03	2	0.35	0.046	30.4	3.0	0.21	272.5	0.002	<1	0.48	0.046	0.28	0.1	1.5	0.06	0.15	<5			
2023349	Drill Core	0.10	0.61	<0.02	5	0.67	0.041	27.9	7.5	0.27	274.7	0.006	<1	0.55	0.051	0.35	<0.1	2.0	0.08	0.10	<5			
2023350	Drill Core	0.13	0.47	0.02	5	1.29	0.028	16.0	8.8	0.39	348.5	0.013	<1	0.55	0.010	0.30	0.1	2.0	0.09	0.08	<5			
2023351	Drill Core	0.06	0.23	0.07	4	0.23	0.041	26.5	2.6	0.34	249.6	0.004	<1	0.68	0.029	0.35	0.1	1.5	0.08	0.12	<5			
2023352	Drill Core	0.22	0.82	0.05	19	2.38	0.050	15.3	36.1	1.08	213.3	0.031	1	1.09	0.011	0.41	<0.1	5.0	0.20	0.09	<5			
2023353	Drill Core	0.19	0.65	0.14	7	0.76	0.050	30.1	9.8	0.48	285.7	0.004	<1	0.83	0.023	0.34	0.2	2.2	0.09	0.20	<5			
2023354	Drill Core	0.13	0.39	0.05	4	1.09	0.045	27.3	3.3	0.43	262.7	0.004	1	0.71	0.030	0.31	<0.1	2.3	0.08	0.21	6			
2023355	Drill Core	0.12	0.20	<0.02	7	0.53	0.049	26.8	5.1	0.57	168.9	0.006	<1	0.81	0.037	0.27	<0.1	2.7	0.07	0.11	5			
2023356	Drill Core	0.36	1.26	<0.02	34	2.49	0.082	12.7	45.4	1.90	269.6	0.116	1	1.68	0.013	0.84	<0.1	8.1	0.39	0.04	<5			
2023357	Drill Core	0.16	0.20	0.18	5	0.79	0.044	27.5	3.9	0.48	192.0	0.003	1	0.73	0.026	0.27	<0.1	1.8	0.07	0.11	<5			
2023358	Drill Core	0.14	0.29	0.33	9	1.07	0.044	27.4	8.5	0.73	185.6	0.003	2	0.94	0.021	0.30	<0.1	2.2	0.09	0.33	<5			
2023359	Drill Core	0.14	0.30	0.18	5	1.42	0.046	31.5	4.0	0.63	185.7	0.003	<1	0.89	0.023	0.33	<0.1	2.4	0.09	0.38	<5			
2023360	Core DUP	0.14	0.28	0.17	5	1.41	0.043	29.5	3.8	0.63	179.2	0.003	<1	0.89	0.023	0.32	<0.1	2.3	0.10	0.37	<5			
2023361	Drill Core	0.17	0.34	0.12	8	1.04	0.061	26.6	6.7	0.80	220.4	0.004	<1	1.10	0.027	0.30	<0.1	3.0	0.09	0.26	<5			
2023362	Drill Core	0.29	0.45	0.16	8	0.82	0.056	37.0	7.0	0.64	178.3	0.003	<1	1.05	0.030	0.24	<0.1	3.0	0.09	0.12	<5			
2023363	Drill Core	0.21	0.30	0.11	7	0.98	0.053	40.6	5.0	0.57	196.1	0.003	<1	0.91	0.033	0.26	<0.1	3.0	0.07	0.16	9			
2023364	Drill Core	0.17	0.20	0.16	5	0.79	0.047	33.7	3.9	0.34	155.3	0.002	<1	0.61	0.037	0.27	<0.1	2.0	0.07	0.16	<5			
2023365	Drill Core	0.10	0.24	0.14	3	0.21	0.045	34.2	3.1	0.22	180.4	0.002	1	0.52	0.025	0.31	0.3	1.4	0.07	0.08	<5			
2023366	Drill Core	0.18	0.18	0.19	6	0.63	0.040	27.1	5.6	0.50	170.1	0.002	<1	0.75	0.023	0.27	1.4	2.6	0.06	0.10	<5			
2023367	Drill Core	0.26	0.21	0.05	13	0.70	0.076	22.3	10.1	0.98	112.2	0.004	<1	1.15	0.028	0.24	0.1	4.1	0.07	0.18	15			
2023368	Drill Core	0.31	0.17	0.10	9	1.20	0.066	22.7	6.6	0.61	588.2	0.005	<1	0.86	0.030	0.32	<0.1	3.7	0.09	0.16	<5			
2023369	Drill Core	0.14	0.12	0.07	8	0.68	0.053	27.2	5.5	0.61	161.3	0.008	<1	0.84	0.048	0.27	<0.1	3.2	0.06	0.05	<5			
2023370	Drill Core	0.43	0.44	0.10	6	0.62	0.056	20.3	5.2	0.61	151.9	0.003	<1	0.84	0.031	0.27	<0.1	2.5	0.08	0.23	14			
2023371	Drill Core	0.23	0.18	0.05	3	0.69	0.032	23.4	3.8	0.47	267.5	0.002	1	0.68	0.032	0.32	<0.1	1.9	0.10	0.13	<5			
2023372	Drill Core	0.13	0.13	0.07	1	0.23	0.004	28.6	4.5	0.33	143.4	<0.001	<1	0.48	0.015	0.29	0.1	1.0	0.07	0.05	<5			
2023373	Drill Core	0.27	0.22	0.22	9	0.43	0.045	13.1	34.4	1.11	121.8	0.002	1	0.99	0.023	0.25	1.0	1.6	0.07	0.86	<5			
2023374	Drill Core	0.48	0.28	0.11	12	0.88	0.048	12.5	70.5	1.64	97.0	0.002	2	1.25	0.019	0.23	0.1	1.9	0.07	1.48	16			
2023375	Drill Core	0.40	0.36	0.22	8	1.28	0.046	9.1	35.6	1.15	91.4	0.002	<1	0.87	0.009	0.20	0.1	1.2	0.06	0.82	<5			
2023376	Drill Core	0.50	0.31	0.20	9	0.65	0.065	8.6	37.7	1.16	109.5	0.003	<1	1.01	0.020	0.24	0.1	1.5	0.06	1.24	15			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 4 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000330.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2023347	Drill Core	<0.1	0.28	1.3	0.33	<0.1	0.28	<0.02	8.9	0.2	<0.05	8.7	4.64	33.8	<0.02	<1	0.2	3.5	<10	<2			
2023348	Drill Core	<0.1	0.08	1.7	0.45	<0.1	0.36	<0.02	10.1	0.3	<0.05	9.6	5.88	51.0	<0.02	<1	0.2	4.5	<10	<2			
2023349	Drill Core	<0.1	<0.02	1.8	0.50	<0.1	0.27	<0.02	12.5	0.2	<0.05	7.7	5.79	46.3	<0.02	<1	0.4	5.3	<10	<2			
2023350	Drill Core	<0.1	<0.02	1.5	0.78	<0.1	0.14	<0.02	11.7	0.4	<0.05	4.5	4.88	29.0	<0.02	<1	0.3	6.6	<10	<2			
2023351	Drill Core	<0.1	0.02	2.0	0.37	<0.1	0.32	0.02	13.1	0.3	<0.05	10.0	5.19	45.5	<0.02	<1	0.2	7.8	<10	<2			
2023352	Drill Core	<0.1	<0.02	3.3	1.78	<0.1	0.37	<0.02	20.2	0.2	<0.05	11.2	7.15	28.5	<0.02	<1	0.5	14.0	<10	<2			
2023353	Drill Core	<0.1	<0.02	2.5	0.56	<0.1	0.05	0.02	13.3	0.4	<0.05	1.9	9.00	51.7	<0.02	<1	0.3	11.0	<10	<2			
2023354	Drill Core	<0.1	<0.02	2.5	0.59	<0.1	0.15	<0.02	11.8	0.2	<0.05	4.2	7.47	45.9	<0.02	1	0.3	8.9	<10	<2			
2023355	Drill Core	<0.1	<0.02	3.1	0.56	<0.1	0.22	<0.02	9.8	0.2	<0.05	5.7	6.83	48.4	0.02	<1	0.3	12.3	<10	<2			
2023356	Drill Core	<0.1	<0.02	4.5	5.81	<0.1	0.21	<0.02	43.6	0.3	<0.05	6.0	9.24	24.1	<0.02	<1	0.6	20.5	<10	<2			
2023357	Drill Core	<0.1	<0.02	2.7	0.44	<0.1	0.17	<0.02	10.4	0.3	<0.05	5.2	7.10	49.0	<0.02	<1	0.2	10.4	<10	<2			
2023358	Drill Core	<0.1	0.03	3.1	0.30	<0.1	0.04	<0.02	11.6	0.3	<0.05	1.7	7.72	48.4	<0.02	<1	0.4	17.2	<10	<2			
2023359	Drill Core	<0.1	<0.02	2.7	0.28	<0.1	<0.02	0.03	13.2	0.2	<0.05	0.9	8.17	53.0	<0.02	<1	0.4	13.3	<10	<2			
2023360	Core DUP	<0.1	<0.02	2.4	0.27	<0.1	<0.02	<0.02	12.4	0.2	<0.05	0.7	7.75	50.5	0.02	1	0.3	12.1	<10	<2			
2023361	Drill Core	<0.1	<0.02	3.5	0.32	<0.1	0.07	<0.02	11.2	0.3	<0.05	1.7	8.68	49.1	<0.02	<1	0.3	17.6	<10	<2			
2023362	Drill Core	<0.1	<0.02	4.2	1.01	<0.1	0.05	<0.02	9.8	0.4	<0.05	2.2	13.32	65.2	<0.02	2	0.3	11.3	<10	<2			
2023363	Drill Core	0.2	<0.02	4.1	0.38	<0.1	0.04	<0.02	9.6	0.4	<0.05	1.2	13.24	70.4	0.02	<1	0.2	13.1	<10	<2			
2023364	Drill Core	0.4	<0.02	2.2	0.30	<0.1	0.18	<0.02	8.9	0.2	<0.05	5.5	9.63	58.2	<0.02	<1	0.2	7.7	<10	<2			
2023365	Drill Core	<0.1	<0.02	2.0	0.55	<0.1	0.25	<0.02	10.1	0.3	<0.05	7.4	9.27	57.8	<0.02	<1	0.3	5.8	<10	<2			
2023366	Drill Core	0.1	<0.02	2.6	0.44	<0.1	0.12	<0.02	8.9	0.2	<0.05	4.0	7.82	46.6	<0.02	1	0.3	10.2	<10	<2			
2023367	Drill Core	0.1	<0.02	4.2	0.38	<0.1	0.10	<0.02	8.8	0.3	<0.05	4.0	6.64	41.5	<0.02	1	0.4	19.3	<10	<2			
2023368	Drill Core	0.3	<0.02	2.6	0.34	<0.1	0.04	<0.02	11.1	0.2	<0.05	1.8	8.02	42.1	<0.02	<1	0.3	10.8	<10	<2			
2023369	Drill Core	0.1	<0.02	3.2	0.48	<0.1	0.24	<0.02	9.8	0.3	<0.05	6.7	6.80	49.1	<0.02	<1	0.3	10.8	<10	<2			
2023370	Drill Core	<0.1	<0.02	2.9	0.36	<0.1	0.19	<0.02	9.1	0.2	<0.05	5.0	4.48	37.4	<0.02	<1	0.3	11.6	<10	<2			
2023371	Drill Core	<0.1	<0.02	2.0	0.20	<0.1	0.29	0.03	11.0	0.3	<0.05	8.3	5.19	44.6	<0.02	<1	0.3	8.1	<10	<2			
2023372	Drill Core	<0.1	<0.02	1.4	0.19	<0.1	0.57	<0.02	8.9	0.3	<0.05	13.3	6.13	50.0	<0.02	<1	0.2	4.7	<10	<2			
2023373	Drill Core	0.2	<0.02	2.9	0.43	<0.1	0.31	<0.02	8.7	0.2	<0.05	9.8	5.59	24.1	<0.02	2	0.4	18.3	<10	<2			
2023374	Drill Core	0.2	<0.02	3.9	0.56	<0.1	0.48	<0.02	8.3	0.2	<0.05	12.1	7.89	23.4	<0.02	1	0.3	26.3	<10	<2			
2023375	Drill Core	0.3	<0.02	2.6	0.60	<0.1	0.34	<0.02	7.3	0.3	<0.05	10.1	8.17	17.0	<0.02	1	0.2	14.4	<10	<2			
2023376	Drill Core	0.2	<0.02	3.2	0.29	<0.1	0.43	<0.02	8.2	0.3	<0.05	12.9	5.04	16.3	<0.02	2	0.2	17.8	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 5 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000330.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2023377	Drill Core	2.54	350	0.012	0.01	<0.17	42.05	2.43	44.72	29.14	78.0	566	5.0	7.5	524	2.05	6.9	2.7	2.9	35.2
2023378	Drill Core	1.63	495	0.183	0.20	0.44	29.57	1.10	18.60	29.23	49.1	314	4.4	6.4	345	1.68	6.6	2.0	<0.2	20.0
2023379	Drill Core	3.51	418	0.010	<0.01	<0.17	35.19	1.07	18.53	29.46	48.3	330	4.4	6.1	359	1.67	6.5	2.0	0.6	20.1
2023380	Rock	0.24	166	<0.005	<0.01	<0.17	27.80	0.41	1.37	1.26	2.7	9	1.5	0.6	79	0.62	0.4	0.2	<0.2	1.6
2023381	Drill Core	2.99	461	0.037	0.03	<0.17	30.84	1.38	12.40	33.57	20.5	383	4.6	2.9	144	2.20	4.1	0.6	11.0	39.0
2023382	Drill Core	3.49	502	0.173	0.19	0.38	31.23	1.84	17.16	41.11	48.8	490	2.8	1.8	152	1.79	16.6	0.9	127.8	51.0
2023383	Drill Core	2.90	429	1.263	2.54	16.29	36.58	0.74	48.48	32.21	89.4	3524	6.7	6.8	354	1.99	7.3	6.7	19886.7	58.6
2023384	Drill Core	3.29	507	0.151	0.21	0.80	43.71	0.19	6.33	68.25	64.3	1128	9.7	7.6	1360	2.41	6.2	2.6	165.7	263.7
2023385	Drill Core	3.17	448	0.269	0.25	<0.17	32.53	1.51	38.86	22.37	58.1	658	6.3	6.8	524	1.53	3.4	1.9	244.5	64.4
2023386	Drill Core	3.37	504	0.492	0.55	1.31	34.35	0.31	34.90	38.96	80.0	1049	5.7	6.3	500	1.72	1.9	2.6	662.3	85.4
2023387	Drill Core	3.08	414	0.178	0.16	<0.17	37.30	0.19	51.54	51.91	131.0	637	4.5	6.0	434	1.81	1.8	1.9	61.1	56.7
2023388	Drill Core	3.15	479	0.007	<0.01	<0.17	28.83	0.79	20.21	16.58	82.5	248	25.8	11.5	414	1.67	1.4	2.0	1.3	41.5
2023389	Drill Core	3.52	479	0.148	0.14	<0.17	33.68	0.87	25.22	21.38	71.7	473	26.1	11.1	547	1.76	4.8	2.3	347.6	31.6
2023390	Drill Core	3.33	482	0.966	1.09	2.94	29.26	0.56	108.79	13.40	326.5	1419	12.7	8.5	476	2.04	6.1	2.2	2749.1	96.7
2023391	Drill Core	3.38	446	0.919	1.05	2.70	32.55	1.07	22.92	48.44	127.0	917	13.5	8.0	439	2.02	2.7	1.3	981.3	59.2
2023392	Drill Core	3.40	509	0.012	0.01	<0.17	47.09	3.22	30.38	40.36	120.8	384	11.8	8.3	537	2.09	5.0	2.1	7.7	30.0
2023393	Drill Core	3.26	448	0.010	<0.01	<0.17	26.98	1.47	36.52	22.37	85.0	335	12.6	8.1	476	2.30	4.1	2.7	6.9	54.6
2023394	Drill Core	2.96	494	0.021	0.02	<0.17	44.20	2.02	33.68	53.87	97.7	433	11.3	9.4	871	2.33	11.1	0.9	25.1	105.5
2023395	Drill Core	2.75	483	0.039	0.04	<0.17	27.40	1.95	45.58	91.58	149.1	556	11.8	9.2	851	2.31	16.6	1.7	28.6	115.1
2023396	Drill Core	3.38	453	0.009	<0.01	<0.17	51.05	1.32	34.49	64.54	129.7	759	14.9	9.5	564	2.28	5.0	1.4	5.8	54.1
2023397	Drill Core	3.46	440	0.007	<0.01	<0.17	50.78	1.34	26.43	22.30	94.6	462	12.8	8.7	601	2.30	2.7	1.7	3.0	58.7
2023398	Drill Core	3.35	375	0.018	0.02	<0.17	38.26	2.25	45.12	75.91	81.4	1057	13.8	8.4	451	1.95	1.7	2.0	7.4	49.2
2023399	Drill Core	3.34	450	<0.005	<0.01	<0.17	35.38	0.75	19.70	11.40	64.3	288	10.6	7.9	674	1.99	0.9	2.0	1.9	67.3
2023400	Rock Pulp	0.12	91	7.215				9.49	202.07	20.93	77.5	873	13.9	11.6	598	4.71	15.6	1.0	7662.1	73.6
2023401	Drill Core	3.33	498	0.164	0.19	0.52	34.68	1.20	18.74	7.65	39.2	495	9.7	7.5	662	1.81	78.9	2.1	180.0	55.9
2023402	Drill Core	3.39	540	0.012	0.01	<0.17	51.19	1.69	11.20	8.58	46.9	230	10.3	8.0	473	1.98	9.0	2.1	9.2	49.1
2023403	Drill Core	3.13	536	0.009	<0.01	<0.17	46.61	1.46	13.73	14.84	59.0	259	9.2	6.8	467	1.53	1.3	2.7	2.8	87.1
2023404	Drill Core	3.23	534	0.015	0.01	<0.17	42.61	0.77	16.43	14.12	59.4	332	9.4	6.0	526	1.53	20.6	4.0	10.3	61.2
2023405	Drill Core	3.03	494	0.051	0.05	<0.17	35.02	1.69	14.14	8.78	27.0	563	10.4	8.2	445	1.72	85.8	1.9	45.3	58.5
2023406	Drill Core	3.23	481	0.080	0.08	<0.17	35.65	1.05	12.16	11.20	40.8	506	10.0	6.8	444	1.72	78.3	1.8	69.7	58.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 5 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000330.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023377	Drill Core	0.43	0.28	0.12	6	0.44	0.070	8.8	12.3	107.5	0.002	<1	0.90	0.018	0.21	0.1	1.3	0.06	1.32	11
2023378	Drill Core	0.15	0.32	0.15	5	0.34	0.057	7.8	9.3	105.3	0.002	<1	0.77	0.017	0.23	<0.1	1.1	0.06	1.24	21
2023379	Drill Core	0.16	0.33	0.13	5	0.34	0.062	8.4	9.6	119.1	0.002	<1	0.76	0.016	0.23	<0.1	1.2	0.06	1.27	20
2023380	Rock	<0.01	0.05	<0.02	2	0.02	0.003	2.0	4.2	24.1	0.003	1	0.09	0.005	0.02	<0.1	0.3	<0.02	<0.02	<5
2023381	Drill Core	0.05	0.28	0.13	5	0.33	0.057	9.8	6.2	88.6	0.002	<1	0.45	0.033	0.32	0.1	0.8	0.09	1.20	10
2023382	Drill Core	0.06	0.40	0.13	6	0.23	0.057	12.6	9.4	192.8	0.002	<1	0.64	0.020	0.30	0.1	0.9	0.10	0.50	15
2023383	Drill Core	0.60	0.29	0.10	5	0.55	0.053	10.7	9.5	98.7	0.002	1	0.78	0.019	0.21	0.2	1.3	0.07	1.15	26
2023384	Drill Core	1.31	0.18	0.07	9	4.26	0.022	7.6	16.4	42.1	0.001	<1	0.91	0.039	0.16	0.1	4.3	0.04	1.93	9
2023385	Drill Core	0.50	0.23	0.11	5	0.83	0.061	9.0	7.2	97.5	0.002	<1	0.66	0.021	0.25	<0.1	1.3	0.06	0.99	<5
2023386	Drill Core	0.46	0.20	0.16	7	1.05	0.043	8.7	9.9	75.3	0.003	<1	0.81	0.024	0.22	<0.1	1.6	0.06	1.08	7
2023387	Drill Core	0.77	0.20	0.16	6	0.56	0.061	9.6	12.9	114.0	0.003	<1	0.96	0.021	0.22	<0.1	1.4	0.06	0.96	17
2023388	Drill Core	0.21	0.19	0.04	5	0.26	0.052	11.2	9.4	179.2	0.003	<1	1.05	0.019	0.21	<0.1	1.2	0.05	0.61	<5
2023389	Drill Core	0.22	0.14	0.08	7	0.46	0.052	13.6	13.4	114.7	0.003	1	1.10	0.022	0.23	<0.1	1.4	0.06	0.90	<5
2023390	Drill Core	7.28	0.33	0.08	8	1.03	0.054	13.9	10.2	86.0	0.002	<1	0.83	0.019	0.24	0.1	1.3	0.07	1.61	76
2023391	Drill Core	1.98	0.21	0.10	8	0.80	0.062	13.9	9.0	90.0	0.003	<1	0.83	0.028	0.31	0.1	1.3	0.07	1.57	78
2023392	Drill Core	0.53	0.29	0.18	8	0.33	0.061	18.8	9.9	100.8	0.002	1	1.21	0.007	0.25	<0.1	1.2	0.07	1.20	<5
2023393	Drill Core	0.48	0.25	0.08	8	0.50	0.071	11.1	12.3	80.1	0.002	<1	0.92	0.018	0.24	0.1	1.1	0.07	1.26	7
2023394	Drill Core	0.74	0.24	0.11	8	1.98	0.081	8.4	8.9	95.4	0.002	<1	0.75	0.016	0.25	0.1	1.4	0.08	1.74	11
2023395	Drill Core	1.70	0.53	0.07	9	2.46	0.079	10.8	11.2	43.0	0.002	1	0.84	0.016	0.27	0.1	1.6	0.08	1.62	13
2023396	Drill Core	0.68	0.21	0.04	9	1.32	0.077	9.6	13.9	42.4	0.002	1	0.86	0.035	0.27	0.7	1.6	0.08	1.68	11
2023397	Drill Core	0.53	0.19	0.07	10	1.63	0.065	9.9	19.6	71.5	0.003	2	0.98	0.032	0.29	0.1	2.1	0.08	1.27	<5
2023398	Drill Core	0.52	0.18	0.08	8	1.38	0.061	10.1	15.7	80.8	0.003	<1	0.86	0.038	0.31	<0.1	1.6	0.07	1.27	6
2023399	Drill Core	0.57	0.21	0.06	11	2.07	0.068	14.0	10.8	234.3	0.007	1	0.85	0.031	0.28	<0.1	2.1	0.08	0.46	<5
2023400	Rock Pulp	0.22	5.25	0.60	116	0.99	0.071	9.3	19.0	132.4	0.145	2	2.03	0.234	0.28	4.5	3.8	0.07	<0.02	215
2023401	Drill Core	0.40	0.59	0.06	10	1.53	0.073	13.6	9.9	117.8	0.004	<1	0.64	0.039	0.26	0.1	1.7	0.08	1.17	8
2023402	Drill Core	0.28	0.21	0.04	8	1.66	0.062	13.6	8.0	48.2	0.003	<1	0.75	0.049	0.30	<0.1	1.6	0.07	1.39	<5
2023403	Drill Core	0.30	0.14	0.03	6	1.61	0.061	26.8	10.4	129.2	0.004	<1	0.78	0.040	0.27	<0.1	1.5	0.07	0.69	6
2023404	Drill Core	0.37	0.32	0.09	7	1.38	0.058	24.1	11.2	211.5	0.004	1	0.81	0.060	0.25	<0.1	1.7	0.07	0.51	<5
2023405	Drill Core	0.32	2.47	0.09	7	1.26	0.074	17.3	8.5	78.7	0.003	1	0.43	0.048	0.24	0.1	1.2	0.15	1.52	10
2023406	Drill Core	0.42	2.58	0.08	6	1.21	0.060	12.3	11.4	71.0	0.002	<1	0.43	0.030	0.22	0.1	1.3	0.09	1.40	13



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 5 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000330.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2023377	Drill Core	0.1	<0.02	2.6	0.37	<0.1	0.50	<0.02	8.0	0.3	<0.05	17.8	5.70	16.6	<0.02	2	0.2	16.1	<10	<2			
2023378	Drill Core	0.2	<0.02	2.1	0.22	<0.1	0.51	<0.02	8.4	0.2	<0.05	16.0	4.39	14.6	<0.02	1	0.3	13.8	<10	<2			
2023379	Drill Core	<0.1	<0.02	2.1	0.22	<0.1	0.49	<0.02	8.4	0.2	<0.05	15.6	4.51	15.4	<0.02	1	0.2	13.2	<10	<2			
2023380	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.12	<0.02	1.2	<0.1	<0.05	2.4	1.01	4.0	<0.02	<1	<0.1	1.5	<10	<2			
2023381	Drill Core	0.3	<0.02	1.6	0.24	<0.1	0.34	<0.02	9.6	0.3	<0.05	12.3	2.68	17.9	<0.02	2	0.2	5.7	<10	<2			
2023382	Drill Core	0.3	0.03	2.4	0.39	<0.1	0.34	<0.02	10.4	0.2	<0.05	11.7	3.04	23.4	<0.02	2	0.1	9.0	<10	<2			
2023383	Drill Core	0.2	0.19	2.2	0.29	<0.1	0.64	<0.02	8.3	0.2	<0.05	19.3	6.14	20.2	<0.02	<1	0.2	12.7	<10	<2			
2023384	Drill Core	0.6	0.45	3.3	0.26	<0.1	0.58	<0.02	6.0	0.2	<0.05	18.7	13.78	14.1	0.03	<1	0.2	13.2	<10	<2			
2023385	Drill Core	0.2	0.07	1.8	0.14	<0.1	0.33	<0.02	9.2	0.2	<0.05	10.5	4.24	17.5	<0.02	4	0.1	9.2	<10	<2			
2023386	Drill Core	0.2	0.16	2.5	0.32	<0.1	0.41	<0.02	8.3	0.2	<0.05	13.4	4.64	16.6	<0.02	2	0.2	15.1	<10	<2			
2023387	Drill Core	0.1	0.03	2.8	0.44	<0.1	0.38	<0.02	8.7	0.1	<0.05	12.6	4.23	18.4	<0.02	<1	0.3	20.2	<10	<2			
2023388	Drill Core	0.1	<0.02	2.9	0.39	<0.1	0.31	<0.02	7.9	0.1	<0.05	10.1	3.68	19.6	<0.02	2	0.2	15.2	<10	<2			
2023389	Drill Core	0.3	0.04	3.7	0.50	<0.1	0.41	<0.02	8.7	0.2	<0.05	12.0	6.22	25.2	<0.02	2	0.2	19.6	<10	<2			
2023390	Drill Core	0.4	0.15	2.4	0.45	<0.1	0.46	<0.02	8.4	0.2	<0.05	14.6	6.66	25.0	0.02	<1	0.2	17.3	<10	<2			
2023391	Drill Core	0.4	0.19	2.3	0.33	<0.1	0.46	<0.02	10.3	0.3	<0.05	28.1	6.69	25.4	<0.02	<1	0.3	15.8	<10	<2			
2023392	Drill Core	0.4	0.02	3.8	0.55	<0.1	0.43	<0.02	9.5	0.2	<0.05	14.3	8.73	36.2	<0.02	2	0.3	29.7	<10	<2			
2023393	Drill Core	0.4	<0.02	2.7	0.39	<0.1	0.30	<0.02	9.5	0.2	<0.05	10.5	6.93	22.1	<0.02	<1	0.2	23.4	<10	<2			
2023394	Drill Core	0.6	<0.02	2.2	0.42	<0.1	0.21	<0.02	10.3	0.3	<0.05	8.2	10.62	16.4	<0.02	1	0.3	12.4	<10	<2			
2023395	Drill Core	0.5	<0.02	2.3	0.52	<0.1	0.12	<0.02	11.6	0.3	<0.05	4.7	9.67	20.7	<0.02	<1	0.2	16.1	<10	<2			
2023396	Drill Core	0.5	<0.02	2.1	0.48	<0.1	0.12	<0.02	11.2	0.1	<0.05	4.5	6.17	18.6	<0.02	<1	0.2	13.6	<10	<2			
2023397	Drill Core	0.3	<0.02	2.6	0.77	<0.1	0.07	<0.02	11.7	0.2	<0.05	2.9	5.40	19.0	<0.02	<1	0.2	13.9	<10	<2			
2023398	Drill Core	0.6	0.03	2.2	0.39	<0.1	0.09	<0.02	12.1	0.2	<0.05	3.1	4.99	19.1	<0.02	<1	0.2	10.0	<10	<2			
2023399	Drill Core	0.4	<0.02	2.4	0.39	<0.1	0.07	<0.02	12.0	0.2	<0.05	2.4	6.39	26.4	<0.02	<1	0.3	9.1	<10	<2			
2023400	Rock Pulp	<0.1	0.15	5.4	0.73	0.1	0.10	0.08	9.0	1.9	<0.05	1.8	5.95	17.4	0.06	<1	0.2	8.4	<10	<2			
2023401	Drill Core	0.4	0.04	2.1	0.27	<0.1	0.09	<0.02	10.9	0.2	<0.05	3.1	7.22	24.4	<0.02	<1	0.2	8.2	<10	<2			
2023402	Drill Core	0.3	<0.02	2.0	0.17	<0.1	0.07	<0.02	10.6	0.2	<0.05	2.2	6.07	25.7	<0.02	<1	0.2	5.3	<10	<2			
2023403	Drill Core	<0.1	<0.02	2.3	0.27	<0.1	0.05	<0.02	10.3	0.2	<0.05	2.0	8.40	50.0	<0.02	<1	0.2	9.2	<10	<2			
2023404	Drill Core	<0.1	<0.02	2.9	0.20	<0.1	0.05	0.04	10.2	0.2	<0.05	2.0	8.97	42.7	<0.02	<1	0.3	10.6	<10	<2			
2023405	Drill Core	0.6	0.03	1.5	0.26	<0.1	0.07	<0.02	10.1	0.2	<0.05	2.7	9.35	31.3	<0.02	<1	0.3	5.2	<10	<2			
2023406	Drill Core	0.3	0.03	1.4	0.43	<0.1	0.06	<0.02	8.8	0.2	<0.05	2.4	8.21	22.6	<0.02	<1	0.1	5.9	<10	<2			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 6 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000330.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2023407	Drill Core	3.38	509	0.056	0.05	<0.17	40.25	1.75	17.35	11.07	35.7	386	10.7	8.7	464	1.68	38.3	1.9	47.7	10.4
2023408	Drill Core	3.58	434	0.061	0.06	<0.17	38.78	0.75	18.13	5.78	84.5	408	13.8	9.4	717	2.66	53.4	1.8	39.1	10.1
2023409	Drill Core	3.22	499	0.031	0.03	<0.17	36.86	0.81	11.35	5.93	72.4	326	10.2	6.9	685	2.46	45.9	1.6	27.7	8.0
2023410	Drill Core	3.47	524	0.016	0.01	<0.17	31.26	2.22	18.20	6.92	63.1	292	14.8	9.0	571	2.29	19.7	1.6	13.1	9.6
2023411	Drill Core	3.38	478	0.521	0.56	1.03	37.86	1.42	21.95	8.96	77.1	543	19.4	18.1	816	3.15	38.8	1.0	923.3	5.9
2023412	Drill Core	3.13	450	0.023	0.02	<0.17	37.31	1.32	27.09	14.85	44.9	340	10.9	7.7	463	2.06	19.5	2.0	14.1	11.2
2023413	Drill Core	3.34	511	0.010	<0.01	<0.17	39.04	0.66	11.05	24.22	16.1	254	6.4	5.5	242	1.45	3.4	3.0	6.3	14.0
2023414	Drill Core	3.07	454	0.009	<0.01	<0.17	30.99	1.00	10.45	21.29	19.2	268	5.3	3.6	273	1.04	2.5	3.2	4.4	14.8
2023415	Drill Core	3.15	491	0.006	<0.01	<0.17	32.09	0.59	10.14	10.16	30.7	164	6.3	4.5	256	1.12	1.8	2.8	2.8	13.6
2023416	Drill Core	3.40	517	0.005	<0.01	<0.17	34.38	0.95	5.65	20.28	12.5	134	2.8	2.7	212	0.72	1.2	4.0	2.1	17.3
2023417	Drill Core	3.30	485	0.008	<0.01	<0.17	30.60	1.06	9.91	10.99	14.0	279	6.1	5.1	371	1.47	1.7	3.0	3.4	16.0
2023418	Drill Core	3.38	531	0.010	<0.01	<0.17	39.95	1.53	20.66	20.77	27.5	595	23.7	16.4	737	2.68	3.8	1.8	7.6	9.8
2023419	Drill Core	3.22	469	0.017	0.02	<0.17	44.63	2.19	11.40	22.83	23.4	447	27.6	19.8	229	3.58	6.9	2.1	11.8	8.5
2023420	Rock Pulp	0.12	94	0.517				2.41	419.25	19.91	51.6	265	611.0	25.7	472	2.59	20.7	0.6	423.7	2.1
2023421	Drill Core	3.57	481	0.014	0.01	<0.17	35.27	1.23	4.89	38.17	9.8	570	8.8	6.1	128	1.97	5.6	3.6	9.6	13.4
2023422	Drill Core	3.08	411	0.008	<0.01	<0.17	39.53	2.54	5.39	44.95	23.9	279	8.1	5.6	187	1.59	5.0	2.9	4.5	12.7
2023423	Drill Core	3.40	494	0.009	<0.01	<0.17	40.41	2.43	40.92	117.01	81.0	884	8.0	5.8	342	1.64	2.2	2.2	3.4	10.0
2023424	Drill Core	3.15	477	0.013	0.01	<0.17	36.87	0.97	11.75	43.28	22.0	321	6.5	5.6	247	1.38	4.5	2.8	5.1	12.6



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 6 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000330.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023407	Drill Core	0.52	1.21	0.11	5	1.58	0.077	18.4	7.7	0.16	69.5	0.002	<1	0.44	0.026	0.26	0.1	1.5	0.08	1.53	<5
2023408	Drill Core	0.56	1.16	0.04	9	1.81	0.069	10.9	26.5	0.76	66.4	0.002	<1	0.91	0.016	0.22	<0.1	1.8	0.07	2.03	17
2023409	Drill Core	0.36	0.93	0.03	9	2.25	0.064	7.7	13.3	0.74	79.6	0.002	<1	0.91	0.016	0.18	<0.1	1.6	0.06	1.66	18
2023410	Drill Core	0.34	0.40	0.02	8	2.21	0.059	7.0	21.5	0.92	90.0	0.002	2	0.93	0.014	0.20	0.1	1.7	0.05	1.58	37
2023411	Drill Core	0.38	0.82	0.06	22	3.85	0.065	5.1	142.6	2.11	107.0	0.003	<1	1.53	0.006	0.17	0.1	3.6	0.05	1.87	12
2023412	Drill Core	0.42	0.92	0.03	7	1.42	0.054	8.4	21.8	0.54	40.7	0.002	<1	0.55	0.032	0.18	<0.1	1.4	0.05	1.88	15
2023413	Drill Core	0.27	0.24	0.16	3	0.66	0.046	13.1	3.6	0.09	58.6	0.002	<1	0.39	0.055	0.24	<0.1	1.0	0.06	1.41	9
2023414	Drill Core	0.20	0.36	0.09	2	0.73	0.026	13.5	8.7	0.16	102.1	0.001	<1	0.35	0.045	0.20	<0.1	0.7	0.05	0.80	7
2023415	Drill Core	0.41	0.19	0.04	3	0.65	0.034	12.4	5.6	0.21	65.2	0.002	<1	0.45	0.059	0.25	<0.1	0.8	0.06	0.93	<5
2023416	Drill Core	0.19	0.12	0.05	1	0.60	0.024	19.0	2.3	0.17	183.0	0.002	<1	0.39	0.043	0.24	<0.1	0.6	0.06	0.52	<5
2023417	Drill Core	0.21	0.17	0.04	3	1.03	0.038	12.9	4.7	0.17	67.1	0.002	<1	0.37	0.039	0.22	<0.1	0.8	0.06	1.42	7
2023418	Drill Core	0.48	0.51	0.08	8	1.31	0.062	8.0	49.9	0.32	30.0	0.002	<1	0.39	0.021	0.23	<0.1	1.5	0.07	2.77	11
2023419	Drill Core	0.32	0.40	0.06	7	0.64	0.058	7.4	27.1	0.07	21.2	0.002	<1	0.34	0.033	0.23	0.1	1.2	0.07	3.86	<5
2023420	Rock Pulp	0.23	0.35	0.33	54	1.35	0.035	4.7	97.2	1.83	79.2	0.082	2	2.13	0.221	0.15	1.2	3.1	0.10	0.19	21
2023421	Drill Core	0.13	0.24	0.03	3	0.45	0.040	12.7	4.7	0.05	55.9	0.002	<1	0.34	0.037	0.26	<0.1	0.8	0.06	2.05	11
2023422	Drill Core	0.36	0.25	0.09	3	0.68	0.044	10.7	4.6	0.04	53.5	0.002	<1	0.31	0.044	0.22	<0.1	0.6	0.06	1.57	9
2023423	Drill Core	1.23	1.04	0.15	3	0.98	0.048	9.2	4.0	0.05	80.7	0.003	<1	0.32	0.044	0.22	<0.1	0.7	0.07	1.67	26
2023424	Drill Core	0.44	0.27	0.09	3	0.69	0.041	11.0	3.6	0.05	56.9	0.002	<1	0.34	0.037	0.25	<0.1	0.7	0.06	1.37	10



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 6 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000330.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2023407	Drill Core	0.5	0.04	1.4	0.73	<0.1	0.06	<0.02	11.8	0.2	<0.05	2.8	8.27	34.2	<0.02	<1	0.3	4.3	<10
2023408	Drill Core	0.3	0.05	2.4	0.98	<0.1	0.06	<0.02	9.2	0.3	<0.05	2.2	7.91	20.2	<0.02	<1	0.3	15.2	<10
2023409	Drill Core	0.1	0.03	2.4	0.39	<0.1	0.05	<0.02	7.0	0.1	<0.05	1.4	8.01	14.4	<0.02	<1	0.2	14.8	<10
2023410	Drill Core	0.4	<0.02	2.1	0.33	<0.1	0.07	<0.02	7.1	0.2	<0.05	2.6	5.26	13.2	<0.02	1	0.2	13.1	<10
2023411	Drill Core	0.3	0.05	2.9	0.88	<0.1	0.07	<0.02	6.2	0.3	<0.05	2.5	6.95	10.0	<0.02	1	0.4	24.1	<10
2023412	Drill Core	0.2	<0.02	1.7	0.51	<0.1	0.22	<0.02	6.8	0.3	<0.05	6.4	6.21	15.7	<0.02	2	0.2	8.3	<10
2023413	Drill Core	0.3	<0.02	1.1	0.34	<0.1	0.26	<0.02	8.3	0.3	<0.05	7.2	4.10	25.3	<0.02	<1	0.3	2.2	<10
2023414	Drill Core	<0.1	<0.02	1.1	0.27	<0.1	0.23	<0.02	7.1	0.3	<0.05	6.4	3.93	25.4	<0.02	<1	0.2	3.2	<10
2023415	Drill Core	<0.1	<0.02	1.1	0.14	<0.1	0.24	<0.02	7.6	0.2	<0.05	7.5	4.23	23.4	<0.02	<1	0.2	3.0	<10
2023416	Drill Core	<0.1	<0.02	1.1	0.11	<0.1	0.26	0.04	8.4	0.2	<0.05	7.6	5.44	34.2	<0.02	<1	0.2	2.2	<10
2023417	Drill Core	<0.1	<0.02	1.2	0.16	<0.1	0.21	0.05	9.2	0.2	<0.05	5.9	6.03	23.6	<0.02	<1	0.2	2.7	<10
2023418	Drill Core	0.2	<0.02	1.0	0.12	<0.1	0.31	<0.02	8.4	0.2	<0.05	9.8	5.24	14.7	<0.02	1	0.2	3.7	<10
2023419	Drill Core	<0.1	<0.02	0.9	0.35	<0.1	0.29	<0.02	8.0	0.1	<0.05	10.1	4.76	14.3	<0.02	3	0.2	2.2	<10
2023420	Rock Pulp	0.6	0.15	4.1	0.63	0.1	0.07	<0.02	6.3	0.4	<0.05	1.5	3.44	9.2	<0.02	3	0.1	8.5	253
2023421	Drill Core	<0.1	<0.02	0.8	0.22	<0.1	0.21	0.02	8.6	0.2	<0.05	6.6	5.50	23.7	<0.02	<1	0.2	1.6	<10
2023422	Drill Core	<0.1	<0.02	0.8	0.23	<0.1	0.21	<0.02	7.4	0.3	<0.05	6.3	5.91	19.8	<0.02	3	0.1	1.4	<10
2023423	Drill Core	0.1	<0.02	0.8	0.16	<0.1	0.29	<0.02	7.9	0.2	<0.05	9.2	4.45	17.3	<0.02	1	0.2	1.9	<10
2023424	Drill Core	<0.1	<0.02	0.9	0.12	<0.1	0.24	<0.02	9.0	0.2	<0.05	7.2	4.85	20.5	<0.02	<1	0.2	1.8	<10





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 29, 2019

Page:

1 of 3

Part:

1 of 3

## QUALITY CONTROL REPORT

WHI19000330.1

		Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																						
2023293	Drill Core	1.68	576	0.011	0.01	<0.17	38.96	0.21	3.55	12.39	4.1	96	0.3	0.1	41	0.33	1.4	1.0	4.8	10.4	3.9	
REP 2023293	QC	0.007																				
2023297	Drill Core	1.13	406	0.032	0.03	<0.17	29.41	0.27	3.55	18.98	13.4	167	0.4	0.7	73	0.45	1.9	1.4	38.4	16.6	5.2	
REP 2023297	QC	0.035																				
2023314	Drill Core	1.50	510	1.899	2.74	16.02	30.27	0.06	15.08	11.35	52.2	797	38.8	22.8	916	3.21	36.0	2.2	2426.2	2.5	367.4	
REP 2023314	QC								0.09	15.44	11.47	52.5	1139	38.4	23.3	908	3.16	36.7	2.2	4433.3	2.9	373.9
2023348	Drill Core	1.56	431	0.475	0.46	0.35	37.08	0.32	10.30	14.11	15.1	459	1.7	2.6	182	0.81	38.4	1.2	458.8	16.0	39.7	
REP 2023348	QC								0.32	9.94	13.48	14.4	448	1.6	2.3	178	0.82	38.2	1.2	467.6	15.1	39.1
2023367	Drill Core	2.08	504	0.025	0.02	<0.17	28.03	0.25	14.80	10.92	63.5	205	6.2	6.2	314	2.03	3.3	1.5	17.0	12.9	57.1	
REP 2023367	QC	0.027																				
2023371	Drill Core	3.49	418	0.017	0.02	<0.17	34.89	0.20	5.93	7.76	27.0	105	2.7	2.1	233	0.86	10.8	4.5	15.3	18.0	61.6	
REP 2023371	QC	0.034																				
2023383	Drill Core	2.90	429	1.263	2.54	16.29	36.58	0.74	48.48	32.21	89.4	3524	6.7	6.8	354	1.99	7.3	6.7	19886.7	11.4	58.6	
REP 2023383	QC								0.69	46.04	30.52	84.4	1887	6.2	6.4	331	1.99	7.0	6.3	2834.1	11.2	55.0
2023415	Drill Core	3.15	491	0.006	<0.01	<0.17	32.09	0.59	10.14	10.16	30.7	164	6.3	4.5	256	1.12	1.8	2.8	2.8	13.6	49.6	
REP 2023415	QC	0.006																				
2023418	Drill Core	3.38	531	0.010	<0.01	<0.17	39.95	1.53	20.66	20.77	27.5	595	23.7	16.4	737	2.68	3.8	1.8	7.6	9.8	54.8	
REP 2023418	QC								1.54	21.61	20.74	28.9	629	24.5	16.5	734	2.66	3.9	1.8	8.2	9.9	54.1
Core Reject Duplicates																						
2023319	Drill Core	1.50	495	0.132	0.12	<0.17	32.32	0.49	6.45	14.91	26.7	566	2.5	2.4	284	0.83	18.5	1.5	138.3	9.5	65.9	
DUP 2023319	QC		454	0.125	0.12	<0.17	35.88	0.48	5.86	14.76	25.4	479	2.6	2.4	291	0.84	17.3	1.5	113.6	9.2	61.9	
2023353	Drill Core	3.44	432	0.040	0.04	<0.17	28.09	2.15	10.23	21.94	39.8	318	6.1	5.5	396	1.55	27.9	1.4	33.2	12.5	72.6	
DUP 2023353	QC		397	0.055	0.05	<0.17	29.85	2.08	10.07	21.18	39.2	301	6.0	5.0	402	1.57	27.1	1.4	31.3	12.3	70.0	
2023387	Drill Core	3.08	414	0.178	0.16	<0.17	37.30	0.19	51.54	51.91	131.0	637	4.5	6.0	434	1.81	1.8	1.9	61.1	9.1	56.7	
DUP 2023387	QC		409	0.185	0.20	0.35	33.97	0.18	48.05	46.38	127.3	612	4.1	5.2	416	1.81	1.8	1.7	152.6	8.3	53.5	
2023421	Drill Core	3.57	481	0.014	0.01	<0.17	35.27	1.23	4.89	38.17	9.8	570	8.8	6.1	128	1.97	5.6	3.6	9.6	13.4	25.7	
DUP 2023421	QC		537	0.014	0.01	<0.17	36.06	1.22	4.89	39.80	9.8	581	9.1	6.5	129	1.96	5.7	3.6	9.9	14.0	26.2	
Reference Materials																						



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 29, 2019

Page:

1 of 3

Part:

2 of 3

## QUALITY CONTROL REPORT

WHI19000330.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2023293	Drill Core	0.08	0.44	0.04	<1	<0.01	0.003	21.4	1.1	0.02	237.3	<0.001	<1	0.18	0.036	0.14	<0.1	0.6	0.02	<0.02	8
REP 2023293	QC																				
2023297	Drill Core	0.13	0.31	0.09	<1	0.02	0.004	32.7	1.2	0.13	389.9	<0.001	2	0.40	0.022	0.22	<0.1	1.0	0.05	<0.02	16
REP 2023297	QC																				
2023314	Drill Core	0.24	0.47	0.06	37	4.43	0.059	6.7	57.1	2.10	188.7	0.011	3	1.83	0.018	0.27	<0.1	9.5	0.14	0.05	<5
REP 2023314	QC	0.25	0.47	0.07	37	4.35	0.062	6.8	58.6	2.08	195.9	0.011	3	1.81	0.019	0.27	<0.1	9.0	0.15	0.05	<5
2023348	Drill Core	0.09	0.34	0.03	2	0.35	0.046	30.4	3.0	0.21	272.5	0.002	<1	0.48	0.046	0.28	0.1	1.5	0.06	0.15	<5
REP 2023348	QC	0.08	0.31	0.03	2	0.35	0.044	29.9	2.4	0.22	258.6	0.002	<1	0.49	0.047	0.28	0.1	1.3	0.06	0.15	<5
2023367	Drill Core	0.26	0.21	0.05	13	0.70	0.076	22.3	10.1	0.98	112.2	0.004	<1	1.15	0.028	0.24	0.1	4.1	0.07	0.18	15
REP 2023367	QC																				
2023371	Drill Core	0.23	0.18	0.05	3	0.69	0.032	23.4	3.8	0.47	267.5	0.002	1	0.68	0.032	0.32	<0.1	1.9	0.10	0.13	<5
REP 2023371	QC																				
2023383	Drill Core	0.60	0.29	0.10	5	0.55	0.053	10.7	9.5	0.89	98.7	0.002	1	0.78	0.019	0.21	0.2	1.3	0.07	1.15	26
REP 2023383	QC	0.57	0.24	0.10	5	0.55	0.048	9.7	9.1	0.89	100.1	0.002	<1	0.78	0.019	0.21	0.2	1.1	0.06	1.16	17
2023415	Drill Core	0.41	0.19	0.04	3	0.65	0.034	12.4	5.6	0.21	65.2	0.002	<1	0.45	0.059	0.25	<0.1	0.8	0.06	0.93	<5
REP 2023415	QC																				
2023418	Drill Core	0.48	0.51	0.08	8	1.31	0.062	8.0	49.9	0.32	30.0	0.002	<1	0.39	0.021	0.23	<0.1	1.5	0.07	2.77	11
REP 2023418	QC	0.45	0.48	0.08	8	1.28	0.062	8.2	47.1	0.32	33.2	0.002	<1	0.39	0.020	0.23	<0.1	1.5	0.07	2.77	6
Core Reject Duplicates																					
2023319	Drill Core	0.46	0.30	0.19	3	0.89	0.006	17.2	8.3	0.40	209.1	0.001	<1	0.47	0.024	0.17	1.2	2.1	0.06	<0.02	10
DUP 2023319	QC	0.57	0.28	0.19	3	0.87	0.006	16.6	7.7	0.40	204.1	0.001	2	0.48	0.024	0.18	1.1	2.2	0.05	<0.02	<5
2023353	Drill Core	0.19	0.65	0.14	7	0.76	0.050	30.1	9.8	0.48	285.7	0.004	<1	0.83	0.023	0.34	0.2	2.2	0.09	0.20	<5
DUP 2023353	QC	0.17	0.65	0.14	7	0.72	0.051	29.7	9.5	0.49	273.7	0.004	<1	0.84	0.023	0.33	0.1	2.3	0.09	0.18	<5
2023387	Drill Core	0.77	0.20	0.16	6	0.56	0.061	9.6	12.9	1.11	114.0	0.003	<1	0.96	0.021	0.22	<0.1	1.4	0.06	0.96	17
DUP 2023387	QC	0.66	0.18	0.15	6	0.57	0.056	8.9	12.2	1.10	113.9	0.003	<1	0.96	0.022	0.22	<0.1	1.5	0.06	0.97	16
2023421	Drill Core	0.13	0.24	0.03	3	0.45	0.040	12.7	4.7	0.05	55.9	0.002	<1	0.34	0.037	0.26	<0.1	0.8	0.06	2.05	11
DUP 2023421	QC	0.15	0.26	0.04	3	0.45	0.041	11.8	4.5	0.04	43.8	0.002	<1	0.30	0.031	0.23	<0.1	0.7	0.06	2.08	<5
Reference Materials																					



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS  
Report Date: August 29, 2019

Page: 1 of 3

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI19000330.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2023293	Drill Core	<0.1	<0.02	0.4	0.26	<0.1	0.28	<0.02	5.4	<0.1	<0.05	7.4	3.39	42.3	<0.02	<1	<0.1	0.6	<10	3
REP 2023293	QC																			
2023297	Drill Core	<0.1	0.05	1.1	0.40	<0.1	0.15	<0.02	6.9	0.3	<0.05	3.3	4.43	62.1	<0.02	<1	<0.1	2.5	<10	<2
REP 2023297	QC																			
2023314	Drill Core	<0.1	0.09	5.1	3.32	<0.1	0.04	<0.02	12.2	0.1	<0.05	0.7	6.68	14.6	<0.02	<1	0.3	38.4	<10	<2
REP 2023314	QC	<0.1	0.11	4.8	3.29	<0.1	0.03	<0.02	11.9	<0.1	<0.05	0.5	6.75	15.1	<0.02	<1	0.3	38.7	<10	<2
2023348	Drill Core	<0.1	0.08	1.7	0.45	<0.1	0.36	<0.02	10.1	0.3	<0.05	9.6	5.88	51.0	<0.02	<1	0.2	4.5	<10	<2
REP 2023348	QC	<0.1	0.08	1.6	0.43	<0.1	0.32	0.04	9.7	0.3	<0.05	8.6	5.81	48.9	<0.02	<1	0.3	4.2	<10	<2
2023367	Drill Core	0.1	<0.02	4.2	0.38	<0.1	0.10	<0.02	8.8	0.3	<0.05	4.0	6.64	41.5	<0.02	1	0.4	19.3	<10	<2
REP 2023367	QC																			
2023371	Drill Core	<0.1	<0.02	2.0	0.20	<0.1	0.29	0.03	11.0	0.3	<0.05	8.3	5.19	44.6	<0.02	<1	0.3	8.1	<10	<2
REP 2023371	QC																			
2023383	Drill Core	0.2	0.19	2.2	0.29	<0.1	0.64	<0.02	8.3	0.2	<0.05	19.3	6.14	20.2	<0.02	<1	0.2	12.7	<10	<2
REP 2023383	QC	0.3	0.16	2.2	0.27	<0.1	0.55	<0.02	7.7	0.2	<0.05	17.4	5.74	18.6	<0.02	1	0.2	12.0	<10	<2
2023415	Drill Core	<0.1	<0.02	1.1	0.14	<0.1	0.24	<0.02	7.6	0.2	<0.05	7.5	4.23	23.4	<0.02	<1	0.2	3.0	<10	<2
REP 2023415	QC																			
2023418	Drill Core	0.2	<0.02	1.0	0.12	<0.1	0.31	<0.02	8.4	0.2	<0.05	9.8	5.24	14.7	<0.02	1	0.2	3.7	<10	<2
REP 2023418	QC	<0.1	<0.02	1.0	0.12	<0.1	0.31	<0.02	8.4	0.1	<0.05	10.0	5.25	15.4	<0.02	<1	0.2	3.8	<10	<2
Core Reject Duplicates																				
2023319	Drill Core	<0.1	0.14	1.3	0.28	<0.1	0.08	<0.02	5.7	0.2	<0.05	2.5	5.06	32.5	<0.02	<1	0.3	6.1	<10	<2
DUP 2023319	QC	<0.1	0.12	1.3	0.25	<0.1	0.09	<0.02	5.6	0.2	<0.05	3.1	4.81	31.7	<0.02	<1	<0.1	6.1	<10	<2
2023353	Drill Core	<0.1	<0.02	2.5	0.56	<0.1	0.05	0.02	13.3	0.4	<0.05	1.9	9.00	51.7	<0.02	<1	0.3	11.0	<10	<2
DUP 2023353	QC	<0.1	<0.02	2.7	0.56	<0.1	0.04	<0.02	13.2	0.3	<0.05	2.1	8.85	53.2	<0.02	<1	0.3	11.1	<10	<2
2023387	Drill Core	0.1	0.03	2.8	0.44	<0.1	0.38	<0.02	8.7	0.1	<0.05	12.6	4.23	18.4	<0.02	<1	0.3	20.2	<10	<2
DUP 2023387	QC	0.1	0.03	2.6	0.39	<0.1	0.39	<0.02	8.1	0.1	<0.05	12.4	3.96	16.9	<0.02	<1	0.2	18.1	<10	<2
2023421	Drill Core	<0.1	<0.02	0.8	0.22	<0.1	0.21	0.02	8.6	0.2	<0.05	6.6	5.50	23.7	<0.02	<1	0.2	1.6	<10	<2
DUP 2023421	QC	<0.1	<0.02	0.9	0.24	<0.1	0.21	<0.02	7.9	0.2	<0.05	6.4	5.33	21.9	<0.02	<1	0.2	1.4	<10	<2
Reference Materials																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

August 29, 2019

Page:

2 of 3

Part:

1 of 3

## QUALITY CONTROL REPORT

WHI19000330.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD BVGE001	Standard							10.94	4399.90	189.82	1737.0	2714	162.7	26.1	741	3.72	123.7	4.2	210.4	17.5	61.2
STD BVGE001	Standard							10.80	4464.39	187.21	1730.1	2557	160.6	26.3	736	3.75	124.2	4.2	235.0	16.6	60.1
STD DS11	Standard							13.90	147.60	140.87	331.1	1675	76.4	12.1	1004	3.07	41.9	2.7	78.8	9.3	66.9
STD DS11	Standard							14.70	155.36	135.54	340.6	1675	73.1	12.7	964	3.17	43.2	2.8	70.3	9.6	62.4
STD OREAS262	Standard							0.63	114.69	58.42	155.4	476	63.7	26.2	554	3.28	36.4	1.2	57.1	10.8	37.8
STD OREAS262	Standard							0.61	125.22	56.67	152.6	454	58.9	27.2	491	3.23	37.0	1.3	52.1	11.2	36.8
STD OREAS262	Standard							0.65	126.89	59.64	155.5	459	63.8	27.3	555	3.36	36.0	1.3	51.8	10.7	36.2
STD OREAS262	Standard							0.63	124.19	56.48	155.7	436	64.2	26.0	561	3.22	37.9	1.3	54.2	9.9	37.2
STD OXC145	Standard			0.215																	
STD OXC145	Standard			0.218																	
STD OXC145	Standard			0.224																	
STD OXH139	Standard			1.284																	
STD OXH139	Standard			1.275																	
STD OXH139	Standard			1.352																	
STD OXN134	Standard			7.664																	
STD OXN134	Standard			7.574																	
STD OXN134	Standard			7.582																	
STD OXQ90	Standard					25.20	29.88														
STD OXQ90	Standard					24.11	30.24														
STD OXQ90	Standard					25.28	30.82														
STD OXQ90	Standard					25.10	29.60														
STD OXQ90	Standard					25.30	30.04														
STD OXQ90	Standard					25.25	29.98														
STD OXQ90	Standard					25.14	29.39														
STD OXQ90	Standard					25.00	29.24														
STD OXQ90	Standard					24.92	29.74														
STD OXQ90	Standard					24.99	29.77														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 2 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000330.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD BVGE001	Standard	6.91	3.73	26.89	76	1.40	0.087	28.1	195.7	1.32	290.3	0.238	3	2.43	0.210	0.94	4.9	6.3	0.60	0.69	92
STD BVGE001	Standard	7.17	3.36	27.45	76	1.34	0.085	28.7	182.3	1.34	243.0	0.236	3	2.48	0.216	0.97	4.9	6.2	0.64	0.65	90
STD DS11	Standard	2.27	7.96	11.96	50	1.01	0.069	18.3	56.9	0.84	342.1	0.088	7	1.18	0.075	0.39	2.6	3.4	4.64	0.26	257
STD DS11	Standard	2.44	8.06	12.09	52	1.07	0.082	19.6	56.9	0.86	358.2	0.105	7	1.23	0.078	0.41	2.9	3.3	4.64	0.27	257
STD OREAS262	Standard	0.67	5.05	1.07	24	2.97	0.037	15.9	42.7	1.18	245.9	0.003	4	1.38	0.071	0.31	0.2	3.6	0.45	0.24	166
STD OREAS262	Standard	0.67	4.93	1.04	24	3.04	0.046	19.4	43.6	1.16	257.9	0.003	5	1.52	0.069	0.36	0.2	3.4	0.44	0.26	155
STD OREAS262	Standard	0.70	4.46	1.05	25	3.05	0.040	16.6	42.5	1.21	250.0	0.003	4	1.42	0.072	0.32	0.2	3.2	0.46	0.26	150
STD OREAS262	Standard	0.71	4.58	1.07	23	2.94	0.042	17.8	43.4	1.17	255.1	0.003	4	1.40	0.069	0.31	0.2	3.2	0.45	0.25	144
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 2 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000330.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD BVGE001	Standard	4.7	1.01	8.3	7.77	0.2	0.34	0.28	93.2	6.4	<0.05	10.5	14.79	51.9	0.51	2	0.6	21.8	103	178
STD BVGE001	Standard	4.4	1.00	7.4	7.43	0.2	0.30	0.27	92.3	6.1	<0.05	10.3	14.71	51.9	0.51	4	0.8	23.1	113	186
STD DS11	Standard	2.0	4.43	4.8	2.72	<0.1	0.07	1.31	31.8	1.8	<0.05	3.7	7.84	35.2	0.22	42	0.9	24.1	99	169
STD DS11	Standard	2.1	4.47	5.1	2.91	<0.1	0.08	1.59	35.0	1.9	<0.05	3.2	8.38	37.9	0.26	48	0.6	23.2	86	159
STD OREAS262	Standard	<0.1	0.21	4.0	2.66	<0.1	0.23	<0.02	18.6	0.6	<0.05	7.8	10.98	32.4	0.02	<1	1.0	16.5	<10	<2
STD OREAS262	Standard	0.2	0.22	4.3	2.92	<0.1	0.23	<0.02	21.3	0.6	<0.05	8.7	11.35	36.7	0.03	<1	1.2	18.0	<10	<2
STD OREAS262	Standard	0.2	0.23	4.1	2.64	<0.1	0.23	<0.02	20.5	0.6	<0.05	7.6	11.66	33.0	0.03	2	1.0	18.4	<10	<2
STD OREAS262	Standard	0.4	0.22	4.2	2.75	<0.1	0.22	<0.02	20.3	0.7	<0.05	11.1	11.39	34.9	0.03	<1	1.1	17.5	<10	<2
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

# QUALITY CONTROL REPORT

WHI19000330.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.02	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		467	<0.005	<0.01	<0.17	49.52	0.87	2.53	1.17	29.8	6	1.1	3.3	483	1.83	0.8	0.5	0.5	2.1	20.5
ROCK-WHI	Prep Blank		462	0.020	0.02	<0.17	43.47	1.10	2.50	1.15	30.4	3	1.1	3.4	511	1.83	0.5	0.5	<0.2	2.8	21.5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

**Page:** 3 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000330.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	0.9	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.01	0.06	<0.02	24	0.57	0.039	5.9	2.6	0.44	54.4	0.069	<1	0.93	0.133	0.11	<0.1	3.3	<0.02	<0.02	5
ROCK-WHI	Prep Blank	0.03	0.09	<0.02	23	0.62	0.044	6.4	2.5	0.42	57.0	0.081	<1	0.96	0.158	0.13	<0.1	4.3	<0.02	<0.02	<5





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** August 29, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Page:** 3 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000330.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
STD OXQ90 Expected																			
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	0.01	0.2	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.4	0.17	0.1	0.07	0.17	1.9	0.3	<0.05	2.1	8.29	12.5	<0.02	<1	0.2	2.0	<10
ROCK-WHI	Prep Blank	<0.1	0.02	3.7	0.15	0.1	0.09	0.21	2.2	0.3	<0.05	2.7	9.15	13.3	<0.02	<1	0.2	2.5	<10