



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 06, 2019
Report Date: August 29, 2019
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000331.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-41
P.O. Number
Number of Samples: 13

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	13	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	13	Split samples by riffle splitter			WHI
PUL85	13	Pulverize to 85% passing 200 mesh			WHI
SLBHP	0	Sort, label and box pulps			WHI
FS631	13	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	13	Analysis sample split/packet			WHI
Split -150	13	Analysis sample split/packet			WHI
EN002	13	Environmental disposal charge-Fire assay lead waste			VAN
FS631	13	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	13	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	13	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Peter Tallman
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 2 of 2

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000331.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2023425	Drill Core	3.24	439	0.009	<0.01	<0.17	37.00	1.22	10.38	17.29	10.0	413	9.4	6.5	161	1.49	3.4	3.0	6.5	10.3	31.0
2023426	Drill Core	3.17	417	0.012	0.01	<0.17	50.81	1.55	5.86	42.90	19.4	447	6.9	5.0	202	1.60	5.0	1.8	9.0	12.4	37.1
2023427	Drill Core	3.10	521	0.011	0.01	<0.17	40.07	1.26	17.80	22.35	13.5	543	7.7	6.1	222	1.59	4.6	1.5	7.8	10.0	27.5
2023428	Drill Core	3.14	506	0.013	0.01	<0.17	45.73	1.68	55.71	52.40	57.2	1409	7.8	5.5	264	1.67	6.9	1.5	7.3	8.4	29.8
2023429	Drill Core	3.23	525	0.033	0.03	<0.17	39.25	1.13	49.20	27.92	67.5	1300	8.9	6.1	376	1.48	16.3	2.0	28.5	10.6	51.1
2023430	Drill Core	2.03	441	0.017	0.02	<0.17	38.84	1.99	31.68	44.42	79.8	1018	8.2	5.4	342	1.72	17.2	1.7	14.0	10.3	39.6
2023431	Drill Core	2.06	436	0.012	0.01	<0.17	34.37	1.72	20.74	26.87	25.5	723	10.8	6.8	272	1.98	9.8	2.5	9.6	12.7	46.9
2023432	Drill Core	2.29	505	0.019	0.02	<0.17	47.75	2.17	5.37	37.76	15.4	392	1.8	1.8	151	0.67	22.0	3.4	14.4	15.0	59.8
2023433	Drill Core	3.22	516	0.021	0.02	<0.17	34.28	0.76	4.27	19.81	11.4	160	0.3	0.2	43	0.34	12.0	2.9	17.0	16.2	35.5
2023434	Drill Core	3.35	424	0.009	<0.01	<0.17	45.54	1.04	2.87	19.40	5.5	149	0.3	0.1	59	0.33	9.6	3.1	6.9	20.5	20.2
2023435	Drill Core	3.11	487	0.015	0.02	<0.17	50.44	1.01	3.11	23.94	3.6	190	0.3	0.3	66	0.41	11.8	2.3	10.7	15.9	19.1
2023436	Drill Core	1.96	468	0.010	<0.01	<0.17	38.88	0.62	5.72	11.53	5.3	125	0.3	0.7	45	0.37	11.9	2.2	7.1	17.4	12.2
2023437	Drill Core	1.78	398	0.009	<0.01	<0.17	50.90	1.49	1.90	15.54	3.4	92	0.3	0.4	36	0.35	5.2	2.4	5.2	17.9	9.1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 2 of 2

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000331.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
2023425	Drill Core	0.18	0.36	0.06	3	0.54	0.051	10.8	4.3	0.05	145.5	0.003	<1	0.33	0.028	0.26	0.1	0.9	0.07	1.56
2023426	Drill Core	0.26	0.29	0.10	3	0.68	0.033	10.7	3.7	0.04	103.5	0.002	<1	0.31	0.029	0.24	0.1	0.7	0.07	1.58
2023427	Drill Core	0.21	0.33	0.13	2	0.75	0.043	8.3	3.9	0.05	96.5	0.002	<1	0.31	0.021	0.24	0.1	0.7	0.08	1.64
2023428	Drill Core	0.68	0.83	0.11	2	0.74	0.037	7.2	3.9	0.11	109.6	0.001	<1	0.32	0.017	0.21	<0.1	0.7	0.05	1.62
2023429	Drill Core	0.80	0.94	0.11	2	0.85	0.047	11.1	4.6	0.30	131.7	0.001	<1	0.46	0.021	0.22	0.1	0.9	0.06	1.30
2023430	Drill Core	0.79	0.64	0.11	3	0.71	0.042	9.2	4.5	0.24	103.9	0.001	<1	0.40	0.022	0.21	<0.1	0.9	0.06	1.68
2023431	Drill Core	0.23	0.65	0.10	3	0.58	0.056	15.5	5.6	0.18	116.2	0.001	<1	0.40	0.023	0.23	0.1	1.3	0.07	1.96
2023432	Drill Core	0.19	0.51	0.46	<1	0.20	0.011	23.6	1.9	0.12	409.3	<0.001	<1	0.30	0.003	0.22	<0.1	0.6	0.09	0.47
2023433	Drill Core	0.17	0.35	0.11	<1	0.05	0.003	34.1	1.0	0.04	741.8	<0.001	<1	0.30	0.002	0.25	<0.1	0.4	0.09	0.14
2023434	Drill Core	0.04	0.22	0.11	<1	0.04	0.002	35.9	1.1	0.07	296.4	<0.001	<1	0.31	0.003	0.25	<0.1	0.4	0.07	0.10
2023435	Drill Core	0.04	0.25	0.24	<1	0.07	0.001	29.8	1.3	0.05	116.2	<0.001	<1	0.27	0.002	0.22	<0.1	0.5	0.06	0.12
2023436	Drill Core	0.02	0.23	0.10	<1	0.02	0.003	28.3	1.1	0.06	113.5	<0.001	<1	0.27	0.008	0.24	<0.1	0.4	0.07	0.12
2023437	Drill Core	0.01	0.16	0.09	<1	0.02	0.002	32.6	1.0	0.05	158.3	<0.001	<1	0.32	0.009	0.30	<0.1	0.4	0.07	0.13



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 2 of 2

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000331.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2023425	Drill Core	<0.1	<0.02	1.1	0.28	<0.1	0.13	0.02	10.3	0.2	<0.05	5.0	4.45	21.7	<0.02	1	0.2	1.8	<10
2023426	Drill Core	<0.1	0.02	0.9	0.33	<0.1	0.11	0.03	9.0	0.6	<0.05	4.6	5.52	20.9	<0.02	<1	0.2	1.5	<10
2023427	Drill Core	0.3	<0.02	0.9	0.35	<0.1	0.20	<0.02	9.8	0.3	<0.05	8.0	4.32	15.8	<0.02	<1	0.2	2.0	<10
2023428	Drill Core	0.1	<0.02	0.9	0.37	<0.1	0.20	<0.02	9.1	0.2	<0.05	7.3	3.10	13.5	<0.02	<1	0.1	2.7	<10
2023429	Drill Core	0.2	<0.02	1.3	1.06	<0.1	0.12	<0.02	10.0	0.3	<0.05	5.4	4.93	21.5	<0.02	<1	<0.1	5.3	<10
2023430	Drill Core	0.3	<0.02	1.2	0.76	<0.1	0.20	0.02	8.7	0.2	<0.05	8.2	3.99	17.3	<0.02	2	<0.1	4.6	<10
2023431	Drill Core	<0.1	<0.02	1.3	1.33	<0.1	0.26	<0.02	10.4	0.3	<0.05	11.5	6.78	29.0	<0.02	1	0.4	3.6	<10
2023432	Drill Core	<0.1	<0.02	0.8	2.51	<0.1	0.23	<0.02	9.2	0.6	<0.05	7.3	6.74	44.5	<0.02	2	0.4	2.0	<10
2023433	Drill Core	<0.1	<0.02	0.8	1.76	<0.1	0.27	0.05	9.4	0.4	<0.05	8.9	7.89	64.8	<0.02	<1	0.4	0.9	<10
2023434	Drill Core	<0.1	<0.02	0.8	0.95	<0.1	0.32	0.04	9.5	0.3	<0.05	11.0	11.12	72.3	<0.02	<1	0.2	1.6	<10
2023435	Drill Core	<0.1	<0.02	0.6	0.82	<0.1	0.21	0.04	8.3	0.4	<0.05	8.2	9.10	56.4	<0.02	<1	<0.1	1.2	10
2023436	Drill Core	<0.1	<0.02	0.8	0.49	<0.1	0.21	0.02	9.5	0.8	<0.05	6.9	9.82	55.8	<0.02	<1	<0.1	1.7	<10
2023437	Drill Core	<0.1	<0.02	0.9	0.33	<0.1	0.22	0.02	10.9	0.4	<0.05	8.4	10.94	63.3	<0.02	<1	<0.1	2.0	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 1 of 1

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000331.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
2023434	Drill Core	3.35	424	0.009	<0.01	<0.17	45.54	1.04	2.87	19.40	5.5	149	0.3	0.1	59	0.33	9.6	3.1	6.9	20.5	20.2	
REP 2023434	QC							1.02	2.69	18.68	5.1	147	0.3	0.1	60	0.33	8.7	3.0	5.8	20.7	20.3	
Core Reject Duplicates																						
2023425	Drill Core	3.24	439	0.009	<0.01	<0.17	37.00	1.22	10.38	17.29	10.0	413	9.4	6.5	161	1.49	3.4	3.0	6.5	10.3	31.0	
DUP 2023425	QC	424		0.010	<0.01	<0.17	44.94	1.19	10.89	19.01	11.4	448	9.4	6.9	180	1.54	3.4	2.9	6.6	10.6	30.4	
Reference Materials																						
STD DS11	Standard							14.95	158.75	142.68	344.8	1741	81.8	13.7	1022	3.12	42.0	2.9	90.4	9.1	68.4	
STD OREAS262	Standard							0.67	118.68	57.17	152.8	449	64.8	26.0	540	3.28	36.5	1.3	68.1	10.3	36.6	
STD OXC145	Standard	0.205																				
STD OXH139	Standard	1.278																				
STD OXN134	Standard	7.683																				
STD OXQ90	Standard						25.23	29.96														
STD OXQ90	Standard						24.53	30.04														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	
STD OXQ90 Expected							24.88															
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	
BLK	Blank						<0.17	30.00														
BLK	Blank						<0.17	30.00														
Prep Wash																						
ROCK-WHI	Prep Blank	484		<0.005	<0.01	<0.17	33.34	0.97	2.76	1.28	26.4	8	0.6	3.0	399	1.65	0.5	0.5	1.0	2.5	22.3	
ROCK-WHI	Prep Blank	436		<0.005	<0.01	<0.17	26.67	0.91	1.92	1.15	26.9	8	0.8	2.9	433	1.72	1.2	0.5	<0.2	2.3	19.6	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 1 of 1

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000331.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2023434	Drill Core	0.04	0.22	0.11	<1	0.04	0.002	35.9	1.1	0.07	296.4	<0.001	<1	0.31	0.003	0.25	<0.1	0.4	0.07	0.10	<5
REP 2023434	QC	0.04	0.21	0.10	<1	0.04	0.002	36.8	1.0	0.07	280.5	<0.001	<1	0.30	0.003	0.25	<0.1	0.5	0.08	0.10	<5
Core Reject Duplicates																					
2023425	Drill Core	0.18	0.36	0.06	3	0.54	0.051	10.8	4.3	0.05	145.5	0.003	<1	0.33	0.028	0.26	0.1	0.9	0.07	1.56	<5
DUP 2023425	QC	0.18	0.36	0.06	3	0.57	0.055	11.4	4.3	0.05	137.4	0.002	<1	0.33	0.028	0.26	0.1	0.8	0.08	1.60	<5
Reference Materials																					
STD DS11	Standard	2.38	9.43	12.49	49	1.07	0.068	19.0	60.0	0.85	358.1	0.094	7	1.19	0.073	0.40	3.1	3.3	4.98	0.28	268
STD OREAS262	Standard	0.63	5.92	1.10	22	2.93	0.037	17.9	44.1	1.17	269.4	0.003	5	1.38	0.069	0.31	0.2	3.2	0.48	0.26	167
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.01	0.05	<0.02	20	0.56	0.039	6.3	1.8	0.39	61.1	0.065	<1	0.71	0.062	0.07	<0.1	2.3	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	<0.01	0.04	<0.02	20	0.68	0.037	6.1	1.9	0.40	49.7	0.066	<1	0.74	0.067	0.07	<0.1	2.5	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 29, 2019

Page: 1 of 1

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000331.1

Method Analyte Unit MDL	AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
Pulp Duplicates																			
2023434 Drill Core	<0.1	<0.02	0.8	0.95	<0.1	0.32	0.04	9.5	0.3	<0.05	11.0	11.12	72.3	<0.02	<1	0.2	1.6	<10	<2
REP 2023434 QC	<0.1	<0.02	0.8	0.87	<0.1	0.33	0.03	8.9	0.3	<0.05	11.2	10.55	68.4	<0.02	<1	0.2	1.5	<10	<2
Core Reject Duplicates																			
2023425 Drill Core	<0.1	<0.02	1.1	0.28	<0.1	0.13	0.02	10.3	0.2	<0.05	5.0	4.45	21.7	<0.02	1	0.2	1.8	<10	<2
DUP 2023425 QC	<0.1	<0.02	1.2	0.27	<0.1	0.11	0.03	10.2	0.2	<0.05	5.3	4.48	22.3	<0.02	<1	<0.1	1.8	<10	<2
Reference Materials																			
STD DS11 Standard	2.3	4.79	4.8	2.96	0.1	0.07	1.45	33.6	1.8	<0.05	3.0	8.31	38.0	0.25	44	0.7	21.2	93	180
STD OREAS262 Standard	0.5	0.26	4.1	2.98	<0.1	0.24	<0.02	18.9	0.6	<0.05	10.1	10.80	36.4	0.04	<1	0.6	17.7	<10	<2
STD OXC145 Standard																			
STD OXH139 Standard																			
STD OXN134 Standard																			
STD OXQ90 Standard																			
STD OXQ90 Standard																			
STD DS11 Expected	2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected	0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																			
BLK Blank																			
BLK Blank																			
BLK Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK Blank																			
BLK Blank																			
Prep Wash																			
ROCK-WHI Prep Blank	<0.1	<0.02	3.2	0.18	<0.1	0.14	0.25	2.0	0.3	<0.05	2.5	8.42	12.8	<0.02	<1	0.2	1.6	<10	<2
ROCK-WHI Prep Blank	<0.1	<0.02	3.2	0.15	<0.1	0.09	0.23	2.0	0.3	<0.05	2.5	8.08	12.1	<0.02	<1	0.3	1.9	<10	<2