



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 06, 2019
Report Date: August 30, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000333.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-41
P.O. Number
Number of Samples: 70

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	68	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FS631	70	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	70	Analysis sample split/packet			WHI
Split -150	70	Analysis sample split/packet			WHI
EN002	70	Environmental disposal charge-Fire assay lead waste			VAN
FS631	69	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	70	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	70	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Peter Tallman
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000333.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1829428	Drill Core	2.99	448	0.054	0.05	<0.17	25.04	0.21	17.90	15.36	63.8	377	7.1	7.0	314	1.69	30.2	2.2	38.3	11.8	116.5	
1829429	Drill Core	3.12	455	0.006	<0.01	<0.17	35.27	0.21	9.64	11.51	45.7	148	5.7	4.5	290	1.31	7.0	1.7	3.2	11.1	96.1	
1829430	Drill Core	2.84	405	0.026	0.02	<0.17	28.61	0.44	6.43	77.37	22.3	364	3.0	2.4	306	0.99	56.1	1.5	17.9	12.9	38.4	
1829431	Drill Core	2.73	462	0.008	<0.01	<0.17	39.91	0.43	3.72	21.86	11.1	171	0.5	1.1	245	0.56	15.5	2.0	5.6	14.5	46.1	
1829432	Drill Core	3.26	443	0.007	<0.01	<0.17	31.82	0.47	5.30	23.27	26.9	203	2.5	2.9	604	1.02	13.5	2.3	1.7	14.3	143.0	
1829433	Drill Core	2.70	510	0.631	0.73	2.01	35.41	0.25	8.11	10.30	16.5	2041	2.7	3.2	256	1.08	4.8	3.4	699.3	11.1	83.7	
1829434	Drill Core	1.42	481	4.272	7.85	52.23	35.84	0.20	9.76	5.82	26.7	6086	12.1	7.3	560	2.47	1.9	3.3	7114.0	5.9	240.0	
1829435	Drill Core	1.51	433	0.931	1.02	2.03	34.93	1.17	13.40	4.13	35.2	477	19.0	10.1	702	2.27	1.2	1.6	673.3	6.9	211.1	
1829436	Drill Core	3.02	471	0.010	<0.01	<0.17	35.97	0.72	9.85	7.84	47.7	97	17.5	9.7	366	2.35	0.3	1.6	3.8	10.3	171.3	
1829437	Drill Core	2.89	453	<0.005	<0.01	<0.17	31.36	3.81	11.61	12.77	36.0	174	4.2	3.5	266	1.31	0.3	2.6	2.3	11.7	88.8	
1829438	Drill Core	2.89	414	0.061	0.06	<0.17	30.67	0.87	10.94	16.12	53.5	260	5.9	5.3	322	1.77	41.1	2.3	71.6	11.4	82.7	
1829439	Drill Core	2.93	463	0.021	0.02	<0.17	37.53	0.79	22.20	21.39	76.5	418	9.4	6.2	666	1.99	66.3	2.6	17.3	11.1	88.5	
1829440	Rock Pulp	0.12	88	0.005				3.97	21.78	0.96	31.4	16	7.0	4.4	588	2.36	1.6	0.4	21.2	2.0	31.6	
1829441	Drill Core	3.06	476	0.074	0.11	0.46	38.93	0.49	13.13	15.65	51.8	425	7.5	6.5	606	1.81	78.6	3.6	51.8	11.4	117.4	
1829442	Drill Core	1.31	446	0.029	0.06	0.42	35.44	0.63	11.18	14.20	40.4	210	6.9	5.7	417	1.74	12.9	4.6	16.2	12.1	106.5	
1829443	Drill Core	1.88	414	0.009	<0.01	<0.17	27.93	0.53	9.02	14.85	38.9	194	3.5	3.5	357	1.25	8.2	3.6	7.1	13.8	96.0	
1829444	Drill Core	1.56	469	<0.005	<0.01	<0.17	43.86	0.34	3.71	10.63	34.1	106	1.7	2.2	317	1.23	0.7	2.7	1.7	12.3	84.2	
1829445	Drill Core	2.51	472	0.005	<0.01	<0.17	36.21	0.87	9.16	17.08	31.6	185	4.3	3.9	344	1.45	2.7	2.6	5.1	12.7	89.3	
1829446	Drill Core	2.94	436	0.007	<0.01	<0.17	24.81	0.27	15.15	14.40	59.9	182	7.6	5.5	353	1.92	0.4	2.9	28.4	12.1	99.5	
1829447	Drill Core	3.17	494	0.014	0.01	<0.17	28.14	0.24	6.85	14.64	42.9	100	5.3	4.3	293	1.46	0.2	2.8	3.9	12.1	99.3	
1829448	Drill Core	3.25	506	0.007	<0.01	<0.17	32.88	0.08	6.99	15.74	44.2	91	5.3	4.2	233	1.32	<0.1	2.6	5.0	12.3	98.2	
1829449	Drill Core	1.39	412	0.008	<0.01	<0.17	30.90	0.14	4.13	6.46	45.8	84	7.0	4.6	405	1.51	1.1	2.8	3.8	12.3	101.0	
1829450	Drill Core	1.63	476	0.008	<0.01	<0.17	36.31	0.10	4.13	11.60	63.1	98	7.7	5.1	257	1.65	1.3	2.4	2.2	13.3	56.1	
1829451	Drill Core	1.49	428	0.006	<0.01	<0.17	33.58	0.10	6.39	10.55	43.6	124	5.0	3.3	328	1.35	7.9	2.2	0.8	12.1	82.9	
1829452	Drill Core	1.65	482	0.014	0.01	<0.17	45.63	0.16	7.52	14.65	37.0	163	3.7	3.0	296	1.32	33.7	1.4	13.8	11.7	42.2	
1829453	Drill Core	1.52	469	0.019	0.02	<0.17	27.53	0.18	16.19	14.59	44.6	325	4.1	4.1	500	1.60	48.1	1.2	15.4	11.2	64.5	
1829454	Drill Core	3.03	461	0.007	<0.01	<0.17	42.34	0.10	7.65	6.32	34.3	163	3.8	3.5	247	1.27	8.1	1.4	2.8	11.5	62.9	
1829455	Drill Core	2.77	450	0.007	<0.01	<0.17	28.82	0.11	6.06	10.08	41.1	127	5.5	4.2	155	1.19	2.1	1.8	0.9	11.9	55.2	
1829456	Drill Core	3.12	483	0.029	0.03	<0.17	39.70	1.98	14.81	38.80	52.5	312	14.1	4.6	264	1.23	1.0	3.7	18.0	11.5	116.8	
1829457	Drill Core	2.94	460	0.025	0.02	<0.17	35.14	0.27	4.66	12.10	24.6	222	1.6	0.8	334	0.73	1.9	5.9	28.9	16.0	247.4	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000333.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829428	Drill Core	0.38	0.32	0.07	9	0.92	0.047	25.7	12.1	1.32	236.3	0.002	1	1.13	0.006	0.27	0.2	2.1	0.13	0.44	<5			
1829429	Drill Core	0.25	0.23	0.08	5	0.89	0.036	18.2	7.8	0.98	212.1	0.002	2	0.87	0.004	0.24	<0.1	1.8	0.10	0.20	8			
1829430	Drill Core	0.11	0.49	0.37	4	0.36	0.015	19.5	3.7	0.65	241.2	0.001	2	0.64	0.007	0.26	<0.1	1.0	0.09	0.40	<5			
1829431	Drill Core	0.07	0.17	0.14	1	0.69	0.011	29.4	1.5	0.37	151.3	<0.001	1	0.47	0.016	0.24	<0.1	0.7	0.07	0.15	<5			
1829432	Drill Core	0.26	0.15	0.17	3	2.27	0.034	24.0	4.2	0.91	170.8	0.001	<1	0.85	0.015	0.28	<0.1	1.7	0.07	0.14	<5			
1829433	Drill Core	0.12	0.10	0.09	3	1.00	0.035	14.0	2.4	0.45	162.9	0.001	2	0.55	0.019	0.29	<0.1	1.6	0.07	0.57	9			
1829434	Drill Core	0.36	0.13	0.04	4	2.44	0.043	6.4	6.0	0.88	84.1	0.001	<1	0.64	0.033	0.27	0.1	3.3	0.06	2.18	12			
1829435	Drill Core	0.14	0.12	0.03	17	3.03	0.045	11.5	23.8	1.18	261.2	0.004	1	1.12	0.015	0.30	<0.1	3.4	0.09	0.54	6			
1829436	Drill Core	0.10	0.11	0.05	21	1.83	0.041	20.0	28.6	1.39	213.9	0.006	<1	1.40	0.019	0.31	<0.1	3.9	0.08	0.10	<5			
1829437	Drill Core	0.14	0.12	0.19	5	1.09	0.036	21.5	3.6	0.54	216.7	0.020	2	0.75	0.022	0.41	<0.1	2.5	0.14	0.10	<5			
1829438	Drill Core	0.09	0.60	0.13	7	0.98	0.051	20.7	5.9	0.81	205.7	0.005	2	1.03	0.011	0.36	<0.1	2.6	0.13	0.31	5			
1829439	Drill Core	0.51	0.63	0.08	9	1.14	0.054	22.5	11.9	0.94	203.6	0.002	<1	1.04	0.017	0.26	<0.1	2.7	0.08	0.86	10			
1829440	Rock Pulp	0.02	0.18	<0.02	23	0.77	0.038	5.8	14.8	0.51	59.9	0.086	3	1.05	0.067	0.08	0.3	3.7	<0.02	0.05	<5			
1829441	Drill Core	0.41	0.79	0.09	6	1.54	0.046	20.9	6.2	0.76	109.6	0.002	<1	0.85	0.017	0.31	<0.1	2.8	0.10	1.11	<5			
1829442	Drill Core	0.51	0.22	0.04	8	1.25	0.046	32.5	5.0	0.56	152.3	0.005	<1	0.78	0.032	0.24	<0.1	3.0	0.08	0.60	<5			
1829443	Drill Core	0.34	0.19	0.09	6	1.14	0.041	32.4	4.1	0.54	218.0	0.003	<1	0.76	0.028	0.29	<0.1	2.7	0.09	0.26	<5			
1829444	Drill Core	0.15	0.10	0.06	5	1.11	0.030	29.2	3.6	0.49	242.0	0.006	<1	0.70	0.023	0.26	<0.1	2.6	0.08	0.18	<5			
1829445	Drill Core	0.20	0.14	0.13	8	1.42	0.035	30.3	5.9	0.58	283.6	0.006	1	0.79	0.024	0.29	<0.1	3.0	0.07	0.32	8			
1829446	Drill Core	0.16	0.14	0.06	16	0.96	0.065	29.3	10.3	0.87	403.5	0.048	<1	1.07	0.024	0.46	0.1	5.9	0.17	0.11	8			
1829447	Drill Core	0.20	0.11	0.05	9	1.05	0.050	33.1	6.1	0.66	668.2	0.046	<1	0.84	0.026	0.49	<0.1	4.3	0.16	0.08	<5			
1829448	Drill Core	0.19	0.11	<0.02	8	0.77	0.042	40.6	5.7	0.70	417.4	0.040	<1	0.85	0.024	0.48	<0.1	5.2	0.20	0.02	<5			
1829449	Drill Core	0.21	0.10	<0.02	7	1.16	0.048	37.0	7.6	0.78	196.2	0.007	<1	0.93	0.027	0.31	0.1	3.8	0.10	0.08	7			
1829450	Drill Core	0.13	0.11	<0.02	8	0.57	0.048	27.5	7.8	0.85	151.1	0.003	<1	0.99	0.026	0.25	<0.1	3.7	0.07	0.09	7			
1829451	Drill Core	0.18	0.10	<0.02	5	1.00	0.046	24.0	4.5	0.56	248.6	0.003	1	0.78	0.028	0.32	0.2	2.7	0.09	0.24	16			
1829452	Drill Core	0.15	0.31	<0.02	5	0.44	0.043	20.9	3.9	0.46	207.6	0.002	<1	0.67	0.027	0.30	0.1	2.1	0.10	0.59	17			
1829453	Drill Core	0.18	0.37	0.03	7	0.57	0.050	19.7	4.9	0.78	178.4	0.002	<1	0.87	0.030	0.27	0.1	2.1	0.09	0.71	9			
1829454	Drill Core	0.11	0.11	<0.02	5	0.68	0.043	23.1	3.8	0.54	229.6	0.003	<1	0.77	0.027	0.31	<0.1	2.2	0.07	0.29	<5			
1829455	Drill Core	0.11	0.09	<0.02	4	0.48	0.046	24.3	4.1	0.64	219.1	0.003	1	0.84	0.018	0.35	0.1	2.1	0.09	0.15	6			
1829456	Drill Core	0.26	0.14	0.14	4	0.96	0.025	21.8	18.7	1.15	183.6	0.002	<1	0.94	0.012	0.27	<0.1	1.9	0.07	0.22	7			
1829457	Drill Core	0.29	0.21	0.05	2	2.10	0.002	18.4	2.3	0.82	629.0	0.001	<1	0.59	0.014	0.25	0.1	2.1	0.05	0.24	11			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000333.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829428	Drill Core	0.3	<0.02	2.9	1.21	<0.1	0.13	<0.02	10.3	0.6	<0.05	8.3	11.04	47.8	<0.02	<1	0.4	19.5	<10	<2			
1829429	Drill Core	<0.1	<0.02	1.8	0.76	<0.1	0.18	0.02	9.3	0.3	<0.05	8.9	8.56	36.0	<0.02	<1	0.3	14.2	<10	<2			
1829430	Drill Core	<0.1	<0.02	1.5	0.46	<0.1	0.08	<0.02	8.7	0.4	<0.05	6.1	6.71	37.1	0.02	<1	<0.1	9.1	<10	<2			
1829431	Drill Core	<0.1	<0.02	0.9	0.83	<0.1	0.07	<0.02	8.3	0.4	<0.05	3.4	8.04	53.8	<0.02	<1	0.3	6.6	<10	<2			
1829432	Drill Core	<0.1	<0.02	1.8	0.41	<0.1	0.09	<0.02	9.7	0.5	<0.05	3.5	9.46	47.0	<0.02	<1	0.3	12.3	<10	<2			
1829433	Drill Core	0.2	0.85	1.1	0.36	<0.1	0.07	<0.02	9.9	0.2	<0.05	4.0	4.34	26.4	<0.02	<1	0.2	7.0	<10	<2			
1829434	Drill Core	0.8	2.46	1.7	0.48	<0.1	0.20	<0.02	8.9	0.3	<0.05	10.1	5.73	12.7	<0.02	<1	0.4	9.2	<10	<2			
1829435	Drill Core	0.2	0.05	2.8	0.56	<0.1	0.03	<0.02	10.2	0.2	<0.05	1.2	9.03	22.3	<0.02	<1	0.3	13.2	<10	<2			
1829436	Drill Core	0.2	<0.02	4.0	0.58	<0.1	0.08	<0.02	10.0	0.3	<0.05	2.7	8.89	37.8	<0.02	<1	0.3	16.4	<10	<2			
1829437	Drill Core	<0.1	<0.02	2.2	0.93	<0.1	0.13	<0.02	17.3	0.2	<0.05	6.5	5.23	40.6	<0.02	<1	0.4	7.2	<10	<2			
1829438	Drill Core	<0.1	0.02	2.5	1.00	<0.1	0.04	<0.02	13.1	0.3	<0.05	2.1	7.75	36.4	0.02	2	0.3	17.4	<10	<2			
1829439	Drill Core	0.1	<0.02	3.2	0.83	<0.1	<0.02	<0.02	10.3	0.3	<0.05	1.3	9.81	42.9	0.03	<1	0.3	22.7	<10	<2			
1829440	Rock Pulp	<0.1	<0.02	3.8	0.13	<0.1	0.15	0.40	2.0	1.7	<0.05	4.6	8.04	12.4	<0.02	<1	0.2	1.1	<10	<2			
1829441	Drill Core	0.9	<0.02	2.4	0.53	<0.1	0.02	<0.02	11.8	0.2	<0.05	0.9	11.00	40.1	<0.02	9	0.3	13.7	<10	<2			
1829442	Drill Core	1.6	<0.02	3.4	0.58	<0.1	0.03	<0.02	9.8	0.3	<0.05	1.3	13.30	59.6	0.02	2	0.2	10.2	<10	<2			
1829443	Drill Core	0.4	<0.02	2.9	0.60	<0.1	0.02	<0.02	10.5	0.3	<0.05	1.5	12.08	62.0	<0.02	<1	0.4	8.5	<10	<2			
1829444	Drill Core	<0.1	<0.02	2.5	0.49	<0.1	0.03	<0.02	9.4	0.3	<0.05	0.8	13.13	54.4	0.03	<1	0.2	6.4	<10	<2			
1829445	Drill Core	0.3	<0.02	2.8	0.42	<0.1	0.02	0.03	9.5	0.3	<0.05	1.0	13.46	55.3	0.03	<1	0.3	7.0	<10	<2			
1829446	Drill Core	0.1	<0.02	4.1	1.14	<0.1	0.04	0.07	20.0	0.3	<0.05	1.1	12.58	56.9	0.02	<1	0.6	10.5	<10	<2			
1829447	Drill Core	0.3	<0.02	3.3	1.04	<0.1	0.03	0.18	22.2	0.4	<0.05	1.1	9.21	60.6	<0.02	2	0.3	7.9	<10	<2			
1829448	Drill Core	0.2	<0.02	3.7	1.16	<0.1	0.05	0.09	23.8	0.3	<0.05	1.7	13.05	74.9	<0.02	<1	0.4	9.1	<10	<2			
1829449	Drill Core	<0.1	<0.02	2.9	0.65	<0.1	0.06	<0.02	12.2	0.3	<0.05	1.8	11.23	64.1	<0.02	<1	0.5	12.2	<10	<2			
1829450	Drill Core	0.2	<0.02	4.3	0.52	<0.1	0.04	<0.02	10.1	0.2	<0.05	1.8	9.52	54.1	<0.02	<1	0.4	15.3	<10	<2			
1829451	Drill Core	<0.1	<0.02	3.0	0.40	<0.1	0.04	<0.02	11.5	<0.1	<0.05	2.0	7.49	47.2	<0.02	<1	0.3	11.1	<10	<2			
1829452	Drill Core	0.1	<0.02	2.4	0.46	<0.1	0.05	<0.02	10.7	0.3	<0.05	2.0	5.27	38.9	<0.02	3	0.2	10.6	<10	<2			
1829453	Drill Core	0.1	<0.02	3.4	0.33	<0.1	0.11	<0.02	9.6	0.2	<0.05	3.6	6.70	36.1	<0.02	<1	0.4	16.0	<10	<2			
1829454	Drill Core	0.1	<0.02	2.6	0.30	<0.1	0.07	<0.02	10.2	0.1	<0.05	3.1	4.54	38.8	<0.02	2	0.3	11.2	<10	<2			
1829455	Drill Core	<0.1	<0.02	2.6	0.29	<0.1	0.05	<0.02	11.5	0.1	<0.05	3.3	4.46	45.2	<0.02	<1	0.2	14.1	<10	<2			
1829456	Drill Core	<0.1	<0.02	2.5	0.40	<0.1	0.05	<0.02	8.9	0.2	<0.05	2.5	5.61	39.4	<0.02	3	0.3	13.9	<10	<2			
1829457	Drill Core	<0.1	0.05	1.4	0.23	<0.1	0.08	<0.02	7.9	0.3	<0.05	3.5	6.49	35.0	0.03	<1	0.2	7.8	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000333.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1829458	Drill Core	2.70	446	0.016	0.01	<0.17	45.40	0.41	1.99	13.87	21.8	122	2.1	1.1	159	0.51	6.3	3.6	11.2	58.9
1829459	Drill Core	1.30	437	0.006	<0.01	<0.17	25.99	0.32	1.91	0.65	2.3	20	0.5	0.2	106	0.52	1.8	0.1	2.9	20.1
1829460	Core DUP		401	0.007	<0.01	<0.17	42.51	0.28	1.76	0.59	2.3	19	0.6	0.2	110	0.47	1.9	0.1	3.4	18.5
1829461	Drill Core	1.87	408	0.006	<0.01	<0.17	47.03	1.49	1.31	24.82	5.0	148	0.4	0.2	73	0.31	2.8	3.1	3.2	33.1
1829462	Drill Core	1.88	426	0.008	<0.01	<0.17	26.49	0.63	1.27	14.53	16.7	99	0.3	0.4	83	0.43	8.0	3.3	4.3	15.6
1829463	Drill Core	1.80	382	0.009	<0.01	<0.17	25.33	0.40	3.61	26.13	24.5	174	1.2	0.9	141	0.55	7.5	3.0	4.9	22.8
1829464	Drill Core	1.46	486	0.010	<0.01	<0.17	25.92	0.68	1.34	27.74	14.3	173	0.4	0.2	97	0.45	2.8	3.4	5.6	36.5
1829465	Drill Core	2.38	447	0.015	0.01	<0.17	29.58	2.33	19.29	41.31	100.6	485	11.5	10.6	408	2.22	19.2	1.5	10.0	85.1
1829466	Drill Core	1.61	541	0.319	0.32	0.31	38.61	0.50	13.29	30.31	48.0	2425	8.6	8.4	819	1.87	13.4	1.5	237.9	317.6
1829467	Drill Core	3.05	366	0.156	0.14	<0.17	34.65	1.00	1.37	26.61	38.4	200	1.4	1.0	131	0.57	7.7	3.4	65.9	51.6
1829468	Drill Core	2.97	553	0.012	0.01	<0.17	34.90	0.95	9.65	31.95	38.3	273	2.0	2.3	159	0.78	20.2	2.8	4.5	31.5
1829469	Drill Core	3.17	395	0.014	0.01	<0.17	28.63	0.63	8.77	19.94	41.6	243	4.4	4.4	208	1.13	30.4	2.2	10.9	31.2
1829470	Drill Core	3.76	416	0.024	0.02	<0.17	40.73	1.76	20.64	29.79	61.5	427	7.1	6.8	397	1.50	45.3	1.9	15.4	49.0
1829471	Drill Core	2.78	549	0.012	0.01	<0.17	36.03	1.98	10.77	8.02	50.2	219	4.1	4.7	304	1.17	26.2	2.4	9.1	28.9
1829472	Drill Core	2.96	401	0.012	0.01	<0.17	24.91	1.12	19.80	57.20	76.6	361	7.8	6.8	516	1.53	16.0	2.0	10.5	50.0
1829473	Drill Core	3.03	411	0.009	<0.01	<0.17	28.77	0.64	18.47	21.86	86.6	313	11.4	8.4	454	1.57	19.5	2.0	6.3	46.1
1829474	Drill Core	2.88	534	0.011	0.01	<0.17	32.00	1.60	16.03	36.14	81.3	327	11.6	9.2	448	1.85	14.5	1.8	7.6	39.4
1829475	Drill Core	3.10	501	0.010	<0.01	<0.17	37.13	3.26	21.32	37.77	45.5	326	6.2	5.8	402	1.32	7.2	2.2	3.8	48.7
1829476	Drill Core	2.68	380	0.009	<0.01	<0.17	38.91	1.75	16.74	45.32	91.2	359	10.2	9.1	397	1.85	2.1	2.0	3.5	47.3
1829477	Drill Core	2.63	472	0.007	<0.01	<0.17	34.49	0.97	13.56	12.83	62.6	231	5.0	5.8	401	1.39	2.0	2.2	2.9	60.2
1829478	Drill Core	2.81	479	0.010	<0.01	<0.17	26.95	0.80	21.79	21.73	60.0	326	8.1	6.5	356	1.61	3.8	2.6	1.8	41.7
1829479	Drill Core	3.05	417	0.009	<0.01	<0.17	26.36	1.20	28.43	13.71	47.2	326	7.9	6.3	436	1.79	1.1	1.2	3.8	48.9
1829480	Rock	0.23	173	<0.005	<0.01	<0.17	37.16	0.54	1.11	1.03	1.6	9	1.2	0.4	71	0.69	0.6	0.2	0.7	1.5
1829481	Drill Core	3.00	517	0.008	<0.01	<0.17	31.36	1.03	25.39	20.64	60.1	360	8.2	6.8	413	1.75	0.9	1.4	4.3	41.3
1829482	Drill Core	2.98	426	0.008	<0.01	<0.17	29.72	0.85	19.60	30.43	72.8	346	7.2	6.1	247	1.64	3.1	2.7	5.4	28.2
1829483	Drill Core	2.82	383	0.008	<0.01	<0.17	36.38	1.41	36.74	24.35	81.1	438	9.3	7.9	346	2.33	1.8	2.0	2.4	34.1
1829484	Drill Core	3.00	367	0.009	<0.01	<0.17	42.59	2.27	31.72	48.92	91.8	487	11.6	8.5	394	2.12	0.5	1.2	6.2	31.3
1829485	Drill Core	2.94	473	0.010	<0.01	<0.17	28.05	1.63	27.27	55.60	142.5	479	14.6	10.0	524	2.17	3.1	1.5	4.6	45.2
1829486	Drill Core	2.88	365	0.009	<0.01	<0.17	36.32	1.06	21.83	17.53	79.7	281	10.7	9.0	380	1.55	1.7	1.1	2.0	48.7
1829487	Drill Core	2.80	460	0.008	<0.01	<0.17	32.42	0.27	18.30	2.94	41.7	176	10.6	7.9	278	1.26	0.6	1.1	2.2	43.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000333.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829458	Drill Core	0.20	0.17	0.08	1	0.52	0.003	21.0	2.5	0.42	265.0	<0.001	<1	0.43	0.013	0.27	<0.1	1.1	0.07	0.20	6			
1829459	Drill Core	<0.01	0.07	<0.02	<1	0.14	<0.001	0.6	2.3	0.08	9.2	<0.001	<1	0.02	0.002	0.01	<0.1	0.3	<0.02	0.05	<5			
1829460	Core DUP	<0.01	0.12	<0.02	<1	0.13	<0.001	0.6	2.0	0.08	8.6	<0.001	<1	0.02	0.002	0.01	<0.1	0.2	<0.02	0.05	6			
1829461	Drill Core	0.05	0.13	0.19	<1	0.06	0.002	25.0	1.6	0.13	642.3	<0.001	<1	0.29	0.018	0.22	0.1	0.6	0.05	0.06	<5			
1829462	Drill Core	0.11	0.13	0.12	<1	0.07	0.001	23.2	1.3	0.25	195.5	<0.001	<1	0.36	0.018	0.21	0.2	0.7	0.05	0.08	<5			
1829463	Drill Core	0.22	0.27	0.20	1	0.13	0.002	18.3	2.2	0.38	180.9	<0.001	<1	0.44	0.012	0.23	<0.1	0.7	0.06	0.13	<5			
1829464	Drill Core	0.10	0.10	0.18	<1	0.08	0.001	13.8	1.7	0.32	635.4	<0.001	<1	0.39	0.016	0.19	<0.1	0.6	0.05	0.06	<5			
1829465	Drill Core	0.34	0.34	0.11	10	0.62	0.045	6.9	46.4	1.83	85.2	0.002	<1	1.18	0.009	0.18	0.1	1.4	0.06	1.33	12			
1829466	Drill Core	0.77	0.39	0.10	6	2.99	0.017	4.9	17.9	1.29	87.0	0.002	2	0.50	0.011	0.21	<0.1	2.2	0.05	1.48	<5			
1829467	Drill Core	0.23	0.15	0.11	1	0.30	0.003	19.1	2.7	0.45	547.7	<0.001	<1	0.41	0.010	0.20	0.2	0.4	0.05	0.22	<5			
1829468	Drill Core	0.14	0.61	0.19	2	0.22	0.012	9.8	7.2	0.60	295.8	0.001	<1	0.60	0.012	0.23	0.1	0.7	0.05	0.37	<5			
1829469	Drill Core	0.16	0.34	0.13	3	0.27	0.029	8.5	6.3	0.65	111.3	0.001	<1	0.64	0.012	0.23	0.1	0.9	0.06	0.64	<5			
1829470	Drill Core	0.30	0.40	0.25	6	0.46	0.040	8.3	24.8	1.04	89.4	0.001	<1	0.93	0.014	0.23	<0.1	1.3	0.06	0.80	<5			
1829471	Drill Core	0.26	0.27	0.09	4	0.37	0.036	6.6	5.5	0.80	119.1	0.001	<1	0.77	0.013	0.23	<0.1	1.0	0.08	0.51	<5			
1829472	Drill Core	0.43	0.24	0.14	7	0.64	0.039	5.9	26.9	1.15	209.6	0.002	<1	1.07	0.019	0.25	<0.1	1.4	0.09	0.54	<5			
1829473	Drill Core	0.27	0.21	0.03	8	0.54	0.044	6.1	29.2	1.21	172.9	0.002	<1	1.04	0.016	0.21	<0.1	1.6	0.08	0.69	<5			
1829474	Drill Core	0.29	0.24	0.07	9	0.46	0.046	5.2	47.9	1.29	136.5	0.002	<1	1.14	0.015	0.22	<0.1	1.8	0.06	0.98	<5			
1829475	Drill Core	0.40	0.14	0.07	6	0.58	0.038	7.2	27.7	0.75	153.4	0.002	<1	0.67	0.015	0.21	0.1	1.0	0.06	0.77	<5			
1829476	Drill Core	0.28	0.11	0.07	11	0.39	0.051	6.1	56.5	1.50	148.7	0.003	<1	1.35	0.020	0.26	<0.1	1.9	0.06	0.72	<5			
1829477	Drill Core	0.30	0.10	0.09	5	0.46	0.045	5.9	9.2	0.96	205.8	0.002	<1	0.88	0.012	0.22	<0.1	1.1	0.06	0.57	<5			
1829478	Drill Core	0.25	0.10	0.14	7	0.42	0.047	6.2	18.4	0.92	169.3	0.002	<1	0.93	0.023	0.26	<0.1	1.4	0.07	0.84	<5			
1829479	Drill Core	0.33	0.17	0.09	7	0.67	0.047	5.5	7.7	0.70	91.1	0.003	<1	0.79	0.025	0.31	0.1	1.3	0.07	1.21	<5			
1829480	Rock	<0.01	<0.02	<0.02	1	<0.01	0.002	2.1	3.8	0.01	15.4	0.002	<1	0.07	0.003	0.02	<0.1	0.2	<0.02	<0.02	<5			
1829481	Drill Core	0.24	0.14	0.14	7	0.48	0.047	4.7	8.7	0.76	78.6	0.002	<1	0.78	0.020	0.26	<0.1	1.4	0.05	1.16	<5			
1829482	Drill Core	0.30	0.17	0.13	6	0.27	0.039	6.0	13.4	0.76	125.0	0.002	<1	0.80	0.023	0.24	<0.1	1.0	0.06	1.02	<5			
1829483	Drill Core	0.29	0.16	0.07	8	0.30	0.049	4.1	19.8	1.13	56.5	0.003	<1	1.03	0.024	0.22	<0.1	1.7	0.05	1.63	<5			
1829484	Drill Core	0.38	0.16	0.11	9	0.36	0.051	3.8	34.3	1.31	83.2	0.002	<1	1.11	0.017	0.22	<0.1	1.6	0.05	1.35	<5			
1829485	Drill Core	0.43	0.18	0.12	13	0.42	0.055	5.5	67.5	1.60	102.1	0.003	<1	1.34	0.024	0.22	<0.1	2.2	0.06	1.17	<5			
1829486	Drill Core	0.47	0.13	0.05	8	0.59	0.060	7.0	22.8	0.82	145.2	0.003	<1	0.85	0.025	0.28	<0.1	1.5	0.07	0.86	<5			
1829487	Drill Core	0.28	0.12	0.03	6	0.63	0.060	10.2	7.7	0.38	129.5	0.003	<1	0.64	0.040	0.31	<0.1	1.4	0.08	0.81	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000333.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829458	Drill Core	0.2	0.03	1.2	0.33	<0.1	0.23	<0.02	9.0	0.2	<0.05	11.9	6.63	40.4	<0.02	<1	0.3	5.6	<10
1829459	Drill Core	<0.1	<0.02	<0.1	0.06	<0.1	<0.02	<0.02	0.6	<0.1	<0.05	0.7	0.60	1.1	<0.02	<1	<0.1	0.2	<10
1829460	Core DUP	<0.1	<0.02	0.1	0.06	<0.1	0.03	<0.02	0.6	<0.1	<0.05	0.7	0.58	1.2	<0.02	<1	<0.1	0.4	<10
1829461	Drill Core	<0.1	<0.02	0.6	0.13	<0.1	0.32	0.15	7.8	0.4	<0.05	14.9	6.41	51.7	<0.02	<1	0.2	2.5	<10
1829462	Drill Core	0.1	<0.02	0.6	0.13	<0.1	0.31	0.23	6.4	0.4	<0.05	16.2	8.26	49.2	<0.02	2	0.3	4.7	<10
1829463	Drill Core	0.2	<0.02	1.0	0.24	<0.1	0.18	0.05	7.7	0.2	<0.05	12.4	5.24	38.8	<0.02	<1	0.2	5.9	<10
1829464	Drill Core	0.2	<0.02	0.6	0.08	<0.1	0.45	0.11	6.3	0.2	<0.05	19.0	4.99	29.6	<0.02	<1	0.2	4.4	<10
1829465	Drill Core	0.2	<0.02	2.5	0.25	<0.1	0.23	<0.02	6.4	<0.1	<0.05	8.6	4.72	14.5	<0.02	2	<0.1	16.4	<10
1829466	Drill Core	0.4	0.99	1.3	0.20	<0.1	0.25	<0.02	6.9	<0.1	<0.05	8.0	8.46	11.1	<0.02	<1	0.2	6.6	<10
1829467	Drill Core	<0.1	0.02	0.9	0.10	<0.1	0.30	0.14	6.1	0.2	<0.05	12.8	7.01	37.5	<0.02	<1	<0.1	4.1	<10
1829468	Drill Core	<0.1	<0.02	1.2	0.11	<0.1	0.27	0.06	6.7	<0.1	<0.05	12.0	4.18	19.5	<0.02	2	<0.1	5.0	<10
1829469	Drill Core	0.2	<0.02	1.6	0.25	<0.1	0.12	<0.02	7.1	<0.1	<0.05	6.1	2.76	17.1	<0.02	2	0.2	5.8	<10
1829470	Drill Core	0.2	<0.02	2.6	0.40	<0.1	0.16	<0.02	7.6	<0.1	<0.05	9.0	3.43	16.2	<0.02	<1	0.3	9.1	<10
1829471	Drill Core	0.2	<0.02	2.1	0.14	<0.1	0.17	<0.02	7.5	<0.1	<0.05	7.3	2.66	13.4	<0.02	<1	0.2	5.8	<10
1829472	Drill Core	0.3	<0.02	2.7	0.11	<0.1	0.14	<0.02	7.6	<0.1	<0.05	7.4	2.45	11.6	<0.02	2	0.1	6.6	<10
1829473	Drill Core	0.3	<0.02	3.1	0.13	<0.1	0.14	<0.02	6.7	<0.1	<0.05	8.2	2.46	12.9	<0.02	<1	0.3	6.9	<10
1829474	Drill Core	0.3	<0.02	3.0	0.12	<0.1	0.17	<0.02	6.9	<0.1	<0.05	9.5	2.24	10.3	<0.02	2	0.2	7.5	<10
1829475	Drill Core	0.2	<0.02	1.7	0.10	<0.1	0.12	<0.02	7.0	<0.1	<0.05	5.4	2.70	14.6	<0.02	<1	0.1	4.0	<10
1829476	Drill Core	0.2	<0.02	3.7	0.09	<0.1	0.16	<0.02	8.0	<0.1	<0.05	9.6	2.35	11.5	<0.02	2	0.2	7.4	<10
1829477	Drill Core	0.2	<0.02	2.3	0.09	<0.1	0.16	<0.02	7.5	<0.1	<0.05	8.6	2.55	11.4	<0.02	2	0.1	5.5	<10
1829478	Drill Core	0.5	<0.02	2.5	0.10	<0.1	0.16	<0.02	8.3	<0.1	<0.05	7.3	2.51	11.8	<0.02	3	0.1	5.5	<10
1829479	Drill Core	0.3	<0.02	2.0	0.13	<0.1	0.14	<0.02	10.1	0.1	<0.05	8.5	2.58	10.8	<0.02	<1	0.2	5.0	<10
1829480	Rock	<0.1	<0.02	0.3	0.07	<0.1	0.11	0.04	0.8	<0.1	<0.05	3.3	0.87	4.4	<0.02	<1	<0.1	1.0	<10
1829481	Drill Core	0.4	<0.02	2.1	0.12	<0.1	0.19	<0.02	8.4	<0.1	<0.05	9.2	2.26	9.5	<0.02	<1	0.3	5.0	<10
1829482	Drill Core	0.4	<0.02	2.5	0.11	<0.1	0.15	<0.02	7.5	<0.1	<0.05	8.2	2.16	11.8	<0.02	3	0.2	4.8	<10
1829483	Drill Core	0.5	<0.02	3.1	0.11	<0.1	0.13	<0.02	7.5	<0.1	<0.05	7.1	2.58	8.5	<0.02	<1	0.1	6.1	<10
1829484	Drill Core	0.4	<0.02	3.3	0.09	<0.1	0.15	<0.02	7.0	<0.1	<0.05	9.0	2.33	8.1	<0.02	2	0.2	6.8	<10
1829485	Drill Core	0.7	<0.02	3.7	0.10	<0.1	0.24	<0.02	7.4	<0.1	<0.05	11.8	3.01	10.1	0.02	2	0.3	9.2	<10
1829486	Drill Core	0.6	0.02	2.3	0.13	<0.1	0.22	<0.02	8.9	<0.1	<0.05	9.9	2.54	13.0	<0.02	7	0.1	5.2	<10
1829487	Drill Core	0.4	<0.02	1.8	0.12	<0.1	0.14	<0.02	10.2	<0.1	<0.05	7.8	2.71	20.2	<0.02	<1	0.1	2.7	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000333.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1829488	Drill Core	2.86	488	0.007	<0.01	<0.17	49.25	0.27	17.42	4.58	51.9	212	13.4	9.2	307	1.40	0.8	1.3	2.5	9.6	40.1
1829489	Drill Core	2.69	506	0.007	<0.01	<0.17	32.82	0.82	40.39	9.12	65.9	381	12.7	8.7	357	1.74	0.9	1.4	2.7	9.9	38.6
1829490	Drill Core	1.59	509	0.006	0.30	3.34	44.87	0.97	15.18	9.13	53.6	262	14.1	9.0	354	1.67	0.8	1.1	2.1	7.8	33.3
1829491	Drill Core	1.51	458	0.006	<0.01	<0.17	38.70	0.71	20.38	3.84	50.8	259	8.9	5.3	290	1.34	0.6	0.9	1.9	7.5	36.8
1829492	Drill Core	2.99	476	0.007	<0.01	<0.17	47.06	0.21	16.97	3.33	44.8	143	10.3	8.2	368	1.42	0.4	1.8	2.8	9.7	46.5
1829493	Drill Core	3.17	490	0.007	<0.01	<0.17	41.63	1.76	20.83	44.16	38.0	286	10.2	7.0	259	1.67	0.5	0.9	2.5	8.3	26.8
1829494	Drill Core	2.77	486	0.007	<0.01	<0.17	40.46	0.27	21.05	4.07	83.3	182	11.8	7.3	369	1.79	0.2	1.2	2.3	8.0	39.7
1829495	Drill Core	2.98	526	0.006	<0.01	<0.17	46.52	1.04	21.04	5.96	58.1	235	10.2	6.8	605	1.62	0.9	1.2	0.9	8.5	73.2
1829496	Drill Core	1.55	553	<0.005	<0.01	<0.17	47.34	2.09	40.43	28.83	108.2	355	9.4	6.7	602	1.86	0.6	1.0	3.6	7.7	69.3
1829497	Drill Core	1.65	532	0.006	<0.01	<0.17	42.03	1.70	48.32	80.38	167.8	497	12.2	7.8	658	2.23	0.5	1.4	4.9	8.8	46.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000333.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1829488	Drill Core	0.36	0.12	0.05	6	0.69	0.069	10.2	9.7	0.39	108.9	0.004	<1	0.65	0.035	0.31	<0.1	1.5	0.09	0.98
1829489	Drill Core	0.29	0.22	0.06	7	0.67	0.051	10.6	18.9	0.74	107.2	0.003	<1	0.88	0.030	0.29	<0.1	1.6	0.06	1.04
1829490	Drill Core	0.20	0.22	0.03	8	0.56	0.051	10.6	23.5	0.83	108.5	0.003	<1	0.94	0.028	0.28	<0.1	1.4	0.06	0.92
1829491	Drill Core	0.20	0.21	<0.02	6	0.59	0.054	14.6	9.0	0.59	199.7	0.003	<1	0.73	0.032	0.24	<0.1	1.2	0.05	0.61
1829492	Drill Core	0.30	0.07	0.04	6	1.27	0.061	25.1	8.0	0.27	149.8	0.004	<1	0.69	0.027	0.36	<0.1	1.4	0.08	0.86
1829493	Drill Core	0.34	0.12	0.09	6	0.68	0.055	21.0	7.4	0.37	72.1	0.003	1	0.66	0.028	0.31	<0.1	1.2	0.07	1.31
1829494	Drill Core	0.29	0.15	0.04	7	0.76	0.056	23.8	10.5	0.79	78.2	0.003	<1	0.97	0.023	0.29	<0.1	1.6	0.07	1.09
1829495	Drill Core	0.35	0.19	0.05	7	1.62	0.054	18.2	9.4	0.67	92.8	0.003	<1	0.87	0.028	0.28	<0.1	1.3	0.06	0.92
1829496	Drill Core	0.68	0.16	0.15	5	2.01	0.051	15.6	8.8	0.86	68.2	0.002	<1	0.95	0.021	0.22	0.1	1.3	0.05	0.98
1829497	Drill Core	0.75	0.24	0.11	7	1.66	0.059	12.2	10.9	1.13	95.9	0.002	<1	1.20	0.022	0.23	<0.1	1.6	0.08	1.18



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000333.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1829488	Drill Core	0.8	<0.02	2.2	0.15	<0.1	0.13	<0.02	11.3	<0.1	<0.05	7.8	3.19	20.0	<0.02	3	0.2	2.8	<10
1829489	Drill Core	0.3	<0.02	2.5	0.17	<0.1	0.11	<0.02	10.1	<0.1	<0.05	8.1	3.22	19.0	<0.02	3	0.3	4.6	<10
1829490	Drill Core	0.4	<0.02	2.7	0.15	<0.1	0.14	<0.02	9.5	<0.1	<0.05	7.7	3.52	20.5	<0.02	<1	0.1	4.6	<10
1829491	Drill Core	<0.1	<0.02	2.2	0.12	<0.1	0.10	<0.02	8.5	<0.1	<0.05	6.9	4.42	26.8	<0.02	2	0.2	3.8	<10
1829492	Drill Core	0.3	<0.02	1.6	0.18	<0.1	0.06	<0.02	12.6	<0.1	<0.05	6.0	7.57	48.6	<0.02	<1	0.2	2.1	<10
1829493	Drill Core	0.4	<0.02	1.3	0.14	<0.1	0.17	<0.02	10.2	<0.1	<0.05	7.2	4.73	38.6	<0.02	2	0.1	2.4	<10
1829494	Drill Core	0.6	<0.02	2.5	0.15	<0.1	0.11	<0.02	10.0	<0.1	<0.05	6.3	6.39	44.1	<0.02	<1	0.2	4.8	<10
1829495	Drill Core	0.2	<0.02	2.3	0.27	<0.1	0.12	<0.02	9.9	<0.1	<0.05	7.2	8.12	34.8	<0.02	<1	0.1	6.3	<10
1829496	Drill Core	0.4	<0.02	2.7	0.18	<0.1	0.09	<0.02	7.5	0.2	<0.05	3.1	7.20	28.9	<0.02	<1	0.1	8.6	<10
1829497	Drill Core	0.6	<0.02	3.6	0.19	<0.1	0.09	<0.02	9.2	0.2	<0.05	3.7	5.34	22.7	<0.02	1	0.2	11.3	<10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: August 30, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000333.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
1829457	Drill Core	2.94	460	0.025	0.02	<0.17	35.14	0.27	4.66	12.10	24.6	222	1.6	0.8	334	0.73	1.9	5.9	28.9	16.0	247.4	
REP 1829457	QC	0.026																				
1829459	Drill Core	1.30	437	0.006	<0.01	<0.17	25.99	0.32	1.91	0.65	2.3	20	0.5	0.2	106	0.52	1.8	0.1	2.9	<0.1	20.1	
REP 1829459	QC							0.37	1.76	0.73	2.2	33	0.9	0.2	120	0.53	2.0	0.1	2.4	0.9	20.3	
1829494	Drill Core	2.77	486	0.007	<0.01	<0.17	40.46	0.27	21.05	4.07	83.3	182	11.8	7.3	369	1.79	0.2	1.2	2.3	8.0	39.7	
REP 1829494	QC							0.20	21.21	4.41	86.5	212	12.3	7.9	397	1.79	0.4	1.3	1.5	9.2	41.7	
1829497	Drill Core	1.65	532	0.006	<0.01	<0.17	42.03	1.70	48.32	80.38	167.8	497	12.2	7.8	658	2.23	0.5	1.4	4.9	8.8	46.3	
REP 1829497	QC	0.007						1.77	49.89	82.61	166.3	518	12.3	8.8	639	2.26	0.5	1.4	3.9	9.2	47.8	
Core Reject Duplicates																						
1829443	Drill Core	1.88	414	0.009	<0.01	<0.17	27.93	0.53	9.02	14.85	38.9	194	3.5	3.5	357	1.25	8.2	3.6	7.1	13.8	96.0	
DUP 1829443	QC	446		0.010	<0.01	<0.17	37.84	0.65	8.71	17.56	40.6	188	3.6	4.3	329	1.23	7.5	3.9	6.3	14.3	84.6	
1829477	Drill Core	2.63	472	0.007	<0.01	<0.17	34.49	0.97	13.56	12.83	62.6	231	5.0	5.8	401	1.39	2.0	2.2	2.9	9.1	60.2	
DUP 1829477	QC	475		0.007	<0.01	<0.17	30.22	0.88	12.86	13.68	58.8	220	4.8	5.4	376	1.42	1.5	2.1	1.7	9.2	60.7	
Reference Materials																						
STD BVGEO01	Standard							9.81	4327.18	179.98	1751.2	2553	159.1	24.3	716	3.61	112.1	3.5	224.6	13.4	57.9	
STD DS11	Standard							14.11	146.24	142.14	365.6	1836	79.6	15.7	1073	3.21	45.8	2.6	91.6	8.3	65.9	
STD DS11	Standard							14.82	141.36	132.17	350.6	1720	78.3	13.2	965	3.04	39.0	2.6	84.4	8.8	65.8	
STD OREAS262	Standard							0.66	112.19	59.20	157.4	472	66.1	28.9	529	3.37	37.0	1.3	57.5	9.3	36.5	
STD OREAS262	Standard							0.64	115.97	55.95	148.8	457	63.5	27.1	487	3.21	33.7	1.2	73.4	9.1	34.9	
STD OREAS262	Standard							0.59	109.85	51.10	143.7	429	59.1	26.4	500	3.17	31.0	1.1	60.7	9.7	33.1	
STD OXC152	Standard	0.222																				
STD OXC152	Standard	0.214																				
STD OXH139	Standard	1.324																				
STD OXH139	Standard	1.342																				
STD OXN134	Standard	7.521																				
STD OXN134	Standard	7.744																				
STD OXQ90	Standard						13.60	30.01														
STD OXQ90	Standard						23.14	29.82														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000333.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1829457	Drill Core	0.29	0.21	0.05	2	2.10	0.002	18.4	2.3	0.82	629.0	0.001	<1	0.59	0.014	0.25	0.1	2.1	0.05	0.24	11
REP 1829457	QC																				
1829459	Drill Core	<0.01	0.07	<0.02	<1	0.14	<0.001	0.6	2.3	0.08	9.2	<0.001	<1	0.02	0.002	0.01	<0.1	0.3	<0.02	0.05	<5
REP 1829459	QC	<0.01	0.09	<0.02	<1	0.14	<0.001	0.7	2.3	0.08	9.5	<0.001	<1	0.02	0.002	0.01	<0.1	0.2	<0.02	0.06	<5
1829494	Drill Core	0.29	0.15	0.04	7	0.76	0.056	23.8	10.5	0.79	78.2	0.003	<1	0.97	0.023	0.29	<0.1	1.6	0.07	1.09	<5
REP 1829494	QC	0.24	0.16	0.04	7	0.76	0.058	25.4	11.4	0.79	87.4	0.004	<1	0.97	0.025	0.30	<0.1	1.5	0.06	1.09	<5
1829497	Drill Core	0.75	0.24	0.11	7	1.66	0.059	12.2	10.9	1.13	95.9	0.002	<1	1.20	0.022	0.23	<0.1	1.6	0.08	1.18	8
REP 1829497	QC	0.81	0.24	0.11	7	1.68	0.064	12.5	11.9	1.11	94.6	0.003	<1	1.20	0.022	0.24	<0.1	1.7	0.07	1.19	11
Core Reject Duplicates																					
1829443	Drill Core	0.34	0.19	0.09	6	1.14	0.041	32.4	4.1	0.54	218.0	0.003	<1	0.76	0.028	0.29	<0.1	2.7	0.09	0.26	<5
DUP 1829443	QC	0.31	0.17	0.11	6	1.16	0.039	33.8	4.7	0.52	194.4	0.003	<1	0.73	0.026	0.28	<0.1	2.5	0.08	0.27	<5
1829477	Drill Core	0.30	0.10	0.09	5	0.46	0.045	5.9	9.2	0.96	205.8	0.002	<1	0.88	0.012	0.22	<0.1	1.1	0.06	0.57	<5
DUP 1829477	QC	0.27	0.12	0.08	6	0.48	0.037	5.8	9.3	0.98	172.6	0.002	<1	0.94	0.015	0.25	<0.1	1.3	0.06	0.57	<5
Reference Materials																					
STD BVGEO01	Standard	6.35	3.53	23.98	73	1.36	0.071	25.8	174.1	1.28	261.2	0.209	3	2.38	0.188	0.87	5.1	6.3	0.59	0.65	78
STD DS11	Standard	2.67	9.10	12.74	47	1.07	0.079	19.0	62.0	0.87	358.4	0.087	7	1.18	0.071	0.40	3.2	3.4	5.05	0.27	277
STD DS11	Standard	2.18	8.76	11.10	50	1.07	0.066	18.1	57.4	0.86	338.1	0.090	5	1.20	0.073	0.41	2.7	3.3	4.68	0.28	212
STD OREAS262	Standard	0.71	4.63	1.14	20	3.16	0.040	14.7	43.1	1.17	242.8	0.003	4	1.21	0.069	0.29	0.2	3.4	0.45	0.24	166
STD OREAS262	Standard	0.58	5.72	0.94	23	3.02	0.038	17.8	41.2	1.16	246.2	0.003	5	1.43	0.068	0.34	0.2	3.6	0.46	0.26	144
STD OREAS262	Standard	0.54	4.69	0.90	23	3.00	0.033	14.4	37.8	1.15	235.8	0.002	3	1.32	0.066	0.32	0.2	3.3	0.45	0.25	171
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000333.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1829457	Drill Core	<0.1	0.05	1.4	0.23	<0.1	0.08	<0.02	7.9	0.3	<0.05	3.5	6.49	35.0	0.03	<1	0.2	7.8	<10	<2
REP 1829457	QC																			
1829459	Drill Core	<0.1	<0.02	<0.1	0.06	<0.1	<0.02	<0.02	0.6	<0.1	<0.05	0.7	0.60	1.1	<0.02	<1	<0.1	0.2	<10	<2
REP 1829459	QC	<0.1	0.02	0.1	0.07	<0.1	<0.02	<0.02	0.6	<0.1	<0.05	0.6	0.70	1.2	<0.02	<1	<0.1	0.3	<10	<2
1829494	Drill Core	0.6	<0.02	2.5	0.15	<0.1	0.11	<0.02	10.0	<0.1	<0.05	6.3	6.39	44.1	<0.02	<1	0.2	4.8	<10	<2
REP 1829494	QC	0.4	<0.02	2.6	0.18	<0.1	0.11	<0.02	11.0	<0.1	<0.05	6.4	6.75	48.5	<0.02	<1	0.3	5.5	<10	<2
1829497	Drill Core	0.6	<0.02	3.6	0.19	<0.1	0.09	<0.02	9.2	0.2	<0.05	3.7	5.34	22.7	<0.02	1	0.2	11.3	<10	<2
REP 1829497	QC	0.6	<0.02	3.7	0.19	<0.1	0.09	<0.02	9.8	0.2	<0.05	4.4	5.84	23.8	<0.02	1	0.2	12.4	<10	<2
Core Reject Duplicates																				
1829443	Drill Core	0.4	<0.02	2.9	0.60	<0.1	0.02	<0.02	10.5	0.3	<0.05	1.5	12.08	62.0	<0.02	<1	0.4	8.5	<10	<2
DUP 1829443	QC	0.3	<0.02	2.6	0.57	<0.1	0.03	<0.02	9.3	0.3	<0.05	0.9	11.16	60.3	<0.02	2	0.3	7.9	<10	<2
1829477	Drill Core	0.2	<0.02	2.3	0.09	<0.1	0.16	<0.02	7.5	<0.1	<0.05	8.6	2.55	11.4	<0.02	2	0.1	5.5	<10	<2
DUP 1829477	QC	<0.1	<0.02	2.4	0.09	<0.1	0.14	<0.02	7.6	<0.1	<0.05	8.8	2.65	11.4	<0.02	<1	0.1	5.4	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.6	1.01	6.6	6.95	0.2	0.26	0.22	88.3	4.2	<0.05	11.2	14.34	54.9	0.46	3	0.5	21.4	107	163
STD DS11	Standard	2.4	4.77	5.5	3.17	<0.1	0.08	1.70	35.3	1.9	<0.05	3.4	8.52	35.9	0.26	47	0.6	25.2	94	173
STD DS11	Standard	1.8	4.72	5.1	2.95	<0.1	0.05	1.43	32.6	1.7	<0.05	3.3	7.91	37.1	0.24	55	0.5	23.1	107	157
STD OREAS262	Standard	0.4	0.22	4.2	2.54	<0.1	0.30	<0.02	17.1	0.6	<0.05	10.5	10.87	28.8	0.03	2	1.1	18.3	<10	<2
STD OREAS262	Standard	0.4	0.20	4.3	3.06	<0.1	0.24	<0.02	20.2	0.5	<0.05	11.7	10.73	34.6	0.04	<1	0.8	16.1	<10	<2
STD OREAS262	Standard	0.5	0.24	3.5	2.56	<0.1	0.21	<0.02	18.0	0.3	<0.05	13.0	9.99	30.9	0.03	<1	1.1	16.3	<10	<2
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000333.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXQ90	Standard					25.05	29.98														
STD OXQ90	Standard					23.03	29.92														
STD OXQ90	Standard					25.30	30.16														
STD OXQ90	Standard					25.05	30.10														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			0.006																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		480	<0.005	<0.01	<0.17	45.52	1.01	4.31	1.30	30.2	14	0.7	3.4	446	1.73	1.0	0.4	2.0	3.0	22.9
ROCK-WHI	Prep Blank		465	<0.005	<0.01	<0.17	43.93	0.98	2.68	1.18	29.1	8	0.8	3.2	436	1.77	0.7	0.4	1.9	2.7	24.0



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000333.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	8
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.07	0.08	0.04	21	0.71	0.039	6.2	2.2	0.45	47.1	0.073	2	0.84	0.070	0.08	<0.1	2.8	<0.02	0.03	<5
ROCK-WHI	Prep Blank	0.02	0.09	0.03	23	0.70	0.037	5.7	2.0	0.45	64.3	0.074	2	0.91	0.086	0.09	<0.1	3.3	<0.02	0.03	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 30, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000333.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD OXQ90	Standard																		
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
STD OXQ90 Expected																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	0.1	<0.02	3.7	0.20	<0.1	0.06	0.24	2.1	0.7	<0.05	3.4	8.77	12.7	<0.02	<1	0.2	2.3	<10
ROCK-WHI	Prep Blank	0.1	<0.02	3.7	0.16	<0.1	0.10	0.24	1.9	0.6	<0.05	3.9	8.40	12.9	<0.02	<1	0.1	2.0	<10