



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 06, 2019
Report Date: August 31, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000334.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-41
P.O. Number
Number of Samples: 100

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	96	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	100	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	100	Analysis sample split/packet			WHI
Split -150	100	Analysis sample split/packet			WHI
EN002	100	Environmental disposal charge-Fire assay lead waste			VAN
FS631	97	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	100	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	100	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Peter Tallman
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 2 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000334.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1831364	Drill Core	2.88	540	0.030	0.03	<0.17	39.27	0.41	5.72	15.45	25.3	208	10.3	6.0	257	1.19	43.1	1.3	31.7	14.2	18.6
1831365	Drill Core	2.98	474	0.017	0.02	<0.17	47.66	0.37	18.88	28.17	38.2	301	5.6	4.6	264	1.22	15.5	1.2	16.1	15.0	12.8
1831366	Drill Core	3.23	447	0.018	0.02	<0.17	29.49	0.80	6.07	26.39	28.3	210	2.2	2.8	183	0.82	11.2	0.9	17.3	14.8	12.5
1831367	Drill Core	2.97	542	0.058	0.08	0.43	32.35	0.20	6.58	27.70	20.0	323	1.4	2.0	104	0.64	12.9	1.0	91.5	15.2	17.8
1831368	Drill Core	3.08	547	0.020	0.02	<0.17	48.51	0.23	6.16	21.89	19.2	177	1.5	2.5	195	0.74	6.9	0.9	9.7	16.5	14.4
1831369	Drill Core	3.29	379	0.010	<0.01	<0.17	48.56	0.52	6.47	20.85	26.1	172	1.8	2.2	188	0.79	5.4	1.0	7.3	14.3	9.2
1831370	Drill Core	3.72	432	0.014	0.01	<0.17	35.51	0.55	3.03	27.48	6.9	180	0.4	0.4	53	0.34	2.2	0.9	7.8	14.7	2.6
1831371	Drill Core	2.15	514	0.009	<0.01	<0.17	30.14	0.16	1.77	20.86	4.6	153	0.3	0.3	27	0.23	1.7	0.9	6.7	16.2	2.6
1831372	Drill Core	1.40	474	0.068	0.06	<0.17	52.72	0.21	2.10	35.40	4.8	580	0.4	0.3	25	0.29	1.9	0.8	40.4	14.1	3.5
1831373	Drill Core	2.62	461	0.342	0.31	<0.17	36.79	0.47	2.34	25.78	6.8	181	0.4	0.3	27	0.31	4.5	1.3	10.0	17.0	3.3
1831374	Drill Core	3.93	419	0.030	0.03	<0.17	32.98	0.42	2.62	21.96	8.9	350	0.4	0.2	82	0.34	5.3	1.3	26.2	14.7	4.2
1831375	Drill Core	4.27	504	0.007	<0.01	<0.17	34.33	0.50	1.70	16.85	4.2	143	0.4	0.2	47	0.27	3.0	1.6	3.8	16.2	4.2
1831376	Drill Core	2.35	510	0.007	<0.01	<0.17	40.13	0.59	1.61	20.52	3.7	159	0.3	0.1	30	0.26	4.2	1.4	3.7	17.2	4.3
1831377	Drill Core	2.81	535	0.005	<0.01	<0.17	46.55	0.87	1.44	17.13	4.9	116	0.3	0.2	31	0.27	4.9	1.4	2.3	15.4	3.8
1831378	Drill Core	1.71	516	0.010	<0.01	<0.17	37.98	0.32	2.08	24.59	5.6	112	0.4	0.3	43	0.28	4.4	2.0	7.2	16.3	2.9
1831379	Drill Core	1.62	487	0.011	<0.01	<0.17	32.75	0.20	2.23	31.38	5.7	137	0.3	0.2	42	0.29	6.9	1.4	8.8	18.2	3.7
1831380	Rock	0.23	153	<0.005	<0.01	<0.17	22.00	0.44	1.37	5.61	5.9	31	1.2	0.4	75	0.62	1.1	0.2	<0.2	1.4	1.8
1831381	Drill Core	2.97	426	0.014	0.01	<0.17	28.22	0.32	3.20	38.45	11.7	341	0.4	0.3	38	0.35	5.7	1.8	8.9	16.6	4.3
1831382	Drill Core	3.11	501	0.006	<0.01	<0.17	50.08	0.26	1.50	18.24	8.6	135	0.3	0.2	25	0.27	5.9	1.6	2.1	17.4	4.4
1831383	Drill Core	4.28	502	0.008	<0.01	<0.17	31.76	0.46	2.41	22.53	8.2	131	0.3	0.3	30	0.28	4.8	1.8	3.7	16.1	3.6
1831384	Drill Core	3.00	495	0.006	<0.01	<0.17	32.69	0.26	3.34	33.42	7.8	135	0.4	0.2	56	0.32	4.1	3.0	2.6	17.7	3.3
1831385	Drill Core	2.85	481	0.008	<0.01	<0.17	46.44	0.19	3.14	20.99	5.9	209	0.5	0.3	33	0.31	3.5	1.5	2.6	15.6	2.9
1831386	Drill Core	1.64	498	0.008	<0.01	<0.17	42.17	0.19	2.77	21.55	4.2	359	0.4	0.2	29	0.30	2.3	1.2	4.3	13.8	3.5
1831387	Drill Core	1.61	454	0.006	<0.01	<0.17	38.43	0.22	9.70	19.15	3.6	329	0.3	0.3	51	0.31	2.2	1.0	2.6	17.0	2.4
1831388	Drill Core	3.28	469	0.006	<0.01	<0.17	31.14	0.60	6.42	21.00	24.9	248	0.4	0.5	134	0.52	1.6	1.2	1.8	19.6	18.9
1831389	Drill Core	3.62	400	0.006	<0.01	<0.17	31.86	0.54	6.55	18.36	36.1	152	0.3	0.4	104	0.61	0.7	1.8	1.2	18.6	39.2
1831390	Drill Core	3.49	435	<0.005	<0.01	<0.17	40.81	0.51	4.57	18.97	37.7	117	2.0	1.8	154	0.80	1.0	1.4	0.9	16.8	36.6
1831391	Drill Core	2.01	381	0.005	<0.01	<0.17	37.59	0.34	3.01	23.28	38.4	180	4.9	3.8	175	0.95	1.2	1.2	1.2	18.2	11.7
1831392	Drill Core	3.18	469	0.008	<0.01	<0.17	40.51	0.46	8.61	20.16	42.7	352	8.9	5.8	288	1.29	5.0	1.4	3.6	15.3	35.4
1831393	Drill Core	3.24	396	0.008	<0.01	<0.17	39.62	0.16	5.29	17.98	27.6	162	2.6	2.5	213	1.00	4.1	1.6	2.4	15.0	40.9



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000334.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831364	Drill Core	0.13	0.71	0.04	7	0.14	0.041	35.8	13.0	0.45	316.3	0.003	2	0.71	0.018	0.26	0.3	1.8	0.08	<0.02	<5
1831365	Drill Core	0.16	0.33	0.21	4	0.15	0.035	32.1	5.7	0.46	268.0	0.002	<1	0.79	0.019	0.25	0.1	1.5	0.10	<0.02	8
1831366	Drill Core	0.18	0.24	0.17	1	0.12	0.027	32.6	2.8	0.25	253.6	0.001	<1	0.52	0.016	0.24	<0.1	1.3	0.09	<0.02	10
1831367	Drill Core	0.21	0.25	0.14	<1	0.09	0.034	37.3	2.1	0.11	223.1	0.001	<1	0.38	0.028	0.24	<0.1	1.0	0.07	<0.02	<5
1831368	Drill Core	0.23	0.22	0.21	<1	0.12	0.028	41.5	2.0	0.18	420.1	0.001	<1	0.45	0.022	0.25	<0.1	1.1	0.09	<0.02	7
1831369	Drill Core	0.17	0.18	0.16	<1	0.11	0.018	33.6	3.0	0.28	278.8	0.001	1	0.50	0.016	0.23	<0.1	1.1	0.07	<0.02	9
1831370	Drill Core	0.05	0.25	0.13	<1	0.01	0.004	32.2	1.2	0.04	162.7	<0.001	<1	0.23	0.032	0.18	<0.1	0.4	0.04	<0.02	7
1831371	Drill Core	0.01	0.22	0.14	<1	<0.01	0.003	33.2	0.8	0.02	145.1	<0.001	1	0.20	0.032	0.17	<0.1	0.4	0.04	<0.02	<5
1831372	Drill Core	0.02	0.17	0.18	<1	0.01	0.006	28.8	1.1	0.02	155.2	<0.001	2	0.19	0.035	0.16	<0.1	0.3	0.04	<0.02	<5
1831373	Drill Core	0.04	0.35	0.16	<1	<0.01	0.004	35.4	1.2	0.02	212.0	<0.001	<1	0.21	0.021	0.20	0.1	0.3	0.05	<0.02	5
1831374	Drill Core	0.05	0.35	0.13	<1	0.02	0.005	37.9	1.3	0.03	151.6	<0.001	1	0.21	0.022	0.17	0.5	0.2	0.05	<0.02	<5
1831375	Drill Core	0.03	0.27	0.16	<1	0.01	0.006	39.9	1.2	0.02	208.8	<0.001	<1	0.21	0.028	0.18	<0.1	0.3	0.05	<0.02	6
1831376	Drill Core	0.03	0.36	0.17	<1	0.01	0.004	35.1	1.1	0.03	245.0	<0.001	<1	0.22	0.029	0.18	<0.1	0.3	0.04	<0.02	<5
1831377	Drill Core	0.04	0.41	0.14	<1	0.01	0.004	32.1	0.9	0.04	233.3	<0.001	1	0.22	0.025	0.18	<0.1	0.3	0.06	<0.02	<5
1831378	Drill Core	0.03	0.21	0.12	<1	0.01	0.005	48.4	1.2	0.03	149.1	<0.001	<1	0.23	0.026	0.18	<0.1	0.3	0.06	<0.02	7
1831379	Drill Core	0.05	0.29	0.16	<1	0.01	0.003	39.5	1.1	0.03	228.6	<0.001	<1	0.21	0.029	0.17	<0.1	0.3	0.05	<0.02	<5
1831380	Rock	0.03	0.46	0.03	2	0.06	0.002	1.9	3.2	0.02	10.6	0.003	1	0.06	0.005	0.01	<0.1	0.3	<0.02	<0.02	<5
1831381	Drill Core	0.06	0.77	0.15	<1	0.01	0.004	36.5	1.2	0.04	267.2	<0.001	<1	0.25	0.029	0.18	<0.1	0.4	0.05	<0.02	7
1831382	Drill Core	0.06	0.50	0.08	<1	0.01	0.004	39.7	1.0	0.04	225.9	<0.001	<1	0.24	0.025	0.18	<0.1	0.4	0.05	<0.02	<5
1831383	Drill Core	0.06	0.58	0.14	<1	0.02	0.004	33.4	1.1	0.04	138.2	<0.001	<1	0.24	0.020	0.17	0.1	0.4	0.05	<0.02	<5
1831384	Drill Core	0.11	0.45	0.18	<1	0.02	0.005	65.7	1.2	0.05	174.3	<0.001	<1	0.26	0.015	0.21	<0.1	0.3	0.05	<0.02	<5
1831385	Drill Core	0.09	0.33	0.15	<1	0.01	0.004	32.5	1.2	0.04	148.5	<0.001	<1	0.23	0.026	0.19	0.2	0.5	0.04	<0.02	<5
1831386	Drill Core	0.05	0.24	0.11	<1	<0.01	0.003	28.5	1.4	0.02	299.5	<0.001	2	0.21	0.029	0.17	0.5	0.3	0.04	<0.02	<5
1831387	Drill Core	0.06	0.20	0.12	<1	0.01	0.003	36.6	1.3	0.04	182.7	<0.001	2	0.26	0.016	0.20	0.3	0.3	0.05	<0.02	6
1831388	Drill Core	0.30	0.26	0.16	<1	0.22	0.002	43.6	1.2	0.31	310.2	<0.001	<1	0.46	0.010	0.20	0.3	0.7	0.05	<0.02	<5
1831389	Drill Core	0.14	0.21	0.15	<1	0.47	0.002	43.7	1.4	0.56	310.2	<0.001	1	0.59	0.012	0.18	0.1	0.6	0.04	<0.02	<5
1831390	Drill Core	0.16	0.18	0.09	<1	0.53	0.011	37.6	3.0	0.78	359.4	<0.001	1	0.75	0.014	0.18	<0.1	1.1	0.05	0.03	<5
1831391	Drill Core	0.16	0.17	0.10	4	0.13	0.008	47.5	23.5	0.77	291.4	<0.001	<1	0.80	0.018	0.18	0.2	1.8	0.05	<0.02	<5
1831392	Drill Core	0.29	0.36	0.13	9	0.45	0.019	46.1	24.5	0.86	259.7	0.002	<1	0.93	0.022	0.18	0.4	3.3	0.07	0.04	<5
1831393	Drill Core	0.14	0.28	0.17	3	0.53	0.032	37.9	3.6	0.33	246.9	0.003	<1	0.54	0.036	0.20	<0.1	2.1	0.07	0.04	<5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000334.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1831364	Drill Core	<0.1	0.03	2.1	0.51	<0.1	0.37	<0.02	10.2	0.4	<0.05	12.7	7.80	62.9	<0.02	<1	0.5	10.1	<10	<2			
1831365	Drill Core	<0.1	<0.02	2.3	0.54	<0.1	0.14	<0.02	9.3	0.4	<0.05	5.8	7.50	56.4	<0.02	<1	0.7	11.2	<10	<2			
1831366	Drill Core	<0.1	<0.02	1.6	0.40	<0.1	0.09	<0.02	8.5	0.3	<0.05	3.6	6.59	59.2	<0.02	<1	0.3	6.6	<10	<2			
1831367	Drill Core	<0.1	0.05	1.3	0.40	<0.1	0.27	<0.02	8.3	0.3	<0.05	8.3	6.75	65.4	<0.02	<1	0.4	4.2	<10	<2			
1831368	Drill Core	<0.1	<0.02	1.4	0.40	<0.1	0.07	<0.02	9.6	0.3	<0.05	2.4	7.10	69.2	<0.02	<1	0.3	4.0	<10	<2			
1831369	Drill Core	<0.1	<0.02	1.4	0.32	<0.1	0.14	<0.02	7.4	0.3	<0.05	5.1	6.03	59.8	<0.02	<1	0.1	6.6	<10	<2			
1831370	Drill Core	<0.1	0.02	0.8	0.24	<0.1	0.42	0.06	7.5	0.2	<0.05	11.6	6.30	59.0	<0.02	<1	0.4	1.8	<10	<2			
1831371	Drill Core	<0.1	<0.02	0.7	0.18	<0.1	0.44	0.08	7.9	0.2	<0.05	11.3	5.33	60.7	<0.02	<1	<0.1	1.2	<10	<2			
1831372	Drill Core	<0.1	0.25	0.7	0.13	<0.1	0.46	0.07	7.8	0.2	<0.05	12.0	4.38	52.7	<0.02	<1	0.3	1.1	<10	<2			
1831373	Drill Core	<0.1	<0.02	0.8	0.21	<0.1	0.58	0.08	9.1	0.2	<0.05	15.5	6.57	59.9	<0.02	<1	0.4	1.8	<10	<2			
1831374	Drill Core	<0.1	0.12	0.6	0.42	<0.1	0.52	0.06	7.2	0.2	<0.05	15.7	8.24	64.0	<0.02	<1	0.2	1.6	<10	3			
1831375	Drill Core	<0.1	<0.02	0.7	0.28	<0.1	0.56	0.08	7.4	0.2	<0.05	14.7	7.63	71.5	<0.02	<1	0.3	1.4	<10	<2			
1831376	Drill Core	<0.1	<0.02	0.8	0.28	<0.1	0.57	0.09	7.4	0.2	<0.05	14.3	5.94	66.0	<0.02	<1	0.5	1.7	<10	<2			
1831377	Drill Core	<0.1	<0.02	0.8	0.25	<0.1	0.58	0.07	6.9	0.2	<0.05	15.7	5.71	57.3	<0.02	<1	<0.1	1.4	<10	<2			
1831378	Drill Core	<0.1	<0.02	0.9	0.48	<0.1	0.63	0.04	6.5	0.2	<0.05	18.6	9.81	78.4	<0.02	<1	0.5	1.4	<10	<2			
1831379	Drill Core	<0.1	<0.02	0.8	0.28	<0.1	0.59	0.05	5.8	0.2	<0.05	17.7	6.51	84.5	<0.02	<1	0.3	1.5	<10	<2			
1831380	Rock	<0.1	<0.02	0.3	0.10	<0.1	0.10	0.05	0.8	0.2	<0.05	3.4	0.96	3.8	<0.02	<1	<0.1	1.2	<10	<2			
1831381	Drill Core	<0.1	0.10	0.8	0.47	<0.1	0.70	0.06	6.8	0.5	<0.05	18.6	7.62	66.1	<0.02	<1	0.3	1.6	<10	<2			
1831382	Drill Core	<0.1	<0.02	0.7	0.47	<0.1	0.66	0.05	7.1	0.2	<0.05	17.5	8.49	72.2	<0.02	<1	0.3	1.8	<10	<2			
1831383	Drill Core	<0.1	<0.02	0.6	1.02	<0.1	0.44	0.04	6.7	0.3	<0.05	13.2	7.02	69.9	<0.02	<1	0.3	1.5	<10	<2			
1831384	Drill Core	<0.1	<0.02	0.9	0.33	<0.1	0.27	0.10	6.7	0.2	<0.05	8.3	12.27	73.7	<0.02	<1	0.3	1.6	<10	<2			
1831385	Drill Core	<0.1	<0.02	0.8	0.29	<0.1	0.49	0.07	7.1	0.2	<0.05	12.6	6.51	61.3	<0.02	<1	0.2	1.6	<10	<2			
1831386	Drill Core	<0.1	<0.02	0.7	0.43	<0.1	0.31	0.08	7.4	0.2	<0.05	8.7	5.10	51.2	<0.02	<1	0.4	1.2	<10	<2			
1831387	Drill Core	<0.1	<0.02	0.8	0.56	<0.1	0.10	0.06	7.1	1.2	<0.05	3.0	5.36	65.9	<0.02	<1	0.3	1.3	<10	<2			
1831388	Drill Core	<0.1	<0.02	1.3	0.74	<0.1	0.07	0.10	7.1	0.5	<0.05	2.6	9.23	83.8	<0.02	<1	0.2	5.6	<10	<2			
1831389	Drill Core	<0.1	<0.02	1.5	0.56	<0.1	0.05	0.08	6.1	0.4	<0.05	2.0	8.60	79.3	<0.02	<1	0.3	7.0	<10	<2			
1831390	Drill Core	<0.1	<0.02	2.4	0.36	<0.1	0.16	0.03	6.1	0.2	<0.05	4.4	6.71	68.8	<0.02	<1	0.3	6.4	<10	<2			
1831391	Drill Core	<0.1	<0.02	2.6	0.57	<0.1	0.10	<0.02	6.5	0.2	<0.05	3.2	10.12	88.1	<0.02	<1	0.2	6.7	<10	<2			
1831392	Drill Core	<0.1	<0.02	3.3	1.40	<0.1	0.08	<0.02	8.2	0.3	<0.05	2.7	14.99	76.1	<0.02	<1	0.5	9.2	<10	<2			
1831393	Drill Core	<0.1	<0.02	2.5	0.90	<0.1	0.18	<0.02	9.7	0.4	<0.05	5.0	13.26	68.5	<0.02	<1	0.3	5.2	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000334.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1831394	Drill Core	3.05	503	0.015	0.01	<0.17	39.29	0.17	8.42	20.25	32.4	201	2.7	2.9	218	1.05	5.0	2.4	9.7	18.8	36.0
1831395	Drill Core	3.59	383	0.028	0.03	<0.17	31.90	0.62	12.97	23.71	40.6	350	13.5	9.7	510	1.94	38.6	2.1	21.6	13.9	106.4
1831396	Drill Core	2.44	452	0.007	<0.01	<0.17	36.80	0.64	10.35	10.89	51.2	156	18.8	12.0	405	2.36	9.5	2.1	3.6	12.7	55.0
1831397	Drill Core	3.19	386	0.013	0.01	<0.17	38.12	0.90	7.35	22.42	28.9	197	2.8	2.9	168	0.98	13.9	1.7	8.7	17.0	15.3
1831398	Drill Core	3.22	522	0.023	0.02	<0.17	43.38	0.68	7.94	19.00	28.3	230	3.7	3.2	199	1.06	20.8	1.4	20.6	13.8	23.3
1831399	Drill Core	3.18	473	0.006	<0.01	<0.17	31.75	0.31	10.15	16.69	52.8	155	13.9	10.8	457	2.50	3.4	1.3	2.6	13.8	94.8
1831400	Rock Pulp	0.12	64	7.314				9.13	188.61	19.40	71.3	885	13.2	11.1	599	4.63	13.9	0.9	7929.8	3.0	67.6
1831401	Drill Core	3.03	511	0.008	<0.01	<0.17	43.05	0.28	3.80	14.20	43.4	123	5.2	3.3	228	1.14	5.6	1.3	4.0	14.2	42.4
1831402	Drill Core	3.22	524	0.009	<0.01	<0.17	46.29	3.45	3.98	23.68	33.4	145	3.8	2.1	218	0.77	5.3	2.4	5.6	15.2	68.5
1831403	Drill Core	2.16	452	<0.005	<0.01	<0.17	43.65	2.24	3.91	18.17	37.6	112	1.8	1.4	216	0.73	0.8	1.7	3.4	18.7	69.7
1831404	Drill Core	2.82	532	<0.005	<0.01	<0.17	35.46	0.55	3.40	14.21	16.1	92	0.3	0.4	98	0.43	0.4	0.8	3.2	14.8	21.3
1831405	Drill Core	2.43	421	0.006	<0.01	<0.17	34.47	0.40	16.93	27.12	54.5	193	29.8	24.1	929	3.28	1.7	3.8	2.7	5.1	251.4
1831406	Drill Core	1.38	424	0.008	<0.01	<0.17	37.96	0.26	2.71	13.22	22.1	110	1.1	0.9	175	0.62	0.2	0.7	5.5	11.8	59.3
1831407	Drill Core	2.94	485	0.015	0.02	<0.17	45.92	0.20	4.11	15.61	19.5	122	1.6	1.0	137	0.52	2.8	1.0	24.7	14.6	35.7
1831408	Drill Core	3.21	403	1.604	1.92	4.77	40.08	0.17	3.19	6.45	14.6	777	0.7	0.5	105	0.50	2.5	0.7	906.6	13.0	24.2
1831409	Drill Core	2.89	438	0.030	0.03	<0.17	40.19	0.31	3.45	8.79	36.5	100	2.3	1.5	246	0.75	1.9	1.0	29.1	16.4	69.7
1831410	Drill Core	1.58	442	0.030	0.03	<0.17	44.97	0.39	11.79	11.94	18.1	182	0.9	0.7	288	0.57	0.9	1.1	17.9	12.2	87.9
1831411	Drill Core	4.04	440	0.544	0.65	1.55	44.58	0.47	7.19	10.48	18.1	283	0.6	0.7	134	0.53	1.7	1.0	591.4	15.1	35.0
1831412	Drill Core	1.29	490	0.013	0.01	<0.17	41.48	0.30	19.81	36.76	67.7	209	30.8	24.1	948	3.64	7.1	1.1	3.9	4.5	270.4
1831413	Drill Core	3.55	468	0.012	0.01	<0.17	49.80	0.38	3.08	18.02	29.0	187	2.4	1.9	143	0.71	6.7	1.1	6.3	14.1	29.8
1831414	Drill Core	3.69	452	0.016	0.01	<0.17	43.69	0.46	13.86	16.58	52.4	252	7.8	5.6	143	1.31	5.2	0.8	6.9	12.5	9.6
1831415	Drill Core	2.57	518	0.308	1.17	9.04	51.24	0.59	13.34	11.45	47.4	400	6.7	4.6	128	1.26	6.1	0.9	629.2	13.9	11.7
1831416	Drill Core	3.02	482	0.013	0.01	<0.17	28.59	1.00	8.78	14.11	53.7	153	5.5	3.7	196	1.29	4.1	1.4	12.1	13.7	33.5
1831417	Drill Core	3.14	431	0.024	0.02	<0.17	39.21	1.50	6.07	27.40	35.3	231	1.6	1.1	134	0.75	22.9	1.8	19.7	15.9	25.5
1831418	Drill Core	2.68	421	0.005	<0.01	<0.17	42.99	0.88	2.07	14.78	4.0	91	0.4	0.3	45	0.33	1.7	1.1	2.6	13.5	3.5
1831419	Drill Core	4.09	440	0.008	<0.01	<0.17	34.85	0.27	3.86	22.18	7.1	1422	0.6	0.4	48	0.31	2.9	1.0	3.3	14.9	12.0
1831420	Rock Pulp	0.12	64	0.538				2.37	441.85	17.66	44.4	268	574.3	25.7	387	2.42	18.3	0.6	428.0	2.2	48.9
1831421	Drill Core	3.12	461	0.005	<0.01	<0.17	39.15	0.24	3.58	11.70	6.6	1425	0.8	0.3	39	0.31	2.2	1.3	1.8	11.3	3.9
1831422	Drill Core	3.31	434	<0.005	<0.01	<0.17	37.49	0.27	2.37	13.43	4.3	187	0.4	0.2	55	0.28	1.2	1.7	0.5	15.6	64.1
1831423	Drill Core	3.09	474	<0.005	<0.01	<0.17	39.81	0.39	2.86	18.39	4.9	178	0.3	0.2	52	0.29	1.6	1.7	3.3	16.4	13.8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000334.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831394	Drill Core	0.16	0.32	0.18	3	0.43	0.035	43.8	3.6	0.32	250.8	0.003	2	0.57	0.034	0.21	<0.1	2.3	0.08	<5
1831395	Drill Core	0.23	0.44	0.26	16	1.63	0.038	33.3	18.2	0.92	417.2	0.002	1	1.00	0.023	0.19	0.1	4.6	0.07	<5
1831396	Drill Core	0.14	2.18	0.09	22	0.78	0.042	34.2	29.1	1.07	311.4	0.006	1	1.23	0.029	0.22	0.6	6.7	0.08	<5
1831397	Drill Core	0.12	0.47	0.22	3	0.13	0.036	41.5	4.4	0.40	262.8	0.002	<1	0.58	0.025	0.23	0.1	1.7	0.07	<5
1831398	Drill Core	0.16	0.53	0.22	4	0.24	0.033	37.4	8.4	0.51	542.2	0.001	3	0.66	0.024	0.20	<0.1	1.8	0.07	7
1831399	Drill Core	0.17	0.41	0.09	28	1.71	0.051	35.8	47.8	1.78	194.0	0.003	2	1.69	0.024	0.16	<0.1	6.7	0.04	<5
1831400	Rock Pulp	0.19	5.56	0.58	112	0.88	0.061	8.0	17.4	0.81	120.4	0.125	4	1.69	0.161	0.22	4.2	3.2	0.06	196
1831401	Drill Core	0.13	0.43	0.11	4	0.72	0.022	43.5	13.8	0.87	259.1	0.002	<1	0.91	0.020	0.18	<0.1	1.9	0.05	<5
1831402	Drill Core	0.21	0.32	0.19	2	1.07	0.010	38.9	8.1	0.57	237.3	0.001	<1	0.63	0.018	0.19	<0.1	1.3	0.05	<5
1831403	Drill Core	0.15	0.18	0.18	<1	1.02	0.009	46.2	4.1	0.60	372.7	0.001	2	0.68	0.017	0.20	<0.1	1.3	0.05	<5
1831404	Drill Core	0.08	0.21	0.11	<1	0.39	0.002	39.1	1.4	0.26	148.8	<0.001	2	0.38	0.024	0.17	<0.1	0.7	0.04	5
1831405	Drill Core	0.58	0.34	0.17	34	4.50	0.037	9.6	117.4	2.90	304.9	0.005	2	2.43	0.009	0.21	0.1	6.6	0.05	<5
1831406	Drill Core	0.06	0.12	0.14	<1	0.97	0.002	27.8	3.8	0.49	699.0	<0.001	1	0.52	0.018	0.17	<0.1	0.9	0.04	<5
1831407	Drill Core	0.14	0.17	0.14	<1	0.53	0.003	33.7	3.7	0.24	180.3	<0.001	2	0.38	0.027	0.18	<0.1	0.8	0.04	<5
1831408	Drill Core	0.12	0.19	0.09	<1	0.37	0.002	28.9	1.9	0.23	158.7	<0.001	1	0.40	0.029	0.19	<0.1	0.7	0.04	<5
1831409	Drill Core	0.33	0.15	0.09	<1	1.24	0.009	31.4	3.2	0.60	197.0	0.001	1	0.67	0.017	0.21	0.1	1.3	0.06	13
1831410	Drill Core	0.38	0.25	0.09	<1	2.27	0.002	24.8	1.8	0.36	245.5	<0.001	1	0.40	0.017	0.18	0.2	1.4	0.03	<5
1831411	Drill Core	0.15	0.16	0.09	<1	0.78	0.003	36.7	1.7	0.30	176.0	<0.001	<1	0.45	0.019	0.20	0.1	0.8	0.05	<5
1831412	Drill Core	0.50	0.67	0.11	54	4.08	0.036	12.5	158.4	3.33	2554.0	0.004	1	2.89	0.010	0.12	<0.1	9.0	0.03	<5
1831413	Drill Core	0.23	0.41	0.10	1	0.55	0.014	33.9	5.5	0.54	154.5	<0.001	1	0.63	0.014	0.19	0.1	0.8	0.04	<5
1831414	Drill Core	0.14	0.26	0.11	4	0.13	0.040	27.0	9.5	0.90	193.2	0.002	2	1.00	0.007	0.20	0.2	1.4	0.05	<5
1831415	Drill Core	0.19	0.32	0.08	3	0.18	0.031	27.0	7.1	0.84	178.0	0.001	1	0.93	0.005	0.20	0.4	1.2	0.06	<5
1831416	Drill Core	0.19	0.26	0.10	2	1.04	0.030	23.5	4.9	0.81	154.8	0.001	1	0.86	0.007	0.21	0.2	1.4	0.05	<5
1831417	Drill Core	0.23	0.60	0.23	<1	0.35	0.009	26.2	2.5	0.63	175.0	<0.001	<1	0.57	0.007	0.18	<0.1	0.8	0.04	7
1831418	Drill Core	<0.01	0.19	0.10	<1	0.01	0.002	30.3	2.1	0.08	119.8	<0.001	2	0.26	0.006	0.19	<0.1	0.2	0.04	<5
1831419	Drill Core	0.02	0.23	0.10	<1	0.05	0.003	35.9	1.7	0.11	303.9	<0.001	2	0.37	0.017	0.20	2.0	0.3	0.05	<5
1831420	Rock Pulp	0.17	0.35	0.29	45	1.16	0.030	3.8	93.3	1.64	71.1	0.064	4	1.78	0.172	0.13	1.2	2.2	0.08	22
1831421	Drill Core	0.03	0.18	0.08	<1	0.02	0.004	30.4	2.4	0.07	127.4	<0.001	1	0.23	0.009	0.20	1.6	0.3	0.04	<5
1831422	Drill Core	0.08	0.11	0.14	<1	0.66	0.002	35.0	2.0	0.06	176.8	<0.001	1	0.29	0.008	0.24	0.2	0.4	0.04	<5
1831423	Drill Core	0.04	0.18	0.14	<1	0.20	0.002	34.8	1.7	0.07	153.9	<0.001	2	0.31	0.007	0.23	0.1	0.4	0.05	<5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000334.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1831394	Drill Core	<0.1	<0.02	2.6	0.51	<0.1	0.20	<0.02	10.6	0.3	<0.05	6.0	12.92	80.0	<0.02	1	0.2	6.3	<10	<2			
1831395	Drill Core	<0.1	<0.02	3.8	1.08	<0.1	0.13	<0.02	7.8	0.3	<0.05	4.0	15.21	60.6	0.02	<1	0.2	12.1	<10	<2			
1831396	Drill Core	<0.1	<0.02	4.1	2.22	<0.1	0.08	0.04	8.6	0.8	<0.05	2.4	17.94	62.7	0.03	<1	0.6	20.9	<10	<2			
1831397	Drill Core	<0.1	<0.02	2.2	0.64	<0.1	0.26	<0.02	8.0	0.3	<0.05	8.1	11.99	75.9	<0.02	<1	0.3	7.0	<10	<2			
1831398	Drill Core	<0.1	<0.02	2.4	0.42	<0.1	0.15	0.07	7.2	0.3	<0.05	4.9	9.59	61.3	0.02	<1	0.2	7.0	<10	<2			
1831399	Drill Core	<0.1	<0.02	5.6	0.42	<0.1	0.05	<0.02	5.6	0.3	<0.05	1.4	11.83	62.1	0.03	<1	0.2	13.5	<10	<2			
1831400	Rock Pulp	<0.1	0.14	5.0	0.68	0.1	0.07	0.11	8.0	1.9	<0.05	1.7	5.29	15.4	0.05	<1	0.2	6.8	<10	<2			
1831401	Drill Core	<0.1	<0.02	3.1	0.35	<0.1	0.05	<0.02	6.7	0.3	<0.05	1.7	11.49	78.0	<0.02	<1	0.3	7.2	<10	<2			
1831402	Drill Core	<0.1	<0.02	1.9	0.40	<0.1	0.06	<0.02	7.1	0.2	<0.05	1.9	8.93	68.6	0.02	<1	0.4	6.0	<10	<2			
1831403	Drill Core	<0.1	<0.02	2.1	0.40	<0.1	0.09	<0.02	7.9	0.2	<0.05	3.2	8.39	81.3	<0.02	<1	0.2	8.7	<10	<2			
1831404	Drill Core	<0.1	<0.02	1.3	0.23	<0.1	0.05	0.06	6.1	0.2	<0.05	1.7	5.65	73.9	<0.02	<1	0.1	3.4	<10	<2			
1831405	Drill Core	<0.1	<0.02	4.8	0.60	<0.1	0.02	<0.02	7.3	0.2	<0.05	0.6	9.77	17.8	<0.02	1	0.5	30.1	<10	<2			
1831406	Drill Core	<0.1	<0.02	1.3	0.20	<0.1	0.05	0.04	5.9	0.2	<0.05	1.2	5.27	48.7	<0.02	<1	0.2	5.5	<10	<2			
1831407	Drill Core	<0.1	<0.02	1.2	0.34	<0.1	0.03	0.03	6.9	0.3	<0.05	1.4	5.10	60.5	<0.02	1	0.3	3.8	<10	<2			
1831408	Drill Core	<0.1	0.33	1.2	0.26	<0.1	0.04	<0.02	6.7	0.2	<0.05	1.5	4.05	51.0	<0.02	<1	0.1	3.8	<10	<2			
1831409	Drill Core	<0.1	<0.02	1.7	0.40	<0.1	0.07	<0.02	7.5	0.3	<0.05	2.3	5.96	53.5	<0.02	<1	0.5	10.0	<10	<2			
1831410	Drill Core	<0.1	0.03	1.2	0.30	<0.1	0.05	<0.02	5.9	0.3	<0.05	1.6	6.38	43.5	<0.02	<1	0.3	3.3	<10	<2			
1831411	Drill Core	<0.1	0.02	1.3	0.45	<0.1	0.05	0.03	7.1	0.3	<0.05	1.8	5.95	65.8	<0.02	<1	0.2	3.7	<10	<2			
1831412	Drill Core	<0.1	<0.02	7.8	0.63	<0.1	0.02	<0.02	4.6	0.1	<0.05	0.6	8.30	23.7	0.03	<1	0.3	34.9	<10	<2			
1831413	Drill Core	<0.1	<0.02	1.7	0.33	<0.1	0.06	0.02	6.0	0.2	<0.05	2.5	5.96	61.1	<0.02	<1	0.3	5.9	<10	<2			
1831414	Drill Core	<0.1	<0.02	2.6	0.40	<0.1	0.04	<0.02	6.9	0.1	<0.05	1.5	5.15	45.8	<0.02	<1	0.3	11.3	<10	<2			
1831415	Drill Core	<0.1	<0.02	2.3	0.57	<0.1	0.08	<0.02	7.0	0.2	<0.05	2.3	5.09	50.2	<0.02	<1	0.3	12.6	<10	<2			
1831416	Drill Core	<0.1	<0.02	2.0	0.72	<0.1	0.09	<0.02	7.6	0.2	<0.05	3.7	5.09	44.2	<0.02	<1	0.4	14.8	<10	<2			
1831417	Drill Core	<0.1	<0.02	1.4	0.44	<0.1	0.29	0.02	6.0	0.3	<0.05	8.5	5.51	48.9	<0.02	<1	0.2	8.6	<10	<2			
1831418	Drill Core	<0.1	<0.02	0.6	0.64	<0.1	0.38	<0.02	5.8	0.2	<0.05	11.4	5.59	55.7	<0.02	<1	0.1	1.8	<10	<2			
1831419	Drill Core	<0.1	<0.02	0.8	1.69	<0.1	0.33	0.02	7.2	0.3	<0.05	9.9	6.28	68.4	<0.02	<1	0.3	2.0	<10	<2			
1831420	Rock Pulp	<0.1	0.20	3.7	0.54	<0.1	0.04	<0.02	5.3	0.4	<0.05	1.6	2.84	7.7	<0.02	2	0.1	7.4	237	117			
1831421	Drill Core	<0.1	<0.02	0.8	0.35	<0.1	0.17	0.10	6.4	0.1	<0.05	4.9	6.81	55.3	<0.02	<1	0.2	1.7	<10	<2			
1831422	Drill Core	<0.1	<0.02	0.8	0.23	<0.1	0.10	0.07	6.8	0.2	<0.05	2.9	7.63	63.7	<0.02	<1	0.1	1.6	<10	<2			
1831423	Drill Core	<0.1	<0.02	0.8	0.21	<0.1	0.06	0.03	6.8	0.3	<0.05	2.3	8.25	63.5	<0.02	<1	0.3	1.9	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000334.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1831424	Drill Core	2.94	442	0.006	<0.01	<0.17	49.19	0.29	1.09	16.16	6.0	116	0.2	0.2	63	0.29	1.4	1.6	1.5	16.2	8.1
1831425	Drill Core	3.30	487	0.007	<0.01	<0.17	45.70	0.28	1.30	17.41	6.3	125	0.3	0.2	51	0.27	1.6	1.4	0.2	16.2	4.4
1831426	Drill Core	3.16	435	0.005	<0.01	<0.17	35.02	0.34	2.78	11.25	10.3	570	0.6	0.2	54	0.33	2.7	1.7	1.8	14.3	6.5
1831427	Drill Core	2.35	540	0.008	<0.01	<0.17	51.85	0.27	2.40	10.47	7.9	433	0.5	0.2	45	0.29	0.9	1.1	1.6	15.0	4.1
1831428	Drill Core	1.97	394	0.009	<0.01	<0.17	45.57	0.28	1.97	15.96	5.4	285	0.5	0.2	47	0.35	1.1	1.1	1.5	15.0	3.1
1831429	Drill Core	3.39	415	0.009	<0.01	<0.17	29.26	0.64	4.94	12.05	17.7	606	2.4	0.5	146	0.63	4.1	2.3	4.8	15.9	30.2
1831430	Drill Core	3.13	375	0.013	0.01	<0.17	40.97	0.39	7.84	18.81	26.6	133	0.5	0.5	117	0.51	8.1	2.4	6.9	17.6	25.7
1831431	Drill Core	1.80	538	1.449	1.75	5.17	42.92	0.40	18.61	8.74	33.3	1287	18.9	6.9	563	1.26	18.5	1.3	1642.8	10.7	138.5
1831432	Drill Core	2.97	498	4.045	4.64	10.90	43.39	0.38	37.84	5.16	58.3	1802	28.6	11.7	589	1.67	21.7	3.5	4807.4	9.2	159.3
1831433	Drill Core	3.26	505	0.008	<0.01	<0.17	47.83	0.25	4.94	31.27	11.7	191	1.1	0.4	110	0.43	3.0	2.3	25.8	16.6	31.3
1831434	Drill Core	1.72	522	0.130	0.18	1.02	31.29	1.27	10.33	658.43	14.3	4893	0.4	0.1	120	0.46	0.6	2.3	246.8	11.1	57.3
1831435	Drill Core	3.50	442	0.030	0.03	<0.17	32.63	1.86	7.24	27.11	41.5	200	0.5	0.6	162	0.59	1.5	2.4	12.7	15.1	60.6
1831436	Drill Core	3.08	497	0.006	<0.01	<0.17	27.60	0.55	7.60	8.82	47.1	87	4.1	4.0	196	1.11	2.1	4.1	<0.2	11.6	67.0
1831437	Drill Core	3.04	439	0.007	<0.01	<0.17	43.31	0.17	5.66	6.19	34.6	75	3.8	3.7	228	1.10	3.4	3.5	1.8	11.0	52.3
1831438	Drill Core	2.22	520	0.042	0.04	<0.17	36.60	0.65	7.57	26.62	28.0	445	2.0	1.9	167	0.90	11.6	1.9	34.4	11.7	48.6
1831439	Drill Core	3.28	503	0.295	0.59	3.55	45.67	2.76	6.95	11.42	35.9	480	2.4	2.7	302	1.09	15.2	3.1	1916.6	13.9	95.0
1831440	Rock Pulp	0.12	63	0.005				4.21	23.32	0.93	31.6	18	7.2	4.4	554	2.36	1.4	0.4	1.4	2.0	29.4
1831441	Drill Core	3.29	516	1.020	1.54	6.75	46.64	0.12	10.44	18.96	11.2	413	1.0	1.2	181	0.52	2.7	3.3	1387.5	12.3	43.7
1831442	Drill Core	3.37	513	0.007	<0.01	<0.17	46.23	0.12	6.00	22.90	11.3	101	1.2	1.3	145	0.48	2.8	3.4	2.0	14.3	31.6
1831443	Drill Core	3.05	475	0.020	0.02	<0.17	41.01	0.16	5.67	19.20	11.8	136	1.4	1.2	126	0.53	20.2	1.3	13.0	14.0	26.2
1831444	Drill Core	3.23	516	0.009	<0.01	<0.17	45.12	0.97	6.86	20.27	17.9	150	2.2	2.5	198	0.83	7.9	2.2	2.8	13.3	54.6
1831445	Drill Core	3.25	477	0.031	0.03	<0.17	38.20	0.50	4.73	11.77	21.3	190	2.8	2.8	256	0.97	50.0	3.0	23.4	12.7	60.6
1831446	Drill Core	2.68	423	0.011	<0.01	<0.17	35.17	1.29	17.25	15.37	33.4	198	3.8	3.3	259	1.28	11.1	2.5	5.9	12.4	57.6
1831447	Drill Core	3.33	507	0.012	0.01	<0.17	30.16	0.87	12.47	11.27	39.5	218	4.8	4.4	298	1.46	15.1	2.8	6.9	10.9	46.5
1831448	Drill Core	3.10	441	0.067	0.08	0.29	34.52	0.53	9.81	14.44	32.2	371	26.2	8.6	410	1.74	77.2	2.0	41.6	9.8	119.4
1831449	Drill Core	2.61	490	0.011	0.01	<0.17	43.28	0.67	2.81	10.07	51.4	118	79.3	19.9	826	3.12	23.5	1.1	8.5	4.0	280.7
1831450	Drill Core	3.49	480	0.023	0.02	<0.17	41.03	1.47	19.38	14.49	39.4	334	4.2	3.7	332	1.64	35.0	3.4	21.5	12.1	96.9
1831451	Drill Core	3.06	482	0.007	<0.01	<0.17	39.80	0.53	9.31	33.75	30.1	183	2.9	3.3	227	1.18	5.9	2.7	5.3	11.0	126.3
1831452	Drill Core	3.31	524	0.071	0.08	<0.17	39.31	0.18	8.55	6.49	36.6	182	3.4	3.6	252	1.37	10.9	2.9	78.0	10.1	71.4
1831453	Drill Core	3.29	522	0.008	<0.01	<0.17	34.20	2.20	9.38	16.57	41.5	139	8.4	6.9	346	1.65	6.2	2.5	3.7	12.2	123.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000334.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831424	Drill Core	0.05	0.13	0.12	<1	0.11	0.004	29.4	1.7	0.09	133.1	<0.001	2	0.29	0.016	0.21	<0.1	0.4	0.04	<0.02	42			
1831425	Drill Core	0.03	0.16	0.12	<1	0.03	0.003	39.0	1.8	0.07	130.0	<0.001	2	0.28	0.008	0.20	0.1	0.3	0.04	<0.02	<5			
1831426	Drill Core	0.05	0.21	0.04	<1	0.04	0.004	35.4	2.2	0.14	134.6	<0.001	<1	0.35	0.007	0.21	1.9	0.3	0.05	<0.02	<5			
1831427	Drill Core	0.04	0.13	0.06	<1	0.02	0.004	33.3	2.0	0.13	114.9	<0.001	1	0.28	0.018	0.19	1.4	0.3	0.04	<0.02	<5			
1831428	Drill Core	0.01	0.16	0.12	<1	0.01	0.003	31.0	2.2	0.08	167.6	<0.001	2	0.27	0.025	0.20	0.3	0.4	0.04	<0.02	<5			
1831429	Drill Core	0.12	0.27	0.13	<1	0.45	0.003	26.5	5.2	0.44	343.9	<0.001	2	0.44	0.006	0.21	1.2	0.7	0.05	0.04	7			
1831430	Drill Core	0.18	0.31	0.12	<1	0.38	0.002	25.4	1.9	0.40	148.4	<0.001	1	0.44	0.006	0.22	0.3	0.4	0.05	0.07	8			
1831431	Drill Core	0.44	0.66	0.04	4	2.81	0.008	10.6	9.1	0.81	132.7	<0.001	<1	0.51	0.003	0.20	<0.1	2.4	0.06	0.51	10			
1831432	Drill Core	0.56	0.81	0.03	8	2.64	0.036	9.3	14.3	1.03	161.9	0.002	<1	0.62	0.004	0.26	<0.1	3.1	0.07	0.81	11			
1831433	Drill Core	0.17	0.34	0.22	<1	0.45	0.003	27.7	1.6	0.23	183.3	<0.001	1	0.34	0.014	0.23	<0.1	0.5	0.05	0.06	10			
1831434	Drill Core	0.30	0.89	1.40	<1	0.56	0.001	14.4	1.5	0.30	436.9	<0.001	3	0.24	0.004	0.19	<0.1	0.5	0.04	0.07	15			
1831435	Drill Core	0.16	0.29	0.20	<1	0.59	0.001	20.6	1.7	0.58	173.1	<0.001	3	0.42	0.004	0.21	0.1	0.5	0.05	0.04	14			
1831436	Drill Core	0.21	0.22	0.05	2	0.76	0.027	14.1	10.0	0.98	157.8	0.001	3	0.76	0.005	0.23	<0.1	1.4	0.05	0.08	8			
1831437	Drill Core	0.20	0.16	<0.02	3	0.83	0.039	17.4	4.4	0.74	149.0	0.001	2	0.77	0.008	0.26	<0.1	1.2	0.06	0.10	20			
1831438	Drill Core	0.26	0.24	0.16	2	0.51	0.023	17.8	2.8	0.69	576.3	<0.001	1	0.63	0.006	0.22	0.8	0.9	0.06	0.13	<5			
1831439	Drill Core	0.27	0.32	0.06	2	1.40	0.010	18.6	6.2	0.74	282.2	0.001	2	0.64	0.024	0.22	0.2	1.8	0.06	0.36	15			
1831440	Rock Pulp	0.03	0.17	<0.02	22	0.75	0.036	5.4	15.4	0.49	55.1	0.076	4	1.00	0.067	0.08	0.2	2.8	<0.02	0.05	<5			
1831441	Drill Core	0.15	0.17	0.07	1	0.59	0.037	22.4	2.3	0.24	215.1	0.002	2	0.39	0.027	0.27	0.1	0.7	0.05	0.13	<5			
1831442	Drill Core	0.07	0.25	0.03	1	0.43	0.028	33.9	2.2	0.18	180.3	0.002	<1	0.38	0.032	0.28	<0.1	0.8	0.05	0.07	8			
1831443	Drill Core	0.06	0.40	0.03	2	0.38	0.029	27.2	2.2	0.16	153.9	0.002	<1	0.30	0.028	0.24	<0.1	0.6	0.05	0.19	<5			
1831444	Drill Core	0.08	0.33	0.10	3	0.55	0.032	25.0	4.5	0.32	207.0	0.002	1	0.51	0.025	0.29	<0.1	1.2	0.06	0.19	<5			
1831445	Drill Core	0.10	0.61	0.06	3	0.69	0.037	22.9	3.2	0.40	160.1	0.002	<1	0.55	0.014	0.28	<0.1	1.0	0.07	0.34	7			
1831446	Drill Core	0.19	0.33	0.05	4	0.61	0.036	27.3	3.9	0.43	227.1	0.003	<1	0.68	0.019	0.29	<0.1	1.4	0.07	0.25	10			
1831447	Drill Core	0.18	0.41	0.10	5	0.65	0.036	18.2	6.3	0.59	148.8	0.002	1	0.75	0.011	0.23	<0.1	1.3	0.06	0.27	9			
1831448	Drill Core	0.13	1.09	0.14	13	1.38	0.051	16.7	24.0	0.94	173.2	0.002	<1	0.96	0.015	0.26	<0.1	2.7	0.07	0.61	9			
1831449	Drill Core	0.12	0.44	0.06	46	3.67	0.038	9.8	100.0	2.44	242.6	0.014	2	2.07	0.003	0.27	<0.1	7.3	0.08	0.19	15			
1831450	Drill Core	0.20	0.83	0.10	6	1.15	0.041	34.5	4.9	0.54	175.5	0.004	<1	0.75	0.029	0.24	<0.1	2.0	0.06	0.45	7			
1831451	Drill Core	0.16	0.32	0.14	3	1.27	0.037	31.6	3.2	0.35	185.7	0.006	1	0.58	0.024	0.27	<0.1	1.6	0.06	0.14	<5			
1831452	Drill Core	0.17	0.24	<0.02	5	0.79	0.038	18.8	3.5	0.55	142.0	0.003	<1	0.69	0.022	0.23	<0.1	1.5	0.05	0.30	6			
1831453	Drill Core	0.15	0.22	0.05	9	1.34	0.044	33.9	14.9	0.78	160.3	0.005	1	0.92	0.013	0.27	<0.1	2.6	0.06	0.11	10			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000334.1

	Method	Analyte	Method																		Unit	MDL	
			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251				
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd			Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb			ppb
			0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2		
1831424	Drill Core		<0.1	<0.02	0.7	0.23	<0.1	0.31	0.02	6.3	0.2	<0.05	9.1	7.06	54.3	<0.02	<1	0.2	2.0	<10	<2		
1831425	Drill Core		<0.1	<0.02	0.7	0.69	<0.1	0.18	<0.02	6.7	0.1	<0.05	5.7	8.25	72.0	<0.02	<1	0.2	1.7	<10	<2		
1831426	Drill Core		<0.1	<0.02	0.7	0.62	<0.1	0.24	0.02	7.0	0.2	<0.05	7.0	9.33	66.0	<0.02	<1	0.1	2.5	<10	<2		
1831427	Drill Core		<0.1	<0.02	0.8	0.41	<0.1	0.36	0.07	6.3	0.9	<0.05	9.4	7.72	62.2	<0.02	<1	0.4	2.1	<10	<2		
1831428	Drill Core		<0.1	<0.02	0.9	0.24	<0.1	0.45	0.05	5.8	0.2	<0.05	12.2	7.08	57.7	<0.02	<1	0.2	1.9	<10	<2		
1831429	Drill Core		<0.1	0.02	1.0	0.24	<0.1	0.17	0.13	6.4	0.2	<0.05	5.8	8.65	50.7	<0.02	<1	0.2	6.2	<10	<2		
1831430	Drill Core		<0.1	<0.02	0.9	0.32	<0.1	0.20	0.07	6.8	0.3	<0.05	5.5	7.83	48.7	<0.02	<1	0.3	5.7	<10	<2		
1831431	Drill Core		<0.1	0.46	1.6	0.43	<0.1	0.18	<0.02	6.1	0.2	<0.05	5.3	15.87	20.8	<0.02	<1	0.6	7.2	<10	<2		
1831432	Drill Core		<0.1	0.32	1.9	0.37	<0.1	0.17	<0.02	8.2	0.2	<0.05	5.2	16.64	19.5	<0.02	<1	0.4	9.2	<10	<2		
1831433	Drill Core		<0.1	0.02	1.1	0.20	<0.1	0.18	0.06	6.7	0.2	<0.05	5.8	5.81	50.4	0.03	<1	0.2	3.5	<10	<2		
1831434	Drill Core		0.9	1.58	0.7	0.20	<0.1	0.06	0.05	5.0	0.2	<0.05	2.1	4.08	26.3	<0.02	<1	0.3	2.8	<10	<2		
1831435	Drill Core		<0.1	<0.02	1.2	0.33	<0.1	0.15	0.06	6.1	0.3	<0.05	4.5	4.85	37.2	<0.02	<1	0.1	5.9	<10	<2		
1831436	Drill Core		<0.1	<0.02	1.9	0.44	<0.1	0.12	<0.02	6.8	0.2	<0.05	3.1	4.53	27.6	<0.02	<1	0.4	14.2	<10	<2		
1831437	Drill Core		<0.1	<0.02	1.9	0.30	<0.1	0.09	<0.02	7.5	0.2	<0.05	3.1	5.64	32.9	<0.02	<1	<0.1	11.1	<10	<2		
1831438	Drill Core		<0.1	0.03	1.7	0.64	<0.1	0.12	<0.02	6.9	0.7	<0.05	3.8	5.77	33.2	<0.02	<1	0.3	10.0	<10	<2		
1831439	Drill Core		<0.1	0.05	1.8	0.38	<0.1	0.16	<0.02	7.0	0.3	<0.05	4.6	9.12	34.0	<0.02	2	0.4	9.5	<10	<2		
1831440	Rock Pulp		<0.1	<0.02	4.0	0.13	0.1	0.13	0.34	1.8	1.9	<0.05	3.0	7.46	10.9	<0.02	<1	0.3	1.0	<10	<2		
1831441	Drill Core		<0.1	0.05	1.3	0.37	<0.1	0.12	<0.02	8.3	0.1	<0.05	4.1	4.97	38.9	<0.02	<1	0.2	3.8	<10	<2		
1831442	Drill Core		<0.1	<0.02	1.4	0.26	<0.1	0.09	<0.02	8.8	0.2	<0.05	3.0	6.02	60.3	<0.02	<1	0.2	3.4	<10	<2		
1831443	Drill Core		<0.1	<0.02	1.1	0.24	<0.1	0.09	<0.02	7.1	0.1	<0.05	3.2	7.07	49.7	<0.02	<1	0.2	3.4	<10	<2		
1831444	Drill Core		<0.1	<0.02	1.7	0.29	<0.1	0.18	<0.02	8.8	0.2	<0.05	5.5	6.01	44.3	<0.02	2	0.3	6.2	<10	<2		
1831445	Drill Core		<0.1	<0.02	2.0	0.81	<0.1	0.18	<0.02	9.9	0.1	<0.05	5.9	8.00	41.6	<0.02	<1	0.3	8.2	<10	<2		
1831446	Drill Core		<0.1	<0.02	2.6	0.75	<0.1	0.19	<0.02	10.2	0.1	<0.05	6.4	6.96	49.6	<0.02	<1	0.5	10.3	<10	<2		
1831447	Drill Core		<0.1	0.02	2.4	0.87	<0.1	0.20	<0.02	8.6	0.2	<0.05	6.4	6.48	32.1	<0.02	<1	0.2	12.3	<10	<2		
1831448	Drill Core		<0.1	0.07	3.0	0.87	<0.1	0.08	<0.02	9.1	0.2	<0.05	2.9	7.22	31.0	<0.02	1	0.2	16.1	<10	<2		
1831449	Drill Core		<0.1	0.02	5.6	0.84	<0.1	0.02	<0.02	9.0	0.3	<0.05	0.8	8.89	17.9	0.02	<1	0.1	32.6	<10	<2		
1831450	Drill Core		<0.1	<0.02	3.1	0.36	<0.1	<0.02	0.03	8.3	0.6	<0.05	0.8	11.85	61.5	<0.02	<1	0.4	9.7	<10	<2		
1831451	Drill Core		<0.1	<0.02	2.2	0.52	<0.1	0.06	0.05	8.9	0.2	<0.05	1.7	9.33	54.9	<0.02	1	0.2	7.1	<10	<2		
1831452	Drill Core		<0.1	0.04	2.6	0.60	<0.1	0.09	<0.02	7.6	0.1	<0.05	2.8	7.50	33.0	<0.02	<1	0.3	10.9	<10	<2		
1831453	Drill Core		<0.1	0.02	3.3	0.57	<0.1	0.12	<0.02	8.8	0.2	<0.05	4.3	10.93	61.4	<0.02	2	0.4	14.6	<10	<2		



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000334.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1831454	Drill Core	3.12	482	<0.005	<0.01	<0.17	24.60	0.30	6.23	21.56	39.9	115	3.5	3.4	189	1.40	0.8	2.1	<0.2	14.1	55.9
1831455	Drill Core	3.02	446	<0.005	<0.01	<0.17	42.60	0.45	8.84	28.00	37.4	168	9.8	3.9	234	1.42	2.7	2.7	0.6	13.5	68.0
1831456	Drill Core	3.25	486	<0.005	<0.01	<0.17	42.51	0.87	9.56	24.94	34.9	151	4.7	3.5	268	1.53	2.9	2.5	<0.2	11.0	76.6
1831457	Drill Core	3.22	463	0.024	0.02	<0.17	33.99	0.82	8.44	26.27	48.4	249	7.4	5.8	422	1.99	41.9	1.8	18.9	11.0	77.1
1831458	Drill Core	3.10	463	0.034	0.03	<0.17	32.71	9.01	14.56	14.58	54.0	350	15.2	8.4	610	2.13	62.8	3.0	27.0	11.3	115.2
1831459	Drill Core	3.09	454	0.023	0.02	<0.17	48.06	0.32	6.89	11.06	42.6	137	2.7	3.7	283	1.62	3.4	3.3	38.0	13.4	62.0
1831460	Core DUP		389	0.029	0.03	<0.17	24.08	0.39	7.28	12.23	45.1	142	2.8	3.8	300	1.58	3.5	3.4	17.2	13.0	66.2
1831461	Drill Core	2.45	485	0.008	<0.01	<0.17	37.30	0.64	9.50	18.31	58.3	170	12.2	10.1	565	2.45	1.9	4.0	3.7	8.3	182.4
1831462	Drill Core	2.77	426	0.013	0.01	<0.17	39.31	0.21	1.30	8.98	45.8	57	3.1	3.2	308	1.71	6.4	3.5	7.6	11.2	68.0
1831463	Drill Core	2.58	511	0.013	0.01	<0.17	35.25	1.80	5.86	12.85	65.6	143	5.6	4.7	456	2.09	16.4	3.2	11.7	9.1	77.1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 5 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000334.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1831454	Drill Core	0.07	0.18	0.13	6	0.48	0.034	38.1	4.0	0.44	146.5	0.011	1	0.69	0.033	0.23	<0.1	1.9	0.08	0.06
1831455	Drill Core	0.15	0.17	0.21	5	0.76	0.032	36.9	3.7	0.51	173.8	0.004	2	0.75	0.025	0.26	<0.1	1.9	0.08	0.12
1831456	Drill Core	0.17	0.11	0.17	5	1.05	0.033	32.5	4.5	0.71	138.6	0.002	2	0.86	0.012	0.24	<0.1	1.9	0.06	0.08
1831457	Drill Core	0.17	0.61	0.17	7	1.19	0.048	27.1	6.9	0.94	135.3	0.002	3	1.09	0.006	0.25	<0.1	1.9	0.07	0.35
1831458	Drill Core	0.19	0.83	0.18	13	1.72	0.062	21.3	18.1	0.96	269.2	0.002	2	1.09	0.008	0.24	0.1	2.4	0.07	0.59
1831459	Drill Core	0.13	0.19	0.10	6	0.80	0.036	33.0	4.6	0.61	185.3	0.003	2	0.88	0.028	0.25	<0.1	2.1	0.07	0.13
1831460	Core DUP	0.13	0.19	0.12	5	0.77	0.036	32.8	4.5	0.59	179.4	0.003	<1	0.83	0.024	0.22	<0.1	2.0	0.07	0.12
1831461	Drill Core	0.27	0.21	0.15	28	2.30	0.056	25.3	25.3	1.52	368.0	0.005	1	1.60	0.020	0.26	<0.1	6.4	0.07	0.09
1831462	Drill Core	0.12	0.20	0.06	5	0.99	0.045	39.5	4.9	0.63	232.4	0.004	<1	0.98	0.028	0.25	<0.1	2.4	0.10	0.07
1831463	Drill Core	0.26	0.30	0.10	7	1.19	0.045	29.4	7.5	0.86	209.4	0.003	<1	1.14	0.024	0.20	<0.1	2.6	0.07	0.25



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000334.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1831454	Drill Core	<0.1	<0.02	2.8	0.50	<0.1	0.16	0.03	8.4	0.2	<0.05	4.8	13.09	67.4	<0.02	<1	0.3	8.6	<10
1831455	Drill Core	0.2	<0.02	2.7	0.36	<0.1	0.05	<0.02	8.6	0.2	<0.05	1.7	13.37	63.7	0.02	<1	0.2	7.4	<10
1831456	Drill Core	<0.1	0.03	2.7	0.32	<0.1	<0.02	<0.02	7.2	0.1	<0.05	0.7	11.46	54.7	<0.02	<1	0.5	8.5	<10
1831457	Drill Core	<0.1	<0.02	3.6	0.47	<0.1	0.04	<0.02	8.6	0.2	<0.05	1.6	9.21	48.9	<0.02	<1	0.2	17.3	<10
1831458	Drill Core	0.1	0.02	3.7	0.44	<0.1	0.07	<0.02	8.5	0.2	<0.05	2.2	11.29	38.6	<0.02	3	0.3	22.2	<10
1831459	Drill Core	<0.1	0.02	3.2	0.36	<0.1	0.06	<0.02	8.0	0.2	<0.05	1.9	10.08	59.3	<0.02	<1	0.5	10.5	<10
1831460	Core DUP	<0.1	<0.02	3.2	0.37	<0.1	0.04	<0.02	8.1	0.2	<0.05	1.8	10.40	57.6	<0.02	<1	0.3	10.9	<10
1831461	Drill Core	<0.1	<0.02	4.8	0.35	<0.1	<0.02	0.05	9.7	0.6	<0.05	0.8	11.80	48.5	<0.02	3	0.3	11.7	<10
1831462	Drill Core	<0.1	<0.02	3.6	0.71	<0.1	<0.02	0.04	10.4	0.3	<0.05	0.4	18.23	77.2	<0.02	<1	0.2	8.0	<10
1831463	Drill Core	<0.1	<0.02	4.5	0.51	<0.1	<0.02	0.03	8.7	0.5	<0.05	0.5	12.29	54.3	<0.02	6	0.3	18.2	<10



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000334.1

Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1831395	Drill Core	3.59	383	0.028	0.03	<0.17	31.90	0.62	12.97	23.71	40.6	350	13.5	9.7	510	1.94	38.6	2.1	21.6	13.9	106.4
REP 1831395	QC							0.62	13.38	23.19	39.4	366	14.4	9.2	518	1.93	38.5	2.0	20.0	13.4	101.8
1831430	Drill Core	3.13	375	0.013	0.01	<0.17	40.97	0.39	7.84	18.81	26.6	133	0.5	0.5	117	0.51	8.1	2.4	6.9	17.6	25.7
REP 1831430	QC							0.42	8.33	18.72	27.8	147	0.5	0.5	122	0.55	8.4	2.5	7.7	18.7	26.5
1831461	Drill Core	2.45	485	0.008	<0.01	<0.17	37.30	0.64	9.50	18.31	58.3	170	12.2	10.1	565	2.45	1.9	4.0	3.7	8.3	182.4
REP 1831461	QC							0.53	9.30	17.44	51.8	155	11.2	9.6	528	2.40	1.3	3.8	4.3	7.8	175.1
Core Reject Duplicates																					
1831414	Drill Core	3.69	452	0.016	0.01	<0.17	43.69	0.46	13.86	16.58	52.4	252	7.8	5.6	143	1.31	5.2	0.8	6.9	12.5	9.6
DUP 1831414	QC	449		0.029	0.05	0.27	40.05	0.48	13.62	16.27	53.0	252	8.2	5.7	147	1.38	5.4	0.8	87.3	12.2	9.3
1831448	Drill Core	3.10	441	0.067	0.08	0.29	34.52	0.53	9.81	14.44	32.2	371	26.2	8.6	410	1.74	77.2	2.0	41.6	9.8	119.4
DUP 1831448	QC	390		0.054	0.05	<0.17	47.98	0.53	9.63	13.55	30.5	363	24.9	8.1	425	1.68	74.8	1.9	50.8	9.5	115.7
Reference Materials																					
STD BVGEO01	Standard							11.05	4434.41	190.34	1849.0	2631	152.9	25.1	728	3.74	119.8	3.9	232.9	16.5	57.0
STD DS11	Standard							14.25	154.51	134.35	321.7	1681	79.8	14.4	990	3.11	41.8	2.6	66.1	8.5	62.7
STD DS11	Standard							14.84	160.79	131.60	329.7	1636	85.0	14.6	992	3.09	39.9	2.6	79.2	7.7	61.2
STD DS11	Standard							14.83	145.92	138.13	355.5	1587	78.5	13.2	999	3.13	41.3	2.6	73.6	6.0	67.0
STD OREAS262	Standard							0.69	120.06	52.47	142.1	429	60.9	27.2	503	3.20	33.6	1.1	65.3	9.0	32.7
STD OREAS262	Standard							0.73	123.81	55.55	144.2	436	66.9	28.0	528	3.24	33.9	1.2	69.1	9.4	32.8
STD OREAS262	Standard							0.68	121.66	56.78	147.4	480	62.5	26.7	526	3.35	35.1	1.3	69.2	10.6	36.4
STD OREAS262	Standard							0.68	115.52	56.72	147.9	430	67.3	28.3	518	3.24	35.2	1.2	67.9	7.6	36.9
STD OXC152	Standard	0.222																			
STD OXC152	Standard	0.210																			
STD OXC152	Standard	0.216																			
STD OXH139	Standard	1.334																			
STD OXH139	Standard	1.323																			
STD OXH139	Standard	1.286																			
STD OXN134	Standard	7.733																			
STD OXN134	Standard	7.740																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000334.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1831395	Drill Core	0.23	0.44	0.26	16	1.63	0.038	33.3	18.2	0.92	417.2	0.002	1	1.00	0.023	0.19	0.1	4.6	0.07	0.05	<5
REP 1831395	QC	0.23	0.44	0.25	16	1.62	0.039	34.1	18.7	0.93	421.6	0.002	2	1.02	0.024	0.20	0.1	4.7	0.07	0.05	<5
1831430	Drill Core	0.18	0.31	0.12	<1	0.38	0.002	25.4	1.9	0.40	148.4	<0.001	1	0.44	0.006	0.22	0.3	0.4	0.05	0.07	8
REP 1831430	QC	0.18	0.34	0.13	<1	0.39	0.002	28.2	2.1	0.42	157.4	<0.001	2	0.48	0.007	0.24	0.3	0.3	0.06	0.07	20
1831461	Drill Core	0.27	0.21	0.15	28	2.30	0.056	25.3	25.3	1.52	368.0	0.005	1	1.60	0.020	0.26	<0.1	6.4	0.07	0.09	<5
REP 1831461	QC	0.28	0.20	0.14	28	2.31	0.052	24.8	22.7	1.50	329.7	0.004	<1	1.58	0.019	0.26	<0.1	5.8	0.07	0.09	<5
Core Reject Duplicates																					
1831414	Drill Core	0.14	0.26	0.11	4	0.13	0.040	27.0	9.5	0.90	193.2	0.002	2	1.00	0.007	0.20	0.2	1.4	0.05	0.03	<5
DUP 1831414	QC	0.14	0.25	0.12	4	0.13	0.042	24.5	9.8	0.91	175.3	0.002	2	1.07	0.008	0.21	0.2	1.4	0.05	0.03	<5
1831448	Drill Core	0.13	1.09	0.14	13	1.38	0.051	16.7	24.0	0.94	173.2	0.002	<1	0.96	0.015	0.26	<0.1	2.7	0.07	0.61	9
DUP 1831448	QC	0.13	1.13	0.13	12	1.43	0.050	14.8	22.5	0.87	159.2	0.002	1	0.88	0.015	0.24	<0.1	2.3	0.07	0.62	8
Reference Materials																					
STD BVGEO01	Standard	6.54	4.01	26.31	71	1.34	0.070	27.1	187.0	1.28	337.8	0.245	5	2.39	0.192	0.87	5.2	5.9	0.61	0.62	94
STD DS11	Standard	2.27	8.15	11.82	47	1.05	0.067	18.2	60.4	0.84	370.0	0.094	7	1.19	0.072	0.40	2.8	2.9	4.83	0.27	258
STD DS11	Standard	2.27	8.44	10.96	51	1.03	0.061	18.9	63.0	0.85	356.9	0.098	9	1.16	0.070	0.41	3.0	3.0	4.54	0.27	258
STD DS11	Standard	2.24	8.48	11.10	49	1.06	0.067	19.1	57.8	0.84	368.4	0.092	6	1.20	0.073	0.40	2.7	3.6	4.69	0.27	226
STD OREAS262	Standard	0.66	5.64	0.97	20	3.07	0.036	14.3	40.8	1.12	228.0	0.002	3	1.20	0.069	0.29	0.2	2.8	0.42	0.25	151
STD OREAS262	Standard	0.64	5.60	0.97	22	2.97	0.038	16.9	45.7	1.16	241.0	0.003	4	1.32	0.068	0.32	0.2	2.9	0.43	0.26	169
STD OREAS262	Standard	0.68	6.16	1.06	21	3.16	0.039	17.0	44.1	1.16	248.0	0.003	3	1.33	0.068	0.31	0.2	3.1	0.42	0.24	138
STD OREAS262	Standard	0.61	5.61	1.00	22	2.91	0.039	16.8	41.7	1.14	258.3	0.002	4	1.39	0.068	0.32	0.2	3.6	0.47	0.25	146
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000334.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1831395	Drill Core	<0.1	<0.02	3.8	1.08	<0.1	0.13	<0.02	7.8	0.3	<0.05	4.0	15.21	60.6	0.02	<1	0.2	12.1	<10	<2
REP 1831395	QC	<0.1	<0.02	3.7	1.07	<0.1	0.13	<0.02	8.2	0.4	<0.05	3.9	15.20	62.0	<0.02	<1	0.3	12.2	<10	<2
1831430	Drill Core	<0.1	<0.02	0.9	0.32	<0.1	0.20	0.07	6.8	0.3	<0.05	5.5	7.83	48.7	<0.02	<1	0.3	5.7	<10	<2
REP 1831430	QC	<0.1	<0.02	1.0	0.35	<0.1	0.20	0.08	7.4	0.2	<0.05	5.7	7.68	50.5	<0.02	<1	0.1	6.1	<10	<2
1831461	Drill Core	<0.1	<0.02	4.8	0.35	<0.1	<0.02	0.05	9.7	0.6	<0.05	0.8	11.80	48.5	<0.02	3	0.3	11.7	<10	<2
REP 1831461	QC	<0.1	<0.02	4.6	0.35	<0.1	<0.02	<0.02	9.1	0.3	<0.05	0.9	11.62	48.3	<0.02	3	0.3	11.9	<10	<2
Core Reject Duplicates																				
1831414	Drill Core	<0.1	<0.02	2.6	0.40	<0.1	0.04	<0.02	6.9	0.1	<0.05	1.5	5.15	45.8	<0.02	<1	0.3	11.3	<10	<2
DUP 1831414	QC	<0.1	<0.02	2.7	0.37	<0.1	0.04	<0.02	7.1	0.2	<0.05	1.5	5.01	46.6	<0.02	<1	<0.1	11.2	<10	<2
1831448	Drill Core	<0.1	0.07	3.0	0.87	<0.1	0.08	<0.02	9.1	0.2	<0.05	2.9	7.22	31.0	<0.02	1	0.2	16.1	<10	<2
DUP 1831448	QC	<0.1	0.06	2.9	0.88	<0.1	0.07	<0.02	8.4	0.2	<0.05	2.6	7.29	26.6	<0.02	<1	0.4	15.0	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.4	1.03	7.5	7.28	0.2	0.33	0.29	95.5	6.0	<0.05	9.1	15.36	53.2	0.46	5	0.7	21.3	117	191
STD DS11	Standard	2.0	4.58	5.0	2.93	<0.1	0.09	1.38	32.6	1.8	<0.05	2.7	7.77	35.8	0.23	46	0.4	22.6	104	173
STD DS11	Standard	2.0	4.47	4.9	2.81	0.1	0.07	1.46	32.1	1.7	<0.05	2.9	8.05	35.8	0.23	49	0.6	23.0	107	168
STD DS11	Standard	2.2	4.50	4.9	2.87	<0.1	0.06	1.35	33.0	2.0	<0.05	3.2	8.02	39.2	0.20	43	0.5	23.6	97	172
STD OREAS262	Standard	0.3	0.25	3.6	2.76	<0.1	0.25	<0.02	17.1	0.5	<0.05	9.3	9.62	28.9	0.03	<1	1.0	15.3	<10	<2
STD OREAS262	Standard	0.4	0.23	3.6	2.87	<0.1	0.25	<0.02	17.7	0.5	<0.05	9.7	10.98	32.0	0.03	<1	1.4	17.0	<10	<2
STD OREAS262	Standard	<0.1	0.22	4.0	2.87	<0.1	0.21	<0.02	18.9	0.6	<0.05	9.6	11.15	32.2	0.04	<1	1.0	16.8	<10	<2
STD OREAS262	Standard	0.3	0.23	3.9	2.99	<0.1	0.19	<0.02	19.8	0.8	<0.05	11.8	10.98	34.0	0.04	<1	1.2	17.6	<10	<2
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000334.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXN134	Standard			7.741																	
STD OXQ90	Standard					24.99	29.77														
STD OXQ90	Standard					25.12	30.30														
STD OXQ90	Standard					25.22	30.49														
STD OXQ90	Standard					25.08	29.79														
STD OXQ90	Standard					25.30	29.76														
STD OXQ90	Standard					25.07	30.07														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	0.2	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.02	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	0.1	<0.1	1	<0.01	0.3	<0.1	<0.2	0.2	<0.5
BLK	Blank			0.005																	
BLK	Blank			0.006																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		448	<0.005	<0.01	<0.17	37.43	1.29	4.06	2.81	36.4	24	5.0	4.6	446	1.83	4.9	0.6	13.0	2.4	23.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000334.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.19	0.21	0.10	22	0.62	0.037	6.2	3.1	0.42	58.9	0.077	2	0.87	0.086	0.08	<0.1	2.3	0.11	<0.02	19



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000334.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	0.03	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.3	0.20	<0.1	0.10	0.27	2.1	0.4	0.05	2.5	8.48	11.8	0.08	40	0.2	2.4	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000334.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
ROCK-WHI	Prep Blank		458	<0.005	<0.01	<0.17	44.35	1.05	2.12	6.31	28.5	24	0.8	3.6	494	1.86	1.0	0.4	0.3	2.5	23.6



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000334.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
ROCK-WHI	Prep Blank	0.02	0.10	<0.02	22	0.65	0.039	6.6	2.5	0.43	58.4	0.081	<1	0.88	0.082	0.08	<0.1	2.6	<0.02	<0.02	8



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: August 31, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000334.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.3	0.20	0.1	0.11	0.25	2.0	0.4	<0.05	2.8	8.89	12.9	<0.02	<1	0.3	2.1	<10	<2