



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 09, 2019
Report Date: September 06, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000353.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-42
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	133	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	138	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	138	Analysis sample split/packet			WHI
Split -150	138	Analysis sample split/packet			WHI
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
FS631	135	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	138	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Erika Cayer
Graeme Joyce
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 2 of 6 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000353.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1833255	Drill Core	2.71	368	0.083	0.07	<0.17	37.70	0.39	9.46	18.98	10.5	203	1.1	0.9	97	0.44	7.3	1.3	17.6	13.5	4.9
1833256	Drill Core	3.59	382	0.042	0.04	<0.17	35.21	0.43	5.61	19.73	10.6	160	1.1	0.8	90	0.39	3.8	1.4	15.9	14.9	2.8
1833257	Drill Core	3.16	437	0.018	0.02	<0.17	33.80	0.37	6.16	37.00	17.5	153	1.5	1.0	143	0.46	4.9	2.3	11.2	17.8	2.6
1833258	Drill Core	3.35	447	0.013	0.01	<0.17	29.96	0.34	3.24	25.08	7.4	104	0.8	0.4	94	0.34	2.0	1.9	7.9	17.1	2.0
1833259	Drill Core	1.74	491	0.019	0.02	<0.17	35.15	0.26	4.24	15.60	6.4	199	0.7	0.3	42	0.33	3.2	1.7	12.6	15.1	2.6
1833260	Core DUP		416	0.019	0.02	<0.17	33.34	0.32	4.25	16.44	7.6	208	0.7	0.3	47	0.36	3.4	1.8	11.8	15.8	2.9
1833261	Drill Core	3.41	467	0.040	0.04	<0.17	38.16	0.46	5.74	33.63	8.2	288	1.1	0.5	134	0.38	4.1	2.3	29.2	15.1	5.4
1833262	Drill Core	3.94	375	0.031	0.03	<0.17	37.16	0.25	2.57	24.76	5.3	237	0.5	0.2	49	0.30	2.9	1.8	38.4	15.7	3.2
1833263	Drill Core	3.20	426	0.011	0.01	<0.17	31.27	0.50	3.94	26.13	48.1	284	1.6	0.5	153	0.60	10.6	3.4	5.9	17.6	5.5
1833264	Drill Core	2.84	422	0.174	0.17	<0.17	39.18	0.56	6.25	26.23	62.3	354	2.1	0.8	168	0.68	26.2	3.9	170.6	18.8	5.7
1833265	Drill Core	3.32	463	0.028	0.03	<0.17	29.60	0.47	6.01	33.02	58.8	221	1.6	0.8	141	0.66	17.6	3.4	27.8	18.5	6.6
1833266	Drill Core	3.14	404	0.141	0.15	0.24	41.50	0.46	9.19	23.09	67.2	275	2.6	1.2	159	0.67	10.2	3.4	155.3	18.3	6.7
1833267	Drill Core	2.67	379	0.012	0.01	<0.17	33.87	0.46	8.52	17.61	67.5	130	1.9	0.8	149	0.69	8.8	3.0	6.5	18.9	6.9
1833268	Drill Core	3.32	456	0.016	0.01	<0.17	36.00	0.48	4.94	16.50	50.4	281	1.9	0.9	199	0.55	8.4	2.8	9.8	19.1	6.1
1833269	Drill Core	3.18	417	0.008	<0.01	<0.17	40.35	0.49	5.04	15.00	61.5	145	1.7	0.8	242	0.74	8.2	2.3	2.9	19.6	7.6
1833270	Drill Core	3.08	417	0.005	<0.01	<0.17	28.57	0.54	2.83	13.68	41.0	156	0.4	0.2	106	0.60	1.0	0.7	0.3	18.8	25.1
1833271	Drill Core	3.73	410	0.006	<0.01	<0.17	29.30	1.76	3.59	23.13	40.5	169	0.6	0.4	102	0.64	1.0	0.9	<0.2	18.2	19.6
1833272	Drill Core	2.42	481	0.008	<0.01	<0.17	52.45	0.46	19.30	28.75	70.4	277	31.6	24.4	609	3.38	3.5	0.9	<0.2	6.8	148.4
1833273	Drill Core	3.36	482	0.011	0.01	<0.17	26.90	0.29	6.67	23.90	44.3	143	3.1	2.1	157	0.73	1.8	1.0	4.5	15.7	20.1
1833274	Drill Core	2.55	370	0.006	<0.01	<0.17	37.62	0.64	4.72	14.34	36.3	77	1.1	1.1	172	0.76	0.6	1.3	<0.2	17.3	65.2
1833275	Drill Core	1.91	451	0.027	0.02	<0.17	36.76	0.21	5.37	10.81	24.4	74	2.3	2.0	288	0.85	0.3	1.1	27.6	13.9	118.3
1833276	Drill Core	1.68	373	0.007	<0.01	<0.17	43.43	0.22	18.34	13.39	63.8	221	16.8	13.1	393	2.22	1.3	1.1	0.6	11.3	97.4
1833277	Drill Core	2.75	374	0.098	0.09	<0.17	31.68	0.42	7.79	20.29	41.3	195	4.4	3.5	164	1.09	1.6	1.4	103.3	14.4	35.2
1833278	Drill Core	3.78	360	0.090	0.20	1.33	30.84	0.72	21.85	30.44	50.2	268	8.3	6.3	235	1.43	2.3	1.7	146.9	13.3	18.4
1833279	Drill Core	2.36	471	0.097	0.09	<0.17	43.53	0.57	19.39	14.65	72.7	225	18.2	12.8	364	2.32	9.3	2.2	104.6	8.9	31.3
1833280	Rock	0.22	158	<0.005	<0.01	<0.17	17.93	0.47	1.43	1.31	2.5	10	1.4	0.5	73	0.58	0.8	0.2	<0.2	1.4	2.6
1833281	Drill Core	1.76	415	0.005	<0.01	<0.17	37.87	0.19	21.57	5.30	81.4	91	47.4	27.3	715	4.24	1.0	0.8	0.5	3.3	180.6
1833282	Drill Core	1.77	402	0.044	0.04	<0.17	35.41	0.32	21.17	11.76	51.3	311	24.2	18.3	604	2.38	5.5	1.1	17.0	7.4	76.0
1833283	Drill Core	3.20	497	0.029	0.03	<0.17	41.51	0.56	8.85	6.31	52.4	428	9.3	7.3	465	1.62	9.0	1.0	16.2	13.0	38.8
1833284	Drill Core	3.72	443	0.011	<0.01	<0.17	33.11	0.45	11.75	12.00	60.3	229	16.9	10.7	544	2.43	6.5	1.1	4.2	11.0	68.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000353.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833255	Drill Core	0.13	0.33	0.07	<1	0.04	0.011	33.1	2.0	0.04	240.7	<0.001	<1	0.31	0.015	0.26	0.2	0.5	0.06	<0.02	<5
1833256	Drill Core	0.08	0.18	0.26	<1	0.02	0.007	31.1	1.9	0.06	246.8	<0.001	<1	0.35	0.018	0.26	0.2	0.5	0.06	<0.02	11
1833257	Drill Core	0.13	0.25	0.20	<1	0.02	0.005	43.9	1.9	0.06	238.9	<0.001	<1	0.33	0.015	0.22	<0.1	0.6	0.06	<0.02	7
1833258	Drill Core	0.05	0.16	0.13	<1	<0.01	0.004	34.5	1.6	0.03	214.2	<0.001	<1	0.30	0.015	0.24	<0.1	0.4	0.05	<0.02	<5
1833259	Drill Core	0.04	0.25	0.11	<1	0.01	0.004	28.5	1.6	0.02	157.5	<0.001	<1	0.23	0.027	0.18	<0.1	0.4	0.05	<0.02	<5
1833260	Core DUP	0.04	0.25	0.12	<1	0.01	0.004	30.4	1.7	0.02	174.3	<0.001	<1	0.24	0.029	0.19	<0.1	0.4	0.05	<0.02	11
1833261	Drill Core	0.09	0.36	0.08	<1	0.02	0.005	30.7	1.7	0.03	626.7	<0.001	<1	0.25	0.036	0.18	<0.1	0.5	0.05	<0.02	<5
1833262	Drill Core	0.04	0.17	0.10	<1	<0.01	0.004	32.6	1.4	0.02	315.0	<0.001	<1	0.24	0.038	0.20	0.1	0.4	0.05	<0.02	<5
1833263	Drill Core	0.23	0.27	0.10	<1	0.06	0.006	38.5	2.4	0.29	254.1	<0.001	<1	0.60	0.011	0.23	0.5	0.7	0.06	<0.02	<5
1833264	Drill Core	0.31	0.37	0.16	<1	0.07	0.006	38.0	2.2	0.32	228.5	<0.001	<1	0.62	0.010	0.23	0.4	0.7	0.07	<0.02	10
1833265	Drill Core	0.22	0.34	0.17	<1	0.08	0.007	42.9	2.2	0.38	312.4	<0.001	<1	0.68	0.012	0.22	0.2	0.9	0.08	<0.02	11
1833266	Drill Core	0.21	0.24	0.17	<1	0.07	0.006	41.3	2.0	0.32	290.1	<0.001	<1	0.66	0.014	0.23	0.6	0.7	0.07	<0.02	6
1833267	Drill Core	0.25	0.22	0.13	<1	0.08	0.005	48.0	2.3	0.38	268.6	<0.001	<1	0.71	0.015	0.22	0.4	0.8	0.06	<0.02	11
1833268	Drill Core	0.26	0.23	0.10	<1	0.06	0.006	45.5	2.0	0.26	250.6	<0.001	<1	0.56	0.014	0.22	0.7	0.7	0.07	<0.02	11
1833269	Drill Core	0.31	0.20	0.10	<1	0.07	0.005	48.7	1.9	0.53	298.6	<0.001	<1	0.79	0.013	0.23	0.1	1.0	0.07	<0.02	<5
1833270	Drill Core	0.13	0.09	0.10	<1	0.25	0.002	45.0	1.8	0.73	273.8	<0.001	<1	0.67	0.010	0.18	0.3	0.8	0.04	<0.02	<5
1833271	Drill Core	0.13	0.07	0.19	<1	0.22	0.002	47.3	1.6	0.65	274.7	<0.001	<1	0.70	0.012	0.21	0.1	0.8	0.05	<0.02	7
1833272	Drill Core	0.69	0.15	0.22	43	3.31	0.032	13.6	195.1	3.34	142.1	0.004	<1	2.87	0.008	0.13	<0.1	5.8	0.04	0.09	<5
1833273	Drill Core	0.23	0.08	0.09	2	0.29	0.004	41.7	7.8	0.69	364.7	<0.001	<1	0.72	0.014	0.20	<0.1	1.2	0.05	<0.02	8
1833274	Drill Core	0.27	0.05	0.08	<1	1.19	0.009	34.8	2.0	0.58	279.8	<0.001	<1	0.66	0.008	0.23	<0.1	1.1	0.05	0.02	7
1833275	Drill Core	0.31	0.04	0.05	2	2.22	0.018	28.2	3.3	0.48	618.3	0.001	<1	0.63	0.012	0.24	<0.1	1.1	0.05	0.05	<5
1833276	Drill Core	0.58	0.09	0.11	16	1.75	0.018	20.6	87.7	2.13	1020.7	0.002	<1	1.83	0.009	0.20	<0.1	3.0	0.05	0.04	<5
1833277	Drill Core	0.30	0.10	0.14	2	0.49	0.028	30.5	4.3	0.58	433.3	0.001	<1	0.71	0.010	0.23	<0.1	1.4	0.05	0.02	<5
1833278	Drill Core	0.41	0.10	0.20	4	0.28	0.024	25.5	11.0	0.72	282.1	0.001	<1	0.86	0.017	0.23	<0.1	1.8	0.05	<0.02	5
1833279	Drill Core	0.51	0.21	0.05	15	0.30	0.046	20.6	34.8	1.16	345.6	0.002	<1	1.48	0.019	0.25	<0.1	3.9	0.07	<0.02	8
1833280	Rock	<0.01	0.04	<0.02	1	0.05	0.002	2.4	3.7	0.02	14.1	0.002	<1	0.07	0.005	0.02	<0.1	0.3	<0.02	<0.02	<5
1833281	Drill Core	0.29	0.10	<0.02	50	3.16	0.073	6.9	100.8	3.29	231.6	0.006	<1	2.93	0.009	0.27	<0.1	10.6	0.07	0.02	<5
1833282	Drill Core	0.37	0.13	0.15	16	1.63	0.038	13.6	30.5	1.40	498.1	0.003	<1	1.39	0.013	0.26	<0.1	3.9	0.07	0.11	5
1833283	Drill Core	0.36	0.16	0.06	7	1.01	0.038	24.6	14.7	0.86	368.8	0.002	<1	0.92	0.017	0.26	<0.1	1.9	0.07	0.07	8
1833284	Drill Core	0.20	0.14	0.09	19	1.02	0.050	22.1	37.8	1.53	212.4	0.003	<1	1.53	0.023	0.24	<0.1	4.3	0.07	0.05	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000353.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833255	Drill Core	<0.1	0.02	1.0	0.27	<0.1	0.18	0.05	8.2	0.8	<0.05	5.7	7.17	57.3	<0.02	<1	0.2	2.1	<10	<2			
1833256	Drill Core	<0.1	0.03	1.1	0.22	<0.1	0.23	<0.02	7.6	0.4	<0.05	6.7	6.80	60.8	<0.02	<1	0.1	1.8	<10	<2			
1833257	Drill Core	<0.1	<0.02	1.1	0.30	<0.1	0.06	0.06	6.7	0.3	<0.05	2.9	9.40	74.7	<0.02	<1	0.2	2.2	<10	<2			
1833258	Drill Core	<0.1	<0.02	1.0	0.19	<0.1	0.12	0.04	7.3	0.2	<0.05	4.4	7.65	71.0	<0.02	<1	0.2	1.7	<10	<2			
1833259	Drill Core	<0.1	0.02	0.9	0.38	<0.1	0.40	0.06	7.8	0.2	<0.05	11.4	7.22	55.6	<0.02	<1	0.2	1.2	<10	<2			
1833260	Core DUP	<0.1	<0.02	0.9	0.40	<0.1	0.41	0.05	8.3	0.2	<0.05	12.4	8.05	60.5	<0.02	<1	0.4	1.2	<10	<2			
1833261	Drill Core	<0.1	0.10	0.9	0.35	<0.1	0.51	0.03	7.4	0.2	<0.05	13.3	8.97	56.1	<0.02	<1	0.4	1.9	<10	<2			
1833262	Drill Core	<0.1	0.05	0.9	0.30	<0.1	0.39	0.04	8.5	0.2	<0.05	11.2	6.25	65.0	<0.02	<1	0.3	0.9	<10	2			
1833263	Drill Core	<0.1	0.03	1.8	0.56	<0.1	0.13	0.05	7.4	0.2	<0.05	4.7	7.72	70.2	<0.02	<1	0.3	6.0	<10	<2			
1833264	Drill Core	<0.1	0.06	1.8	0.74	<0.1	0.11	0.06	7.6	0.2	<0.05	3.8	7.47	71.2	<0.02	<1	0.2	5.9	<10	<2			
1833265	Drill Core	<0.1	<0.02	2.2	0.66	<0.1	0.12	0.07	7.5	0.2	<0.05	3.9	8.38	80.0	<0.02	<1	0.5	7.2	<10	<2			
1833266	Drill Core	<0.1	0.02	1.9	0.52	<0.1	0.09	0.06	7.5	0.3	<0.05	3.1	9.16	74.6	<0.02	<1	0.4	7.3	<10	<2			
1833267	Drill Core	<0.1	<0.02	2.2	0.51	0.1	0.07	0.05	7.5	0.2	<0.05	2.6	9.95	86.9	<0.02	<1	0.4	10.6	<10	<2			
1833268	Drill Core	<0.1	0.02	2.0	0.83	<0.1	0.10	0.03	8.1	0.2	<0.05	3.1	10.55	80.8	<0.02	<1	0.2	6.9	<10	<2			
1833269	Drill Core	<0.1	<0.02	2.5	0.96	<0.1	0.09	0.02	7.8	0.3	<0.05	3.2	10.64	86.3	<0.02	<1	0.2	14.0	<10	<2			
1833270	Drill Core	<0.1	<0.02	2.1	0.51	<0.1	0.08	0.06	5.8	0.2	<0.05	2.4	8.91	80.3	<0.02	<1	0.3	11.2	<10	<2			
1833271	Drill Core	<0.1	<0.02	2.3	0.31	<0.1	0.07	0.06	6.3	0.2	<0.05	2.0	8.37	86.5	<0.02	<1	0.2	8.2	<10	<2			
1833272	Drill Core	<0.1	<0.02	7.3	0.21	<0.1	0.04	<0.02	3.5	<0.1	<0.05	1.3	8.92	25.0	<0.02	<1	0.1	36.0	<10	<2			
1833273	Drill Core	<0.1	<0.02	2.3	0.25	<0.1	0.18	<0.02	5.7	0.2	<0.05	5.3	6.23	73.2	<0.02	<1	<0.1	7.9	<10	<2			
1833274	Drill Core	<0.1	<0.02	1.8	0.22	<0.1	0.13	0.02	6.1	0.1	<0.05	4.1	4.51	64.3	<0.02	<1	0.2	5.8	<10	<2			
1833275	Drill Core	<0.1	<0.02	1.7	0.19	<0.1	0.07	<0.02	6.5	0.1	<0.05	2.9	5.26	49.7	<0.02	<1	0.2	5.4	<10	<2			
1833276	Drill Core	<0.1	<0.02	4.4	0.24	<0.1	0.09	<0.02	5.5	0.1	<0.05	3.2	8.59	37.4	<0.02	<1	0.1	20.0	<10	<2			
1833277	Drill Core	<0.1	0.02	2.0	0.27	<0.1	0.19	<0.02	7.2	0.2	<0.05	5.7	5.43	54.6	<0.02	<1	0.3	6.8	<10	<2			
1833278	Drill Core	<0.1	<0.02	2.4	0.51	<0.1	0.09	<0.02	7.1	0.3	<0.05	3.1	5.84	45.5	<0.02	<1	0.5	13.0	<10	<2			
1833279	Drill Core	<0.1	<0.02	3.9	0.97	<0.1	0.04	<0.02	8.4	0.2	<0.05	1.7	7.45	37.2	<0.02	<1	0.4	30.0	<10	<2			
1833280	Rock	<0.1	<0.02	0.3	0.12	<0.1	0.13	0.04	1.1	<0.1	<0.05	2.8	1.06	5.0	<0.02	<1	<0.1	1.4	<10	<2			
1833281	Drill Core	<0.1	<0.02	7.4	0.58	<0.1	0.08	<0.02	8.0	0.1	<0.05	0.8	6.39	13.8	0.02	<1	0.2	28.4	<10	<2			
1833282	Drill Core	<0.1	<0.02	3.8	0.46	<0.1	0.05	<0.02	7.5	0.4	<0.05	1.5	9.83	27.5	<0.02	<1	0.3	16.5	<10	<2			
1833283	Drill Core	<0.1	0.02	3.1	0.49	<0.1	0.07	<0.02	8.5	0.3	<0.05	2.1	9.80	43.9	<0.02	<1	0.3	10.8	<10	<2			
1833284	Drill Core	<0.1	<0.02	5.4	0.46	<0.1	0.07	<0.02	7.6	0.2	<0.05	2.2	9.39	40.4	<0.02	<1	0.4	19.0	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000353.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1833285	Drill Core	3.22	482	0.736	1.59	18.41	23.36	0.40	7.02	11.19	21.6	536	3.1	2.9	279	1.13	23.4	1.2	739.9	12.6	12.6
1833286	Drill Core	2.98	407	0.063	0.06	<0.17	30.51	0.63	6.39	10.36	31.9	416	3.5	3.0	340	1.13	50.8	1.9	51.4	14.4	17.4
1833287	Drill Core	3.59	505	0.166	0.16	<0.17	45.44	0.61	4.04	11.02	17.2	507	2.2	2.5	182	0.89	72.1	2.1	143.5	13.2	10.1
1833288	Drill Core	3.35	492	0.065	0.06	<0.17	39.26	0.43	3.28	13.84	9.7	513	1.4	1.5	112	0.96	39.9	2.6	53.2	14.3	18.8
1833289	Drill Core	3.33	519	0.048	0.05	<0.17	30.41	0.44	7.50	17.94	21.0	622	2.7	2.1	163	1.10	27.5	2.9	42.8	14.7	25.5
1833290	Drill Core	3.05	475	0.025	0.02	<0.17	27.64	0.37	9.08	18.66	31.4	322	3.1	2.9	195	1.19	33.7	3.0	20.6	17.4	27.6
1833291	Drill Core	1.74	429	0.010	<0.01	<0.17	35.49	0.26	8.55	17.81	29.1	156	3.0	2.5	182	1.02	2.6	1.7	3.6	15.3	35.0
1833292	Drill Core	2.43	464	0.010	<0.01	<0.17	32.85	0.33	6.23	18.39	31.2	177	2.8	2.5	189	0.92	8.0	1.6	3.8	16.6	37.3
1833293	Drill Core	2.66	505	0.012	0.01	<0.17	38.57	0.35	4.43	16.66	18.6	164	1.7	1.8	235	0.83	15.6	1.8	7.1	15.2	60.8
1833294	Drill Core	4.21	400	0.876	0.89	0.97	48.61	0.50	12.96	17.72	27.6	796	2.2	2.2	194	0.84	29.7	1.7	910.9	16.1	20.3
1833295	Drill Core	3.26	418	0.201	0.18	<0.17	39.64	0.43	8.85	12.13	46.1	406	3.3	2.4	123	1.04	14.2	1.6	92.8	14.7	30.8
1833296	Drill Core	3.22	402	0.230	0.26	0.56	39.03	0.27	8.42	14.42	26.3	235	2.5	2.4	169	0.87	2.2	1.3	189.2	15.9	55.6
1833297	Drill Core	3.79	359	0.012	0.01	<0.17	28.64	0.58	7.31	14.96	31.9	171	2.4	2.6	236	1.12	20.9	1.5	6.3	9.8	87.7
1833298	Drill Core	1.88	453	0.182	0.17	<0.17	45.99	0.37	11.96	20.59	14.8	571	1.3	2.2	138	0.80	21.2	1.1	112.6	11.5	27.7
1833299	Drill Core	2.64	508	0.020	0.02	<0.17	39.53	0.35	3.36	13.95	15.0	141	1.1	1.8	220	0.72	17.8	1.3	11.6	10.7	46.2
1833300	Rock Pulp	0.12	74	7.155				9.66	197.58	20.54	81.3	887	13.4	12.2	569	4.93	14.2	0.9	7358.7	3.4	66.8
1833301	Drill Core	1.67	448	0.022	0.02	<0.17	34.79	0.59	5.45	10.16	21.7	124	1.7	2.4	215	0.80	13.4	1.2	14.7	10.1	19.1
1833302	Drill Core	3.44	397	0.110	0.11	<0.17	38.66	0.45	13.18	15.10	36.3	337	2.8	2.8	172	1.03	15.7	1.7	71.5	15.8	27.9
1833303	Drill Core	3.19	503	0.008	<0.01	<0.17	44.72	0.17	10.80	20.72	33.7	219	3.7	3.2	186	0.99	4.8	2.2	5.1	16.8	59.2
1833304	Drill Core	3.18	412	0.009	<0.01	<0.17	28.05	0.31	7.38	21.63	40.3	221	3.8	3.4	286	1.21	12.4	3.0	3.7	18.0	78.8
1833305	Drill Core	4.22	373	0.060	0.06	<0.17	27.79	0.28	8.24	21.47	41.5	211	3.7	3.6	271	1.17	5.2	2.7	49.2	18.6	85.3
1833306	Drill Core	4.42	461	<0.005	<0.01	<0.17	36.33	0.31	9.08	18.39	28.3	150	3.0	2.8	229	0.95	1.0	1.6	1.9	16.4	67.7
1833307	Drill Core	3.38	530	0.005	<0.01	<0.17	34.92	0.67	4.76	21.48	33.3	137	3.0	2.8	261	1.00	3.3	1.8	2.5	19.0	46.5
1833308	Drill Core	3.15	486	0.005	<0.01	<0.17	27.15	0.30	5.98	22.61	34.9	167	3.0	3.2	307	1.07	3.9	2.3	1.4	19.0	73.3
1833309	Drill Core	3.83	538	0.037	0.04	<0.17	28.61	0.38	5.99	13.95	28.1	326	2.5	2.6	191	1.02	30.0	2.2	32.5	16.0	42.6
1833310	Drill Core	3.31	432	0.008	<0.01	<0.17	35.25	0.30	9.98	15.38	24.9	204	2.5	2.6	250	0.97	4.9	1.5	3.7	15.1	37.0
1833311	Drill Core	3.34	409	0.006	<0.01	<0.17	36.30	0.39	21.33	17.64	32.7	259	2.8	2.8	280	1.03	2.5	3.7	0.8	18.6	63.1
1833312	Drill Core	3.54	456	0.020	0.02	<0.17	39.20	0.41	8.04	19.96	20.7	260	2.5	2.3	171	0.88	13.4	3.4	16.6	15.1	40.1
1833313	Drill Core	3.46	469	0.047	0.04	<0.17	28.05	0.37	5.06	14.07	19.4	513	2.2	1.8	111	1.11	30.3	2.9	40.0	15.5	48.6
1833314	Drill Core	1.81	528	0.020	0.02	<0.17	49.12	0.18	5.14	12.60	5.8	184	0.8	0.5	41	0.40	5.9	1.8	15.1	14.3	29.7



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000353.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833285	Drill Core	0.16	0.39	0.10	3	0.10	0.027	27.2	4.7	0.25	288.1	0.002	<1	0.49	0.039	0.21	<0.1	1.2	0.07	0.03	11
1833286	Drill Core	0.29	1.13	0.12	3	0.10	0.032	37.1	4.1	0.21	339.2	0.002	<1	0.47	0.041	0.19	<0.1	1.4	0.06	<0.02	5
1833287	Drill Core	0.26	1.65	0.12	2	0.09	0.030	34.1	3.1	0.14	258.0	0.001	<1	0.40	0.029	0.27	<0.1	1.0	0.08	<0.02	<5
1833288	Drill Core	0.10	2.42	0.20	2	0.07	0.036	37.4	4.3	0.12	246.4	0.002	<1	0.34	0.026	0.27	<0.1	1.0	0.09	0.04	<5
1833289	Drill Core	0.15	2.25	0.22	3	0.09	0.039	35.5	4.6	0.17	278.3	0.003	<1	0.42	0.042	0.19	<0.1	1.3	0.07	<0.02	7
1833290	Drill Core	0.22	0.40	0.17	5	0.11	0.038	51.8	5.0	0.26	205.1	0.003	<1	0.59	0.041	0.21	<0.1	1.8	0.07	<0.02	<5
1833291	Drill Core	0.23	0.37	0.13	4	0.22	0.031	35.0	4.5	0.21	208.3	0.013	1	0.46	0.041	0.25	<0.1	1.7	0.12	0.03	<5
1833292	Drill Core	0.18	0.31	0.17	3	0.23	0.037	35.6	4.5	0.18	279.7	0.008	1	0.49	0.038	0.25	<0.1	1.9	0.11	<0.02	<5
1833293	Drill Core	0.23	0.36	0.16	2	0.69	0.034	35.4	3.4	0.19	246.9	0.004	<1	0.50	0.033	0.30	<0.1	1.6	0.10	0.02	<5
1833294	Drill Core	0.26	0.54	0.11	1	0.10	0.040	32.4	2.8	0.16	342.7	0.002	<1	0.43	0.028	0.28	0.1	1.0	0.09	0.04	<5
1833295	Drill Core	0.32	0.36	0.12	3	0.10	0.037	32.3	3.8	0.20	352.5	0.003	<1	0.53	0.043	0.22	<0.1	1.3	0.08	<0.02	<5
1833296	Drill Core	0.21	0.25	0.12	2	0.34	0.041	32.7	3.2	0.19	354.9	0.004	<1	0.45	0.035	0.24	<0.1	1.2	0.07	0.05	<5
1833297	Drill Core	0.23	0.35	0.08	3	0.86	0.045	20.9	3.5	0.42	204.4	0.003	<1	0.68	0.021	0.31	<0.1	1.6	0.07	0.04	<5
1833298	Drill Core	0.19	0.34	0.07	1	0.23	0.046	21.6	2.5	0.20	243.2	0.002	<1	0.42	0.025	0.27	<0.1	0.9	0.06	0.14	<5
1833299	Drill Core	0.17	0.24	0.06	1	0.69	0.043	22.0	2.3	0.30	208.8	0.002	<1	0.52	0.009	0.31	<0.1	0.9	0.05	0.05	<5
1833300	Rock Pulp	0.22	5.31	0.58	119	0.91	0.072	8.1	19.4	0.86	130.9	0.137	3	1.83	0.176	0.23	4.0	3.2	0.06	<0.02	225
1833301	Drill Core	0.17	0.25	0.03	2	0.13	0.047	23.7	2.8	0.29	194.9	0.002	<1	0.52	0.008	0.30	<0.1	1.1	0.07	0.03	5
1833302	Drill Core	0.24	0.38	0.14	2	0.10	0.039	32.6	3.7	0.20	243.6	0.003	<1	0.50	0.041	0.24	<0.1	1.2	0.07	0.03	<5
1833303	Drill Core	0.28	0.17	0.16	3	0.49	0.039	38.8	4.3	0.26	249.2	0.010	<1	0.52	0.042	0.24	<0.1	1.8	0.10	0.11	<5
1833304	Drill Core	0.20	0.13	0.15	4	0.61	0.037	43.3	5.7	0.32	350.2	0.017	<1	0.60	0.050	0.27	<0.1	2.4	0.13	0.15	<5
1833305	Drill Core	0.27	0.13	0.17	4	0.59	0.042	44.0	5.2	0.34	457.9	0.028	<1	0.60	0.042	0.37	<0.1	3.0	0.22	0.10	<5
1833306	Drill Core	0.13	0.09	0.11	4	0.61	0.036	40.0	4.5	0.24	446.1	0.027	<1	0.48	0.041	0.29	<0.1	2.1	0.13	0.08	<5
1833307	Drill Core	0.15	0.11	0.14	3	0.44	0.044	43.1	4.1	0.29	305.1	0.011	<1	0.59	0.039	0.32	<0.1	2.6	0.13	0.02	<5
1833308	Drill Core	0.13	0.11	0.17	3	0.66	0.042	44.2	4.4	0.33	270.3	0.011	<1	0.59	0.035	0.29	<0.1	2.7	0.11	0.05	6
1833309	Drill Core	0.15	0.77	0.13	2	0.23	0.040	36.8	3.5	0.18	235.6	0.002	<1	0.46	0.036	0.23	<0.1	1.4	0.08	0.11	<5
1833310	Drill Core	0.10	0.32	0.13	2	0.38	0.036	34.5	3.7	0.23	233.8	0.003	<1	0.50	0.034	0.22	<0.1	1.3	0.07	0.09	<5
1833311	Drill Core	0.15	0.32	0.14	2	0.72	0.046	46.0	4.1	0.28	425.0	0.003	<1	0.59	0.035	0.28	<0.1	1.6	0.09	0.11	<5
1833312	Drill Core	0.12	0.45	0.19	2	0.41	0.037	35.7	3.1	0.21	323.0	0.001	<1	0.47	0.025	0.26	<0.1	0.9	0.08	0.22	9
1833313	Drill Core	0.05	3.30	0.19	2	0.20	0.040	34.1	3.6	0.12	255.5	0.002	<1	0.38	0.030	0.26	<0.1	0.9	0.08	0.19	6
1833314	Drill Core	0.02	0.68	0.09	<1	0.06	0.038	31.4	2.3	0.04	345.4	0.002	<1	0.27	0.029	0.27	<0.1	0.5	0.05	0.03	7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 3 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000353.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833285	Drill Core	<0.1	0.06	1.8	0.55	<0.1	0.18	<0.02	8.6	0.3	<0.05	6.0	5.93	47.6	<0.02	<1	0.3	5.8	<10	<2
1833286	Drill Core	<0.1	0.03	2.4	0.62	<0.1	0.25	<0.02	9.4	0.3	<0.05	8.1	8.85	67.5	<0.02	<1	0.1	5.5	<10	<2
1833287	Drill Core	<0.1	0.03	1.6	0.56	<0.1	0.06	<0.02	12.6	0.3	<0.05	2.7	9.24	59.0	<0.02	<1	0.2	3.4	<10	<2
1833288	Drill Core	<0.1	<0.02	1.6	0.57	<0.1	0.03	0.02	13.5	0.4	<0.05	1.3	9.16	59.8	<0.02	<1	0.3	3.0	<10	<2
1833289	Drill Core	<0.1	0.04	2.3	0.50	<0.1	0.26	0.02	9.4	0.4	<0.05	8.4	10.48	66.1	<0.02	<1	0.2	4.6	<10	<2
1833290	Drill Core	<0.1	0.02	3.2	0.58	<0.1	0.32	<0.02	9.8	0.4	<0.05	11.1	15.90	101.7	<0.02	<1	0.4	7.1	<10	<2
1833291	Drill Core	<0.1	<0.02	2.7	1.05	<0.1	0.33	0.09	15.5	0.4	<0.05	11.4	13.68	66.3	<0.02	<1	0.3	5.5	<10	<2
1833292	Drill Core	<0.1	<0.02	2.4	1.57	<0.1	0.32	0.04	14.5	0.5	<0.05	10.4	13.06	69.1	<0.02	<1	0.3	5.9	<10	<2
1833293	Drill Core	<0.1	<0.02	1.8	0.91	<0.1	0.19	0.03	14.3	0.3	<0.05	6.4	11.00	67.6	<0.02	1	0.3	5.1	<10	<2
1833294	Drill Core	<0.1	0.10	1.8	0.76	<0.1	0.30	<0.02	13.4	0.3	<0.05	10.7	7.62	59.9	<0.02	<1	0.3	4.8	<10	<2
1833295	Drill Core	<0.1	0.03	1.9	0.89	<0.1	0.33	<0.02	10.4	0.3	<0.05	10.6	6.88	60.9	<0.02	<1	0.3	5.6	<10	<2
1833296	Drill Core	<0.1	0.02	1.8	0.55	<0.1	0.33	0.03	9.6	0.2	<0.05	11.2	6.04	59.2	<0.02	1	0.3	5.0	<10	<2
1833297	Drill Core	<0.1	<0.02	2.0	0.33	<0.1	0.32	<0.02	9.3	0.2	<0.05	11.4	5.51	37.9	<0.02	2	0.2	9.1	<10	<2
1833298	Drill Core	<0.1	0.16	1.3	0.35	<0.1	0.35	<0.02	8.4	0.2	<0.05	11.8	4.94	42.3	<0.02	1	0.3	4.8	<10	<2
1833299	Drill Core	<0.1	0.02	1.5	0.25	<0.1	0.33	<0.02	8.2	0.1	<0.05	12.6	6.18	41.0	<0.02	<1	0.3	5.4	<10	<2
1833300	Rock Pulp	<0.1	0.16	5.1	0.76	0.1	0.09	0.09	8.4	2.0	<0.05	2.2	5.81	16.7	0.05	<1	0.1	7.6	<10	<2
1833301	Drill Core	<0.1	<0.02	1.5	0.88	<0.1	0.25	<0.02	9.2	0.2	<0.05	9.8	8.02	42.4	<0.02	<1	0.2	6.1	<10	<2
1833302	Drill Core	<0.1	<0.02	1.9	0.61	<0.1	0.31	<0.02	10.2	0.3	<0.05	11.0	8.14	67.0	<0.02	<1	0.3	5.8	<10	<2
1833303	Drill Core	0.2	<0.02	2.6	0.63	<0.1	0.39	0.03	12.8	0.4	<0.05	11.0	10.13	71.8	<0.02	1	0.3	6.2	<10	<2
1833304	Drill Core	<0.1	<0.02	3.4	0.72	<0.1	0.27	0.10	16.2	0.5	<0.05	8.7	14.98	81.4	<0.02	2	0.4	8.0	<10	<2
1833305	Drill Core	0.2	<0.02	3.4	1.27	<0.1	0.37	0.15	24.1	0.5	<0.05	10.8	16.64	82.5	0.02	2	0.4	8.4	<10	<2
1833306	Drill Core	<0.1	<0.02	2.6	0.67	<0.1	0.29	0.21	17.1	0.5	<0.05	8.7	13.82	73.9	<0.02	<1	0.3	5.4	<10	<2
1833307	Drill Core	<0.1	<0.02	2.8	0.63	<0.1	0.32	0.06	16.6	0.5	<0.05	9.4	16.08	81.2	<0.02	<1	0.4	6.4	<10	<2
1833308	Drill Core	<0.1	<0.02	2.9	0.70	<0.1	0.30	0.06	15.8	0.4	<0.05	9.5	16.20	84.0	<0.02	2	0.4	7.1	<10	<2
1833309	Drill Core	<0.1	0.03	2.1	0.74	<0.1	0.24	<0.02	11.2	0.3	<0.05	8.2	11.78	67.9	<0.02	<1	0.3	5.1	<10	<2
1833310	Drill Core	<0.1	<0.02	2.2	0.48	<0.1	0.26	<0.02	10.5	0.3	<0.05	7.3	10.83	63.0	<0.02	<1	0.3	6.1	<10	<2
1833311	Drill Core	<0.1	<0.02	2.7	0.76	<0.1	0.29	<0.02	13.4	0.3	<0.05	8.8	14.11	85.1	<0.02	3	0.3	7.0	<10	<2
1833312	Drill Core	<0.1	<0.02	1.9	0.77	<0.1	0.27	<0.02	11.9	0.2	<0.05	9.1	11.11	66.3	<0.02	1	0.2	5.3	<10	2
1833313	Drill Core	<0.1	<0.02	1.8	0.66	<0.1	0.28	<0.02	10.0	0.3	<0.05	9.4	8.16	64.6	<0.02	<1	0.2	4.1	<10	<2
1833314	Drill Core	<0.1	<0.02	1.0	0.42	<0.1	0.23	<0.02	9.6	0.2	<0.05	6.8	7.00	59.7	<0.02	<1	0.2	1.9	<10	<2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000353.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1833315	Drill Core	2.79	507	0.031	0.03	<0.17	44.65	0.90	7.16	17.49	20.1	380	2.0	1.8	128	0.93	23.5	2.7	28.7	17.6	37.5
1833316	Drill Core	3.44	533	0.044	0.04	<0.17	51.85	0.70	14.60	27.06	32.6	402	3.4	4.6	248	1.18	24.8	3.0	47.3	16.5	66.1
1833317	Drill Core	2.92	489	0.013	0.01	<0.17	50.18	1.67	18.42	21.67	41.6	306	2.8	4.2	436	1.45	16.6	3.9	8.6	15.8	77.2
1833318	Drill Core	3.32	414	0.014	0.01	<0.17	56.66	1.94	7.17	13.61	22.5	98	1.1	2.3	234	0.88	2.6	4.1	13.7	12.7	109.2
1833319	Drill Core	3.51	417	0.007	<0.01	<0.17	48.25	2.82	14.77	15.05	29.7	164	2.0	3.8	217	1.08	3.4	4.2	2.4	16.5	123.5
1833320	Rock Pulp	0.12	73	0.429				2.61	460.12	20.75	54.1	309	613.7	29.4	444	2.64	20.1	0.7	427.3	2.2	53.8
1833321	Drill Core	3.00	507	0.006	<0.01	<0.17	37.98	0.75	12.13	31.36	29.5	197	3.7	7.8	207	1.30	0.9	3.0	3.3	10.3	147.1
1833322	Drill Core	3.11	491	0.005	<0.01	<0.17	35.00	1.13	7.17	26.65	35.1	121	2.3	4.6	290	1.27	2.6	3.5	0.4	14.3	122.6
1833323	Drill Core	3.24	499	0.008	<0.01	<0.17	37.51	0.34	8.70	23.89	41.1	103	2.7	4.4	218	1.34	2.7	2.1	3.7	10.6	84.1
1833324	Drill Core	3.28	361	0.014	0.01	<0.17	24.48	2.01	8.73	18.48	41.0	345	2.9	4.0	333	1.49	8.1	3.7	10.6	14.6	87.4
1833325	Drill Core	3.62	458	<0.005	<0.01	<0.17	36.37	0.29	13.02	9.79	47.2	92	17.5	12.5	380	2.08	2.6	2.0	5.1	7.5	105.3
1833326	Drill Core	2.89	386	0.010	<0.01	<0.17	25.17	0.25	5.85	16.61	33.6	140	2.5	3.3	216	1.10	2.2	1.0	3.3	8.7	66.3
1833327	Drill Core	1.77	413	<0.005	<0.01	<0.17	39.60	0.69	8.08	9.61	22.2	45	2.2	2.7	179	0.83	1.0	1.5	0.3	11.0	67.0
1833328	Drill Core	3.14	480	0.030	0.03	<0.17	38.05	0.18	8.70	15.80	24.2	103	1.8	2.5	241	1.08	3.8	1.7	19.2	15.1	69.7
1833329	Drill Core	2.86	380	0.016	0.01	<0.17	36.40	0.45	5.07	14.73	17.6	90	1.9	2.4	227	0.86	6.3	2.1	7.4	15.2	77.4
1833330	Drill Core	3.32	352	0.046	0.04	<0.17	29.68	0.44	7.12	36.97	18.5	446	1.9	2.6	250	0.92	21.8	5.4	36.4	14.2	41.3
1833331	Drill Core	2.87	451	0.387	0.48	1.50	38.01	0.22	10.97	23.49	24.0	790	1.7	2.5	314	1.14	13.5	3.2	1116.8	14.5	89.0
1833332	Drill Core	3.31	471	0.029	0.03	<0.17	32.46	0.34	4.22	16.48	24.3	109	2.2	2.2	250	0.89	5.2	3.8	20.0	15.1	90.6
1833333	Drill Core	3.17	363	0.019	0.02	<0.17	32.82	0.23	6.34	19.55	29.8	237	2.6	3.3	278	1.15	15.1	4.3	11.8	15.3	73.7
1833334	Drill Core	3.23	428	0.031	0.03	<0.17	32.16	1.22	5.75	23.67	28.7	301	2.1	2.9	298	0.99	11.4	4.4	25.5	14.5	92.0
1833335	Drill Core	3.20	421	0.592	0.59	0.58	34.62	0.55	6.90	11.15	25.9	1106	2.7	4.3	270	1.11	7.5	3.9	952.0	13.3	102.2
1833336	Drill Core	1.71	348	0.176	0.19	0.27	40.70	0.24	5.01	13.36	17.7	551	1.5	2.6	301	0.83	7.5	2.2	154.1	13.5	112.5
1833337	Drill Core	3.49	456	0.057	0.06	<0.17	38.65	0.96	3.97	8.41	19.8	218	1.4	2.0	273	0.71	3.4	5.6	93.0	13.5	97.9
1833338	Drill Core	3.18	417	0.282	0.27	0.20	39.75	0.28	6.98	14.63	18.6	308	1.8	2.5	229	0.86	4.2	4.6	286.6	14.2	111.3
1833339	Drill Core	3.17	362	0.014	0.01	<0.17	37.77	0.30	3.79	13.37	23.3	119	1.8	2.0	226	0.86	3.0	2.8	4.1	14.7	98.7
1833340	Rock Pulp	0.12	73	<0.005				3.85	21.12	1.01	34.2	11	7.1	3.9	577	2.38	1.8	0.4	<0.2	1.8	33.0
1833341	Drill Core	3.14	449	0.011	0.01	<0.17	38.07	0.74	4.81	21.46	22.8	158	1.6	1.7	186	0.69	6.5	4.1	16.1	15.2	81.9
1833342	Drill Core	3.11	497	0.006	<0.01	<0.17	40.24	0.14	8.37	21.69	11.8	127	1.0	1.2	154	0.51	5.6	3.0	8.5	15.5	63.9
1833343	Drill Core	3.18	446	0.007	<0.01	<0.17	43.01	0.11	4.58	20.34	12.6	147	1.1	0.9	132	0.49	10.1	2.9	7.8	17.1	36.5
1833344	Drill Core	3.00	454	<0.005	<0.01	<0.17	41.10	0.13	10.17	14.97	17.7	144	1.3	1.4	164	0.58	1.4	3.3	3.1	16.1	65.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000353.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833315	Drill Core	0.15	2.10	0.15	2	0.14	0.046	36.2	3.6	0.13	308.9	0.002	<1	0.35	0.028	0.27	<0.1	1.0	0.07	0.09	<5
1833316	Drill Core	0.20	0.76	0.21	3	0.41	0.035	39.7	4.0	0.31	224.3	0.002	<1	0.59	0.021	0.23	0.2	1.8	0.09	0.27	7
1833317	Drill Core	0.22	0.34	0.23	3	0.91	0.044	29.7	3.9	0.63	399.9	0.002	<1	0.81	0.020	0.31	0.1	2.3	0.08	0.38	10
1833318	Drill Core	0.17	0.11	0.11	<1	1.40	0.031	26.3	2.6	0.37	188.3	0.002	<1	0.52	0.007	0.34	<0.1	2.1	0.08	0.13	<5
1833319	Drill Core	0.16	0.18	0.16	2	1.43	0.040	38.6	3.7	0.42	204.8	0.004	<1	0.69	0.023	0.34	<0.1	2.3	0.08	0.17	<5
1833320	Rock Pulp	0.24	0.41	0.31	49	1.23	0.035	4.5	106.2	1.79	81.7	0.076	3	1.98	0.181	0.13	1.3	2.6	0.09	0.18	21
1833321	Drill Core	0.16	0.17	0.25	14	1.18	0.057	29.0	24.3	0.86	184.8	0.040	<1	0.76	0.009	0.39	0.1	3.4	0.17	0.10	<5
1833322	Drill Core	0.16	0.14	0.12	6	1.05	0.044	31.7	8.3	0.82	227.8	0.014	<1	0.81	0.009	0.35	<0.1	3.3	0.11	0.13	<5
1833323	Drill Core	0.16	0.21	<0.02	4	0.76	0.044	22.4	3.6	0.55	150.0	0.005	<1	0.71	0.017	0.26	<0.1	2.7	0.08	0.12	<5
1833324	Drill Core	0.23	0.60	0.34	6	0.81	0.039	35.2	4.2	0.67	226.0	0.003	<1	0.85	0.021	0.28	<0.1	2.7	0.11	0.30	22
1833325	Drill Core	0.18	0.59	0.19	22	1.19	0.047	21.5	30.8	1.13	276.5	0.102	<1	1.31	0.018	0.27	<0.1	4.3	0.12	0.05	<5
1833326	Drill Core	0.05	0.26	0.17	3	0.69	0.035	23.3	3.8	0.27	269.1	0.025	<1	0.60	0.037	0.21	<0.1	1.2	0.07	0.08	<5
1833327	Drill Core	0.07	0.17	0.08	3	0.91	0.036	27.8	2.9	0.18	485.5	0.047	<1	0.65	0.033	0.32	<0.1	1.3	0.08	0.04	6
1833328	Drill Core	0.07	0.28	0.17	2	1.20	0.031	26.5	2.1	0.24	283.3	0.004	<1	0.58	0.033	0.27	<0.1	1.7	0.07	0.17	<5
1833329	Drill Core	0.12	0.27	0.14	2	1.53	0.030	32.8	2.2	0.11	212.5	0.002	<1	0.53	0.032	0.33	<0.1	1.1	0.08	0.16	9
1833330	Drill Core	0.12	1.49	0.39	1	0.68	0.036	29.2	2.5	0.18	197.1	<0.001	<1	0.48	0.022	0.28	0.1	0.8	0.09	0.37	8
1833331	Drill Core	0.13	0.83	0.19	2	1.37	0.033	24.1	2.4	0.26	169.3	0.002	1	0.58	0.037	0.26	0.1	1.2	0.07	0.44	14
1833332	Drill Core	0.12	0.26	0.12	2	1.50	0.032	29.9	2.2	0.18	196.2	0.002	<1	0.60	0.028	0.31	<0.1	1.0	0.07	0.13	<5
1833333	Drill Core	0.12	0.59	0.27	3	1.15	0.029	26.8	2.9	0.38	231.7	0.002	<1	0.75	0.037	0.29	<0.1	1.2	0.08	0.24	<5
1833334	Drill Core	0.16	0.38	0.41	2	0.99	0.035	29.9	2.8	0.46	241.6	0.002	<1	0.67	0.023	0.29	<0.1	1.4	0.11	0.18	<5
1833335	Drill Core	0.17	0.24	0.14	3	1.05	0.029	20.0	3.2	0.40	215.9	0.002	<1	0.62	0.038	0.29	<0.1	1.6	0.08	0.39	<5
1833336	Drill Core	0.12	0.13	0.32	2	0.97	0.026	22.1	2.4	0.53	302.0	0.002	<1	0.80	0.024	0.43	0.1	1.1	0.10	0.24	<5
1833337	Drill Core	0.15	0.20	0.11	2	1.05	0.031	20.7	2.1	0.55	261.5	0.002	<1	0.68	0.009	0.36	<0.1	1.1	0.09	0.15	<5
1833338	Drill Core	0.11	0.19	0.20	2	0.95	0.031	23.8	2.8	0.42	289.5	0.002	<1	0.68	0.029	0.37	0.1	1.3	0.09	0.21	10
1833339	Drill Core	0.10	0.18	0.17	2	0.90	0.026	30.1	2.7	0.47	250.1	0.002	<1	0.73	0.025	0.36	<0.1	1.3	0.10	0.09	12
1833340	Rock Pulp	0.02	0.17	<0.02	22	0.78	0.038	5.9	15.0	0.49	57.0	0.077	<1	1.04	0.067	0.07	0.2	2.7	<0.02	0.04	6
1833341	Drill Core	0.11	0.20	0.13	2	0.79	0.029	31.7	2.5	0.29	275.3	0.002	<1	0.56	0.023	0.32	<0.1	1.1	0.07	0.11	<5
1833342	Drill Core	0.10	0.16	0.06	2	0.50	0.031	38.8	2.4	0.10	294.4	0.002	<1	0.40	0.038	0.32	<0.1	1.0	0.07	0.07	<5
1833343	Drill Core	0.11	0.17	0.10	2	0.38	0.034	39.7	2.2	0.16	276.5	0.001	<1	0.46	0.025	0.35	<0.1	0.9	0.08	0.08	<5
1833344	Drill Core	0.13	0.13	0.08	2	0.61	0.030	36.9	2.5	0.15	313.2	0.002	<1	0.46	0.038	0.33	<0.1	1.3	0.07	0.06	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 06, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000353.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833315	Drill Core	<0.1	<0.02	1.7	0.44	<0.1	0.29	<0.02	10.4	0.5	<0.05	9.1	9.65	67.9	<0.02	<1	0.4	4.1	<10	<2			
1833316	Drill Core	<0.1	<0.02	3.2	1.50	<0.1	0.24	<0.02	10.9	1.2	<0.05	8.1	11.45	73.9	<0.02	2	0.3	8.8	<10	<2			
1833317	Drill Core	<0.1	<0.02	3.5	0.59	<0.1	0.21	<0.02	11.2	1.1	<0.05	6.9	11.68	52.7	<0.02	<1	0.4	13.9	<10	<2			
1833318	Drill Core	<0.1	<0.02	1.7	0.43	<0.1	0.05	<0.02	10.5	0.6	<0.05	1.5	9.76	47.9	<0.02	<1	0.3	4.6	<10	<2			
1833319	Drill Core	<0.1	<0.02	2.9	0.34	<0.1	0.04	0.06	11.2	0.6	<0.05	1.1	13.45	72.9	0.02	1	0.2	4.8	<10	<2			
1833320	Rock Pulp	0.6	0.16	4.7	0.69	<0.1	0.06	<0.02	6.5	0.5	<0.05	1.4	3.39	9.2	<0.02	4	0.1	8.2	301	118			
1833321	Drill Core	<0.1	<0.02	2.4	1.73	<0.1	0.04	<0.02	18.2	0.7	<0.05	1.2	13.95	56.3	<0.02	<1	0.3	9.4	<10	<2			
1833322	Drill Core	<0.1	<0.02	3.0	0.86	<0.1	0.06	0.04	13.4	0.7	<0.05	1.5	11.28	57.5	<0.02	<1	0.3	8.5	<10	<2			
1833323	Drill Core	<0.1	<0.02	2.7	0.57	<0.1	0.06	<0.02	10.3	0.4	<0.05	2.4	6.58	38.4	<0.02	<1	0.2	7.3	<10	<2			
1833324	Drill Core	<0.1	<0.02	2.9	0.77	<0.1	0.05	0.03	10.5	0.7	<0.05	1.8	13.18	74.0	0.05	<1	0.3	12.8	<10	<2			
1833325	Drill Core	<0.1	<0.02	4.5	1.03	<0.1	0.03	0.08	12.0	0.8	<0.05	0.8	10.75	40.9	<0.02	<1	0.4	11.9	<10	<2			
1833326	Drill Core	<0.1	<0.02	2.9	0.69	<0.1	0.03	0.23	10.6	0.5	<0.05	0.9	8.21	44.9	<0.02	<1	0.3	3.2	<10	<2			
1833327	Drill Core	<0.1	<0.02	2.0	0.33	<0.1	0.03	0.40	13.9	0.7	<0.05	0.8	7.79	52.6	0.02	<1	0.3	1.8	<10	<2			
1833328	Drill Core	<0.1	0.03	1.7	0.46	<0.1	0.03	0.04	11.1	0.5	<0.05	0.7	6.07	50.6	<0.02	<1	0.2	4.4	<10	<2			
1833329	Drill Core	<0.1	<0.02	1.4	0.38	<0.1	<0.02	<0.02	12.6	0.5	<0.05	0.6	6.84	62.0	<0.02	<1	0.1	3.5	<10	<2			
1833330	Drill Core	<0.1	<0.02	1.1	0.74	<0.1	0.03	<0.02	12.3	0.4	<0.05	0.6	7.59	57.0	<0.02	2	0.2	5.3	<10	<2			
1833331	Drill Core	<0.1	<0.02	1.7	0.27	<0.1	0.02	<0.02	10.0	0.4	<0.05	0.8	6.67	44.7	<0.02	<1	0.2	6.2	<10	<2			
1833332	Drill Core	<0.1	<0.02	1.7	0.39	<0.1	<0.02	<0.02	11.4	0.3	<0.05	0.8	6.47	55.5	<0.02	<1	0.3	5.0	<10	<2			
1833333	Drill Core	<0.1	<0.02	2.2	0.34	<0.1	0.03	<0.02	11.1	0.4	<0.05	0.9	6.26	48.9	<0.02	<1	0.3	9.4	<10	<2			
1833334	Drill Core	<0.1	<0.02	2.0	0.41	<0.1	0.02	<0.02	12.5	0.4	<0.05	0.9	5.79	54.9	<0.02	<1	0.4	8.9	<10	<2			
1833335	Drill Core	<0.1	0.44	1.7	0.41	<0.1	0.03	<0.02	10.3	0.5	<0.05	1.6	5.03	40.5	0.02	<1	0.2	7.8	<10	<2			
1833336	Drill Core	<0.1	0.10	1.8	0.22	<0.1	0.06	<0.02	13.4	0.4	<0.05	2.4	5.96	42.8	<0.02	<1	0.3	8.9	<10	<2			
1833337	Drill Core	<0.1	0.07	1.5	0.31	<0.1	0.09	<0.02	11.4	0.4	<0.05	4.2	5.53	39.8	<0.02	<1	0.2	8.2	<10	3			
1833338	Drill Core	<0.1	<0.02	1.7	0.42	<0.1	<0.02	0.03	12.3	0.5	<0.05	0.8	4.39	44.1	<0.02	<1	0.3	7.0	<10	<2			
1833339	Drill Core	<0.1	<0.02	1.7	0.42	<0.1	0.02	<0.02	11.7	0.3	<0.05	0.9	5.85	52.1	<0.02	<1	0.3	8.8	<10	<2			
1833340	Rock Pulp	<0.1	<0.02	4.0	0.13	<0.1	0.10	0.29	2.0	1.8	<0.05	4.2	8.15	12.0	<0.02	<1	0.2	1.0	<10	<2			
1833341	Drill Core	<0.1	0.03	1.6	0.43	<0.1	0.05	<0.02	9.9	0.5	<0.05	2.7	7.60	57.9	<0.02	<1	0.3	6.0	<10	<2			
1833342	Drill Core	<0.1	<0.02	0.8	0.47	<0.1	0.09	<0.02	10.6	0.3	<0.05	3.9	8.81	75.1	<0.02	<1	0.2	3.0	<10	<2			
1833343	Drill Core	<0.1	<0.02	1.4	0.54	<0.1	0.08	<0.02	11.2	0.3	<0.05	4.3	8.63	72.4	<0.02	<1	0.2	4.1	<10	<2			
1833344	Drill Core	<0.1	<0.02	1.3	0.35	<0.1	0.10	<0.02	10.7	0.4	<0.05	3.7	8.73	69.8	<0.02	<1	0.2	3.8	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000353.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1833345	Drill Core	3.04	464	0.015	0.01	<0.17	52.68	0.22	7.75	14.27	14.0	99	1.4	1.6	128	0.56	2.7	3.3	14.2	54.6
1833346	Drill Core	3.40	527	0.006	<0.01	<0.17	47.76	0.17	7.26	21.69	17.4	150	1.8	1.8	144	0.65	5.2	3.3	2.7	56.4
1833347	Drill Core	3.41	496	0.008	<0.01	<0.17	52.70	0.30	4.80	26.23	17.8	113	1.4	1.6	137	0.62	6.7	3.1	7.0	58.2
1833348	Drill Core	3.34	525	0.027	0.03	<0.17	44.26	0.22	16.62	70.65	51.1	315	1.1	1.0	120	0.58	22.5	2.4	20.7	38.4
1833349	Drill Core	3.28	492	0.244	0.26	0.43	32.86	0.28	42.32	128.15	92.5	1167	2.2	2.2	319	1.09	29.0	2.6	357.0	67.5
1833350	Drill Core	3.42	439	0.438	0.41	<0.17	27.72	0.30	19.94	86.83	139.0	953	1.9	2.7	376	1.13	43.6	3.2	381.1	68.5
1833351	Drill Core	3.48	473	0.027	0.02	<0.17	44.05	0.22	8.07	28.46	29.9	366	2.2	2.8	391	1.03	35.5	3.0	19.1	93.3
1833352	Drill Core	3.26	505	0.036	0.03	<0.17	36.25	0.45	6.23	21.36	28.3	444	2.6	3.1	288	1.09	106.8	5.3	27.4	61.6
1833353	Drill Core	3.38	518	0.090	0.08	<0.17	49.67	0.64	10.00	20.05	26.4	546	2.0	2.6	345	1.01	120.6	5.4	76.3	108.6
1833354	Drill Core	3.25	480	0.038	0.03	<0.17	47.75	0.40	19.26	16.29	39.9	296	1.3	2.0	247	0.80	39.1	2.7	40.2	48.4
1833355	Drill Core	2.97	473	0.047	0.04	<0.17	42.10	1.15	6.83	26.18	25.2	399	1.7	1.9	245	0.84	54.8	3.4	42.5	59.4
1833356	Drill Core	3.09	419	0.028	0.03	<0.17	43.03	1.59	8.83	22.26	23.9	313	1.8	2.1	299	0.94	36.2	4.1	30.9	66.3
1833357	Drill Core	3.35	373	0.041	0.04	<0.17	34.34	0.50	7.13	45.47	26.1	514	1.7	2.3	245	0.93	44.4	1.5	36.8	41.3
1833358	Drill Core	3.01	473	0.053	0.07	0.22	36.88	0.34	12.12	23.35	23.3	395	1.5	3.0	255	0.95	55.9	1.7	52.5	50.9
1833359	Drill Core	3.00	429	0.068	0.06	<0.17	35.81	0.67	11.92	15.43	42.8	328	15.6	10.4	701	2.20	29.6	3.2	45.7	127.7
1833360	Core DUP		439	0.148	0.13	<0.17	41.57	0.64	12.48	13.78	42.9	307	16.0	10.3	697	2.22	29.5	3.2	20.3	130.1
1833361	Drill Core	2.49	403	0.156	0.18	0.39	38.23	0.19	5.38	24.61	9.3	281	0.5	0.4	118	0.59	5.6	3.2	96.9	23.0
1833362	Drill Core	3.54	523	0.008	<0.01	<0.17	36.38	0.53	5.54	19.81	30.6	140	2.1	2.7	388	0.88	12.3	3.1	6.9	90.0
1833363	Drill Core	3.18	446	0.006	<0.01	<0.17	32.46	0.30	5.86	21.94	30.6	144	2.3	2.1	469	0.81	8.9	4.3	4.6	136.6
1833364	Drill Core	3.12	498	0.006	<0.01	<0.17	33.91	0.45	4.48	19.66	14.5	140	0.6	0.6	169	0.50	7.8	2.4	3.5	33.1
1833365	Drill Core	3.09	444	0.005	<0.01	<0.17	31.10	0.45	3.31	50.52	16.9	246	0.4	0.5	164	0.46	5.8	3.1	2.5	30.2
1833366	Drill Core	3.16	475	0.007	<0.01	<0.17	32.40	0.19	2.44	16.51	13.8	121	0.3	0.4	147	0.49	6.7	2.5	4.1	21.6
1833367	Drill Core	2.04	488	0.049	0.05	<0.17	30.26	0.41	2.72	12.90	8.0	3201	0.6	0.5	171	0.58	7.0	2.3	51.4	28.8
1833368	Drill Core	3.48	557	0.014	0.01	<0.17	36.69	0.60	9.08	8.90	28.5	109	4.2	2.7	251	0.83	3.7	3.9	17.4	57.1
1833369	Drill Core	3.25	364	0.008	<0.01	<0.17	35.85	0.27	8.89	24.72	34.6	188	3.7	2.9	312	0.83	11.3	2.6	4.1	63.8
1833370	Drill Core	3.17	485	0.011	<0.01	<0.17	33.10	0.21	7.74	5.70	41.5	105	3.2	2.1	317	0.91	7.7	2.6	2.4	88.2
1833371	Drill Core	3.38	478	<0.005	<0.01	<0.17	37.23	0.21	16.14	6.45	75.9	194	7.2	7.1	379	1.66	7.1	2.4	1.2	95.6
1833372	Drill Core	3.82	520	0.008	<0.01	<0.17	38.24	0.18	12.56	7.88	70.0	161	6.3	6.0	399	1.52	8.6	2.0	3.3	83.3
1833373	Drill Core	3.55	552	0.007	<0.01	<0.17	33.73	0.27	12.34	10.85	47.0	162	4.8	4.5	397	1.15	8.7	2.7	4.3	104.7
1833374	Drill Core	3.43	518	0.023	0.02	<0.17	34.05	0.24	13.76	12.96	40.8	395	8.4	7.5	481	1.76	50.8	5.5	18.5	89.0



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000353.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833345	Drill Core	0.12	0.14	0.07	3	0.51	0.037	35.0	2.3	0.15	273.0	0.004	<1	0.47	0.036	0.33	<0.1	1.5	0.08	<5
1833346	Drill Core	0.12	0.18	0.10	3	0.52	0.029	35.4	2.8	0.16	301.7	0.006	<1	0.47	0.041	0.30	<0.1	1.6	0.07	<5
1833347	Drill Core	0.08	0.24	0.04	3	0.53	0.034	37.5	2.3	0.14	234.9	0.003	<1	0.46	0.035	0.30	<0.1	1.1	0.06	<5
1833348	Drill Core	0.60	0.49	0.05	2	0.33	0.032	37.9	2.4	0.12	239.7	0.002	<1	0.42	0.037	0.30	<0.1	0.7	0.06	<5
1833349	Drill Core	1.19	0.67	0.12	2	0.89	0.039	19.9	2.4	0.33	226.5	0.001	<1	0.49	0.028	0.26	<0.1	1.2	0.07	<5
1833350	Drill Core	1.35	0.48	0.12	2	1.03	0.030	21.3	3.0	0.36	234.6	0.001	<1	0.51	0.035	0.26	<0.1	0.9	0.07	<5
1833351	Drill Core	0.19	0.83	0.17	2	1.12	0.030	20.8	2.3	0.52	306.5	0.001	<1	0.64	0.017	0.29	<0.1	1.0	0.08	<5
1833352	Drill Core	0.13	1.15	0.14	2	0.77	0.029	23.0	2.9	0.44	227.9	0.001	<1	0.67	0.024	0.29	0.1	1.0	0.08	<5
1833353	Drill Core	0.14	0.87	0.11	2	1.53	0.024	21.1	2.1	0.39	228.9	<0.001	<1	0.55	0.019	0.27	0.1	0.8	0.08	<5
1833354	Drill Core	0.33	0.37	0.07	2	0.78	0.031	26.2	2.5	0.26	272.0	<0.001	<1	0.49	0.023	0.28	<0.1	0.7	0.07	<5
1833355	Drill Core	0.09	0.87	0.18	3	0.70	0.032	33.7	3.1	0.32	252.8	0.001	<1	0.53	0.027	0.27	<0.1	1.0	0.08	<5
1833356	Drill Core	0.16	0.55	0.14	2	1.00	0.032	41.9	3.2	0.26	310.5	0.002	<1	0.57	0.032	0.31	<0.1	1.3	0.09	<5
1833357	Drill Core	0.28	1.16	0.22	2	0.43	0.035	30.0	2.8	0.24	161.6	<0.001	<1	0.45	0.029	0.26	<0.1	0.8	0.09	<5
1833358	Drill Core	0.10	1.02	0.13	2	0.45	0.035	28.4	2.6	0.29	213.5	<0.001	<1	0.46	0.021	0.29	0.1	0.8	0.08	<5
1833359	Drill Core	0.16	0.43	0.17	14	2.02	0.040	13.8	43.1	1.64	126.2	0.001	3	1.25	0.009	0.20	<0.1	3.2	0.06	<5
1833360	Core DUP	0.17	0.42	0.15	15	1.99	0.042	13.7	44.1	1.65	132.3	0.001	1	1.30	0.011	0.22	0.1	3.2	0.07	<5
1833361	Drill Core	0.10	0.13	0.11	<1	0.29	0.004	24.3	1.2	0.12	143.8	<0.001	<1	0.23	0.030	0.18	<0.1	0.4	0.05	<5
1833362	Drill Core	0.16	0.18	0.16	2	1.35	0.024	26.3	2.8	0.74	193.2	<0.001	1	0.54	0.007	0.25	<0.1	1.4	0.07	<5
1833363	Drill Core	0.21	0.19	0.17	<1	1.92	0.018	29.3	1.8	0.78	207.7	<0.001	<1	0.51	0.013	0.24	<0.1	1.2	0.07	<5
1833364	Drill Core	0.17	0.17	0.15	<1	0.39	0.005	26.9	1.5	0.18	346.7	<0.001	<1	0.27	0.014	0.20	<0.1	0.5	0.06	<5
1833365	Drill Core	0.13	0.30	0.37	<1	0.39	0.002	31.0	1.3	0.24	332.4	<0.001	2	0.31	0.013	0.21	<0.1	0.5	0.06	<5
1833366	Drill Core	0.13	0.13	0.13	<1	0.28	0.002	31.9	1.0	0.23	192.6	<0.001	<1	0.32	0.026	0.21	<0.1	0.6	0.06	<5
1833367	Drill Core	0.05	0.19	0.12	<1	0.35	0.002	25.8	1.1	0.23	174.2	<0.001	<1	0.27	0.021	0.18	<0.1	0.6	0.05	<5
1833368	Drill Core	0.18	0.13	0.07	2	0.79	0.021	16.5	5.3	0.60	189.3	0.001	<1	0.50	0.006	0.24	<0.1	1.2	0.05	<5
1833369	Drill Core	0.20	0.19	0.18	2	0.76	0.022	13.9	4.2	0.60	179.3	0.001	<1	0.48	0.005	0.22	<0.1	1.0	0.06	<5
1833370	Drill Core	0.24	0.16	0.04	4	1.02	0.019	27.2	6.0	0.79	158.0	0.002	1	0.62	0.006	0.23	<0.1	1.5	0.06	<5
1833371	Drill Core	0.34	0.20	0.03	8	1.29	0.036	16.9	15.3	1.41	193.0	0.002	<1	0.96	0.004	0.24	<0.1	2.7	0.07	7
1833372	Drill Core	0.36	0.20	0.05	6	1.27	0.033	20.0	11.6	1.19	185.9	0.001	1	0.80	0.003	0.22	<0.1	2.4	0.06	<5
1833373	Drill Core	0.23	0.18	0.08	3	1.27	0.024	31.0	6.0	0.70	163.4	<0.001	<1	0.51	0.004	0.22	<0.1	1.9	0.07	7
1833374	Drill Core	0.17	0.76	0.10	18	1.00	0.026	30.2	33.0	1.21	215.0	<0.001	2	1.08	0.008	0.23	0.1	3.3	0.08	10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000353.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833345	Drill Core	<0.1	<0.02	1.5	0.39	<0.1	0.16	0.04	11.1	0.2	<0.05	4.5	8.89	64.0	<0.02	<1	0.2	3.1	<10	<2			
1833346	Drill Core	<0.1	<0.02	1.4	0.34	<0.1	0.16	0.06	9.9	0.3	<0.05	6.3	11.93	69.6	<0.02	1	0.2	3.6	<10	<2			
1833347	Drill Core	<0.1	<0.02	1.3	0.32	<0.1	0.11	0.04	9.3	0.2	<0.05	4.3	11.01	69.4	<0.02	<1	0.3	3.9	<10	<2			
1833348	Drill Core	0.1	<0.02	1.2	0.39	<0.1	0.11	<0.02	9.5	0.1	<0.05	4.3	7.89	67.3	<0.02	2	0.3	3.3	<10	<2			
1833349	Drill Core	<0.1	0.30	1.6	0.60	<0.1	0.08	<0.02	9.0	0.2	<0.05	2.6	8.55	37.6	0.03	<1	0.3	6.0	<10	<2			
1833350	Drill Core	0.2	0.21	1.5	0.48	<0.1	0.03	<0.02	10.4	0.3	<0.05	0.7	7.31	40.4	0.03	<1	0.3	6.7	<10	<2			
1833351	Drill Core	<0.1	0.03	1.7	0.45	<0.1	0.02	<0.02	10.8	0.2	<0.05	0.7	6.13	39.6	<0.02	<1	0.2	8.5	<10	<2			
1833352	Drill Core	0.1	0.07	1.8	0.55	<0.1	<0.02	<0.02	10.8	0.2	<0.05	0.7	5.82	42.9	<0.02	<1	0.4	8.8	<10	<2			
1833353	Drill Core	<0.1	0.07	1.3	0.44	<0.1	0.02	<0.02	8.8	0.1	<0.05	0.8	8.08	40.3	<0.02	<1	0.2	6.2	<10	<2			
1833354	Drill Core	<0.1	0.04	1.3	0.44	<0.1	0.09	<0.02	9.7	0.2	<0.05	4.2	8.78	49.9	<0.02	<1	0.3	5.1	<10	<2			
1833355	Drill Core	<0.1	0.03	1.5	0.62	<0.1	0.16	<0.02	10.0	0.2	<0.05	6.1	9.05	61.8	<0.02	2	0.2	6.9	<10	<2			
1833356	Drill Core	<0.1	<0.02	1.5	0.42	<0.1	0.10	<0.02	11.8	0.3	<0.05	2.9	11.00	71.7	<0.02	2	0.3	6.4	<10	<2			
1833357	Drill Core	0.1	0.04	1.3	0.77	<0.1	0.03	<0.02	11.0	0.3	<0.05	2.8	9.45	57.2	<0.02	<1	0.3	5.5	<10	<2			
1833358	Drill Core	0.1	0.02	1.2	0.72	<0.1	0.06	<0.02	12.1	0.4	<0.05	1.9	8.12	54.5	<0.02	<1	0.4	5.7	<10	<2			
1833359	Drill Core	<0.1	0.03	3.1	0.78	<0.1	0.03	<0.02	7.4	0.4	<0.05	0.6	9.28	26.6	0.02	<1	0.4	18.1	<10	<2			
1833360	Core DUP	<0.1	0.05	3.2	0.78	<0.1	0.02	<0.02	8.2	0.3	<0.05	0.8	9.27	26.8	<0.02	2	0.2	19.6	<10	<2			
1833361	Drill Core	<0.1	0.08	0.7	0.47	<0.1	0.03	0.03	6.2	0.3	<0.05	0.7	7.26	44.6	<0.02	<1	<0.1	2.0	<10	3			
1833362	Drill Core	<0.1	0.03	1.5	0.62	<0.1	0.03	<0.02	9.1	0.4	<0.05	0.6	8.65	48.9	<0.02	1	0.2	10.6	<10	<2			
1833363	Drill Core	<0.1	<0.02	1.5	0.62	<0.1	0.03	<0.02	8.8	0.3	<0.05	0.7	9.39	55.4	<0.02	<1	0.3	10.2	<10	<2			
1833364	Drill Core	<0.1	<0.02	0.8	0.57	<0.1	0.04	0.05	7.7	0.4	<0.05	1.1	6.31	50.0	<0.02	2	0.2	3.1	<10	<2			
1833365	Drill Core	<0.1	<0.02	1.0	0.54	<0.1	0.05	0.05	7.8	0.2	<0.05	1.8	7.24	54.1	<0.02	1	0.4	4.3	<10	<2			
1833366	Drill Core	<0.1	<0.02	1.1	0.42	<0.1	0.05	0.04	8.1	0.3	<0.05	1.4	7.55	58.3	<0.02	<1	0.2	4.0	<10	<2			
1833367	Drill Core	<0.1	1.65	1.0	0.40	<0.1	0.06	0.03	6.3	0.3	<0.05	1.7	7.31	47.1	<0.02	<1	0.4	3.9	<10	<2			
1833368	Drill Core	<0.1	<0.02	1.4	0.68	<0.1	0.20	<0.02	7.5	0.3	<0.05	6.0	5.86	31.0	<0.02	<1	0.4	9.8	<10	<2			
1833369	Drill Core	<0.1	0.03	1.5	0.37	<0.1	0.19	<0.02	7.5	0.3	<0.05	6.3	6.00	26.9	<0.02	<1	<0.1	9.0	<10	<2			
1833370	Drill Core	<0.1	<0.02	1.9	0.53	<0.1	0.29	<0.02	8.3	0.3	<0.05	9.9	9.16	50.9	<0.02	1	0.2	11.1	<10	<2			
1833371	Drill Core	<0.1	<0.02	2.7	0.87	<0.1	0.14	<0.02	8.7	0.3	<0.05	5.1	9.62	31.4	<0.02	<1	0.5	13.9	<10	<2			
1833372	Drill Core	<0.1	<0.02	2.4	0.59	<0.1	0.13	<0.02	7.4	0.4	<0.05	4.5	10.91	36.5	<0.02	1	0.2	11.5	<10	<2			
1833373	Drill Core	<0.1	<0.02	1.5	0.93	<0.1	0.13	<0.02	8.4	0.4	<0.05	4.9	13.00	57.5	<0.02	<1	0.5	9.2	<10	<2			
1833374	Drill Core	<0.1	0.03	3.3	2.27	<0.1	0.08	<0.02	10.7	1.2	<0.05	3.0	11.84	54.7	<0.02	<1	0.8	17.3	<10	<2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000353.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1833375	Drill Core	3.28	476	0.024	0.02	<0.17	36.99	0.10	25.64	17.17	95.3	531	39.9	30.0	1463	5.13	38.8	1.1	16.4	0.8	260.8
1833376	Drill Core	4.27	470	0.022	0.02	<0.17	51.60	0.10	22.06	21.64	83.6	362	31.8	23.6	990	4.22	22.3	3.1	6.8	3.4	214.6
1833377	Drill Core	3.52	393	0.007	<0.01	<0.17	25.47	0.17	3.71	10.92	6.3	88	0.4	0.4	119	0.48	4.9	4.4	1.3	18.4	42.5
1833378	Drill Core	3.29	429	0.006	<0.01	<0.17	49.63	0.14	5.36	13.14	4.5	98	0.4	0.4	97	0.49	3.0	6.2	1.7	18.5	34.5
1833379	Drill Core	2.14	450	0.014	0.01	<0.17	34.20	0.16	3.11	29.13	4.9	193	0.3	0.4	109	0.50	2.8	3.6	5.6	18.4	37.5
1833380	Rock	0.23	157	<0.005	<0.01	<0.17	24.54	0.40	1.15	1.33	2.6	7	1.6	0.5	63	0.61	1.0	0.2	<0.2	1.7	1.6
1833381	Drill Core	3.36	385	0.009	<0.01	<0.17	35.16	1.25	13.53	17.90	28.7	217	6.2	6.0	345	1.05	7.5	5.1	13.5	16.4	96.8
1833382	Drill Core	3.33	396	<0.005	<0.01	<0.17	32.65	0.27	3.09	25.14	13.7	136	0.3	0.3	96	0.41	1.9	3.4	<0.2	17.9	37.2
1833383	Drill Core	2.47	521	<0.005	<0.01	<0.17	39.58	0.15	3.44	23.13	13.8	147	0.2	0.2	115	0.41	4.6	3.6	1.5	17.7	37.5
1833384	Drill Core	1.54	486	0.145	0.13	<0.17	48.13	0.14	2.52	16.58	14.3	132	0.6	0.5	197	0.49	8.9	3.5	3.6	18.2	68.6
1833385	Drill Core	3.50	381	<0.005	<0.01	<0.17	28.54	0.19	4.31	39.56	13.2	209	0.6	0.5	156	0.50	1.5	2.6	<0.2	16.2	63.5
1833386	Drill Core	3.75	414	0.005	<0.01	<0.17	37.72	0.18	2.91	33.90	19.1	159	0.4	0.3	139	0.50	4.3	3.6	0.5	19.0	59.9
1833387	Drill Core	3.81	396	0.008	<0.01	<0.17	45.72	0.24	3.19	14.79	19.2	113	1.4	1.0	152	0.68	10.8	3.4	20.1	17.1	48.4
1833388	Drill Core	3.78	401	<0.005	<0.01	<0.17	42.28	0.13	2.52	11.96	17.6	64	0.5	0.4	75	0.47	1.1	3.9	0.8	18.7	32.7
1833389	Drill Core	3.00	479	0.020	0.02	<0.17	43.09	0.55	11.80	37.07	66.6	184	14.1	8.0	259	1.63	2.1	2.0	5.9	10.5	133.1
1833390	Drill Core	3.10	519	0.009	<0.01	<0.17	45.40	4.48	9.21	30.53	32.6	256	3.8	3.4	210	0.91	30.3	2.6	2.9	15.1	57.5
1833391	Drill Core	3.39	387	0.011	<0.01	<0.17	31.85	0.34	8.22	62.20	38.8	330	1.8	1.8	133	0.64	36.8	2.7	6.0	17.4	37.4
1833392	Drill Core	3.28	359	0.015	0.01	<0.17	57.27	0.73	7.64	22.99	33.8	398	12.2	5.8	433	1.42	82.8	3.7	12.1	13.8	104.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000353.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833375	Drill Core	0.49	0.83	0.15	78	4.64	0.102	4.8	138.1	4.01	235.5	0.004	<1	3.11	0.006	0.22	<0.1	16.0	0.08	0.73	8
1833376	Drill Core	0.35	0.42	0.14	62	3.37	0.082	8.6	103.1	3.45	313.5	0.003	1	2.64	0.007	0.23	<0.1	13.5	0.08	0.30	<5
1833377	Drill Core	0.06	0.14	0.09	<1	0.43	0.003	43.8	1.9	0.15	163.5	<0.001	<1	0.30	0.034	0.22	<0.1	0.9	0.06	0.12	<5
1833378	Drill Core	0.11	0.19	0.08	<1	0.37	0.003	49.0	1.7	0.11	168.8	<0.001	<1	0.25	0.032	0.21	<0.1	0.7	0.06	0.19	5
1833379	Drill Core	0.06	0.15	0.29	<1	0.42	0.004	37.7	1.8	0.16	352.3	<0.001	<1	0.30	0.031	0.24	<0.1	0.6	0.07	0.16	<5
1833380	Rock	0.02	0.04	<0.02	2	0.02	0.002	2.4	4.1	0.02	11.2	0.003	<1	0.07	0.005	0.02	<0.1	0.3	<0.02	<0.02	<5
1833381	Drill Core	0.16	0.20	0.17	7	1.16	0.011	31.4	18.4	0.85	206.2	0.001	<1	0.66	0.014	0.29	<0.1	3.4	0.08	0.22	<5
1833382	Drill Core	0.16	0.15	0.21	<1	0.38	0.003	46.2	1.4	0.23	197.4	<0.001	<1	0.34	0.019	0.23	<0.1	1.0	0.06	0.06	<5
1833383	Drill Core	0.16	0.16	0.18	<1	0.46	0.002	44.9	1.5	0.19	260.9	<0.001	<1	0.36	0.020	0.24	<0.1	0.8	0.06	0.08	<5
1833384	Drill Core	0.13	0.23	0.12	1	0.82	0.004	32.9	2.4	0.26	191.1	<0.001	<1	0.36	0.019	0.21	<0.1	1.1	0.06	0.14	<5
1833385	Drill Core	0.17	0.10	0.32	<1	0.78	0.003	44.6	2.1	0.21	331.4	<0.001	<1	0.36	0.028	0.23	<0.1	1.0	0.06	0.07	<5
1833386	Drill Core	0.16	0.27	0.25	<1	0.60	0.004	52.4	2.2	0.25	348.3	0.001	<1	0.40	0.020	0.26	<0.1	1.3	0.07	0.10	<5
1833387	Drill Core	0.17	0.26	0.10	2	0.53	0.006	46.1	7.9	0.40	242.6	0.002	<1	0.53	0.023	0.27	<0.1	1.6	0.07	0.12	<5
1833388	Drill Core	0.09	0.11	0.09	<1	0.25	0.005	53.7	1.5	0.26	232.5	0.001	<1	0.40	0.028	0.24	<0.1	1.0	0.06	0.09	<5
1833389	Drill Core	0.30	0.29	0.19	11	1.12	0.036	24.1	33.6	1.47	166.5	0.012	<1	1.11	0.003	0.41	<0.1	5.4	0.16	0.26	<5
1833390	Drill Core	0.22	0.43	0.18	4	0.58	0.026	30.0	6.0	0.69	223.1	<0.001	<1	0.55	0.009	0.21	<0.1	1.7	0.06	0.26	<5
1833391	Drill Core	0.41	0.98	0.06	2	0.36	0.037	37.6	3.2	0.15	400.5	0.002	<1	0.36	0.032	0.30	<0.1	0.8	0.07	0.31	<5
1833392	Drill Core	0.22	1.45	0.10	7	1.25	0.040	24.4	13.8	0.65	200.5	0.001	<1	0.63	0.013	0.28	<0.1	2.7	0.07	0.75	7



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000353.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1833375	Drill Core	0.2	<0.02	9.4	1.52	<0.1	<0.02	<0.02	9.0	0.3	<0.05	0.7	17.76	10.0	0.05	<1	0.7	40.8	<10
1833376	Drill Core	0.3	<0.02	7.4	1.38	<0.1	0.03	<0.02	8.7	0.3	<0.05	0.5	15.12	16.4	0.05	<1	0.9	34.1	<10
1833377	Drill Core	<0.1	<0.02	1.2	0.46	<0.1	0.04	0.04	8.5	0.4	<0.05	1.1	12.41	80.4	<0.02	<1	0.2	3.2	<10
1833378	Drill Core	<0.1	<0.02	1.1	0.48	<0.1	0.03	0.04	8.4	0.3	<0.05	1.2	13.36	88.3	<0.02	<1	0.1	2.5	<10
1833379	Drill Core	<0.1	<0.02	1.1	0.39	<0.1	0.03	0.03	8.9	0.3	<0.05	1.2	11.16	70.9	<0.02	<1	0.2	2.8	<10
1833380	Rock	<0.1	<0.02	0.3	0.12	<0.1	0.09	0.06	1.0	<0.1	<0.05	2.2	1.03	4.5	<0.02	<1	<0.1	1.5	<10
1833381	Drill Core	<0.1	<0.02	2.3	0.40	<0.1	0.07	0.02	11.2	0.2	<0.05	2.3	12.57	57.7	0.02	2	0.4	9.3	<10
1833382	Drill Core	<0.1	<0.02	1.2	0.47	<0.1	0.05	0.04	8.3	0.2	<0.05	1.6	9.12	85.2	<0.02	1	0.2	4.0	<10
1833383	Drill Core	<0.1	<0.02	1.3	0.33	<0.1	0.06	0.05	8.9	0.3	<0.05	1.7	7.69	82.3	<0.02	<1	0.1	4.5	<10
1833384	Drill Core	<0.1	<0.02	1.4	0.29	<0.1	0.06	0.02	7.7	0.2	<0.05	1.9	8.16	63.5	<0.02	1	<0.1	5.2	<10
1833385	Drill Core	<0.1	<0.02	1.4	0.37	<0.1	0.06	0.04	8.7	0.3	<0.05	2.1	8.61	82.5	0.02	<1	0.1	4.7	<10
1833386	Drill Core	<0.1	<0.02	1.6	0.41	<0.1	0.05	0.05	9.7	0.3	<0.05	2.3	11.85	95.6	<0.02	<1	0.2	4.7	<10
1833387	Drill Core	<0.1	<0.02	1.9	0.29	<0.1	0.09	0.05	10.0	0.3	<0.05	2.6	11.50	80.1	<0.02	<1	<0.1	5.4	<10
1833388	Drill Core	<0.1	<0.02	1.7	0.23	<0.1	0.07	0.04	8.9	0.3	<0.05	3.0	10.61	97.6	<0.02	<1	0.3	3.2	<10
1833389	Drill Core	<0.1	<0.02	3.2	1.40	<0.1	0.30	<0.02	19.2	0.3	<0.05	8.7	14.18	44.6	<0.02	1	0.5	16.9	<10
1833390	Drill Core	<0.1	<0.02	1.7	0.38	<0.1	0.29	<0.02	6.8	0.2	<0.05	8.8	10.61	56.7	<0.02	2	0.1	9.8	<10
1833391	Drill Core	<0.1	0.03	1.4	0.30	<0.1	0.07	<0.02	9.9	0.3	<0.05	2.5	7.84	64.7	<0.02	<1	0.1	3.0	<10
1833392	Drill Core	<0.1	0.04	2.2	0.40	<0.1	0.04	<0.02	9.4	0.3	<0.05	2.3	9.89	43.2	<0.02	<1	0.2	11.5	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 06, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000353.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1833269	Drill Core	3.18	417	0.008	<0.01	<0.17	40.35	0.49	5.04	15.00	61.5	145	1.7	0.8	242	0.74	8.2	2.3	2.9	19.6	7.6
REP 1833269	QC							0.49	4.76	14.70	59.0	134	1.7	0.8	241	0.75	7.8	2.3	3.4	19.8	7.2
1833270	Drill Core	3.08	417	0.005	<0.01	<0.17	28.57	0.54	2.83	13.68	41.0	156	0.4	0.2	106	0.60	1.0	0.7	0.3	18.8	25.1
REP 1833270	QC			<0.005																	
1833303	Drill Core	3.19	503	0.008	<0.01	<0.17	44.72	0.17	10.80	20.72	33.7	219	3.7	3.2	186	0.99	4.8	2.2	5.1	16.8	59.2
REP 1833303	QC							0.19	9.76	19.46	31.8	208	3.5	2.9	191	1.00	4.4	2.1	2.1	15.6	57.1
1833338	Drill Core	3.18	417	0.282	0.27	0.20	39.75	0.28	6.98	14.63	18.6	308	1.8	2.5	229	0.86	4.2	4.6	286.6	14.2	111.3
REP 1833338	QC							0.29	6.75	14.40	17.2	243	1.7	2.5	244	0.85	4.0	4.5	130.3	13.9	113.4
1833345	Drill Core	3.04	464	0.015	0.01	<0.17	52.68	0.22	7.75	14.27	14.0	99	1.4	1.6	128	0.56	2.7	3.3	14.2	16.3	54.6
REP 1833345	QC			0.022																	
1833373	Drill Core	3.55	552	0.007	<0.01	<0.17	33.73	0.27	12.34	10.85	47.0	162	4.8	4.5	397	1.15	8.7	2.7	4.3	15.4	104.7
REP 1833373	QC							0.25	11.85	10.66	49.9	182	4.7	4.7	374	1.19	8.4	2.7	1.7	15.8	106.4
Core Reject Duplicates																					
1833266	Drill Core	3.14	404	0.141	0.15	0.24	41.50	0.46	9.19	23.09	67.2	275	2.6	1.2	159	0.67	10.2	3.4	155.3	18.3	6.7
DUP 1833266	QC		414	0.193	0.18	<0.17	37.12	0.42	8.94	22.57	69.4	241	2.2	1.1	156	0.63	10.3	3.3	112.3	17.4	6.6
1833334	Drill Core	3.23	428	0.031	0.03	<0.17	32.16	1.22	5.75	23.67	28.7	301	2.1	2.9	298	0.99	11.4	4.4	25.5	14.5	92.0
DUP 1833334	QC		413	0.047	0.05	<0.17	33.80	0.97	5.39	20.36	26.2	245	2.1	2.9	280	0.99	11.9	4.1	27.5	15.3	86.7
1833368	Drill Core	3.48	557	0.014	0.01	<0.17	36.69	0.60	9.08	8.90	28.5	109	4.2	2.7	251	0.83	3.7	3.9	17.4	12.7	57.1
DUP 1833368	QC		480	0.011	0.01	<0.17	33.45	0.56	8.18	10.70	27.6	115	3.9	2.8	250	0.80	4.1	3.9	9.4	12.3	54.0
Reference Materials																					
STD BVGEO01	Standard							10.51	4363.98	179.19	1757.9	2407	159.1	24.9	709	3.63	116.0	3.7	199.8	14.9	53.5
STD BVGEO01	Standard							11.62	4520.00	197.70	1621.9	2829	153.9	28.1	745	3.92	128.2	4.2	240.6	16.8	58.1
STD DS11	Standard							14.96	164.64	134.56	324.3	1634	85.2	15.2	969	3.03	39.8	2.5	70.2	8.1	62.2
STD DS11	Standard							15.17	141.77	134.84	319.6	1735	79.3	13.5	983	3.09	42.3	2.5	92.5	7.6	69.2
STD OREAS262	Standard							0.65	118.14	55.45	138.4	437	61.9	28.3	534	3.19	35.2	1.2	63.6	9.2	34.5
STD OREAS262	Standard							0.68	128.49	57.29	152.6	450	68.1	30.4	516	3.21	34.5	1.3	59.6	9.6	34.2
STD OREAS262	Standard							0.75	127.85	61.30	154.6	500	64.7	29.2	566	3.43	38.1	1.3	70.2	10.7	36.8
STD OREAS262	Standard							0.64	113.19	55.45	152.0	474	64.1	27.0	561	3.26	36.3	1.2	70.4	8.8	35.9



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 06, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000353.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1833269	Drill Core	0.31	0.20	0.10	<1	0.07	0.005	48.7	1.9	0.53	298.6	<0.001	<1	0.79	0.013	0.23	0.1	1.0	0.07	<0.02	<5
REP 1833269	QC	0.29	0.19	0.10	<1	0.07	0.005	44.0	1.9	0.54	286.0	<0.001	<1	0.79	0.013	0.23	0.1	0.9	0.07	<0.02	7
1833270	Drill Core	0.13	0.09	0.10	<1	0.25	0.002	45.0	1.8	0.73	273.8	<0.001	<1	0.67	0.010	0.18	0.3	0.8	0.04	<0.02	<5
REP 1833270	QC																				
1833303	Drill Core	0.28	0.17	0.16	3	0.49	0.039	38.8	4.3	0.26	249.2	0.010	<1	0.52	0.042	0.24	<0.1	1.8	0.10	0.11	<5
REP 1833303	QC	0.25	0.17	0.15	3	0.48	0.036	36.8	4.0	0.26	239.4	0.010	<1	0.52	0.041	0.23	<0.1	1.6	0.09	0.11	<5
1833338	Drill Core	0.11	0.19	0.20	2	0.95	0.031	23.8	2.8	0.42	289.5	0.002	<1	0.68	0.029	0.37	0.1	1.3	0.09	0.21	10
REP 1833338	QC	0.10	0.23	0.19	2	0.94	0.032	22.8	2.7	0.41	284.6	0.002	<1	0.64	0.025	0.35	0.1	1.4	0.13	0.20	<5
1833345	Drill Core	0.12	0.14	0.07	3	0.51	0.037	35.0	2.3	0.15	273.0	0.004	<1	0.47	0.036	0.33	<0.1	1.5	0.08	0.06	<5
REP 1833345	QC																				
1833373	Drill Core	0.23	0.18	0.08	3	1.27	0.024	31.0	6.0	0.70	163.4	<0.001	<1	0.51	0.004	0.22	<0.1	1.9	0.07	0.28	7
REP 1833373	QC	0.25	0.20	0.07	3	1.30	0.022	30.9	5.9	0.72	175.0	<0.001	<1	0.53	0.004	0.23	<0.1	1.9	0.07	0.28	<5
Core Reject Duplicates																					
1833266	Drill Core	0.21	0.24	0.17	<1	0.07	0.006	41.3	2.0	0.32	290.1	<0.001	<1	0.66	0.014	0.23	0.6	0.7	0.07	<0.02	6
DUP 1833266	QC	0.24	0.24	0.16	<1	0.07	0.006	42.8	1.8	0.33	293.6	<0.001	<1	0.71	0.014	0.24	0.6	0.8	0.07	<0.02	12
1833334	Drill Core	0.16	0.38	0.41	2	0.99	0.035	29.9	2.8	0.46	241.6	0.002	<1	0.67	0.023	0.29	<0.1	1.4	0.11	0.18	<5
DUP 1833334	QC	0.12	0.31	0.34	2	0.99	0.032	27.4	2.6	0.46	239.8	0.002	<1	0.70	0.026	0.30	0.1	1.4	0.10	0.18	<5
1833368	Drill Core	0.18	0.13	0.07	2	0.79	0.021	16.5	5.3	0.60	189.3	0.001	<1	0.50	0.006	0.24	<0.1	1.2	0.05	0.09	<5
DUP 1833368	QC	0.20	0.15	0.09	2	0.79	0.020	14.3	4.9	0.58	161.7	0.001	<1	0.46	0.006	0.22	<0.1	1.1	0.05	0.11	<5
Reference Materials																					
STD BVGE001	Standard	6.16	3.76	24.40	73	1.30	0.073	26.9	176.2	1.27	261.3	0.230	3	2.26	0.189	0.92	5.4	5.2	0.57	0.68	91
STD BVGE001	Standard	6.94	4.29	27.03	71	1.30	0.086	27.7	183.2	1.31	317.7	0.252	4	2.38	0.193	0.90	5.7	5.8	0.65	0.61	104
STD DS11	Standard	2.37	8.30	11.21	50	1.01	0.064	17.8	61.7	0.86	357.4	0.095	4	1.14	0.070	0.40	3.0	2.9	4.71	0.26	275
STD DS11	Standard	2.30	8.56	11.03	48	1.04	0.072	19.3	60.0	0.84	373.3	0.089	5	1.19	0.073	0.39	3.1	3.3	4.63	0.26	231
STD OREAS262	Standard	0.63	5.79	1.05	21	3.06	0.040	15.3	41.7	1.14	239.2	0.003	4	1.27	0.068	0.30	0.3	3.0	0.42	0.26	143
STD OREAS262	Standard	0.62	4.67	1.01	22	2.94	0.038	16.6	44.6	1.16	253.6	0.003	2	1.27	0.068	0.31	0.2	3.1	0.44	0.24	175
STD OREAS262	Standard	0.73	6.26	1.16	20	3.17	0.047	16.1	46.0	1.20	274.1	0.003	4	1.26	0.069	0.30	0.2	3.3	0.47	0.24	176
STD OREAS262	Standard	0.67	5.42	0.98	22	3.07	0.037	16.4	42.6	1.18	251.1	0.002	3	1.40	0.067	0.32	0.2	3.3	0.43	0.25	160



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 06, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000353.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1833269	Drill Core	<0.1	<0.02	2.5	0.96	<0.1	0.09	0.02	7.8	0.3	<0.05	3.2	10.64	86.3	<0.02	<1	0.2	14.0	<10	<2
REP 1833269	QC	<0.1	<0.02	2.6	0.89	<0.1	0.10	<0.02	7.4	0.3	<0.05	3.0	10.20	86.0	<0.02	<1	0.3	13.3	<10	<2
1833270	Drill Core	<0.1	<0.02	2.1	0.51	<0.1	0.08	0.06	5.8	0.2	<0.05	2.4	8.91	80.3	<0.02	<1	0.3	11.2	<10	<2
REP 1833270	QC																			
1833303	Drill Core	0.2	<0.02	2.6	0.63	<0.1	0.39	0.03	12.8	0.4	<0.05	11.0	10.13	71.8	<0.02	1	0.3	6.2	<10	<2
REP 1833303	QC	<0.1	<0.02	2.5	0.61	<0.1	0.37	0.03	12.2	0.4	<0.05	11.2	9.54	68.2	<0.02	1	0.3	6.1	<10	<2
1833338	Drill Core	<0.1	<0.02	1.7	0.42	<0.1	<0.02	0.03	12.3	0.5	<0.05	0.8	4.39	44.1	<0.02	<1	0.3	7.0	<10	<2
REP 1833338	QC	<0.1	0.05	1.5	0.44	<0.1	<0.02	<0.02	12.4	0.3	<0.05	0.8	4.51	45.8	<0.02	<1	0.4	7.7	<10	<2
1833345	Drill Core	<0.1	<0.02	1.5	0.39	<0.1	0.16	0.04	11.1	0.2	<0.05	4.5	8.89	64.0	<0.02	<1	0.2	3.1	<10	<2
REP 1833345	QC																			
1833373	Drill Core	<0.1	<0.02	1.5	0.93	<0.1	0.13	<0.02	8.4	0.4	<0.05	4.9	13.00	57.5	<0.02	<1	0.5	9.2	<10	<2
REP 1833373	QC	<0.1	<0.02	1.6	0.99	<0.1	0.13	<0.02	8.9	0.5	<0.05	4.3	13.43	57.8	<0.02	<1	0.5	8.2	<10	<2
Core Reject Duplicates																				
1833266	Drill Core	<0.1	0.02	1.9	0.52	<0.1	0.09	0.06	7.5	0.3	<0.05	3.1	9.16	74.6	<0.02	<1	0.4	7.3	<10	<2
DUP 1833266	QC	<0.1	0.03	2.0	0.51	<0.1	0.07	0.05	7.8	0.3	<0.05	3.1	8.45	76.3	<0.02	<1	0.4	7.9	<10	<2
1833334	Drill Core	<0.1	<0.02	2.0	0.41	<0.1	0.02	<0.02	12.5	0.4	<0.05	0.9	5.79	54.9	<0.02	<1	0.4	8.9	<10	<2
DUP 1833334	QC	<0.1	<0.02	1.8	0.37	<0.1	0.03	<0.02	11.8	0.4	<0.05	0.9	5.33	52.5	0.02	2	0.2	8.5	<10	<2
1833368	Drill Core	<0.1	<0.02	1.4	0.68	<0.1	0.20	<0.02	7.5	0.3	<0.05	6.0	5.86	31.0	<0.02	<1	0.4	9.8	<10	<2
DUP 1833368	QC	<0.1	0.03	1.2	0.70	<0.1	0.19	<0.02	6.9	0.3	<0.05	5.8	5.51	26.4	<0.02	<1	0.2	8.9	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.7	1.04	6.6	7.08	0.2	0.32	0.27	87.4	5.8	<0.05	7.8	13.83	49.8	0.46	4	0.4	21.2	138	170
STD BVGE001	Standard	4.8	1.12	8.2	8.42	0.2	0.31	0.29	94.5	6.5	<0.05	9.7	15.38	57.3	0.48	5	0.7	22.0	114	194
STD DS11	Standard	2.1	4.40	4.6	2.83	<0.1	0.07	1.32	32.0	1.6	<0.05	3.1	7.57	35.7	0.23	45	0.5	21.2	112	173
STD DS11	Standard	2.2	4.68	5.3	2.81	<0.1	0.05	1.53	33.7	1.7	<0.05	2.9	7.74	38.6	0.24	36	0.7	22.0	89	161
STD OREAS262	Standard	0.3	0.21	3.9	2.86	<0.1	0.24	<0.02	17.7	0.5	<0.05	9.3	10.44	29.7	0.03	2	1.4	17.8	<10	<2
STD OREAS262	Standard	0.3	0.26	3.8	2.81	<0.1	0.25	<0.02	17.3	0.5	<0.05	10.4	10.85	32.4	0.03	2	0.6	16.0	<10	<2
STD OREAS262	Standard	0.3	0.23	4.1	3.24	<0.1	0.27	<0.02	19.2	0.6	<0.05	10.0	10.92	32.5	0.04	<1	1.0	17.8	<10	<2
STD OREAS262	Standard	0.3	0.28	4.2	2.85	<0.1	0.17	<0.02	19.3	0.4	<0.05	12.1	10.13	34.4	0.04	2	1.0	18.8	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000353.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXC152	Standard			0.219																	
STD OXC152	Standard			0.223																	
STD OXC152	Standard			0.220																	
STD OXC152	Standard			0.218																	
STD OXH139	Standard			1.334																	
STD OXH139	Standard			1.297																	
STD OXH139	Standard			1.297																	
STD OXH139	Standard			1.312																	
STD OXN134	Standard			7.756																	
STD OXN134	Standard			7.811																	
STD OXN134	Standard			7.531																	
STD OXN134	Standard			7.642																	
STD OXQ90	Standard					25.28	29.75														
STD OXQ90	Standard					25.03	29.57														
STD OXQ90	Standard					25.04	29.91														
STD OXQ90	Standard					23.87	29.66														
STD OXQ90	Standard					24.67	29.43														
STD OXQ90	Standard					24.94	30.03														
STD OXQ90	Standard					25.18	30.42														
STD OXQ90	Standard					25.42	29.90														
STD OXQ90	Standard					25.66	29.54														
STD OXQ90	Standard					25.38	30.61														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	0.2	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.2	<0.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000353.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	9
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000353.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000353.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		466	<0.005	<0.01	<0.17	44.80	1.06	2.24	1.17	27.8	11	0.8	3.6	424	1.76	0.4	0.5	1.4	2.3	21.0
ROCK-WHI	Prep Blank		455	<0.005	<0.01	<0.17	33.65	1.01	2.20	1.08	28.4	11	1.1	3.8	449	1.80	0.6	0.5	<0.2	2.2	20.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000353.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.05	0.08	0.04	22	0.62	0.035	6.2	2.2	0.42	52.3	0.075	<1	0.81	0.083	0.09	<0.1	2.1	<0.02	<0.02	7
ROCK-WHI	Prep Blank	0.03	0.06	<0.02	23	0.60	0.035	6.1	2.7	0.46	56.3	0.074	<1	0.85	0.094	0.09	<0.1	2.3	<0.02	0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 06, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000353.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.1	0.16	<0.1	0.11	0.19	1.9	0.3	<0.05	2.4	8.08	11.9	<0.02	<1	0.1	1.5	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.2	0.18	<0.1	0.11	0.21	2.0	0.3	<0.05	2.4	8.24	12.3	<0.02	1	0.3	2.1	<10	<2