



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: August 09, 2019  
Report Date: September 06, 2019  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI19000354.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-42  
P.O. Number  
Number of Samples: 138

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	132	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	5	Sort, label and box pulps			WHI
FS631	138	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	138	Analysis sample split/packet			WHI
Split -150	138	Analysis sample split/packet			WHI
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
FS631	133	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	138	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Erika Cayer  
Graeme Joyce  
Peter Tallman



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 2 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000354.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1833393	Drill Core	2.73	428	0.007	<0.01	<0.17	43.90	0.44	9.00	17.67	33.1	244	17.1	7.3	451	1.83	27.1	1.6	2.5	10.0	150.9
1833394	Drill Core	3.35	520	0.020	0.02	<0.17	36.15	0.31	11.44	14.30	35.9	232	15.3	6.4	400	1.51	36.9	2.0	20.1	11.4	148.8
1833395	Drill Core	3.13	441	0.017	0.02	<0.17	37.64	0.41	7.86	17.52	40.3	340	7.0	7.3	360	1.72	66.9	1.9	9.6	12.3	126.0
1833396	Drill Core	3.53	513	0.031	0.03	<0.17	33.13	0.37	7.09	23.22	34.3	333	5.9	4.0	300	1.50	238.6	3.8	23.4	13.0	106.9
1833397	Drill Core	3.77	507	0.070	0.07	<0.17	32.70	0.24	3.69	14.63	12.7	264	0.8	0.2	92	0.45	3.6	0.9	152.5	14.3	4.4
1833398	Drill Core	1.58	367	0.295	0.27	<0.17	29.59	0.30	3.38	14.84	38.0	575	0.5	0.3	150	0.67	1.5	1.0	2119.0	18.2	7.1
1833399	Drill Core	2.26	336	0.043	0.04	<0.17	36.46	0.37	3.63	17.34	42.1	157	0.8	0.4	124	0.72	3.1	1.4	14.3	18.7	7.5
1833400	Rock Pulp	0.11	64	7.524				9.35	188.49	19.63	70.8	884	14.3	11.4	499	4.64	12.5	0.9	8097.1	3.9	70.3
1833401	Drill Core	3.41	495	0.024	0.03	<0.17	33.86	0.89	4.86	28.35	29.6	247	1.3	1.0	194	0.71	2.5	1.0	16.3	13.8	8.6
1833402	Drill Core	1.55	447	0.023	0.02	<0.17	33.66	0.25	8.32	9.10	27.1	125	3.0	2.9	368	0.86	2.1	1.9	16.9	13.4	69.3
1833403	Drill Core	2.82	411	1.514	1.63	2.65	41.45	0.35	21.00	53.20	15.2	2082	2.0	2.0	171	0.83	6.7	1.4	5152.3	11.2	38.5
1833404	Drill Core	2.12	383	0.296	0.30	0.30	33.58	0.33	7.55	14.71	8.3	336	0.9	1.0	156	0.61	8.9	0.9	287.6	13.6	13.9
1833405	Drill Core	3.27	403	0.046	0.04	<0.17	34.70	0.38	7.45	10.32	12.0	273	1.4	1.9	223	0.75	17.7	1.1	105.3	13.9	10.5
1833406	Drill Core	3.32	483	0.434	0.49	1.15	35.66	0.38	10.51	9.58	11.9	536	1.5	2.3	204	0.73	15.7	1.4	429.9	13.7	11.3
1833407	Drill Core	2.59	443	0.396	0.39	0.33	33.65	0.46	11.25	8.26	17.2	473	5.1	3.9	338	1.10	19.3	1.6	365.5	13.0	11.2
1833408	Drill Core	1.42	421	0.182	0.17	<0.17	41.52	0.27	36.04	8.23	33.9	270	35.9	23.6	987	2.51	38.7	1.6	140.4	1.1	269.5
1833409	Drill Core	3.34	380	0.518	0.48	<0.17	31.19	0.19	11.05	14.70	44.0	518	12.5	10.1	547	2.03	38.7	1.6	544.2	10.1	75.1
1833410	Drill Core	2.51	391	0.027	0.02	<0.17	34.98	0.24	6.75	16.60	27.0	270	2.8	3.5	321	1.10	16.5	0.9	22.4	13.0	49.6
1833411	Drill Core	2.95	410	0.618	0.67	1.06	48.83	0.16	9.19	12.52	43.8	644	6.6	6.8	391	1.82	12.3	1.6	536.5	9.7	97.2
1833412	Drill Core	2.79	373	0.095	0.09	<0.17	52.35	0.50	7.20	17.54	17.7	356	2.0	2.7	262	0.87	23.9	1.7	91.4	13.5	11.7
1833413	Drill Core	3.24	413	0.074	0.13	0.67	35.77	0.27	7.51	19.80	19.1	332	2.0	2.4	167	0.87	13.9	1.4	101.2	15.4	21.7
1833414	Drill Core	3.21	444	0.022	0.02	<0.17	44.22	0.31	7.45	13.56	16.9	281	1.7	2.4	187	0.79	21.9	1.2	16.7	15.2	19.0
1833415	Drill Core	2.72	413	0.093	0.09	<0.17	29.52	0.41	7.59	14.96	24.2	353	2.7	3.3	404	1.05	23.9	1.5	53.8	15.5	14.0
1833416	Drill Core	3.44	542	0.109	0.11	<0.17	33.88	0.23	9.09	17.52	32.6	868	3.5	4.4	312	1.46	35.4	1.7	158.6	14.6	34.9
1833417	Drill Core	1.31	468	0.030	0.03	<0.17	39.38	0.14	7.38	14.74	40.2	130	3.0	3.5	196	1.26	5.0	1.0	28.9	13.7	80.4
1833418	Drill Core	3.05	437	0.311	0.35	0.70	38.39	0.25	12.39	10.69	52.9	1106	5.1	3.4	281	1.29	6.4	1.2	344.3	15.2	25.8
1833419	Drill Core	2.87	467	0.043	0.04	<0.17	47.69	0.25	6.12	12.96	26.6	174	1.1	0.8	205	0.66	4.6	1.0	20.4	17.0	30.6
1833420	Rock Pulp	0.12	77	0.539				2.61	475.86	19.56	51.9	284	604.1	26.0	416	2.59	18.9	0.6	479.6	0.5	57.3
1833421	Drill Core	2.39	448	0.094	0.14	0.51	50.65	0.49	5.47	13.25	32.2	230	2.0	1.5	162	0.79	6.7	1.3	92.4	13.6	40.2
1833422	Drill Core	1.71	461	0.165	0.20	0.83	24.24	0.33	30.66	11.70	32.8	1941	5.5	4.1	352	1.16	5.2	1.6	272.7	12.0	108.1



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 2 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000354.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833393	Drill Core	0.14	0.35	<0.02	18	1.70	0.042	21.4	27.4	1.32	148.5	0.002	3	1.11	0.010	0.25	<0.1	4.0	0.05	0.24	<5			
1833394	Drill Core	0.19	0.78	0.04	13	1.46	0.032	21.3	21.8	0.82	258.6	0.002	3	0.86	0.012	0.26	<0.1	2.5	0.07	0.35	<5			
1833395	Drill Core	0.16	1.60	0.16	16	1.34	0.043	23.4	26.7	0.83	170.6	0.002	2	0.91	0.014	0.26	<0.1	3.7	0.07	0.52	<5			
1833396	Drill Core	0.14	3.20	0.20	7	1.15	0.036	29.4	8.1	0.70	180.0	0.001	1	0.88	0.012	0.31	<0.1	2.2	0.09	0.43	6			
1833397	Drill Core	0.10	0.24	0.09	<1	0.02	0.003	28.8	1.5	0.14	378.6	<0.001	2	0.33	0.015	0.20	0.6	0.5	0.05	<0.02	<5			
1833398	Drill Core	0.24	0.16	0.07	<1	0.07	0.003	35.8	1.5	0.48	290.1	<0.001	2	0.70	0.011	0.22	0.4	0.9	0.07	<0.02	<5			
1833399	Drill Core	0.15	0.21	0.08	<1	0.08	0.003	39.8	1.8	0.49	271.2	<0.001	2	0.80	0.011	0.21	0.3	0.8	0.05	<0.02	<5			
1833400	Rock Pulp	0.17	4.98	0.51	111	0.95	0.059	8.0	18.4	0.84	114.4	0.114	4	1.70	0.179	0.23	3.6	3.1	0.07	<0.02	183			
1833401	Drill Core	0.29	0.21	0.11	<1	0.12	0.008	27.1	2.2	0.31	310.6	<0.001	1	0.55	0.009	0.25	0.1	1.1	0.05	<0.02	12			
1833402	Drill Core	0.63	0.17	0.02	3	1.62	0.024	21.4	3.9	0.29	712.3	0.001	1	0.54	0.012	0.27	0.1	1.3	0.05	0.04	<5			
1833403	Drill Core	0.14	0.40	0.09	2	0.10	0.031	19.5	2.1	0.10	1320.7	<0.001	2	0.36	0.026	0.20	0.4	0.7	0.06	0.03	<5			
1833404	Drill Core	0.07	0.42	0.15	1	0.09	0.031	28.7	2.4	0.12	354.7	0.001	2	0.38	0.018	0.28	0.2	0.7	0.06	<0.02	<5			
1833405	Drill Core	0.09	0.60	0.16	2	0.10	0.034	32.4	2.7	0.14	299.4	0.001	1	0.41	0.028	0.24	<0.1	0.8	0.05	<0.02	<5			
1833406	Drill Core	0.08	0.43	0.09	2	0.12	0.043	31.5	2.5	0.13	550.1	0.001	2	0.44	0.025	0.27	0.1	0.8	0.09	<0.02	<5			
1833407	Drill Core	0.15	0.48	0.02	4	0.13	0.038	31.4	4.4	0.24	435.4	0.002	<1	0.57	0.019	0.29	0.1	1.6	0.08	<0.02	7			
1833408	Drill Core	0.31	4.99	<0.02	25	5.51	0.057	3.7	23.5	1.06	252.4	0.013	2	0.94	0.007	0.35	<0.1	6.7	0.11	0.05	<5			
1833409	Drill Core	0.23	1.89	0.12	15	1.00	0.041	21.0	19.5	0.94	354.9	0.012	1	1.05	0.024	0.31	0.1	3.9	0.14	<0.02	<5			
1833410	Drill Core	0.13	0.57	0.16	4	0.46	0.036	32.8	5.0	0.46	336.0	0.002	2	0.70	0.025	0.27	0.1	1.4	0.07	<0.02	5			
1833411	Drill Core	0.33	0.54	0.05	9	1.34	0.043	21.4	19.6	0.82	398.0	0.002	3	0.99	0.019	0.27	<0.1	2.8	0.07	0.08	<5			
1833412	Drill Core	0.14	0.97	0.14	2	0.10	0.032	35.2	2.8	0.19	235.2	<0.001	2	0.49	0.020	0.25	0.2	0.8	0.08	<0.02	8			
1833413	Drill Core	0.14	0.56	0.17	2	0.30	0.031	38.0	2.7	0.14	253.8	0.002	<1	0.48	0.026	0.25	0.3	1.0	0.08	<0.02	<5			
1833414	Drill Core	0.14	0.58	0.14	2	0.22	0.032	35.6	2.3	0.15	286.9	0.002	<1	0.43	0.035	0.23	0.2	1.0	0.08	<0.02	7			
1833415	Drill Core	0.13	0.89	0.15	3	0.11	0.035	42.9	4.0	0.25	449.2	0.001	2	0.55	0.032	0.24	0.3	1.1	0.10	0.02	<5			
1833416	Drill Core	0.21	1.36	0.11	9	0.30	0.033	26.3	15.3	0.62	241.8	0.002	2	0.83	0.028	0.26	1.7	2.2	0.08	0.09	<5			
1833417	Drill Core	0.26	0.40	0.04	4	0.59	0.031	27.2	5.9	0.46	188.6	0.002	1	0.71	0.033	0.20	0.4	1.3	0.05	0.10	<5			
1833418	Drill Core	0.39	0.27	0.07	2	0.13	0.025	30.9	3.9	1.06	211.7	0.001	2	1.10	0.010	0.25	3.4	1.2	0.06	<0.02	8			
1833419	Drill Core	0.20	0.19	0.11	<1	0.33	0.005	38.7	1.6	0.45	200.7	<0.001	<1	0.56	0.015	0.23	0.2	1.2	0.05	<0.02	<5			
1833420	Rock Pulp	0.19	0.39	0.27	53	1.37	0.029	4.5	97.6	1.75	74.4	0.072	3	1.96	0.197	0.15	1.1	2.6	0.12	0.20	24			
1833421	Drill Core	0.24	0.29	0.12	2	0.72	0.004	27.1	6.2	0.57	169.3	<0.001	2	0.59	0.015	0.21	0.2	1.2	0.05	0.04	<5			
1833422	Drill Core	0.50	0.72	0.06	5	1.57	0.007	14.5	11.2	0.95	153.6	<0.001	1	0.71	0.014	0.19	<0.1	1.8	0.04	0.38	11			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 2 of 6 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000354.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833393	Drill Core	<0.1	<0.02	2.9	0.31	<0.1	0.07	<0.02	7.4	0.3	<0.05	2.8	9.13	40.9	<0.02	<1	0.2	19.6	<10	<2
1833394	Drill Core	<0.1	0.03	2.5	0.47	<0.1	0.06	<0.02	8.9	0.2	<0.05	2.9	8.59	41.0	<0.02	<1	0.2	13.9	<10	<2
1833395	Drill Core	<0.1	0.02	2.7	0.79	<0.1	0.08	<0.02	9.2	0.3	<0.05	3.4	9.21	43.7	<0.02	<1	0.4	13.8	<10	<2
1833396	Drill Core	<0.1	<0.02	2.7	1.02	<0.1	<0.02	<0.02	11.2	0.4	<0.05	0.8	9.48	54.4	0.02	<1	0.3	16.1	<10	<2
1833397	Drill Core	<0.1	0.03	0.7	0.20	<0.1	0.14	0.09	6.7	0.3	<0.05	6.3	5.19	55.7	<0.02	<1	0.2	3.3	<10	<2
1833398	Drill Core	<0.1	0.02	1.5	0.41	<0.1	0.06	0.10	7.4	0.4	<0.05	2.9	5.84	70.3	<0.02	<1	0.3	13.2	<10	<2
1833399	Drill Core	<0.1	<0.02	1.8	0.56	<0.1	0.07	0.05	7.0	0.3	<0.05	4.5	7.12	76.2	<0.02	<1	0.3	15.0	<10	<2
1833400	Rock Pulp	<0.1	0.14	5.0	0.67	<0.1	0.07	0.10	7.8	1.6	<0.05	2.1	5.14	15.8	0.07	<1	0.2	6.9	<10	<2
1833401	Drill Core	<0.1	0.02	1.2	0.29	<0.1	0.26	<0.02	7.3	0.3	<0.05	13.5	4.80	50.7	<0.02	<1	0.2	7.4	<10	<2
1833402	Drill Core	<0.1	0.02	1.2	0.28	<0.1	0.18	<0.02	7.6	0.1	<0.05	10.6	6.26	37.7	<0.02	<1	0.3	7.3	<10	<2
1833403	Drill Core	<0.1	0.65	1.0	0.87	<0.1	0.18	<0.02	7.2	0.1	<0.05	9.9	4.63	37.1	<0.02	<1	0.2	3.3	<10	2
1833404	Drill Core	<0.1	0.06	1.0	0.40	<0.1	0.24	<0.02	9.3	0.2	<0.05	9.9	4.86	50.9	<0.02	<1	0.2	3.6	<10	<2
1833405	Drill Core	<0.1	0.08	1.4	0.42	<0.1	0.13	<0.02	9.5	0.2	<0.05	4.4	5.08	59.2	<0.02	<1	0.2	4.4	<10	<2
1833406	Drill Core	<0.1	0.12	1.0	0.55	<0.1	0.07	<0.02	11.3	0.2	<0.05	2.8	5.50	58.8	0.02	<1	0.2	4.8	<10	<2
1833407	Drill Core	<0.1	0.05	1.6	0.54	<0.1	<0.02	<0.02	10.4	0.3	<0.05	1.9	6.36	57.4	<0.02	<1	0.2	6.7	<10	<2
1833408	Drill Core	<0.1	0.02	2.2	1.05	<0.1	<0.02	<0.02	11.2	<0.1	<0.05	0.6	9.07	9.3	<0.02	<1	0.3	11.3	<10	<2
1833409	Drill Core	<0.1	0.10	3.1	1.11	<0.1	0.10	<0.02	11.4	0.3	<0.05	5.3	5.41	40.2	<0.02	2	0.2	16.2	<10	<2
1833410	Drill Core	<0.1	<0.02	1.8	0.44	<0.1	0.13	<0.02	9.4	0.3	<0.05	6.4	5.80	60.8	<0.02	<1	0.3	7.9	<10	<2
1833411	Drill Core	0.1	0.18	2.8	0.35	<0.1	0.12	<0.02	8.7	0.2	<0.05	6.5	6.82	39.4	<0.02	<1	0.3	12.9	<10	3
1833412	Drill Core	<0.1	<0.02	1.2	1.07	<0.1	0.05	<0.02	9.9	0.1	<0.05	2.2	6.31	65.3	<0.02	<1	0.3	5.7	<10	<2
1833413	Drill Core	<0.1	<0.02	1.5	0.68	<0.1	0.03	<0.02	11.0	0.2	<0.05	2.2	6.08	68.4	<0.02	<1	0.2	5.2	<10	<2
1833414	Drill Core	<0.1	<0.02	1.8	0.52	<0.1	0.05	<0.02	10.9	0.3	<0.05	2.1	6.92	61.3	<0.02	<1	<0.1	4.5	<10	<2
1833415	Drill Core	<0.1	0.02	1.6	0.58	<0.1	0.10	<0.02	11.9	0.2	<0.05	3.9	7.49	78.7	<0.02	<1	0.4	7.2	<10	<2
1833416	Drill Core	<0.1	0.07	2.5	0.52	<0.1	0.05	<0.02	10.0	0.3	<0.05	2.1	5.81	49.9	<0.02	<1	0.4	11.6	<10	3
1833417	Drill Core	<0.1	<0.02	2.2	0.37	<0.1	0.05	<0.02	7.7	0.2	<0.05	2.9	4.98	50.0	<0.02	2	0.2	10.4	<10	<2
1833418	Drill Core	<0.1	0.03	2.4	0.48	<0.1	0.03	<0.02	8.7	0.2	<0.05	2.6	5.64	54.9	<0.02	<1	0.3	22.3	<10	<2
1833419	Drill Core	<0.1	0.02	1.4	0.23	<0.1	0.03	0.05	7.5	0.2	<0.05	2.4	5.91	72.3	<0.02	<1	0.4	6.1	<10	<2
1833420	Rock Pulp	0.6	0.18	4.5	0.62	<0.1	0.06	<0.02	6.0	0.4	<0.05	1.8	3.26	9.2	<0.02	2	0.2	7.8	283	136
1833421	Drill Core	<0.1	<0.02	1.3	0.23	<0.1	0.16	<0.02	6.5	0.1	<0.05	5.1	4.77	51.9	<0.02	<1	0.3	7.9	<10	<2
1833422	Drill Core	<0.1	0.61	2.3	0.23	<0.1	0.18	<0.02	6.3	0.2	<0.05	7.5	7.30	27.5	0.03	<1	0.3	9.8	<10	<2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 3 of 6 **Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000354.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1833423	Drill Core	2.88	369	0.304	0.31	0.37	54.58	0.72	9.27	9.07	35.1	569	4.4	3.6	323	1.20	16.6	1.8	158.2	12.1	64.0
1833424	Drill Core	3.03	477	0.157	0.19	0.60	36.80	0.36	7.76	12.95	30.4	149	2.3	3.4	221	0.98	11.7	1.9	95.7	10.6	82.7
1833425	Drill Core	2.90	379	0.013	0.01	<0.17	40.78	0.29	6.05	13.43	15.2	175	2.2	2.6	203	0.68	6.9	2.7	5.9	11.3	63.0
1833426	Drill Core	3.21	427	0.008	<0.01	<0.17	41.12	0.77	7.91	12.39	27.6	178	2.7	2.3	193	0.88	7.9	3.4	5.2	12.0	51.6
1833427	Drill Core	2.69	340	0.021	0.02	<0.17	47.41	0.39	8.68	6.33	37.3	223	5.2	4.2	254	1.30	35.3	1.4	16.0	14.4	46.6
1833428	Drill Core	1.34	438	0.070	0.07	<0.17	41.85	0.34	11.81	9.44	39.0	274	9.8	7.8	280	2.00	63.0	2.2	65.0	9.5	26.8
1833429	Drill Core	3.32	435	0.008	<0.01	<0.17	52.03	0.30	1.94	11.50	6.6	129	0.5	0.5	128	0.41	5.0	1.4	8.7	19.0	14.9
1833430	Drill Core	4.04	386	0.009	<0.01	<0.17	40.15	0.27	1.45	13.94	9.8	124	0.5	0.3	84	0.38	3.9	1.6	5.7	16.8	4.4
1833431	Drill Core	3.83	465	0.010	<0.01	<0.17	30.09	0.57	2.96	29.76	19.0	237	1.6	1.1	174	0.58	9.1	1.1	4.8	18.3	14.8
1833432	Drill Core	2.97	376	0.012	0.01	<0.17	42.16	0.49	6.62	22.88	27.7	335	5.0	5.7	292	0.93	23.1	1.5	9.4	14.9	9.6
1833433	Drill Core	1.07	400	0.020	0.02	<0.17	42.84	1.06	25.44	10.87	75.7	779	33.4	23.4	601	4.15	53.5	4.2	16.4	5.2	45.6
1833434	Drill Core	1.38	443	0.009	<0.01	<0.17	42.71	1.54	22.22	11.87	83.8	456	38.1	30.9	955	5.06	25.5	3.6	4.9	2.3	329.8
1833435	Drill Core	2.07	449	0.009	<0.01	<0.17	54.45	0.28	5.21	17.84	16.8	206	1.5	1.4	203	0.61	8.9	1.3	4.1	15.8	26.6
1833436	Drill Core	3.17	464	0.033	0.03	<0.17	49.62	0.48	4.39	17.06	18.0	354	2.5	2.3	215	0.81	31.3	1.5	75.8	16.8	17.7
1833437	Drill Core	3.60	465	0.026	0.02	<0.17	37.62	0.60	10.64	13.71	18.7	374	4.3	3.8	312	1.15	42.4	1.6	24.8	16.3	16.2
1833438	Drill Core	3.44	390	0.016	0.02	<0.17	31.78	0.74	11.86	16.43	29.5	265	6.3	4.1	517	1.43	26.5	1.6	13.4	15.3	27.2
1833439	Drill Core	2.87	396	0.007	<0.01	<0.17	27.95	0.36	12.55	17.71	33.9	245	2.7	3.0	297	1.16	11.2	1.2	4.3	15.0	43.2
1833440	Rock Pulp	0.12	77	0.005				4.10	24.04	1.05	32.1	19	7.5	4.6	624	2.36	1.5	0.4	2.7	2.8	33.4
1833441	Drill Core	2.94	370	0.011	0.01	<0.17	28.21	0.30	5.14	13.40	28.3	150	3.9	3.0	237	1.17	19.8	2.0	6.1	13.0	73.8
1833442	Drill Core	3.16	393	0.017	0.01	<0.17	48.17	0.89	17.43	16.08	42.8	362	14.9	6.4	715	1.78	32.9	1.5	17.4	13.2	170.9
1833443	Drill Core	2.61	514	0.028	0.03	<0.17	42.84	0.66	9.34	18.80	39.4	520	7.3	5.6	631	1.60	47.7	2.8	21.3	14.2	79.7
1833444	Drill Core	3.34	536	0.045	0.04	<0.17	40.36	0.56	3.92	12.58	21.4	731	3.1	3.6	310	1.56	52.1	2.7	36.6	12.7	50.2
1833445	Drill Core	3.41	500	0.042	0.04	<0.17	41.87	1.68	9.86	18.84	32.2	479	9.1	5.1	708	1.56	75.2	1.4	37.3	13.3	54.2
1833446	Drill Core	2.85	520	0.093	0.09	<0.17	31.06	1.17	13.08	28.74	49.0	685	18.6	5.1	747	1.95	146.0	1.8	95.4	14.9	36.5
1833447	Drill Core	3.22	443	0.042	0.04	<0.17	38.46	0.69	7.05	10.10	53.9	309	10.4	6.3	716	2.39	59.1	1.2	36.3	12.6	29.3
1833448	Drill Core	2.85	524	0.043	0.04	<0.17	36.37	1.63	10.76	10.49	57.9	272	10.5	6.6	591	2.26	25.9	1.0	37.8	12.5	46.3
1833449	Drill Core	2.98	399	0.028	0.03	<0.17	37.56	0.78	10.09	15.45	35.8	284	5.5	4.6	503	1.41	34.7	1.2	20.3	14.0	62.0
1833450	Drill Core	3.42	398	0.035	0.03	<0.17	39.72	0.68	5.43	15.27	19.2	424	2.3	2.3	254	1.03	34.6	1.5	26.9	12.5	31.9
1833451	Drill Core	2.97	508	0.074	0.07	<0.17	36.25	0.58	11.59	25.81	17.5	363	3.5	2.6	417	0.74	27.1	1.0	26.3	12.9	26.0
1833452	Drill Core	2.82	415	0.057	0.05	<0.17	36.65	1.28	14.76	20.93	31.1	452	5.0	3.4	695	1.25	79.9	1.4	51.8	14.7	59.4



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 3 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000354.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833423	Drill Core	0.42	0.40	<0.02	3	0.78	0.020	20.0	4.6	0.75	208.2	0.001	1	0.78	0.010	0.26	0.3	1.6	0.06	0.13	7
1833424	Drill Core	0.21	0.25	0.04	3	1.12	0.028	15.7	3.2	0.64	166.5	0.001	1	0.68	0.007	0.27	<0.1	1.1	0.05	0.09	<5
1833425	Drill Core	0.20	0.18	0.04	3	0.89	0.031	19.8	3.3	0.38	189.4	0.001	2	0.49	0.009	0.26	0.2	1.0	0.05	0.08	<5
1833426	Drill Core	0.14	0.20	0.11	2	0.62	0.020	19.4	3.4	0.66	159.4	0.001	<1	0.64	0.007	0.21	0.2	1.0	0.05	0.07	<5
1833427	Drill Core	0.24	0.47	0.07	4	0.44	0.039	21.6	7.0	0.86	185.7	0.001	1	0.85	0.005	0.22	0.1	1.5	0.06	0.14	<5
1833428	Drill Core	0.18	0.65	0.12	6	0.18	0.063	18.4	8.8	0.97	122.1	0.002	1	1.01	0.009	0.21	0.2	1.7	0.06	0.21	<5
1833429	Drill Core	0.02	0.22	0.12	<1	0.20	0.007	41.8	1.8	0.12	224.4	<0.001	<1	0.33	0.014	0.24	0.1	0.5	0.05	<0.02	<5
1833430	Drill Core	0.03	0.18	0.08	<1	0.02	0.005	37.9	1.5	0.14	188.3	<0.001	2	0.33	0.013	0.22	0.1	0.5	0.05	<0.02	<5
1833431	Drill Core	0.12	0.28	0.18	1	0.14	0.012	36.1	2.7	0.28	171.7	<0.001	<1	0.41	0.007	0.22	0.2	0.8	0.05	<0.02	<5
1833432	Drill Core	0.36	0.31	0.19	6	0.27	0.014	42.1	12.3	0.26	328.1	<0.001	<1	0.45	0.023	0.21	0.2	3.1	0.07	<0.02	<5
1833433	Drill Core	0.67	0.59	0.06	59	1.13	0.109	16.3	114.6	2.01	736.3	0.002	<1	2.10	0.009	0.30	0.2	16.2	0.09	0.03	<5
1833434	Drill Core	0.51	0.43	0.04	76	3.95	0.132	12.2	133.8	3.18	352.7	0.004	<1	2.78	0.008	0.29	0.2	19.0	0.12	0.33	<5
1833435	Drill Core	0.11	0.21	0.04	2	0.35	0.040	39.1	3.0	0.16	194.3	0.002	<1	0.40	0.022	0.28	<0.1	1.3	0.06	<0.02	<5
1833436	Drill Core	0.12	1.21	0.13	3	0.09	0.039	39.7	4.0	0.18	381.7	0.002	<1	0.42	0.022	0.28	<0.1	1.2	0.07	<0.02	<5
1833437	Drill Core	0.11	1.11	0.12	5	0.22	0.039	38.2	6.2	0.32	236.2	0.002	<1	0.53	0.024	0.25	<0.1	1.9	0.06	0.06	<5
1833438	Drill Core	0.12	0.26	0.07	7	0.41	0.049	37.8	8.0	0.52	455.2	0.002	<1	0.70	0.013	0.27	0.1	2.3	0.06	0.14	<5
1833439	Drill Core	0.15	0.27	<0.02	5	0.36	0.045	39.9	3.9	0.42	193.0	0.002	<1	0.68	0.017	0.30	<0.1	2.5	0.06	0.03	<5
1833440	Rock Pulp	0.03	0.18	<0.02	22	0.75	0.043	6.4	15.6	0.50	60.8	0.083	3	1.04	0.070	0.08	0.3	3.2	<0.02	0.05	<5
1833441	Drill Core	0.11	0.37	<0.02	5	0.59	0.042	35.8	5.3	0.34	201.3	0.003	<1	0.63	0.021	0.29	<0.1	3.0	0.05	0.10	<5
1833442	Drill Core	0.23	0.30	0.14	11	1.42	0.045	32.0	14.7	0.80	208.4	0.003	<1	0.90	0.013	0.28	<0.1	4.3	0.06	0.23	<5
1833443	Drill Core	0.25	1.73	0.24	8	0.58	0.043	40.3	11.0	0.59	223.1	0.002	<1	0.80	0.012	0.28	0.1	3.0	0.09	0.09	<5
1833444	Drill Core	0.07	4.24	0.08	6	0.08	0.045	35.2	4.7	0.35	198.6	0.001	<1	0.56	0.023	0.23	0.1	2.2	0.07	0.06	<5
1833445	Drill Core	0.12	0.82	0.15	8	0.51	0.045	35.4	7.3	0.61	175.2	0.002	<1	0.82	0.016	0.26	0.1	2.8	0.06	0.06	<5
1833446	Drill Core	0.22	0.66	0.23	8	0.38	0.058	41.0	6.1	0.68	208.5	0.002	<1	0.94	0.017	0.27	0.1	2.8	0.07	0.04	<5
1833447	Drill Core	0.11	0.37	0.10	14	0.37	0.060	40.8	15.8	0.99	211.9	0.003	<1	1.30	0.021	0.22	<0.1	3.4	0.06	0.03	<5
1833448	Drill Core	0.10	0.32	0.11	12	0.47	0.056	36.9	13.7	0.96	179.7	0.002	<1	1.26	0.016	0.23	0.1	3.3	0.07	0.04	<5
1833449	Drill Core	0.28	0.31	0.11	6	0.82	0.050	41.8	4.3	0.58	187.3	0.002	<1	0.87	0.014	0.32	0.1	3.0	0.08	0.15	<5
1833450	Drill Core	0.13	1.74	0.10	4	0.20	0.047	36.8	3.7	0.22	240.7	0.002	<1	0.46	0.024	0.28	<0.1	1.8	0.07	0.06	<5
1833451	Drill Core	0.11	0.27	0.23	3	0.37	0.046	36.7	3.1	0.19	195.3	0.002	<1	0.49	0.014	0.33	<0.1	1.4	0.07	0.04	<5
1833452	Drill Core	0.20	0.41	0.10	6	0.62	0.039	38.9	4.7	0.47	184.9	0.002	<1	0.67	0.011	0.31	<0.1	2.8	0.08	0.22	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 3 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000354.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833423	Drill Core	<0.1	0.16	1.7	0.25	<0.1	0.14	<0.02	7.4	0.2	<0.05	5.1	6.46	37.5	<0.02	<1	0.2	9.4	<10	<2			
1833424	Drill Core	<0.1	<0.02	1.1	0.21	<0.1	0.09	<0.02	7.3	<0.1	<0.05	5.6	3.71	30.3	<0.02	<1	0.2	8.8	<10	<2			
1833425	Drill Core	<0.1	<0.02	1.0	0.23	<0.1	0.07	<0.02	7.6	0.1	<0.05	4.2	4.22	36.9	<0.02	2	0.2	7.0	<10	<2			
1833426	Drill Core	<0.1	<0.02	1.4	0.31	<0.1	0.17	0.02	6.3	0.2	<0.05	5.6	4.58	36.3	<0.02	<1	0.2	8.6	<10	<2			
1833427	Drill Core	<0.1	<0.02	2.0	0.29	<0.1	0.44	<0.02	7.3	0.2	<0.05	15.6	7.78	40.4	<0.02	<1	0.3	14.6	<10	<2			
1833428	Drill Core	<0.1	0.03	2.4	0.34	<0.1	0.17	<0.02	7.4	0.2	<0.05	7.8	9.79	37.0	<0.02	<1	0.2	17.1	<10	<2			
1833429	Drill Core	<0.1	<0.02	1.1	0.34	<0.1	0.35	0.04	7.2	0.2	<0.05	13.7	9.41	82.2	<0.02	<1	0.2	2.6	<10	<2			
1833430	Drill Core	<0.1	<0.02	1.0	0.30	<0.1	0.41	0.03	6.6	0.2	<0.05	13.9	8.45	71.1	<0.02	<1	0.1	3.0	<10	<2			
1833431	Drill Core	<0.1	<0.02	1.2	0.34	<0.1	0.49	0.06	7.3	0.2	<0.05	17.4	8.39	66.0	<0.02	<1	0.3	6.1	<10	<2			
1833432	Drill Core	<0.1	<0.02	1.6	0.57	<0.1	0.18	<0.02	8.9	0.2	<0.05	5.8	15.22	77.2	<0.02	<1	0.3	3.9	<10	<2			
1833433	Drill Core	<0.1	<0.02	5.7	1.47	<0.1	0.03	<0.02	10.5	0.1	<0.05	1.5	21.69	31.9	0.04	<1	0.6	30.6	<10	<2			
1833434	Drill Core	0.1	<0.02	8.2	1.35	<0.1	0.02	<0.02	10.2	0.1	<0.05	0.9	23.41	25.4	0.06	3	0.6	36.6	<10	<2			
1833435	Drill Core	<0.1	<0.02	1.5	0.31	<0.1	0.20	<0.02	9.2	0.2	<0.05	7.2	9.48	71.4	<0.02	<1	0.3	4.1	<10	<2			
1833436	Drill Core	<0.1	<0.02	1.7	0.46	<0.1	0.27	<0.02	9.7	0.3	<0.05	9.6	9.92	72.0	<0.02	<1	0.3	4.6	<10	<2			
1833437	Drill Core	<0.1	<0.02	2.2	0.43	<0.1	0.13	<0.02	9.0	0.2	<0.05	5.4	11.16	69.7	<0.02	<1	0.3	6.0	<10	<2			
1833438	Drill Core	<0.1	<0.02	2.9	0.60	<0.1	0.21	<0.02	9.6	0.1	<0.05	8.4	11.58	68.6	<0.02	<1	0.4	9.9	<10	<2			
1833439	Drill Core	<0.1	<0.02	2.6	0.55	<0.1	0.22	<0.02	10.5	0.2	<0.05	8.4	10.96	71.8	<0.02	<1	0.2	9.4	<10	<2			
1833440	Rock Pulp	<0.1	<0.02	4.0	0.14	0.1	0.14	0.33	2.2	2.1	<0.05	4.2	8.34	12.5	<0.02	<1	0.2	1.1	<10	<2			
1833441	Drill Core	<0.1	<0.02	2.3	0.64	<0.1	0.16	<0.02	11.5	0.1	<0.05	5.8	12.70	68.3	<0.02	1	0.3	8.4	<10	<2			
1833442	Drill Core	<0.1	<0.02	3.1	0.44	<0.1	0.26	<0.02	9.8	0.2	<0.05	10.5	15.46	57.8	0.02	<1	0.3	15.8	<10	<2			
1833443	Drill Core	<0.1	<0.02	3.0	0.57	<0.1	0.04	<0.02	11.0	0.3	<0.05	1.6	20.41	77.9	0.02	<1	0.3	11.4	<10	<2			
1833444	Drill Core	<0.1	0.02	2.5	0.59	<0.1	0.15	<0.02	8.8	0.3	<0.05	6.3	9.68	63.9	<0.02	<1	0.2	7.7	<10	<2			
1833445	Drill Core	<0.1	<0.02	3.2	0.40	<0.1	0.21	<0.02	10.1	0.2	<0.05	8.3	13.22	64.3	<0.02	<1	0.4	12.6	<10	<2			
1833446	Drill Core	<0.1	0.02	4.0	0.52	<0.1	0.04	<0.02	11.4	0.3	<0.05	2.0	20.20	77.3	0.03	<1	0.3	12.9	<10	<2			
1833447	Drill Core	<0.1	<0.02	5.4	0.49	<0.1	0.04	<0.02	8.6	0.2	<0.05	1.4	16.36	76.9	0.03	<1	0.3	15.0	<10	<2			
1833448	Drill Core	<0.1	<0.02	4.8	0.54	<0.1	<0.02	<0.02	9.1	0.2	<0.05	1.2	13.52	68.9	<0.02	<1	0.3	13.7	<10	<2			
1833449	Drill Core	0.6	<0.02	3.6	0.50	<0.1	0.03	<0.02	12.7	0.3	<0.05	1.2	17.67	75.8	<0.02	5	0.3	11.2	<10	<2			
1833450	Drill Core	<0.1	<0.02	1.9	0.52	<0.1	0.19	<0.02	9.8	0.2	<0.05	7.5	10.63	64.2	<0.02	<1	0.2	4.8	<10	<2			
1833451	Drill Core	<0.1	<0.02	1.6	0.48	<0.1	0.19	<0.02	10.7	0.2	<0.05	7.6	11.90	67.1	<0.02	<1	0.3	5.1	<10	<2			
1833452	Drill Core	0.2	<0.02	2.3	0.38	<0.1	0.08	<0.02	10.7	0.3	<0.05	3.8	17.38	71.8	<0.02	1	0.2	9.1	<10	<2			





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 4 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000354.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1833453	Drill Core	2.63	540	0.077	0.07	<0.17	44.74	1.33	10.63	42.86	37.6	610	3.5	3.6	781	1.30	129.4	1.4	70.8	15.8	98.1
1833454	Drill Core	3.18	420	0.024	0.02	<0.17	29.91	0.29	15.59	8.39	67.7	378	6.6	7.0	743	2.06	63.5	2.4	20.2	12.3	114.1
1833455	Drill Core	3.29	395	0.028	0.03	<0.17	34.25	0.98	12.34	27.21	43.8	512	6.3	3.7	593	1.32	52.4	1.6	25.8	14.7	46.8
1833456	Drill Core	3.91	431	0.066	0.06	<0.17	28.86	0.94	19.04	23.26	52.8	584	2.8	3.2	494	1.08	65.3	1.4	53.2	13.0	29.6
1833457	Drill Core	2.51	352	0.027	0.02	<0.17	40.68	1.52	14.82	7.73	78.3	412	7.3	6.9	857	2.28	72.3	1.6	37.3	12.0	63.1
1833458	Drill Core	2.05	475	0.009	<0.01	<0.17	39.46	2.08	11.84	9.55	70.5	364	25.9	14.0	816	2.98	37.3	1.3	11.0	10.4	214.1
1833459	Drill Core	2.34	445	0.020	0.02	<0.17	39.08	1.44	20.96	15.87	95.5	707	53.8	24.7	931	4.53	68.8	2.4	8.1	5.9	318.7
1833460	Core DUP		448	0.009	<0.01	<0.17	33.06	1.45	20.89	15.90	96.7	695	57.4	25.0	971	4.51	68.3	2.5	8.8	5.9	318.2
1833461	Drill Core	3.55	456	0.015	0.01	<0.17	36.95	1.38	17.03	14.14	70.1	526	24.2	12.4	1108	3.10	70.5	2.0	28.2	8.8	248.4
1833462	Drill Core	2.91	450	0.014	0.01	<0.17	29.23	1.06	6.40	12.19	52.4	230	5.4	5.2	642	2.12	16.7	2.6	7.8	12.0	146.3
1833463	Drill Core	3.09	484	0.035	0.03	<0.17	32.48	0.51	11.57	12.76	46.8	292	4.2	4.7	634	1.68	46.3	4.7	36.1	13.5	162.9
1833464	Drill Core	3.13	490	0.031	0.03	<0.17	29.15	0.45	7.70	29.24	41.7	439	3.6	3.5	634	1.44	51.4	3.4	29.4	16.3	108.7
1833465	Drill Core	2.88	462	0.007	<0.01	<0.17	39.75	1.36	4.38	15.62	33.0	158	2.3	2.7	555	1.24	12.4	2.9	5.7	11.7	165.2
1833466	Drill Core	3.04	482	0.014	0.01	<0.17	38.91	1.01	13.90	9.69	42.0	269	4.1	5.6	449	1.57	13.7	2.6	7.1	12.5	140.2
1833467	Drill Core	2.92	439	<0.005	<0.01	<0.17	40.94	0.66	20.43	12.72	45.2	255	5.6	6.1	334	1.55	1.7	2.0	1.8	10.5	107.6
1833468	Drill Core	3.06	482	0.037	0.04	<0.17	31.09	0.36	13.58	26.59	56.8	404	6.7	8.5	700	1.79	70.2	2.7	30.9	10.8	207.5
1833469	Drill Core	3.17	502	0.048	0.05	<0.17	36.35	0.27	15.80	21.83	42.8	417	3.9	3.9	499	1.39	63.1	2.6	57.5	12.8	102.1
1833470	Drill Core	2.97	459	0.012	0.01	<0.17	45.27	0.19	8.81	20.45	40.7	341	6.4	3.8	399	1.25	17.9	2.2	9.6	12.1	83.1
1833471	Drill Core	2.90	428	0.006	<0.01	<0.17	45.04	2.66	8.68	39.44	54.2	280	7.1	4.6	347	1.46	7.4	3.9	4.0	14.4	78.1
1833472	Drill Core	2.91	442	0.015	0.01	<0.17	38.99	0.86	9.88	40.13	44.6	320	5.2	4.5	328	1.44	36.2	2.2	12.1	11.8	43.6
1833473	Drill Core	3.37	367	0.017	0.01	<0.17	49.53	0.19	10.32	7.06	47.8	217	5.9	4.5	468	1.43	38.5	3.2	16.3	14.1	57.7
1833474	Drill Core	2.62	399	0.011	<0.01	<0.17	50.96	0.18	23.86	7.92	42.6	247	5.8	4.0	573	1.16	20.5	2.2	9.1	14.0	137.3
1833475	Drill Core	2.88	419	0.008	<0.01	<0.17	48.41	0.51	14.03	18.96	45.3	249	3.3	3.4	415	0.95	10.6	2.1	5.9	15.5	58.6
1833476	Drill Core	2.93	451	0.005	<0.01	<0.17	42.58	0.87	4.12	39.52	39.3	237	3.3	2.4	257	1.01	4.4	2.8	2.7	14.4	26.1
1833477	Drill Core	2.75	408	0.006	<0.01	<0.17	42.74	0.31	3.70	8.82	41.2	127	2.8	2.9	284	1.00	10.1	3.2	5.0	13.7	23.8
1833478	Drill Core	3.17	367	<0.005	<0.01	<0.17	49.99	2.14	7.59	50.67	53.3	312	8.9	2.7	273	0.96	3.1	3.4	2.4	13.3	21.2
1833479	Drill Core	3.07	437	<0.005	<0.01	<0.17	35.75	0.86	12.26	8.28	43.7	233	4.4	4.9	296	1.04	4.8	2.8	2.2	12.3	19.5
1833480	Rock	0.23	159	0.005	<0.01	<0.17	28.20	0.47	1.21	1.25	2.6	8	1.5	0.5	79	0.63	0.6	0.2	<0.2	1.6	1.9
1833481	Drill Core	3.18	370	0.015	0.01	<0.17	36.66	1.19	16.53	16.92	77.6	319	8.4	7.6	647	1.66	34.3	1.4	10.9	11.4	42.1
1833482	Drill Core	1.96	391	0.025	0.02	<0.17	33.40	2.52	36.57	46.87	155.0	532	16.0	13.5	862	2.73	62.3	1.6	15.9	8.2	40.2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 4 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000354.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833453	Drill Core	0.21	0.49	0.29	6	0.99	0.065	41.3	5.1	0.56	181.4	0.002	<1	0.73	0.009	0.31	0.1	2.5	0.08	0.36	<5			
1833454	Drill Core	0.26	0.43	0.04	15	1.03	0.078	36.0	10.0	0.87	215.5	0.016	<1	1.05	0.021	0.41	<0.1	6.6	0.18	0.32	<5			
1833455	Drill Core	0.21	0.51	0.20	8	0.16	0.069	38.6	5.9	0.43	208.0	0.003	<1	0.73	0.015	0.32	0.9	3.5	0.14	0.02	<5			
1833456	Drill Core	0.34	0.49	0.10	5	0.11	0.053	35.6	3.7	0.28	359.5	0.002	<1	0.55	0.019	0.29	0.4	2.2	0.09	0.02	<5			
1833457	Drill Core	0.33	0.91	<0.02	11	0.55	0.077	34.0	9.3	0.90	263.1	0.003	<1	1.19	0.010	0.31	0.2	4.2	0.10	0.25	<5			
1833458	Drill Core	0.28	0.79	0.04	28	2.14	0.108	33.9	31.1	1.71	235.5	0.044	<1	1.70	0.008	0.32	0.4	8.0	0.16	0.15	<5			
1833459	Drill Core	0.46	0.99	0.13	56	2.83	0.144	24.2	72.3	3.04	198.7	0.025	<1	2.73	0.006	0.27	<0.1	10.3	0.16	0.23	8			
1833460	Core DUP	0.49	0.99	0.13	56	2.93	0.143	24.9	72.0	3.04	203.5	0.026	<1	2.74	0.006	0.28	<0.1	11.0	0.16	0.23	10			
1833461	Drill Core	0.31	0.94	0.14	29	2.01	0.091	27.4	33.5	1.91	162.9	0.021	1	1.77	0.011	0.23	<0.1	7.1	0.11	0.48	8			
1833462	Drill Core	0.21	0.45	0.09	9	1.45	0.064	33.8	7.6	0.89	192.9	0.005	<1	1.17	0.017	0.27	<0.1	4.5	0.08	0.24	<5			
1833463	Drill Core	0.34	0.43	0.07	7	1.49	0.048	37.0	5.1	0.60	209.8	0.005	<1	0.87	0.024	0.27	<0.1	4.1	0.11	0.36	<5			
1833464	Drill Core	0.27	0.98	0.24	6	1.01	0.040	39.2	4.9	0.53	172.9	0.002	1	0.70	0.021	0.27	<0.1	2.6	0.07	0.59	7			
1833465	Drill Core	0.17	0.14	0.12	6	1.46	0.042	31.7	5.0	0.68	164.6	0.003	<1	0.73	0.015	0.27	<0.1	3.8	0.06	0.18	<5			
1833466	Drill Core	0.18	0.21	0.06	10	1.15	0.057	32.1	8.3	0.73	168.0	0.041	<1	0.78	0.026	0.23	<0.1	4.1	0.05	0.37	<5			
1833467	Drill Core	0.13	0.20	0.11	11	0.61	0.073	24.8	8.0	0.71	261.8	0.071	<1	0.84	0.021	0.30	0.1	3.9	0.08	0.15	<5			
1833468	Drill Core	0.32	0.45	0.05	15	1.31	0.065	29.1	11.0	0.83	252.3	0.040	1	0.89	0.021	0.30	<0.1	5.9	0.10	0.49	<5			
1833469	Drill Core	0.20	0.33	0.04	7	1.02	0.050	30.8	4.9	0.54	180.7	0.004	<1	0.70	0.023	0.27	<0.1	2.8	0.07	0.40	<5			
1833470	Drill Core	0.23	0.15	0.07	7	0.90	0.042	26.1	9.0	0.69	215.0	0.009	<1	0.73	0.027	0.29	<0.1	3.2	0.09	0.16	<5			
1833471	Drill Core	0.36	0.22	0.08	8	0.90	0.043	20.4	18.1	1.03	259.7	0.009	<1	0.98	0.021	0.33	<0.1	3.8	0.12	0.21	<5			
1833472	Drill Core	0.23	0.43	0.12	6	0.54	0.045	16.5	13.0	0.67	155.0	0.002	<1	0.68	0.020	0.21	<0.1	2.3	0.05	0.50	10			
1833473	Drill Core	0.21	0.29	<0.02	6	0.68	0.048	21.6	6.1	0.71	200.2	0.003	<1	0.81	0.030	0.27	<0.1	2.5	0.06	0.43	<5			
1833474	Drill Core	0.17	0.18	<0.02	4	1.23	0.038	19.6	6.2	0.84	254.0	0.002	<1	0.78	0.015	0.24	<0.1	2.0	0.07	0.26	<5			
1833475	Drill Core	0.21	0.22	0.07	3	0.68	0.025	15.5	10.2	0.73	185.1	0.002	<1	0.67	0.016	0.22	<0.1	1.3	0.06	0.26	<5			
1833476	Drill Core	0.17	0.15	0.16	2	0.30	0.018	12.9	6.0	0.58	166.6	0.001	<1	0.55	0.015	0.19	<0.1	0.7	0.05	0.52	<5			
1833477	Drill Core	0.13	0.19	0.04	2	0.26	0.022	13.1	7.9	0.70	154.9	0.001	<1	0.68	0.016	0.23	<0.1	0.8	0.05	0.44	<5			
1833478	Drill Core	0.26	0.39	0.29	2	0.22	0.019	15.0	7.0	0.70	262.3	0.001	1	0.66	0.015	0.20	<0.1	0.7	0.05	0.32	<5			
1833479	Drill Core	0.14	0.27	0.15	3	0.29	0.045	13.4	6.1	0.60	192.5	0.002	<1	0.66	0.019	0.24	0.1	0.8	0.12	0.33	<5			
1833480	Rock	0.01	0.04	<0.02	2	0.03	0.002	2.2	4.1	0.02	11.8	0.002	2	0.07	0.007	0.02	<0.1	0.2	<0.02	<0.02	<5			
1833481	Drill Core	0.29	0.53	0.07	7	0.55	0.055	12.4	39.0	1.25	138.9	0.002	<1	1.06	0.017	0.21	0.1	1.3	0.11	0.77	<5			
1833482	Drill Core	0.70	0.73	0.07	16	0.54	0.075	9.3	103.4	2.30	98.5	0.002	1	1.72	0.008	0.17	0.1	2.0	0.05	1.46	8			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 4 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000354.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833453	Drill Core	0.2	0.02	2.8	0.38	<0.1	0.05	<0.02	10.8	0.2	<0.05	2.6	17.70	79.5	<0.02	1	0.3	11.0	<10	<2
1833454	Drill Core	<0.1	<0.02	3.9	2.02	<0.1	0.12	<0.02	20.2	0.4	<0.05	4.3	17.34	67.9	0.04	2	0.4	16.5	<10	<2
1833455	Drill Core	<0.1	<0.02	2.8	1.52	<0.1	0.21	<0.02	15.7	0.3	<0.05	8.2	14.14	70.6	0.02	<1	0.4	10.7	<10	<2
1833456	Drill Core	<0.1	<0.02	2.2	0.66	<0.1	0.26	<0.02	10.2	0.2	<0.05	10.9	11.71	69.1	<0.02	1	0.3	6.2	<10	<2
1833457	Drill Core	<0.1	<0.02	4.0	0.83	<0.1	0.07	<0.02	12.6	0.3	<0.05	4.0	16.40	67.1	0.02	<1	0.5	15.3	<10	<2
1833458	Drill Core	<0.1	<0.02	5.4	1.43	<0.1	0.08	<0.02	14.7	0.4	<0.05	3.8	24.28	62.4	0.04	<1	0.5	20.4	<10	<2
1833459	Drill Core	<0.1	<0.02	8.0	2.09	<0.1	0.05	<0.02	12.4	0.4	<0.05	2.1	28.83	47.7	0.05	3	0.7	35.1	<10	<2
1833460	Core DUP	<0.1	<0.02	8.3	2.08	<0.1	0.05	<0.02	12.8	0.5	<0.05	2.1	29.77	49.6	0.04	3	0.6	36.6	<10	<2
1833461	Drill Core	<0.1	<0.02	5.5	1.38	<0.1	0.05	<0.02	10.6	0.7	<0.05	1.3	17.97	50.4	0.04	<1	0.4	35.1	<10	<2
1833462	Drill Core	0.1	<0.02	4.5	1.00	<0.1	0.03	<0.02	11.0	0.3	<0.05	0.8	16.84	60.6	<0.02	<1	0.3	15.2	<10	<2
1833463	Drill Core	0.3	<0.02	4.0	1.57	<0.1	0.02	<0.02	12.5	0.5	<0.05	0.7	17.15	66.7	0.03	5	0.3	11.3	<10	<2
1833464	Drill Core	0.4	<0.02	3.3	0.56	<0.1	0.12	<0.02	9.8	0.3	<0.05	3.6	13.94	66.1	0.02	<1	0.3	11.4	<10	<2
1833465	Drill Core	<0.1	<0.02	2.4	0.31	<0.1	0.03	<0.02	8.5	0.3	<0.05	0.6	14.24	59.1	0.02	1	0.3	10.2	<10	<2
1833466	Drill Core	0.3	<0.02	3.3	0.33	<0.1	0.03	0.11	7.7	0.4	<0.05	0.9	14.07	58.0	0.03	2	0.3	10.0	<10	<2
1833467	Drill Core	<0.1	<0.02	3.1	0.66	<0.1	0.06	0.20	11.3	0.3	<0.05	1.1	7.37	46.1	<0.02	2	0.4	7.7	<10	<2
1833468	Drill Core	0.3	<0.02	3.4	0.58	<0.1	0.03	0.11	11.6	0.3	<0.05	0.8	14.30	52.9	0.02	2	0.4	15.1	<10	<2
1833469	Drill Core	<0.1	<0.02	3.2	0.40	<0.1	0.06	<0.02	9.9	0.3	<0.05	1.4	13.95	56.7	<0.02	<1	0.2	12.0	<10	<2
1833470	Drill Core	<0.1	<0.02	2.8	0.49	<0.1	0.05	0.03	12.5	0.3	<0.05	1.6	11.16	45.1	<0.02	<1	0.3	11.4	<10	<2
1833471	Drill Core	0.2	<0.02	3.6	0.66	<0.1	0.12	0.02	15.1	0.3	<0.05	3.3	10.29	38.9	<0.02	3	0.5	14.4	<10	<2
1833472	Drill Core	<0.1	<0.02	3.0	0.20	<0.1	0.09	<0.02	7.4	0.2	<0.05	2.5	6.64	29.0	<0.02	<1	0.2	11.5	<10	<2
1833473	Drill Core	<0.1	<0.02	3.0	0.23	<0.1	0.06	<0.02	9.4	0.2	<0.05	2.1	8.30	41.1	<0.02	<1	0.3	13.8	<10	<2
1833474	Drill Core	<0.1	<0.02	2.6	0.21	<0.1	0.07	<0.02	8.9	0.2	<0.05	2.2	8.95	36.5	<0.02	<1	0.2	10.9	<10	<2
1833475	Drill Core	<0.1	<0.02	2.2	0.16	<0.1	0.20	<0.02	7.8	0.2	<0.05	5.5	5.88	28.2	<0.02	<1	0.2	8.5	<10	<2
1833476	Drill Core	<0.1	<0.02	1.9	0.63	<0.1	0.11	<0.02	7.1	0.2	<0.05	3.7	4.29	24.3	<0.02	1	0.2	7.7	<10	<2
1833477	Drill Core	<0.1	<0.02	1.9	0.49	<0.1	0.16	<0.02	7.4	0.2	<0.05	4.7	4.91	24.9	<0.02	1	0.1	10.3	<10	<2
1833478	Drill Core	0.2	<0.02	2.1	0.62	<0.1	0.16	<0.02	7.4	0.2	<0.05	4.4	4.15	27.8	<0.02	3	0.2	9.2	<10	<2
1833479	Drill Core	<0.1	<0.02	2.0	0.90	<0.1	0.14	<0.02	9.9	0.5	<0.05	4.9	4.75	25.9	<0.02	1	0.3	10.0	<10	<2
1833480	Rock	<0.1	<0.02	0.3	0.12	<0.1	0.12	0.08	1.1	<0.1	<0.05	2.4	1.09	4.3	<0.02	<1	<0.1	1.7	<10	<2
1833481	Drill Core	0.2	<0.02	3.2	0.94	<0.1	0.25	<0.02	8.6	0.2	<0.05	7.4	6.15	23.7	<0.02	2	0.2	18.8	<10	<2
1833482	Drill Core	0.5	<0.02	4.3	1.03	<0.1	0.34	<0.02	6.6	0.3	<0.05	11.1	5.73	18.0	<0.02	3	0.4	33.5	<10	<2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 5 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000354.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1833483	Drill Core	3.43	355	0.011	0.01	<0.17	34.05	0.48	24.93	14.14	72.0	471	8.3	7.9	676	1.74	19.6	1.4	6.2	65.9
1833484	Drill Core	2.69	430	0.009	<0.01	<0.17	37.15	0.66	18.91	19.01	65.9	693	4.1	6.1	344	1.62	27.1	2.0	4.8	23.2
1833485	Drill Core	3.01	470	0.017	0.02	<0.17	35.06	1.34	11.74	52.47	50.5	603	6.2	5.1	264	1.36	35.7	3.8	14.9	24.8
1833486	Drill Core	2.98	478	0.021	0.02	<0.17	37.33	0.59	12.63	44.70	82.2	358	5.8	4.8	244	1.29	26.4	3.3	20.7	26.6
1833487	Drill Core	2.84	417	0.011	0.01	<0.17	25.48	1.61	7.56	48.92	58.8	272	5.3	4.4	282	1.31	20.5	4.3	5.4	23.0
1833488	Drill Core	3.07	486	0.007	<0.01	<0.17	31.64	2.98	8.83	43.76	45.4	298	5.5	5.5	335	1.41	18.4	3.6	5.0	21.1
1833489	Drill Core	3.58	408	0.010	<0.01	<0.17	30.75	1.48	16.63	75.24	137.0	453	10.6	8.8	1031	2.04	28.2	1.6	7.4	82.9
1833490	Drill Core	2.63	394	0.022	0.02	<0.17	34.84	1.16	36.82	31.35	135.7	559	10.6	8.7	694	2.27	67.2	1.8	16.6	43.3
1833491	Drill Core	2.87	435	0.012	0.01	<0.17	43.08	0.48	34.13	48.52	87.2	565	6.3	7.0	423	1.88	28.0	1.6	9.4	37.1
1833492	Drill Core	2.95	468	0.011	<0.01	<0.17	43.48	1.40	46.74	102.77	96.4	816	6.4	6.4	363	1.72	22.1	1.7	8.9	36.8
1833493	Drill Core	2.85	451	0.008	<0.01	<0.17	33.00	0.81	54.00	85.48	107.5	750	5.6	6.1	363	1.77	6.1	1.6	6.6	34.3
1833494	Drill Core	2.76	432	0.007	<0.01	<0.17	38.18	0.30	34.36	33.22	101.3	419	4.9	6.2	360	1.63	1.3	1.2	5.2	34.8
1833495	Drill Core	3.16	384	0.033	0.03	<0.17	33.42	1.72	52.69	148.52	97.7	867	6.7	6.8	319	1.78	5.5	2.4	15.8	28.9
1833496	Drill Core	3.13	450	0.007	<0.01	<0.17	26.85	1.29	19.57	30.43	66.4	337	8.1	8.3	304	1.80	2.1	1.3	5.4	31.5
1833497	Drill Core	2.98	444	0.007	<0.01	<0.17	27.25	1.67	31.03	53.84	30.2	505	10.7	8.2	175	1.31	0.8	0.9	4.8	33.8
1833498	Drill Core	3.13	441	0.007	<0.01	<0.17	45.79	1.14	21.47	12.18	63.9	349	8.0	6.9	293	1.59	1.0	1.3	6.1	38.6
1833499	Drill Core	2.07	457	0.018	0.02	<0.17	33.86	1.44	24.54	11.92	61.5	377	9.8	7.6	267	1.60	1.2	1.2	8.9	39.0
1833500	Rock Pulp	0.12	79	7.318				9.11	198.38	19.87	79.1	906	13.4	11.2	575	4.49	14.0	0.9	7937.8	64.2
1833501	Drill Core	3.02	427	0.018	0.02	<0.17	37.20	0.71	18.72	6.86	44.6	284	9.6	8.3	313	1.30	1.5	1.2	5.5	38.4
1833502	Drill Core	3.01	382	0.014	0.01	<0.17	41.36	1.01	63.87	21.97	153.5	445	9.5	8.3	566	2.00	0.6	2.3	6.9	63.3
1833503	Drill Core	3.01	422	0.012	0.01	<0.17	47.45	0.92	35.87	23.89	80.1	255	8.7	7.0	734	1.74	0.4	2.1	<0.2	56.1
1833504	Drill Core	3.05	471	0.014	0.01	<0.17	39.31	3.60	111.07	224.76	417.0	1041	14.7	10.0	901	2.86	0.9	1.4	6.1	41.2
1833505	Drill Core	3.35	477	<0.005	<0.01	<0.17	39.39	2.74	65.26	86.49	113.4	565	12.0	8.8	813	2.23	1.7	1.7	0.7	55.5
1833506	Drill Core	3.03	403	0.005	<0.01	<0.17	40.84	0.31	20.58	24.01	105.7	251	12.7	9.0	835	2.24	1.3	2.3	4.4	54.5
1833507	Drill Core	2.77	399	0.144	0.13	<0.17	38.00	1.43	148.95	192.10	347.7	1675	14.5	10.6	976	2.98	24.5	1.8	32.9	74.4
1833508	Drill Core	3.07	420	0.011	0.01	<0.17	35.87	2.16	78.93	36.91	171.3	785	14.7	13.0	718	3.02	6.3	1.8	9.3	64.1
1833509	Drill Core	3.03	433	0.064	0.06	<0.17	39.51	0.60	19.73	10.94	85.9	278	11.0	9.3	850	2.30	0.8	1.7	718.6	67.4
1833510	Drill Core	3.01	429	0.021	0.02	<0.17	39.00	1.12	17.61	11.89	94.0	504	13.0	9.4	919	2.73	14.3	2.8	14.2	67.2
1833511	Drill Core	3.11	432	0.009	<0.01	<0.17	26.84	0.93	17.51	17.00	63.1	367	11.6	9.1	634	1.96	6.8	1.8	3.8	54.5
1833512	Drill Core	3.13	490	0.012	0.01	<0.17	46.81	1.36	20.01	9.89	63.0	364	11.9	8.0	546	1.80	9.2	1.8	5.7	49.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 5 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000354.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833483	Drill Core	0.53	0.44	0.04	6	0.90	0.064	7.0	32.4	1.06	140.7	0.002	<1	0.86	0.009	0.20	<0.1	1.3	0.05	1.02	11			
1833484	Drill Core	0.26	0.42	0.09	3	0.30	0.052	8.0	10.5	0.86	99.6	0.002	<1	0.70	0.009	0.18	<0.1	0.8	0.05	1.09	10			
1833485	Drill Core	0.44	0.65	0.12	2	0.21	0.036	10.7	7.1	0.53	147.0	0.001	<1	0.48	0.011	0.18	<0.1	0.6	0.06	1.07	5			
1833486	Drill Core	0.73	0.54	0.08	2	0.20	0.037	13.8	3.5	0.42	143.4	0.001	<1	0.46	0.008	0.20	0.1	0.6	0.06	1.05	<5			
1833487	Drill Core	0.48	0.34	0.12	2	0.22	0.040	11.3	3.8	0.51	166.0	0.002	<1	0.53	0.017	0.20	<0.1	0.7	0.06	0.96	<5			
1833488	Drill Core	0.40	0.33	0.07	2	0.22	0.040	10.1	5.3	0.53	113.1	0.002	<1	0.50	0.011	0.17	<0.1	0.6	0.06	1.08	<5			
1833489	Drill Core	1.00	0.43	0.11	7	1.35	0.059	7.8	29.8	1.43	131.4	0.002	<1	1.09	0.012	0.16	0.3	1.0	0.05	1.25	6			
1833490	Drill Core	0.67	0.73	0.08	7	0.40	0.059	7.3	36.5	1.77	91.4	0.002	1	1.28	0.006	0.17	0.2	1.2	0.05	1.37	<5			
1833491	Drill Core	0.40	0.56	0.14	4	0.31	0.056	8.1	14.0	1.09	114.5	0.002	<1	0.88	0.008	0.19	0.1	1.0	0.05	1.21	7			
1833492	Drill Core	0.73	0.59	0.17	4	0.34	0.058	6.4	12.5	0.92	150.3	0.002	1	0.70	0.012	0.17	0.1	0.9	0.05	1.17	12			
1833493	Drill Core	0.86	0.27	0.16	4	0.33	0.058	7.3	12.6	1.00	126.6	0.002	<1	0.75	0.012	0.17	<0.1	0.9	0.05	1.14	9			
1833494	Drill Core	0.58	0.22	0.08	4	0.29	0.057	5.8	12.7	0.91	141.3	0.002	<1	0.75	0.015	0.18	<0.1	1.0	0.05	0.99	<5			
1833495	Drill Core	0.96	0.25	0.24	5	0.27	0.054	5.2	19.6	0.97	149.4	0.002	<1	0.81	0.016	0.19	<0.1	1.2	0.05	1.14	<5			
1833496	Drill Core	0.30	0.21	0.07	5	0.28	0.065	4.8	23.4	0.99	95.8	0.002	<1	0.77	0.013	0.17	<0.1	1.1	0.05	1.25	<5			
1833497	Drill Core	0.56	0.29	0.11	3	0.29	0.065	7.7	5.3	0.35	101.3	0.002	1	0.47	0.021	0.24	<0.1	0.9	0.06	1.08	<5			
1833498	Drill Core	0.25	0.23	0.06	4	0.37	0.060	5.4	11.6	0.83	156.3	0.002	<1	0.72	0.010	0.19	<0.1	0.9	0.05	1.02	<5			
1833499	Drill Core	0.21	0.17	0.08	5	0.37	0.062	6.2	9.1	0.82	151.5	0.002	<1	0.75	0.018	0.19	<0.1	1.1	0.06	1.00	<5			
1833500	Rock Pulp	0.23	5.24	0.60	101	0.84	0.072	7.9	18.4	0.79	127.9	0.115	3	1.59	0.168	0.22	4.1	3.2	0.07	<0.02	239			
1833501	Drill Core	0.48	0.16	0.03	4	0.81	0.071	11.1	6.1	0.32	145.6	0.003	<1	0.49	0.025	0.27	<0.1	1.0	0.07	0.96	<5			
1833502	Drill Core	0.84	0.13	0.07	6	1.62	0.075	25.4	9.1	0.54	126.9	0.006	<1	0.87	0.026	0.32	<0.1	1.8	0.08	1.02	9			
1833503	Drill Core	0.63	0.11	0.08	6	2.00	0.061	26.1	7.4	0.64	183.9	0.004	<1	0.84	0.020	0.26	<0.1	1.5	0.06	0.86	7			
1833504	Drill Core	6.07	0.15	0.09	11	1.56	0.083	15.6	17.2	1.26	62.0	0.003	<1	1.33	0.025	0.26	<0.1	2.0	0.06	1.73	54			
1833505	Drill Core	0.80	0.17	0.06	7	2.12	0.071	13.2	10.4	1.01	170.4	0.002	<1	1.07	0.018	0.23	<0.1	1.5	0.05	1.18	7			
1833506	Drill Core	0.59	0.10	0.04	8	1.98	0.073	15.6	12.0	0.87	198.4	0.003	<1	1.20	0.026	0.30	<0.1	2.0	0.08	0.92	<5			
1833507	Drill Core	3.54	0.30	0.15	10	2.42	0.104	9.5	16.4	1.05	96.6	0.002	<1	1.20	0.016	0.26	<0.1	2.0	0.07	1.56	39			
1833508	Drill Core	0.71	0.18	0.06	11	2.15	0.104	8.2	17.3	0.78	137.7	0.002	2	1.24	0.022	0.27	<0.1	2.2	0.07	1.52	14			
1833509	Drill Core	0.51	0.08	<0.02	10	2.69	0.088	17.4	14.0	0.63	185.9	0.003	<1	1.14	0.020	0.29	<0.1	2.6	0.08	0.47	7			
1833510	Drill Core	0.37	0.92	0.06	11	2.63	0.093	21.2	15.5	0.70	180.7	0.002	<1	1.22	0.021	0.29	<0.1	3.0	0.08	1.12	14			
1833511	Drill Core	0.27	0.47	0.09	8	1.88	0.074	26.1	11.1	0.47	214.1	0.004	<1	0.86	0.036	0.25	<0.1	2.1	0.06	0.77	<5			
1833512	Drill Core	0.14	0.44	0.06	8	1.42	0.070	21.7	10.2	0.41	262.5	0.006	<1	0.81	0.033	0.27	<0.1	1.8	0.08	0.60	<5			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 5 of 6 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000354.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833483	Drill Core	0.2	<0.02	2.2	0.54	<0.1	0.18	<0.02	7.6	0.1	<0.05	6.7	4.52	13.0	<0.02	<1	0.2	16.7	<10	<2
1833484	Drill Core	<0.1	<0.02	1.7	0.41	<0.1	0.17	<0.02	7.0	<0.1	<0.05	6.1	3.80	15.5	<0.02	1	0.2	12.9	<10	<2
1833485	Drill Core	0.2	<0.02	1.3	0.54	<0.1	0.19	<0.02	7.4	0.2	<0.05	6.0	4.97	20.5	<0.02	4	0.2	8.2	<10	<2
1833486	Drill Core	0.2	<0.02	1.2	1.24	<0.1	0.16	<0.02	7.9	0.2	<0.05	5.4	5.21	24.9	<0.02	2	0.2	7.2	<10	<2
1833487	Drill Core	0.1	<0.02	1.5	0.22	<0.1	0.18	<0.02	7.9	0.2	<0.05	5.4	4.83	21.0	<0.02	7	0.1	9.6	<10	<2
1833488	Drill Core	<0.1	<0.02	1.7	0.36	<0.1	0.21	<0.02	7.2	0.2	<0.05	6.4	4.87	19.2	<0.02	9	0.1	9.2	<10	<2
1833489	Drill Core	0.3	<0.02	3.3	0.34	<0.1	0.34	<0.02	6.3	0.1	<0.05	11.6	7.28	14.4	<0.02	5	0.3	22.3	<10	<2
1833490	Drill Core	0.2	<0.02	2.9	0.78	<0.1	0.31	<0.02	6.5	0.1	<0.05	10.4	4.67	14.4	<0.02	3	0.2	27.3	<10	<2
1833491	Drill Core	0.2	<0.02	1.8	0.82	<0.1	0.30	<0.02	7.5	0.1	<0.05	10.8	3.96	15.6	<0.02	1	0.2	18.6	<10	<2
1833492	Drill Core	0.2	<0.02	1.8	0.31	<0.1	0.24	<0.02	6.8	0.1	<0.05	9.4	3.77	12.4	<0.02	3	0.1	13.8	<10	<2
1833493	Drill Core	0.2	<0.02	2.0	0.19	<0.1	0.24	<0.02	6.8	0.1	<0.05	9.6	3.97	14.2	<0.02	4	0.1	13.7	<10	<2
1833494	Drill Core	0.1	<0.02	2.2	0.14	<0.1	0.22	<0.02	6.9	0.1	<0.05	7.8	2.97	11.2	<0.02	1	0.2	8.3	<10	<2
1833495	Drill Core	0.5	0.02	2.4	0.14	<0.1	0.29	<0.02	7.2	0.2	<0.05	9.9	3.08	10.4	<0.02	4	0.1	7.6	<10	<2
1833496	Drill Core	0.5	<0.02	2.3	0.21	<0.1	0.23	<0.02	6.3	0.2	<0.05	9.1	3.31	9.5	<0.02	3	<0.1	8.2	<10	<2
1833497	Drill Core	0.4	<0.02	1.3	0.11	<0.1	0.20	<0.02	8.5	0.2	<0.05	7.9	2.88	15.5	<0.02	2	0.1	3.7	<10	<2
1833498	Drill Core	0.2	<0.02	2.1	0.36	<0.1	0.18	<0.02	7.4	0.1	<0.05	7.3	3.10	10.8	<0.02	2	0.1	9.9	<10	<2
1833499	Drill Core	0.3	<0.02	2.0	0.41	<0.1	0.20	<0.02	6.8	0.1	<0.05	7.9	3.39	11.7	<0.02	3	0.1	12.5	<10	<2
1833500	Rock Pulp	<0.1	0.16	4.8	0.71	0.1	0.08	0.12	8.6	1.9	<0.05	1.7	5.18	15.3	0.04	1	0.1	7.1	<10	<2
1833501	Drill Core	0.3	<0.02	1.4	0.17	<0.1	0.10	<0.02	9.7	0.2	<0.05	4.2	4.45	20.8	<0.02	2	0.2	5.1	<10	<2
1833502	Drill Core	0.4	<0.02	2.6	0.20	<0.1	0.06	0.03	12.8	0.2	<0.05	2.6	11.76	45.9	<0.02	2	0.2	5.0	<10	<2
1833503	Drill Core	0.1	<0.02	2.3	0.17	<0.1	0.07	<0.02	10.8	0.1	<0.05	2.2	11.19	45.7	<0.02	2	0.2	4.8	<10	<2
1833504	Drill Core	0.5	<0.02	3.8	0.13	<0.1	0.08	<0.02	10.3	0.1	<0.05	3.7	7.35	30.3	0.03	2	0.2	9.4	<10	<2
1833505	Drill Core	0.3	<0.02	3.0	0.42	<0.1	0.10	<0.02	9.4	0.2	<0.05	4.0	6.38	26.5	<0.02	3	0.2	12.1	<10	<2
1833506	Drill Core	0.4	<0.02	3.2	0.29	<0.1	0.08	<0.02	12.8	0.2	<0.05	3.4	6.68	29.3	<0.02	<1	0.3	14.6	<10	<2
1833507	Drill Core	0.7	0.03	3.0	0.38	<0.1	0.07	<0.02	11.0	0.1	<0.05	3.6	6.43	18.0	<0.02	1	0.2	25.0	<10	<2
1833508	Drill Core	0.6	<0.02	2.8	0.55	<0.1	0.08	<0.02	11.4	0.1	<0.05	4.6	5.35	15.8	<0.02	3	0.2	28.6	<10	<2
1833509	Drill Core	0.2	<0.02	3.2	0.31	<0.1	0.06	<0.02	12.5	0.1	<0.05	1.7	6.57	33.1	<0.02	<1	0.2	12.0	<10	<2
1833510	Drill Core	0.4	<0.02	3.1	0.56	<0.1	0.05	<0.02	12.7	0.1	<0.05	2.2	10.45	38.6	<0.02	<1	0.2	19.9	<10	<2
1833511	Drill Core	0.3	<0.02	2.8	0.27	<0.1	0.06	<0.02	10.5	0.1	<0.05	2.6	9.20	48.0	<0.02	<1	0.3	7.8	<10	<2
1833512	Drill Core	0.3	<0.02	2.8	0.25	<0.1	0.05	<0.02	11.1	0.2	<0.05	2.4	8.15	40.4	<0.02	2	0.3	7.8	<10	<2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 6 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000354.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1833513	Drill Core	3.20	436	0.497	0.59	1.53	39.21	0.86	16.83	5.74	56.5	649	10.2	7.7	557	1.61	13.1	1.8	683.9	9.4	66.6
1833514	Drill Core	3.19	447	0.222	0.36	1.75	40.60	1.12	17.87	5.40	48.8	341	9.1	9.9	727	2.01	1.9	1.8	244.6	9.4	85.1
1833515	Drill Core	1.49	504	0.048	0.05	<0.17	32.68	2.71	18.97	8.74	25.7	271	10.5	9.1	348	1.34	0.9	1.7	24.8	10.0	49.4
1833516	Drill Core	1.48	452	0.299	0.68	5.07	35.70	1.78	13.56	8.52	28.2	716	11.1	8.4	357	1.68	2.1	2.8	2551.0	8.8	36.4
1833517	Drill Core	3.07	448	0.010	<0.01	<0.17	37.58	1.07	18.46	12.37	56.5	197	9.2	9.2	666	1.93	0.7	2.1	5.0	9.3	91.7
1833518	Drill Core	3.27	510	0.022	0.02	<0.17	40.11	1.44	15.86	18.72	64.0	226	11.3	8.7	644	2.11	0.8	2.6	10.4	9.5	88.7
1833519	Drill Core	3.13	480	0.048	0.04	<0.17	42.92	1.31	17.51	12.19	56.9	201	9.3	7.5	541	2.00	0.9	2.2	7.5	11.0	77.0
1833520	Rock Pulp	0.12	63	0.449				2.41	442.92	19.95	51.0	292	602.4	26.3	413	2.48	19.9	0.6	515.9	2.0	54.7
1833521	Drill Core	3.03	444	0.006	<0.01	<0.17	33.65	1.47	17.71	14.07	49.9	210	9.7	8.6	568	1.99	1.0	2.2	0.4	10.1	107.5
1833522	Drill Core	3.11	444	0.383	0.57	3.02	31.41	0.99	20.78	9.95	61.9	407	10.2	8.4	495	1.69	3.3	1.9	336.5	9.5	110.0
1833523	Drill Core	1.58	495	0.269	0.30	0.72	39.07	1.14	21.08	11.45	37.2	308	7.4	8.1	624	1.62	1.8	2.0	323.2	8.8	118.8
1833524	Drill Core	1.72	377	4.506	6.15	22.32	34.85	0.84	42.83	8.83	37.8	5692	9.7	9.4	550	1.99	1.8	3.6	33179.6	9.9	107.6
1833525	Drill Core	3.24	478	0.357	0.43	1.37	36.63	1.64	23.44	12.81	61.1	435	11.9	10.3	772	2.05	1.5	2.6	283.0	10.6	120.4
1833526	Drill Core	2.58	421	0.019	0.02	<0.17	39.50	1.57	18.31	14.79	66.8	229	11.0	8.3	612	1.85	1.0	2.3	12.0	10.5	90.2
1833527	Drill Core	1.56	541	0.130	0.14	0.21	38.80	0.92	22.44	7.69	57.5	369	9.9	8.4	657	2.34	1.2	2.1	129.5	8.4	143.0
1833528	Drill Core	1.66	474	0.198	0.28	1.20	38.25	0.55	23.57	7.51	23.2	440	12.5	8.4	290	2.60	0.9	2.5	107.6	8.4	60.4
1833529	Drill Core	1.60	417	0.706	1.35	8.49	34.74	0.38	32.52	19.60	58.3	907	10.5	7.7	441	2.01	0.7	2.8	845.8	8.5	88.5
1833530	Drill Core	1.56	428	0.345	0.43	1.43	32.28	1.47	21.15	32.77	81.5	1026	17.1	11.7	486	2.87	1.8	2.5	541.5	7.7	106.8



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 6 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000354.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833513	Drill Core	0.16	0.39	0.06	6	1.55	0.069	14.1	8.4	0.58	224.6	0.003	<1	0.76	0.026	0.24	<0.1	1.3	0.06	0.61	<5
1833514	Drill Core	0.19	0.17	0.09	9	2.01	0.073	10.9	11.2	0.50	153.3	0.008	<1	0.64	0.026	0.27	<0.1	2.0	0.07	1.01	<5
1833515	Drill Core	0.44	0.17	0.10	5	1.20	0.072	9.9	5.7	0.17	126.9	0.003	<1	0.40	0.033	0.25	<0.1	1.1	0.06	1.13	<5
1833516	Drill Core	0.24	0.20	0.04	4	0.96	0.085	8.4	5.0	0.27	125.7	0.003	<1	0.37	0.032	0.23	<0.1	1.3	0.06	1.44	<5
1833517	Drill Core	0.48	0.10	0.08	6	2.36	0.070	7.7	7.6	0.36	181.3	0.003	<1	0.61	0.025	0.28	0.1	2.0	0.07	1.04	<5
1833518	Drill Core	0.36	0.08	0.10	7	2.42	0.069	8.0	15.2	0.44	181.7	0.003	<1	0.79	0.026	0.26	<0.1	2.3	0.06	1.04	6
1833519	Drill Core	0.46	0.09	0.10	9	1.51	0.063	19.4	11.6	0.27	255.5	0.004	<1	0.58	0.042	0.25	<0.1	2.0	0.09	0.50	<5
1833520	Rock Pulp	0.23	0.40	0.30	49	1.20	0.033	4.3	91.3	1.73	76.5	0.068	3	1.88	0.184	0.14	1.3	2.5	0.09	0.20	26
1833521	Drill Core	0.51	0.14	0.08	9	1.60	0.070	19.7	10.3	0.19	244.3	0.003	<1	0.43	0.037	0.23	<0.1	2.2	0.11	0.67	<5
1833522	Drill Core	0.40	0.14	0.09	8	1.34	0.075	12.1	10.1	0.36	253.3	0.004	<1	0.56	0.035	0.22	<0.1	1.9	0.07	0.55	<5
1833523	Drill Core	0.42	0.12	0.08	8	1.90	0.066	13.0	7.0	0.23	233.6	0.007	<1	0.46	0.028	0.26	0.1	2.1	0.07	0.56	<5
1833524	Drill Core	0.41	0.20	0.06	7	1.35	0.118	9.4	7.5	0.26	106.9	0.006	<1	0.49	0.033	0.29	0.1	2.2	0.08	1.44	8
1833525	Drill Core	0.46	0.11	0.09	9	2.08	0.086	10.5	10.8	0.38	263.6	0.010	<1	0.73	0.031	0.30	<0.1	2.6	0.07	0.78	<5
1833526	Drill Core	0.32	0.08	0.09	7	1.85	0.070	11.8	9.6	0.43	245.1	0.005	<1	0.83	0.031	0.28	<0.1	2.0	0.07	0.46	<5
1833527	Drill Core	0.43	0.12	0.04	5	2.04	0.079	8.9	5.9	0.42	139.5	0.005	<1	0.57	0.020	0.25	0.1	1.9	0.07	1.47	6
1833528	Drill Core	0.34	0.12	0.06	4	1.29	0.077	7.5	4.5	0.11	61.8	0.002	<1	0.35	0.033	0.23	<0.1	1.2	0.06	2.57	19
1833529	Drill Core	0.61	0.28	0.04	5	1.40	0.085	7.3	5.7	0.38	103.1	0.003	<1	0.44	0.027	0.23	<0.1	1.8	0.06	1.66	29
1833530	Drill Core	0.52	0.36	0.13	6	2.05	0.068	5.7	25.3	0.72	47.9	0.003	<1	0.48	0.025	0.20	<0.1	2.2	0.05	2.38	38





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 6 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000354.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833513	Drill Core	0.3	0.09	2.1	0.17	<0.1	0.06	<0.02	9.0	0.1	<0.05	2.6	6.78	26.1	<0.02	2	0.2	9.5	<10	<2
1833514	Drill Core	0.3	0.06	1.8	0.17	<0.1	0.04	<0.02	10.6	0.2	<0.05	2.0	5.60	21.0	<0.02	<1	0.3	5.1	<10	<2
1833515	Drill Core	0.3	<0.02	1.3	0.13	<0.1	0.10	<0.02	9.8	0.2	<0.05	4.5	3.76	19.2	<0.02	3	0.2	2.1	<10	<2
1833516	Drill Core	0.3	0.06	1.2	0.32	<0.1	0.15	<0.02	8.8	0.1	<0.05	6.3	4.73	15.7	<0.02	1	0.2	1.9	<10	<2
1833517	Drill Core	0.4	<0.02	1.8	0.24	<0.1	0.04	<0.02	11.7	0.1	<0.05	2.1	4.67	15.2	<0.02	<1	0.2	4.9	<10	<2
1833518	Drill Core	0.4	<0.02	2.3	0.15	<0.1	0.04	<0.02	9.9	0.1	<0.05	1.4	3.76	15.3	<0.02	<1	0.2	5.4	<10	<2
1833519	Drill Core	0.3	<0.02	2.0	0.14	<0.1	0.05	<0.02	9.5	0.2	<0.05	2.4	4.51	36.2	<0.02	<1	0.3	2.6	<10	<2
1833520	Rock Pulp	0.5	0.17	4.0	0.63	<0.1	0.05	<0.02	6.2	0.4	<0.05	1.1	3.05	8.4	<0.02	2	0.1	7.9	256	119
1833521	Drill Core	0.4	<0.02	1.6	0.21	<0.1	0.08	<0.02	9.1	0.1	<0.05	2.6	4.82	37.6	<0.02	1	0.2	2.9	<10	<2
1833522	Drill Core	0.3	0.06	1.8	0.27	<0.1	0.06	<0.02	8.8	0.1	<0.05	3.0	4.36	22.3	<0.02	<1	0.2	5.9	<10	<2
1833523	Drill Core	0.4	0.03	1.3	0.26	<0.1	0.05	<0.02	10.6	0.1	<0.05	2.1	4.52	25.1	<0.02	2	0.2	3.6	<10	<2
1833524	Drill Core	0.6	0.53	1.6	0.28	<0.1	0.09	0.03	12.0	0.2	<0.05	3.6	5.70	18.3	<0.02	1	0.2	3.2	<10	<2
1833525	Drill Core	0.5	0.06	2.1	0.30	<0.1	0.07	<0.02	12.2	0.1	<0.05	2.9	4.99	20.0	<0.02	2	0.2	5.3	<10	<2
1833526	Drill Core	0.2	<0.02	2.2	0.26	<0.1	0.05	<0.02	10.7	0.1	<0.05	2.9	4.01	22.5	<0.02	2	0.2	4.4	<10	<2
1833527	Drill Core	0.4	0.07	1.4	0.40	<0.1	0.06	<0.02	10.1	0.1	<0.05	2.5	4.46	16.5	<0.02	<1	0.3	3.6	<10	<2
1833528	Drill Core	0.4	0.07	1.1	0.20	<0.1	0.06	<0.02	9.1	0.1	<0.05	3.1	3.35	14.5	<0.02	<1	0.2	1.1	<10	<2
1833529	Drill Core	0.4	0.06	1.2	0.29	<0.1	0.06	<0.02	9.0	0.2	<0.05	2.8	5.16	14.6	<0.02	1	0.2	3.2	<10	<2
1833530	Drill Core	0.6	0.14	1.3	0.37	<0.1	0.08	<0.02	7.9	<0.1	<0.05	3.1	5.74	11.0	<0.02	1	0.3	3.9	<10	<2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 1 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000354.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
Pulp Duplicates																					
REP 1833416	QC							0.19	10.48	17.00	31.2	952	3.1	5.1	271	1.47	35.7	1.6	130.0	13.8	33.8
1833421	Drill Core	2.39	448	0.094	0.14	0.51	50.65	0.49	5.47	13.25	32.2	230	2.0	1.5	162	0.79	6.7	1.3	92.4	13.6	40.2
REP 1833421	QC			0.101																	
1833439	Drill Core	2.87	396	0.007	<0.01	<0.17	27.95	0.36	12.55	17.71	33.9	245	2.7	3.0	297	1.16	11.2	1.2	4.3	15.0	43.2
REP 1833439	QC			0.008																	
REP 1833450	QC							0.74	5.65	16.32	20.4	450	2.2	2.4	250	1.07	37.0	1.5	29.5	13.2	33.9
1833485	Drill Core	3.01	470	0.017	0.02	<0.17	35.06	1.34	11.74	52.47	50.5	603	6.2	5.1	264	1.36	35.7	3.8	14.9	13.3	24.8
REP 1833485	QC							1.30	11.48	51.43	52.4	596	6.2	5.7	258	1.39	35.1	3.6	14.2	13.5	23.9
1833494	Drill Core	2.76	432	0.007	<0.01	<0.17	38.18	0.30	34.36	33.22	101.3	419	4.9	6.2	360	1.63	1.3	1.2	5.2	10.1	34.8
REP 1833494	QC			0.008																	
1833513	Drill Core	3.20	436	0.497	0.59	1.53	39.21	0.86	16.83	5.74	56.5	649	10.2	7.7	557	1.61	13.1	1.8	683.9	9.4	66.6
REP 1833513	QC			0.434																	
1833520	Rock Pulp	0.12	63	0.449				2.41	442.92	19.95	51.0	292	602.4	26.3	413	2.48	19.9	0.6	515.9	2.0	54.7
REP 1833520	QC							2.44	438.15	19.72	47.1	289	615.2	27.6	414	2.52	20.1	0.6	510.5	1.8	54.6
Core Reject Duplicates																					
1833416	Drill Core	3.44	542	0.109	0.11	<0.17	33.88	0.23	9.09	17.52	32.6	868	3.5	4.4	312	1.46	35.4	1.7	158.6	14.6	34.9
DUP 1833416	QC		438	0.116	0.13	0.28	39.82	0.20	8.95	17.07	32.0	878	3.4	4.7	253	1.44	34.9	1.6	188.9	12.1	32.8
1833450	Drill Core	3.42	398	0.035	0.03	<0.17	39.72	0.68	5.43	15.27	19.2	424	2.3	2.3	254	1.03	34.6	1.5	26.9	12.5	31.9
DUP 1833450	QC		397	0.035	0.03	<0.17	42.20	0.70	5.23	15.50	19.5	416	2.2	2.3	253	1.07	34.6	1.5	27.3	12.5	30.8
1833484	Drill Core	2.69	430	0.009	<0.01	<0.17	37.15	0.66	18.91	19.01	65.9	693	4.1	6.1	344	1.62	27.1	2.0	4.8	12.2	23.2
DUP 1833484	QC		431	0.010	<0.01	<0.17	33.45	0.77	19.90	20.22	73.4	741	4.6	6.4	372	1.67	28.6	2.3	8.8	12.5	24.3
1833518	Drill Core	3.27	510	0.022	0.02	<0.17	40.11	1.44	15.86	18.72	64.0	226	11.3	8.7	644	2.11	0.8	2.6	10.4	9.5	88.7
DUP 1833518	QC		441	0.015	0.01	<0.17	36.54	1.50	15.52	19.95	66.3	232	10.7	9.2	603	2.17	0.6	2.6	15.0	10.2	92.6
Reference Materials																					
STD BVGEO01	Standard							10.97	4412.43	184.68	1746.5	2691	156.8	26.4	730	3.64	121.9	4.1	216.1	15.9	58.7
STD BVGEO01	Standard							10.95	4386.84	182.74	1730.3	2651	159.9	25.6	742	3.70	122.1	4.0	234.3	15.8	56.5
STD DS11	Standard							15.29	156.64	144.59	375.6	1758	86.6	13.9	992	3.12	42.8	2.9	80.9	8.5	67.6
STD DS11	Standard							14.65	150.46	137.63	327.7	1695	73.5	14.2	1004	3.13	44.3	2.7	135.0	8.4	64.4



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 06, 2019

Page:

1 of 3

Part:

2 of 3

## QUALITY CONTROL REPORT

WHI19000354.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
REP 1833416	QC	0.31	1.37	0.11	9	0.30	0.033	26.6	16.2	0.61	264.7	0.002	<1	0.82	0.028	0.25	1.7	1.8	0.07	0.09	<5
1833421	Drill Core	0.24	0.29	0.12	2	0.72	0.004	27.1	6.2	0.57	169.3	<0.001	2	0.59	0.015	0.21	0.2	1.2	0.05	0.04	<5
REP 1833421	QC																				
1833439	Drill Core	0.15	0.27	<0.02	5	0.36	0.045	39.9	3.9	0.42	193.0	0.002	<1	0.68	0.017	0.30	<0.1	2.5	0.06	0.03	<5
REP 1833439	QC																				
REP 1833450	QC	0.15	1.83	0.11	4	0.19	0.051	37.6	3.8	0.23	244.9	0.002	<1	0.48	0.025	0.29	<0.1	2.0	0.07	0.06	<5
1833485	Drill Core	0.44	0.65	0.12	2	0.21	0.036	10.7	7.1	0.53	147.0	0.001	<1	0.48	0.011	0.18	<0.1	0.6	0.06	1.07	5
REP 1833485	QC	0.41	0.65	0.12	2	0.21	0.035	11.9	7.5	0.55	159.9	0.001	<1	0.51	0.009	0.19	<0.1	0.6	0.06	1.10	<5
1833494	Drill Core	0.58	0.22	0.08	4	0.29	0.057	5.8	12.7	0.91	141.3	0.002	<1	0.75	0.015	0.18	<0.1	1.0	0.05	0.99	<5
REP 1833494	QC																				
1833513	Drill Core	0.16	0.39	0.06	6	1.55	0.069	14.1	8.4	0.58	224.6	0.003	<1	0.76	0.026	0.24	<0.1	1.3	0.06	0.61	<5
REP 1833513	QC																				
1833520	Rock Pulp	0.23	0.40	0.30	49	1.20	0.033	4.3	91.3	1.73	76.5	0.068	3	1.88	0.184	0.14	1.3	2.5	0.09	0.20	26
REP 1833520	QC	0.22	0.37	0.30	49	1.24	0.035	4.2	91.4	1.72	76.3	0.066	3	1.87	0.188	0.14	1.3	2.5	0.09	0.20	20
Core Reject Duplicates																					
1833416	Drill Core	0.21	1.36	0.11	9	0.30	0.033	26.3	15.3	0.62	241.8	0.002	2	0.83	0.028	0.26	1.7	2.2	0.08	0.09	<5
DUP 1833416	QC	0.22	1.43	0.11	9	0.29	0.032	24.2	15.8	0.59	240.7	0.002	1	0.79	0.027	0.25	1.6	1.8	0.06	0.09	<5
1833450	Drill Core	0.13	1.74	0.10	4	0.20	0.047	36.8	3.7	0.22	240.7	0.002	<1	0.46	0.024	0.28	<0.1	1.8	0.07	0.06	<5
DUP 1833450	QC	0.14	1.74	0.10	4	0.19	0.047	36.4	3.8	0.23	237.4	0.002	<1	0.48	0.023	0.29	<0.1	1.8	0.07	0.06	<5
1833484	Drill Core	0.26	0.42	0.09	3	0.30	0.052	8.0	10.5	0.86	99.6	0.002	<1	0.70	0.009	0.18	<0.1	0.8	0.05	1.09	10
DUP 1833484	QC	0.29	0.45	0.09	3	0.30	0.055	8.7	11.2	0.87	108.6	0.002	<1	0.71	0.008	0.18	<0.1	0.9	0.07	1.13	10
1833518	Drill Core	0.36	0.08	0.10	7	2.42	0.069	8.0	15.2	0.44	181.7	0.003	<1	0.79	0.026	0.26	<0.1	2.3	0.06	1.04	6
DUP 1833518	QC	0.35	0.08	0.11	8	2.43	0.075	8.5	16.8	0.46	176.0	0.003	<1	0.85	0.030	0.28	<0.1	2.4	0.07	1.03	11
Reference Materials																					
STD BVGEO01	Standard	7.44	3.79	26.02	72	1.34	0.087	27.7	175.9	1.28	268.1	0.230	3	2.34	0.195	0.92	4.9	5.9	0.62	0.68	86
STD BVGEO01	Standard	7.19	4.15	25.91	73	1.30	0.087	26.9	176.6	1.30	309.5	0.222	3	2.35	0.195	0.90	5.3	6.1	0.60	0.66	91
STD DS11	Standard	2.39	9.32	11.22	51	1.04	0.071	19.2	63.5	0.87	386.1	0.096	8	1.21	0.072	0.41	3.2	3.3	4.92	0.27	284
STD DS11	Standard	2.58	9.61	12.26	50	1.04	0.079	19.1	59.2	0.84	358.7	0.095	7	1.19	0.074	0.40	3.1	3.3	4.75	0.27	253



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Page:** 1 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000354.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
REP 1833416	QC	0.1	0.06	2.7	0.54	<0.1	0.03	<0.02	9.9	0.2	<0.05	2.2	5.60	47.3	<0.02	<1	0.5	11.0	<10	<2
1833421	Drill Core	<0.1	<0.02	1.3	0.23	<0.1	0.16	<0.02	6.5	0.1	<0.05	5.1	4.77	51.9	<0.02	<1	0.3	7.9	<10	<2
REP 1833421																				
1833439	Drill Core	<0.1	<0.02	2.6	0.55	<0.1	0.22	<0.02	10.5	0.2	<0.05	8.4	10.96	71.8	<0.02	<1	0.2	9.4	<10	<2
REP 1833439																				
REP 1833450	QC	0.2	<0.02	1.9	0.55	<0.1	0.21	<0.02	10.1	0.2	<0.05	9.0	11.44	66.6	<0.02	<1	0.2	4.6	<10	<2
1833485	Drill Core	0.2	<0.02	1.3	0.54	<0.1	0.19	<0.02	7.4	0.2	<0.05	6.0	4.97	20.5	<0.02	4	0.2	8.2	<10	<2
REP 1833485	QC	<0.1	<0.02	1.2	0.49	<0.1	0.17	<0.02	7.2	0.2	<0.05	6.0	4.78	22.1	<0.02	2	0.1	8.1	<10	<2
1833494	Drill Core	0.1	<0.02	2.2	0.14	<0.1	0.22	<0.02	6.9	0.1	<0.05	7.8	2.97	11.2	<0.02	1	0.2	8.3	<10	<2
REP 1833494																				
1833513	Drill Core	0.3	0.09	2.1	0.17	<0.1	0.06	<0.02	9.0	0.1	<0.05	2.6	6.78	26.1	<0.02	2	0.2	9.5	<10	<2
REP 1833513																				
1833520	Rock Pulp	0.5	0.17	4.0	0.63	<0.1	0.05	<0.02	6.2	0.4	<0.05	1.1	3.05	8.4	<0.02	2	0.1	7.9	256	119
REP 1833520	QC	0.6	0.15	4.1	0.62	<0.1	0.04	<0.02	6.2	0.4	<0.05	1.1	3.17	8.5	<0.02	1	<0.1	8.9	256	119
Core Reject Duplicates																				
1833416	Drill Core	<0.1	0.07	2.5	0.52	<0.1	0.05	<0.02	10.0	0.3	<0.05	2.1	5.81	49.9	<0.02	<1	0.4	11.6	<10	3
DUP 1833416	QC	<0.1	0.04	2.4	0.54	<0.1	0.03	<0.02	9.6	0.2	<0.05	2.1	5.16	44.9	<0.02	<1	0.3	11.1	<10	<2
1833450	Drill Core	<0.1	<0.02	1.9	0.52	<0.1	0.19	<0.02	9.8	0.2	<0.05	7.5	10.63	64.2	<0.02	<1	0.2	4.8	<10	<2
DUP 1833450	QC	<0.1	<0.02	1.8	0.52	<0.1	0.21	<0.02	9.5	0.2	<0.05	7.9	10.65	63.7	<0.02	<1	0.2	4.3	<10	<2
1833484	Drill Core	<0.1	<0.02	1.7	0.41	<0.1	0.17	<0.02	7.0	<0.1	<0.05	6.1	3.80	15.5	<0.02	1	0.2	12.9	<10	<2
DUP 1833484	QC	<0.1	<0.02	1.8	0.42	<0.1	0.19	<0.02	7.6	0.1	<0.05	6.5	3.96	16.6	<0.02	2	0.2	13.9	<10	<2
1833518	Drill Core	0.4	<0.02	2.3	0.15	<0.1	0.04	<0.02	9.9	0.1	<0.05	1.4	3.76	15.3	<0.02	<1	0.2	5.4	<10	<2
DUP 1833518	QC	0.3	<0.02	2.5	0.15	<0.1	0.04	<0.02	10.8	0.1	<0.05	1.4	3.88	15.9	<0.02	<1	0.2	5.2	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.8	1.04	7.0	7.44	0.2	0.32	0.26	93.1	6.1	<0.05	9.9	14.91	50.8	0.50	3	0.7	18.7	102	179
STD BVGEO01	Standard	4.6	1.07	7.5	7.56	0.2	0.29	0.33	91.6	6.1	<0.05	7.8	14.72	52.5	0.47	4	0.6	22.5	112	195
STD DS11	Standard	2.2	4.76	5.0	2.96	0.1	0.06	1.47	34.5	1.8	<0.05	3.3	8.12	40.4	0.29	45	0.5	23.3	120	198
STD DS11	Standard	2.2	4.68	4.6	3.02	<0.1	0.07	1.52	34.9	1.9	<0.05	3.1	7.93	36.8	0.27	43	0.6	22.1	91	170



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 06, 2019

Page:

2 of 3

Part:

1 of 3

## QUALITY CONTROL REPORT

WHI19000354.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11	Standard							13.97	139.35	129.01	332.4	1680	74.6	12.7	977	3.05	41.5	2.6	88.6	8.4	65.7
STD OREAS262	Standard							0.60	113.43	55.44	140.4	459	63.6	26.2	484	3.25	32.1	1.2	67.9	9.6	32.6
STD OREAS262	Standard							0.66	118.99	55.43	143.3	453	62.0	26.9	489	3.19	35.4	1.3	67.4	9.9	34.8
STD OREAS262	Standard							0.71	126.19	58.55	154.7	481	61.5	28.9	525	3.34	37.7	1.3	69.1	10.2	38.2
STD OREAS262	Standard							0.68	120.85	58.12	152.3	476	63.5	27.5	534	3.26	37.1	1.3	70.6	10.0	38.2
STD OREAS262	Standard							0.71	110.77	56.22	141.3	463	59.9	26.2	555	3.18	35.7	1.3	74.8	9.9	34.9
STD OXC152	Standard			0.217																	
STD OXC152	Standard			0.214																	
STD OXC152	Standard			0.218																	
STD OXH139	Standard			1.350																	
STD OXH139	Standard			1.301																	
STD OXH139	Standard			1.312																	
STD OXN134	Standard			7.933																	
STD OXN134	Standard			7.713																	
STD OXN134	Standard			7.642																	
STD OXQ90	Standard					25.45	30.84														
STD OXQ90	Standard					25.33	30.24														
STD OXQ90	Standard					25.36	29.53														
STD OXQ90	Standard					25.18	30.30														
STD OXQ90	Standard					25.66	29.54														
STD OXQ90	Standard					25.38	30.61														
STD OXQ90	Standard					25.08	29.86														
STD OXQ90	Standard					25.02	29.78														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.3	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.3	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.2	<0.5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

**Project:**

LS

**Report Date:**

September 06, 2019

**Page:**

2 of 3

**Part:**

2 of 3

## QUALITY CONTROL REPORT

WHI19000354.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD DS11	Standard	2.24	8.63	11.52	48	1.03	0.074	17.7	55.0	0.81	343.4	0.087	8	1.15	0.071	0.39	2.8	3.3	4.60	0.28	256
STD OREAS262	Standard	0.66	5.42	0.90	23	3.06	0.035	16.9	42.2	1.14	229.6	0.002	4	1.40	0.068	0.33	0.2	3.2	0.45	0.26	160
STD OREAS262	Standard	0.67	5.63	1.05	22	3.02	0.039	17.2	42.1	1.13	254.7	0.003	3	1.37	0.067	0.32	0.2	2.9	0.43	0.25	147
STD OREAS262	Standard	0.70	6.48	1.09	22	3.02	0.047	17.7	44.9	1.20	253.5	0.003	3	1.38	0.070	0.32	0.2	3.4	0.46	0.26	173
STD OREAS262	Standard	0.73	6.25	1.05	22	2.97	0.045	16.4	42.4	1.18	261.1	0.003	3	1.37	0.069	0.31	0.2	3.3	0.45	0.26	151
STD OREAS262	Standard	0.71	5.51	1.05	22	2.85	0.039	17.1	42.7	1.14	242.5	0.002	4	1.37	0.068	0.31	0.2	3.4	0.44	0.26	170
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 06, 2019

Page:

2 of 3

Part:

3 of 3

## QUALITY CONTROL REPORT

WHI19000354.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD DS11	Standard	2.3	4.57	4.9	2.85	<0.1	0.08	1.40	32.9	1.7	<0.05	3.5	7.53	35.3	0.23	46	0.7	20.5	98	171
STD OREAS262	Standard	0.3	0.17	4.2	2.75	<0.1	0.21	<0.02	18.1	0.4	<0.05	12.8	10.01	33.0	0.03	<1	1.2	16.5	<10	2
STD OREAS262	Standard	0.3	0.24	3.8	2.98	<0.1	0.23	<0.02	19.9	0.6	<0.05	9.6	11.31	33.1	0.03	2	1.1	16.7	<10	<2
STD OREAS262	Standard	0.3	0.24	4.0	3.21	<0.1	0.23	<0.02	20.6	0.6	<0.05	8.8	11.12	33.5	0.03	2	1.2	18.3	<10	<2
STD OREAS262	Standard	0.3	0.23	4.0	3.10	<0.1	0.23	<0.02	20.1	0.6	<0.05	10.0	10.45	33.2	0.04	<1	1.2	19.9	<10	<2
STD OREAS262	Standard	0.2	0.24	3.9	3.00	<0.1	0.24	<0.02	19.5	0.6	<0.05	11.3	10.78	33.9	0.03	<1	0.9	17.9	<10	<2
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 3 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000354.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.03	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.2	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		357	<0.005	<0.01	<0.17	43.10	1.17	1.94	1.26	30.7	14	1.5	3.9	482	1.85	0.9	0.5	<0.2	1.6	21.4
ROCK-WHI	Prep Blank		393	0.006	<0.01	<0.17	33.40	1.04	2.12	1.14	38.1	8	1.0	3.1	456	1.80	0.7	0.5	<0.2	2.1	22.0



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 3 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000354.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.01	0.05	0.03	25	0.65	0.041	7.1	4.8	0.49	55.5	0.077	2	0.83	0.071	0.08	<0.1	2.5	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.03	0.09	<0.02	23	0.73	0.044	6.8	2.3	0.42	50.8	0.079	4	0.82	0.073	0.08	<0.1	2.5	<0.02	<0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 06, 2019

**Page:** 3 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000354.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.18	<0.1	0.06	0.20	2.1	0.5	<0.05	3.5	8.49	14.0	<0.02	<1	0.1	2.9	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.18	<0.1	0.10	0.22	2.1	0.4	<0.05	3.6	9.41	13.8	<0.02	2	0.3	2.5	<10	<2