



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: August 09, 2019  
Report Date: September 04, 2019  
Page: 1 of 3

## CERTIFICATE OF ANALYSIS

WHI19000355.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-42  
P.O. Number  
Number of Samples: 47

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	44	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	47	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	47	Analysis sample split/packet			WHI
Split -150	47	Analysis sample split/packet			WHI
EN002	47	Environmental disposal charge-Fire assay lead waste			VAN
FS631	45	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	47	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	47	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Erika Cayer  
Peter Tallman  
Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 04, 2019

**Page:** 2 of 3

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000355.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1833531	Drill Core	3.05	417	0.399	0.57	2.19	38.73	1.28	19.72	3.98	32.1	570	12.0	7.7	343	2.15	<0.1	1.6	551.6	8.6	79.6
2024216	Drill Core	2.20	513	<0.005	<0.01	<0.17	45.47	1.45	40.90	21.19	125.2	240	22.7	10.7	678	2.98	3.4	1.1	1.8	5.7	16.2
2024217	Drill Core	3.02	409	<0.005	<0.01	<0.17	44.79	1.50	39.00	15.17	128.9	162	29.0	12.7	655	3.07	0.7	0.7	0.8	5.6	13.3
2024218	Drill Core	2.57	434	<0.005	<0.01	<0.17	28.09	2.27	36.62	31.25	155.2	305	24.7	10.7	642	3.06	1.4	1.0	1.0	6.3	14.7
2024219	Drill Core	3.13	504	<0.005	<0.01	<0.17	30.07	1.40	22.70	13.67	64.5	182	27.1	12.6	559	2.67	2.3	0.7	1.6	5.6	12.5
2024220	Rock Pulp	0.12	72	0.450				2.29	427.14	17.64	47.3	278	603.0	25.5	395	2.41	18.6	0.5	460.2	1.9	46.2
2024221	Drill Core	3.69	361	<0.005	<0.01	<0.17	42.49	1.57	33.06	16.61	101.7	183	22.7	11.1	526	3.05	1.2	0.7	1.0	5.9	13.4
2024222	Drill Core	3.14	457	<0.005	<0.01	<0.17	28.87	1.00	38.14	21.40	128.1	259	13.4	6.2	439	2.83	1.9	1.0	0.9	6.1	20.0
2024223	Drill Core	3.18	437	<0.005	<0.01	<0.17	25.43	1.54	31.16	30.43	113.3	237	20.6	10.4	699	2.78	1.5	0.9	1.7	6.3	14.4
2024224	Drill Core	3.14	447	<0.005	<0.01	<0.17	44.12	1.82	42.07	25.81	159.2	353	31.4	14.2	858	3.03	3.2	1.1	1.5	5.2	16.2
2024225	Drill Core	1.46	450	<0.005	<0.01	<0.17	31.90	2.27	43.56	20.20	108.5	223	33.3	12.5	748	3.13	1.6	1.1	0.7	5.4	14.3
2024226	Drill Core	2.30	508	<0.005	<0.01	<0.17	37.85	2.28	35.57	30.90	118.5	287	26.6	11.6	1685	2.56	10.6	0.8	1.0	3.7	70.1
2024227	Drill Core	3.19	408	<0.005	<0.01	<0.17	36.32	2.20	47.56	26.21	150.2	466	33.8	14.2	924	3.08	9.7	1.2	1.1	5.0	28.5
2024228	Drill Core	2.91	409	<0.005	<0.01	<0.17	28.22	6.15	57.15	24.39	165.7	2377	23.2	11.8	633	3.31	7.8	1.1	0.2	6.0	28.7
2024229	Drill Core	2.73	473	<0.005	<0.01	<0.17	33.59	1.67	30.48	14.79	96.9	306	17.2	8.3	538	2.71	0.4	1.0	0.7	6.2	18.7
2024230	Drill Core	2.93	401	<0.005	<0.01	<0.17	31.08	2.64	28.82	19.45	82.0	305	19.9	8.1	472	2.65	0.8	0.8	0.2	5.7	18.0
2024231	Drill Core	2.84	430	<0.005	<0.01	<0.17	36.20	1.68	26.67	11.36	74.7	280	22.1	9.7	532	3.09	1.1	1.0	1.7	6.0	17.6
2024232	Drill Core	2.90	524	<0.005	<0.01	<0.17	35.04	1.61	33.46	13.19	95.9	260	15.8	10.3	609	3.11	3.7	0.9	<0.2	6.0	31.4
2024233	Drill Core	3.49	498	<0.005	<0.01	<0.17	31.13	1.81	30.86	16.45	125.0	305	18.3	9.7	547	2.99	39.7	1.6	1.0	6.7	48.6
2024234	Drill Core	3.48	451	<0.005	<0.01	<0.17	42.97	1.13	22.67	55.28	109.6	503	14.6	8.3	479	2.56	11.0	0.8	3.2	8.5	30.6
2024235	Drill Core	1.25	416	<0.005	<0.01	<0.17	32.00	1.63	24.30	27.13	107.4	544	27.6	9.8	413	2.42	10.1	1.2	1.5	7.6	47.8
2024236	Drill Core	2.22	400	0.008	<0.01	<0.17	29.53	2.06	33.77	17.99	77.7	515	24.6	8.2	290	2.15	21.7	1.4	4.7	8.9	32.0
2024237	Drill Core	1.10	378	0.017	0.02	<0.17	31.47	1.98	20.28	18.44	80.3	909	12.4	6.3	280	1.69	46.2	1.7	14.0	12.5	46.5
2024238	Drill Core	2.51	425	0.008	<0.01	<0.17	39.86	0.85	19.25	12.00	58.5	352	10.6	6.3	518	2.30	77.4	1.8	5.6	8.7	120.9
2024239	Drill Core	3.08	467	<0.005	<0.01	<0.17	28.40	0.37	7.99	18.55	26.7	214	3.5	2.9	161	1.11	65.5	1.8	4.9	14.7	54.9
2024240	Rock Pulp	0.12	60	<0.005				3.86	19.96	0.87	31.0	22	6.9	4.1	561	2.40	1.1	0.4	6.1	2.7	29.3
2024241	Drill Core	2.19	432	<0.005	<0.01	<0.17	36.34	1.53	26.63	7.92	70.3	183	18.3	9.8	398	2.57	64.9	8.1	0.9	11.2	129.8
2024242	Drill Core	2.89	479	<0.005	<0.01	<0.17	41.03	0.70	17.32	17.51	63.8	192	12.9	8.1	266	2.42	4.3	2.3	0.8	11.1	116.5
2024243	Drill Core	3.03	505	<0.005	<0.01	<0.17	32.77	0.42	15.84	9.61	63.3	133	12.1	8.4	245	2.52	2.3	2.1	0.3	10.4	121.0
2024244	Drill Core	2.30	395	<0.005	<0.01	<0.17	36.67	0.69	14.78	11.92	60.5	139	11.0	7.4	288	2.34	46.1	2.9	0.6	11.0	160.4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 04, 2019

**Page:** 2 of 3

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000355.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833531	Drill Core	0.34	0.13	0.05	5	1.40	0.068	5.3	7.1	0.29	51.0	0.002	<1	0.43	0.035	0.20	<0.1	1.8	0.05	1.92	37			
2024216	Drill Core	0.76	0.43	0.20	29	0.22	0.075	12.2	22.5	1.84	143.0	0.005	2	1.89	0.021	0.22	0.3	3.2	0.06	<0.02	<5			
2024217	Drill Core	0.92	0.17	0.07	35	0.21	0.080	14.2	24.8	1.89	157.2	0.006	2	1.88	0.019	0.23	<0.1	3.1	0.07	<0.02	<5			
2024218	Drill Core	2.94	0.12	0.20	27	0.20	0.079	11.5	20.1	1.90	157.5	0.005	<1	1.81	0.015	0.22	<0.1	2.7	0.07	<0.02	<5			
2024219	Drill Core	0.28	0.16	0.10	25	0.18	0.071	12.9	19.1	1.71	124.9	0.004	1	1.64	0.013	0.19	<0.1	2.2	0.06	<0.02	<5			
2024220	Rock Pulp	0.24	0.32	0.29	47	1.13	0.029	3.6	87.6	1.66	67.4	0.058	4	1.73	0.167	0.14	1.4	2.9	0.09	0.21	29			
2024221	Drill Core	0.66	0.15	0.11	29	0.19	0.072	16.8	23.7	1.91	145.6	0.005	<1	1.88	0.009	0.24	<0.1	2.7	0.06	<0.02	<5			
2024222	Drill Core	0.61	0.29	0.12	25	0.18	0.062	15.0	18.0	1.90	116.2	0.007	<1	1.84	0.013	0.23	<0.1	2.8	0.06	<0.02	6			
2024223	Drill Core	1.10	0.16	0.13	26	0.30	0.062	16.9	17.7	1.78	148.6	0.005	<1	1.78	0.017	0.25	<0.1	3.1	0.07	<0.02	<5			
2024224	Drill Core	1.55	0.22	0.18	37	0.48	0.067	14.9	23.8	1.75	135.9	0.004	1	1.73	0.015	0.22	<0.1	3.5	0.07	<0.02	<5			
2024225	Drill Core	1.17	0.31	0.05	39	0.25	0.075	15.2	27.0	1.82	151.6	0.005	1	1.85	0.014	0.21	<0.1	3.0	0.07	<0.02	<5			
2024226	Drill Core	1.20	0.29	0.24	24	2.29	0.064	11.5	14.9	1.42	96.8	0.003	<1	1.31	0.012	0.16	<0.1	2.7	0.07	<0.02	<5			
2024227	Drill Core	0.99	0.27	0.25	29	0.82	0.073	14.1	18.8	1.38	130.1	0.005	2	1.41	0.013	0.22	0.3	2.7	0.08	<0.02	5			
2024228	Drill Core	1.14	0.24	0.17	27	0.34	0.074	15.3	18.9	1.71	137.4	0.004	<1	1.72	0.017	0.21	17.1	2.8	0.07	<0.02	<5			
2024229	Drill Core	0.43	0.35	0.13	24	0.29	0.064	16.9	18.3	1.80	102.1	0.004	<1	1.68	0.017	0.18	2.5	2.1	0.04	<0.02	<5			
2024230	Drill Core	0.69	0.19	0.09	22	0.17	0.069	15.8	17.1	1.55	125.3	0.003	1	1.48	0.015	0.18	2.5	2.2	0.03	<0.02	<5			
2024231	Drill Core	0.17	0.48	0.07	30	0.19	0.079	17.6	22.1	1.89	117.9	0.003	<1	1.81	0.019	0.19	1.4	2.9	0.03	<0.02	<5			
2024232	Drill Core	0.10	1.60	0.11	24	0.78	0.073	19.3	18.3	2.18	161.4	0.004	2	2.20	0.006	0.27	0.4	2.9	0.08	<0.02	<5			
2024233	Drill Core	0.85	3.44	0.12	21	1.10	0.063	21.8	14.7	1.47	174.2	0.003	2	1.77	0.009	0.33	0.1	3.0	0.15	<0.02	<5			
2024234	Drill Core	0.37	0.56	0.16	20	0.63	0.054	23.8	15.3	1.20	128.1	0.002	<1	1.49	0.015	0.23	0.2	2.0	0.09	<0.02	<5			
2024235	Drill Core	0.58	1.00	0.46	21	0.86	0.057	26.8	24.6	1.11	133.9	0.003	<1	1.48	0.007	0.28	0.2	3.5	0.16	<0.02	12			
2024236	Drill Core	0.69	0.79	0.10	17	0.64	0.062	28.3	18.4	0.71	204.9	0.002	<1	1.11	0.021	0.27	0.2	4.1	0.12	<0.02	8			
2024237	Drill Core	1.96	1.13	0.46	9	1.27	0.056	34.4	8.2	0.31	246.1	0.001	<1	0.79	0.022	0.28	0.2	3.5	0.10	<0.02	<5			
2024238	Drill Core	0.59	1.15	0.20	14	1.93	0.080	19.5	10.4	0.77	234.5	0.003	<1	1.14	0.016	0.29	0.3	6.3	0.11	0.20	9			
2024239	Drill Core	0.26	1.37	0.17	5	0.95	0.031	37.5	4.4	0.31	217.8	0.002	2	0.65	0.043	0.27	0.1	2.5	0.07	0.05	5			
2024240	Rock Pulp	0.02	0.15	<0.02	22	0.76	0.039	5.2	14.3	0.49	60.3	0.064	2	1.05	0.086	0.08	0.3	3.5	<0.02	0.05	6			
2024241	Drill Core	0.41	1.25	0.05	25	1.67	0.070	23.5	20.7	0.73	406.7	0.004	<1	0.98	0.048	0.27	0.2	7.2	0.08	0.35	<5			
2024242	Drill Core	0.32	0.89	0.10	19	0.95	0.068	16.7	17.3	0.86	754.8	0.036	<1	0.84	0.047	0.28	0.1	7.8	0.09	0.21	<5			
2024243	Drill Core	0.20	0.40	<0.02	20	0.94	0.069	16.4	18.0	0.87	768.7	0.056	<1	0.81	0.051	0.28	<0.1	6.9	0.12	0.23	6			
2024244	Drill Core	0.32	1.50	0.03	21	1.35	0.068	22.5	18.5	0.76	646.8	0.026	<1	0.88	0.045	0.36	<0.1	7.2	0.20	0.17	<5			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 04, 2019

**Page:** 2 of 3

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000355.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833531 Drill Core	0.3	0.09	1.2	0.35	<0.1	0.05	<0.02	7.0	0.1	<0.05	1.7	3.58	11.2	<0.02	1	0.3	2.5	<10	<2
2024216 Drill Core	0.3	0.08	4.7	0.58	<0.1	0.18	<0.02	6.3	0.3	<0.05	4.9	4.95	24.7	<0.02	<1	0.1	12.4	<10	<2
2024217 Drill Core	0.4	0.02	4.5	0.66	<0.1	0.18	0.02	7.0	0.2	<0.05	6.2	5.43	28.3	<0.02	<1	<0.1	10.7	<10	<2
2024218 Drill Core	0.9	0.08	4.7	0.49	<0.1	0.23	<0.02	6.9	0.3	<0.05	7.2	5.77	23.4	<0.02	<1	0.3	11.2	<10	<2
2024219 Drill Core	0.3	0.03	4.0	0.41	<0.1	0.24	0.05	6.0	0.2	<0.05	6.3	4.77	26.3	<0.02	<1	0.2	10.0	<10	<2
2024220 Rock Pulp	0.6	0.13	3.9	0.59	<0.1	0.04	0.05	5.8	0.3	<0.05	1.2	3.04	7.7	<0.02	2	0.1	7.7	257	92
2024221 Drill Core	0.3	<0.02	5.3	0.47	<0.1	0.27	<0.02	6.8	0.3	<0.05	7.2	5.51	32.9	<0.02	<1	0.2	10.6	<10	<2
2024222 Drill Core	0.6	0.03	4.8	1.17	<0.1	0.30	<0.02	7.4	0.4	<0.05	7.7	4.47	30.5	<0.02	<1	0.4	12.8	<10	<2
2024223 Drill Core	0.5	0.06	4.5	1.06	<0.1	0.28	<0.02	7.9	0.3	<0.05	8.0	5.07	34.2	<0.02	<1	0.1	12.3	<10	<2
2024224 Drill Core	0.9	0.04	4.4	1.07	<0.1	0.21	<0.02	7.2	0.3	<0.05	6.4	5.34	30.0	<0.02	<1	0.2	13.1	<10	<2
2024225 Drill Core	0.7	0.05	5.0	0.82	<0.1	0.22	<0.02	7.2	0.3	<0.05	6.2	4.85	30.6	<0.02	<1	0.1	14.6	<10	<2
2024226 Drill Core	0.7	0.04	3.3	1.20	<0.1	0.22	<0.02	6.0	0.3	<0.05	6.3	6.16	22.1	<0.02	<1	<0.1	10.2	<10	<2
2024227 Drill Core	0.6	0.04	3.5	1.42	<0.1	0.19	<0.02	7.7	0.5	<0.05	6.4	5.51	27.9	<0.02	<1	0.2	10.7	<10	<2
2024228 Drill Core	0.6	0.04	4.4	0.60	<0.1	0.20	<0.02	6.5	0.3	<0.05	6.7	5.72	30.9	<0.02	<1	0.2	12.2	<10	<2
2024229 Drill Core	0.3	0.03	4.3	0.58	<0.1	0.24	<0.02	5.2	0.3	<0.05	7.6	4.79	33.1	<0.02	<1	<0.1	12.9	<10	<2
2024230 Drill Core	0.3	0.03	3.9	0.55	<0.1	0.27	0.04	5.4	0.2	<0.05	7.2	5.07	31.9	<0.02	<1	0.2	11.4	<10	<2
2024231 Drill Core	0.3	0.05	4.5	0.69	<0.1	0.27	<0.02	5.4	0.1	<0.05	6.8	4.74	35.1	<0.02	<1	0.1	17.8	<10	<2
2024232 Drill Core	0.4	0.03	4.8	2.60	<0.1	0.25	0.04	9.0	0.3	<0.05	8.3	5.77	38.5	<0.02	<1	0.1	34.6	<10	<2
2024233 Drill Core	0.9	0.05	3.7	4.73	<0.1	0.27	<0.02	14.4	0.3	<0.05	8.3	7.29	43.1	<0.02	<1	0.4	31.1	<10	<2
2024234 Drill Core	<0.1	<0.02	5.9	2.55	<0.1	0.29	<0.02	10.7	0.2	<0.05	7.6	7.38	47.2	<0.02	<1	0.4	26.7	<10	<2
2024235 Drill Core	<0.1	0.06	6.9	4.83	<0.1	0.07	<0.02	21.0	0.4	<0.05	2.3	14.19	53.4	0.04	<1	0.6	26.6	<10	<2
2024236 Drill Core	0.4	<0.02	4.6	2.59	<0.1	0.06	<0.02	14.8	0.3	<0.05	3.0	12.84	56.8	0.02	2	0.3	18.9	<10	<2
2024237 Drill Core	0.7	0.03	2.4	1.30	<0.1	0.24	<0.02	12.4	0.6	<0.05	5.9	9.71	66.7	0.05	<1	0.4	13.0	<10	<2
2024238 Drill Core	0.9	0.03	3.3	1.19	<0.1	0.09	0.03	12.2	0.4	<0.05	4.6	10.25	37.7	<0.02	<1	0.4	22.8	<10	<2
2024239 Drill Core	0.4	<0.02	1.8	1.30	<0.1	0.09	<0.02	11.3	0.4	<0.05	2.5	11.83	72.0	0.02	<1	0.3	8.3	<10	<2
2024240 Rock Pulp	<0.1	<0.02	4.4	0.13	<0.1	0.15	0.44	2.1	1.7	<0.05	2.2	7.58	11.0	<0.02	<1	0.2	1.0	<10	<2
2024241 Drill Core	1.5	0.02	2.9	8.23	<0.1	0.04	<0.02	13.0	0.6	<0.05	2.6	10.86	46.7	0.02	4	0.5	13.8	<10	<2
2024242 Drill Core	<0.1	0.02	2.7	20.64	<0.1	0.16	0.10	18.6	0.6	<0.05	3.0	9.64	32.5	0.02	2	0.4	10.7	<10	<2
2024243 Drill Core	0.5	<0.02	2.7	21.99	<0.1	0.12	0.12	20.2	0.6	<0.05	2.8	8.81	31.9	0.02	<1	0.3	10.6	<10	<2
2024244 Drill Core	<0.1	<0.02	3.3	12.78	<0.1	0.11	0.05	22.0	0.7	<0.05	2.6	11.55	43.9	<0.02	3	0.3	10.9	<10	<2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 04, 2019

**Page:** 3 of 3

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000355.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2024245	Drill Core	0.97	421	<0.005	<0.01	<0.17	34.44	0.32	3.62	25.20	36.0	230	1.3	1.3	168	0.79	3.1	1.7	1.2	15.1	61.5
2024246	Drill Core	3.09	468	<0.005	<0.01	<0.17	31.85	0.27	5.45	21.62	15.1	277	0.6	0.6	89	0.50	2.7	2.5	1.7	13.8	48.8
2024247	Drill Core	3.61	449	<0.005	<0.01	<0.17	35.14	1.12	9.64	22.96	8.9	252	0.4	0.2	67	0.37	0.3	1.7	0.2	16.8	64.5
2024248	Drill Core	2.87	469	<0.005	<0.01	<0.17	44.29	2.01	27.06	36.36	20.5	397	0.3	0.2	84	0.37	1.8	2.0	3.5	16.6	51.3
2024249	Drill Core	3.12	423	<0.005	<0.01	<0.17	41.62	0.41	2.92	20.04	11.8	66	0.3	0.1	61	0.29	1.0	1.3	0.7	18.4	22.9
2024250	Drill Core	3.34	434	<0.005	<0.01	<0.17	38.21	0.27	2.54	16.33	14.6	55	0.3	0.1	64	0.28	0.7	1.0	0.3	17.2	21.6
2024251	Drill Core	3.01	448	<0.005	<0.01	<0.17	29.99	0.37	4.17	19.16	14.1	162	0.3	0.2	69	0.33	0.6	1.4	<0.2	16.2	36.7
2024252	Drill Core	2.97	419	0.006	<0.01	<0.17	28.90	0.54	4.15	21.53	24.2	294	0.5	0.5	107	0.48	0.7	1.7	6.9	14.7	51.4
2024253	Drill Core	1.98	384	<0.005	<0.01	<0.17	26.70	0.17	3.86	18.98	14.3	224	0.5	0.6	112	0.56	0.8	1.7	<0.2	14.5	50.3
2024254	Drill Core	1.94	388	<0.005	<0.01	<0.17	40.29	1.21	4.38	20.53	17.9	200	0.6	0.6	144	0.56	0.9	1.6	<0.2	15.5	40.5
2024255	Drill Core	3.12	441	<0.005	<0.01	<0.17	40.64	0.58	11.62	11.55	68.6	274	8.5	6.0	304	1.67	2.5	2.3	1.1	10.9	77.1
2024256	Drill Core	3.67	366	<0.005	<0.01	<0.17	25.28	1.15	22.13	103.84	141.7	427	11.1	7.9	454	2.19	1.7	3.2	0.2	10.9	59.8
2024257	Drill Core	3.15	499	<0.005	<0.01	<0.17	26.32	0.97	18.63	13.65	94.9	314	16.2	9.2	634	2.32	2.0	1.6	0.3	9.1	77.2
2024258	Drill Core	2.19	386	<0.005	<0.01	<0.17	33.40	1.14	13.49	4.35	60.0	178	12.0	7.2	413	2.08	1.8	1.4	<0.2	11.5	57.6
2024259	Drill Core	3.19	399	<0.005	<0.01	<0.17	17.79	1.72	12.02	5.94	60.5	204	9.9	7.0	471	2.13	2.6	2.0	<0.2	11.1	68.6
2024260	Core DUP		401	<0.005	<0.01	<0.17	20.76	1.54	10.32	4.64	54.3	181	10.0	6.6	437	2.11	2.7	1.9	3.2	10.9	68.1
2024261	Drill Core	2.26	446	<0.005	<0.01	<0.17	30.22	1.42	15.51	4.15	64.0	179	12.1	8.1	464	2.53	4.7	1.9	0.9	11.2	54.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 04, 2019

**Page:** 3 of 3

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000355.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024245	Drill Core	0.40	0.46	0.27	2	0.48	0.013	41.0	3.8	0.28	358.2	0.002	3	0.54	0.023	0.35	<0.1	2.4	0.10	0.02	8
2024246	Drill Core	0.45	0.59	0.24	1	0.60	0.007	35.0	1.7	0.07	566.2	0.011	<1	0.40	0.029	0.27	0.3	2.0	0.07	0.11	10
2024247	Drill Core	0.15	0.38	0.31	<1	0.39	0.005	38.8	1.6	0.10	1302.8	0.001	<1	0.37	0.023	0.30	<0.1	1.0	0.06	0.05	6
2024248	Drill Core	0.25	0.36	0.21	<1	0.44	0.006	41.3	1.5	0.10	460.1	0.001	<1	0.41	0.024	0.33	<0.1	0.8	0.06	0.02	16
2024249	Drill Core	0.26	0.14	0.05	<1	0.25	0.005	43.2	1.2	0.06	216.8	0.001	<1	0.26	0.030	0.24	<0.1	0.7	0.05	<0.02	11
2024250	Drill Core	0.23	0.18	0.11	<1	0.27	0.005	39.9	1.2	0.04	300.0	<0.001	<1	0.28	0.028	0.26	<0.1	0.6	0.05	<0.02	7
2024251	Drill Core	0.34	0.29	0.27	<1	0.31	0.004	37.6	1.2	0.06	780.8	0.001	<1	0.29	0.017	0.28	<0.1	0.9	0.06	0.03	7
2024252	Drill Core	0.57	0.53	0.25	<1	0.56	0.006	36.3	1.8	0.12	651.1	0.001	<1	0.41	0.015	0.32	<0.1	1.2	0.09	0.07	10
2024253	Drill Core	0.45	0.39	0.20	1	0.70	0.009	39.5	1.8	0.08	452.0	0.007	<1	0.40	0.031	0.29	0.2	1.8	0.08	0.10	<5
2024254	Drill Core	0.48	0.33	0.20	1	0.67	0.009	44.6	2.0	0.13	350.9	0.003	<1	0.45	0.022	0.32	<0.1	1.5	0.09	0.03	6
2024255	Drill Core	0.86	0.91	0.22	14	1.10	0.053	26.6	15.4	0.78	315.2	0.051	<1	0.95	0.019	0.47	0.4	4.6	0.24	0.16	5
2024256	Drill Core	1.24	1.23	0.09	24	1.00	0.062	29.2	26.0	0.98	295.4	0.074	<1	1.30	0.039	0.45	0.7	5.2	0.26	0.08	8
2024257	Drill Core	0.81	1.22	0.13	30	1.47	0.064	22.9	35.2	1.13	249.0	0.061	2	1.46	0.025	0.52	1.4	5.3	0.27	0.03	<5
2024258	Drill Core	0.51	0.76	0.03	19	0.86	0.063	30.8	21.2	0.89	259.3	0.017	<1	1.30	0.027	0.39	0.5	4.0	0.20	<0.02	8
2024259	Drill Core	0.94	1.06	0.07	19	1.11	0.060	27.8	21.5	0.82	276.1	0.044	<1	1.28	0.025	0.39	0.7	4.5	0.21	0.04	6
2024260	Core DUP	0.93	1.09	0.07	19	1.09	0.064	29.1	20.8	0.83	283.8	0.042	<1	1.31	0.026	0.40	0.7	4.2	0.21	0.03	6
2024261	Drill Core	0.78	1.06	0.05	25	0.96	0.061	29.9	26.6	0.99	163.2	0.027	<1	1.52	0.022	0.38	1.0	4.2	0.22	<0.02	15



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 04, 2019

**Page:** 3 of 3 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000355.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2024245	Drill Core	<0.1	<0.02	1.9	1.31	<0.1	0.12	0.12	15.2	0.4	<0.05	6.0	10.89	76.2	0.03	<1	0.2	6.1	<10
2024246	Drill Core	<0.1	<0.02	1.8	0.63	<0.1	0.13	0.31	12.0	0.4	<0.05	7.8	18.98	63.1	0.03	<1	0.2	3.3	<10
2024247	Drill Core	<0.1	<0.02	1.3	0.49	<0.1	0.37	0.06	9.9	0.3	<0.05	14.0	10.56	72.8	0.03	<1	0.2	3.1	<10
2024248	Drill Core	<0.1	<0.02	1.4	0.54	<0.1	0.55	0.06	10.4	0.2	<0.05	16.6	10.47	73.8	<0.02	<1	0.5	2.7	<10
2024249	Drill Core	<0.1	<0.02	1.1	0.38	<0.1	0.52	0.08	10.3	0.2	<0.05	16.2	11.01	78.1	<0.02	<1	0.4	2.2	<10
2024250	Drill Core	<0.1	<0.02	1.1	0.47	<0.1	0.40	0.09	9.8	0.2	<0.05	11.1	9.55	74.2	<0.02	<1	0.4	1.4	<10
2024251	Drill Core	<0.1	<0.02	1.2	0.55	<0.1	0.34	0.07	10.9	0.2	<0.05	11.5	9.58	70.3	<0.02	<1	0.3	1.8	<10
2024252	Drill Core	<0.1	<0.02	1.2	0.85	<0.1	0.29	0.05	13.2	0.2	<0.05	10.8	7.33	65.1	<0.02	<1	0.1	3.2	<10
2024253	Drill Core	<0.1	<0.02	1.7	1.02	<0.1	0.07	0.18	14.7	0.4	<0.05	3.6	19.20	72.5	0.02	1	0.3	3.0	<10
2024254	Drill Core	<0.1	<0.02	1.6	0.70	<0.1	0.17	0.08	14.2	0.3	<0.05	7.1	18.00	80.8	0.02	1	0.4	3.7	<10
2024255	Drill Core	0.3	0.03	3.3	3.71	<0.1	0.23	0.14	27.5	0.6	<0.05	8.1	14.59	48.8	0.03	1	1.0	12.8	<10
2024256	Drill Core	0.7	0.03	5.1	4.33	<0.1	0.14	0.13	27.5	0.7	<0.05	3.9	16.98	55.4	<0.02	1	1.0	15.9	<10
2024257	Drill Core	<0.1	<0.02	5.6	4.99	<0.1	0.19	0.10	34.2	0.5	<0.05	6.2	14.22	43.6	<0.02	<1	0.2	16.8	<10
2024258	Drill Core	<0.1	<0.02	5.0	2.92	<0.1	0.16	0.03	24.2	0.7	<0.05	5.9	17.82	58.4	<0.02	<1	0.4	18.8	<10
2024259	Drill Core	<0.1	<0.02	5.5	3.38	<0.1	0.06	0.10	23.6	0.8	<0.05	1.9	17.71	52.8	0.02	1	0.5	16.4	<10
2024260	Core DUP	<0.1	<0.02	5.2	3.29	<0.1	0.06	0.08	24.5	0.6	<0.05	1.7	17.29	52.2	0.02	<1	0.4	18.3	<10
2024261	Drill Core	<0.1	<0.02	6.1	5.42	<0.1	0.05	<0.02	24.4	0.6	<0.05	1.1	17.57	55.3	0.02	3	0.3	20.7	<10



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 04, 2019

**Page:** 1 of 2

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000355.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
REP 2024230	QC							2.48	28.73	19.64	90.0	289	20.8	8.4	496	2.80	0.3	0.9	0.5	5.8	17.2	
2024254	Drill Core	1.94	388	<0.005	<0.01	<0.17	40.29	1.21	4.38	20.53	17.9	200	0.6	0.6	144	0.56	0.9	1.6	<0.2	15.5	40.5	
REP 2024254	QC							1.21	4.40	20.25	19.4	217	0.7	0.5	142	0.55	0.8	1.5	0.6	15.2	41.4	
Core Reject Duplicates																						
2024230	Drill Core	2.93	401	<0.005	<0.01	<0.17	31.08	2.64	28.82	19.45	82.0	305	19.9	8.1	472	2.65	0.8	0.8	0.2	5.7	18.0	
DUP 2024230	QC	395		<0.005	<0.01	<0.17	41.83	2.56	29.50	20.26	80.8	293	20.1	8.0	502	2.69	<0.1	0.8	0.4	5.8	17.7	
Reference Materials																						
STD BVGEO01	Standard							10.64	4388.91	176.16	1696.8	2648	162.1	24.3	741	3.78	118.1	3.8	215.6	15.7	61.2	
STD DS11	Standard							13.32	148.28	137.46	340.3	1770	82.4	13.1	1023	3.08	43.4	2.5	108.3	8.4	64.9	
STD OREAS262	Standard							0.75	114.71	57.56	151.5	490	64.8	27.3	559	3.26	35.9	1.2	80.5	10.4	36.2	
STD OREAS262	Standard							0.65	110.95	58.05	152.9	452	63.5	27.1	535	3.30	34.9	1.3	64.2	10.9	35.5	
STD OXC152	Standard	0.215																				
STD OXH139	Standard	1.304																				
STD OXN134	Standard	8.108																				
STD OXQ90	Standard						25.44	29.68														
STD OXQ90	Standard						25.30	29.60														
STD OXQ90	Standard						25.30	29.65														
STD OXQ90	Standard						25.10	29.56														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55	
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	
STD OXQ90 Expected		24.88																				
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	0.1	<0.5	
BLK	Blank							<0.01	0.02	0.01	0.3	3	0.2	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.2	<0.5	
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank	<0.17					30.00															
BLK	Blank	<0.17					30.00															





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 04, 2019

**Page:** 1 of 2

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000355.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
REP 2024230	QC	0.65	0.19	0.10	23	0.17	0.059	16.9	17.9	1.68	111.7	0.003	<1	1.58	0.014	0.17	2.4	2.0	0.03	<0.02	<5
2024254	Drill Core	0.48	0.33	0.20	1	0.67	0.009	44.6	2.0	0.13	350.9	0.003	<1	0.45	0.022	0.32	<0.1	1.5	0.09	0.03	6
REP 2024254	QC	0.44	0.30	0.20	1	0.68	0.009	42.6	1.9	0.13	339.2	0.002	<1	0.43	0.021	0.31	0.1	1.6	0.08	0.03	<5
Core Reject Duplicates																					
2024230	Drill Core	0.69	0.19	0.09	22	0.17	0.069	15.8	17.1	1.55	125.3	0.003	1	1.48	0.015	0.18	2.5	2.2	0.03	<0.02	<5
DUP 2024230	QC	0.76	0.18	0.11	21	0.17	0.072	15.6	18.3	1.56	109.8	0.003	<1	1.46	0.013	0.16	2.6	1.9	0.04	<0.02	<5
Reference Materials																					
STD BVGEO01	Standard	6.35	3.53	25.57	78	1.33	0.070	27.5	188.7	1.32	274.0	0.231	<1	2.45	0.212	0.91	5.0	6.2	0.59	0.66	99
STD DS11	Standard	2.37	9.34	11.98	49	1.04	0.067	17.5	57.3	0.83	364.2	0.086	5	1.14	0.072	0.39	3.4	3.1	5.10	0.29	296
STD OREAS262	Standard	0.60	6.42	1.09	22	2.94	0.040	15.9	41.7	1.19	268.6	0.003	3	1.27	0.069	0.30	0.2	3.2	0.48	0.27	153
STD OREAS262	Standard	0.60	5.74	1.02	24	2.92	0.039	16.9	45.6	1.18	247.1	0.003	5	1.40	0.071	0.32	0.2	3.2	0.47	0.25	168
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.7	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 04, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Page:** 1 of 2

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000355.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
REP 2024230	QC	0.1	0.04	3.8	0.52	<0.1	0.24	<0.02	5.0	0.2	<0.05	7.1	4.59	32.1	<0.02	<1	<0.1	10.9	<10	<2
2024254	Drill Core	<0.1	<0.02	1.6	0.70	<0.1	0.17	0.08	14.2	0.3	<0.05	7.1	18.00	80.8	0.02	1	0.4	3.7	<10	<2
REP 2024254	QC	<0.1	<0.02	1.7	0.69	<0.1	0.20	0.07	13.2	0.4	<0.05	7.3	16.47	78.7	<0.02	<1	0.2	4.4	<10	<2
Core Reject Duplicates																				
2024230	Drill Core	0.3	0.03	3.9	0.55	<0.1	0.27	0.04	5.4	0.2	<0.05	7.2	5.07	31.9	<0.02	<1	0.2	11.4	<10	<2
DUP 2024230	QC	0.4	0.03	3.8	0.56	0.1	0.27	<0.02	4.8	0.2	<0.05	6.9	4.66	31.0	<0.02	1	<0.1	11.8	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.4	0.99	7.7	7.14	0.2	0.33	0.29	94.8	5.8	<0.05	8.6	14.82	53.0	0.40	8	0.8	20.4	137	193
STD DS11	Standard	2.4	4.70	4.6	3.00	<0.1	0.07	1.50	34.3	1.8	<0.05	2.3	7.80	36.8	0.29	42	0.6	22.6	106	155
STD OREAS262	Standard	0.4	0.27	4.1	3.17	<0.1	0.26	<0.02	19.6	0.5	<0.05	6.7	11.07	33.5	0.02	4	1.0	17.2	<10	<2
STD OREAS262	Standard	0.2	0.22	3.9	2.79	<0.1	0.26	<0.02	19.3	0.5	<0.05	10.5	10.95	33.2	0.02	1	1.2	16.8	<10	<2
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 04, 2019

**Page:** 2 of 2

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000355.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		415	<0.005	<0.01	<0.17	35.05	1.05	2.08	0.92	26.7	8	0.7	3.1	469	1.75	0.5	0.4	<0.2	2.2	18.8
ROCK-WHI	Prep Blank		426	<0.005	<0.01	<0.17	44.12	1.10	1.63	1.05	30.4	4	0.7	3.4	441	1.74	0.8	0.4	<0.2	2.4	20.4



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 04, 2019

**Page:** 2 of 2

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000355.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.02	<0.02	21	0.55	0.037	5.2	3.0	0.40	51.2	0.059	<1	0.85	0.121	0.10	<0.1	2.5	<0.02	0.03	<5
ROCK-WHI	Prep Blank	0.03	0.05	<0.02	21	0.59	0.040	5.6	2.9	0.39	53.0	0.059	<1	0.82	0.120	0.10	<0.1	2.8	<0.02	0.04	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 04, 2019

**Page:** 2 of 2

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000355.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.14	0.1	0.11	0.21	2.1	0.2	<0.05	1.5	8.25	11.0	<0.02	<1	<0.1	2.0	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.4	0.16	<0.1	0.08	0.24	2.1	0.3	<0.05	1.4	8.58	11.7	<0.02	<1	0.2	2.0	<10