



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 13, 2019
Report Date: September 12, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000367.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-43
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	132	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	5	Sort, label and box pulps			WHI
FS631	138	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	138	Analysis sample split/packet			WHI
Split -150	138	Analysis sample split/packet			WHI
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
FS631	133	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	138	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN
FA530	0	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 2 of 6 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000367.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1829498	Drill Core	2.60	431	0.012	0.01	<0.17	37.38	1.06	28.63	80.31	67.7	2071	2.3	3.4	169	0.98	2.3	1.3	4.5	10.6	6.6
1829499	Drill Core	2.34	400	0.010	<0.01	<0.17	41.64	0.61	6.09	22.32	41.2	162	1.7	3.0	242	0.48	0.5	2.0	3.4	15.2	6.2
1829500	Rock Pulp	0.11	64	7.140				9.26	192.97	20.25	74.2	827	13.4	11.4	565	4.53	13.3	0.9	7282.8	2.6	69.6
1829501	Drill Core	2.85	458	0.015	0.01	<0.17	38.31	0.48	16.48	30.91	242.6	231	5.5	5.3	334	0.83	3.6	2.7	13.0	13.9	18.1
1829502	Drill Core	1.81	381	<0.005	<0.01	<0.17	37.46	0.27	4.34	11.94	39.5	99	1.0	1.2	75	0.42	0.4	1.0	1.3	12.1	4.9
1829503	Drill Core	2.67	487	0.008	<0.01	<0.17	38.20	0.58	3.24	11.43	17.8	113	0.4	0.5	41	0.36	0.2	1.4	4.2	16.2	2.4
1829504	Drill Core	3.23	484	0.006	<0.01	<0.17	39.31	0.47	5.38	11.31	15.8	157	0.4	0.5	43	0.38	0.5	1.3	5.4	12.8	3.3
1829505	Drill Core	2.15	389	0.007	<0.01	<0.17	31.41	0.54	3.87	14.58	16.9	117	0.6	0.6	72	0.40	0.5	1.2	3.3	11.4	3.4
1829506	Drill Core	2.28	353	0.006	<0.01	<0.17	36.88	0.97	4.30	14.66	34.6	101	1.1	1.6	205	0.44	0.8	0.9	3.3	10.6	4.9
1829507	Drill Core	3.51	451	<0.005	<0.01	<0.17	35.48	0.34	3.80	15.29	21.2	113	0.6	0.6	50	0.38	1.4	1.2	1.6	12.8	3.6
1829508	Drill Core	2.84	501	<0.005	<0.01	<0.17	38.06	0.42	3.73	15.25	17.3	112	0.5	0.5	38	0.34	0.8	1.3	1.5	13.5	3.2
1829509	Drill Core	2.69	469	0.007	<0.01	<0.17	36.39	0.55	6.09	18.48	26.0	90	0.5	0.5	44	0.40	1.0	1.6	3.2	15.0	2.9
1829510	Drill Core	3.64	422	0.011	0.01	<0.17	35.25	0.54	9.47	20.20	71.6	86	2.2	3.8	479	0.47	1.6	1.1	7.4	11.6	6.0
1829511	Drill Core	1.74	390	0.008	<0.01	<0.17	32.58	0.41	8.22	21.59	79.0	125	1.8	2.3	370	0.56	1.7	1.5	3.6	11.9	6.3
1829512	Drill Core	3.28	528	0.011	<0.01	<0.17	35.03	0.20	5.77	14.63	53.0	132	0.8	0.5	51	0.60	2.7	1.8	5.5	11.6	4.8
1829513	Drill Core	3.69	504	0.006	<0.01	<0.17	34.67	0.23	5.19	22.26	32.1	164	0.6	0.5	56	0.48	0.4	1.6	0.9	15.0	2.8
1829514	Drill Core	2.44	472	0.018	0.02	<0.17	43.51	0.56	16.05	22.43	153.8	255	4.1	8.4	431	0.86	3.6	3.9	89.3	10.5	8.9
1829515	Drill Core	1.68	480	0.539	0.56	0.90	26.74	0.84	53.03	30.38	333.1	1830	9.0	10.2	486	2.31	16.5	12.0	457.2	6.3	18.1
1829516	Drill Core	3.27	467	0.008	<0.01	<0.17	43.34	0.32	6.15	20.01	52.0	137	1.5	1.2	105	0.72	1.1	1.3	2.3	9.2	12.0
1829517	Drill Core	3.59	493	0.009	<0.01	<0.17	28.65	0.39	18.99	29.06	122.1	272	3.7	3.0	199	0.76	2.2	1.9	5.0	10.4	17.6
1829518	Drill Core	2.82	376	0.029	0.03	<0.17	29.94	0.42	19.91	25.20	145.5	283	3.3	4.9	273	0.93	5.4	3.3	26.4	9.7	32.7
1829519	Drill Core	1.16	358	0.006	<0.01	<0.17	37.65	2.16	6.66	58.70	90.8	326	2.3	2.1	234	0.68	0.6	1.8	2.1	11.4	2.9
1829520	Rock Pulp	0.12	61	0.534				2.37	443.75	18.74	45.9	263	606.7	25.0	425	2.47	18.1	0.6	451.1	2.3	55.1
1829521	Drill Core	1.49	487	0.008	<0.01	<0.17	27.71	1.65	9.40	42.58	41.3	258	2.6	1.9	221	0.83	0.7	1.5	2.4	5.9	20.4
1829522	Drill Core	2.90	460	0.057	0.05	<0.17	33.46	0.56	21.05	11.89	38.3	274	7.3	5.0	382	1.41	3.9	1.8	36.1	8.3	35.6
1829523	Drill Core	2.83	519	0.006	<0.01	<0.17	44.83	1.00	3.66	26.23	45.2	116	2.1	1.7	234	0.65	0.5	2.2	0.9	11.9	11.1
1829524	Drill Core	1.76	400	<0.005	<0.01	<0.17	33.28	0.87	5.17	14.32	61.5	66	2.9	2.0	271	0.78	1.0	3.9	1.2	12.1	21.5
1829525	Drill Core	2.00	427	0.011	<0.01	<0.17	40.09	1.92	86.19	155.54	454.1	595	27.3	17.6	931	3.05	15.1	1.2	9.4	4.9	35.9
1829526	Drill Core	2.10	352	0.231	0.26	0.65	23.01	0.82	101.82	342.97	306.9	1005	11.8	4.6	184	3.28	9.9	1.8	198.1	3.7	26.3
1829527	Drill Core	3.67	359	0.046	0.04	<0.17	21.16	1.43	69.53	279.87	302.7	776	11.2	4.3	172	3.09	9.1	1.4	16.7	1.7	25.4



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 2 of 6 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000367.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829498	Drill Core	0.32	0.29	0.17	<1	0.03	0.013	23.6	4.3	0.20	283.6	0.001	1	0.45	0.011	0.25	16.1	1.0	0.06	<0.02	<5			
1829499	Drill Core	0.77	0.25	0.21	<1	<0.01	0.004	25.2	1.7	0.10	354.0	<0.001	1	0.35	0.013	0.26	0.3	0.6	0.06	0.02	<5			
1829500	Rock Pulp	0.15	4.58	0.54	116	0.91	0.060	7.8	17.6	0.85	128.5	0.115	5	1.76	0.179	0.23	3.7	3.7	0.07	<0.02	214			
1829501	Drill Core	0.81	0.36	0.14	6	0.09	0.015	26.2	7.6	0.30	2526.9	0.006	2	0.74	0.007	0.25	0.6	1.2	0.08	0.05	6			
1829502	Drill Core	0.16	0.62	0.14	<1	0.02	0.008	37.2	1.9	0.12	228.8	<0.001	2	0.33	0.016	0.24	0.3	0.5	0.06	<0.02	<5			
1829503	Drill Core	0.08	0.07	0.15	<1	<0.01	0.003	28.3	1.4	0.08	162.7	<0.001	1	0.30	0.028	0.22	<0.1	0.5	0.04	<0.02	<5			
1829504	Drill Core	0.13	0.07	0.19	<1	<0.01	0.005	31.5	1.3	0.07	198.5	<0.001	1	0.31	0.032	0.25	<0.1	0.5	0.04	<0.02	<5			
1829505	Drill Core	0.11	0.09	0.19	<1	0.01	0.007	28.4	1.7	0.12	170.2	<0.001	1	0.33	0.009	0.27	<0.1	0.5	0.06	<0.02	<5			
1829506	Drill Core	0.32	0.11	0.15	<1	0.02	0.010	30.6	1.7	0.11	166.5	<0.001	1	0.32	0.006	0.26	<0.1	0.4	0.06	<0.02	<5			
1829507	Drill Core	0.08	0.08	0.17	<1	0.01	0.009	33.0	1.5	0.08	179.9	<0.001	<1	0.30	0.023	0.25	<0.1	0.4	0.07	<0.02	<5			
1829508	Drill Core	0.05	0.09	0.17	<1	0.01	0.006	33.4	1.3	0.07	195.3	<0.001	1	0.32	0.028	0.25	<0.1	0.5	0.06	<0.02	<5			
1829509	Drill Core	0.08	0.12	0.11	<1	0.01	0.006	32.3	1.5	0.09	191.4	<0.001	<1	0.34	0.021	0.27	<0.1	0.5	0.07	<0.02	<5			
1829510	Drill Core	0.84	0.10	0.05	<1	0.02	0.010	34.9	1.6	0.15	234.4	0.001	<1	0.40	0.016	0.29	0.2	0.5	0.08	<0.02	<5			
1829511	Drill Core	0.69	0.11	0.14	<1	0.03	0.012	26.4	1.8	0.15	163.8	<0.001	1	0.37	0.010	0.24	0.1	0.5	0.07	<0.02	<5			
1829512	Drill Core	0.18	0.08	0.16	<1	0.02	0.010	31.3	1.4	0.10	227.0	0.001	<1	0.35	0.030	0.26	<0.1	0.7	0.06	<0.02	<5			
1829513	Drill Core	0.08	0.10	0.18	<1	<0.01	0.008	28.4	1.4	0.07	202.2	0.001	<1	0.36	0.028	0.27	<0.1	0.5	0.06	<0.02	<5			
1829514	Drill Core	0.92	0.19	0.14	<1	0.04	0.017	24.8	2.3	0.18	187.7	0.001	<1	0.48	0.009	0.25	0.2	0.6	0.09	<0.02	<5			
1829515	Drill Core	1.75	0.50	0.10	1	0.05	0.039	14.6	2.9	0.15	153.7	<0.001	1	0.54	0.003	0.23	0.7	1.3	0.08	<0.02	<5			
1829516	Drill Core	0.25	0.10	0.14	<1	0.02	0.015	19.9	2.1	0.11	180.0	<0.001	<1	0.35	0.013	0.27	<0.1	0.7	0.06	<0.02	<5			
1829517	Drill Core	0.47	0.20	0.14	<1	0.04	0.020	26.1	2.8	0.21	186.1	<0.001	<1	0.51	0.014	0.26	1.0	0.8	0.07	<0.02	<5			
1829518	Drill Core	0.70	0.28	0.15	<1	0.05	0.033	28.2	3.0	0.13	177.6	<0.001	<1	0.36	0.016	0.23	0.8	0.8	0.08	0.03	7			
1829519	Drill Core	0.41	0.17	0.45	<1	0.01	0.003	17.7	1.8	0.34	141.4	<0.001	<1	0.43	0.015	0.18	0.2	0.7	0.06	0.06	<5			
1829520	Rock Pulp	0.18	0.36	0.28	50	1.28	0.028	4.0	98.1	1.75	72.9	0.067	4	1.94	0.201	0.15	1.1	2.7	0.09	0.19	25			
1829521	Drill Core	0.31	0.29	0.26	<1	0.17	0.012	9.0	2.9	0.29	399.6	0.001	1	0.34	0.009	0.18	0.2	0.7	0.04	0.27	<5			
1829522	Drill Core	0.34	0.32	0.06	<1	0.45	0.034	7.0	3.3	0.40	131.5	0.001	<1	0.35	0.017	0.20	<0.1	0.9	0.04	1.07	<5			
1829523	Drill Core	0.49	0.31	0.09	<1	0.11	0.006	11.1	2.0	0.19	156.4	<0.001	<1	0.28	0.022	0.19	<0.1	0.6	0.05	0.24	<5			
1829524	Drill Core	0.49	0.29	<0.02	<1	0.21	0.008	10.9	2.7	0.32	207.8	0.001	1	0.37	0.022	0.21	<0.1	1.0	0.05	0.39	<5			
1829525	Drill Core	3.58	0.28	0.17	13	0.59	0.057	3.4	48.1	1.75	95.1	0.003	<1	1.20	0.018	0.18	<0.1	2.6	0.08	1.73	58			
1829526	Drill Core	0.34	0.55	0.68	11	0.04	0.043	5.2	15.0	0.83	298.5	0.004	<1	0.96	0.009	0.24	0.2	2.4	0.13	0.16	58			
1829527	Drill Core	0.20	0.46	0.44	14	0.05	0.055	3.9	16.6	1.30	286.1	0.003	1	1.18	0.008	0.19	0.5	2.3	0.07	0.38	66			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 2 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000367.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829498	Drill Core	<0.1	<0.02	1.1	0.23	<0.1	0.26	0.05	8.6	0.6	<0.05	12.7	3.79	46.8	<0.02	<1	0.2	4.3	<10	<2			
1829499	Drill Core	<0.1	<0.02	0.8	0.15	<0.1	0.39	0.06	8.1	0.4	<0.05	18.5	4.52	50.2	<0.02	<1	0.2	2.2	<10	<2			
1829500	Rock Pulp	0.1	0.15	5.2	0.67	<0.1	0.08	0.11	7.8	1.8	<0.05	1.7	5.12	15.3	0.05	1	0.1	7.5	<10	<2			
1829501	Drill Core	<0.1	<0.02	1.7	3.14	<0.1	0.35	0.02	9.1	0.4	<0.05	17.3	8.47	50.7	<0.02	<1	0.3	8.8	<10	<2			
1829502	Drill Core	<0.1	<0.02	0.8	1.39	<0.1	0.24	<0.02	8.3	0.3	<0.05	11.0	4.47	67.7	<0.02	<1	0.2	3.8	<10	<2			
1829503	Drill Core	<0.1	<0.02	0.7	0.31	<0.1	0.42	0.05	7.0	0.4	<0.05	20.1	3.19	57.6	<0.02	<1	0.2	1.5	<10	<2			
1829504	Drill Core	<0.1	<0.02	0.8	0.22	<0.1	0.35	0.02	7.6	0.3	<0.05	15.7	3.30	59.8	<0.02	<1	0.1	1.2	<10	<2			
1829505	Drill Core	<0.1	<0.02	0.8	0.22	<0.1	0.32	<0.02	8.3	0.4	<0.05	12.0	3.32	55.3	<0.02	<1	0.1	2.0	<10	<2			
1829506	Drill Core	<0.1	<0.02	0.7	0.37	<0.1	0.27	<0.02	8.1	0.3	<0.05	10.1	3.93	55.8	<0.02	<1	0.2	2.4	<10	<2			
1829507	Drill Core	<0.1	<0.02	0.7	0.24	<0.1	0.39	0.04	7.9	0.3	<0.05	14.8	3.54	66.5	<0.02	<1	0.1	1.6	<10	<2			
1829508	Drill Core	<0.1	<0.02	0.7	0.19	<0.1	0.35	0.02	8.0	0.3	<0.05	14.9	3.80	67.3	<0.02	<1	0.2	1.6	<10	<2			
1829509	Drill Core	<0.1	<0.02	0.8	0.16	<0.1	0.40	0.03	8.8	0.3	<0.05	16.9	4.59	63.3	<0.02	<1	0.2	2.1	<10	<2			
1829510	Drill Core	<0.1	<0.02	0.9	0.20	<0.1	0.32	<0.02	9.4	0.2	<0.05	12.2	4.67	66.2	<0.02	<1	0.3	4.3	<10	<2			
1829511	Drill Core	<0.1	<0.02	0.8	0.29	<0.1	0.44	<0.02	8.1	0.2	<0.05	19.1	4.56	51.5	<0.02	<1	0.1	3.7	<10	<2			
1829512	Drill Core	<0.1	<0.02	0.9	0.21	<0.1	0.27	0.02	9.1	0.2	<0.05	14.6	4.45	59.5	<0.02	<1	0.2	2.4	<10	<2			
1829513	Drill Core	<0.1	<0.02	0.8	0.20	<0.1	0.36	<0.02	9.0	0.3	<0.05	17.3	3.27	54.2	<0.02	<1	0.2	2.2	<10	<2			
1829514	Drill Core	<0.1	<0.02	0.9	1.33	<0.1	0.43	<0.02	9.7	0.3	<0.05	21.7	5.66	48.1	<0.02	<1	0.2	5.7	<10	<2			
1829515	Drill Core	0.2	1.09	0.8	0.86	<0.1	0.17	<0.02	8.0	0.8	<0.05	9.4	5.99	29.2	<0.02	<1	0.3	6.7	<10	<2			
1829516	Drill Core	<0.1	0.02	0.7	0.24	<0.1	0.29	<0.02	8.8	0.2	<0.05	15.2	2.85	37.3	<0.02	<1	0.2	3.7	<10	<2			
1829517	Drill Core	<0.1	<0.02	1.0	0.84	<0.1	0.31	<0.02	9.4	0.2	<0.05	15.0	4.97	51.7	<0.02	<1	0.2	8.1	<10	<2			
1829518	Drill Core	<0.1	0.03	0.8	2.26	<0.1	0.33	<0.02	9.2	0.1	<0.05	13.1	7.12	53.6	<0.02	<1	0.2	5.1	<10	<2			
1829519	Drill Core	<0.1	0.03	1.4	0.33	<0.1	0.53	0.05	7.1	0.3	<0.05	20.0	3.34	34.2	<0.02	<1	0.1	7.4	<10	<2			
1829520	Rock Pulp	0.5	0.16	3.8	0.58	<0.1	0.09	<0.02	5.5	0.3	<0.05	1.3	3.21	8.4	<0.02	1	<0.1	7.7	270	131			
1829521	Drill Core	<0.1	<0.02	1.0	0.16	<0.1	0.37	<0.02	6.2	0.2	<0.05	15.9	3.06	16.8	<0.02	<1	0.2	4.7	<10	<2			
1829522	Drill Core	0.3	0.12	0.9	0.19	<0.1	0.60	<0.02	6.8	<0.1	<0.05	20.7	4.22	13.8	<0.02	<1	0.1	4.9	<10	<2			
1829523	Drill Core	<0.1	<0.02	0.9	0.13	<0.1	0.58	<0.02	6.9	0.2	<0.05	22.7	4.27	21.6	<0.02	<1	0.2	3.4	<10	<2			
1829524	Drill Core	<0.1	<0.02	1.1	0.15	<0.1	0.72	0.02	7.5	0.3	<0.05	26.3	4.68	22.6	<0.02	<1	0.2	4.3	<10	<2			
1829525	Drill Core	0.8	0.04	3.3	0.46	<0.1	0.54	<0.02	6.7	0.1	<0.05	22.3	6.83	6.8	<0.02	<1	<0.1	20.4	<10	2			
1829526	Drill Core	0.7	0.05	2.5	0.97	<0.1	0.38	<0.02	11.3	0.2	<0.05	19.0	2.07	9.7	<0.02	<1	0.2	15.3	<10	<2			
1829527	Drill Core	0.7	0.03	3.0	0.35	<0.1	0.27	<0.02	6.5	0.2	<0.05	14.6	1.49	7.5	<0.02	<1	0.1	13.6	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 3 of 6 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000367.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1829528	Drill Core	3.20	363	0.024	0.02	<0.17	22.89	1.87	89.53	357.11	393.3	1020	12.4	6.0	198	2.93	9.3	2.4	16.8	13.3
1829529	Drill Core	2.42	468	0.023	0.02	<0.17	25.46	1.08	85.66	501.89	581.3	1471	28.2	5.2	313	3.56	13.8	1.8	14.3	6.9
1829530	Drill Core	4.22	377	0.026	0.02	<0.17	29.93	0.75	35.61	202.44	208.3	540	3.5	1.7	110	2.10	9.8	1.7	15.1	12.7
1829531	Drill Core	2.31	376	0.034	0.03	<0.17	40.71	0.91	91.57	657.80	467.9	1837	9.7	3.8	211	3.34	15.0	1.4	27.8	5.3
1829532	Drill Core	2.38	425	0.018	0.02	<0.17	33.46	1.11	94.62	685.22	420.8	1811	8.1	3.4	204	3.37	16.6	1.2	9.9	7.0
1829533	Drill Core	3.65	342	0.031	0.03	<0.17	34.03	1.14	74.17	561.68	330.8	1566	7.1	2.2	186	2.87	14.7	1.1	27.2	18.9
1829534	Drill Core	2.60	457	1.058	2.40	17.68	36.77	1.67	137.11	483.10	309.2	2256	5.6	10.2	935	2.54	12.1	4.0	6351.3	15.0
1829535	Drill Core	1.78	399	0.014	0.01	<0.17	24.81	0.52	44.02	26.16	248.8	194	1.5	1.2	136	1.77	11.2	0.7	5.9	23.0
1829536	Drill Core	2.19	429	0.876	1.58	11.62	27.98	1.78	143.07	478.55	308.5	1857	5.0	10.4	912	2.55	12.0	4.0	1368.3	15.6
1829537	Drill Core	1.99	403	0.017	0.02	<0.17	29.33	2.77	120.04	424.32	350.1	410	6.5	36.0	1521	2.93	10.2	5.2	9.9	17.3
1829538	Drill Core	2.89	392	0.013	0.01	<0.17	42.32	1.13	51.80	229.91	251.5	704	1.5	2.0	182	2.24	11.4	1.3	13.9	13.4
1829539	Drill Core	3.10	419	0.015	0.01	<0.17	35.85	0.90	73.88	289.51	285.2	375	2.8	8.9	414	2.11	11.7	3.2	10.3	14.5
1829540	Rock Pulp	0.12	64	<0.005				4.07	20.74	1.09	33.0	20	7.1	4.3	563	2.36	1.5	0.4	<0.2	32.8
1829541	Drill Core	3.00	391	0.066	0.06	<0.17	32.84	1.35	79.08	174.69	179.0	1213	1.2	2.3	84	1.87	17.2	0.8	49.6	15.7
1829542	Drill Core	3.55	476	0.015	0.01	<0.17	29.99	1.24	71.21	240.88	218.0	717	1.1	1.8	105	1.79	28.7	1.7	27.1	19.4
1829543	Drill Core	2.59	387	0.018	0.02	<0.17	32.74	1.18	116.40	366.77	291.6	1257	1.5	1.1	119	2.08	30.6	2.3	16.7	18.2
1829544	Drill Core	3.56	378	0.013	0.01	<0.17	36.29	0.86	86.29	265.35	406.8	1181	2.1	3.1	265	2.20	13.7	0.9	6.3	13.7
1829545	Drill Core	2.82	380	0.012	0.01	<0.17	35.46	1.06	73.92	372.25	631.8	1250	8.1	6.7	603	2.70	12.5	1.4	5.7	16.4
1829546	Drill Core	2.78	387	0.014	0.01	<0.17	31.00	1.37	96.05	391.30	309.5	935	2.4	2.9	214	2.33	20.5	2.2	10.1	14.1
1829547	Drill Core	3.39	474	0.015	0.01	<0.17	34.71	1.20	90.79	170.51	256.9	864	1.5	3.1	265	2.14	21.7	1.2	8.3	14.9
1829548	Drill Core	2.86	489	0.009	<0.01	<0.17	35.33	0.48	89.38	178.60	213.7	682	2.0	4.1	264	2.23	19.5	1.0	5.6	14.1
1829549	Drill Core	2.84	390	0.010	<0.01	<0.17	29.45	0.72	58.82	217.21	248.0	444	2.0	2.7	319	2.13	13.3	2.4	5.3	19.8
1829550	Drill Core	3.35	426	0.108	0.10	<0.17	31.28	1.82	78.56	119.19	213.8	1098	2.3	3.9	192	2.11	16.7	2.2	60.9	28.5
1829551	Drill Core	1.67	452	0.258	0.24	<0.17	23.40	1.19	70.53	85.01	124.8	2414	1.5	4.8	107	1.99	11.0	0.8	201.7	31.5
1829552	Drill Core	1.34	455	0.541	0.87	4.60	36.98	0.47	147.16	117.77	186.4	3526	2.1	2.8	310	1.99	10.2	2.9	792.0	13.9
1829553	Drill Core	3.19	441	0.672	0.74	1.35	42.33	0.29	130.24	133.07	374.3	1637	2.2	7.3	527	1.97	6.7	0.5	391.7	28.1
1829554	Drill Core	3.43	428	0.288	0.31	0.64	26.61	1.41	36.56	67.85	248.2	1165	2.9	7.6	449	2.35	25.7	0.2	274.7	24.5
1829555	Drill Core	3.25	453	0.214	0.20	<0.17	39.17	0.98	25.17	20.39	323.7	283	3.7	7.0	819	2.06	27.4	1.0	95.1	21.0
1829556	Drill Core	1.53	397	0.162	0.16	<0.17	29.56	0.86	50.03	28.94	246.1	1172	2.9	2.8	114	1.85	17.6	2.1	127.8	12.0
1829557	Drill Core	1.41	454	2.317	3.29	11.31	49.07	2.66	227.35	98.62	935.5	5685	32.0	11.9	872	4.25	19.8	7.7	2746.1	25.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000367.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829528	Drill Core	0.45	0.53	0.37	12	0.05	0.045	3.6	20.8	1.50	183.2	0.002	<1	1.35	0.006	0.16	1.1	2.0	0.05	0.52	120
1829529	Drill Core	0.59	1.27	0.32	17	0.05	0.028	4.7	87.0	2.65	137.8	0.003	<1	2.11	0.005	0.15	0.7	3.3	0.04	0.08	220
1829530	Drill Core	0.36	3.23	0.16	4	0.02	0.020	8.5	6.3	0.67	111.9	0.001	<1	0.71	0.006	0.16	0.5	1.0	0.04	0.04	87
1829531	Drill Core	0.46	5.59	0.70	17	0.03	0.024	4.8	20.1	1.59	86.6	0.003	<1	1.42	0.007	0.14	0.5	2.2	0.05	0.08	873
1829532	Drill Core	0.93	2.59	1.08	18	0.02	0.024	3.0	14.4	1.45	115.8	0.004	<1	1.25	0.012	0.14	0.2	2.5	0.06	0.34	737
1829533	Drill Core	0.34	2.24	0.62	12	0.03	0.036	4.2	14.0	1.19	161.4	0.003	<1	1.03	0.019	0.16	0.8	1.8	0.05	0.15	444
1829534	Drill Core	2.50	9.62	2.25	3	0.05	0.033	7.3	3.6	0.31	103.6	0.002	3	0.67	0.017	0.14	0.8	1.4	0.15	0.05	272
1829535	Drill Core	0.62	0.96	0.06	3	0.20	0.038	4.6	1.1	0.64	218.5	0.004	<1	0.47	0.028	0.20	<0.1	1.2	0.15	0.29	86
1829536	Drill Core	2.61	9.48	2.34	3	0.04	0.036	7.6	3.8	0.30	101.0	0.002	<1	0.66	0.017	0.13	0.9	1.4	0.14	0.05	259
1829537	Drill Core	1.96	2.41	0.08	4	0.07	0.052	8.5	1.9	0.94	126.4	0.003	<1	1.15	0.022	0.15	0.1	1.9	0.17	0.05	63
1829538	Drill Core	0.26	1.62	0.70	4	0.07	0.047	5.2	1.3	1.02	88.2	0.003	<1	0.83	0.016	0.17	<0.1	1.3	0.06	0.51	225
1829539	Drill Core	0.83	2.32	0.26	3	0.07	0.044	5.4	1.7	0.50	87.1	0.002	<1	0.73	0.014	0.17	0.4	1.3	0.08	0.35	120
1829540	Rock Pulp	0.03	0.18	<0.02	22	0.77	0.044	6.1	15.3	0.49	66.2	0.077	2	1.03	0.074	0.08	0.3	3.0	<0.02	0.05	11
1829541	Drill Core	0.45	3.22	0.71	2	0.10	0.041	3.6	1.3	0.35	85.2	0.003	<1	0.37	0.019	0.18	<0.1	0.8	0.07	0.51	626
1829542	Drill Core	0.65	1.65	0.53	2	0.11	0.037	3.6	1.8	0.46	137.0	0.002	<1	0.50	0.011	0.19	0.2	0.8	0.06	0.39	267
1829543	Drill Core	0.78	2.56	0.73	2	0.08	0.034	4.2	3.2	0.55	185.7	0.001	<1	0.58	0.006	0.17	1.5	0.8	0.06	0.11	438
1829544	Drill Core	3.65	2.98	0.86	5	0.13	0.045	3.4	1.5	1.11	88.7	0.002	<1	0.96	0.017	0.17	0.1	1.2	0.05	1.10	336
1829545	Drill Core	6.02	3.06	0.54	8	0.19	0.041	3.4	10.6	1.39	82.3	0.003	<1	1.14	0.019	0.17	0.1	2.0	0.07	1.21	386
1829546	Drill Core	3.07	12.15	0.45	6	0.11	0.038	3.4	2.2	1.07	102.5	0.002	<1	0.97	0.015	0.18	<0.1	1.6	0.10	0.58	407
1829547	Drill Core	1.15	3.37	0.81	4	0.12	0.040	3.1	1.5	1.22	111.9	0.002	<1	1.08	0.015	0.18	0.4	1.2	0.06	0.93	510
1829548	Drill Core	1.16	2.60	0.75	4	0.12	0.044	2.9	1.3	1.13	109.3	0.002	<1	0.98	0.023	0.19	<0.1	1.1	0.05	1.41	264
1829549	Drill Core	2.21	1.37	0.49	4	0.14	0.042	3.9	1.5	1.06	121.8	0.003	<1	0.89	0.021	0.18	<0.1	1.3	0.08	0.49	76
1829550	Drill Core	2.17	3.24	0.45	3	0.10	0.043	3.8	1.3	0.52	153.0	0.003	1	0.57	0.018	0.21	0.2	1.0	0.11	0.78	270
1829551	Drill Core	1.73	9.53	0.65	3	0.14	0.041	3.9	1.5	0.32	112.1	0.003	<1	0.45	0.026	0.23	<0.1	1.1	0.10	1.51	130
1829552	Drill Core	1.27	33.66	0.35	4	0.06	0.028	7.0	1.9	0.32	125.5	0.002	<1	0.53	0.032	0.19	0.2	1.2	0.08	0.14	99
1829553	Drill Core	5.69	3.96	0.55	4	0.35	0.038	4.0	1.2	0.53	99.4	0.003	1	0.54	0.025	0.26	0.1	1.1	0.10	1.57	117
1829554	Drill Core	1.73	1.52	0.37	4	0.33	0.030	2.8	1.3	0.63	86.4	0.002	<1	0.54	0.022	0.22	<0.1	1.1	0.09	2.07	43
1829555	Drill Core	5.95	0.99	0.19	3	0.26	0.034	3.2	1.1	0.63	102.4	0.002	<1	0.57	0.023	0.19	<0.1	1.0	0.06	1.59	23
1829556	Drill Core	6.53	1.33	0.17	5	0.06	0.018	4.5	3.5	0.26	373.5	0.002	<1	0.43	0.022	0.19	0.2	1.4	0.11	0.45	70
1829557	Drill Core	2.82	2.24	0.13	16	0.16	0.011	2.3	32.2	1.47	146.7	0.003	<1	1.61	0.008	0.19	1.2	4.0	0.08	0.09	36



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 3 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000367.1

	Method	Analyte	Unit																		
			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251		
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2		
1829528	Drill Core	0.7	0.04	3.3	0.43	<0.1	0.35	<0.02	5.4	0.4	<0.05	18.8	1.98	6.9	<0.02	<1	0.2	14.5	<10	<2	
1829529	Drill Core	0.8	0.12	5.3	0.76	<0.1	0.30	<0.02	5.2	0.1	<0.05	13.9	2.05	9.3	0.04	<1	0.1	22.0	<10	3	
1829530	Drill Core	0.4	0.06	1.8	0.52	<0.1	0.35	<0.02	5.3	<0.1	<0.05	16.4	1.40	17.1	<0.02	<1	0.1	6.1	<10	<2	
1829531	Drill Core	1.1	0.07	3.3	0.99	<0.1	0.24	<0.02	5.3	0.3	<0.05	8.5	1.30	9.2	0.07	<1	0.2	14.5	<10	<2	
1829532	Drill Core	1.1	0.04	3.2	0.49	<0.1	0.12	<0.02	4.8	0.3	<0.05	5.0	0.76	5.9	0.07	<1	<0.1	9.9	<10	<2	
1829533	Drill Core	1.1	0.07	2.8	0.73	<0.1	0.11	<0.02	6.1	0.4	<0.05	4.2	1.05	8.9	0.04	<1	0.1	11.4	<10	<2	
1829534	Drill Core	1.4	0.26	1.1	0.68	<0.1	0.05	<0.02	5.6	0.5	<0.05	1.6	2.49	17.2	0.07	<1	0.2	6.1	<10	<2	
1829535	Drill Core	0.3	0.02	1.3	1.53	<0.1	0.05	<0.02	11.4	0.4	<0.05	2.0	1.51	10.2	<0.02	<1	<0.1	9.9	<10	<2	
1829536	Drill Core	1.5	0.31	1.1	0.67	<0.1	0.05	<0.02	5.6	0.5	<0.05	1.6	2.38	16.5	0.08	1	<0.1	5.8	<10	<2	
1829537	Drill Core	0.5	0.03	2.7	0.60	<0.1	0.05	<0.02	5.2	0.5	<0.05	1.7	2.62	19.4	<0.02	<1	0.2	15.7	<10	<2	
1829538	Drill Core	1.1	0.04	2.4	0.56	<0.1	0.04	<0.02	6.8	0.4	<0.05	1.7	1.45	11.6	0.06	<1	<0.1	9.4	<10	<2	
1829539	Drill Core	0.6	0.02	1.5	0.84	<0.1	0.04	<0.02	6.3	0.4	<0.05	1.5	1.83	12.0	0.04	<1	0.2	7.7	<10	<2	
1829540	Rock Pulp	<0.1	<0.02	3.9	0.15	<0.1	0.12	0.35	2.2	2.0	<0.05	3.2	7.86	11.8	<0.02	1	0.2	1.2	<10	<2	
1829541	Drill Core	1.1	0.06	1.1	0.67	<0.1	0.03	<0.02	7.0	0.6	<0.05	1.3	1.35	8.2	0.23	<1	<0.1	3.9	<10	<2	
1829542	Drill Core	1.0	0.04	1.2	0.74	<0.1	0.05	<0.02	6.9	0.5	<0.05	1.4	1.30	8.6	0.09	<1	0.1	6.7	<10	<2	
1829543	Drill Core	0.9	0.04	1.3	1.37	<0.1	0.04	<0.02	6.4	0.7	<0.05	1.8	1.24	9.7	0.13	<1	<0.1	9.1	<10	<2	
1829544	Drill Core	1.3	0.04	2.4	0.26	<0.1	0.10	<0.02	5.7	0.6	<0.05	2.2	1.85	7.9	0.08	<1	<0.1	11.0	<10	<2	
1829545	Drill Core	1.1	0.03	2.8	0.49	<0.1	0.10	<0.02	5.7	0.4	<0.05	3.9	3.79	7.4	0.05	<1	0.2	13.8	<10	<2	
1829546	Drill Core	0.8	<0.02	2.5	0.50	<0.1	0.05	<0.02	6.3	0.6	<0.05	1.5	2.11	8.0	0.08	<1	0.1	17.7	<10	<2	
1829547	Drill Core	0.8	<0.02	2.4	0.69	<0.1	0.05	<0.02	6.4	0.6	<0.05	4.5	1.68	7.0	0.12	<1	<0.1	15.3	<10	<2	
1829548	Drill Core	0.9	<0.02	2.1	0.39	<0.1	0.04	<0.02	6.2	0.7	<0.05	2.1	2.22	6.9	0.07	<1	<0.1	11.1	<10	<2	
1829549	Drill Core	0.6	<0.02	2.3	0.90	<0.1	0.04	<0.02	7.1	0.6	<0.05	1.3	2.34	9.0	<0.02	<1	0.2	13.6	<10	<2	
1829550	Drill Core	0.7	<0.02	1.1	0.82	<0.1	0.02	<0.02	9.2	0.7	<0.05	1.1	1.95	9.0	0.12	<1	0.2	8.9	<10	<2	
1829551	Drill Core	0.6	0.07	1.0	0.50	<0.1	0.03	<0.02	9.4	0.3	<0.05	1.3	1.89	9.3	0.02	2	<0.1	5.4	<10	<2	
1829552	Drill Core	0.4	0.18	1.1	0.32	<0.1	0.03	<0.02	6.5	0.3	<0.05	1.0	2.08	15.8	<0.02	<1	0.3	6.8	<10	<2	
1829553	Drill Core	0.6	0.09	1.2	0.50	<0.1	0.07	<0.02	9.8	0.2	<0.05	1.1	3.38	9.2	<0.02	<1	0.1	5.7	<10	<2	
1829554	Drill Core	0.6	0.24	1.2	0.57	<0.1	0.03	<0.02	9.4	0.4	<0.05	1.2	2.60	6.9	0.02	<1	<0.1	6.2	<10	<2	
1829555	Drill Core	0.4	<0.02	1.0	0.32	<0.1	0.09	<0.02	7.0	0.4	<0.05	2.0	7.06	8.4	<0.02	<1	0.1	6.2	<10	<2	
1829556	Drill Core	0.5	0.56	1.1	0.40	<0.1	0.03	<0.02	7.3	0.6	<0.05	1.5	2.06	9.9	<0.02	<1	0.1	4.7	<10	<2	
1829557	Drill Core	1.2	2.30	2.4	1.07	<0.1	<0.02	<0.02	6.9	0.5	<0.05	0.5	7.09	6.0	0.03	<1	<0.1	16.4	13	<2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 12, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000367.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.2	0.1	0.5
1829558	Drill Core	1.90	393	2.698	2.82	3.75	45.57	0.85	162.68	25.56	1176.5	2938	90.4	26.3	665	5.32	20.1	3.3	2125.3	0.2	28.5	
1829559	Drill Core	3.15	374	4.993	5.87	12.32	44.80	0.57	118.72	54.59	1363.8	2938	52.7	21.0	1354	4.05	13.2	1.7	12127.8	0.3	61.3	
1829560	Core DUP		413	6.982	7.41	11.01	43.49	0.57	118.00	54.50	1347.9	2680	50.3	21.2	1344	3.94	12.8	1.7	6392.8	0.3	58.2	
1829561	Drill Core	3.19	449	0.061	0.10	0.56	37.39	0.13	142.40	48.18	356.3	783	92.1	36.0	1622	4.53	10.5	0.3	34.7	0.1	116.8	
1829562	Drill Core	3.06	394	0.134	0.12	<0.17	34.24	0.48	82.45	290.89	554.0	1523	57.2	22.0	1011	3.87	16.7	0.2	81.6	1.0	54.9	
1829563	Drill Core	1.81	448	1.200	1.38	2.92	47.23	0.23	59.95	489.02	1062.2	3632	67.5	21.0	3436	4.20	12.6	0.2	821.7	0.2	500.7	
1829564	Drill Core	1.71	469	0.320	0.30	<0.17	36.07	1.11	83.34	2548.58	732.3	8082	12.0	15.3	518	3.95	10.7	0.3	348.7	1.1	29.7	
1829565	Drill Core	1.76	536	0.086	0.08	<0.17	46.04	3.87	523.58	5481.69	584.7	14591	3.1	9.0	449	3.21	7.9	0.4	103.6	1.7	11.0	
1829566	Drill Core	1.71	408	0.021	0.02	<0.17	41.13	3.77	94.26	446.57	623.2	1635	6.9	7.5	348	3.10	14.8	1.2	23.9	1.8	19.5	
1829567	Drill Core	2.88	423	0.067	0.06	<0.17	38.16	2.13	49.76	204.65	447.0	846	5.4	5.8	218	2.39	12.8	0.6	91.3	2.4	15.7	
1829568	Drill Core	3.36	436	0.588	0.58	0.42	30.81	1.56	42.71	309.28	479.0	1164	13.5	10.6	363	3.19	11.0	0.5	680.6	3.1	10.8	
1829569	Drill Core	3.37	372	1.056	1.06	1.10	35.58	0.46	57.45	222.02	966.4	6726	27.6	31.2	683	5.39	9.7	0.6	1072.2	<0.1	67.7	
1829570	Drill Core	1.76	394	1.038	1.02	0.77	32.37	0.22	316.12	2217.09	5861.4	7192	28.1	35.7	939	7.52	47.5	<0.1	1212.9	<0.1	29.9	
1829571	Drill Core	1.70	460	0.899	0.94	1.50	33.31	0.38	206.57	970.10	2238.8	8903	28.8	37.7	1144	6.34	30.7	0.2	1025.2	0.6	104.0	
1829572	Drill Core	2.33	404	0.423	0.41	0.28	35.97	0.55	142.15	94.49	657.1	984	20.8	26.1	1023	4.33	8.9	0.5	292.2	1.1	22.8	
1829573	Drill Core	1.51	488	1.500	1.51	1.59	34.00	0.32	151.09	43.48	931.3	3491	33.2	37.5	1505	5.51	9.4	0.8	1217.6	<0.1	137.4	
1829574	Drill Core	3.08	492	0.191	0.20	0.35	34.02	1.01	108.55	162.45	581.4	896	14.3	11.0	512	2.60	14.0	0.4	303.1	1.9	14.1	
1829575	Drill Core	1.92	378	1.169	1.17	1.21	33.76	0.33	147.63	28.19	284.1	4251	81.3	31.0	1714	3.86	13.7	0.5	984.3	0.1	213.7	
1829576	Drill Core	3.07	474	0.279	0.30	0.53	36.00	0.13	113.13	11.85	204.9	1255	71.3	31.7	1813	4.28	8.5	0.4	503.1	1.1	234.6	
1829577	Drill Core	3.05	494	0.038	0.04	<0.17	33.37	0.21	100.39	159.76	270.4	813	83.9	34.8	1567	4.82	21.1	<0.1	28.6	0.3	130.0	
1829578	Drill Core	3.46	453	0.950	1.09	2.66	36.90	0.10	128.90	25.70	132.9	1417	77.2	34.4	1560	4.59	9.9	<0.1	471.3	1.3	191.5	
1829579	Drill Core	2.29	473	0.012	0.01	<0.17	34.57	0.13	75.27	21.57	163.7	369	83.3	30.7	1441	4.38	10.3	0.2	5.6	<0.1	162.1	
1829580	Rock	0.23	154	0.009	<0.01	<0.17	24.85	0.49	1.62	1.60	3.1	10	1.6	0.5	88	0.71	1.1	0.2	2.5	0.5	2.0	
1829581	Drill Core	1.35	401	0.010	<0.01	<0.17	35.07	0.16	193.74	24.40	133.3	718	39.1	19.0	913	3.26	10.1	1.5	5.4	7.0	105.4	
1829582	Drill Core	3.10	456	0.259	0.29	0.73	32.67	20.73	246.49	479.31	921.2	2073	113.8	33.6	2007	3.48	16.4	0.8	248.6	1.2	348.7	
1829583	Drill Core	2.33	483	0.024	0.02	<0.17	40.09	1.27	32.43	37.06	158.9	297	18.8	8.1	551	1.54	12.1	1.5	28.6	8.9	160.3	
1829584	Drill Core	2.22	455	0.229	0.24	0.31	48.20	0.19	124.18	7.70	123.4	593	33.3	30.0	1398	3.61	15.3	0.6	238.9	0.1	190.7	
1829585	Drill Core	1.82	476	0.021	0.02	<0.17	53.75	0.15	195.73	242.92	552.3	1028	102.0	33.5	1946	4.41	9.3	<0.1	10.0	<0.1	188.0	
1829586	Drill Core	2.98	492	0.050	0.05	<0.17	37.14	0.26	98.97	164.43	267.0	598	34.2	21.0	1151	3.50	11.9	<0.1	11.0	1.3	70.8	
1829587	Drill Core	3.50	375	0.468	0.46	0.42	42.44	0.24	146.29	170.88	629.5	1980	62.7	32.0	1400	4.88	27.0	0.3	290.3	0.3	74.5	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 4 of 6 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000367.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829558	Drill Core	1.64	0.90	0.09	46	0.24	0.015	1.6	146.7	3.84	112.6	0.006	<1	3.08	0.007	0.24	2.3	6.8	0.11	0.55	15			
1829559	Drill Core	7.55	1.38	0.28	24	0.93	0.011	1.3	58.5	2.56	103.2	0.003	<1	1.72	0.013	0.23	0.5	5.8	0.10	1.01	40			
1829560	Core DUP	7.82	1.39	0.28	24	0.93	0.010	1.2	58.2	2.47	101.9	0.003	1	1.64	0.012	0.22	0.4	5.9	0.10	1.02	39			
1829561	Drill Core	2.53	0.33	0.45	48	3.34	0.016	<0.5	188.1	4.69	71.7	0.004	<1	2.68	0.010	0.19	<0.1	7.5	0.06	1.35	12			
1829562	Drill Core	5.30	2.53	1.20	31	1.14	0.023	1.2	127.9	3.85	102.8	0.003	<1	2.47	0.007	0.23	0.1	4.9	0.06	1.94	161			
1829563	Drill Core	16.25	10.72	0.95	26	5.25	0.001	0.7	151.4	6.14	63.0	0.025	<1	2.13	0.019	0.96	<0.1	9.2	0.52	2.48	466			
1829564	Drill Core	11.50	17.33	3.11	17	0.32	0.024	1.4	5.3	3.26	45.0	0.011	1	2.03	0.015	0.48	<0.1	3.0	0.24	2.96	946			
1829565	Drill Core	5.14	45.14	6.18	7	0.16	0.048	2.2	2.1	2.29	51.8	0.002	<1	1.60	0.005	0.16	<0.1	1.5	0.06	2.31	2742			
1829566	Drill Core	4.07	11.58	0.91	12	0.20	0.037	1.9	3.7	1.60	75.8	0.002	1	1.17	0.016	0.16	0.2	2.9	0.07	1.52	161			
1829567	Drill Core	4.52	4.27	0.35	4	0.18	0.041	3.4	2.8	0.80	76.3	0.001	2	0.54	0.022	0.15	0.2	1.2	0.05	1.76	224			
1829568	Drill Core	3.36	8.85	0.34	10	0.14	0.030	2.5	8.4	1.61	67.0	0.001	1	1.15	0.009	0.16	0.1	2.0	0.06	2.33	107			
1829569	Drill Core	4.65	11.36	0.33	24	0.56	0.001	<0.5	9.3	3.52	18.6	0.007	2	1.82	0.021	0.57	0.2	5.2	0.28	4.22	279			
1829570	Drill Core	66.06	67.13	0.53	55	0.47	0.008	<0.5	19.0	5.07	29.3	0.011	1	3.20	0.010	0.40	<0.1	7.8	0.21	5.80	5266			
1829571	Drill Core	27.86	33.65	0.50	41	1.09	0.006	<0.5	17.7	4.52	41.3	0.021	<1	2.49	0.029	0.76	0.2	8.4	0.39	5.00	1165			
1829572	Drill Core	4.62	2.99	0.24	51	0.32	0.021	1.0	14.9	4.18	60.1	0.004	1	2.99	0.007	0.16	0.2	6.1	0.06	1.91	88			
1829573	Drill Core	4.90	6.82	0.08	43	1.57	0.010	<0.5	19.2	5.07	57.9	0.011	1	2.91	0.021	0.38	0.2	7.4	0.19	3.33	193			
1829574	Drill Core	6.19	3.62	0.42	14	0.15	0.030	3.1	45.5	1.90	89.5	0.002	<1	1.37	0.018	0.17	0.1	2.1	0.05	1.29	156			
1829575	Drill Core	3.57	1.07	0.18	27	3.35	0.006	0.6	131.8	2.75	77.4	0.003	<1	1.56	0.009	0.16	0.2	5.2	0.05	2.42	24			
1829576	Drill Core	1.78	0.27	0.13	39	4.30	0.012	<0.5	119.7	3.36	89.8	0.005	<1	2.36	0.008	0.19	<0.1	6.0	0.05	1.80	14			
1829577	Drill Core	1.26	0.38	0.78	58	3.20	0.017	<0.5	186.5	3.98	63.2	0.004	<1	2.85	0.006	0.14	<0.1	7.5	0.04	1.98	16			
1829578	Drill Core	1.07	0.18	0.18	51	4.49	0.015	<0.5	138.2	3.18	74.0	0.007	<1	2.50	0.008	0.22	<0.1	7.5	0.06	1.63	11			
1829579	Drill Core	1.02	0.18	0.19	52	4.00	0.013	<0.5	158.0	3.63	91.0	0.006	<1	2.88	0.005	0.21	<0.1	8.7	0.07	0.86	<5			
1829580	Rock	0.01	0.04	<0.02	1	0.02	0.002	2.0	4.8	0.02	9.7	0.002	1	0.07	0.005	0.02	<0.1	0.2	<0.02	<0.02	<5			
1829581	Drill Core	0.63	0.86	0.37	30	2.67	0.010	2.9	56.7	2.13	99.7	0.004	<1	1.58	0.010	0.23	<0.1	5.1	0.06	1.34	7			
1829582	Drill Core	24.77	4.27	0.99	35	6.42	0.008	0.7	218.5	3.13	121.2	0.006	<1	1.86	0.006	0.23	<0.1	10.3	0.09	1.50	281			
1829583	Drill Core	1.16	2.93	0.27	8	1.77	0.005	5.1	21.6	0.87	169.6	0.001	<1	0.60	0.025	0.15	<0.1	2.6	0.04	0.89	10			
1829584	Drill Core	1.98	0.45	0.07	22	3.60	0.016	0.5	23.3	2.10	122.8	0.010	<1	1.33	0.005	0.46	0.1	4.4	0.20	1.48	16			
1829585	Drill Core	4.15	0.18	0.95	41	4.40	0.013	<0.5	241.3	3.53	88.1	0.007	<1	2.65	0.005	0.26	<0.1	7.9	0.08	0.86	20			
1829586	Drill Core	1.63	0.51	0.36	27	1.51	0.021	0.7	60.4	2.49	84.3	0.005	<1	1.87	0.008	0.20	<0.1	3.7	0.07	1.64	<5			
1829587	Drill Core	2.96	1.17	0.34	56	1.08	0.008	<0.5	168.3	4.40	72.7	0.004	<1	3.22	0.005	0.15	<0.1	7.2	0.04	2.44	14			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 12, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000367.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829558	Drill Core	0.9	0.27	5.3	1.19	<0.1	<0.02	<0.02	9.0	0.8	<0.05	0.3	12.75	4.4	0.02	<1	<0.1	48.3	11	4			
1829559	Drill Core	1.7	0.57	3.1	1.26	<0.1	<0.02	<0.02	8.8	0.5	<0.05	0.4	13.49	3.2	0.02	2	0.2	19.3	<10	7			
1829560	Core DUP	1.5	0.55	2.7	1.31	<0.1	<0.02	<0.02	8.7	0.5	<0.05	0.4	14.14	3.2	0.02	1	<0.1	19.7	<10	4			
1829561	Drill Core	0.7	0.04	4.9	0.59	<0.1	<0.02	<0.02	7.1	0.2	<0.05	0.5	4.00	0.9	<0.02	<1	0.1	28.8	<10	3			
1829562	Drill Core	1.9	0.18	5.4	0.39	<0.1	0.09	<0.02	7.7	0.6	<0.05	2.0	2.35	2.9	0.04	<1	0.2	26.2	<10	4			
1829563	Drill Core	3.1	1.10	6.2	4.94	0.1	0.03	<0.02	53.8	0.6	<0.05	1.2	11.34	2.4	0.06	<1	0.6	59.6	<10	4			
1829564	Drill Core	8.7	1.17	5.3	2.55	<0.1	0.07	<0.02	26.3	1.0	<0.05	2.6	1.51	3.2	0.11	<1	0.2	41.2	<10	<2			
1829565	Drill Core	31.6	0.45	3.5	0.30	<0.1	0.22	<0.02	5.7	0.8	<0.05	3.9	1.38	4.8	0.32	2	<0.1	16.8	<10	<2			
1829566	Drill Core	2.7	0.07	2.5	0.31	<0.1	0.04	<0.02	5.5	1.5	<0.05	3.6	1.88	4.6	<0.02	<1	0.1	14.3	<10	<2			
1829567	Drill Core	1.6	0.06	1.2	0.53	<0.1	0.03	<0.02	5.7	0.8	<0.05	2.9	1.90	7.9	0.04	1	0.1	5.7	<10	<2			
1829568	Drill Core	1.5	0.14	2.8	0.38	<0.1	0.11	<0.02	5.9	0.6	<0.05	6.2	1.45	5.3	<0.02	<1	0.1	10.9	<10	<2			
1829569	Drill Core	2.3	2.92	4.3	3.90	<0.1	0.05	<0.02	30.7	1.2	<0.05	0.9	1.58	1.0	0.03	<1	0.3	28.2	<10	5			
1829570	Drill Core	9.9	1.37	8.2	2.24	0.1	0.02	<0.02	20.7	1.0	<0.05	0.2	0.85	0.5	0.40	<1	0.2	36.8	<10	7			
1829571	Drill Core	5.4	2.29	6.2	4.75	0.1	0.03	<0.02	43.7	1.0	<0.05	0.5	2.78	0.9	0.18	<1	0.2	40.6	<10	12			
1829572	Drill Core	1.3	0.18	6.4	0.79	<0.1	0.11	<0.02	6.1	0.7	<0.05	2.2	2.15	2.4	0.02	<1	0.2	25.4	<10	6			
1829573	Drill Core	1.4	1.14	7.3	3.18	<0.1	0.02	<0.02	20.1	0.8	<0.05	0.4	4.32	1.4	0.03	<1	0.2	36.9	<10	6			
1829574	Drill Core	1.6	0.09	3.6	0.56	<0.1	0.04	<0.02	5.8	0.5	<0.05	4.3	1.68	6.7	0.03	<1	<0.1	10.6	<10	<2			
1829575	Drill Core	0.9	1.94	3.5	0.52	<0.1	0.02	<0.02	5.3	0.3	<0.05	0.3	5.32	1.4	0.02	<1	0.2	13.1	<10	6			
1829576	Drill Core	0.6	0.39	4.1	0.47	<0.1	<0.02	<0.02	6.2	0.2	<0.05	<0.1	4.98	1.3	<0.02	<1	0.1	15.4	<10	8			
1829577	Drill Core	1.2	0.09	5.4	0.31	<0.1	<0.02	<0.02	4.1	0.2	<0.05	0.3	2.93	0.8	<0.02	<1	0.2	22.3	<10	7			
1829578	Drill Core	0.5	0.47	4.7	0.75	<0.1	<0.02	<0.02	8.2	0.1	<0.05	<0.1	4.13	1.4	<0.02	<1	<0.1	16.6	<10	5			
1829579	Drill Core	0.2	0.02	5.4	0.91	<0.1	<0.02	<0.02	8.5	0.2	<0.05	0.2	3.85	1.2	<0.02	<1	0.1	18.6	<10	8			
1829580	Rock	<0.1	<0.02	0.4	0.12	<0.1	0.07	0.03	1.1	<0.1	<0.05	2.5	0.93	4.0	<0.02	<1	<0.1	1.2	<10	<2			
1829581	Drill Core	1.1	0.07	3.3	0.74	<0.1	0.07	<0.02	7.9	0.3	<0.05	1.8	3.32	5.9	0.05	<1	0.1	10.6	<10	<2			
1829582	Drill Core	1.8	0.24	3.8	1.08	<0.1	0.02	<0.02	9.5	0.2	<0.05	0.3	5.34	1.8	0.04	16	0.1	14.5	<10	7			
1829583	Drill Core	0.7	0.05	1.7	0.60	<0.1	0.22	<0.02	4.7	0.4	<0.05	8.0	3.43	10.2	<0.02	<1	<0.1	4.7	<10	<2			
1829584	Drill Core	0.5	0.07	2.1	2.59	<0.1	0.02	<0.02	21.7	0.2	<0.05	0.7	3.56	1.3	<0.02	<1	0.1	9.5	<10	4			
1829585	Drill Core	0.7	0.04	4.3	1.33	<0.1	<0.02	<0.02	10.2	0.3	<0.05	0.2	3.82	0.9	<0.02	<1	<0.1	16.9	<10	7			
1829586	Drill Core	0.5	0.05	3.5	0.49	<0.1	<0.02	<0.02	6.7	0.3	<0.05	1.4	1.85	1.6	<0.02	<1	<0.1	12.1	<10	4			
1829587	Drill Core	1.3	0.68	6.4	0.30	<0.1	<0.02	<0.02	4.6	0.4	<0.05	0.4	1.57	0.7	0.12	<1	0.1	21.1	<10	4			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 12, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000367.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1829588	Drill Core	2.73	389	0.017	0.02	<0.17	29.06	0.20	257.18	285.08	680.2	1205	81.7	32.7	1882	4.65	15.9	1.0	11.8	0.5	76.9
1829589	Drill Core	2.13	452	0.051	0.05	<0.17	33.82	2.54	15.52	265.36	224.8	819	4.3	4.1	674	2.39	5.0	0.3	25.6	3.8	36.8
1829590	Drill Core	2.01	428	0.062	0.06	<0.17	36.71	2.58	8.58	77.80	119.9	305	1.8	3.1	1072	1.87	9.7	1.1	36.7	7.8	69.4
1829591	Drill Core	1.68	507	0.093	0.09	<0.17	35.00	1.17	15.78	68.41	61.6	560	1.6	4.7	720	1.90	26.1	0.2	59.3	1.3	102.2
1829592	Drill Core	1.88	375	0.261	0.29	0.47	46.65	0.52	109.35	58.81	208.1	2878	17.4	11.5	769	2.83	24.9	0.2	324.3	1.2	102.2
1829593	Drill Core	1.77	380	0.442	0.45	0.57	36.59	0.56	93.73	114.00	305.4	3165	16.3	13.5	762	2.93	22.4	0.1	391.9	0.4	95.2
1829594	Drill Core	2.15	447	0.443	0.44	0.37	24.27	0.87	177.53	179.69	385.3	1667	32.0	22.2	822	3.65	21.9	<0.1	219.7	0.7	31.6
1829595	Drill Core	1.68	425	0.535	0.53	0.44	40.88	1.38	86.24	60.94	216.7	2832	7.9	8.3	751	2.93	20.9	<0.1	513.0	0.4	99.7
1829596	Drill Core	1.63	426	0.095	0.09	<0.17	40.53	1.81	14.14	270.64	145.2	1226	2.1	3.9	573	2.03	10.5	0.4	72.1	2.3	81.3
1829597	Drill Core	1.52	461	0.290	0.29	0.22	27.81	2.51	11.95	62.74	325.2	1507	2.0	2.8	312	2.24	8.0	0.4	246.2	3.2	41.5
1829598	Drill Core	2.99	462	0.125	0.13	<0.17	30.10	1.10	53.15	106.44	320.1	850	2.2	5.0	508	2.24	15.4	<0.1	102.0	1.1	41.9
1829599	Drill Core	1.70	379	0.030	0.03	<0.17	29.28	0.60	245.01	397.30	602.8	2208	2.2	4.4	410	2.28	18.8	<0.1	27.4	2.2	31.9
1829600	Rock Pulp	0.12	65	7.352				9.73	194.31	19.07	76.9	831	13.8	11.4	591	4.74	14.4	0.9	6965.9	3.4	71.8
1829601	Drill Core	1.62	416	0.178	0.18	<0.17	37.37	1.13	28.56	147.29	265.4	1680	1.6	3.9	354	1.92	10.0	0.2	174.9	2.3	50.0
1829602	Drill Core	3.20	498	0.089	0.09	<0.17	33.82	1.73	124.27	249.05	1243.3	1888	2.3	4.3	494	2.42	21.6	0.2	79.7	2.6	25.6
1829603	Drill Core	3.39	524	0.106	0.11	<0.17	31.40	1.55	91.76	169.25	325.0	1429	1.6	4.8	672	2.46	11.3	<0.1	179.6	2.6	58.6
1829604	Drill Core	1.64	361	0.252	0.24	0.18	38.93	1.42	36.48	74.66	404.1	1629	2.0	3.9	748	2.34	9.2	<0.1	226.4	2.0	90.1
1829605	Drill Core	3.20	380	0.054	0.05	<0.17	42.75	1.60	57.65	202.56	708.8	1496	2.0	4.5	602	2.57	13.0	0.1	50.7	3.2	33.9
1829606	Drill Core	1.67	392	0.077	0.07	<0.17	39.94	1.68	32.06	247.61	524.9	1267	1.6	4.3	606	2.34	11.9	<0.1	59.8	1.7	71.7
1829607	Drill Core	1.67	395	0.038	0.03	<0.17	38.94	2.76	38.56	120.61	535.4	625	2.8	6.0	525	2.81	8.4	<0.1	32.0	2.3	28.3
1829608	Drill Core	1.79	526	0.068	0.06	<0.17	29.84	1.66	134.36	372.64	1366.6	2931	1.6	3.8	666	2.32	13.5	1.0	36.8	6.7	56.7
1829609	Drill Core	1.76	354	0.035	0.03	<0.17	32.12	0.82	16.56	38.25	274.0	273	1.8	4.8	394	2.30	12.5	<0.1	26.1	2.5	34.1
1829610	Drill Core	1.70	509	0.037	0.03	<0.17	43.02	2.68	16.57	103.46	268.9	632	1.6	3.6	632	2.26	10.1	0.2	22.3	2.9	95.0
1829611	Drill Core	1.61	423	0.523	0.52	0.49	34.89	2.14	17.58	44.03	369.9	721	1.7	4.3	536	2.43	12.1	0.1	623.0	1.9	72.1
1829612	Drill Core	1.59	528	0.115	0.11	<0.17	36.56	1.66	55.14	171.06	583.8	892	1.6	3.2	507	1.86	11.9	1.5	104.0	8.2	43.9
1829613	Drill Core	2.33	473	0.079	0.09	0.25	35.49	0.55	86.76	112.71	698.2	544	1.4	3.9	728	2.31	23.7	<0.1	42.3	2.2	58.7
1829614	Drill Core	1.60	403	0.030	0.03	<0.17	35.66	1.15	843.40	759.29	2742.8	3326	2.0	5.5	307	2.55	41.5	<0.1	28.4	1.9	28.4
1829615	Drill Core	3.19	418	0.023	0.02	<0.17	42.45	0.66	410.17	849.58	2522.7	2332	2.1	4.9	461	2.44	26.4	<0.1	18.9	2.7	36.4
1829616	Drill Core	3.47	499	0.090	0.08	<0.17	34.94	1.07	800.18	1498.50	2505.9	6673	2.4	5.8	604	2.83	29.9	0.1	65.5	3.0	58.9
1829617	Drill Core	1.67	508	0.061	0.06	<0.17	40.00	1.52	233.15	422.76	599.1	1765	1.5	2.8	611	1.61	13.7	0.1	40.0	1.3	72.0



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 12, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000367.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829588	Drill Core	2.89	0.75	0.36	72	1.39	0.012	<0.5	301.9	5.27	55.5	0.005	<1	3.80	0.003	0.13	<0.1	10.1	0.04	1.45	14			
1829589	Drill Core	0.95	1.55	0.32	8	0.44	0.024	2.8	9.5	2.27	86.5	0.002	<1	1.56	0.004	0.17	<0.1	1.4	0.05	1.49	7			
1829590	Drill Core	1.13	1.56	0.20	3	1.08	0.018	2.4	3.5	1.41	93.0	0.002	<1	0.88	0.006	0.17	<0.1	1.2	0.05	1.34	19			
1829591	Drill Core	0.67	3.93	0.35	3	1.11	0.030	1.7	2.1	0.70	82.1	0.002	<1	0.35	0.019	0.17	<0.1	1.1	0.05	1.65	<5			
1829592	Drill Core	1.19	10.20	0.23	9	1.02	0.005	1.0	19.6	1.39	64.8	0.003	<1	0.80	0.018	0.26	<0.1	2.3	0.09	2.39	61			
1829593	Drill Core	0.74	5.80	0.36	11	0.83	0.013	1.1	13.9	1.92	70.9	0.004	<1	1.16	0.016	0.26	<0.1	2.2	0.11	2.21	59			
1829594	Drill Core	0.59	3.24	0.60	16	0.28	0.017	0.6	37.2	2.63	63.5	0.006	<1	1.70	0.006	0.22	<0.1	2.6	0.08	2.59	39			
1829595	Drill Core	0.60	7.32	0.38	6	0.91	0.013	1.2	9.2	1.62	60.9	0.004	<1	0.89	0.012	0.26	<0.1	1.7	0.12	2.40	46			
1829596	Drill Core	0.89	2.33	0.56	2	1.04	0.008	2.1	2.8	0.56	79.7	0.002	<1	0.32	0.006	0.20	0.1	0.8	0.08	1.82	45			
1829597	Drill Core	2.19	2.55	0.16	2	0.35	0.007	3.5	2.7	1.07	77.3	0.002	<1	0.51	0.004	0.21	<0.1	0.8	0.10	1.87	104			
1829598	Drill Core	1.56	3.55	0.45	2	0.41	0.029	2.3	2.2	0.80	61.8	0.003	<1	0.48	0.012	0.19	<0.1	0.8	0.07	1.97	110			
1829599	Drill Core	8.27	36.62	1.06	2	0.35	0.042	2.9	2.5	0.54	70.9	0.002	<1	0.40	0.021	0.18	<0.1	0.9	0.06	2.07	304			
1829600	Rock Pulp	0.19	5.11	0.52	118	0.92	0.061	7.7	18.3	0.85	115.5	0.128	2	1.77	0.171	0.23	4.2	3.8	0.06	<0.02	214			
1829601	Drill Core	1.61	5.64	0.50	1	0.39	0.019	2.2	1.9	0.45	89.1	0.002	2	0.29	0.011	0.18	<0.1	1.2	0.08	1.64	94			
1829602	Drill Core	12.17	15.90	1.11	3	0.24	0.027	2.2	2.0	1.42	65.6	0.003	2	0.92	0.009	0.21	<0.1	1.3	0.09	2.00	638			
1829603	Drill Core	0.98	8.42	0.88	3	0.41	0.031	2.2	1.8	1.57	70.6	0.003	2	1.08	0.009	0.17	<0.1	1.3	0.07	1.97	95			
1829604	Drill Core	2.48	4.03	0.31	3	0.69	0.025	2.3	2.5	1.63	74.0	0.002	2	1.03	0.008	0.17	<0.1	1.3	0.08	1.81	158			
1829605	Drill Core	5.70	5.57	1.18	3	0.28	0.034	2.2	1.9	1.41	61.4	0.003	1	0.90	0.008	0.19	<0.1	1.1	0.07	2.19	280			
1829606	Drill Core	3.97	3.75	1.40	2	0.58	0.018	1.3	2.2	1.16	49.2	0.003	2	0.70	0.006	0.20	<0.1	0.8	0.09	1.92	223			
1829607	Drill Core	2.63	2.46	0.69	3	0.21	0.037	2.1	2.1	1.80	72.9	0.003	2	1.14	0.005	0.18	<0.1	1.1	0.07	2.36	161			
1829608	Drill Core	17.19	23.05	1.95	2	0.50	0.022	2.2	2.2	1.23	67.7	0.003	1	0.83	0.009	0.19	<0.1	0.9	0.08	1.97	610			
1829609	Drill Core	1.12	0.92	0.34	2	0.35	0.035	2.5	1.6	0.94	89.1	0.003	1	0.71	0.006	0.23	<0.1	1.0	0.07	2.02	95			
1829610	Drill Core	1.29	1.19	0.64	4	0.94	0.017	2.4	2.0	1.40	96.0	0.007	2	0.92	0.004	0.39	<0.1	1.2	0.16	1.77	74			
1829611	Drill Core	1.95	1.30	0.35	4	0.63	0.016	2.3	1.8	1.47	91.1	0.006	2	0.93	0.006	0.34	<0.1	1.1	0.15	2.04	103			
1829612	Drill Core	6.36	2.26	0.77	2	0.38	0.018	3.5	2.0	0.96	84.1	0.003	<1	0.66	0.017	0.19	<0.1	1.1	0.08	1.51	282			
1829613	Drill Core	5.13	1.29	0.38	5	0.57	0.043	2.5	2.0	1.46	79.2	0.004	1	1.01	0.026	0.19	<0.1	1.7	0.06	1.86	377			
1829614	Drill Core	22.14	2.75	1.90	2	0.34	0.039	2.2	1.6	0.48	60.5	0.003	1	0.48	0.009	0.21	<0.1	0.9	0.07	2.54	1818			
1829615	Drill Core	21.18	2.07	2.37	2	0.39	0.041	2.6	1.6	0.60	77.2	0.003	1	0.50	0.009	0.20	<0.1	0.9	0.06	2.37	1943			
1829616	Drill Core	19.92	41.45	3.95	2	0.53	0.041	2.1	1.9	0.86	62.1	0.003	1	0.59	0.007	0.21	0.1	0.9	0.10	2.69	1892			
1829617	Drill Core	5.55	13.04	1.02	2	0.74	0.025	1.8	1.7	0.41	95.6	0.002	1	0.31	0.007	0.17	<0.1	0.7	0.07	1.37	418			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 5 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000367.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829588	Drill Core	0.9	0.07	7.0	0.32	<0.1	<0.02	<0.02	3.9	0.3	<0.05	0.3	1.56	0.6	0.05	<1	0.2	27.6	<10	7			
1829589	Drill Core	1.1	0.13	3.4	0.29	<0.1	0.06	<0.02	5.3	0.8	<0.05	6.5	1.67	5.8	<0.02	1	0.1	12.8	<10	<2			
1829590	Drill Core	0.6	0.02	1.9	0.36	<0.1	0.11	<0.02	5.8	0.6	<0.05	4.0	2.19	5.0	<0.02	<1	0.1	7.5	<10	<2			
1829591	Drill Core	0.5	0.13	1.0	0.50	<0.1	0.03	<0.02	6.0	0.5	<0.05	1.8	2.76	3.9	<0.02	<1	<0.1	3.4	<10	<2			
1829592	Drill Core	0.6	0.76	1.9	1.22	<0.1	0.04	<0.02	10.8	0.4	<0.05	1.5	1.53	2.3	<0.02	<1	0.1	8.2	<10	3			
1829593	Drill Core	1.0	1.10	2.8	1.39	<0.1	0.02	<0.02	11.9	0.6	<0.05	1.3	1.92	2.5	<0.02	<1	0.1	10.8	<10	<2			
1829594	Drill Core	1.0	0.34	3.7	1.04	<0.1	<0.02	<0.02	9.8	0.4	<0.05	1.2	1.02	1.5	<0.02	<1	0.1	12.9	<10	2			
1829595	Drill Core	1.2	0.92	2.2	1.99	<0.1	0.02	<0.02	13.0	0.5	<0.05	1.1	2.31	2.9	<0.02	<1	0.1	7.7	<10	<2			
1829596	Drill Core	1.0	0.31	1.0	0.89	<0.1	0.05	<0.02	8.8	0.6	<0.05	2.0	2.17	4.6	<0.02	<1	0.1	4.1	<10	<2			
1829597	Drill Core	0.6	0.79	1.6	1.00	<0.1	0.07	<0.02	9.6	1.2	<0.05	2.9	1.39	6.9	<0.02	<1	0.1	6.4	<10	<2			
1829598	Drill Core	0.8	0.17	1.1	0.71	<0.1	0.06	<0.02	8.2	0.4	<0.05	1.5	1.65	5.4	0.02	<1	<0.1	4.6	<10	<2			
1829599	Drill Core	1.3	0.06	0.9	0.40	<0.1	0.03	<0.02	6.6	0.4	<0.05	1.5	2.27	6.6	0.07	<1	<0.1	3.5	<10	<2			
1829600	Rock Pulp	<0.1	0.13	5.0	0.68	0.1	0.08	0.07	7.8	1.9	<0.05	1.6	5.21	15.3	0.06	<1	0.1	6.6	<10	<2			
1829601	Drill Core	0.6	0.61	0.8	0.70	<0.1	0.03	<0.02	7.9	1.1	<0.05	1.3	1.54	4.8	<0.02	1	<0.1	3.5	<10	<2			
1829602	Drill Core	1.1	0.29	2.1	0.83	<0.1	0.05	0.02	9.0	1.4	<0.05	3.0	1.89	5.0	0.20	<1	<0.1	9.5	<10	<2			
1829603	Drill Core	1.1	0.31	2.5	0.33	<0.1	0.02	<0.02	6.3	0.9	<0.05	5.3	1.97	4.8	0.05	<1	<0.1	9.6	<10	<2			
1829604	Drill Core	0.6	0.64	2.7	0.55	<0.1	0.04	<0.02	6.8	0.7	<0.05	2.7	2.40	5.2	0.06	<1	0.1	9.6	<10	<2			
1829605	Drill Core	1.3	0.14	2.3	0.65	<0.1	0.04	<0.02	8.2	0.8	<0.05	2.9	1.71	5.1	0.11	<1	0.1	10.0	<10	<2			
1829606	Drill Core	1.2	0.25	1.7	1.20	<0.1	0.03	<0.02	9.9	0.7	<0.05	1.5	1.73	3.1	0.05	<1	<0.1	8.8	<10	<2			
1829607	Drill Core	0.9	0.08	2.9	0.81	<0.1	0.07	<0.02	8.7	1.0	<0.05	1.9	1.65	4.9	0.03	1	0.2	12.9	<10	<2			
1829608	Drill Core	1.9	0.24	1.8	0.60	<0.1	0.07	<0.02	8.0	0.7	<0.05	3.8	1.93	4.7	0.17	<1	<0.1	8.6	<10	<2			
1829609	Drill Core	0.7	0.06	1.7	0.64	<0.1	0.03	<0.02	9.2	0.9	<0.05	3.7	1.95	5.5	<0.02	<1	0.2	7.3	<10	<2			
1829610	Drill Core	0.8	0.15	2.5	2.07	<0.1	0.09	<0.02	19.4	0.9	<0.05	5.2	2.39	5.5	<0.02	<1	0.2	16.1	<10	<2			
1829611	Drill Core	0.7	0.21	2.7	1.94	<0.1	0.08	<0.02	17.8	1.0	<0.05	3.1	2.13	5.0	0.03	<1	0.3	16.6	<10	<2			
1829612	Drill Core	1.2	0.10	2.0	0.81	<0.1	0.10	<0.02	8.4	0.8	<0.05	4.0	2.11	7.5	0.08	<1	0.2	9.2	<10	<2			
1829613	Drill Core	1.1	0.06	2.9	0.62	<0.1	0.04	<0.02	7.5	0.9	<0.05	3.4	2.46	5.6	0.16	<1	0.2	10.1	<10	<2			
1829614	Drill Core	4.0	0.13	1.1	0.31	<0.1	0.04	<0.02	7.2	0.8	<0.05	3.1	2.01	5.2	0.83	<1	0.1	4.3	<10	<2			
1829615	Drill Core	4.2	0.10	1.2	0.49	<0.1	0.04	<0.02	7.2	0.6	<0.05	1.9	1.82	5.5	0.71	<1	<0.1	5.1	<10	<2			
1829616	Drill Core	7.4	0.33	1.4	0.90	<0.1	0.04	<0.02	8.8	0.8	<0.05	2.3	1.86	4.9	0.73	<1	0.1	7.4	<10	<2			
1829617	Drill Core	1.8	0.18	0.7	0.42	<0.1	0.03	<0.02	6.6	0.6	<0.05	1.1	1.74	4.3	0.15	1	<0.1	4.1	<10	<2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000367.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1829618	Drill Core	2.49	414	0.040	0.04	<0.17	37.31	1.41	356.64	677.13	2119.6	2092	2.0	4.8	922	2.62	25.5	<0.1	26.1	2.0	64.2
1829619	Drill Core	3.26	514	0.021	0.02	<0.17	40.28	1.98	482.30	1049.27	4570.8	2451	2.1	4.8	1099	2.71	15.5	<0.1	16.0	1.4	68.0
1829620	Rock Pulp	0.12	63	0.486				2.75	457.42	19.17	52.0	263	602.0	26.0	449	2.54	18.6	0.6	416.9	1.8	60.4
1829621	Drill Core	2.64	469	0.029	0.03	<0.17	33.39	1.44	369.96	660.94	1439.0	1897	2.8	4.9	655	2.76	18.8	<0.1	22.0	1.8	55.6
1829622	Drill Core	2.38	434	0.056	0.05	<0.17	28.18	0.86	746.90	670.07	1640.5	4011	1.9	3.6	527	2.14	14.0	<0.1	56.8	1.4	69.0
1829623	Drill Core	3.42	519	0.043	0.04	<0.17	37.57	2.40	560.64	628.93	2200.5	2978	2.2	4.8	418	2.61	20.5	<0.1	32.7	1.7	38.2
1829624	Drill Core	3.04	494	0.008	<0.01	<0.17	27.95	0.91	216.83	426.96	1061.8	1206	2.1	5.0	473	2.36	12.6	<0.1	22.7	1.1	36.5
1829625	Drill Core	2.90	482	0.010	<0.01	<0.17	32.17	1.00	328.53	876.86	921.1	2471	1.9	4.0	667	2.29	7.0	<0.1	11.4	1.2	46.9
1829626	Drill Core	1.98	354	<0.005	<0.01	<0.17	37.78	1.13	19.46	97.63	121.6	395	1.6	4.1	406	2.31	4.3	<0.1	3.5	1.4	19.3
1829627	Drill Core	3.45	512	<0.005	<0.01	<0.17	26.18	1.31	14.60	52.92	80.1	252	1.4	4.2	441	2.15	3.3	<0.1	3.0	1.8	18.8
1829628	Drill Core	3.51	516	<0.005	<0.01	<0.17	35.07	0.74	72.94	267.05	602.5	936	1.6	4.5	496	2.30	14.5	<0.1	4.7	2.0	28.3
1829629	Drill Core	1.63	467	0.010	<0.01	<0.17	24.82	1.43	251.86	582.62	1609.0	2250	1.7	4.7	674	2.93	13.6	<0.1	4.5	2.3	41.3
1829630	Drill Core	1.60	508	0.117	0.11	<0.17	29.58	1.41	178.36	637.72	1422.4	2502	2.0	4.6	860	2.70	10.9	<0.1	40.5	2.3	71.0
1829631	Drill Core	3.03	494	0.133	0.13	<0.17	39.89	1.28	34.22	101.73	179.3	861	2.3	4.7	436	2.32	11.3	0.1	123.0	4.0	45.0
1829632	Drill Core	3.41	506	0.017	0.02	<0.17	28.11	1.81	22.16	41.98	65.1	440	8.1	6.4	339	1.97	5.2	2.0	10.3	11.2	42.2
1829633	Drill Core	3.36	464	<0.005	<0.01	<0.17	34.30	0.81	8.62	78.93	96.2	419	2.7	3.6	486	1.76	6.8	2.0	4.2	12.3	50.6
1829634	Drill Core	3.16	504	0.007	<0.01	<0.17	43.35	2.58	19.25	66.90	116.7	387	33.0	18.7	456	3.51	7.6	1.5	3.6	11.5	56.1
1829635	Drill Core	3.36	435	0.008	<0.01	<0.17	27.72	2.29	17.50	91.82	127.7	391	23.9	14.1	334	2.84	7.6	1.4	3.3	9.8	47.4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000367.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829618	Drill Core	17.48	3.31	1.86	3	0.59	0.043	2.2	1.8	1.22	77.5	0.003	2	0.82	0.007	0.19	<0.1	1.1	0.07	2.27	1550
1829619	Drill Core	40.35	2.82	2.70	3	0.64	0.040	1.7	1.9	1.75	71.2	0.003	1	1.14	0.008	0.15	<0.1	1.3	0.05	2.30	3290
1829620	Rock Pulp	0.18	0.39	0.29	54	1.30	0.029	4.3	104.2	1.77	77.8	0.075	6	2.00	0.192	0.14	1.2	2.9	0.09	0.19	17
1829621	Drill Core	10.22	1.01	1.63	3	0.49	0.043	1.5	1.9	1.07	55.2	0.002	<1	0.80	0.005	0.19	<0.1	1.1	0.05	2.43	868
1829622	Drill Core	15.51	2.23	1.59	2	0.70	0.025	1.8	1.8	0.80	53.9	0.003	<1	0.56	0.012	0.18	<0.1	0.9	0.08	1.87	820
1829623	Drill Core	17.39	1.01	1.68	3	0.38	0.041	2.0	1.7	0.96	68.3	0.003	1	0.75	0.013	0.20	<0.1	1.1	0.07	2.33	874
1829624	Drill Core	8.38	0.76	0.94	4	0.47	0.047	1.5	1.0	0.72	62.0	0.002	2	0.53	0.014	0.13	<0.1	0.7	0.04	2.19	403
1829625	Drill Core	11.51	0.50	2.39	4	0.58	0.041	1.5	1.5	0.94	73.8	0.002	<1	0.64	0.014	0.12	0.1	0.9	0.04	1.99	347
1829626	Drill Core	0.17	0.21	0.60	4	0.19	0.044	1.7	1.3	1.12	59.6	0.002	1	0.77	0.013	0.12	0.2	0.7	0.04	1.87	12
1829627	Drill Core	0.07	0.20	0.45	4	0.20	0.053	2.5	1.1	1.16	58.9	0.002	<1	0.81	0.016	0.13	0.2	1.0	0.03	1.67	10
1829628	Drill Core	4.62	1.32	0.96	5	0.31	0.046	2.3	1.4	1.42	52.6	0.002	<1	0.92	0.016	0.12	0.1	1.0	0.04	1.79	125
1829629	Drill Core	10.65	1.83	1.42	4	0.36	0.044	3.3	2.4	1.68	61.2	0.002	2	1.07	0.022	0.14	<0.1	1.3	0.04	2.35	464
1829630	Drill Core	10.27	2.40	1.53	3	0.56	0.038	3.5	1.9	1.30	60.4	0.002	<1	0.69	0.011	0.16	<0.1	1.0	0.05	2.30	532
1829631	Drill Core	0.64	1.04	0.55	2	0.42	0.045	6.4	2.3	0.97	73.7	0.002	<1	0.58	0.011	0.17	<0.1	0.9	0.06	1.87	34
1829632	Drill Core	0.15	0.65	0.22	3	0.34	0.031	6.6	6.8	0.80	102.1	0.002	<1	0.57	0.014	0.17	<0.1	1.0	0.05	1.65	17
1829633	Drill Core	0.17	0.66	0.60	4	0.33	0.028	6.3	4.5	1.27	137.1	0.002	<1	0.87	0.017	0.16	<0.1	1.1	0.05	1.20	6
1829634	Drill Core	0.27	0.82	0.17	9	0.44	0.055	5.0	43.4	1.18	51.7	0.002	<1	0.74	0.018	0.17	<0.1	1.6	0.06	3.35	13
1829635	Drill Core	0.53	0.70	0.17	6	0.44	0.046	5.5	28.3	0.83	66.6	0.002	<1	0.57	0.011	0.19	<0.1	1.2	0.06	2.61	19



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000367.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829618	Drill Core	3.8	0.13	1.8	0.65	<0.1	0.02	<0.02	7.6	0.8	<0.05	2.0	2.35	5.3	0.52	<1	<0.1	8.7	<10	<2
1829619	Drill Core	4.8	0.16	2.5	0.25	<0.1	0.02	<0.02	5.1	0.8	<0.05	3.0	2.48	3.7	1.23	1	0.1	11.4	<10	<2
1829620	Rock Pulp	0.6	0.18	4.1	0.60	<0.1	0.04	<0.02	5.7	0.4	<0.05	1.4	3.20	8.4	<0.02	4	<0.1	7.6	276	121
1829621	Drill Core	3.2	0.11	1.8	0.26	<0.1	0.03	<0.02	5.9	0.8	<0.05	3.9	1.98	3.6	0.34	1	<0.1	9.0	<10	<2
1829622	Drill Core	3.0	0.30	1.3	0.62	<0.1	0.02	<0.02	7.3	0.7	<0.05	1.4	2.15	4.4	0.46	<1	<0.1	7.6	<10	<2
1829623	Drill Core	3.3	0.17	1.6	0.40	<0.1	0.04	<0.02	7.0	0.8	<0.05	3.4	2.26	4.6	0.60	<1	0.1	9.1	<10	<2
1829624	Drill Core	1.9	0.12	1.4	0.29	<0.1	0.03	<0.02	4.5	0.4	<0.05	4.6	2.05	3.9	0.20	1	<0.1	6.7	<10	<2
1829625	Drill Core	3.6	0.18	1.8	0.25	<0.1	0.03	<0.02	4.0	0.4	<0.05	3.6	2.32	3.6	0.18	2	<0.1	8.5	13	<2
1829626	Drill Core	1.2	0.05	2.1	0.23	<0.1	<0.02	<0.02	3.8	0.3	<0.05	4.0	2.85	4.1	<0.02	3	<0.1	8.3	<10	<2
1829627	Drill Core	0.8	0.04	2.3	0.24	<0.1	0.30	<0.02	4.3	0.4	<0.05	5.8	2.99	6.0	<0.02	5	0.1	10.1	14	<2
1829628	Drill Core	1.0	0.04	2.5	0.22	<0.1	0.03	<0.02	4.1	0.4	<0.05	4.9	2.80	5.7	0.09	5	0.2	12.1	<10	<2
1829629	Drill Core	2.4	0.12	2.5	0.28	<0.1	0.03	<0.02	4.6	0.4	<0.05	2.7	3.21	7.3	0.18	4	0.1	12.7	<10	<2
1829630	Drill Core	2.4	0.12	1.6	0.47	<0.1	0.03	<0.02	5.9	0.5	<0.05	1.5	3.69	8.2	0.22	2	<0.1	9.5	<10	<2
1829631	Drill Core	0.8	0.08	1.3	0.47	<0.1	0.07	<0.02	6.1	0.3	<0.05	1.7	4.14	14.0	0.03	4	0.1	7.9	<10	<2
1829632	Drill Core	0.3	0.11	1.6	0.23	<0.1	0.13	<0.02	5.7	0.3	<0.05	5.6	2.88	12.4	<0.02	3	0.1	7.4	<10	<2
1829633	Drill Core	0.5	0.04	2.4	0.21	<0.1	0.12	<0.02	5.6	0.3	<0.05	4.9	2.99	12.6	<0.02	<1	0.2	10.8	<10	<2
1829634	Drill Core	0.6	0.04	2.0	0.18	<0.1	0.20	<0.02	5.9	0.3	<0.05	8.0	3.89	10.3	<0.02	1	0.2	10.1	<10	<2
1829635	Drill Core	0.4	0.04	1.4	0.18	<0.1	0.23	<0.02	7.0	0.3	<0.05	8.8	3.23	10.9	<0.02	2	0.1	7.9	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000367.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
Pulp Duplicates																					
1829500	Rock Pulp	0.11	64	7.140				9.26	192.97	20.25	74.2	827	13.4	11.4	565	4.53	13.3	0.9	7282.8	2.6	69.6
REP 1829500	QC			6.900																	
1829509	Drill Core	2.69	469	0.007	<0.01	<0.17	36.39	0.55	6.09	18.48	26.0	90	0.5	0.5	44	0.40	1.0	1.6	3.2	15.0	2.9
REP 1829509	QC							0.54	6.02	18.11	24.0	89	0.4	0.6	42	0.40	1.2	1.6	3.8	15.6	2.9
1829518	Drill Core	2.82	376	0.029	0.03	<0.17	29.94	0.42	19.91	25.20	145.5	283	3.3	4.9	273	0.93	5.4	3.3	26.4	9.7	32.7
REP 1829518	QC			0.029																	
1829542	Drill Core	3.55	476	0.015	0.01	<0.17	29.99	1.24	71.21	240.88	218.0	717	1.1	1.8	105	1.79	28.7	1.7	27.1	1.4	19.4
REP 1829542	QC							1.28	71.70	246.93	217.8	742	1.1	1.8	105	1.80	30.3	1.7	7.4	1.5	20.0
1829573	Drill Core	1.51	488	1.500	1.51	1.59	34.00	0.32	151.09	43.48	931.3	3491	33.2	37.5	1505	5.51	9.4	0.8	1217.6	<0.1	137.4
REP 1829573	QC			1.303																	
1829577	Drill Core	3.05	494	0.038	0.04	<0.17	33.37	0.21	100.39	159.76	270.4	813	83.9	34.8	1567	4.82	21.1	<0.1	28.6	0.3	130.0
REP 1829577	QC							0.24	102.19	165.59	280.6	865	88.9	35.5	1576	4.89	21.2	<0.1	58.8	0.3	133.4
REP 1829591	QC			0.071																	
1829612	Drill Core	1.59	528	0.115	0.11	<0.17	36.56	1.66	55.14	171.06	583.8	892	1.6	3.2	507	1.86	11.9	1.5	104.0	8.2	43.9
REP 1829612	QC							1.62	53.36	165.99	542.9	888	1.3	3.0	487	1.86	11.1	1.4	106.9	8.4	40.7
Core Reject Duplicates																					
1829523	Drill Core	2.83	519	0.006	<0.01	<0.17	44.83	1.00	3.66	26.23	45.2	116	2.1	1.7	234	0.65	0.5	2.2	0.9	11.9	11.1
DUP 1829523	QC		510	0.005	<0.01	<0.17	36.00	0.92	3.38	23.69	40.4	104	1.9	1.7	224	0.66	0.6	2.0	1.6	12.4	11.0
1829557	Drill Core	1.41	454	2.317	3.29	11.31	49.07	2.66	227.35	98.62	935.5	5685	32.0	11.9	872	4.25	19.8	7.7	2746.1	0.6	25.4
DUP 1829557	QC		441	9.126	19.41	123.99	39.48	2.53	225.38	96.59	955.0	6587	31.0	11.9	877	4.20	19.9	7.6	8598.5	0.6	25.4
1829591	Drill Core	1.68	507	0.093	0.09	<0.17	35.00	1.17	15.78	68.41	61.6	560	1.6	4.7	720	1.90	26.1	0.2	59.3	1.3	102.2
DUP 1829591	QC		483	0.072	0.08	0.19	47.78	1.37	16.23	68.27	66.6	570	1.7	4.6	721	1.92	27.0	0.2	51.8	0.7	102.6
1829625	Drill Core	2.90	482	0.010	<0.01	<0.17	32.17	1.00	328.53	876.86	921.1	2471	1.9	4.0	667	2.29	7.0	<0.1	11.4	1.2	46.9
DUP 1829625	QC		492	0.016	0.02	<0.17	30.74	1.01	331.64	894.41	967.1	2475	1.9	3.9	672	2.31	6.8	<0.1	11.6	1.2	45.9
Reference Materials																					
STD BVGEO01	Standard							10.76	4210.57	182.65	1682.2	2536	151.2	24.7	697	3.53	119.1	3.8	205.4	14.4	53.8
STD BVGEO01	Standard							11.35	4426.76	191.95	1777.2	2535	170.3	24.7	749	3.72	117.6	3.7	209.0	17.5	58.0
STD DS11	Standard							14.33	152.47	135.69	327.3	1643	75.0	13.6	998	3.08	41.0	2.5	111.3	7.6	64.5



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 12, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000367.1

Method Analyte Unit MDL	AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
Pulp Duplicates																				
1829500 Rock Pulp	0.15	4.58	0.54	116	0.91	0.060	7.8	17.6	0.85	128.5	0.115	5	1.76	0.179	0.23	3.7	3.7	0.07	<0.02	214
REP 1829500 QC																				
1829509 Drill Core	0.08	0.12	0.11	<1	0.01	0.006	32.3	1.5	0.09	191.4	<0.001	<1	0.34	0.021	0.27	<0.1	0.5	0.07	<0.02	<5
REP 1829509 QC	0.08	0.13	0.10	<1	0.01	0.006	32.4	1.5	0.10	198.8	<0.001	1	0.34	0.021	0.27	<0.1	0.5	0.06	<0.02	<5
1829518 Drill Core	0.70	0.28	0.15	<1	0.05	0.033	28.2	3.0	0.13	177.6	<0.001	<1	0.36	0.016	0.23	0.8	0.8	0.08	0.03	7
REP 1829518 QC																				
1829542 Drill Core	0.65	1.65	0.53	2	0.11	0.037	3.6	1.8	0.46	137.0	0.002	<1	0.50	0.011	0.19	0.2	0.8	0.06	0.39	267
REP 1829542 QC	0.68	1.71	0.55	2	0.11	0.036	4.0	1.6	0.46	146.8	0.002	<1	0.51	0.011	0.19	0.2	0.9	0.07	0.39	271
1829573 Drill Core	4.90	6.82	0.08	43	1.57	0.010	<0.5	19.2	5.07	57.9	0.011	1	2.91	0.021	0.38	0.2	7.4	0.19	3.33	193
REP 1829573 QC																				
1829577 Drill Core	1.26	0.38	0.78	58	3.20	0.017	<0.5	186.5	3.98	63.2	0.004	<1	2.85	0.006	0.14	<0.1	7.5	0.04	1.98	16
REP 1829577 QC	1.31	0.41	0.83	59	3.20	0.018	<0.5	190.9	4.02	66.6	0.004	<1	2.94	0.006	0.14	<0.1	7.9	0.04	1.98	8
REP 1829591 QC																				
1829612 Drill Core	6.36	2.26	0.77	2	0.38	0.018	3.5	2.0	0.96	84.1	0.003	<1	0.66	0.017	0.19	<0.1	1.1	0.08	1.51	282
REP 1829612 QC	6.26	2.12	0.74	2	0.39	0.017	3.8	2.0	0.97	78.3	0.003	<1	0.67	0.016	0.19	<0.1	1.0	0.08	1.50	284
Core Reject Duplicates																				
1829523 Drill Core	0.49	0.31	0.09	<1	0.11	0.006	11.1	2.0	0.19	156.4	<0.001	<1	0.28	0.022	0.19	<0.1	0.6	0.05	0.24	<5
DUP 1829523 QC	0.44	0.29	0.07	<1	0.11	0.006	11.4	2.1	0.19	165.9	<0.001	<1	0.28	0.020	0.19	<0.1	0.5	0.04	0.24	<5
1829557 Drill Core	2.82	2.24	0.13	16	0.16	0.011	2.3	32.2	1.47	146.7	0.003	<1	1.61	0.008	0.19	1.2	4.0	0.08	0.09	36
DUP 1829557 QC	2.98	2.40	0.12	15	0.16	0.011	2.3	32.2	1.44	142.7	0.003	<1	1.62	0.008	0.19	1.2	4.0	0.08	0.09	34
1829591 Drill Core	0.67	3.93	0.35	3	1.11	0.030	1.7	2.1	0.70	82.1	0.002	<1	0.35	0.019	0.17	<0.1	1.1	0.05	1.65	<5
DUP 1829591 QC	0.72	4.30	0.36	3	1.10	0.031	1.6	2.1	0.71	84.2	0.002	<1	0.35	0.019	0.16	<0.1	1.1	0.05	1.66	13
1829625 Drill Core	11.51	0.50	2.39	4	0.58	0.041	1.5	1.5	0.94	73.8	0.002	<1	0.64	0.014	0.12	0.1	0.9	0.04	1.99	347
DUP 1829625 QC	11.73	0.50	2.51	4	0.57	0.041	1.5	1.5	0.93	69.1	0.002	<1	0.64	0.015	0.12	0.2	0.8	0.04	2.01	350
Reference Materials																				
STD BVGEO01 Standard	7.00	4.08	24.91	69	1.31	0.076	26.4	170.0	1.23	308.1	0.213	4	2.15	0.185	0.89	5.2	6.0	0.59	0.68	98
STD BVGEO01 Standard	6.40	3.65	24.80	76	1.34	0.074	26.8	201.9	1.31	285.7	0.236	5	2.37	0.192	0.88	5.2	6.8	0.59	0.66	75
STD DS11 Standard	2.33	8.17	11.17	49	1.05	0.070	18.4	56.6	0.83	367.1	0.090	9	1.20	0.074	0.40	2.9	2.9	4.69	0.26	242



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 12, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000367.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1829500	Rock Pulp	0.1	0.15	5.2	0.67	<0.1	0.08	0.11	7.8	1.8	<0.05	1.7	5.12	15.3	0.05	1	0.1	7.5	<10	<2
REP 1829500	QC																			
1829509	Drill Core	<0.1	<0.02	0.8	0.16	<0.1	0.40	0.03	8.8	0.3	<0.05	16.9	4.59	63.3	<0.02	<1	0.2	2.1	<10	<2
REP 1829509	QC	<0.1	<0.02	0.7	0.16	<0.1	0.40	0.03	8.9	0.3	<0.05	17.6	4.80	62.9	<0.02	<1	0.2	2.1	<10	<2
1829518	Drill Core	<0.1	0.03	0.8	2.26	<0.1	0.33	<0.02	9.2	0.1	<0.05	13.1	7.12	53.6	<0.02	<1	0.2	5.1	<10	<2
REP 1829518	QC																			
1829542	Drill Core	1.0	0.04	1.2	0.74	<0.1	0.05	<0.02	6.9	0.5	<0.05	1.4	1.30	8.6	0.09	<1	0.1	6.7	<10	<2
REP 1829542	QC	1.0	0.03	1.2	0.79	<0.1	0.03	<0.02	7.5	0.4	<0.05	1.4	1.40	9.3	0.10	<1	0.1	6.4	<10	<2
1829573	Drill Core	1.4	1.14	7.3	3.18	<0.1	0.02	<0.02	20.1	0.8	<0.05	0.4	4.32	1.4	0.03	<1	0.2	36.9	<10	6
REP 1829573	QC																			
1829577	Drill Core	1.2	0.09	5.4	0.31	<0.1	<0.02	<0.02	4.1	0.2	<0.05	0.3	2.93	0.8	<0.02	<1	0.2	22.3	<10	7
REP 1829577	QC	1.1	0.06	5.5	0.35	<0.1	<0.02	<0.02	4.2	0.2	<0.05	0.3	2.94	0.8	0.03	<1	0.1	22.8	<10	5
REP 1829591	QC																			
1829612	Drill Core	1.2	0.10	2.0	0.81	<0.1	0.10	<0.02	8.4	0.8	<0.05	4.0	2.11	7.5	0.08	<1	0.2	9.2	<10	<2
REP 1829612	QC	0.8	0.11	1.9	0.73	<0.1	0.09	<0.02	7.9	0.8	<0.05	4.3	1.99	7.8	0.06	<1	0.1	9.2	<10	<2
Core Reject Duplicates																				
1829523	Drill Core	<0.1	<0.02	0.9	0.13	<0.1	0.58	<0.02	6.9	0.2	<0.05	22.7	4.27	21.6	<0.02	<1	0.2	3.4	<10	<2
DUP 1829523	QC	<0.1	<0.02	0.9	0.13	<0.1	0.56	<0.02	6.3	0.2	<0.05	23.2	4.18	21.3	<0.02	<1	0.1	3.2	<10	<2
1829557	Drill Core	1.2	2.30	2.4	1.07	<0.1	<0.02	<0.02	6.9	0.5	<0.05	0.5	7.09	6.0	0.03	<1	<0.1	16.4	13	<2
DUP 1829557	QC	1.0	2.17	2.5	1.10	<0.1	<0.02	<0.02	6.9	0.6	<0.05	0.5	7.08	5.7	0.03	1	0.3	15.5	<10	3
1829591	Drill Core	0.5	0.13	1.0	0.50	<0.1	0.03	<0.02	6.0	0.5	<0.05	1.8	2.76	3.9	<0.02	<1	<0.1	3.4	<10	<2
DUP 1829591	QC	0.7	0.11	1.0	0.54	<0.1	0.03	<0.02	6.1	0.4	<0.05	1.8	2.79	3.8	<0.02	<1	0.1	3.6	<10	<2
1829625	Drill Core	3.6	0.18	1.8	0.25	<0.1	0.03	<0.02	4.0	0.4	<0.05	3.6	2.32	3.6	0.18	2	<0.1	8.5	13	<2
DUP 1829625	QC	3.8	0.18	1.7	0.24	<0.1	<0.02	<0.02	4.2	0.3	<0.05	4.0	2.38	3.7	0.21	3	0.2	8.7	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.7	1.07	7.0	7.62	0.2	0.29	0.38	89.7	5.6	<0.05	7.7	14.23	49.0	0.46	4	0.7	21.7	105	172
STD BVGEO01	Standard	4.4	0.99	7.0	7.15	0.1	0.27	0.26	89.2	5.5	<0.05	9.3	14.01	51.0	0.45	3	0.7	21.2	139	187
STD DS11	Standard	1.9	4.27	4.6	2.77	<0.1	0.09	1.52	31.5	1.8	<0.05	2.7	7.69	36.8	0.21	44	0.8	22.3	76	165



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000367.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11	Standard							15.89	157.90	145.17	360.2	1705	80.6	13.6	1022	3.17	43.7	2.6	117.3	9.0	69.5
STD DS11	Standard							14.47	150.64	139.73	348.5	1746	80.5	13.8	1016	3.17	41.6	2.6	67.0	8.2	66.7
STD OREAS262	Standard							0.65	112.57	56.77	147.4	459	61.3	27.7	504	3.17	36.1	1.3	67.1	9.0	34.2
STD OREAS262	Standard							0.64	120.12	56.49	143.4	420	60.2	25.7	495	3.09	32.8	1.2	65.4	10.5	34.0
STD OREAS262	Standard							0.70	125.58	57.66	147.5	459	63.2	27.5	536	3.25	36.2	1.2	67.5	8.9	35.8
STD OREAS262	Standard							0.74	123.05	56.58	152.2	455	65.8	27.6	535	3.26	35.6	1.2	63.2	10.6	35.6
STD OREAS262	Standard							0.71	114.00	56.91	154.9	476	64.2	27.0	511	3.31	34.5	1.2	71.3	9.6	34.0
STD OXC152	Standard			0.224																	
STD OXC152	Standard			0.224																	
STD OXC152	Standard			0.213																	
STD OXC152	Standard			0.214																	
STD OXH139	Standard			1.339																	
STD OXH139	Standard			1.298																	
STD OXH139	Standard			1.308																	
STD OXH139	Standard			1.284																	
STD OXN134	Standard			7.762																	
STD OXN134	Standard			7.708																	
STD OXN134	Standard			7.700																	
STD OXN134	Standard			7.651																	
STD OXQ90	Standard					25.32	30.80														
STD OXQ90	Standard					25.22	30.21														
STD OXQ90	Standard					25.56	29.46														
STD OXQ90	Standard					25.21	29.87														
STD OXQ90	Standard					25.26	30.17														
STD OXQ90	Standard					25.01	29.31														
STD OXQ90	Standard					25.16	30.25														
STD OXQ90	Standard					25.19	30.05														
STD OXQ90	Standard					25.62	30.41														
STD OXQ90	Standard					25.09	30.53														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000367.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Tl ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD DS11	Standard	2.45	8.92	11.75	51	1.07	0.066	18.9	61.9	0.85	389.2	0.094	7	1.18	0.075	0.41	3.1	3.5	4.86	0.28	256
STD DS11	Standard	2.34	8.99	11.43	51	1.05	0.069	18.3	56.6	0.85	363.1	0.091	7	1.17	0.073	0.40	3.0	3.0	4.93	0.27	284
STD OREAS262	Standard	0.70	6.18	1.04	22	2.94	0.042	16.9	43.4	1.15	248.4	0.002	4	1.34	0.067	0.32	0.2	3.1	0.44	0.26	153
STD OREAS262	Standard	0.58	5.66	0.96	20	2.80	0.037	15.8	41.1	1.14	245.9	0.002	4	1.36	0.072	0.31	0.2	3.0	0.44	0.25	145
STD OREAS262	Standard	0.67	5.72	1.00	21	2.94	0.037	14.6	43.4	1.17	245.5	0.002	4	1.22	0.072	0.30	0.2	3.2	0.44	0.25	168
STD OREAS262	Standard	0.63	5.67	1.00	22	2.97	0.037	18.2	45.3	1.18	257.3	0.002	5	1.36	0.071	0.32	0.2	3.4	0.46	0.26	186
STD OREAS262	Standard	0.63	5.83	0.99	23	2.91	0.037	15.7	42.0	1.16	236.9	0.003	4	1.30	0.068	0.30	0.2	3.1	0.49	0.25	155
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 12, 2019

Page:

2 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000367.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD DS11	Standard	2.1	4.71	5.1	2.97	<0.1	0.07	1.57	33.5	1.8	<0.05	2.4	8.16	38.4	0.26	44	0.7	21.9	106	165
STD DS11	Standard	2.0	4.89	5.1	2.98	<0.1	0.05	1.38	34.0	1.9	<0.05	2.8	7.78	37.1	0.27	64	0.4	22.9	94	171
STD OREAS262	Standard	0.2	0.24	3.9	3.07	<0.1	0.22	<0.02	18.9	0.6	<0.05	9.6	10.77	33.5	0.04	<1	1.1	18.7	<10	<2
STD OREAS262	Standard	0.3	0.22	3.6	2.87	<0.1	0.24	<0.02	18.7	0.5	<0.05	11.0	10.21	32.4	0.03	<1	1.1	15.7	<10	<2
STD OREAS262	Standard	0.4	0.21	3.8	2.78	<0.1	0.22	<0.02	17.6	0.7	<0.05	11.6	10.88	30.1	0.02	3	1.0	16.6	<10	<2
STD OREAS262	Standard	0.3	0.20	3.8	2.92	<0.1	0.19	<0.02	19.1	0.6	<0.05	11.2	10.94	34.1	<0.02	<1	1.1	17.1	<10	<2
STD OREAS262	Standard	0.3	0.22	3.8	2.86	<0.1	0.20	<0.02	18.4	0.5	<0.05	11.7	10.28	32.2	0.03	1	1.1	16.8	<10	3
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000367.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank							<0.01	<0.01	0.04	0.5	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.005															
BLK	Blank					<0.005															
BLK	Blank					<0.005															
BLK	Blank					<0.005															
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.005															
BLK	Blank					<0.005															
BLK	Blank					0.006															
BLK	Blank					<0.005															
Prep Wash																					
ROCK-WHI	Prep Blank		380	0.005	<0.01	<0.17	36.65	0.88	3.16	1.00	27.8	6	0.8	3.6	470	1.86	0.6	0.4	<0.2	3.0	19.7
ROCK-WHI	Prep Blank		359	<0.005	<0.01	<0.17	38.99	1.09	2.73	1.06	28.4	6	0.7	3.2	459	1.80	0.7	0.4	<0.2	2.6	21.0



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000367.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	12
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 12, 2019

Page:

3 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000367.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.1	0.16	<0.1	0.07	0.23	1.9	0.6	<0.05	3.0	7.99	11.7	<0.02	<1	0.2	2.1	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.3	0.17	<0.1	0.11	0.26	2.0	0.5	<0.05	3.5	8.72	12.6	<0.02	<1	0.2	2.3	<10	<2