



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 13, 2019
Report Date: September 05, 2019
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000368.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-43
P.O. Number
Number of Samples: 49

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	47	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FS631	49	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	49	Analysis sample split/packet			WHI
Split -150	49	Analysis sample split/packet			WHI
EN002	49	Environmental disposal charge-Fire assay lead waste			VAN
FS631	48	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	49	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	49	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 2 of 3 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000368.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1829636	Drill Core	3.13	434	0.113	0.10	<0.17	32.18	1.11	30.53	509.29	592.4	1005	5.8	6.8	558	2.30	7.9	1.2	113.3	7.0	48.2
1829637	Drill Core	3.22	465	0.014	0.01	<0.17	25.08	1.80	44.83	225.52	314.5	611	17.4	13.6	912	3.04	20.5	0.8	9.3	4.6	61.2
1829638	Drill Core	2.70	417	0.011	0.01	<0.17	27.53	2.11	209.11	422.02	509.9	1587	16.5	11.1	454	2.65	10.7	1.4	9.1	6.8	27.6
1829639	Drill Core	1.82	384	0.023	0.02	<0.17	27.49	2.71	86.46	396.51	547.1	1015	15.7	11.7	370	2.88	12.0	1.8	19.6	9.8	18.0
1829640	Rock Pulp	0.11	72	0.012				4.05	24.72	1.14	31.3	18	7.2	4.4	580	2.39	1.5	0.4	<0.2	2.5	30.3
1829641	Drill Core	1.92	422	0.007	<0.01	<0.17	31.33	2.14	214.72	392.72	476.0	2063	14.2	10.9	919	2.71	10.5	0.9	2.8	3.9	38.2
1829642	Drill Core	2.75	425	0.012	0.02	<0.17	29.74	0.68	117.23	443.90	507.2	1281	20.6	20.0	1463	3.34	10.5	1.4	5.6	4.1	96.5
1829643	Drill Core	3.50	380	0.025	0.02	<0.17	25.86	1.53	101.18	84.18	231.6	445	18.2	20.1	1228	2.85	16.2	0.9	13.1	2.4	75.6
1829644	Drill Core	1.55	432	0.103	0.10	<0.17	28.27	1.57	172.27	625.44	730.2	2176	18.0	16.8	693	3.05	13.7	0.7	46.4	3.9	47.6
1829645	Drill Core	1.63	454	0.038	0.08	0.61	31.03	2.38	207.24	833.46	978.2	2015	16.9	11.2	701	3.07	20.6	1.1	115.6	6.0	49.8
1829646	Drill Core	1.74	405	0.007	<0.01	<0.17	25.24	2.65	179.73	939.99	944.5	2640	13.7	8.7	1134	2.62	12.4	0.7	5.3	4.3	81.9
1829647	Drill Core	1.84	435	0.019	0.02	<0.17	31.96	2.42	162.00	815.84	807.3	1884	12.2	8.1	1421	2.70	14.1	0.8	14.5	3.4	77.1
1829648	Drill Core	2.23	484	0.231	0.22	<0.17	29.28	2.63	287.17	970.42	1213.9	4183	14.7	9.0	887	2.53	4.4	0.9	235.3	3.5	72.0
1829649	Drill Core	3.15	383	0.025	0.02	<0.17	26.95	1.71	193.63	432.59	691.9	2080	17.2	13.5	991	3.20	27.7	1.1	14.0	4.4	87.5
1829650	Drill Core	3.52	432	0.029	0.03	<0.17	26.29	2.18	280.27	840.33	1276.8	2653	21.6	20.5	1401	3.39	13.9	0.8	27.7	2.7	91.7
1829651	Drill Core	3.43	378	0.032	0.03	<0.17	29.09	2.15	226.07	1009.97	983.7	1506	18.9	18.7	525	3.15	14.8	0.8	62.0	3.9	42.8
1829652	Drill Core	3.17	395	0.021	0.02	<0.17	38.05	0.96	86.42	41.11	269.0	328	20.9	21.7	1571	3.31	9.4	0.7	14.5	3.7	101.6
1829653	Drill Core	3.29	396	0.013	0.01	<0.17	33.20	1.65	86.57	110.93	53.0	552	15.2	14.2	168	2.73	13.1	1.4	8.4	6.9	20.0
1829654	Drill Core	1.79	403	0.028	0.03	<0.17	41.43	1.84	171.43	658.33	716.0	1212	15.9	12.2	712	2.79	16.4	0.8	11.7	4.3	59.5
1829655	Drill Core	1.65	406	0.075	0.07	<0.17	33.35	0.65	122.40	200.85	331.1	956	13.8	10.5	679	2.34	7.0	0.8	9.9	5.2	71.0
1829656	Drill Core	1.67	493	0.075	0.11	0.52	34.34	1.82	285.35	477.61	662.7	3015	14.3	10.4	1006	2.24	4.9	0.8	42.1	5.2	148.8
1829657	Drill Core	3.24	518	0.038	0.05	<0.17	34.29	1.58	235.99	262.03	625.2	1175	14.7	12.0	781	2.32	5.2	0.8	23.2	5.5	96.3
1829658	Drill Core	3.55	410	0.122	0.14	0.35	34.20	0.70	78.30	55.41	298.2	465	18.4	15.1	825	3.02	7.0	0.7	103.9	4.7	91.3
1829659	Drill Core	3.24	498	0.016	0.02	<0.17	34.44	2.50	162.92	423.52	586.1	1436	21.1	17.5	1237	3.06	15.9	0.9	5.0	4.5	115.8
1829660	Core DUP		481	0.005	<0.01	<0.17	37.28	2.45	165.85	408.19	531.5	1403	19.9	16.3	1229	2.97	15.0	0.8	3.9	4.3	116.8
1829661	Drill Core	3.42	424	0.013	0.01	<0.17	38.50	2.13	350.36	1533.64	2518.2	2661	17.5	13.7	1556	3.01	8.7	1.5	8.2	5.6	125.8
1829662	Drill Core	3.55	385	0.011	<0.01	<0.17	41.56	1.39	124.03	268.62	693.1	780	14.2	11.4	655	3.31	7.4	1.0	9.7	5.1	54.3
1829663	Drill Core	1.84	426	0.008	<0.01	<0.17	38.73	1.59	162.31	472.52	865.7	1445	16.9	13.4	997	2.67	13.7	1.1	4.1	4.9	72.4
1829664	Drill Core	1.45	480	0.007	<0.01	<0.17	37.17	2.74	74.77	117.63	194.3	716	10.7	8.9	456	1.93	29.7	1.3	2.8	8.0	37.5
1829665	Drill Core	3.03	512	0.408	0.44	0.86	37.12	1.53	110.61	170.85	387.9	1354	12.3	9.3	787	2.32	22.3	0.9	375.6	5.7	62.8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

CERTIFICATE OF ANALYSIS

WHI19000368.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829636	Drill Core	7.19	1.12	0.32	3	0.91	0.033	3.2	3.3	0.73	84.1	0.002	1	0.37	0.007	0.19	<0.1	1.1	0.06	2.19	115
1829637	Drill Core	1.33	0.69	0.11	9	1.38	0.065	2.4	10.2	1.46	75.9	0.002	1	0.74	0.003	0.18	<0.1	1.8	0.07	2.36	48
1829638	Drill Core	5.93	1.06	0.22	8	0.38	0.052	5.0	8.2	0.92	79.6	0.002	<1	0.63	0.007	0.17	<0.1	1.2	0.06	2.28	104
1829639	Drill Core	5.30	0.78	0.18	9	0.31	0.052	6.3	17.1	0.47	61.3	0.002	<1	0.48	0.012	0.22	<0.1	1.2	0.08	2.67	37
1829640	Rock Pulp	0.02	0.18	<0.02	22	0.77	0.043	5.8	14.8	0.49	57.1	0.076	3	1.02	0.073	0.08	0.3	3.3	<0.02	0.05	<5
1829641	Drill Core	5.09	1.04	0.28	3	1.06	0.054	2.7	6.1	0.42	60.8	0.002	1	0.20	0.002	0.19	<0.1	1.0	0.06	2.71	51
1829642	Drill Core	3.79	0.79	0.24	7	2.61	0.080	3.8	30.9	1.17	77.4	0.002	<1	0.38	0.002	0.21	<0.1	2.1	0.07	3.01	59
1829643	Drill Core	1.08	0.68	<0.02	5	2.09	0.076	2.2	24.8	0.94	50.3	0.002	<1	0.25	0.002	0.18	<0.1	1.6	0.06	2.57	27
1829644	Drill Core	7.03	1.07	0.10	5	1.15	0.066	3.2	12.8	0.53	69.1	0.002	<1	0.29	0.002	0.21	<0.1	1.2	0.07	3.01	57
1829645	Drill Core	10.16	1.37	0.18	4	1.05	0.059	3.5	4.1	0.59	65.4	0.001	<1	0.28	0.008	0.18	<0.1	1.2	0.06	3.09	99
1829646	Drill Core	10.00	2.13	0.26	4	1.65	0.048	3.8	4.7	0.82	77.7	0.001	<1	0.26	0.012	0.19	0.1	1.4	0.07	2.34	129
1829647	Drill Core	8.05	2.42	0.11	3	1.93	0.057	2.4	3.6	0.96	91.3	0.001	<1	0.23	0.006	0.17	<0.1	1.4	0.05	2.48	86
1829648	Drill Core	11.29	2.56	0.07	4	1.34	0.047	3.2	4.1	0.76	83.7	0.001	<1	0.25	0.006	0.18	<0.1	1.2	0.06	2.34	165
1829649	Drill Core	7.41	3.54	0.13	6	2.03	0.060	3.9	8.5	0.90	53.3	0.002	<1	0.29	0.003	0.22	0.1	1.5	0.10	3.17	87
1829650	Drill Core	10.94	1.51	0.05	7	1.94	0.082	3.5	33.0	1.11	85.7	0.002	<1	0.40	0.002	0.19	<0.1	1.8	0.06	3.31	220
1829651	Drill Core	9.38	0.88	0.09	6	0.77	0.080	3.3	24.4	0.48	57.9	0.002	<1	0.34	0.002	0.21	0.1	1.4	0.07	3.28	226
1829652	Drill Core	1.66	0.54	<0.02	9	1.93	0.082	3.9	44.2	1.01	55.6	0.003	<1	0.52	0.002	0.21	<0.1	2.0	0.08	3.10	53
1829653	Drill Core	0.34	0.67	0.04	5	0.29	0.069	5.8	10.2	0.19	52.6	0.003	<1	0.38	0.007	0.27	0.1	1.0	0.09	2.78	8
1829654	Drill Core	7.37	0.97	0.14	5	1.14	0.056	3.1	13.0	0.58	63.5	0.002	<1	0.39	0.002	0.20	<0.1	1.1	0.08	2.68	170
1829655	Drill Core	2.94	0.33	0.33	6	1.27	0.060	4.6	5.3	0.71	87.1	0.003	<1	0.60	0.004	0.30	0.1	1.2	0.09	2.01	47
1829656	Drill Core	8.58	0.48	0.48	7	2.36	0.056	4.2	5.9	1.00	101.6	0.002	<1	0.58	0.003	0.23	0.1	1.4	0.06	1.97	124
1829657	Drill Core	6.46	0.41	0.53	8	1.53	0.068	5.1	6.7	0.82	125.8	0.003	<1	0.61	0.004	0.27	0.1	1.6	0.08	1.89	123
1829658	Drill Core	1.19	0.31	0.09	10	1.42	0.062	3.8	19.8	1.36	94.6	0.002	<1	0.77	0.002	0.21	<0.1	1.8	0.08	2.30	36
1829659	Drill Core	4.22	0.45	0.20	10	1.79	0.073	4.3	36.2	1.53	106.2	0.003	<1	0.82	0.003	0.22	<0.1	2.1	0.07	2.23	140
1829660	Core DUP	3.88	0.43	0.19	11	1.77	0.069	4.3	34.7	1.50	109.0	0.003	<1	0.82	0.002	0.22	0.1	2.0	0.07	2.08	132
1829661	Drill Core	24.02	0.76	0.29	9	2.14	0.062	4.9	22.1	1.43	119.2	0.003	<1	0.75	0.003	0.20	0.1	1.8	0.06	2.47	859
1829662	Drill Core	6.83	0.46	0.16	6	1.06	0.053	4.1	6.5	0.65	46.6	0.003	<1	0.51	0.005	0.25	0.2	1.2	0.08	3.19	148
1829663	Drill Core	7.98	0.98	0.09	4	1.51	0.059	4.6	8.0	0.71	60.9	0.002	<1	0.32	0.005	0.20	<0.1	1.2	0.07	2.55	176
1829664	Drill Core	1.64	0.80	0.08	3	0.63	0.057	7.1	5.0	0.35	102.2	0.002	<1	0.28	0.006	0.21	<0.1	0.8	0.07	1.75	37
1829665	Drill Core	3.20	1.66	0.11	4	1.38	0.050	5.4	8.1	0.91	93.3	0.001	<1	0.39	0.008	0.18	<0.1	1.5	0.06	1.96	82



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 2 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000368.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829636 Drill Core	0.8	0.11	0.9	0.23	<0.1	0.23	<0.02	6.6	0.3	<0.05	6.5	3.39	5.9	0.03	<1	0.2	6.1	<10	<2
1829637 Drill Core	0.7	<0.02	1.6	0.37	<0.1	0.15	0.05	6.4	0.3	<0.05	5.5	4.22	4.7	<0.02	2	0.2	12.4	<10	<2
1829638 Drill Core	1.7	0.03	1.7	0.42	<0.1	0.15	<0.02	6.4	0.2	<0.05	4.8	3.42	9.3	<0.02	2	0.2	13.3	<10	<2
1829639 Drill Core	0.8	0.05	1.4	0.81	<0.1	0.21	<0.02	7.7	0.4	<0.05	6.6	4.46	12.3	0.03	<1	0.1	7.5	<10	<2
1829640 Rock Pulp	<0.1	<0.02	4.0	0.14	<0.1	0.12	0.33	2.0	1.9	<0.05	3.0	7.13	10.7	<0.02	<1	0.1	1.2	<10	<2
1829641 Drill Core	0.8	0.03	0.5	0.27	<0.1	0.15	<0.02	6.2	0.2	<0.05	5.8	4.31	5.5	0.02	2	0.1	2.0	<10	<2
1829642 Drill Core	1.0	0.03	1.0	0.41	<0.1	0.14	<0.02	7.4	0.2	<0.05	4.9	9.58	7.9	<0.02	<1	0.2	5.9	<10	<2
1829643 Drill Core	0.4	<0.02	0.6	0.29	<0.1	0.10	<0.02	6.6	0.2	<0.05	3.7	4.71	4.7	<0.02	2	0.2	3.1	<10	<2
1829644 Drill Core	1.1	0.11	0.8	0.36	<0.1	0.19	<0.02	7.6	0.2	<0.05	5.4	3.95	6.2	0.03	2	0.2	3.4	<10	<2
1829645 Drill Core	1.3	0.04	0.7	0.69	<0.1	0.17	<0.02	6.7	0.3	<0.05	7.5	5.19	6.7	0.04	2	0.2	3.8	<10	<2
1829646 Drill Core	1.4	0.05	0.7	0.56	<0.1	0.16	<0.02	6.4	0.4	<0.05	5.8	5.42	7.5	0.04	2	0.2	2.8	<10	<2
1829647 Drill Core	1.0	0.09	0.6	0.29	<0.1	0.14	<0.02	5.5	0.4	<0.05	5.6	3.99	4.8	<0.02	1	0.2	2.9	<10	<2
1829648 Drill Core	1.3	1.03	0.7	0.62	<0.1	0.14	<0.02	6.4	0.4	<0.05	5.1	5.21	6.4	0.02	<1	0.2	3.3	<10	<2
1829649 Drill Core	1.0	0.15	0.8	0.66	<0.1	0.16	<0.02	7.8	0.4	<0.05	5.5	8.23	8.1	0.03	1	0.1	3.5	<10	<2
1829650 Drill Core	1.4	0.12	1.0	0.24	<0.1	0.15	<0.02	6.9	0.2	<0.05	5.3	6.80	7.1	0.04	1	0.1	6.8	<10	<2
1829651 Drill Core	1.8	0.04	0.8	0.26	<0.1	0.17	<0.02	7.1	0.2	<0.05	6.0	3.68	6.7	0.03	<1	0.1	4.7	<10	<2
1829652 Drill Core	0.3	<0.02	1.3	0.39	<0.1	0.15	<0.02	7.8	0.2	<0.05	5.6	6.31	7.7	<0.02	1	0.2	8.4	<10	<2
1829653 Drill Core	0.4	<0.02	0.8	0.20	<0.1	0.21	0.02	8.8	0.2	<0.05	7.6	2.56	11.6	<0.02	<1	<0.1	3.7	<10	<2
1829654 Drill Core	1.1	0.05	0.8	0.29	<0.1	0.16	<0.02	6.8	0.3	<0.05	6.3	3.38	6.2	0.02	2	0.1	5.5	<10	<2
1829655 Drill Core	0.5	0.10	1.2	0.24	<0.1	0.15	<0.02	9.3	0.4	<0.05	5.3	3.85	9.1	<0.02	<1	<0.1	7.7	<10	<2
1829656 Drill Core	0.9	0.51	1.6	0.34	<0.1	0.13	<0.02	7.5	0.4	<0.05	5.1	6.10	8.3	0.02	1	0.1	8.3	<10	<2
1829657 Drill Core	0.7	0.04	1.4	0.27	<0.1	0.15	<0.02	9.1	0.3	<0.05	5.7	5.18	9.8	0.03	2	0.1	7.7	<10	<2
1829658 Drill Core	0.4	0.05	1.7	0.43	<0.1	0.13	<0.02	7.9	0.3	<0.05	5.2	5.58	7.3	<0.02	<1	0.1	10.2	<10	<2
1829659 Drill Core	0.7	0.03	1.8	0.34	<0.1	0.19	<0.02	7.9	0.2	<0.05	7.0	6.62	8.4	0.02	3	0.1	12.2	<10	<2
1829660 Core DUP	0.6	0.03	1.8	0.32	<0.1	0.17	<0.02	7.6	0.2	<0.05	6.7	6.73	8.5	<0.02	2	0.2	10.7	<10	<2
1829661 Drill Core	1.8	0.08	1.7	0.34	<0.1	0.22	<0.02	7.4	0.3	<0.05	7.7	7.02	9.6	0.06	2	0.1	11.1	<10	<2
1829662 Drill Core	0.7	0.02	1.1	0.26	<0.1	0.17	0.03	8.5	0.3	<0.05	6.8	4.57	8.1	0.02	<1	0.1	6.6	<10	<2
1829663 Drill Core	0.8	0.05	0.8	0.32	<0.1	0.17	<0.02	7.1	0.3	<0.05	6.5	6.16	9.6	0.03	<1	0.1	4.7	<10	<2
1829664 Drill Core	0.3	<0.02	0.7	0.34	<0.1	0.25	<0.02	8.2	0.4	<0.05	8.2	4.75	14.1	<0.02	2	0.1	3.5	<10	<2
1829665 Drill Core	0.5	0.10	0.9	0.38	<0.1	0.22	<0.02	7.0	0.3	<0.05	7.2	7.35	10.7	0.03	<1	<0.1	6.3	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000368.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1829666	Drill Core	3.12	496	0.124	0.12	<0.17	38.20	1.71	46.78	37.21	155.0	549	12.3	9.7	762	2.07	7.6	1.0	152.1	7.2	101.9
1829667	Drill Core	3.18	497	<0.005	<0.01	<0.17	37.70	1.12	16.94	5.31	44.0	195	7.7	6.6	609	1.47	1.2	0.8	2.5	7.0	80.9
1829668	Drill Core	3.17	395	0.015	0.01	<0.17	41.61	0.88	20.66	4.31	52.5	230	10.4	8.3	729	2.02	6.2	0.8	6.7	7.2	105.1
1829669	Drill Core	3.45	419	0.065	0.06	<0.17	27.75	1.47	35.00	14.23	33.0	412	9.0	7.9	526	1.57	7.0	0.6	79.9	5.6	73.6
1829670	Drill Core	3.28	477	0.042	0.04	<0.17	27.96	2.69	20.24	39.07	49.9	366	12.0	8.5	548	2.21	8.9	0.7	34.6	5.5	82.3
1829671	Drill Core	3.50	340	0.183	0.35	2.03	30.06	1.09	21.80	7.18	59.6	350	11.3	8.3	495	2.17	12.5	0.8	115.6	6.7	77.9
1829672	Drill Core	2.49	519	0.066	0.06	<0.17	27.34	0.31	21.79	2.71	54.8	278	10.1	8.0	785	1.70	6.1	0.7	51.9	6.5	105.4
1829673	Drill Core	2.09	447	0.022	0.02	<0.17	35.07	0.26	22.88	2.90	56.6	352	9.2	8.0	658	1.47	7.9	0.7	18.3	6.7	85.3
1829674	Drill Core	3.64	388	0.008	<0.01	<0.17	27.98	0.93	28.34	10.40	49.4	405	11.3	8.9	489	2.00	4.1	1.0	6.8	7.1	64.0
1829675	Drill Core	2.98	395	0.039	0.03	<0.17	40.04	1.70	26.96	12.37	98.0	418	18.1	14.2	598	2.71	16.4	0.9	5.9	6.0	49.0
1829676	Drill Core	3.57	380	0.011	0.01	<0.17	25.78	1.05	21.08	11.45	49.1	268	7.0	6.4	371	1.47	2.9	2.3	5.9	8.8	65.0
1829677	Drill Core	3.51	405	0.026	0.02	<0.17	31.18	2.98	9.63	15.44	13.5	189	3.1	3.6	147	0.89	1.0	3.0	3.8	11.4	40.2
1829678	Drill Core	3.37	459	0.005	<0.01	<0.17	30.06	1.67	12.01	56.70	98.5	200	0.9	0.7	148	0.57	0.8	3.0	2.2	12.9	65.5
1829679	Drill Core	1.58	413	0.006	<0.01	<0.17	32.73	0.18	6.63	39.34	45.1	209	0.6	0.6	71	0.52	2.3	2.5	1.2	13.8	12.4
1829680	Rock	0.23	157	<0.005	<0.01	<0.17	34.96	0.52	1.53	1.65	2.5	10	1.6	0.5	86	0.68	1.0	0.2	0.4	1.6	2.2
1829681	Drill Core	2.97	415	<0.005	<0.01	<0.17	32.90	1.13	23.08	29.83	17.6	276	0.8	0.9	183	0.51	1.5	2.9	0.6	13.6	56.3
1829682	Drill Core	1.52	421	<0.005	<0.01	<0.17	28.53	0.98	15.46	27.93	12.1	266	0.5	0.5	67	0.50	1.3	3.6	0.8	16.7	25.0
1829683	Drill Core	1.59	411	<0.005	<0.01	<0.17	40.63	0.42	6.55	33.19	6.5	193	0.3	0.3	44	0.30	2.0	2.8	1.2	17.9	11.9
1829684	Drill Core	2.83	474	0.009	<0.01	<0.17	32.65	0.21	3.01	20.19	5.8	144	0.4	0.3	56	0.31	1.5	2.3	2.6	13.4	25.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000368.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829666	Drill Core	0.46	0.36	0.04	7	2.05	0.064	8.4	18.4	0.85	149.4	0.004	<1	0.69	0.021	0.25	<0.1	1.9	0.07	1.33	16
1829667	Drill Core	0.13	0.15	0.04	6	1.49	0.066	10.5	7.5	0.73	229.2	0.003	<1	0.67	0.014	0.24	<0.1	1.7	0.06	0.67	6
1829668	Drill Core	0.22	0.17	0.03	5	1.62	0.061	10.1	7.4	0.89	161.5	0.003	<1	0.74	0.009	0.25	<0.1	1.4	0.07	1.15	<5
1829669	Drill Core	0.08	0.28	0.12	4	1.10	0.058	5.9	4.9	0.55	117.5	0.003	2	0.50	0.005	0.21	<0.1	1.1	0.06	1.16	<5
1829670	Drill Core	0.11	0.25	0.19	5	0.84	0.059	5.4	7.4	0.81	94.1	0.003	2	0.68	0.018	0.22	<0.1	1.4	0.06	1.68	<5
1829671	Drill Core	0.18	0.19	0.04	5	0.74	0.059	6.1	7.0	1.05	110.6	0.003	<1	0.78	0.008	0.20	0.1	1.1	0.06	1.55	<5
1829672	Drill Core	0.12	0.35	0.03	6	1.05	0.065	6.1	7.5	0.93	167.4	0.003	4	0.78	0.004	0.26	<0.1	1.3	0.08	0.88	<5
1829673	Drill Core	0.15	0.15	0.02	5	0.97	0.062	6.3	6.5	0.78	147.5	0.003	2	0.68	0.003	0.25	<0.1	1.4	0.06	0.84	5
1829674	Drill Core	0.17	0.20	0.04	6	0.68	0.064	6.0	9.0	0.75	118.5	0.003	2	0.69	0.010	0.26	<0.1	1.5	0.07	1.49	<5
1829675	Drill Core	0.13	0.33	0.06	19	0.46	0.071	4.9	108.3	2.34	121.7	0.003	<1	1.82	0.009	0.19	<0.1	2.5	0.05	1.07	<5
1829676	Drill Core	0.08	0.25	0.07	4	0.58	0.039	9.8	14.1	0.92	189.0	0.002	2	0.71	0.017	0.24	<0.1	1.0	0.06	0.73	<5
1829677	Drill Core	0.09	0.32	0.11	2	0.30	0.026	11.5	2.7	0.23	191.4	0.002	2	0.40	0.031	0.29	<0.1	0.8	0.08	0.71	<5
1829678	Drill Core	0.82	0.51	0.11	<1	0.52	0.004	14.6	1.6	0.23	428.0	0.001	2	0.34	0.038	0.24	<0.1	0.8	0.06	0.32	28
1829679	Drill Core	0.42	0.31	0.18	<1	0.12	0.005	18.6	1.3	0.09	305.5	<0.001	1	0.28	0.046	0.21	<0.1	0.7	0.05	0.38	12
1829680	Rock	<0.01	0.06	<0.02	2	0.03	0.002	2.8	4.4	0.02	19.4	0.003	2	0.09	0.007	0.02	<0.1	0.4	<0.02	<0.02	<5
1829681	Drill Core	0.12	0.43	0.22	<1	0.41	0.002	9.8	1.9	0.31	533.4	<0.001	2	0.28	0.006	0.20	<0.1	0.5	0.05	0.22	<5
1829682	Drill Core	0.08	0.69	0.19	<1	0.06	0.001	22.3	1.8	0.14	439.9	0.001	2	0.31	0.017	0.22	0.4	0.5	0.05	0.23	7
1829683	Drill Core	0.04	0.40	0.18	<1	0.04	0.002	28.7	1.0	0.08	331.6	0.001	<1	0.33	0.038	0.26	0.2	0.5	0.05	0.18	6
1829684	Drill Core	0.02	0.13	0.14	<1	0.08	0.002	24.4	1.5	0.10	690.8	<0.001	1	0.34	0.049	0.25	0.1	0.5	0.04	0.12	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 3 of 3 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000368.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1829666	Drill Core	0.4	0.03	1.7	0.39	<0.1	0.14	<0.02	9.0	0.4	<0.05	5.5	6.87	16.4	<0.02	1	0.1	8.0	<10
1829667	Drill Core	0.2	<0.02	1.7	0.63	<0.1	0.11	<0.02	9.1	0.4	<0.05	4.9	5.33	19.8	<0.02	1	0.2	7.7	<10
1829668	Drill Core	0.4	0.02	1.8	0.42	<0.1	0.13	0.04	9.1	0.3	<0.05	5.2	5.06	19.2	<0.02	<1	0.2	9.8	<10
1829669	Drill Core	<0.1	0.03	1.2	0.44	<0.1	0.13	<0.02	7.6	0.8	<0.05	4.6	3.14	11.8	<0.02	2	0.2	7.1	<10
1829670	Drill Core	0.3	0.03	1.6	0.35	<0.1	0.14	<0.02	7.7	0.3	<0.05	6.4	3.27	10.3	<0.02	3	0.2	8.2	<10
1829671	Drill Core	0.1	0.03	1.9	0.42	<0.1	0.18	0.06	8.0	0.3	<0.05	7.4	3.03	11.7	<0.02	<1	0.3	12.3	<10
1829672	Drill Core	<0.1	0.03	1.7	0.50	<0.1	0.14	<0.02	9.4	0.3	<0.05	6.0	3.26	11.8	<0.02	<1	0.3	10.5	<10
1829673	Drill Core	<0.1	<0.02	1.4	0.41	<0.1	0.10	<0.02	8.5	0.3	<0.05	5.5	3.00	11.9	<0.02	1	0.1	8.7	<10
1829674	Drill Core	0.2	<0.02	1.7	0.49	<0.1	0.14	<0.02	8.9	0.4	<0.05	6.3	2.89	11.7	<0.02	<1	<0.1	9.2	<10
1829675	Drill Core	0.2	<0.02	4.6	0.44	<0.1	0.12	<0.02	6.5	0.4	<0.05	5.4	2.50	9.9	<0.02	2	0.4	21.1	<10
1829676	Drill Core	<0.1	0.02	1.7	0.45	<0.1	0.11	<0.02	8.7	0.4	<0.05	4.8	3.44	18.3	<0.02	1	0.2	9.6	<10
1829677	Drill Core	<0.1	0.03	0.9	0.13	<0.1	0.17	0.03	9.0	0.5	<0.05	5.3	3.46	22.1	<0.02	2	0.2	3.0	<10
1829678	Drill Core	<0.1	<0.02	0.9	0.26	<0.1	0.27	0.03	7.8	0.5	<0.05	8.3	3.42	27.1	<0.02	<1	<0.1	2.3	<10
1829679	Drill Core	<0.1	<0.02	0.9	0.22	<0.1	0.27	0.04	7.1	0.4	<0.05	9.1	3.72	34.5	<0.02	<1	0.1	1.4	<10
1829680	Rock	<0.1	<0.02	0.3	0.14	<0.1	0.15	0.07	1.5	0.1	<0.05	3.6	1.22	5.4	<0.02	<1	<0.1	2.0	<10
1829681	Drill Core	<0.1	<0.02	0.8	0.20	<0.1	0.36	0.11	6.6	0.6	<0.05	11.3	4.42	18.3	<0.02	<1	<0.1	3.3	<10
1829682	Drill Core	<0.1	<0.02	0.9	0.17	<0.1	0.49	0.22	7.6	0.4	<0.05	16.2	8.32	43.6	<0.02	<1	<0.1	3.1	<10
1829683	Drill Core	<0.1	<0.02	1.0	0.20	<0.1	0.43	0.12	9.0	0.5	<0.05	13.9	6.07	54.6	<0.02	<1	0.2	1.8	<10
1829684	Drill Core	<0.1	0.03	0.9	0.18	<0.1	0.37	0.06	7.9	0.3	<0.05	11.0	4.60	45.6	<0.02	<1	0.2	1.6	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000368.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
1829657	Drill Core	3.24	518	0.038	0.05	<0.17	34.29	1.58	235.99	262.03	625.2	1175	14.7	12.0	781	2.32	5.2	0.8	23.2	5.5	96.3	
REP 1829657	QC							1.56	238.93	247.90	579.6	1176	14.6	10.7	801	2.22	5.2	0.8	22.3	4.9	95.3	
1829675	Drill Core	2.98	395	0.039	0.03	<0.17	40.04	1.70	26.96	12.37	98.0	418	18.1	14.2	598	2.71	16.4	0.9	5.9	6.0	49.0	
REP 1829675	QC	0.008																				
Core Reject Duplicates																						
1829656	Drill Core	1.67	493	0.075	0.11	0.52	34.34	1.82	285.35	477.61	662.7	3015	14.3	10.4	1006	2.24	4.9	0.8	42.1	5.2	148.8	
DUP 1829656	QC	484		0.040	0.07	0.49	34.86	1.88	280.64	551.06	672.3	3104	14.3	10.2	1053	2.23	5.1	0.8	30.8	5.4	154.6	
Reference Materials																						
STD BVGE001	Standard							10.88	4391.95	193.07	1636.1	2562	160.5	25.3	738	3.71	120.1	4.0	221.4	16.3	61.2	
STD DS11	Standard							14.08	149.94	138.63	321.7	1708	78.6	13.6	996	3.10	42.0	2.8	75.9	8.5	62.3	
STD OREAS262	Standard							0.68	123.75	60.36	149.8	455	63.5	26.9	512	3.28	36.4	1.3	67.5	10.1	35.0	
STD OREAS262	Standard							0.72	119.72	59.17	153.6	469	61.7	27.4	542	3.27	37.0	1.3	68.2	10.1	37.6	
STD OXC152	Standard	0.218																				
STD OXC152	Standard	0.209																				
STD OXH139	Standard	1.358																				
STD OXH139	Standard	1.277																				
STD OXN134	Standard	7.550																				
STD OXN134	Standard	7.503																				
STD OXQ90	Standard						25.48	30.02														
STD OXQ90	Standard						25.13	29.97														
STD OXQ90	Standard						25.44	29.68														
STD OXQ90	Standard						25.30	29.60														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55	
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	
STD OXQ90 Expected		24.88																				
BLK	Blank							<0.01	0.05	0.05	0.1	3	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	
BLK	Blank							<0.01	0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000368.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1829657	Drill Core	6.46	0.41	0.53	8	1.53	0.068	5.1	6.7	0.82	125.8	0.003	<1	0.61	0.004	0.27	0.1	1.6	0.08	1.89	123
REP 1829657	QC	6.31	0.39	0.51	7	1.43	0.063	4.3	6.1	0.79	109.4	0.003	<1	0.55	0.003	0.24	<0.1	1.5	0.07	1.78	120
1829675	Drill Core	0.13	0.33	0.06	19	0.46	0.071	4.9	108.3	2.34	121.7	0.003	<1	1.82	0.009	0.19	<0.1	2.5	0.05	1.07	<5
REP 1829675	QC																				
Core Reject Duplicates																					
1829656	Drill Core	8.58	0.48	0.48	7	2.36	0.056	4.2	5.9	1.00	101.6	0.002	<1	0.58	0.003	0.23	0.1	1.4	0.06	1.97	124
DUP 1829656	QC	8.91	0.47	0.55	8	2.44	0.054	4.6	5.9	1.01	102.9	0.003	<1	0.62	0.003	0.25	0.1	1.4	0.06	1.91	122
Reference Materials																					
STD BVGE001	Standard	6.35	3.71	26.12	73	1.34	0.073	26.9	200.1	1.31	293.3	0.244	5	2.46	0.206	0.90	4.9	6.4	0.62	0.66	106
STD DS11	Standard	2.48	8.88	11.90	49	1.05	0.075	18.0	58.3	0.85	344.5	0.091	8	1.18	0.072	0.40	2.8	3.1	4.83	0.28	261
STD OREAS262	Standard	0.68	5.97	1.10	22	3.10	0.046	17.7	42.7	1.14	256.7	0.003	4	1.33	0.068	0.32	0.2	3.5	0.46	0.26	166
STD OREAS262	Standard	0.71	5.85	1.11	22	2.93	0.039	18.4	46.9	1.16	255.7	0.003	5	1.47	0.068	0.33	0.2	3.4	0.46	0.26	155
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000368.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1829657	Drill Core	0.7	0.04	1.4	0.27	<0.1	0.15	<0.02	9.1	0.3	<0.05	5.7	5.18	9.8	0.03	2	0.1	7.7	<10	<2
REP 1829657	QC	0.7	0.04	1.4	0.28	<0.1	0.13	<0.02	8.8	0.3	<0.05	6.2	4.97	8.6	0.02	2	0.1	7.7	<10	<2
1829675	Drill Core	0.2	<0.02	4.6	0.44	<0.1	0.12	<0.02	6.5	0.4	<0.05	5.4	2.50	9.9	<0.02	2	0.4	21.1	<10	<2
REP 1829675	QC																			
Core Reject Duplicates																				
1829656	Drill Core	0.9	0.51	1.6	0.34	<0.1	0.13	<0.02	7.5	0.4	<0.05	5.1	6.10	8.3	0.02	1	0.1	8.3	<10	<2
DUP 1829656	QC	1.1	0.51	1.6	0.36	<0.1	0.14	<0.02	8.2	0.4	<0.05	5.9	6.76	8.7	0.02	1	0.2	8.4	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.2	1.02	7.5	7.47	0.1	0.35	0.25	92.3	5.9	<0.05	10.1	14.76	53.1	0.47	6	0.5	21.6	130	195
STD DS11	Standard	2.0	4.32	4.8	3.03	0.1	0.06	1.52	32.6	1.8	<0.05	3.4	7.67	34.9	0.26	44	0.6	23.4	87	166
STD OREAS262	Standard	0.3	0.24	3.9	3.04	<0.1	0.27	<0.02	18.8	0.6	<0.05	9.9	10.37	33.4	0.04	<1	1.3	20.3	<10	<2
STD OREAS262	Standard	<0.1	0.22	4.4	3.26	<0.1	0.28	<0.02	20.9	0.6	<0.05	9.8	11.35	36.9	0.03	2	1.7	19.1	<10	<2
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000368.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
BLK	Blank						<0.17	30.00														
BLK	Blank						<0.17	30.00														
BLK	Blank						<0.005															
BLK	Blank						<0.005															
BLK	Blank						<0.17	30.00														
BLK	Blank						<0.17	30.00														
BLK	Blank						<0.005															
BLK	Blank						<0.005															
Prep Wash																						
ROCK-WHI	Prep Blank		419	<0.005	<0.01	<0.17	39.79	1.03	3.00	3.43	28.3	19	0.7	3.2	440	1.73	1.2	0.5	0.5	2.1	18.6	
ROCK-WHI	Prep Blank		465	<0.005	<0.01	<0.17	33.34	1.05	3.79	1.60	26.8	12	0.9	3.6	423	1.77	0.9	0.5	<0.2	2.5	22.6	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000368.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.05	0.20	<0.02	21	0.57	0.044	5.8	2.6	0.41	42.0	0.065	2	0.76	0.066	0.07	<0.1	2.3	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.04	0.06	<0.02	23	0.56	0.047	6.1	3.3	0.41	51.9	0.075	2	0.82	0.087	0.09	<0.1	2.6	<0.02	<0.02	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000368.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.1	0.16	<0.1	0.09	0.20	1.7	0.4	<0.05	1.9	7.24	11.6	<0.02	<1	0.2	2.1	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.2	0.18	<0.1	0.12	0.22	2.0	0.3	<0.05	2.2	7.85	12.2	<0.02	<1	0.2	2.7	<10