



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 13, 2019
Report Date: September 09, 2019
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000371.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-43
P.O. Number
Number of Samples: 59

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	57	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	59	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	59	Analysis sample split/packet			WHI
Split -150	59	Analysis sample split/packet			WHI
EN002	59	Environmental disposal charge-Fire assay lead waste			VAN
FS631	57	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	59	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	59	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000371.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1831464	Drill Core	1.63	501	0.092	0.09	<0.17	35.76	1.16	11.97	23.59	77.2	391	5.8	6.4	418	0.95	8.2	1.4	41.2	10.8	14.5
1831465	Drill Core	3.10	492	0.043	0.06	0.31	38.45	5.35	21.37	22.07	65.2	1358	10.3	5.2	167	1.08	6.5	1.6	83.8	10.8	22.5
1831466	Drill Core	3.74	496	0.080	0.08	<0.17	40.00	1.38	13.56	30.32	42.0	519	3.8	2.3	67	0.74	2.1	1.9	303.1	9.7	12.1
1831467	Drill Core	1.15	469	0.020	0.02	<0.17	37.75	1.76	29.36	61.44	59.1	733	5.5	2.0	104	1.06	2.1	3.5	17.1	5.1	13.2
1831468	Drill Core	1.58	488	0.050	0.05	<0.17	36.03	31.33	79.15	161.86	121.2	8811	10.6	3.0	121	1.45	5.9	4.1	49.1	5.7	33.6
1831469	Drill Core	2.02	377	0.060	0.05	<0.17	34.37	24.82	89.66	200.77	115.8	8964	8.0	1.9	106	2.48	11.2	2.0	52.4	4.0	43.3
1831470	Drill Core	3.11	373	0.018	0.02	<0.17	42.78	2.86	49.38	144.99	141.2	790	7.2	1.8	140	2.09	13.0	0.6	17.1	3.2	15.2
1831471	Drill Core	2.10	519	0.039	0.04	<0.17	32.73	2.42	30.60	216.73	98.5	1144	6.4	3.0	94	2.07	15.8	0.7	55.1	5.6	21.4
1831472	Drill Core	2.29	411	0.051	0.05	<0.17	32.16	1.35	22.56	157.30	46.1	885	2.8	1.3	71	1.38	9.0	0.5	35.6	4.3	12.5
1831473	Drill Core	1.13	433	0.117	0.11	<0.17	37.61	1.74	60.28	151.89	39.1	1847	2.7	2.0	77	1.11	4.9	0.9	86.0	5.5	8.1
1831474	Drill Core	2.10	485	0.083	0.53	5.82	37.61	2.98	37.59	88.28	73.6	1003	3.8	2.0	98	1.31	3.1	1.3	228.8	8.8	12.9
1831475	Drill Core	1.23	446	0.015	0.01	<0.17	37.72	1.08	89.91	130.87	157.8	810	24.4	17.2	667	5.52	27.9	10.5	12.0	6.3	24.3
1831476	Drill Core	1.87	466	0.364	0.36	0.36	35.90	0.68	30.14	48.69	134.4	1281	6.4	3.4	150	1.99	1.6	2.0	375.4	7.5	20.7
1831477	Drill Core	1.05	401	0.113	0.10	<0.17	41.49	1.23	28.19	69.34	105.2	656	9.4	8.4	97	1.92	13.2	1.3	62.8	10.7	26.5
1831478	Drill Core	2.67	520	0.011	0.01	<0.17	26.41	0.55	7.52	64.05	25.5	147	2.3	0.7	47	0.59	0.8	1.7	4.4	14.0	22.0
1831479	Drill Core	3.10	466	<0.005	<0.01	<0.17	34.48	0.77	9.26	43.77	43.5	200	3.3	1.6	59	0.82	1.4	2.7	3.2	15.3	32.0
1831480	Rock	0.22	127	<0.005	<0.01	<0.17	25.29	0.49	1.41	2.50	3.9	14	1.5	0.5	86	0.73	0.8	0.2	1.1	1.4	3.1
1831481	Drill Core	2.03	432	<0.005	<0.01	<0.17	29.43	0.79	6.05	52.97	131.4	267	2.1	3.1	205	0.84	1.1	3.2	5.3	13.1	19.1
1831482	Drill Core	2.98	451	<0.005	<0.01	<0.17	36.71	0.43	6.13	22.96	53.2	139	1.3	1.5	174	0.54	0.5	4.2	0.5	15.4	20.8
1831483	Drill Core	2.55	449	0.019	0.02	<0.17	31.70	1.16	63.17	178.36	228.3	636	15.2	11.7	359	2.30	5.8	4.4	5.3	5.8	22.0
1831484	Drill Core	3.34	496	0.018	0.02	<0.17	32.49	3.34	52.36	38.54	147.3	1847	14.0	10.1	309	2.15	1.6	2.6	20.9	5.1	34.9
1831485	Drill Core	2.75	437	0.107	0.11	0.23	26.54	1.14	33.23	67.29	238.0	746	8.0	6.6	275	1.45	0.7	3.9	76.2	9.8	30.0
1831486	Drill Core	2.70	371	0.017	0.02	<0.17	26.33	2.81	68.20	332.69	302.1	710	20.9	14.6	747	2.82	3.6	1.5	19.0	3.8	79.2
1831487	Drill Core	2.13	431	0.013	0.01	<0.17	32.49	2.00	52.14	354.76	222.8	656	15.0	12.5	351	2.56	1.2	2.3	7.5	3.9	35.5
1831488	Drill Core	2.88	477	0.034	0.03	<0.17	29.17	0.66	29.32	14.00	160.2	244	14.4	12.8	452	2.03	1.3	2.6	4.3	5.2	35.3
1831489	Drill Core	2.14	358	0.032	0.03	<0.17	27.23	1.45	59.96	173.32	258.5	764	21.5	17.3	480	2.87	2.2	2.2	35.8	4.0	22.5
1831490	Drill Core	2.96	469	0.183	0.17	<0.17	35.86	1.75	65.03	156.88	224.3	1151	26.0	18.1	665	3.46	3.3	2.1	120.7	3.2	21.7
1831491	Drill Core	2.69	389	0.227	0.39	1.90	37.32	0.72	46.88	10.89	152.0	484	25.8	15.3	502	2.75	2.1	1.0	278.4	3.2	25.2
1831492	Drill Core	1.41	412	0.253	0.35	1.32	36.40	2.13	75.69	240.62	308.7	952	28.3	18.4	441	3.01	2.7	2.3	138.6	3.6	18.6
1831493	Drill Core	1.76	528	0.506	0.47	<0.17	33.67	1.29	74.81	299.02	232.8	748	12.7	9.1	429	2.18	1.3	1.2	8.8	3.6	30.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000371.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831464	Drill Core	0.45	0.47	0.17	6	0.12	0.023	19.2	5.8	0.17	543.2	0.008	1	0.46	0.016	0.22	1.1	1.1	0.06	0.03	12			
1831465	Drill Core	0.28	0.59	0.14	15	0.19	0.025	21.1	11.7	0.28	328.3	0.025	2	0.69	0.027	0.19	5.1	2.0	0.07	0.06	13			
1831466	Drill Core	0.23	0.64	0.13	7	0.06	0.016	18.2	5.9	0.19	289.0	0.007	2	0.45	0.019	0.20	1.3	1.0	0.05	0.04	15			
1831467	Drill Core	0.32	1.37	0.12	12	0.09	0.023	10.9	9.6	0.33	215.9	0.020	3	0.56	0.018	0.16	2.8	1.5	0.05	0.09	20			
1831468	Drill Core	0.48	2.16	0.14	17	0.11	0.031	11.4	14.3	0.57	300.4	0.022	<1	0.82	0.018	0.19	45.0	1.9	0.07	0.16	17			
1831469	Drill Core	0.28	2.13	0.13	12	0.15	0.050	5.7	11.7	0.52	397.8	0.007	<1	0.69	0.015	0.20	35.1	1.7	0.07	0.38	63			
1831470	Drill Core	0.13	2.74	0.11	10	0.19	0.043	4.1	11.0	0.88	229.9	0.003	<1	0.75	0.009	0.19	2.4	1.2	0.06	0.58	34			
1831471	Drill Core	0.49	3.27	0.16	7	0.38	0.044	4.2	9.8	0.46	122.6	0.002	<1	0.54	0.005	0.25	2.6	1.1	0.06	1.09	84			
1831472	Drill Core	0.28	2.12	0.10	4	0.12	0.027	5.5	5.4	0.27	230.5	0.005	2	0.31	0.010	0.19	0.9	0.7	0.06	0.47	55			
1831473	Drill Core	0.18	2.13	0.15	5	0.07	0.021	7.6	5.2	0.24	151.3	0.005	2	0.32	0.010	0.20	2.0	0.9	0.07	0.30	23			
1831474	Drill Core	0.55	1.38	0.07	6	0.08	0.024	9.9	6.2	0.54	252.8	0.004	1	0.56	0.022	0.22	3.8	1.2	0.08	0.37	20			
1831475	Drill Core	3.80	2.09	0.05	86	0.50	0.100	8.9	28.4	2.54	74.1	0.238	1	2.73	0.028	0.31	1.1	9.8	0.11	1.83	14			
1831476	Drill Core	0.58	0.74	0.03	9	0.18	0.058	8.6	10.4	0.80	283.8	0.018	1	0.83	0.023	0.27	0.6	1.6	0.08	0.53	12			
1831477	Drill Core	0.59	2.12	0.10	7	0.15	0.042	6.4	6.7	0.28	164.3	0.004	<1	0.39	0.010	0.22	0.5	1.3	0.07	0.72	30			
1831478	Drill Core	0.15	0.83	0.05	<1	0.02	0.008	11.2	1.9	0.17	543.5	0.001	<1	0.40	0.028	0.21	0.5	0.6	0.05	0.18	11			
1831479	Drill Core	0.47	0.77	0.06	<1	0.04	0.016	10.0	2.1	0.22	210.8	0.002	<1	0.39	0.021	0.21	0.7	0.6	0.05	0.55	12			
1831480	Rock	0.02	0.09	0.02	2	0.08	0.002	2.5	3.2	0.02	18.5	0.003	2	0.08	0.007	0.02	<0.1	0.4	<0.02	<0.02	<5			
1831481	Drill Core	1.30	0.88	0.08	<1	0.09	0.009	7.6	1.9	0.22	255.7	0.001	2	0.37	0.019	0.23	0.8	0.5	0.05	0.50	19			
1831482	Drill Core	0.41	0.88	0.07	<1	0.12	0.004	4.4	1.2	0.21	430.1	<0.001	1	0.23	0.008	0.14	0.1	0.4	0.03	0.31	8			
1831483	Drill Core	1.57	1.46	0.41	7	0.29	0.061	2.5	8.1	1.02	59.9	0.004	<1	0.75	0.004	0.15	0.2	1.0	0.05	1.84	7			
1831484	Drill Core	1.29	0.52	0.10	6	0.31	0.064	2.8	8.3	0.91	70.5	0.004	<1	0.72	0.008	0.16	7.4	1.0	0.06	1.58	14			
1831485	Drill Core	3.47	0.70	0.05	3	0.30	0.026	4.2	3.8	0.46	121.0	0.002	<1	0.42	0.015	0.16	1.0	0.7	0.04	1.09	33			
1831486	Drill Core	1.31	0.44	0.27	14	0.83	0.065	1.8	17.2	1.73	89.8	0.004	1	1.26	0.006	0.15	<0.1	2.1	0.06	1.57	22			
1831487	Drill Core	2.62	0.60	0.24	8	0.42	0.068	3.3	13.0	1.03	45.4	0.007	<1	0.87	0.010	0.23	0.2	1.5	0.07	1.80	16			
1831488	Drill Core	2.27	0.55	<0.02	6	0.59	0.079	5.6	9.7	0.83	117.2	0.011	<1	0.69	0.009	0.29	0.4	1.6	0.11	1.10	15			
1831489	Drill Core	1.52	1.04	0.12	15	0.30	0.065	3.5	15.3	1.65	59.1	0.009	<1	1.23	0.009	0.23	0.4	1.8	0.08	1.60	13			
1831490	Drill Core	1.66	0.79	0.09	19	0.44	0.068	3.1	21.1	2.09	66.0	0.010	<1	1.61	0.007	0.21	1.7	2.4	0.08	1.97	8			
1831491	Drill Core	0.83	0.97	0.02	20	0.28	0.061	4.1	20.7	1.97	92.4	0.010	<1	1.65	0.010	0.25	0.2	2.5	0.07	1.16	10			
1831492	Drill Core	2.45	1.84	0.13	13	0.33	0.071	4.1	18.0	1.42	48.0	0.010	<1	1.11	0.009	0.22	0.2	1.8	0.07	2.16	20			
1831493	Drill Core	1.59	2.66	0.17	10	0.38	0.050	3.7	14.2	1.11	47.9	0.005	<1	0.94	0.021	0.19	0.2	1.5	0.05	1.44	21			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 3 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000371.1

	Method	Analyte	Method																		AQ251	
			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd		Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb		ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2			
1831464	Drill Core	<0.1	0.04	1.5	0.21	<0.1	0.12	0.22	9.4	0.4	<0.05	5.0	5.98	36.3	<0.02	<1	0.4	4.0	<10	<2		
1831465	Drill Core	<0.1	0.04	2.1	0.36	<0.1	0.28	0.43	9.3	0.3	<0.05	8.9	6.22	40.6	<0.02	2	0.3	6.6	<10	<2		
1831466	Drill Core	<0.1	0.03	1.3	0.21	<0.1	0.30	0.17	8.0	0.2	<0.05	8.9	4.17	35.2	<0.02	<1	0.2	4.5	<10	<2		
1831467	Drill Core	0.2	0.03	1.6	0.25	<0.1	0.19	0.18	7.1	0.3	<0.05	6.0	2.77	19.8	<0.02	<1	0.2	6.7	<10	<2		
1831468	Drill Core	0.8	0.04	2.3	0.32	<0.1	0.22	0.19	7.4	0.3	<0.05	7.8	2.59	21.4	<0.02	1	0.3	9.2	<10	5		
1831469	Drill Core	1.1	0.06	1.9	0.56	<0.1	0.18	0.02	7.3	0.2	<0.05	7.4	1.00	11.3	<0.02	1	0.1	5.0	<10	<2		
1831470	Drill Core	0.8	0.05	2.2	0.47	<0.1	0.17	<0.02	7.1	0.4	<0.05	7.5	0.65	7.9	<0.02	1	<0.1	6.4	17	<2		
1831471	Drill Core	0.7	0.10	1.4	0.33	<0.1	0.16	<0.02	8.4	0.3	<0.05	7.1	0.91	9.0	<0.02	<1	<0.1	4.7	<10	<2		
1831472	Drill Core	<0.1	0.07	1.1	0.53	<0.1	0.17	<0.02	8.1	0.2	<0.05	7.0	0.76	10.6	<0.02	2	0.1	2.9	<10	<2		
1831473	Drill Core	0.2	0.09	1.2	0.56	<0.1	0.20	<0.02	8.0	0.2	<0.05	7.9	1.03	14.7	<0.02	2	0.1	3.9	<10	<2		
1831474	Drill Core	<0.1	0.03	1.7	1.49	<0.1	0.30	<0.02	8.6	0.3	<0.05	9.9	1.93	19.8	<0.02	<1	<0.1	10.4	<10	<2		
1831475	Drill Core	0.5	0.07	10.1	1.34	<0.1	0.54	0.08	11.7	0.7	<0.05	16.6	7.33	19.6	0.04	<1	0.5	46.4	<10	<2		
1831476	Drill Core	<0.1	0.59	2.6	1.17	<0.1	0.32	<0.02	10.6	0.2	<0.05	11.2	2.01	17.5	<0.02	<1	0.2	12.5	<10	<2		
1831477	Drill Core	0.4	0.09	1.2	0.89	<0.1	0.32	<0.02	8.5	0.1	<0.05	11.0	2.39	13.2	<0.02	1	0.2	3.7	<10	<2		
1831478	Drill Core	<0.1	<0.02	0.9	0.27	<0.1	0.47	0.08	6.6	0.3	<0.05	12.9	2.66	22.3	<0.02	<1	<0.1	3.4	<10	2		
1831479	Drill Core	<0.1	<0.02	0.9	0.27	<0.1	0.46	0.06	7.0	0.2	<0.05	11.6	3.39	19.0	<0.02	<1	0.2	2.8	<10	<2		
1831480	Rock	<0.1	<0.02	0.3	0.12	<0.1	0.12	0.06	1.2	0.1	<0.05	3.2	1.13	5.1	<0.02	<1	<0.1	1.2	<10	<2		
1831481	Drill Core	<0.1	<0.02	0.8	0.15	<0.1	0.37	0.10	7.2	0.3	<0.05	8.8	4.12	15.1	<0.02	<1	0.1	2.6	<10	<2		
1831482	Drill Core	0.1	<0.02	0.7	0.15	<0.1	0.40	0.14	4.6	0.3	<0.05	11.5	3.61	8.8	<0.02	1	<0.1	2.0	<10	<2		
1831483	Drill Core	1.1	<0.02	1.9	0.42	<0.1	0.32	<0.02	5.4	0.2	<0.05	12.6	3.31	5.1	<0.02	2	<0.1	8.1	<10	<2		
1831484	Drill Core	0.3	0.04	1.7	0.52	<0.1	0.25	<0.02	6.0	0.2	<0.05	9.4	2.62	5.7	<0.02	<1	0.3	7.8	<10	<2		
1831485	Drill Core	0.5	0.25	1.0	0.35	<0.1	0.26	0.06	5.4	0.5	<0.05	9.5	3.48	8.5	<0.02	3	0.1	4.0	<10	<2		
1831486	Drill Core	1.1	0.07	3.3	0.54	<0.1	0.11	<0.02	5.8	0.1	<0.05	8.6	3.11	3.7	<0.02	8	<0.1	12.9	<10	<2		
1831487	Drill Core	0.8	0.05	2.1	0.77	<0.1	0.19	<0.02	8.5	0.5	<0.05	6.5	2.95	6.6	<0.02	4	0.2	7.3	<10	<2		
1831488	Drill Core	<0.1	<0.02	1.6	1.42	<0.1	0.15	0.03	13.2	0.3	<0.05	6.1	4.20	11.2	<0.02	2	<0.1	5.1	<10	<2		
1831489	Drill Core	0.9	0.06	3.1	1.07	<0.1	0.15	<0.02	9.2	0.6	<0.05	5.9	2.92	6.7	<0.02	3	<0.1	10.9	<10	<2		
1831490	Drill Core	0.9	0.09	3.8	0.69	<0.1	0.19	<0.02	7.8	0.2	<0.05	5.7	2.97	6.2	<0.02	3	<0.1	15.4	<10	<2		
1831491	Drill Core	<0.1	0.07	4.0	0.42	<0.1	0.13	<0.02	8.7	0.2	<0.05	7.0	2.67	8.1	<0.02	1	<0.1	17.1	<10	<2		
1831492	Drill Core	0.4	0.18	2.8	0.76	<0.1	0.15	<0.02	8.2	1.3	<0.05	5.6	3.71	8.3	<0.02	5	<0.1	11.0	<10	2		
1831493	Drill Core	0.5	0.06	2.5	0.34	<0.1	0.17	<0.02	6.2	0.2	<0.05	5.2	2.30	7.4	<0.02	3	<0.1	9.2	<10	<2		



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000371.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1831494	Drill Core	3.31	407	2.113	2.89	9.84	40.75	1.53	141.16	344.72	381.7	1881	25.1	16.9	659	3.51	3.0	0.8	2312.1	3.5	24.2
1831495	Drill Core	2.79	438	0.219	0.24	0.48	33.53	0.95	58.19	94.09	311.5	635	24.0	19.3	714	3.40	5.8	0.9	137.0	3.6	27.8
1831496	Drill Core	3.18	388	0.086	0.08	<0.17	35.06	4.48	365.89	2416.67	2733.9	4340	27.4	17.4	602	3.61	2.7	0.5	67.0	2.3	22.9
1831497	Drill Core	3.17	384	0.432	0.49	1.24	29.72	0.55	66.10	37.02	259.0	631	18.3	15.5	684	3.17	1.9	0.6	201.9	3.0	25.7
1831498	Drill Core	1.70	350	0.601	0.55	<0.17	28.07	0.38	271.89	333.21	252.3	3588	20.7	15.0	677	3.28	1.7	0.6	512.2	3.6	27.4
1831499	Drill Core	3.64	473	0.120	0.11	<0.17	28.85	1.37	57.00	40.77	221.5	322	23.0	17.2	607	3.15	5.3	1.7	129.6	3.2	20.6
1831500	Rock Pulp	0.11	79	7.390				9.76	197.72	21.97	75.9	882	13.8	11.5	582	4.71	14.6	1.0	7798.3	3.1	81.7
1831501	Drill Core	3.07	426	0.070	0.08	0.19	31.26	4.17	88.00	221.80	475.9	897	21.2	16.5	872	3.06	10.0	0.7	83.3	3.0	39.8
1831502	Drill Core	2.07	457	0.031	0.03	<0.17	28.41	0.47	192.50	400.04	593.4	1348	10.8	13.4	808	2.66	3.8	1.0	31.3	3.4	54.8
1831503	Drill Core	3.15	420	0.064	0.06	<0.17	30.58	1.06	112.46	133.29	668.6	888	13.0	11.4	804	2.24	11.4	1.3	84.3	5.6	59.7
1831504	Drill Core	3.06	451	0.016	0.01	<0.17	29.57	2.56	40.27	210.16	323.8	586	14.0	10.1	571	2.35	9.4	1.0	4.2	7.0	44.3
1831505	Drill Core	2.80	365	0.014	0.01	<0.17	25.44	1.41	57.93	339.77	303.4	728	16.9	10.1	624	2.52	2.5	0.8	3.7	5.4	43.6
1831506	Drill Core	2.21	488	0.063	0.06	<0.17	28.46	3.67	152.55	442.11	892.5	1738	12.1	8.1	683	2.61	2.0	0.9	51.4	6.8	64.0
1831507	Drill Core	2.66	504	0.046	0.04	<0.17	33.22	1.62	257.86	801.90	1151.2	2248	12.9	8.3	682	2.37	7.9	1.1	17.1	5.8	51.4
1831508	Drill Core	2.84	377	0.184	0.17	<0.17	32.61	1.61	40.93	167.85	122.5	708	9.7	6.4	461	1.88	7.0	1.4	102.9	8.0	45.9
1831509	Drill Core	2.24	494	0.046	0.04	<0.17	37.78	2.02	24.73	70.46	138.7	593	8.9	6.1	457	1.63	5.4	1.6	20.0	6.8	50.6
1831510	Drill Core	3.05	446	0.023	0.02	<0.17	37.25	1.58	153.06	345.76	580.7	2131	19.9	12.5	697	2.96	15.2	1.3	22.3	5.6	42.3
1831511	Drill Core	2.55	458	0.120	0.12	<0.17	30.97	1.30	142.20	333.21	347.9	1452	17.0	12.3	1125	3.14	1.9	0.6	87.1	5.5	49.3
1831512	Drill Core	3.98	357	0.014	0.01	<0.17	36.46	4.23	71.84	267.91	315.1	909	16.5	10.3	616	2.83	4.6	1.0	9.0	6.5	27.3
1831513	Drill Core	3.58	480	0.009	<0.01	<0.17	31.39	2.44	58.79	215.35	501.6	849	10.4	7.0	550	2.40	3.4	1.3	5.9	8.9	28.8
1831514	Drill Core	3.03	433	0.015	0.01	<0.17	29.75	2.38	56.67	219.63	335.2	798	12.0	7.6	677	2.44	6.6	1.7	10.1	7.3	49.1
1831515	Drill Core	2.67	475	0.012	0.01	<0.17	30.66	1.42	80.38	208.94	318.7	968	14.1	8.7	585	2.56	3.2	1.5	6.9	7.2	28.6
1831516	Drill Core	3.74	427	0.031	0.03	<0.17	40.67	1.70	63.33	178.79	314.5	789	14.7	9.0	641	2.54	2.1	1.1	14.1	7.1	37.8
1831517	Drill Core	2.93	417	0.022	0.02	<0.17	38.31	1.79	45.98	141.00	221.4	690	11.7	8.9	732	2.52	3.4	1.6	21.5	8.3	58.0
1831518	Drill Core	2.90	434	0.013	0.01	<0.17	29.79	0.88	18.27	18.74	75.8	307	8.1	7.1	576	2.17	3.0	2.6	5.5	10.1	47.6
1831519	Drill Core	3.12	417	0.011	<0.01	<0.17	41.58	2.26	24.19	74.06	134.7	497	11.3	8.4	715	2.38	2.5	2.3	6.9	7.9	52.3
1831520	Rock Pulp	0.12	76	0.479				2.53	441.72	21.40	46.6	391	608.9	27.6	428	2.53	19.9	0.6	475.5	1.9	56.1
1831521	Drill Core	2.04	407	0.023	0.02	<0.17	38.16	1.06	78.50	74.21	280.7	988	18.7	13.8	1085	2.88	2.5	1.8	13.8	6.3	58.5
1831522	Drill Core	2.31	480	0.011	<0.01	<0.17	40.83	3.44	10.32	137.78	101.4	655	4.7	5.0	513	1.50	0.4	1.3	6.0	10.0	46.1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000371.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831494	Drill Core	6.15	3.01	0.16	24	0.45	0.063	3.5	23.9	2.31	69.1	0.008	<1	1.90	0.009	0.24	0.1	2.8	0.06	2.07	101
1831495	Drill Core	2.03	1.58	0.05	21	0.45	0.063	3.3	23.4	2.02	43.9	0.006	<1	1.65	0.007	0.23	0.6	2.7	0.07	2.05	25
1831496	Drill Core	41.17	9.15	0.31	21	0.38	0.062	3.7	24.9	2.17	50.9	0.003	<1	1.72	0.020	0.21	1.6	2.4	0.05	2.54	1911
1831497	Drill Core	1.31	1.37	0.07	22	0.42	0.061	3.7	22.8	2.19	70.8	0.004	<1	1.77	0.020	0.21	<0.1	2.4	0.06	1.65	12
1831498	Drill Core	4.62	11.26	0.25	24	0.50	0.060	4.5	26.0	2.31	73.9	0.004	<1	1.86	0.020	0.22	<0.1	2.7	0.06	1.56	28
1831499	Drill Core	1.08	0.94	0.04	21	0.37	0.067	4.3	21.8	2.26	75.3	0.005	<1	1.88	0.006	0.25	<0.1	2.6	0.07	1.67	6
1831500	Rock Pulp	0.21	5.95	0.63	109	0.97	0.063	8.9	18.5	0.85	134.6	0.135	2	1.86	0.197	0.24	4.3	3.8	0.07	<0.02	218
1831501	Drill Core	3.50	1.78	0.11	16	0.78	0.069	2.9	18.0	1.78	73.9	0.006	<1	1.39	0.006	0.22	<0.1	2.2	0.07	2.02	48
1831502	Drill Core	7.57	1.61	0.19	9	1.08	0.066	3.5	9.0	0.95	87.4	0.005	<1	0.72	0.008	0.23	0.1	1.8	0.09	2.07	110
1831503	Drill Core	14.46	2.19	0.08	5	1.47	0.055	5.0	6.6	0.55	87.8	0.003	<1	0.51	0.004	0.25	0.2	1.3	0.03	1.86	310
1831504	Drill Core	4.19	2.18	0.06	5	0.94	0.053	5.9	9.4	0.43	48.1	0.003	<1	0.47	0.017	0.22	0.1	1.0	0.08	2.19	116
1831505	Drill Core	2.08	0.79	0.18	8	0.97	0.063	5.1	16.8	1.19	82.2	0.005	1	0.93	0.009	0.23	0.1	1.6	0.07	1.93	52
1831506	Drill Core	8.16	2.87	0.07	4	1.20	0.046	5.1	6.6	0.82	74.8	0.003	<1	0.60	0.019	0.20	<0.1	1.3	0.06	2.44	319
1831507	Drill Core	8.62	4.38	0.08	4	1.30	0.050	5.5	7.0	0.62	37.6	0.003	<1	0.59	0.007	0.25	0.1	1.2	0.06	2.13	380
1831508	Drill Core	1.40	0.67	0.12	3	1.04	0.033	6.5	4.8	0.34	84.2	0.003	1	0.52	0.021	0.29	0.1	0.9	0.07	1.68	52
1831509	Drill Core	1.74	0.98	0.05	3	1.03	0.028	6.7	4.0	0.35	116.8	0.002	<1	0.48	0.008	0.23	0.2	0.7	0.06	1.28	38
1831510	Drill Core	5.46	0.60	0.08	6	1.08	0.073	7.3	10.6	1.01	64.8	0.003	<1	0.86	0.007	0.26	0.1	1.3	0.07	2.30	70
1831511	Drill Core	2.56	0.40	0.13	7	1.98	0.077	5.7	12.5	1.18	66.3	0.002	<1	0.89	0.009	0.24	0.2	1.8	0.07	2.30	49
1831512	Drill Core	2.06	0.44	0.09	6	0.90	0.069	5.2	12.3	1.01	71.1	0.002	<1	0.91	0.006	0.24	0.1	1.3	0.06	2.21	33
1831513	Drill Core	7.22	0.51	0.06	6	0.83	0.052	7.0	9.0	1.23	101.7	0.002	<1	1.01	0.007	0.22	0.3	1.3	0.07	1.65	48
1831514	Drill Core	3.06	0.91	0.08	7	1.64	0.059	4.7	10.4	1.12	99.6	0.002	<1	0.89	0.007	0.22	0.2	1.2	0.07	1.83	27
1831515	Drill Core	2.47	0.49	0.09	6	1.16	0.063	5.8	9.8	0.83	70.5	0.002	<1	0.81	0.024	0.23	<0.1	1.4	0.07	2.03	28
1831516	Drill Core	2.53	0.35	0.07	6	1.27	0.059	6.5	9.9	0.91	82.3	0.002	<1	0.87	0.020	0.24	<0.1	1.4	0.08	1.98	30
1831517	Drill Core	1.31	0.55	0.09	8	1.55	0.057	7.0	10.4	1.30	83.3	0.002	<1	1.08	0.008	0.20	0.2	1.8	0.08	1.68	22
1831518	Drill Core	0.18	0.59	0.07	8	1.14	0.046	9.6	10.9	1.27	108.7	0.002	<1	1.15	0.015	0.20	0.1	1.7	0.07	1.21	10
1831519	Drill Core	0.55	0.63	0.06	9	1.83	0.049	6.1	11.1	1.47	81.5	0.002	1	1.23	0.004	0.19	0.2	1.7	0.07	1.41	22
1831520	Rock Pulp	0.24	0.38	0.31	52	1.28	0.031	4.3	95.3	1.80	77.8	0.072	2	2.01	0.192	0.14	1.3	2.6	0.10	0.20	21
1831521	Drill Core	1.56	0.56	0.04	15	2.35	0.072	7.0	20.6	1.51	87.3	0.002	<1	1.31	0.006	0.20	0.4	2.2	0.09	1.76	12
1831522	Drill Core	0.50	0.38	0.13	4	1.47	0.033	10.4	5.9	1.36	80.8	0.001	<1	0.94	0.015	0.16	1.4	0.8	0.05	0.73	8



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 3 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000371.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1831494	Drill Core	1.0	0.45	4.6	0.22	<0.1	0.16	0.04	7.7	0.2	<0.05	6.3	2.61	7.0	<0.02	2	<0.1	17.2	<10	2
1831495	Drill Core	0.4	0.06	4.0	1.36	<0.1	0.23	<0.02	8.6	0.1	<0.05	9.5	3.65	6.8	<0.02	<1	0.3	22.6	<10	<2
1831496	Drill Core	4.4	0.39	4.4	0.32	<0.1	0.20	<0.02	7.1	0.2	<0.05	5.9	1.91	7.6	0.12	7	<0.1	15.1	<10	<2
1831497	Drill Core	0.4	0.10	4.1	0.35	<0.1	0.16	<0.02	7.0	0.2	<0.05	5.4	2.00	7.5	<0.02	<1	<0.1	14.7	<10	<2
1831498	Drill Core	1.1	0.17	4.6	0.43	<0.1	0.17	<0.02	7.5	0.1	<0.05	6.1	2.54	9.0	<0.02	<1	0.2	17.7	<10	<2
1831499	Drill Core	0.1	0.04	4.2	0.43	<0.1	0.15	<0.02	9.3	0.2	<0.05	8.5	2.00	8.3	<0.02	3	<0.1	16.6	<10	<2
1831500	Rock Pulp	<0.1	0.18	5.6	0.76	0.1	0.10	0.12	8.4	1.9	<0.05	1.8	5.76	17.3	0.05	<1	<0.1	7.0	<10	2
1831501	Drill Core	0.3	0.06	3.1	0.50	<0.1	0.20	<0.02	8.3	0.1	<0.05	7.7	2.84	6.0	<0.02	6	<0.1	12.8	<10	<2
1831502	Drill Core	0.2	0.05	1.5	1.10	<0.1	0.22	<0.02	10.7	0.1	<0.05	8.6	3.47	7.1	<0.02	<1	<0.1	7.1	<10	<2
1831503	Drill Core	<0.1	0.03	0.9	0.46	<0.1	0.22	<0.02	8.9	0.2	<0.05	7.8	4.38	9.3	<0.02	<1	<0.1	3.9	<10	<2
1831504	Drill Core	<0.1	0.02	1.1	0.27	<0.1	0.35	<0.02	8.1	0.7	<0.05	11.0	4.18	11.7	<0.02	<1	<0.1	3.3	<10	<2
1831505	Drill Core	0.5	0.04	1.9	0.39	<0.1	0.23	<0.02	8.4	0.2	<0.05	8.9	3.21	9.3	<0.02	1	<0.1	10.9	<10	<2
1831506	Drill Core	0.2	0.15	1.4	0.34	<0.1	0.30	<0.02	7.7	0.2	<0.05	10.8	3.55	8.9	<0.02	2	<0.1	6.6	<10	<2
1831507	Drill Core	0.7	0.06	1.3	0.19	<0.1	0.27	<0.02	8.9	0.1	<0.05	9.1	4.10	10.8	0.03	1	0.2	5.1	13	<2
1831508	Drill Core	0.1	0.14	1.1	0.21	<0.1	0.20	0.06	8.9	0.1	<0.05	7.5	3.69	12.2	<0.02	<1	0.2	3.3	<10	<2
1831509	Drill Core	<0.1	0.11	0.9	0.37	<0.1	0.20	<0.02	7.7	0.2	<0.05	7.8	3.59	12.6	<0.02	<1	<0.1	4.4	<10	<2
1831510	Drill Core	0.6	0.03	2.0	0.47	<0.1	0.20	<0.02	10.0	0.1	<0.05	7.3	4.93	14.2	<0.02	2	0.1	8.4	<10	<2
1831511	Drill Core	0.7	0.08	2.0	0.73	<0.1	0.20	<0.02	9.8	0.4	<0.05	8.2	6.61	11.0	<0.02	1	<0.1	10.2	<10	<2
1831512	Drill Core	0.4	0.03	2.1	0.65	<0.1	0.27	<0.02	9.7	0.5	<0.05	9.9	3.87	9.9	<0.02	3	0.3	13.6	14	<2
1831513	Drill Core	<0.1	<0.02	2.2	1.64	<0.1	0.30	<0.02	9.9	0.2	<0.05	10.7	4.29	13.4	<0.02	<1	0.1	18.1	<10	<2
1831514	Drill Core	0.3	0.03	2.4	1.28	<0.1	0.31	<0.02	9.9	0.3	<0.05	11.6	4.50	9.0	<0.02	2	0.1	14.0	<10	<2
1831515	Drill Core	0.5	0.03	1.9	1.08	<0.1	0.23	<0.02	10.3	0.1	<0.05	8.9	4.30	11.2	<0.02	<1	0.4	10.5	13	<2
1831516	Drill Core	0.4	0.02	1.9	1.15	<0.1	0.19	<0.02	10.8	0.2	<0.05	7.5	4.49	11.9	<0.02	2	0.3	12.0	<10	<2
1831517	Drill Core	0.2	0.05	3.0	3.08	<0.1	0.20	<0.02	10.4	0.5	<0.05	8.9	5.06	14.2	0.03	3	0.4	19.7	<10	<2
1831518	Drill Core	<0.1	<0.02	3.8	1.74	<0.1	0.14	<0.02	9.7	0.3	<0.05	5.4	4.40	18.2	<0.02	1	0.3	22.4	<10	<2
1831519	Drill Core	<0.1	0.03	3.2	3.19	<0.1	0.16	<0.02	10.0	0.2	<0.05	5.5	5.43	11.8	<0.02	<1	0.3	24.5	<10	<2
1831520	Rock Pulp	0.3	0.18	3.9	0.62	<0.1	0.07	0.03	5.8	0.4	<0.05	1.4	3.10	8.4	<0.02	4	0.1	7.4	270	120
1831521	Drill Core	0.4	0.08	3.9	4.70	<0.1	0.14	<0.02	11.4	0.1	<0.05	8.4	7.82	13.3	<0.02	2	0.6	30.4	<10	<2
1831522	Drill Core	<0.1	0.04	2.2	1.32	<0.1	0.22	<0.02	6.5	0.2	<0.05	6.3	5.47	19.5	<0.02	3	0.3	14.9	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000371.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1831470	Drill Core	3.11	373	0.018	0.02	<0.17	42.78	2.86	49.38	144.99	141.2	790	7.2	1.8	140	2.09	13.0	0.6	17.1	3.2	15.2
REP 1831470	QC							2.78	48.74	140.97	139.9	784	7.6	1.6	154	2.14	12.6	0.6	15.1	3.3	15.0
1831475	Drill Core	1.23	446	0.015	0.01	<0.17	37.72	1.08	89.91	130.87	157.8	810	24.4	17.2	667	5.52	27.9	10.5	12.0	6.3	24.3
REP 1831475	QC			0.015																	
1831493	Drill Core	1.76	528	0.506	0.47	<0.17	33.67	1.29	74.81	299.02	232.8	748	12.7	9.1	429	2.18	1.3	1.2	8.8	3.6	30.3
REP 1831493	QC			0.015																	
1831505	Drill Core	2.80	365	0.014	0.01	<0.17	25.44	1.41	57.93	339.77	303.4	728	16.9	10.1	624	2.52	2.5	0.8	3.7	5.4	43.6
REP 1831505	QC							1.49	63.04	347.24	313.7	758	18.4	11.3	628	2.55	2.9	0.8	6.1	5.3	44.8
1831520	Rock Pulp	0.12	76	0.479				2.53	441.72	21.40	46.6	391	608.9	27.6	428	2.53	19.9	0.6	475.5	1.9	56.1
REP 1831520	QC							2.39	435.27	19.90	51.1	276	611.3	27.1	411	2.53	18.9	0.6	423.8	1.8	54.0
Core Reject Duplicates																					
1831484	Drill Core	3.34	496	0.018	0.02	<0.17	32.49	3.34	52.36	38.54	147.3	1847	14.0	10.1	309	2.15	1.6	2.6	20.9	5.1	34.9
DUP 1831484	QC		487	0.044	0.04	<0.17	34.63	3.08	48.96	34.66	137.9	1875	13.9	10.2	321	2.13	1.5	2.8	37.8	5.0	34.6
1831518	Drill Core	2.90	434	0.013	0.01	<0.17	29.79	0.88	18.27	18.74	75.8	307	8.1	7.1	576	2.17	3.0	2.6	5.5	10.1	47.6
DUP 1831518	QC		427	0.013	0.01	<0.17	28.60	0.93	17.26	17.85	73.9	315	8.7	7.4	567	2.21	2.7	2.5	6.1	9.8	47.1
Reference Materials																					
STD BVGEO01	Standard							10.88	4391.95	193.07	1636.1	2562	160.5	25.3	738	3.71	120.1	4.0	221.4	16.3	61.2
STD BVGEO01	Standard							11.15	4368.20	182.86	1693.1	2523	159.9	25.2	744	3.57	118.1	3.7	211.7	15.0	55.6
STD DS11	Standard							14.89	147.75	139.76	336.5	1732	77.0	13.1	1029	3.11	41.3	2.8	79.8	8.5	70.5
STD DS11	Standard							14.03	141.83	131.70	354.3	1794	75.6	12.6	1006	3.07	43.3	2.8	94.5	8.1	69.5
STD DS11	Standard							14.47	150.64	139.73	348.5	1746	80.5	13.8	1016	3.17	41.6	2.6	67.0	8.2	66.7
STD OREAS262	Standard							0.72	119.72	59.17	153.6	469	61.7	27.4	542	3.27	37.0	1.3	68.2	10.1	37.6
STD OREAS262	Standard							0.72	113.82	54.40	145.5	462	58.8	25.8	548	3.22	34.5	1.2	80.9	9.4	35.9
STD OREAS262	Standard							0.67	114.56	59.16	159.9	450	65.4	26.2	550	3.27	34.9	1.3	67.3	9.7	34.8
STD OREAS262	Standard							0.62	110.25	54.29	148.1	448	59.0	25.4	501	3.24	36.0	1.2	62.7	10.3	37.3
STD OREAS262	Standard							0.71	114.00	56.91	154.9	476	64.2	27.0	511	3.31	34.5	1.2	71.3	9.6	34.0
STD OXC152	Standard			0.224																	
STD OXC152	Standard			0.216																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000371.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1831470	Drill Core	0.13	2.74	0.11	10	0.19	0.043	4.1	11.0	0.88	229.9	0.003	<1	0.75	0.009	0.19	2.4	1.2	0.06	0.58	34
REP 1831470	QC	0.14	2.55	0.10	10	0.20	0.040	4.2	11.9	0.93	218.4	0.003	1	0.80	0.009	0.20	2.2	1.4	0.06	0.59	32
1831475	Drill Core	3.80	2.09	0.05	86	0.50	0.100	8.9	28.4	2.54	74.1	0.238	1	2.73	0.028	0.31	1.1	9.8	0.11	1.83	14
REP 1831475	QC																				
1831493	Drill Core	1.59	2.66	0.17	10	0.38	0.050	3.7	14.2	1.11	47.9	0.005	<1	0.94	0.021	0.19	0.2	1.5	0.05	1.44	21
REP 1831493	QC																				
1831505	Drill Core	2.08	0.79	0.18	8	0.97	0.063	5.1	16.8	1.19	82.2	0.005	1	0.93	0.009	0.23	0.1	1.6	0.07	1.93	52
REP 1831505	QC	2.08	0.79	0.19	8	0.96	0.064	4.8	17.5	1.18	77.4	0.005	<1	0.91	0.009	0.23	<0.1	1.5	0.07	1.93	53
1831520	Rock Pulp	0.24	0.38	0.31	52	1.28	0.031	4.3	95.3	1.80	77.8	0.072	2	2.01	0.192	0.14	1.3	2.6	0.10	0.20	21
REP 1831520	QC	0.21	0.36	0.30	52	1.28	0.029	4.0	96.6	1.80	73.8	0.072	4	2.01	0.193	0.14	1.3	2.5	0.09	0.20	27
Core Reject Duplicates																					
1831484	Drill Core	1.29	0.52	0.10	6	0.31	0.064	2.8	8.3	0.91	70.5	0.004	<1	0.72	0.008	0.16	7.4	1.0	0.06	1.58	14
DUP 1831484	QC	1.30	0.51	0.08	6	0.30	0.064	2.7	8.1	0.91	74.9	0.004	<1	0.71	0.007	0.16	7.3	1.1	0.05	1.57	<5
1831518	Drill Core	0.18	0.59	0.07	8	1.14	0.046	9.6	10.9	1.27	108.7	0.002	<1	1.15	0.015	0.20	0.1	1.7	0.07	1.21	10
DUP 1831518	QC	0.20	0.61	0.07	8	1.16	0.049	10.4	11.2	1.29	114.3	0.002	<1	1.19	0.016	0.21	0.1	1.6	0.08	1.23	<5
Reference Materials																					
STD BVGEO01	Standard	6.35	3.71	26.12	73	1.34	0.073	26.9	200.1	1.31	293.3	0.244	5	2.46	0.206	0.90	4.9	6.4	0.62	0.66	106
STD BVGEO01	Standard	6.28	3.42	25.28	74	1.31	0.068	26.8	171.3	1.29	292.5	0.243	3	2.34	0.196	0.90	5.3	5.5	0.59	0.67	84
STD DS11	Standard	2.50	9.15	12.03	47	1.07	0.070	19.4	61.1	0.84	357.4	0.095	7	1.19	0.075	0.40	2.9	3.1	4.88	0.26	265
STD DS11	Standard	2.35	8.75	12.04	50	1.05	0.072	18.7	55.9	0.84	371.7	0.089	8	1.19	0.074	0.41	3.2	2.9	4.70	0.27	266
STD DS11	Standard	2.34	8.99	11.43	51	1.05	0.069	18.3	56.6	0.85	363.1	0.091	7	1.17	0.073	0.40	3.0	3.0	4.93	0.27	284
STD OREAS262	Standard	0.71	5.85	1.11	22	2.93	0.039	18.4	46.9	1.16	255.7	0.003	5	1.47	0.068	0.33	0.2	3.4	0.46	0.26	155
STD OREAS262	Standard	0.63	5.45	1.06	22	2.99	0.040	15.3	40.1	1.18	254.7	0.003	5	1.30	0.070	0.30	0.3	3.4	0.44	0.26	157
STD OREAS262	Standard	0.71	6.13	1.07	21	3.01	0.041	16.5	43.8	1.14	238.4	0.002	3	1.34	0.066	0.31	0.2	3.1	0.45	0.24	183
STD OREAS262	Standard	0.69	4.90	1.04	23	3.00	0.042	17.4	41.1	1.15	247.1	0.003	5	1.40	0.068	0.34	0.2	3.4	0.42	0.26	170
STD OREAS262	Standard	0.63	5.83	0.99	23	2.91	0.037	15.7	42.0	1.16	236.9	0.003	4	1.30	0.068	0.30	0.2	3.1	0.49	0.25	155
STD OXC152	Standard																				
STD OXC152	Standard																				



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI19000371.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1831470	Drill Core	0.8	0.05	2.2	0.47	<0.1	0.17	<0.02	7.1	0.4	<0.05	7.5	0.65	7.9	<0.02	1	<0.1	6.4	17	<2
REP 1831470	QC	0.4	0.03	2.3	0.43	<0.1	0.16	<0.02	6.8	0.4	<0.05	8.4	0.65	8.0	<0.02	1	<0.1	6.4	<10	<2
1831475	Drill Core	0.5	0.07	10.1	1.34	<0.1	0.54	0.08	11.7	0.7	<0.05	16.6	7.33	19.6	0.04	<1	0.5	46.4	<10	<2
REP 1831475	QC																			
1831493	Drill Core	0.5	0.06	2.5	0.34	<0.1	0.17	<0.02	6.2	0.2	<0.05	5.2	2.30	7.4	<0.02	3	<0.1	9.2	<10	<2
REP 1831493	QC																			
1831505	Drill Core	0.5	0.04	1.9	0.39	<0.1	0.23	<0.02	8.4	0.2	<0.05	8.9	3.21	9.3	<0.02	1	<0.1	10.9	<10	<2
REP 1831505	QC	0.3	<0.02	2.0	0.41	<0.1	0.24	<0.02	8.7	0.2	<0.05	9.5	3.30	9.4	<0.02	<1	<0.1	10.8	<10	<2
1831520	Rock Pulp	0.3	0.18	3.9	0.62	<0.1	0.07	0.03	5.8	0.4	<0.05	1.4	3.10	8.4	<0.02	4	0.1	7.4	270	120
REP 1831520	QC	0.3	0.16	3.7	0.62	<0.1	0.05	0.03	5.8	0.4	<0.05	1.3	2.86	8.3	<0.02	2	<0.1	7.5	250	118
Core Reject Duplicates																				
1831484	Drill Core	0.3	0.04	1.7	0.52	<0.1	0.25	<0.02	6.0	0.2	<0.05	9.4	2.62	5.7	<0.02	<1	0.3	7.8	<10	<2
DUP 1831484	QC	0.4	0.08	1.7	0.56	<0.1	0.22	<0.02	6.0	0.2	<0.05	9.3	2.57	5.7	<0.02	2	<0.1	7.9	<10	<2
1831518	Drill Core	<0.1	<0.02	3.8	1.74	<0.1	0.14	<0.02	9.7	0.3	<0.05	5.4	4.40	18.2	<0.02	1	0.3	22.4	<10	<2
DUP 1831518	QC	<0.1	0.03	3.5	1.72	<0.1	0.16	<0.02	9.9	0.3	<0.05	5.9	4.47	19.8	<0.02	<1	0.2	21.7	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.2	1.02	7.5	7.47	0.1	0.35	0.25	92.3	5.9	<0.05	10.1	14.76	53.1	0.47	6	0.5	21.6	130	195
STD BVGEO01	Standard	4.2	1.05	7.0	7.11	0.2	0.26	0.30	89.8	5.7	<0.05	8.7	14.08	51.7	0.47	5	0.5	19.7	105	182
STD DS11	Standard	1.8	4.72	4.9	2.92	<0.1	0.06	1.51	34.5	1.9	<0.05	3.0	7.86	37.7	0.24	48	0.7	20.9	92	168
STD DS11	Standard	1.8	4.62	5.1	2.97	<0.1	0.06	1.66	35.4	2.0	<0.05	3.4	8.31	37.9	0.24	47	0.4	22.2	106	179
STD DS11	Standard	2.0	4.89	5.1	2.98	<0.1	0.05	1.38	34.0	1.9	<0.05	2.8	7.78	37.1	0.27	64	0.4	22.9	94	171
STD OREAS262	Standard	<0.1	0.22	4.4	3.26	<0.1	0.28	<0.02	20.9	0.6	<0.05	9.8	11.35	36.9	0.03	2	1.7	19.1	<10	<2
STD OREAS262	Standard	0.3	0.25	4.0	2.86	<0.1	0.20	<0.02	18.6	0.6	<0.05	9.6	10.24	31.4	0.03	2	1.0	17.1	<10	<2
STD OREAS262	Standard	0.1	0.26	3.9	3.06	<0.1	0.24	<0.02	19.5	0.6	<0.05	10.3	10.58	33.4	0.04	<1	0.9	17.0	<10	<2
STD OREAS262	Standard	0.2	0.22	3.9	2.71	<0.1	0.22	<0.02	19.7	0.6	<0.05	9.7	11.02	33.5	0.03	1	1.0	17.3	<10	2
STD OREAS262	Standard	0.3	0.22	3.8	2.86	<0.1	0.20	<0.02	18.4	0.5	<0.05	11.7	10.28	32.2	0.03	1	1.1	16.8	<10	3
STD OXC152	Standard																			
STD OXC152	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000371.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXC152	Standard			0.219																	
STD OXC152	Standard			0.213																	
STD OXH139	Standard			1.339																	
STD OXH139	Standard			1.310																	
STD OXH139	Standard			1.311																	
STD OXH139	Standard			1.308																	
STD OXN134	Standard			7.762																	
STD OXN134	Standard			7.731																	
STD OXN134	Standard			7.700																	
STD OXQ90	Standard					24.93	29.96														
STD OXQ90	Standard					25.11	30.07														
STD OXQ90	Standard					25.73	30.04														
STD OXQ90	Standard					25.29	29.93														
STD OXQ90	Standard					25.16	30.25														
STD OXQ90	Standard					25.19	30.05														
STD OXQ90	Standard					25.62	30.41														
STD OXQ90	Standard					25.09	30.53														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank							<0.01	0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.04	<0.01	0.3	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.01	0.02	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	0.02	<0.01	<0.1	2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000371.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	0.03	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000371.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	0.1	<0.1	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000371.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		454	<0.005	<0.01	<0.17	36.45	1.15	2.33	1.28	28.6	8	0.8	3.4	463	1.86	0.7	0.5	<0.2	3.1	22.7
ROCK-WHI	Prep Blank		398	<0.005	<0.01	<0.17	38.51	1.11	3.52	1.42	31.2	8	0.6	3.3	477	1.84	0.8	0.5	<0.2	2.6	22.4



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000371.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.01	0.09	<0.02	23	0.65	0.039	7.0	2.2	0.44	56.5	0.085	2	0.92	0.116	0.10	<0.1	3.0	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.01	0.09	<0.02	22	0.60	0.042	7.1	2.2	0.43	50.0	0.089	2	0.87	0.098	0.10	<0.1	2.9	<0.02	0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000371.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.18	<0.1	0.12	0.22	2.2	0.4	<0.05	3.6	9.85	14.4	<0.02	1	<0.1	2.4	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.16	<0.1	0.12	0.21	2.3	0.4	<0.05	3.5	9.23	14.2	<0.02	<1	0.2	2.1	21