



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 15, 2019
Report Date: September 05, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000392.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-44
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	132	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	138	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	138	Analysis sample split/packet			WHI
Split -150	138	Analysis sample split/packet			WHI
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
FS631	134	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	138	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 2 of 6 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000392.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1833532	Drill Core	2.63	448	0.010	<0.01	<0.17	37.23	0.65	21.12	14.85	39.4	5195	2.9	3.3	383	0.54	6.9	1.6	6.1	12.5	10.9
1833533	Drill Core	2.19	345	0.017	0.02	<0.17	26.25	0.92	12.30	18.65	91.8	1844	4.3	4.5	464	0.90	6.5	2.0	13.8	13.2	20.3
1833534	Drill Core	1.79	531	0.016	0.01	<0.17	39.13	0.74	9.00	22.81	81.3	574	3.6	4.7	329	0.77	7.0	2.1	13.5	14.1	20.7
1833535	Drill Core	2.77	504	0.006	<0.01	<0.17	33.63	0.85	7.59	22.01	63.1	711	2.7	3.9	372	0.58	8.7	1.6	3.9	13.5	11.0
1833536	Drill Core	2.74	462	0.014	0.01	<0.17	36.98	0.94	12.80	17.82	137.9	292	4.6	6.1	370	1.02	25.0	3.3	10.8	14.2	17.9
1833537	Drill Core	3.27	396	0.014	0.01	<0.17	31.98	0.75	13.40	24.53	75.7	183	2.8	4.5	359	0.76	19.1	2.5	10.1	13.7	11.5
1833538	Drill Core	2.92	442	0.011	0.01	<0.17	28.56	0.65	6.35	14.85	53.9	92	1.8	3.2	157	0.61	9.8	2.1	6.3	13.6	17.5
1833539	Drill Core	3.03	527	0.040	0.04	<0.17	29.83	0.86	8.56	17.28	72.0	304	3.4	5.9	432	0.80	34.5	2.3	57.7	12.8	14.3
1833540	Rock Pulp	0.12	73	<0.005				3.76	20.04	1.00	31.1	16	7.1	4.0	580	2.39	1.4	0.4	0.6	2.0	29.2
1833541	Drill Core	2.95	429	0.020	0.02	<0.17	31.57	0.34	6.48	19.78	30.7	140	1.3	2.1	82	0.43	20.8	2.3	13.5	14.4	55.8
1833542	Drill Core	2.89	423	0.030	0.03	<0.17	35.48	0.51	8.61	16.18	72.1	243	2.7	2.5	202	0.81	42.3	3.2	26.4	15.6	24.0
1833543	Drill Core	3.11	420	0.023	0.02	<0.17	32.31	0.51	5.87	15.77	58.3	415	2.1	2.3	173	0.60	42.5	2.4	22.3	14.8	28.4
1833544	Drill Core	2.83	454	0.025	0.02	<0.17	32.87	0.50	3.45	20.44	36.4	282	1.4	1.3	117	0.59	43.4	2.5	25.5	14.6	34.6
1833545	Drill Core	2.93	464	0.018	0.02	<0.17	35.20	0.45	4.96	17.21	44.3	320	1.4	1.5	117	0.63	38.3	2.5	16.3	14.5	27.2
1833546	Drill Core	3.43	507	0.018	0.02	<0.17	32.01	0.45	3.63	18.28	32.6	269	0.8	0.6	53	0.57	38.4	2.1	14.0	13.2	18.4
1833547	Drill Core	2.10	433	0.034	0.03	<0.17	40.05	0.74	5.98	18.70	49.2	450	1.8	1.8	172	0.70	53.7	3.0	31.2	13.9	50.4
1833548	Drill Core	3.27	482	0.036	0.03	<0.17	36.77	0.38	5.21	19.41	34.9	638	1.1	0.9	123	0.55	55.0	2.3	34.9	15.3	28.4
1833549	Drill Core	2.00	442	0.015	0.01	<0.17	34.33	0.58	3.88	16.19	30.1	275	1.3	1.1	280	0.42	26.1	1.5	12.2	13.7	36.9
1833550	Drill Core	3.19	461	0.017	0.02	<0.17	37.23	0.34	3.78	13.50	23.7	265	0.7	0.8	89	0.49	31.1	2.0	13.6	14.4	22.8
1833551	Drill Core	3.11	449	0.014	0.01	<0.17	39.16	0.52	4.26	22.58	37.9	406	1.1	1.1	184	0.49	29.5	1.8	12.7	14.0	24.2
1833552	Drill Core	3.34	469	0.025	0.02	<0.17	28.22	0.58	4.49	32.21	33.3	486	1.0	1.0	151	0.56	40.4	2.3	21.8	14.4	21.8
1833553	Drill Core	2.59	397	0.014	0.01	<0.17	37.72	0.85	4.74	37.82	51.5	482	2.0	2.5	535	0.69	22.5	2.7	11.0	13.7	20.9
1833554	Drill Core	2.79	481	<0.005	<0.01	<0.17	35.77	0.31	2.59	17.25	38.3	229	0.9	0.8	143	0.66	8.8	2.4	2.9	15.7	37.6
1833555	Drill Core	2.94	518	<0.005	<0.01	<0.17	26.73	0.64	3.33	19.66	44.8	209	1.5	1.7	256	0.60	15.1	2.1	4.5	13.6	31.8
1833556	Drill Core	2.00	394	0.018	0.02	<0.17	32.27	0.96	3.47	15.61	43.8	319	2.1	1.9	531	0.58	24.7	1.4	15.5	14.0	10.4
1833557	Drill Core	2.61	443	0.015	0.01	<0.17	39.02	0.67	3.67	13.21	44.5	304	1.6	2.0	323	0.56	23.0	1.4	12.8	14.1	15.6
1833558	Drill Core	2.88	455	0.011	0.01	<0.17	40.24	0.56	4.57	18.61	49.8	353	1.8	1.9	233	0.74	24.8	1.4	11.3	17.1	37.8
1833559	Drill Core	2.96	466	0.018	0.02	<0.17	40.69	0.56	7.70	16.97	36.7	306	1.6	1.8	232	0.73	23.7	1.3	11.6	15.7	27.9
1833560	Core DUP		486	0.014	0.01	<0.17	33.36	0.55	7.82	17.14	39.9	296	1.7	1.8	236	0.75	23.4	1.2	10.1	15.7	28.4
1833561	Drill Core	2.70	465	0.015	0.01	<0.17	29.96	0.53	7.61	12.28	35.8	290	1.3	1.6	156	0.72	22.6	1.6	8.5	15.5	28.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000392.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833532	Drill Core	0.84	0.17	0.21	<1	0.04	0.013	36.2	1.7	0.09	475.2	0.001	4	0.31	0.010	0.22	26.0	0.4	0.07	<0.02	<5			
1833533	Drill Core	1.02	0.27	0.15	2	0.10	0.025	28.7	2.0	0.25	785.2	0.002	2	0.52	0.008	0.24	7.5	0.8	0.08	<0.02	<5			
1833534	Drill Core	0.68	0.25	0.16	2	0.09	0.025	32.5	1.8	0.20	645.4	0.002	<1	0.44	0.005	0.23	2.0	0.6	0.09	<0.02	<5			
1833535	Drill Core	0.61	0.17	0.30	<1	0.05	0.014	26.3	1.5	0.12	433.7	<0.001	<1	0.34	0.005	0.19	2.4	0.4	0.07	<0.02	<5			
1833536	Drill Core	1.01	0.31	0.18	2	0.10	0.028	28.4	1.5	0.24	343.5	0.002	1	0.54	0.005	0.21	0.7	0.7	0.07	<0.02	<5			
1833537	Drill Core	0.81	0.23	0.18	<1	0.05	0.016	34.6	1.4	0.12	408.5	0.001	<1	0.34	0.007	0.20	0.2	0.5	0.07	<0.02	<5			
1833538	Drill Core	0.47	0.19	0.10	1	0.08	0.034	33.9	1.7	0.11	303.6	0.002	1	0.32	0.003	0.23	0.2	0.4	0.08	<0.02	6			
1833539	Drill Core	1.05	0.29	0.10	2	0.08	0.030	33.3	1.6	0.13	323.0	0.002	<1	0.40	0.005	0.25	0.3	0.7	0.08	<0.02	<5			
1833540	Rock Pulp	0.02	0.16	<0.02	22	0.74	0.040	5.3	13.1	0.50	58.3	0.071	<1	1.03	0.071	0.08	0.2	2.8	<0.02	0.05	6			
1833541	Drill Core	0.40	0.22	0.05	<1	0.02	0.014	39.9	1.3	0.04	2277.3	0.001	<1	0.26	0.021	0.22	0.2	0.5	0.07	0.05	10			
1833542	Drill Core	0.75	0.41	<0.02	2	0.05	0.021	40.7	2.4	0.10	1408.0	0.002	<1	0.39	0.029	0.24	<0.1	1.7	0.08	0.03	11			
1833543	Drill Core	0.72	0.30	0.05	1	0.03	0.013	39.0	1.7	0.08	1412.3	0.001	<1	0.32	0.020	0.22	0.4	1.4	0.08	0.03	10			
1833544	Drill Core	0.51	0.37	0.08	<1	0.01	0.008	36.7	1.0	0.05	1590.2	<0.001	<1	0.27	0.017	0.23	<0.1	1.2	0.07	0.04	<5			
1833545	Drill Core	0.65	0.34	0.04	<1	0.01	0.009	36.4	1.0	0.04	1499.6	<0.001	<1	0.26	0.018	0.22	0.2	1.0	0.06	0.03	<5			
1833546	Drill Core	0.42	0.35	<0.02	<1	<0.01	0.007	37.4	0.9	0.03	963.3	<0.001	<1	0.26	0.012	0.26	<0.1	0.9	0.07	0.02	<5			
1833547	Drill Core	0.65	0.38	0.07	<1	0.01	0.011	38.5	1.6	0.03	2593.0	<0.001	1	0.24	0.015	0.22	0.3	0.9	0.08	0.06	6			
1833548	Drill Core	0.54	0.43	0.35	<1	<0.01	0.010	36.6	1.2	0.03	1714.3	<0.001	<1	0.24	0.031	0.22	0.2	0.9	0.07	0.04	<5			
1833549	Drill Core	0.63	0.23	0.28	<1	0.01	0.007	33.2	0.9	0.03	1677.8	<0.001	<1	0.25	0.018	0.23	0.3	0.5	0.07	0.04	<5			
1833550	Drill Core	0.34	0.23	0.04	<1	0.01	0.009	38.7	1.1	0.04	946.8	<0.001	1	0.27	0.019	0.24	<0.1	0.8	0.07	0.02	<5			
1833551	Drill Core	0.64	0.27	0.06	<1	0.02	0.008	38.8	1.1	0.05	1251.6	<0.001	1	0.28	0.017	0.24	0.2	0.9	0.07	0.03	7			
1833552	Drill Core	0.58	0.41	<0.02	<1	0.01	0.009	38.9	1.2	0.04	997.0	<0.001	1	0.25	0.016	0.24	<0.1	0.8	0.07	0.03	9			
1833553	Drill Core	1.02	0.29	<0.02	<1	0.02	0.012	38.5	1.4	0.04	947.1	<0.001	<1	0.28	0.016	0.23	0.4	0.9	0.08	0.04	5			
1833554	Drill Core	0.39	0.17	<0.02	<1	0.03	0.010	34.7	1.2	0.08	1599.6	0.001	<1	0.33	0.024	0.23	<0.1	2.0	0.07	0.04	<5			
1833555	Drill Core	0.64	0.23	0.04	<1	0.02	0.010	33.6	1.2	0.07	1740.9	<0.001	<1	0.30	0.020	0.22	<0.1	1.4	0.06	0.04	<5			
1833556	Drill Core	0.87	0.30	<0.02	<1	0.03	0.014	38.2	1.6	0.08	693.5	<0.001	<1	0.32	0.016	0.26	<0.1	1.2	0.08	<0.02	8			
1833557	Drill Core	0.62	0.27	<0.02	<1	0.05	0.014	35.4	1.2	0.10	1900.7	<0.001	<1	0.36	0.011	0.26	<0.1	1.0	0.08	0.04	8			
1833558	Drill Core	0.50	0.27	<0.02	2	0.07	0.022	39.8	2.2	0.16	1911.5	0.001	<1	0.43	0.024	0.26	<0.1	2.1	0.08	0.04	17			
1833559	Drill Core	0.45	0.31	<0.02	2	0.07	0.021	36.7	1.8	0.13	2048.1	<0.001	<1	0.42	0.019	0.27	<0.1	1.4	0.09	0.04	9			
1833560	Core DUP	0.46	0.32	<0.02	2	0.08	0.021	36.6	1.9	0.13	2039.8	<0.001	<1	0.44	0.021	0.28	<0.1	1.5	0.09	0.04	<5			
1833561	Drill Core	0.34	0.31	<0.02	2	0.08	0.023	34.0	1.7	0.13	1990.3	0.001	<1	0.44	0.021	0.27	<0.1	1.7	0.09	0.04	7			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000392.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833532	Drill Core	<0.1	<0.02	0.9	0.28	<0.1	0.20	0.04	8.6	0.8	<0.05	6.8	5.88	63.3	<0.02	<1	0.2	3.0	<10	<2			
1833533	Drill Core	<0.1	<0.02	1.4	0.59	<0.1	0.24	0.03	9.6	0.4	<0.05	9.2	5.98	51.6	<0.02	<1	<0.1	7.8	<10	<2			
1833534	Drill Core	<0.1	<0.02	1.4	0.97	<0.1	0.22	0.02	10.6	0.4	<0.05	9.1	6.23	57.1	<0.02	<1	0.3	6.7	<10	<2			
1833535	Drill Core	<0.1	<0.02	1.0	0.68	<0.1	0.38	<0.02	7.7	0.4	<0.05	11.9	5.27	47.7	<0.02	<1	<0.1	4.5	<10	<2			
1833536	Drill Core	<0.1	<0.02	1.5	0.66	<0.1	0.32	<0.02	8.6	0.5	<0.05	10.6	7.51	51.3	<0.02	<1	0.7	7.8	<10	<2			
1833537	Drill Core	<0.1	<0.02	1.1	0.36	<0.1	0.32	0.03	7.5	0.8	<0.05	10.3	6.81	62.4	<0.02	<1	0.2	4.6	<10	<2			
1833538	Drill Core	<0.1	<0.02	1.0	0.40	<0.1	0.23	0.02	9.5	0.3	<0.05	8.0	5.40	60.8	<0.02	<1	0.3	4.4	<10	<2			
1833539	Drill Core	<0.1	0.03	1.3	0.40	<0.1	0.19	<0.02	9.5	0.3	<0.05	7.6	8.19	61.5	<0.02	<1	0.1	4.5	<10	<2			
1833540	Rock Pulp	<0.1	<0.02	4.0	0.13	<0.1	0.14	0.30	1.9	1.8	<0.05	3.0	7.41	10.0	<0.02	<1	<0.1	1.1	<10	<2			
1833541	Drill Core	<0.1	<0.02	0.9	0.20	<0.1	0.24	0.03	7.7	0.4	<0.05	7.7	9.29	69.8	<0.02	<1	<0.1	2.0	<10	<2			
1833542	Drill Core	<0.1	<0.02	2.0	0.71	<0.1	0.28	0.02	11.8	0.5	<0.05	9.3	12.97	75.0	<0.02	<1	0.5	3.5	<10	<2			
1833543	Drill Core	<0.1	<0.02	1.6	0.34	<0.1	0.34	0.03	10.6	0.4	<0.05	10.7	11.71	72.0	<0.02	<1	0.5	3.3	<10	<2			
1833544	Drill Core	<0.1	<0.02	1.1	0.17	<0.1	0.39	0.05	9.4	0.3	<0.05	11.8	9.93	67.6	<0.02	<1	0.2	2.2	<10	<2			
1833545	Drill Core	<0.1	<0.02	1.0	0.16	<0.1	0.35	0.03	9.0	0.3	<0.05	10.8	10.29	65.5	<0.02	<1	0.1	1.7	<10	<2			
1833546	Drill Core	<0.1	<0.02	0.9	0.18	<0.1	0.42	0.04	9.7	0.3	<0.05	12.5	8.85	67.9	<0.02	<1	0.3	1.7	<10	<2			
1833547	Drill Core	<0.1	<0.02	0.8	0.24	<0.1	0.38	0.03	9.7	1.8	<0.05	13.7	18.14	68.3	<0.02	<1	0.3	2.7	<10	<2			
1833548	Drill Core	<0.1	<0.02	1.0	0.23	<0.1	0.31	0.03	10.4	0.4	<0.05	9.2	13.11	67.0	<0.02	<1	0.3	1.9	<10	<2			
1833549	Drill Core	<0.1	<0.02	0.9	0.20	<0.1	0.29	0.02	9.4	0.3	<0.05	8.8	8.58	62.1	<0.02	<1	0.3	2.2	<10	<2			
1833550	Drill Core	<0.1	<0.02	0.9	0.28	<0.1	0.33	0.02	9.9	0.4	<0.05	9.8	9.87	72.3	<0.02	<1	0.1	1.9	<10	<2			
1833551	Drill Core	<0.1	<0.02	1.0	0.45	<0.1	0.32	0.02	9.9	0.2	<0.05	10.0	11.43	70.7	<0.02	<1	0.5	2.0	<10	<2			
1833552	Drill Core	<0.1	<0.02	1.0	0.67	<0.1	0.34	<0.02	10.5	0.2	<0.05	10.3	10.64	70.4	<0.02	<1	0.1	1.5	<10	<2			
1833553	Drill Core	<0.1	<0.02	0.9	0.66	<0.1	0.36	<0.02	10.4	0.3	<0.05	10.6	10.69	72.1	<0.02	<1	0.2	1.9	<10	<2			
1833554	Drill Core	<0.1	<0.02	1.5	0.37	<0.1	0.36	0.04	11.4	0.4	<0.05	10.1	8.61	71.6	0.03	<1	0.3	3.0	<10	<2			
1833555	Drill Core	<0.1	<0.02	1.3	0.24	<0.1	0.32	0.03	9.3	0.6	<0.05	9.9	10.37	61.7	0.03	<1	0.2	3.6	<10	<2			
1833556	Drill Core	<0.1	<0.02	1.2	0.32	<0.1	0.24	0.02	11.8	0.2	<0.05	6.9	12.17	70.1	0.02	<1	0.3	4.8	<10	<2			
1833557	Drill Core	<0.1	<0.02	1.3	0.53	<0.1	0.28	<0.02	12.4	0.3	<0.05	7.9	11.87	66.0	<0.02	<1	0.2	4.3	<10	<2			
1833558	Drill Core	<0.1	<0.02	1.9	0.68	<0.1	0.23	<0.02	13.6	0.3	<0.05	7.8	10.61	74.9	<0.02	<1	0.4	5.5	<10	<2			
1833559	Drill Core	<0.1	<0.02	1.5	1.19	<0.1	0.19	<0.02	13.9	0.3	<0.05	6.3	10.51	68.4	<0.02	<1	0.5	5.4	<10	<2			
1833560	Core DUP	<0.1	<0.02	1.7	1.14	<0.1	0.21	<0.02	14.0	0.3	<0.05	6.7	10.57	68.5	<0.02	<1	0.1	5.3	<10	<2			
1833561	Drill Core	<0.1	<0.02	1.7	0.79	<0.1	0.20	<0.02	13.2	0.3	<0.05	6.7	10.03	62.5	<0.02	<1	0.5	5.8	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000392.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1833562	Drill Core	2.95	445	0.019	0.02	<0.17	34.91	0.65	9.77	16.18	39.4	316	1.5	1.2	144	0.83	33.0	2.5	15.2	34.6
1833563	Drill Core	3.12	447	0.035	0.03	<0.17	37.76	0.71	7.06	19.84	48.2	507	1.6	1.8	245	0.83	57.2	3.1	29.8	21.3
1833564	Drill Core	3.20	433	0.030	0.03	<0.17	28.53	0.59	13.38	21.46	39.9	793	1.7	1.5	118	1.09	42.2	3.5	32.6	27.8
1833565	Drill Core	3.07	425	0.029	0.03	<0.17	36.15	0.50	15.02	16.84	39.0	608	1.6	1.4	102	0.89	41.1	2.6	26.5	27.5
1833566	Drill Core	3.19	426	0.069	0.06	<0.17	39.06	0.49	6.65	17.53	37.4	626	1.1	1.2	75	0.80	92.2	2.6	57.6	20.8
1833567	Drill Core	2.23	435	0.039	0.04	<0.17	36.86	0.59	6.21	21.05	37.3	602	1.1	1.7	113	0.74	60.2	2.9	33.5	28.4
1833568	Drill Core	1.87	377	0.014	0.01	<0.17	35.78	0.58	5.14	15.41	16.9	227	0.8	1.2	56	0.55	20.9	1.6	11.8	18.1
1833569	Drill Core	1.70	468	0.009	<0.01	<0.17	42.27	0.77	4.87	11.80	23.5	165	0.9	2.0	140	0.61	11.2	1.8	5.7	13.9
1833570	Drill Core	1.59	478	0.005	<0.01	<0.17	35.42	0.68	5.34	17.81	13.5	174	0.6	0.8	67	0.52	5.4	1.9	3.5	26.8
1833571	Drill Core	2.68	477	0.008	<0.01	<0.17	43.02	0.36	2.20	12.35	16.2	130	0.6	1.0	123	0.45	6.9	1.6	2.7	39.7
1833572	Drill Core	3.23	428	0.009	<0.01	<0.17	42.54	0.89	3.17	15.05	33.9	284	1.6	2.2	359	0.50	9.2	1.8	5.0	51.4
1833573	Drill Core	2.65	461	0.019	0.02	<0.17	35.04	0.46	2.79	18.01	27.9	330	0.9	1.9	201	0.50	22.7	1.9	13.1	42.4
1833574	Drill Core	3.32	528	0.040	0.04	<0.17	34.05	0.50	3.34	16.69	25.3	696	0.7	1.1	133	0.49	25.1	1.5	29.2	21.2
1833575	Drill Core	3.41	415	0.027	0.02	<0.17	40.73	0.37	2.04	13.29	12.6	512	0.4	0.5	69	0.43	24.9	1.5	18.4	15.3
1833576	Drill Core	2.63	442	0.013	0.01	<0.17	34.84	0.39	2.69	18.61	17.0	221	0.5	0.6	73	0.54	15.2	1.7	9.0	12.9
1833577	Drill Core	3.37	418	0.012	0.01	<0.17	35.85	0.44	2.76	12.21	20.9	223	0.7	1.2	137	0.46	16.7	1.8	6.2	6.5
1833578	Drill Core	3.31	437	0.017	0.02	<0.17	37.39	0.35	4.67	19.11	20.5	240	0.5	0.9	95	0.47	16.7	1.9	11.6	7.1
1833579	Drill Core	3.23	527	0.008	<0.01	<0.17	36.01	0.35	3.30	21.69	16.3	177	0.8	1.3	83	0.40	6.9	1.9	3.6	12.6
1833580	Rock	0.22	156	<0.005	<0.01	<0.17	37.73	0.49	1.25	1.36	2.1	9	1.3	0.4	76	0.66	0.7	0.2	0.3	1.4
1833581	Drill Core	3.37	527	0.007	<0.01	<0.17	32.00	0.34	2.19	21.18	14.9	169	0.5	0.7	55	0.46	7.1	1.9	3.3	20.4
1833582	Drill Core	3.04	433	0.015	0.01	<0.17	40.12	0.40	2.99	17.22	24.9	306	0.7	1.2	156	0.47	21.0	1.6	8.7	16.7
1833583	Drill Core	3.51	534	0.009	<0.01	<0.17	27.34	0.41	2.51	23.05	18.1	276	0.6	0.7	67	0.53	8.8	1.8	3.5	43.7
1833584	Drill Core	2.43	404	0.008	<0.01	<0.17	29.39	0.27	2.51	15.23	17.9	217	0.6	1.0	94	0.40	6.8	1.3	3.7	62.5
1833585	Drill Core	2.95	414	0.012	0.01	<0.17	27.19	0.25	3.40	14.92	16.9	211	0.7	0.9	99	0.44	13.7	1.3	6.6	49.1
1833586	Drill Core	3.10	403	0.029	0.03	<0.17	35.98	0.43	5.85	25.10	32.2	619	1.1	3.4	588	0.47	38.1	1.7	22.5	27.6
1833587	Drill Core	3.36	454	0.010	<0.01	<0.17	37.21	0.46	3.06	17.95	22.7	208	0.7	1.3	113	0.54	13.3	1.6	6.8	17.0
1833588	Drill Core	2.74	486	0.011	<0.01	<0.17	25.49	0.19	2.49	14.36	11.2	301	0.4	0.7	58	0.28	9.2	1.1	6.5	14.6
1833589	Drill Core	3.21	530	0.012	0.01	<0.17	37.72	0.26	3.20	25.86	13.4	307	0.5	1.1	128	0.34	14.2	1.0	6.8	38.2
1833590	Drill Core	2.12	433	0.013	0.01	<0.17	39.43	0.16	1.89	19.38	12.5	236	0.4	0.4	55	0.35	18.1	1.2	7.6	44.9
1833591	Drill Core	2.22	466	0.036	0.03	<0.17	29.59	0.26	3.51	16.97	21.2	1013	0.6	0.7	126	0.51	41.7	1.2	28.5	43.9



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000392.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833562	Drill Core	0.43	0.37	<0.02	2	0.07	0.023	39.3	2.2	0.14	1634.4	0.001	<1	0.45	0.026	0.26	<0.1	1.8	0.09	<5
1833563	Drill Core	1.18	0.46	<0.02	2	0.03	0.019	42.8	2.6	0.06	1124.0	<0.001	<1	0.31	0.029	0.22	<0.1	1.4	0.07	5
1833564	Drill Core	0.27	0.43	0.02	3	0.06	0.020	37.4	2.8	0.15	1125.4	0.001	<1	0.47	0.032	0.21	<0.1	2.5	0.08	<5
1833565	Drill Core	0.32	0.40	<0.02	2	0.06	0.022	37.1	2.5	0.12	1338.8	0.001	<1	0.41	0.033	0.21	<0.1	1.8	0.07	<5
1833566	Drill Core	0.44	0.75	<0.02	1	0.03	0.016	35.4	1.5	0.07	654.6	<0.001	1	0.32	0.026	0.27	<0.1	1.2	0.09	<5
1833567	Drill Core	0.49	0.83	0.03	<1	0.04	0.021	36.5	1.3	0.07	633.2	<0.001	<1	0.31	0.017	0.26	<0.1	0.9	0.08	<5
1833568	Drill Core	0.21	0.42	0.08	<1	0.03	0.016	34.1	1.4	0.07	386.5	<0.001	1	0.29	0.022	0.26	<0.1	0.8	0.08	<5
1833569	Drill Core	0.29	0.27	0.04	<1	0.03	0.013	31.6	1.3	0.08	496.2	<0.001	1	0.33	0.009	0.26	<0.1	1.0	0.09	<5
1833570	Drill Core	0.15	0.22	<0.02	<1	0.02	0.012	32.3	1.2	0.07	1000.8	<0.001	1	0.29	0.022	0.24	<0.1	1.2	0.06	<5
1833571	Drill Core	0.21	0.15	<0.02	<1	0.02	0.009	33.3	1.0	0.07	1480.4	<0.001	<1	0.29	0.022	0.24	<0.1	0.9	0.06	<5
1833572	Drill Core	0.96	0.16	<0.02	<1	0.02	0.011	37.8	1.3	0.10	1732.5	<0.001	1	0.34	0.024	0.26	<0.1	1.1	0.08	<5
1833573	Drill Core	0.50	0.17	0.06	<1	0.02	0.012	38.1	1.1	0.08	1894.4	<0.001	1	0.33	0.019	0.28	<0.1	1.0	0.07	<5
1833574	Drill Core	0.38	0.24	<0.02	<1	0.01	0.009	32.5	1.1	0.04	619.4	<0.001	<1	0.25	0.022	0.25	<0.1	0.7	0.07	<5
1833575	Drill Core	0.21	0.20	0.03	<1	<0.01	0.008	35.7	1.2	0.04	417.7	<0.001	3	0.25	0.029	0.24	<0.1	0.8	0.07	<5
1833576	Drill Core	0.19	0.26	0.03	<1	0.01	0.009	33.9	1.5	0.06	1052.2	0.002	2	0.31	0.038	0.25	<0.1	1.3	0.06	<5
1833577	Drill Core	0.28	0.21	0.06	<1	0.02	0.008	38.1	1.1	0.06	341.6	<0.001	1	0.28	0.028	0.23	<0.1	1.0	0.07	<5
1833578	Drill Core	0.25	0.18	0.19	<1	0.02	0.008	36.2	1.4	0.07	183.1	0.002	2	0.31	0.032	0.26	<0.1	1.0	0.07	<5
1833579	Drill Core	0.19	0.12	0.14	<1	0.03	0.017	41.0	1.3	0.10	371.6	<0.001	<1	0.31	0.020	0.25	<0.1	0.9	0.06	<5
1833580	Rock	0.02	0.04	<0.02	<1	0.03	0.002	2.3	3.4	0.02	12.4	0.003	2	0.07	0.006	0.02	<0.1	0.2	<0.02	<5
1833581	Drill Core	0.19	0.14	<0.02	<1	0.02	0.009	26.0	1.0	0.06	1096.6	<0.001	<1	0.29	0.025	0.25	<0.1	1.2	0.06	<5
1833582	Drill Core	0.41	0.17	<0.02	<1	0.01	0.009	32.9	1.1	0.06	747.9	<0.001	<1	0.27	0.024	0.24	<0.1	0.8	0.06	<5
1833583	Drill Core	0.18	0.38	<0.02	<1	0.01	0.009	30.9	1.1	0.06	1383.3	<0.001	<1	0.27	0.025	0.25	<0.1	1.1	0.06	<5
1833584	Drill Core	0.18	0.12	<0.02	<1	0.02	0.008	32.5	1.0	0.07	1910.5	<0.001	<1	0.28	0.023	0.25	<0.1	1.2	0.06	<5
1833585	Drill Core	0.17	0.14	<0.02	<1	0.03	0.010	35.1	1.3	0.06	2010.5	<0.001	<1	0.29	0.016	0.27	<0.1	0.8	0.07	<5
1833586	Drill Core	0.91	0.27	<0.02	<1	0.03	0.012	41.1	1.2	0.05	1533.1	<0.001	1	0.27	0.012	0.26	<0.1	0.8	0.10	<5
1833587	Drill Core	0.23	0.18	<0.02	<1	0.02	0.008	33.2	1.3	0.09	1408.9	0.001	<1	0.29	0.029	0.25	<0.1	1.6	0.06	<5
1833588	Drill Core	0.10	0.10	<0.02	<1	0.01	0.009	34.2	1.0	0.05	1320.0	<0.001	<1	0.27	0.025	0.27	<0.1	0.7	0.06	<5
1833589	Drill Core	0.20	0.11	<0.02	<1	0.02	0.008	37.6	1.1	0.05	2018.1	<0.001	<1	0.24	0.029	0.24	<0.1	0.8	0.06	<5
1833590	Drill Core	0.10	0.14	0.02	<1	0.01	0.007	32.7	1.1	0.06	2003.5	<0.001	<1	0.25	0.026	0.23	<0.1	0.7	0.05	<5
1833591	Drill Core	0.23	0.23	0.09	<1	0.05	0.007	36.8	1.3	0.09	1298.0	<0.001	<1	0.28	0.031	0.24	<0.1	1.0	0.06	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000392.1

	Method	Analyte	Method																		
			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251		
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
			0.1	0.02	0.1	0.02	0.1	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
1833562	Drill Core		<0.1	<0.02	2.0	0.62	<0.1	0.22	<0.02	13.4	0.3	<0.05	7.3	10.12	71.2	<0.02	<1	0.5	6.2	<10	<2
1833563	Drill Core		<0.1	<0.02	1.5	0.40	<0.1	0.31	<0.02	11.2	0.4	<0.05	8.7	10.77	74.8	0.02	<1	0.2	3.5	<10	<2
1833564	Drill Core		<0.1	<0.02	2.6	0.98	<0.1	0.32	0.03	12.6	0.5	<0.05	10.0	11.41	66.7	0.03	2	0.3	6.3	<10	<2
1833565	Drill Core		<0.1	<0.02	2.2	0.70	0.1	0.33	<0.02	12.4	0.6	<0.05	9.9	10.82	71.4	0.02	<1	0.3	5.6	<10	<2
1833566	Drill Core		<0.1	<0.02	1.5	0.71	<0.1	0.29	<0.02	13.3	0.3	<0.05	9.6	11.06	68.4	<0.02	<1	0.3	3.5	<10	<2
1833567	Drill Core		<0.1	<0.02	1.3	1.11	<0.1	0.35	<0.02	11.9	0.3	<0.05	12.3	12.92	71.1	<0.02	<1	0.4	2.6	<10	<2
1833568	Drill Core		<0.1	<0.02	1.2	0.72	<0.1	0.36	<0.02	11.8	0.3	<0.05	10.6	10.66	68.7	<0.02	<1	0.3	2.7	<10	<2
1833569	Drill Core		<0.1	<0.02	1.2	1.05	<0.1	0.31	<0.02	12.0	0.3	<0.05	13.7	7.07	61.2	<0.02	<1	0.3	3.9	<10	<2
1833570	Drill Core		<0.1	<0.02	1.2	0.35	<0.1	0.33	0.02	10.7	0.2	<0.05	11.0	7.51	61.4	<0.02	<1	0.2	3.0	<10	<2
1833571	Drill Core		<0.1	<0.02	1.4	0.31	<0.1	0.30	0.02	10.3	0.2	<0.05	8.4	9.95	67.1	<0.02	<1	0.2	2.9	<10	<2
1833572	Drill Core		<0.1	<0.02	1.4	0.24	<0.1	0.33	0.02	12.2	0.2	<0.05	11.2	11.68	75.9	<0.02	<1	0.3	3.9	<10	<2
1833573	Drill Core		<0.1	<0.02	1.3	0.32	<0.1	0.31	<0.02	11.5	0.2	<0.05	10.5	12.68	74.9	<0.02	<1	0.3	3.5	<10	<2
1833574	Drill Core		<0.1	<0.02	1.1	0.30	<0.1	0.29	<0.02	9.7	0.3	<0.05	8.9	8.99	62.9	<0.02	<1	0.2	1.6	<10	<2
1833575	Drill Core		<0.1	<0.02	0.9	0.25	<0.1	0.42	0.04	10.1	0.3	<0.05	10.3	8.71	63.8	<0.02	<1	0.2	1.5	<10	<2
1833576	Drill Core		<0.1	<0.02	1.1	0.18	<0.1	0.29	0.08	10.5	0.2	<0.05	10.2	7.95	58.7	<0.02	<1	0.3	2.4	<10	<2
1833577	Drill Core		<0.1	<0.02	1.0	0.32	<0.1	0.37	0.04	9.9	0.2	<0.05	11.1	7.87	65.8	<0.02	<1	0.1	2.8	15	<2
1833578	Drill Core		<0.1	<0.02	1.2	0.23	<0.1	0.31	0.07	10.6	0.3	<0.05	9.5	8.17	65.1	<0.02	<1	0.2	2.5	20	<2
1833579	Drill Core		<0.1	<0.02	1.3	0.24	0.1	0.28	<0.02	10.9	0.2	<0.05	8.9	9.33	75.4	<0.02	<1	0.2	3.1	<10	<2
1833580	Rock		<0.1	<0.02	0.4	0.11	<0.1	0.12	0.06	1.3	<0.1	<0.05	2.8	1.02	4.6	<0.02	<1	<0.1	1.3	<10	<2
1833581	Drill Core		<0.1	<0.02	1.1	0.13	<0.1	0.30	0.03	9.9	0.1	<0.05	8.4	7.17	51.0	<0.02	<1	0.2	2.1	<10	<2
1833582	Drill Core		<0.1	<0.02	1.1	0.24	<0.1	0.31	0.03	10.4	0.2	<0.05	9.3	8.63	63.7	<0.02	<1	0.2	2.2	<10	<2
1833583	Drill Core		<0.1	<0.02	1.1	0.16	<0.1	0.34	0.03	10.1	0.2	<0.05	9.8	6.57	55.2	<0.02	<1	0.2	1.8	<10	<2
1833584	Drill Core		<0.1	<0.02	1.1	0.16	<0.1	0.32	0.03	10.3	0.2	<0.05	9.8	8.69	62.1	<0.02	<1	0.2	2.3	<10	<2
1833585	Drill Core		<0.1	<0.02	1.1	0.51	<0.1	0.30	<0.02	12.0	0.3	<0.05	8.6	7.36	63.6	<0.02	<1	0.2	2.3	<10	<2
1833586	Drill Core		<0.1	<0.02	1.2	1.04	0.1	0.33	<0.02	13.3	0.4	<0.05	10.8	13.77	80.0	<0.02	<1	0.3	2.3	<10	<2
1833587	Drill Core		<0.1	<0.02	1.3	0.17	<0.1	0.40	0.03	10.9	0.3	<0.05	12.2	10.63	64.7	<0.02	<1	0.3	2.5	<10	<2
1833588	Drill Core		<0.1	<0.02	1.1	0.15	<0.1	0.28	0.02	10.4	0.2	<0.05	7.8	8.16	63.8	<0.02	<1	0.2	1.4	<10	<2
1833589	Drill Core		<0.1	<0.02	1.1	0.25	<0.1	0.36	0.03	9.6	0.3	<0.05	10.3	8.48	68.0	<0.02	1	0.2	1.5	<10	<2
1833590	Drill Core		<0.1	<0.02	1.0	0.21	<0.1	0.30	0.04	8.8	0.2	<0.05	9.2	7.00	60.8	<0.02	<1	0.2	1.9	<10	<2
1833591	Drill Core		<0.1	<0.02	1.2	0.30	0.1	0.43	<0.02	9.3	0.3	<0.05	12.9	8.79	70.0	<0.02	<1	0.2	2.4	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000392.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1833592	Drill Core	3.03	466	0.019	0.02	<0.17	32.72	0.57	4.28	36.63	17.8	573	0.5	0.6	119	0.43	24.1	1.8	12.4	12.5	51.3
1833593	Drill Core	2.52	553	0.037	0.05	0.35	28.90	0.27	3.86	3.92	35.9	247	0.8	1.7	145	0.65	25.0	1.0	17.7	12.6	24.9
1833594	Drill Core	2.28	461	0.024	0.02	<0.17	35.74	0.86	4.38	5.15	59.1	522	1.8	5.9	410	0.69	31.1	1.2	16.0	11.6	28.9
1833595	Drill Core	2.21	480	0.012	0.01	<0.17	31.61	0.34	2.83	7.35	51.3	244	1.1	1.4	254	0.71	16.9	0.8	8.1	10.8	17.1
1833596	Drill Core	3.31	535	<0.005	<0.01	<0.17	33.67	1.22	3.58	36.06	54.5	293	0.8	1.0	278	0.75	0.5	2.8	2.3	13.4	64.0
1833597	Drill Core	3.11	375	0.007	<0.01	<0.17	25.97	0.63	2.95	26.25	44.9	177	0.6	0.8	239	0.70	0.2	2.0	3.5	13.3	51.3
1833598	Drill Core	3.16	540	0.005	<0.01	<0.17	26.72	0.22	4.54	29.48	42.4	194	0.7	1.2	204	0.70	0.1	2.1	1.2	13.8	67.3
1833599	Drill Core	3.17	422	0.024	0.02	<0.17	26.38	0.42	5.09	24.97	33.4	180	0.6	0.8	144	0.56	<0.1	1.7	4.1	12.7	36.0
1833600	Rock Pulp	0.12	74	7.490				8.92	196.10	19.16	71.4	826	13.2	11.0	595	4.67	12.8	0.9	7285.3	2.8	60.9
1833601	Drill Core	3.18	478	0.006	<0.01	<0.17	39.68	0.49	2.48	9.65	35.1	102	0.8	1.3	211	0.74	0.4	2.2	2.2	12.8	47.5
1833602	Drill Core	3.45	418	<0.005	<0.01	<0.17	40.44	0.50	2.52	16.29	27.4	132	0.5	0.8	171	0.61	0.3	1.5	1.1	12.6	52.1
1833603	Drill Core	3.51	490	<0.005	<0.01	<0.17	38.43	0.95	1.01	15.92	30.9	129	0.5	0.8	213	0.61	0.3	2.0	1.9	12.5	44.6
1833604	Drill Core	1.64	518	0.007	<0.01	<0.17	37.30	0.57	8.29	34.65	33.5	430	1.1	1.2	316	0.86	3.2	2.0	2.7	10.9	32.7
1833605	Drill Core	2.64	398	0.006	<0.01	<0.17	31.19	0.21	5.82	2.94	37.1	194	1.4	2.1	241	1.00	5.6	2.0	1.7	10.3	17.6
1833606	Drill Core	1.90	391	0.006	<0.01	<0.17	26.81	0.19	5.90	2.01	27.8	134	1.4	2.4	205	0.89	2.9	1.4	1.2	11.7	19.1
1833607	Drill Core	3.02	468	0.007	<0.01	<0.17	33.19	0.14	6.53	8.26	29.1	112	1.2	2.0	147	0.80	2.8	0.9	0.4	10.8	21.3
1833608	Drill Core	3.07	465	0.012	0.01	<0.17	35.69	0.15	6.03	4.02	29.4	135	1.3	2.1	167	0.89	3.6	0.8	2.4	11.6	14.7
1833609	Drill Core	3.39	498	0.013	0.01	<0.17	42.83	0.16	7.93	4.83	28.0	371	1.4	2.3	219	0.82	13.5	1.1	6.8	12.0	32.4
1833610	Drill Core	3.60	364	<0.005	<0.01	<0.17	33.91	0.19	4.95	6.63	35.5	121	1.2	1.9	267	0.96	0.5	2.1	1.1	13.2	51.5
1833611	Drill Core	2.50	396	0.005	<0.01	<0.17	36.38	3.75	1.58	17.36	26.9	122	0.5	0.7	126	0.58	0.3	2.8	0.4	13.0	18.7
1833612	Drill Core	3.23	395	0.005	<0.01	<0.17	31.68	3.58	3.06	16.24	28.5	226	0.6	0.7	273	0.59	3.7	4.0	1.4	13.2	59.6
1833613	Drill Core	3.36	363	0.005	<0.01	<0.17	26.90	0.19	2.20	10.20	23.7	141	0.4	0.8	153	0.53	2.2	3.2	0.3	12.3	39.9
1833614	Drill Core	3.11	498	0.013	0.01	<0.17	35.06	0.15	3.15	15.33	27.7	591	0.5	0.8	171	0.49	11.6	2.1	7.8	12.1	18.9
1833615	Drill Core	3.44	402	0.012	0.01	<0.17	29.64	0.17	3.79	12.93	23.7	442	0.4	0.9	237	0.58	10.7	1.8	4.7	13.0	37.0
1833616	Drill Core	3.07	478	0.005	<0.01	<0.17	30.48	1.50	3.00	12.96	25.1	161	0.4	0.9	192	0.51	1.7	1.9	<0.2	12.3	48.6
1833617	Drill Core	1.66	428	0.006	<0.01	<0.17	31.85	0.54	4.85	70.30	24.1	574	0.6	0.5	388	0.67	0.3	1.4	2.2	10.3	129.5
1833618	Drill Core	1.55	498	<0.005	<0.01	<0.17	32.67	0.56	4.39	11.16	40.4	151	0.5	0.9	307	0.72	0.6	3.4	<0.2	16.4	111.2
1833619	Drill Core	3.26	533	0.005	<0.01	<0.17	42.38	0.36	3.79	7.58	23.8	147	0.3	1.0	169	0.51	2.2	2.6	<0.2	15.1	45.7
1833620	Rock Pulp	0.12	68	0.522				2.37	450.59	18.38	46.0	264	592.8	25.9	420	2.51	18.2	0.6	410.0	2.0	53.5
1833621	Drill Core	3.39	377	0.005	<0.01	<0.17	22.11	0.18	4.48	10.76	21.4	108	0.5	0.8	199	0.58	0.5	2.2	1.8	12.0	58.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000392.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833592	Drill Core	0.44	0.17	0.65	<1	0.17	0.010	27.8	1.3	0.13	1072.3	<0.001	<1	0.22	0.009	0.20	<0.1	0.6	0.05	0.13	<5			
1833593	Drill Core	0.24	0.16	0.03	<1	0.06	0.009	30.5	1.3	0.19	644.3	0.001	<1	0.36	0.018	0.25	<0.1	1.0	0.06	0.18	<5			
1833594	Drill Core	0.57	0.17	0.06	<1	0.03	0.007	31.4	1.7	0.20	1448.6	<0.001	<1	0.39	0.015	0.24	1.1	1.0	0.07	0.05	<5			
1833595	Drill Core	0.31	0.11	0.04	<1	0.04	0.007	29.3	1.2	0.28	624.3	<0.001	<1	0.41	0.017	0.20	<0.1	1.3	0.05	0.05	<5			
1833596	Drill Core	0.28	0.11	0.36	<1	0.24	0.008	33.4	1.3	0.59	1421.2	0.003	<1	0.55	0.010	0.24	<0.1	1.3	0.08	0.05	<5			
1833597	Drill Core	0.15	0.10	0.21	<1	0.27	0.008	28.5	1.3	0.52	784.9	0.002	<1	0.48	0.011	0.23	<0.1	1.2	0.07	0.06	<5			
1833598	Drill Core	0.17	0.08	0.25	<1	0.22	0.009	31.1	1.4	0.46	1246.1	0.002	<1	0.45	0.008	0.22	<0.1	1.2	0.07	0.11	<5			
1833599	Drill Core	0.19	0.15	0.18	<1	0.15	0.009	24.7	1.3	0.35	640.4	0.002	<1	0.41	0.008	0.23	<0.1	0.8	0.06	0.04	<5			
1833600	Rock Pulp	0.20	4.39	0.54	109	0.83	0.059	7.0	18.9	0.86	115.0	0.110	4	1.64	0.163	0.23	4.2	3.3	0.06	<0.02	231			
1833601	Drill Core	0.09	0.08	0.09	<1	0.26	0.012	24.4	2.0	0.46	716.2	0.002	<1	0.48	0.013	0.22	<0.1	1.3	0.07	0.11	<5			
1833602	Drill Core	0.12	0.18	0.12	<1	0.16	0.006	24.8	1.7	0.33	1312.7	0.001	<1	0.39	0.011	0.21	<0.1	1.0	0.06	0.10	<5			
1833603	Drill Core	0.12	0.08	0.13	<1	0.30	0.007	25.9	1.5	0.39	814.3	0.001	<1	0.41	0.010	0.21	<0.1	1.1	0.05	0.05	<5			
1833604	Drill Core	0.11	0.25	0.25	1	0.39	0.014	15.8	2.8	0.56	292.9	0.001	<1	0.56	0.008	0.22	<0.1	1.4	0.06	0.07	<5			
1833605	Drill Core	0.08	0.12	<0.02	<1	0.22	0.017	12.7	2.0	0.57	195.3	0.002	<1	0.59	0.008	0.22	<0.1	1.4	0.07	0.14	<5			
1833606	Drill Core	0.12	0.11	<0.02	<1	0.19	0.017	22.0	2.0	0.40	260.3	0.002	<1	0.52	0.013	0.26	<0.1	1.4	0.08	0.18	6			
1833607	Drill Core	0.19	0.10	0.03	<1	0.18	0.017	28.3	1.6	0.36	427.5	0.002	<1	0.52	0.017	0.28	<0.1	1.5	0.08	0.12	<5			
1833608	Drill Core	0.18	0.10	<0.02	1	0.20	0.017	30.6	1.9	0.40	288.7	0.002	<1	0.57	0.016	0.29	<0.1	1.6	0.08	0.16	7			
1833609	Drill Core	0.29	0.13	<0.02	1	0.40	0.018	27.8	1.7	0.39	431.8	0.002	<1	0.51	0.013	0.28	<0.1	1.5	0.08	0.23	<5			
1833610	Drill Core	0.27	0.09	<0.02	1	0.40	0.015	32.3	2.0	0.56	574.9	0.003	<1	0.64	0.011	0.30	<0.1	2.2	0.08	0.13	<5			
1833611	Drill Core	0.35	0.07	0.12	<1	0.17	0.008	37.6	1.6	0.33	155.1	<0.001	<1	0.39	0.008	0.21	<0.1	1.3	0.05	0.03	<5			
1833612	Drill Core	0.32	0.11	0.08	<1	0.56	0.008	31.9	1.5	0.38	965.4	<0.001	1	0.37	0.007	0.22	<0.1	1.1	0.06	0.10	<5			
1833613	Drill Core	0.25	0.06	0.07	<1	0.33	0.007	31.6	1.4	0.22	738.8	<0.001	<1	0.33	0.008	0.23	<0.1	0.9	0.06	0.10	<5			
1833614	Drill Core	0.40	0.10	0.12	<1	0.29	0.007	30.0	1.4	0.21	358.9	0.001	<1	0.31	0.012	0.24	<0.1	1.1	0.06	0.16	<5			
1833615	Drill Core	0.37	0.11	0.11	<1	0.62	0.007	33.5	1.5	0.22	720.0	0.001	<1	0.35	0.017	0.27	<0.1	1.3	0.06	0.18	<5			
1833616	Drill Core	0.36	0.13	0.11	<1	0.33	0.007	35.6	1.2	0.22	1072.6	0.001	<1	0.34	0.015	0.25	<0.1	1.3	0.07	0.14	<5			
1833617	Drill Core	0.68	0.31	0.51	<1	0.93	0.010	28.8	2.6	0.41	2039.1	<0.001	<1	0.38	0.010	0.20	<0.1	0.9	0.08	0.09	<5			
1833618	Drill Core	0.32	0.11	0.08	<1	0.60	0.008	49.0	1.6	0.42	1653.9	0.001	<1	0.51	0.015	0.27	<0.1	1.4	0.09	0.11	<5			
1833619	Drill Core	0.29	0.10	0.05	<1	0.27	0.006	39.3	1.3	0.23	751.1	0.001	<1	0.38	0.013	0.26	<0.1	1.1	0.08	0.12	<5			
1833620	Rock Pulp	0.15	0.32	0.28	50	1.23	0.028	3.9	96.8	1.69	70.7	0.063	4	1.85	0.184	0.14	1.2	2.6	0.10	0.20	21			
1833621	Drill Core	0.27	0.09	0.08	<1	0.41	0.007	34.2	1.5	0.26	1144.3	<0.001	<1	0.40	0.015	0.27	<0.1	1.2	0.07	0.10	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000392.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833592	Drill Core	<0.1	<0.02	0.8	0.25	<0.1	0.51	0.02	7.9	0.2	<0.05	16.7	5.72	53.9	<0.02	2	0.1	2.9	<10	<2			
1833593	Drill Core	<0.1	<0.02	1.4	0.44	<0.1	0.57	0.07	10.8	0.2	<0.05	21.1	6.37	56.9	<0.02	<1	0.2	5.6	<10	<2			
1833594	Drill Core	<0.1	<0.02	1.5	0.65	<0.1	0.59	<0.02	10.2	0.3	<0.05	22.9	6.46	59.1	<0.02	<1	0.2	6.7	<10	<2			
1833595	Drill Core	<0.1	<0.02	1.4	0.27	<0.1	0.66	<0.02	8.4	0.2	<0.05	24.6	6.53	54.8	<0.02	<1	0.3	7.6	<10	<2			
1833596	Drill Core	<0.1	<0.02	1.9	0.47	<0.1	0.59	0.04	10.9	0.2	<0.05	19.8	8.23	63.2	<0.02	<1	0.2	12.1	<10	<2			
1833597	Drill Core	<0.1	<0.02	1.6	0.46	<0.1	0.38	0.07	11.0	0.2	<0.05	13.2	7.99	54.4	<0.02	<1	0.2	9.5	<10	<2			
1833598	Drill Core	<0.1	<0.02	1.8	0.52	<0.1	0.41	0.06	10.7	0.2	<0.05	13.1	7.99	58.5	<0.02	<1	0.2	9.8	<10	<2			
1833599	Drill Core	<0.1	<0.02	1.4	0.44	<0.1	0.35	0.03	10.6	0.2	<0.05	10.8	4.40	44.8	<0.02	<1	0.2	7.8	<10	<2			
1833600	Rock Pulp	0.1	0.19	4.6	0.60	0.1	0.06	0.09	7.5	1.6	<0.05	0.9	4.60	14.7	0.04	1	0.1	6.8	<10	<2			
1833601	Drill Core	<0.1	<0.02	1.2	0.39	<0.1	0.29	0.03	8.7	0.3	<0.05	10.0	4.06	47.2	<0.02	<1	0.2	8.7	<10	<2			
1833602	Drill Core	<0.1	<0.02	1.0	0.37	<0.1	0.27	0.03	7.8	0.2	<0.05	10.4	3.82	47.8	<0.02	1	0.2	6.9	<10	<2			
1833603	Drill Core	<0.1	<0.02	0.8	0.39	<0.1	0.32	0.04	7.9	0.2	<0.05	11.7	4.70	50.6	<0.02	<1	0.2	10.1	<10	<2			
1833604	Drill Core	<0.1	<0.02	1.4	0.33	<0.1	0.23	<0.02	7.9	0.4	<0.05	7.8	3.45	30.1	<0.02	<1	0.2	12.4	<10	<2			
1833605	Drill Core	<0.1	<0.02	1.5	0.41	<0.1	0.17	<0.02	8.1	0.2	<0.05	6.5	3.01	24.3	<0.02	<1	0.3	12.2	<10	<2			
1833606	Drill Core	<0.1	<0.02	1.3	0.27	<0.1	0.12	0.02	9.5	0.3	<0.05	5.1	3.80	43.8	<0.02	<1	0.2	8.4	<10	<2			
1833607	Drill Core	<0.1	<0.02	1.2	0.55	<0.1	0.12	0.02	10.1	0.3	<0.05	4.6	3.87	55.6	<0.02	<1	0.2	7.8	<10	<2			
1833608	Drill Core	<0.1	<0.02	1.4	0.55	<0.1	0.16	<0.02	11.0	0.3	<0.05	4.9	4.42	59.4	<0.02	<1	0.2	9.3	<10	<2			
1833609	Drill Core	<0.1	<0.02	1.2	0.35	<0.1	0.16	0.02	10.1	0.3	<0.05	5.4	4.71	53.6	<0.02	<1	0.2	9.5	<10	<2			
1833610	Drill Core	<0.1	<0.02	1.4	0.46	<0.1	0.22	0.03	11.7	0.3	<0.05	7.2	6.19	62.2	<0.02	<1	0.2	12.2	<10	<2			
1833611	Drill Core	<0.1	<0.02	0.8	0.56	<0.1	0.36	<0.02	7.8	0.2	<0.05	11.4	6.57	74.6	<0.02	1	0.2	7.9	<10	<2			
1833612	Drill Core	<0.1	<0.02	0.7	0.35	<0.1	0.32	0.03	8.2	0.2	<0.05	11.7	5.70	60.6	<0.02	2	0.2	7.5	<10	<2			
1833613	Drill Core	<0.1	<0.02	0.6	0.24	<0.1	0.29	0.06	7.8	0.1	<0.05	9.0	6.11	61.3	<0.02	<1	0.1	5.2	<10	<2			
1833614	Drill Core	<0.1	<0.02	0.8	0.15	<0.1	0.26	0.03	8.2	0.1	<0.05	8.8	6.46	57.0	<0.02	<1	0.2	5.3	<10	<2			
1833615	Drill Core	<0.1	<0.02	0.8	0.12	<0.1	0.48	0.05	9.0	0.2	<0.05	7.6	9.92	61.1	<0.02	<1	0.1	4.9	<10	<2			
1833616	Drill Core	<0.1	<0.02	0.7	0.23	<0.1	0.22	0.05	8.3	0.2	<0.05	7.2	8.09	68.7	<0.02	<1	0.2	4.9	<10	<2			
1833617	Drill Core	<0.1	<0.02	0.8	0.25	<0.1	0.24	0.02	7.2	0.3	<0.05	7.6	5.49	53.4	<0.02	<1	0.2	6.2	<10	<2			
1833618	Drill Core	<0.1	<0.02	1.1	0.59	<0.1	0.39	0.02	11.7	0.3	<0.05	12.9	6.78	87.8	<0.02	<1	0.3	9.9	<10	<2			
1833619	Drill Core	<0.1	<0.02	1.0	0.28	<0.1	0.22	0.03	9.7	0.2	<0.05	8.0	5.13	76.2	<0.02	<1	0.2	5.4	<10	<2			
1833620	Rock Pulp	0.7	0.18	3.9	0.59	<0.1	0.05	0.03	5.5	0.3	<0.05	1.7	2.95	8.1	<0.02	2	<0.1	7.9	272	119			
1833621	Drill Core	<0.1	<0.02	0.9	0.34	<0.1	0.19	0.02	9.3	0.2	<0.05	6.7	3.96	64.7	<0.02	<1	0.2	4.9	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000392.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1833622	Drill Core	3.22	507	0.007	<0.01	<0.17	31.54	0.32	4.32	15.73	24.3	132	0.4	0.8	192	0.51	0.2	2.6	1.6	11.7	66.4
1833623	Drill Core	3.36	376	0.005	<0.01	<0.17	35.87	0.18	3.50	14.05	18.8	123	0.4	0.6	140	0.51	0.2	3.0	1.4	12.8	41.2
1833624	Drill Core	3.00	469	0.006	<0.01	<0.17	30.27	1.10	2.29	12.78	12.0	116	0.3	0.5	108	0.38	0.6	2.1	1.0	12.7	60.1
1833625	Drill Core	3.08	472	0.011	0.01	<0.17	30.77	0.15	3.94	10.04	18.6	188	0.9	2.0	164	0.65	1.1	2.7	3.0	14.7	19.5
1833626	Drill Core	3.57	418	0.006	<0.01	<0.17	38.42	0.32	3.68	23.53	22.0	170	1.1	2.3	158	0.75	3.0	2.3	1.3	14.6	14.5
1833627	Drill Core	3.26	493	0.006	<0.01	<0.17	31.54	0.46	2.13	24.31	26.4	136	1.5	3.1	185	0.78	2.2	3.2	<0.2	17.6	20.9
1833628	Drill Core	2.32	493	0.432	0.43	0.46	36.59	0.58	3.20	26.41	25.8	360	1.3	2.9	188	0.81	2.8	5.8	721.3	14.0	26.6
1833629	Drill Core	1.79	432	0.008	<0.01	<0.17	31.74	0.25	3.77	26.19	22.8	95	1.2	2.6	185	0.76	1.6	3.7	1.1	14.9	25.0
1833630	Drill Core	1.84	371	0.016	0.01	<0.17	32.40	0.45	5.47	22.73	6.4	188	0.3	0.7	207	0.38	0.4	0.9	54.6	9.9	38.8
1833631	Drill Core	2.25	481	0.005	<0.01	<0.17	38.10	0.65	3.54	18.20	6.0	155	0.4	0.7	82	0.36	1.3	1.4	2.2	10.6	35.5
1833632	Drill Core	1.41	428	0.006	<0.01	<0.17	34.58	1.31	19.01	33.11	10.9	347	0.7	1.0	104	0.43	0.5	2.7	<0.2	11.8	34.5
1833633	Drill Core	3.18	457	0.010	<0.01	<0.17	34.26	0.96	2.22	17.62	8.9	149	0.5	0.5	89	0.39	0.3	1.7	0.6	11.5	29.9
1833634	Drill Core	3.23	494	0.005	<0.01	<0.17	34.03	0.58	2.67	21.66	9.8	206	0.6	0.8	75	0.39	0.9	1.2	<0.2	12.8	12.1
1833635	Drill Core	3.37	478	0.005	<0.01	<0.17	41.66	1.71	3.23	32.45	8.5	293	0.4	0.7	63	0.32	0.6	1.9	2.1	11.6	13.4
1833636	Drill Core	2.94	464	0.005	<0.01	<0.17	35.10	0.35	6.55	18.88	12.6	178	1.1	1.3	93	0.48	0.7	1.7	1.4	11.0	14.6
1833637	Drill Core	3.46	484	0.006	<0.01	<0.17	28.13	0.18	13.99	27.66	21.5	301	3.1	2.9	208	0.67	0.7	1.5	4.9	9.6	38.0
1833638	Drill Core	3.37	376	0.005	<0.01	<0.17	40.52	0.19	6.19	20.60	24.8	184	1.7	1.8	204	0.64	0.4	2.3	0.8	13.7	27.7
1833639	Drill Core	3.25	439	0.006	<0.01	<0.17	34.31	0.17	3.04	16.89	12.6	135	0.6	0.8	98	0.40	0.2	1.6	1.6	12.8	20.5
1833640	Rock Pulp	0.12	72	<0.005				4.02	22.72	1.09	32.9	17	6.9	4.5	583	2.38	1.4	0.5	0.2	2.7	35.2
1833641	Drill Core	3.06	392	<0.005	<0.01	<0.17	40.06	0.47	4.59	19.41	12.6	144	0.4	0.9	116	0.50	0.4	2.0	<0.2	12.5	31.8
1833642	Drill Core	3.21	423	0.013	0.01	<0.17	27.87	0.17	4.47	22.26	27.8	403	0.7	1.1	196	0.70	9.6	1.7	4.0	12.8	37.2
1833643	Drill Core	3.17	382	0.007	<0.01	<0.17	28.05	0.20	4.85	10.78	26.7	148	0.7	1.0	178	0.71	2.2	2.3	3.7	12.0	39.3
1833644	Drill Core	3.32	403	<0.005	<0.01	<0.17	37.50	0.16	6.29	8.99	26.7	129	0.7	1.0	159	0.67	0.4	2.2	0.8	11.6	42.2
1833645	Drill Core	3.41	382	0.009	<0.01	<0.17	36.07	0.33	7.22	18.01	27.0	244	1.0	1.6	247	0.77	7.7	3.2	6.1	14.8	63.3
1833646	Drill Core	3.23	379	<0.005	<0.01	<0.17	32.01	0.60	8.61	29.05	27.5	232	2.4	3.1	215	0.79	1.3	3.0	4.6	12.8	80.0
1833647	Drill Core	3.42	426	<0.005	<0.01	<0.17	32.28	0.79	7.01	26.28	23.7	189	1.8	2.7	188	0.71	0.7	3.5	2.1	14.6	66.0
1833648	Drill Core	3.23	360	0.012	0.01	<0.17	38.24	0.21	7.18	25.78	16.0	187	1.8	2.9	188	0.68	0.7	3.1	3.1	12.5	51.9
1833649	Drill Core	3.05	412	0.019	0.02	<0.17	41.65	0.23	7.69	18.46	20.7	218	2.2	3.2	232	0.77	0.8	3.3	8.2	15.3	63.0
1833650	Drill Core	3.16	352	0.009	<0.01	<0.17	38.97	0.20	6.19	17.83	8.6	194	1.1	1.9	206	0.50	1.9	3.0	3.5	14.2	80.5
1833651	Drill Core	3.32	457	0.009	<0.01	<0.17	33.79	0.29	10.61	27.13	7.2	505	0.5	0.9	175	0.43	0.9	3.6	3.3	15.8	62.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000392.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833622	Drill Core	0.34	0.07	0.14	<1	0.53	0.007	30.5	1.4	0.27	1267.6	<0.001	<1	0.38	0.013	0.25	<0.1	1.2	0.07	0.11	<5			
1833623	Drill Core	0.32	0.05	0.11	<1	0.22	0.008	35.1	1.7	0.20	867.2	0.001	<1	0.38	0.015	0.31	<0.1	1.0	0.08	0.09	<5			
1833624	Drill Core	0.28	0.07	0.09	<1	0.16	0.008	32.1	1.4	0.14	1494.4	<0.001	<1	0.30	0.010	0.26	<0.1	0.8	0.06	0.09	<5			
1833625	Drill Core	0.27	0.09	<0.02	<1	0.22	0.022	32.0	1.6	0.23	620.0	0.001	<1	0.40	0.018	0.26	<0.1	0.8	0.06	0.18	<5			
1833626	Drill Core	0.18	0.18	0.12	<1	0.16	0.021	28.2	2.2	0.31	473.4	0.001	<1	0.41	0.013	0.21	<0.1	0.8	0.07	0.22	6			
1833627	Drill Core	0.11	0.17	<0.02	1	0.27	0.027	29.8	2.2	0.40	227.6	0.004	<1	0.47	0.017	0.28	<0.1	1.0	0.09	0.21	<5			
1833628	Drill Core	0.11	0.13	<0.02	2	0.25	0.025	17.4	2.0	0.44	298.7	0.003	<1	0.45	0.011	0.25	<0.1	0.9	0.09	0.21	<5			
1833629	Drill Core	0.12	0.17	0.06	1	0.28	0.027	25.3	2.3	0.32	359.2	0.002	<1	0.41	0.018	0.26	<0.1	1.1	0.08	0.18	<5			
1833630	Drill Core	0.31	0.07	0.12	<1	0.43	0.007	28.9	1.6	0.08	1094.0	0.001	<1	0.26	0.022	0.27	<0.1	0.7	0.06	0.12	<5			
1833631	Drill Core	0.28	0.06	0.14	<1	0.22	0.006	26.1	1.7	0.05	1056.9	0.001	<1	0.25	0.027	0.26	<0.1	0.7	0.06	0.14	<5			
1833632	Drill Core	1.01	0.13	0.27	<1	0.24	0.008	31.9	1.9	0.06	825.2	0.001	<1	0.26	0.026	0.26	<0.1	0.7	0.06	0.19	<5			
1833633	Drill Core	0.38	0.06	0.17	<1	0.17	0.006	34.0	1.8	0.06	1133.4	0.001	<1	0.29	0.030	0.28	<0.1	0.7	0.05	0.12	<5			
1833634	Drill Core	1.30	0.08	0.24	<1	0.12	0.007	39.7	1.4	0.07	379.9	0.001	<1	0.27	0.027	0.26	<0.1	0.7	0.06	0.19	<5			
1833635	Drill Core	0.53	0.08	0.46	<1	0.08	0.009	33.6	0.9	0.06	436.3	0.001	<1	0.29	0.035	0.26	<0.1	0.8	0.06	0.12	<5			
1833636	Drill Core	1.32	0.09	0.20	<1	0.14	0.015	30.7	1.7	0.09	403.3	0.002	1	0.34	0.032	0.28	<0.1	1.0	0.07	0.14	<5			
1833637	Drill Core	0.52	0.13	0.28	2	0.31	0.032	25.0	3.0	0.18	663.1	0.002	1	0.38	0.015	0.30	<0.1	1.5	0.09	0.21	<5			
1833638	Drill Core	0.39	0.10	0.24	1	0.27	0.019	37.6	2.5	0.17	539.8	0.003	<1	0.43	0.033	0.32	<0.1	1.6	0.10	0.13	<5			
1833639	Drill Core	0.30	0.07	0.17	<1	0.15	0.011	35.1	1.0	0.09	545.8	0.002	<1	0.33	0.025	0.28	<0.1	0.9	0.07	0.08	<5			
1833640	Rock Pulp	0.03	0.18	<0.02	22	0.78	0.046	6.4	15.1	0.50	61.5	0.083	3	1.05	0.072	0.08	0.2	3.2	<0.02	0.05	<5			
1833641	Drill Core	0.32	0.08	0.17	<1	0.19	0.008	33.8	1.1	0.10	848.5	0.002	<1	0.39	0.030	0.33	<0.1	0.9	0.08	0.16	<5			
1833642	Drill Core	0.29	0.11	0.19	<1	0.22	0.011	30.6	1.3	0.19	631.7	0.002	<1	0.39	0.031	0.27	<0.1	1.4	0.08	0.23	<5			
1833643	Drill Core	0.29	0.09	0.08	<1	0.24	0.009	30.9	1.6	0.20	714.7	0.002	<1	0.43	0.033	0.29	<0.1	1.6	0.09	0.20	<5			
1833644	Drill Core	0.22	0.08	0.08	<1	0.28	0.009	31.2	1.2	0.20	665.5	0.002	<1	0.39	0.036	0.25	<0.1	1.5	0.07	0.21	<5			
1833645	Drill Core	0.25	0.12	0.13	1	0.48	0.012	32.4	1.8	0.33	717.0	0.002	<1	0.49	0.025	0.32	<0.1	1.4	0.09	0.21	<5			
1833646	Drill Core	0.30	0.11	0.24	2	0.49	0.033	29.3	3.0	0.38	1070.4	0.003	<1	0.52	0.020	0.30	<0.1	1.5	0.09	0.15	<5			
1833647	Drill Core	0.22	0.19	0.21	3	0.44	0.039	32.2	3.3	0.30	939.4	0.002	<1	0.51	0.014	0.34	<0.1	1.1	0.11	0.12	<5			
1833648	Drill Core	0.19	0.22	0.23	2	0.54	0.035	28.3	3.1	0.19	727.8	0.002	<1	0.42	0.020	0.32	<0.1	1.1	0.09	0.15	<5			
1833649	Drill Core	0.28	0.15	0.21	3	0.80	0.041	30.7	3.5	0.22	844.0	0.002	<1	0.48	0.026	0.33	<0.1	1.4	0.11	0.18	<5			
1833650	Drill Core	0.25	0.15	0.25	2	1.13	0.033	32.8	2.5	0.10	1142.9	0.002	<1	0.41	0.025	0.35	<0.1	0.9	0.11	0.15	<5			
1833651	Drill Core	0.35	0.11	0.83	<1	0.69	0.017	40.0	1.4	0.06	968.1	0.001	<1	0.35	0.027	0.32	<0.1	0.8	0.08	0.15	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000392.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833622	Drill Core	<0.1	<0.02	0.8	0.32	<0.1	0.22	0.03	9.1	0.2	<0.05	7.6	3.96	56.7	<0.02	<1	0.2	4.7	<10	<2			
1833623	Drill Core	<0.1	<0.02	0.8	0.29	<0.1	0.21	0.04	12.1	0.2	<0.05	7.0	4.13	69.5	<0.02	<1	0.3	4.4	<10	<2			
1833624	Drill Core	<0.1	<0.02	0.8	0.37	<0.1	0.21	<0.02	8.9	0.2	<0.05	6.3	3.85	64.4	<0.02	<1	0.1	3.0	<10	<2			
1833625	Drill Core	<0.1	0.03	0.9	0.17	<0.1	0.15	<0.02	9.0	0.2	<0.05	5.0	4.34	61.2	<0.02	<1	0.2	4.6	<10	<2			
1833626	Drill Core	<0.1	<0.02	1.2	0.52	<0.1	0.23	<0.02	8.4	0.3	<0.05	6.7	4.43	53.6	<0.02	<1	0.2	6.9	<10	<2			
1833627	Drill Core	<0.1	<0.02	1.6	0.23	<0.1	0.15	0.03	11.6	0.2	<0.05	5.2	4.31	54.1	<0.02	<1	0.2	9.0	<10	<2			
1833628	Drill Core	<0.1	0.03	1.6	0.31	<0.1	0.16	0.02	10.4	0.2	<0.05	5.5	3.26	30.8	<0.02	<1	0.2	11.0	<10	<2			
1833629	Drill Core	<0.1	<0.02	1.4	0.18	<0.1	0.12	<0.02	10.0	0.2	<0.05	3.8	3.16	46.0	<0.02	<1	0.2	7.4	<10	<2			
1833630	Drill Core	<0.1	<0.02	0.6	0.11	<0.1	0.23	0.06	9.1	0.2	<0.05	6.8	5.81	50.5	<0.02	<1	0.2	1.7	<10	<2			
1833631	Drill Core	0.1	<0.02	0.8	0.09	<0.1	0.31	0.05	9.4	0.2	<0.05	10.4	6.83	52.0	<0.02	<1	0.2	1.8	<10	<2			
1833632	Drill Core	<0.1	<0.02	0.6	0.09	<0.1	0.34	0.05	10.0	0.2	<0.05	12.6	9.22	63.4	<0.02	<1	0.2	2.0	<10	<2			
1833633	Drill Core	<0.1	<0.02	0.7	0.10	<0.1	0.24	0.06	9.6	0.2	<0.05	7.9	8.92	63.6	<0.02	<1	0.2	1.8	<10	<2			
1833634	Drill Core	<0.1	<0.02	0.6	0.18	<0.1	0.26	0.05	9.6	0.1	<0.05	8.9	9.24	77.1	<0.02	<1	0.3	2.1	<10	<2			
1833635	Drill Core	<0.1	<0.02	1.2	0.24	<0.1	0.31	0.07	11.3	0.3	<0.05	10.1	7.95	65.5	<0.02	<1	0.2	1.9	<10	<2			
1833636	Drill Core	<0.1	<0.02	1.4	0.26	<0.1	0.43	0.06	12.5	0.3	<0.05	9.9	7.17	57.9	<0.02	<1	0.2	2.7	<10	<2			
1833637	Drill Core	<0.1	<0.02	1.5	0.36	<0.1	0.24	0.04	14.7	0.2	<0.05	9.5	6.73	46.4	<0.02	<1	0.2	4.5	<10	<2			
1833638	Drill Core	<0.1	<0.02	1.8	0.27	<0.1	0.34	0.07	16.1	0.3	<0.05	11.9	9.58	74.9	<0.02	<1	0.3	4.8	<10	<2			
1833639	Drill Core	<0.1	<0.02	1.4	0.21	<0.1	0.29	0.06	12.0	0.3	<0.05	10.7	8.96	69.8	<0.02	<1	0.2	2.7	10	<2			
1833640	Rock Pulp	<0.1	<0.02	4.2	0.14	0.1	0.17	0.31	2.3	2.0	<0.05	3.4	8.12	12.5	<0.02	<1	0.2	1.0	<10	<2			
1833641	Drill Core	<0.1	<0.02	1.5	0.24	<0.1	0.30	0.06	14.3	0.3	<0.05	13.3	8.28	66.5	<0.02	<1	0.2	2.9	<10	<2			
1833642	Drill Core	<0.1	<0.02	1.8	0.25	<0.1	0.29	0.04	13.5	0.3	<0.05	11.3	5.64	61.0	<0.02	<1	0.3	5.9	<10	<2			
1833643	Drill Core	<0.1	<0.02	1.9	0.20	<0.1	0.28	0.04	13.4	0.3	<0.05	10.2	5.98	59.1	<0.02	<1	0.3	5.6	<10	<2			
1833644	Drill Core	<0.1	<0.02	1.7	0.22	<0.1	0.28	0.05	11.6	0.3	<0.05	10.8	9.45	61.2	<0.02	<1	0.2	5.3	<10	<2			
1833645	Drill Core	<0.1	<0.02	1.9	0.20	<0.1	0.39	0.03	14.4	0.3	<0.05	13.2	9.24	64.8	<0.02	<1	0.3	8.1	<10	<2			
1833646	Drill Core	<0.1	<0.02	1.9	0.28	<0.1	0.19	0.03	14.5	0.3	<0.05	6.2	7.49	56.1	<0.02	<1	0.3	9.1	<10	<2			
1833647	Drill Core	<0.1	<0.02	2.2	0.73	<0.1	0.18	<0.02	16.6	0.3	<0.05	5.9	7.23	60.8	<0.02	<1	0.2	8.5	<10	<2			
1833648	Drill Core	<0.1	<0.02	1.7	0.34	<0.1	0.14	<0.02	13.8	0.3	<0.05	4.8	7.53	54.7	<0.02	<1	0.2	4.3	<10	<2			
1833649	Drill Core	<0.1	0.02	1.9	0.31	<0.1	0.20	<0.02	14.2	0.3	<0.05	5.6	6.43	58.5	<0.02	<1	0.2	5.6	<10	<2			
1833650	Drill Core	<0.1	<0.02	1.5	0.18	<0.1	0.13	<0.02	14.2	0.4	<0.05	4.2	10.03	65.3	<0.02	<1	0.2	2.7	<10	<2			
1833651	Drill Core	<0.1	<0.02	1.4	0.31	<0.1	0.13	0.04	13.3	0.3	<0.05	4.0	15.44	78.7	<0.02	<1	0.3	1.8	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000392.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1833652	Drill Core	3.46	510	0.005	<0.01	<0.17	34.61	0.37	4.49	25.41	6.3	408	0.4	0.6	157	0.33	1.3	2.5	2.5	13.8	43.9
1833653	Drill Core	3.44	521	0.017	0.02	<0.17	33.55	0.39	8.24	29.10	10.7	369	1.2	2.2	251	0.55	9.1	2.4	12.5	13.4	54.0
1833654	Drill Core	3.38	341	0.016	0.01	<0.17	32.03	0.86	6.50	39.08	24.5	314	2.1	3.9	238	0.77	7.1	3.0	8.9	15.6	45.9
1833655	Drill Core	3.16	479	0.010	<0.01	<0.17	31.24	3.04	11.47	43.25	21.3	300	1.8	4.2	189	0.64	2.9	3.1	7.0	15.7	50.3
1833656	Drill Core	3.37	485	0.005	<0.01	<0.17	34.78	0.32	7.19	15.33	22.5	123	2.7	4.2	225	0.88	1.2	2.7	1.3	14.8	55.6
1833657	Drill Core	3.19	495	<0.005	<0.01	<0.17	34.88	0.26	6.75	18.07	21.3	113	2.4	3.5	218	0.91	0.8	2.3	1.5	14.5	56.6
1833658	Drill Core	3.22	460	0.013	0.01	<0.17	38.44	0.29	7.40	22.13	23.2	381	2.5	3.4	280	0.81	12.0	4.0	8.2	17.4	76.7
1833659	Drill Core	3.19	498	<0.005	<0.01	<0.17	38.90	0.27	6.71	9.29	23.1	87	2.3	2.9	252	0.82	0.9	2.8	0.4	14.2	78.9
1833660	Core DUP		535	<0.005	<0.01	<0.17	31.81	0.29	7.19	10.51	25.8	96	2.7	3.2	276	0.86	1.0	3.1	<0.2	15.3	87.6
1833661	Drill Core	3.32	450	0.005	<0.01	<0.17	45.11	0.49	11.83	6.18	24.1	116	2.7	3.1	246	0.85	0.7	2.7	0.8	14.7	61.9
1833662	Drill Core	3.09	434	0.006	<0.01	<0.17	27.09	0.31	5.42	10.69	24.2	298	2.3	3.2	229	0.87	6.3	3.9	3.1	14.2	65.9
1833663	Drill Core	1.69	480	<0.005	<0.01	<0.17	35.22	0.18	7.72	7.22	22.3	196	2.4	3.7	215	0.89	2.6	3.0	1.8	14.0	68.7
1833664	Drill Core	1.93	509	<0.005	<0.01	<0.17	33.15	0.16	11.56	16.41	21.0	283	2.4	3.2	193	0.82	1.5	3.6	3.2	13.1	60.5
1833665	Drill Core	3.13	499	0.014	0.01	<0.17	42.46	0.35	9.04	16.04	19.4	277	2.1	3.1	193	0.68	2.9	2.4	30.3	14.6	30.5
1833666	Drill Core	3.54	471	<0.005	<0.01	<0.17	36.18	1.49	10.07	23.94	19.4	270	2.0	3.3	272	0.67	5.3	2.9	2.8	16.7	67.1
1833667	Drill Core	3.35	497	<0.005	<0.01	<0.17	34.98	0.30	7.87	13.28	23.2	134	2.2	2.5	254	0.89	0.5	2.4	0.9	15.2	68.8
1833668	Drill Core	3.25	513	<0.005	<0.01	<0.17	36.70	0.25	7.11	7.62	14.6	99	1.5	2.5	233	0.60	0.9	3.3	2.7	14.5	90.3
1833669	Drill Core	1.56	526	0.005	<0.01	<0.17	32.13	0.18	10.88	36.69	14.1	362	1.4	3.2	178	0.55	5.7	2.5	3.0	14.3	55.5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000392.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833652	Drill Core	0.23	0.11	0.66	<1	0.74	0.008	35.9	1.1	0.05	1172.4	0.001	<1	0.29	0.032	0.25	<0.1	0.8	0.06	0.11	<5
1833653	Drill Core	0.19	0.20	0.30	1	1.09	0.026	31.0	1.9	0.11	709.3	0.002	<1	0.36	0.025	0.29	<0.1	1.0	0.09	0.23	<5
1833654	Drill Core	0.46	0.24	0.23	3	0.97	0.041	33.7	3.1	0.18	477.0	0.003	<1	0.54	0.031	0.38	<0.1	1.4	0.15	0.30	<5
1833655	Drill Core	0.50	0.23	0.21	2	0.79	0.040	36.5	2.6	0.11	471.5	0.002	<1	0.41	0.022	0.34	<0.1	1.0	0.16	0.30	<5
1833656	Drill Core	0.15	0.18	0.10	4	0.76	0.039	37.8	4.0	0.29	691.9	0.007	<1	0.54	0.031	0.41	<0.1	2.3	0.17	0.23	<5
1833657	Drill Core	0.06	0.19	0.12	4	0.78	0.039	36.0	4.1	0.29	789.4	0.009	<1	0.48	0.029	0.35	<0.1	2.9	0.14	0.17	<5
1833658	Drill Core	0.12	0.23	0.20	4	0.70	0.045	39.3	4.1	0.27	691.7	0.004	<1	0.52	0.028	0.35	<0.1	1.7	0.11	0.23	<5
1833659	Drill Core	0.08	0.12	0.15	4	0.78	0.037	31.9	3.8	0.32	1075.1	0.008	<1	0.53	0.027	0.37	<0.1	2.0	0.13	0.13	<5
1833660	Core DUP	0.09	0.13	0.18	4	0.83	0.044	36.6	3.9	0.34	1175.7	0.009	<1	0.54	0.027	0.39	<0.1	2.3	0.14	0.14	<5
1833661	Drill Core	0.09	0.11	0.27	4	0.75	0.034	34.2	3.8	0.36	915.6	0.009	<1	0.54	0.024	0.39	<0.1	1.7	0.13	0.13	<5
1833662	Drill Core	0.11	0.12	0.61	3	0.57	0.035	32.4	3.3	0.41	801.9	0.007	<1	0.54	0.019	0.38	<0.1	1.6	0.12	0.17	<5
1833663	Drill Core	0.11	0.13	0.55	3	0.57	0.037	33.3	2.9	0.34	834.9	0.006	<1	0.49	0.019	0.35	<0.1	1.6	0.11	0.19	<5
1833664	Drill Core	0.13	0.12	0.57	3	0.44	0.038	30.9	3.3	0.32	829.6	0.002	<1	0.49	0.024	0.28	<0.1	1.3	0.08	0.16	<5
1833665	Drill Core	0.17	0.17	0.44	2	0.37	0.034	32.9	2.4	0.26	459.9	0.002	<1	0.44	0.017	0.30	<0.1	1.0	0.08	0.18	<5
1833666	Drill Core	0.29	0.14	0.42	2	0.72	0.039	36.3	3.4	0.20	603.0	0.003	<1	0.41	0.023	0.30	<0.1	1.0	0.09	0.22	<5
1833667	Drill Core	0.18	0.10	0.28	3	0.65	0.034	34.0	3.5	0.38	732.7	0.006	<1	0.58	0.018	0.38	<0.1	2.0	0.12	0.14	<5
1833668	Drill Core	0.16	0.08	0.20	3	0.93	0.035	31.1	2.9	0.22	1092.3	0.003	<1	0.45	0.028	0.32	<0.1	1.3	0.09	0.12	<5
1833669	Drill Core	0.20	0.12	0.50	2	0.59	0.034	31.5	2.6	0.16	653.7	0.002	<1	0.39	0.029	0.29	<0.1	1.0	0.08	0.22	<5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000392.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833652	Drill Core	<0.1	<0.02	1.2	0.33	<0.1	0.13	0.05	9.7	1.4	<0.05	4.1	15.43	71.6	<0.02	<1	0.2	1.6	<10	<2
1833653	Drill Core	<0.1	<0.02	1.3	0.19	<0.1	0.13	0.03	11.1	0.3	<0.05	3.9	10.98	58.4	<0.02	<1	0.2	2.5	<10	<2
1833654	Drill Core	<0.1	<0.02	1.9	0.28	<0.1	0.14	0.03	15.6	0.4	<0.05	4.4	11.27	68.0	<0.02	<1	0.3	5.5	<10	<2
1833655	Drill Core	0.1	0.02	1.5	0.18	<0.1	0.11	0.02	13.4	0.3	<0.05	3.5	12.89	70.3	<0.02	<1	0.2	3.5	<10	<2
1833656	Drill Core	0.1	<0.02	2.3	0.27	<0.1	0.14	0.04	19.8	0.3	<0.05	4.2	16.07	70.8	<0.02	<1	0.3	5.0	<10	<2
1833657	Drill Core	<0.1	<0.02	2.4	0.43	<0.1	0.15	0.07	17.3	0.4	<0.05	4.2	14.76	68.1	<0.02	<1	0.4	5.3	<10	<2
1833658	Drill Core	<0.1	<0.02	2.7	0.18	<0.1	0.14	0.06	15.6	0.4	<0.05	4.4	17.61	76.0	<0.02	<1	0.5	7.5	<10	<2
1833659	Drill Core	<0.1	<0.02	2.2	0.25	<0.1	0.16	0.06	17.7	0.4	<0.05	5.0	13.70	63.2	<0.02	<1	0.3	6.1	<10	<2
1833660	Core DUP	0.1	<0.02	2.2	0.28	<0.1	0.18	0.05	19.1	0.4	<0.05	5.5	14.68	69.9	<0.02	<1	0.4	6.7	<10	<2
1833661	Drill Core	<0.1	<0.02	2.4	0.23	<0.1	0.14	0.06	17.5	0.4	<0.05	4.5	12.61	66.2	<0.02	<1	0.4	6.8	<10	<2
1833662	Drill Core	<0.1	<0.02	2.1	0.28	<0.1	0.11	0.06	16.6	0.7	<0.05	3.6	11.38	63.1	<0.02	<1	0.3	8.4	<10	<2
1833663	Drill Core	<0.1	<0.02	1.9	0.42	<0.1	0.12	0.05	16.6	0.8	<0.05	3.5	10.14	65.7	<0.02	<1	0.3	8.6	<10	<2
1833664	Drill Core	<0.1	<0.02	1.8	0.34	<0.1	0.07	<0.02	12.7	0.3	<0.05	2.3	7.80	59.0	<0.02	<1	0.3	7.0	<10	<2
1833665	Drill Core	<0.1	0.02	1.6	0.31	<0.1	0.10	<0.02	11.7	0.3	<0.05	2.9	6.65	59.5	<0.02	<1	0.2	6.6	<10	<2
1833666	Drill Core	0.1	<0.02	1.6	0.18	<0.1	0.11	<0.02	13.1	0.3	<0.05	3.5	9.89	71.6	<0.02	<1	0.2	5.6	<10	<2
1833667	Drill Core	<0.1	<0.02	2.1	0.30	<0.1	0.12	0.03	16.7	0.4	<0.05	3.8	8.79	69.6	<0.02	<1	0.2	8.2	<10	<2
1833668	Drill Core	<0.1	<0.02	1.6	0.21	<0.1	0.17	<0.02	12.8	0.3	<0.05	5.2	7.20	60.2	<0.02	<1	0.3	5.5	<10	<2
1833669	Drill Core	0.1	0.04	1.3	0.18	<0.1	0.22	<0.02	11.9	0.3	<0.05	6.3	5.14	58.8	<0.02	<1	0.2	4.7	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 05, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000392.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1833538	Drill Core	2.92	442	0.011	0.01	<0.17	28.56	0.65	6.35	14.85	53.9	92	1.8	3.2	157	0.61	9.8	2.1	6.3	13.6	17.5
REP 1833538	QC							0.59	6.23	14.00	51.6	95	2.1	3.1	155	0.58	8.8	1.9	7.8	13.2	16.0
1833571	Drill Core	2.68	477	0.008	<0.01	<0.17	43.02	0.36	2.20	12.35	16.2	130	0.6	1.0	123	0.45	6.9	1.6	2.7	12.0	39.7
REP 1833571	QC							0.34	2.11	12.30	16.7	127	0.6	1.0	119	0.45	6.9	1.6	3.1	12.4	39.9
1833577	Drill Core	3.37	418	0.012	0.01	<0.17	35.85	0.44	2.76	12.21	20.9	223	0.7	1.2	137	0.46	16.7	1.8	6.2	13.7	6.5
REP 1833577	QC			0.012																	
1833594	Drill Core	2.28	461	0.024	0.02	<0.17	35.74	0.86	4.38	5.15	59.1	522	1.8	5.9	410	0.69	31.1	1.2	16.0	11.6	28.9
REP 1833594	QC			0.023																	
1833606	Drill Core	1.90	391	0.006	<0.01	<0.17	26.81	0.19	5.90	2.01	27.8	134	1.4	2.4	205	0.89	2.9	1.4	1.2	11.7	19.1
REP 1833606	QC							0.19	5.72	2.01	27.0	140	1.5	2.5	194	0.89	3.1	1.4	0.7	11.8	18.5
1833641	Drill Core	3.06	392	<0.005	<0.01	<0.17	40.06	0.47	4.59	19.41	12.6	144	0.4	0.9	116	0.50	0.4	2.0	<0.2	12.5	31.8
REP 1833641	QC							0.46	4.40	19.50	12.0	147	0.4	0.8	115	0.50	0.4	2.0	<0.2	12.4	31.7
1833650	Drill Core	3.16	352	0.009	<0.01	<0.17	38.97	0.20	6.19	17.83	8.6	194	1.1	1.9	206	0.50	1.9	3.0	3.5	14.2	80.5
REP 1833650	QC			0.010																	
1833667	Drill Core	3.35	497	<0.005	<0.01	<0.17	34.98	0.30	7.87	13.28	23.2	134	2.2	2.5	254	0.89	0.5	2.4	0.9	15.2	68.8
REP 1833667	QC			<0.005																	
Core Reject Duplicates																					
1833545	Drill Core	2.93	464	0.018	0.02	<0.17	35.20	0.45	4.96	17.21	44.3	320	1.4	1.5	117	0.63	38.3	2.5	16.3	14.5	27.2
DUP 1833545	QC		472	0.017	0.02	<0.17	39.80	0.46	5.00	17.91	43.8	337	1.5	1.6	124	0.62	39.8	2.6	16.8	14.5	27.4
1833579	Drill Core	3.23	527	0.008	<0.01	<0.17	36.01	0.35	3.30	21.69	16.3	177	0.8	1.3	83	0.40	6.9	1.9	3.6	15.1	12.6
DUP 1833579	QC		462	0.008	<0.01	<0.17	38.21	0.34	3.42	20.45	15.4	173	0.6	1.2	85	0.41	6.4	1.8	3.8	14.7	12.1
1833613	Drill Core	3.36	363	0.005	<0.01	<0.17	26.90	0.19	2.20	10.20	23.7	141	0.4	0.8	153	0.53	2.2	3.2	0.3	12.3	39.9
DUP 1833613	QC		377	0.007	<0.01	<0.17	34.38	0.21	2.43	11.50	24.2	147	0.5	0.7	151	0.53	2.4	3.3	0.4	12.9	44.6
1833647	Drill Core	3.42	426	<0.005	<0.01	<0.17	32.28	0.79	7.01	26.28	23.7	189	1.8	2.7	188	0.71	0.7	3.5	2.1	14.6	66.0
DUP 1833647	QC		391	<0.005	<0.01	<0.17	34.13	0.69	6.38	23.27	20.3	171	1.7	2.5	150	0.68	0.8	3.1	0.9	13.3	59.9
Reference Materials																					
STD BVGEO01	Standard							11.37	4396.92	187.54	1704.6	2516	155.3	26.1	674	3.57	120.8	4.1	208.2	15.7	58.1
STD DS11	Standard							14.61	152.37	140.29	327.4	1698	77.1	13.8	1016	3.06	41.9	2.5	64.7	8.6	65.1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 05, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000392.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1833538	Drill Core	0.47	0.19	0.10	1	0.08	0.034	33.9	1.7	0.11	303.6	0.002	1	0.32	0.003	0.23	0.2	0.4	0.08	<0.02	6
REP 1833538	QC	0.43	0.16	0.09	1	0.08	0.032	29.8	1.4	0.10	275.8	0.002	<1	0.30	0.002	0.22	0.2	0.6	0.07	<0.02	<5
1833571	Drill Core	0.21	0.15	<0.02	<1	0.02	0.009	33.3	1.0	0.07	1480.4	<0.001	<1	0.29	0.022	0.24	<0.1	0.9	0.06	0.03	<5
REP 1833571	QC	0.19	0.15	<0.02	<1	0.02	0.009	33.4	1.1	0.07	1533.4	<0.001	<1	0.30	0.022	0.25	<0.1	0.9	0.06	0.03	<5
1833577	Drill Core	0.28	0.21	0.06	<1	0.02	0.008	38.1	1.1	0.06	341.6	<0.001	1	0.28	0.028	0.23	<0.1	1.0	0.07	<0.02	<5
REP 1833577	QC																				
1833594	Drill Core	0.57	0.17	0.06	<1	0.03	0.007	31.4	1.7	0.20	1448.6	<0.001	<1	0.39	0.015	0.24	1.1	1.0	0.07	0.05	<5
REP 1833594	QC																				
1833606	Drill Core	0.12	0.11	<0.02	<1	0.19	0.017	22.0	2.0	0.40	260.3	0.002	<1	0.52	0.013	0.26	<0.1	1.4	0.08	0.18	6
REP 1833606	QC	0.13	0.10	<0.02	1	0.19	0.017	21.8	2.1	0.40	258.9	0.002	<1	0.53	0.014	0.27	<0.1	1.4	0.08	0.18	<5
1833641	Drill Core	0.32	0.08	0.17	<1	0.19	0.008	33.8	1.1	0.10	848.5	0.002	<1	0.39	0.030	0.33	<0.1	0.9	0.08	0.16	<5
REP 1833641	QC	0.34	0.07	0.17	<1	0.20	0.008	34.2	1.2	0.10	842.6	0.002	<1	0.39	0.031	0.33	<0.1	1.0	0.09	0.16	<5
1833650	Drill Core	0.25	0.15	0.25	2	1.13	0.033	32.8	2.5	0.10	1142.9	0.002	<1	0.41	0.025	0.35	<0.1	0.9	0.11	0.15	<5
REP 1833650	QC																				
1833667	Drill Core	0.18	0.10	0.28	3	0.65	0.034	34.0	3.5	0.38	732.7	0.006	<1	0.58	0.018	0.38	<0.1	2.0	0.12	0.14	<5
REP 1833667	QC																				
Core Reject Duplicates																					
1833545	Drill Core	0.65	0.34	0.04	<1	0.01	0.009	36.4	1.0	0.04	1499.6	<0.001	<1	0.26	0.018	0.22	0.2	1.0	0.06	0.03	<5
DUP 1833545	QC	0.59	0.36	0.04	<1	0.01	0.008	37.1	1.1	0.04	1414.8	<0.001	<1	0.27	0.019	0.23	0.2	1.0	0.06	0.03	<5
1833579	Drill Core	0.19	0.12	0.14	<1	0.03	0.017	41.0	1.3	0.10	371.6	<0.001	<1	0.31	0.020	0.25	<0.1	0.9	0.06	<0.02	<5
DUP 1833579	QC	0.17	0.12	0.13	<1	0.03	0.014	38.9	1.2	0.08	358.4	<0.001	<1	0.31	0.021	0.26	<0.1	0.9	0.06	<0.02	<5
1833613	Drill Core	0.25	0.06	0.07	<1	0.33	0.007	31.6	1.4	0.22	738.8	<0.001	<1	0.33	0.008	0.23	<0.1	0.9	0.06	0.10	<5
DUP 1833613	QC	0.28	0.07	0.09	<1	0.33	0.007	36.3	1.7	0.23	770.9	0.001	<1	0.35	0.009	0.25	<0.1	1.2	0.06	0.10	<5
1833647	Drill Core	0.22	0.19	0.21	3	0.44	0.039	32.2	3.3	0.30	939.4	0.002	<1	0.51	0.014	0.34	<0.1	1.1	0.11	0.12	<5
DUP 1833647	QC	0.21	0.18	0.19	2	0.43	0.035	27.2	3.0	0.28	908.0	0.002	<1	0.44	0.013	0.31	<0.1	1.0	0.09	0.11	<5
Reference Materials																					
STD BVGEO01	Standard	7.12	4.10	25.52	73	1.29	0.082	27.5	191.1	1.31	294.3	0.226	3	2.44	0.194	0.87	5.4	6.5	0.61	0.62	89
STD DS11	Standard	2.42	8.21	11.20	49	1.05	0.070	17.6	61.7	0.85	349.3	0.088	7	1.13	0.070	0.40	3.0	3.0	4.86	0.27	277



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000392.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1833538	Drill Core	<0.1	<0.02	1.0	0.40	<0.1	0.23	0.02	9.5	0.3	<0.05	8.0	5.40	60.8	<0.02	<1	0.3	4.4	<10	<2
REP 1833538	QC	<0.1	0.02	0.9	0.38	<0.1	0.20	0.02	8.7	0.2	<0.05	7.1	5.07	58.0	<0.02	<1	0.2	3.6	11	<2
1833571	Drill Core	<0.1	<0.02	1.4	0.31	<0.1	0.30	0.02	10.3	0.2	<0.05	8.4	9.95	67.1	<0.02	<1	0.2	2.9	<10	<2
REP 1833571	QC	<0.1	<0.02	1.3	0.30	<0.1	0.29	0.03	10.1	0.2	<0.05	8.9	9.70	65.6	<0.02	<1	0.3	3.0	<10	<2
1833577	Drill Core	<0.1	<0.02	1.0	0.32	<0.1	0.37	0.04	9.9	0.2	<0.05	11.1	7.87	65.8	<0.02	<1	0.1	2.8	15	<2
REP 1833577	QC																			
1833594	Drill Core	<0.1	<0.02	1.5	0.65	<0.1	0.59	<0.02	10.2	0.3	<0.05	22.9	6.46	59.1	<0.02	<1	0.2	6.7	<10	<2
REP 1833594	QC																			
1833606	Drill Core	<0.1	<0.02	1.3	0.27	<0.1	0.12	0.02	9.5	0.3	<0.05	5.1	3.80	43.8	<0.02	<1	0.2	8.4	<10	<2
REP 1833606	QC	<0.1	<0.02	1.4	0.27	<0.1	0.13	<0.02	9.7	0.2	<0.05	4.9	3.60	43.2	<0.02	<1	0.2	8.6	<10	<2
1833641	Drill Core	<0.1	<0.02	1.5	0.24	<0.1	0.30	0.06	14.3	0.3	<0.05	13.3	8.28	66.5	<0.02	<1	0.2	2.9	<10	<2
REP 1833641	QC	<0.1	<0.02	1.5	0.25	<0.1	0.26	0.07	14.2	0.3	<0.05	13.6	8.12	66.6	<0.02	<1	0.3	3.4	<10	<2
1833650	Drill Core	<0.1	<0.02	1.5	0.18	<0.1	0.13	<0.02	14.2	0.4	<0.05	4.2	10.03	65.3	<0.02	<1	0.2	2.7	<10	<2
REP 1833650	QC																			
1833667	Drill Core	<0.1	<0.02	2.1	0.30	<0.1	0.12	0.03	16.7	0.4	<0.05	3.8	8.79	69.6	<0.02	<1	0.2	8.2	<10	<2
REP 1833667	QC																			
Core Reject Duplicates																				
1833545	Drill Core	<0.1	<0.02	1.0	0.16	<0.1	0.35	0.03	9.0	0.3	<0.05	10.8	10.29	65.5	<0.02	<1	0.1	1.7	<10	<2
DUP 1833545	QC	<0.1	<0.02	1.0	0.17	<0.1	0.33	0.04	9.4	0.3	<0.05	11.3	11.29	66.8	<0.02	<1	0.2	2.0	<10	<2
1833579	Drill Core	<0.1	<0.02	1.3	0.24	0.1	0.28	<0.02	10.9	0.2	<0.05	8.9	9.33	75.4	<0.02	<1	0.2	3.1	<10	<2
DUP 1833579	QC	<0.1	<0.02	1.2	0.23	<0.1	0.29	<0.02	10.9	0.2	<0.05	8.4	9.08	70.3	<0.02	<1	0.2	3.0	<10	<2
1833613	Drill Core	<0.1	<0.02	0.6	0.24	<0.1	0.29	0.06	7.8	0.1	<0.05	9.0	6.11	61.3	<0.02	<1	0.1	5.2	<10	<2
DUP 1833613	QC	<0.1	<0.02	0.6	0.26	<0.1	0.28	0.04	8.8	0.2	<0.05	9.8	6.54	67.1	<0.02	<1	0.2	5.5	<10	<2
1833647	Drill Core	<0.1	<0.02	2.2	0.73	<0.1	0.18	<0.02	16.6	0.3	<0.05	5.9	7.23	60.8	<0.02	<1	0.2	8.5	<10	<2
DUP 1833647	QC	<0.1	<0.02	1.8	0.73	<0.1	0.17	0.02	14.4	0.2	<0.05	5.1	6.21	50.5	<0.02	<1	0.3	6.9	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.6	1.00	7.6	7.86	0.2	0.34	0.36	92.6	6.3	<0.05	8.5	15.14	52.3	0.54	3	0.7	23.3	103	175
STD DS11	Standard	2.2	4.49	4.8	2.86	0.1	0.06	1.34	33.0	1.7	<0.05	3.5	7.47	35.7	0.23	45	0.6	24.7	103	172



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000392.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11	Standard							13.36	149.92	138.51	347.0	1782	76.9	13.3	994	3.09	42.9	2.7	64.9	7.9	64.2
STD DS11	Standard							16.00	160.91	135.22	324.8	1736	81.8	14.4	1011	3.15	41.5	2.5	69.8	7.9	60.6
STD OREAS262	Standard							0.69	119.13	55.53	153.9	461	63.5	26.9	524	3.14	37.8	1.2	70.6	9.4	35.3
STD OREAS262	Standard							0.65	117.67	56.64	145.6	467	64.0	27.3	553	3.21	35.0	1.2	69.6	10.4	35.8
STD OREAS262	Standard							0.67	115.84	57.58	145.5	467	63.2	27.4	498	3.23	35.6	1.3	75.3	9.5	35.5
STD OREAS262	Standard							0.70	122.40	59.29	143.8	459	64.0	28.8	544	3.22	37.0	1.3	69.5	10.2	36.8
STD OREAS262	Standard							0.82	124.23	59.82	141.4	466	63.7	28.2	516	3.24	35.7	1.3	74.1	9.8	33.2
STD OXC152	Standard			0.222																	
STD OXC152	Standard			0.221																	
STD OXC152	Standard			0.226																	
STD OXH139	Standard			1.320																	
STD OXH139	Standard			1.315																	
STD OXH139	Standard			1.315																	
STD OXH139	Standard			1.315																	
STD OXN134	Standard			7.673																	
STD OXN134	Standard			7.853																	
STD OXN134	Standard			7.863																	
STD OXN134	Standard			7.830																	
STD OXQ90	Standard					25.36	30.17														
STD OXQ90	Standard					25.45	30.30														
STD OXQ90	Standard					25.21	29.63														
STD OXQ90	Standard					25.04	30.51														
STD OXQ90	Standard					25.23	29.57														
STD OXQ90	Standard					24.87	30.08														
STD OXQ90	Standard					25.41	30.15														
STD OXQ90	Standard					25.16	30.25														
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000392.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD DS11	Standard	2.42	9.45	12.47	49	1.06	0.074	17.8	55.8	0.85	372.1	0.093	7	1.15	0.071	0.40	3.2	3.0	4.95	0.27	282
STD DS11	Standard	2.45	8.98	11.59	48	1.06	0.072	18.5	62.7	0.84	360.8	0.098	7	1.18	0.073	0.40	3.0	3.1	4.61	0.28	268
STD OREAS262	Standard	0.72	6.33	1.06	20	2.96	0.043	14.7	40.9	1.10	240.3	0.003	3	1.18	0.066	0.29	0.3	2.9	0.42	0.25	160
STD OREAS262	Standard	0.64	5.36	0.96	22	2.92	0.039	15.6	45.5	1.14	245.0	0.003	4	1.28	0.068	0.31	0.3	3.3	0.46	0.25	155
STD OREAS262	Standard	0.60	5.80	1.08	22	2.97	0.038	15.5	39.2	1.13	257.3	0.003	3	1.28	0.068	0.31	0.2	2.8	0.45	0.25	174
STD OREAS262	Standard	0.69	6.11	1.07	23	2.95	0.044	18.8	47.2	1.19	250.8	0.003	3	1.51	0.069	0.32	0.2	3.2	0.47	0.25	166
STD OREAS262	Standard	0.70	6.33	1.07	22	2.90	0.037	17.2	45.3	1.16	267.7	0.003	3	1.34	0.067	0.31	0.2	3.0	0.48	0.25	161
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 05, 2019

Page:

2 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000392.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD DS11	Standard	1.9	4.85	5.0	2.94	0.1	0.07	1.32	33.3	1.8	<0.05	3.2	7.41	35.4	0.27	49	0.9	24.5	100	180
STD DS11	Standard	2.0	4.47	4.6	2.98	<0.1	0.06	1.44	32.1	1.7	<0.05	2.6	7.86	36.1	0.25	44	0.9	23.8	94	171
STD OREAS262	Standard	0.4	0.24	3.6	3.10	<0.1	0.28	<0.02	18.5	0.5	<0.05	9.9	10.00	27.1	0.03	1	0.9	17.7	<10	<2
STD OREAS262	Standard	0.3	0.22	3.6	2.95	<0.1	0.25	<0.02	17.8	0.5	<0.05	9.0	10.71	32.0	0.03	1	1.1	18.3	<10	<2
STD OREAS262	Standard	<0.1	0.23	3.9	2.89	<0.1	0.26	<0.02	18.7	0.5	<0.05	10.9	10.62	30.0	0.04	2	0.8	17.8	<10	3
STD OREAS262	Standard	0.4	0.25	4.5	3.49	<0.1	0.25	<0.02	22.0	0.6	<0.05	8.9	11.73	35.0	0.04	2	1.1	18.8	<10	<2
STD OREAS262	Standard	<0.1	0.21	3.9	3.13	<0.1	0.24	0.02	19.5	0.6	<0.05	10.8	10.84	32.7	0.03	<1	1.0	17.4	<10	<2
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 05, 2019

Page:

3 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000392.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.2	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	0.4	<0.5
BLK	Blank							<0.01	0.02	0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	0.03	0.05	0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			0.005																	
BLK	Blank			0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		397	<0.005	<0.01	<0.17	40.65	0.99	2.92	2.42	38.5	17	1.5	3.9	518	1.92	1.7	0.5	1.3	2.3	28.7
ROCK-WHI	Prep Blank		375	<0.005	<0.01	<0.17	40.84	1.06	3.22	3.79	33.4	23	1.1	3.9	475	1.94	1.9	0.5	0.4	2.4	28.0



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000392.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.08	0.11	0.04	23	0.74	0.041	6.5	4.4	0.50	76.9	0.075	3	0.98	0.075	0.08	<0.1	2.8	<0.02	<0.02	10
ROCK-WHI	Prep Blank	0.06	0.09	0.03	26	0.77	0.038	6.4	2.8	0.47	75.3	0.079	3	1.01	0.078	0.09	<0.1	2.8	<0.02	0.03	9



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 05, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000392.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.5	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	4.0	0.25	0.1	0.10	0.24	2.2	0.5	<0.05	2.5	8.93	12.3	<0.02	<1	0.1	2.3	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.22	0.1	0.13	0.20	2.2	0.4	<0.05	2.9	8.79	12.3	<0.02	<1	<0.1	2.4	<10	<2