



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 15, 2019
Report Date: September 04, 2019
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000393.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-44
P.O. Number
Number of Samples: 44

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	43	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FS631	44	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	44	Analysis sample split/packet			WHI
Split -150	44	Analysis sample split/packet			WHI
EN002	44	Environmental disposal charge-Fire assay lead waste			VAN
FS631	43	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	44	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	44	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 04, 2019

Page: 2 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000393.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1833670	Drill Core	1.72	434	0.005	<0.01	<0.17	41.69	0.22	6.58	16.00	7.8	390	1.2	2.6	178	0.41	4.1	1.9	3.8	13.8	85.1
1833671	Drill Core	3.10	465	0.006	<0.01	<0.17	25.26	2.78	9.06	24.10	11.0	442	1.3	2.3	136	0.45	5.1	1.5	5.1	13.9	59.4
1833672	Drill Core	3.20	476	<0.005	<0.01	<0.17	29.70	1.20	12.56	32.34	20.5	493	1.3	2.1	193	0.49	4.7	1.5	3.7	13.0	45.3
1833673	Drill Core	3.66	392	0.006	<0.01	<0.17	28.97	1.01	7.70	20.34	15.8	145	1.1	1.7	184	0.65	6.3	2.9	4.6	13.0	28.4
1833674	Drill Core	3.32	408	0.011	0.01	<0.17	34.48	0.61	7.29	16.08	17.3	168	0.9	1.4	170	0.68	9.7	3.3	8.5	14.4	31.6
1833675	Drill Core	3.26	507	0.018	0.02	<0.17	30.86	0.53	5.93	15.93	22.1	213	1.0	1.3	188	0.82	17.1	4.9	15.7	14.2	36.0
1833676	Drill Core	3.23	500	<0.005	<0.01	<0.17	34.06	0.63	4.30	25.10	24.9	84	1.6	1.8	150	0.72	1.1	4.5	1.6	15.5	32.4
1833677	Drill Core	3.07	431	0.006	<0.01	<0.17	29.38	0.60	6.56	20.43	21.7	150	2.5	2.5	164	0.85	4.9	3.5	3.7	13.1	35.2
1833678	Drill Core	3.23	502	0.007	<0.01	<0.17	30.13	0.17	5.52	11.12	35.3	183	3.5	3.3	175	1.04	5.3	4.1	5.1	15.0	41.1
1833679	Drill Core	3.33	433	<0.005	<0.01	<0.17	32.39	0.63	9.29	15.62	26.3	84	3.3	3.1	185	0.93	1.5	4.0	1.1	15.4	47.8
1833680	Rock	0.22	152	<0.005	<0.01	<0.17	31.12	0.43	0.96	1.06	1.6	5	1.0	0.4	65	0.61	0.9	0.2	0.8	1.8	1.4
1833681	Drill Core	3.53	404	<0.005	<0.01	<0.17	28.10	0.45	5.90	22.92	32.0	69	3.3	3.1	221	1.04	1.3	3.0	1.4	14.0	35.6
1833682	Drill Core	3.23	509	<0.005	<0.01	<0.17	34.24	1.22	7.71	28.51	32.1	100	3.6	3.3	212	0.92	2.3	2.6	0.9	13.7	44.6
1833683	Drill Core	3.67	400	<0.005	<0.01	<0.17	28.71	0.18	6.56	19.08	31.2	144	3.2	3.3	148	0.95	2.9	3.4	1.6	14.7	24.3
1833684	Drill Core	1.72	449	0.006	<0.01	<0.17	35.73	0.14	10.07	24.21	31.9	324	3.4	2.9	130	0.95	6.0	2.3	3.7	14.0	20.2
1833685	Drill Core	1.72	446	<0.005	<0.01	<0.17	36.22	0.17	7.04	21.24	39.0	234	4.5	4.0	149	1.10	2.9	3.4	1.6	17.2	56.7
1833686	Drill Core	2.92	451	<0.005	<0.01	<0.17	32.37	0.20	5.92	15.96	32.2	82	3.8	3.9	140	1.09	0.5	2.9	1.0	15.9	54.2
1833687	Drill Core	3.27	523	<0.005	<0.01	<0.17	33.24	0.26	8.79	19.08	30.6	99	3.8	3.5	149	1.03	1.4	2.8	0.5	15.6	64.6
1833688	Drill Core	3.21	403	<0.005	<0.01	<0.17	33.89	0.20	12.37	12.14	26.6	126	1.9	2.5	234	1.09	0.5	2.2	0.4	11.9	142.3
1833689	Drill Core	3.40	384	<0.005	<0.01	<0.17	30.43	0.16	9.07	20.34	27.3	125	2.7	3.4	182	1.04	0.6	2.8	<0.2	15.5	112.4
1833690	Drill Core	3.34	378	<0.005	<0.01	<0.17	27.76	0.19	4.16	20.49	28.3	69	3.0	3.2	146	1.01	0.8	3.6	<0.2	14.7	95.6
1833691	Drill Core	3.40	508	<0.005	<0.01	<0.17	32.34	0.40	6.68	22.21	37.7	108	3.8	3.6	174	1.16	3.2	3.5	0.9	15.4	98.2
1833692	Drill Core	3.34	473	0.009	<0.01	<0.17	32.71	0.23	7.96	15.30	31.5	175	3.9	3.4	201	1.16	12.7	4.7	5.0	15.0	54.1
1833693	Drill Core	3.24	477	<0.005	<0.01	<0.17	35.02	0.47	8.41	25.38	34.6	188	4.3	4.1	184	1.11	6.2	2.7	1.4	13.7	45.4
1833694	Drill Core	2.99	478	0.016	0.02	<0.17	27.66	0.52	4.44	18.46	28.8	155	4.2	3.8	182	1.23	16.7	1.9	11.2	13.1	19.0
1833695	Drill Core	3.06	484	0.010	<0.01	<0.17	30.72	3.50	7.54	24.98	27.6	300	3.5	3.1	243	1.05	12.8	2.4	6.3	11.3	25.1
1833696	Drill Core	3.32	411	<0.005	<0.01	<0.17	28.05	0.68	6.09	18.27	32.7	138	3.8	3.8	262	1.11	2.6	3.2	0.2	12.4	48.0
1833697	Drill Core	3.11	415	<0.005	<0.01	<0.17	35.43	0.32	9.16	20.27	34.5	138	3.5	3.7	271	1.24	0.9	3.1	1.1	12.8	46.4
1833698	Drill Core	3.14	481	0.021	0.02	<0.17	31.28	0.44	8.24	20.35	28.7	128	3.2	3.4	247	1.04	0.5	2.7	14.9	9.9	32.4
1833699	Drill Core	3.34	446	0.034	0.03	<0.17	26.07	0.20	12.19	11.12	19.4	194	2.8	3.2	293	1.06	0.9	3.0	22.5	9.7	66.8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 04, 2019

Page: 2 of 3 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000393.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1833670	Drill Core	0.20	0.12	0.58	1	0.79	0.033	33.7	2.3	0.11	556.7	0.002	<1	0.31	0.025	0.29	<0.1	0.9	0.09	0.15	<5			
1833671	Drill Core	0.30	0.13	0.75	2	0.47	0.031	34.1	2.6	0.11	741.6	0.002	<1	0.32	0.024	0.30	<0.1	0.7	0.08	0.16	<5			
1833672	Drill Core	0.61	0.09	0.67	2	0.51	0.032	29.6	2.4	0.18	175.8	0.002	<1	0.33	0.015	0.28	<0.1	0.7	0.07	0.13	10			
1833673	Drill Core	0.16	0.10	0.13	1	0.30	0.019	30.6	2.1	0.18	146.1	0.002	<1	0.36	0.021	0.31	<0.1	0.7	0.08	0.20	<5			
1833674	Drill Core	0.13	0.13	0.09	1	0.34	0.015	36.6	2.0	0.17	211.1	0.002	<1	0.35	0.027	0.27	<0.1	0.8	0.06	0.19	<5			
1833675	Drill Core	0.14	0.21	0.09	1	0.30	0.015	33.5	1.9	0.19	131.9	0.002	<1	0.40	0.029	0.25	<0.1	0.9	0.06	0.16	<5			
1833676	Drill Core	0.16	0.09	0.06	2	0.31	0.022	36.3	2.0	0.22	120.8	0.002	<1	0.43	0.017	0.28	<0.1	0.8	0.08	0.05	<5			
1833677	Drill Core	0.11	0.12	<0.02	3	0.33	0.029	26.9	2.8	0.31	129.5	0.002	<1	0.54	0.015	0.32	<0.1	0.8	0.09	0.05	<5			
1833678	Drill Core	0.06	0.30	<0.02	3	0.40	0.033	34.3	3.7	0.35	127.7	0.002	<1	0.56	0.017	0.27	<0.1	1.0	0.09	0.12	<5			
1833679	Drill Core	0.12	0.07	<0.02	3	0.48	0.031	37.5	3.4	0.30	141.0	0.009	<1	0.53	0.024	0.35	<0.1	1.2	0.12	0.07	<5			
1833680	Rock	<0.01	0.03	<0.02	1	0.02	0.002	2.2	3.4	0.01	9.7	0.002	1	0.06	0.003	0.01	<0.1	0.2	<0.02	<0.02	6			
1833681	Drill Core	0.14	0.08	<0.02	3	0.36	0.031	31.9	3.6	0.39	287.2	0.002	<1	0.58	0.021	0.30	<0.1	0.9	0.07	0.05	<5			
1833682	Drill Core	0.31	0.08	<0.02	3	0.40	0.030	28.0	3.1	0.32	782.8	0.002	<1	0.47	0.018	0.26	<0.1	0.9	0.08	0.13	<5			
1833683	Drill Core	0.08	0.10	0.03	3	0.25	0.033	33.4	3.4	0.33	138.5	0.002	<1	0.54	0.028	0.31	<0.1	1.0	0.09	0.10	<5			
1833684	Drill Core	0.10	0.09	0.07	3	0.18	0.032	31.1	3.7	0.33	146.8	0.002	<1	0.52	0.024	0.26	<0.1	1.0	0.07	0.09	<5			
1833685	Drill Core	0.12	0.07	<0.02	5	0.35	0.035	36.9	5.1	0.41	179.6	0.017	<1	0.61	0.029	0.35	<0.1	1.6	0.16	0.09	<5			
1833686	Drill Core	0.10	0.05	<0.02	4	0.36	0.033	35.0	4.1	0.39	174.7	0.025	<1	0.56	0.026	0.38	<0.1	1.3	0.18	0.14	<5			
1833687	Drill Core	0.08	0.07	<0.02	4	0.33	0.034	33.1	4.7	0.40	161.1	0.025	<1	0.54	0.026	0.36	<0.1	1.4	0.17	0.11	<5			
1833688	Drill Core	0.10	0.11	<0.02	4	0.63	0.030	25.4	4.1	0.35	177.1	0.013	<1	0.50	0.032	0.30	<0.1	1.7	0.11	0.09	<5			
1833689	Drill Core	0.15	0.05	0.05	5	0.52	0.033	33.4	4.4	0.37	162.0	0.020	<1	0.56	0.031	0.37	<0.1	1.9	0.16	0.09	<5			
1833690	Drill Core	0.04	0.06	<0.02	4	0.49	0.034	31.5	4.0	0.38	154.4	0.006	<1	0.54	0.026	0.28	<0.1	1.6	0.11	0.13	<5			
1833691	Drill Core	0.06	0.06	<0.02	4	0.51	0.033	31.5	4.2	0.47	133.7	0.006	<1	0.60	0.023	0.26	<0.1	1.5	0.10	0.15	<5			
1833692	Drill Core	0.06	0.16	<0.02	3	0.47	0.032	28.4	3.7	0.40	137.1	0.003	<1	0.58	0.022	0.25	<0.1	1.1	0.09	0.16	<5			
1833693	Drill Core	0.18	0.12	<0.02	3	0.16	0.029	22.3	3.0	0.42	136.4	0.002	<1	0.57	0.018	0.24	<0.1	0.9	0.08	0.15	<5			
1833694	Drill Core	0.14	0.15	0.07	3	0.12	0.031	21.8	3.3	0.46	251.4	0.001	<1	0.59	0.016	0.23	<0.1	0.8	0.09	0.36	<5			
1833695	Drill Core	0.17	0.14	0.36	2	0.17	0.030	17.8	2.9	0.42	138.6	0.002	<1	0.52	0.014	0.22	<0.1	0.7	0.07	0.18	6			
1833696	Drill Core	0.17	0.08	0.12	3	0.39	0.031	17.4	3.4	0.40	187.8	0.002	<1	0.57	0.019	0.25	<0.1	1.1	0.08	0.11	<5			
1833697	Drill Core	0.15	0.06	0.12	3	0.29	0.033	20.9	3.9	0.44	230.6	0.003	<1	0.65	0.026	0.25	<0.1	1.4	0.09	0.08	<5			
1833698	Drill Core	0.13	0.08	0.14	2	0.24	0.032	12.0	2.7	0.38	214.3	0.002	<1	0.55	0.018	0.24	<0.1	0.9	0.09	0.10	<5			
1833699	Drill Core	0.18	0.11	0.09	2	0.53	0.028	12.4	2.8	0.30	425.1	0.002	<1	0.51	0.019	0.27	<0.1	0.7	0.08	0.32	<5			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 04, 2019

Page: 2 of 3 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000393.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1833670	Drill Core	<0.1	<0.02	0.7	0.12	<0.1	0.16	0.02	10.2	0.5	<0.05	3.9	4.71	66.3	<0.02	<1	0.2	3.3	<10	<2			
1833671	Drill Core	<0.1	<0.02	0.7	0.11	<0.1	0.07	0.04	10.9	0.3	<0.05	1.9	7.18	62.3	<0.02	3	0.2	3.1	<10	<2			
1833672	Drill Core	<0.1	<0.02	1.0	0.15	<0.1	0.04	0.04	10.3	0.2	<0.05	1.3	7.19	53.6	<0.02	1	0.2	4.1	<10	<2			
1833673	Drill Core	<0.1	<0.02	1.0	0.22	<0.1	0.08	0.04	11.3	0.2	<0.05	1.6	7.58	57.8	<0.02	<1	0.2	4.0	<10	<2			
1833674	Drill Core	<0.1	<0.02	1.3	0.21	<0.1	0.14	0.06	11.1	0.2	<0.05	3.1	9.25	69.8	<0.02	<1	0.3	4.6	<10	<2			
1833675	Drill Core	<0.1	<0.02	1.7	0.30	<0.1	0.09	0.06	10.9	0.2	<0.05	3.2	6.68	66.1	<0.02	<1	0.2	5.2	<10	<2			
1833676	Drill Core	<0.1	<0.02	1.5	0.41	<0.1	0.07	0.05	13.6	0.2	<0.05	2.5	6.24	71.1	<0.02	<1	0.3	7.0	<10	<2			
1833677	Drill Core	<0.1	<0.02	1.7	0.43	<0.1	0.05	0.03	13.8	0.2	<0.05	1.7	4.94	51.1	<0.02	<1	0.3	7.9	<10	<2			
1833678	Drill Core	<0.1	<0.02	1.9	0.77	<0.1	0.08	0.03	12.8	0.2	<0.05	2.1	6.15	63.4	<0.02	<1	0.2	10.9	<10	<2			
1833679	Drill Core	<0.1	<0.02	2.0	0.37	<0.1	0.09	0.07	17.2	0.3	<0.05	2.2	7.99	66.3	<0.02	<1	0.3	7.3	<10	<2			
1833680	Rock	<0.1	<0.02	0.2	0.07	<0.1	0.10	0.05	0.7	<0.1	<0.05	1.9	0.90	4.3	<0.02	<1	<0.1	1.0	<10	<2			
1833681	Drill Core	<0.1	<0.02	2.5	0.26	<0.1	0.05	0.03	13.1	0.2	<0.05	1.9	5.44	59.7	<0.02	<1	0.3	9.2	<10	<2			
1833682	Drill Core	<0.1	<0.02	1.9	0.35	<0.1	0.07	0.03	11.9	0.2	<0.05	1.9	4.85	54.6	<0.02	<1	0.2	7.6	<10	<2			
1833683	Drill Core	<0.1	<0.02	1.9	0.34	<0.1	0.07	0.03	13.8	0.2	<0.05	2.0	6.21	63.6	<0.02	<1	0.2	8.5	<10	<2			
1833684	Drill Core	<0.1	<0.02	1.9	0.22	<0.1	0.05	0.04	11.8	0.3	<0.05	2.0	4.93	57.9	<0.02	<1	0.2	8.9	<10	<2			
1833685	Drill Core	<0.1	<0.02	2.9	0.28	<0.1	0.11	0.10	21.7	0.4	<0.05	2.7	8.36	66.7	<0.02	<1	0.3	10.7	<10	<2			
1833686	Drill Core	<0.1	<0.02	2.3	0.34	<0.1	0.08	0.10	22.5	0.3	<0.05	2.4	7.91	65.6	<0.02	<1	0.3	9.0	<10	<2			
1833687	Drill Core	<0.1	<0.02	2.4	0.29	<0.1	0.08	0.12	22.1	0.3	<0.05	2.2	7.20	62.4	<0.02	1	0.3	9.2	<10	<2			
1833688	Drill Core	<0.1	<0.02	2.2	0.34	<0.1	0.06	0.07	15.3	0.3	<0.05	1.7	5.64	50.3	<0.02	<1	0.3	6.8	<10	<2			
1833689	Drill Core	<0.1	<0.02	2.4	0.34	<0.1	0.09	0.09	19.7	0.4	<0.05	2.2	6.86	65.5	<0.02	<1	0.3	7.5	<10	<2			
1833690	Drill Core	<0.1	<0.02	2.3	0.18	<0.1	0.09	0.05	12.6	0.3	<0.05	2.5	5.95	60.1	<0.02	<1	0.2	7.2	<10	<2			
1833691	Drill Core	<0.1	<0.02	2.9	0.35	<0.1	0.07	0.05	13.4	0.3	<0.05	2.3	5.44	64.1	<0.02	<1	0.3	11.7	<10	<2			
1833692	Drill Core	<0.1	<0.02	2.3	0.71	<0.1	0.06	0.03	12.9	0.3	<0.05	2.0	5.12	55.5	<0.02	<1	0.3	11.4	<10	<2			
1833693	Drill Core	0.2	<0.02	2.0	0.38	<0.1	0.07	0.02	10.8	0.2	<0.05	2.2	3.49	43.7	<0.02	<1	0.3	11.4	<10	<2			
1833694	Drill Core	0.2	<0.02	2.3	0.30	<0.1	0.09	<0.02	10.4	0.3	<0.05	2.7	4.18	45.1	<0.02	<1	0.2	11.8	<10	<2			
1833695	Drill Core	<0.1	<0.02	1.8	0.25	<0.1	0.08	<0.02	10.4	0.2	<0.05	2.6	3.07	34.7	<0.02	1	0.2	10.9	<10	<2			
1833696	Drill Core	0.1	<0.02	1.8	0.39	<0.1	0.08	<0.02	12.5	0.2	<0.05	2.6	3.15	34.1	<0.02	<1	0.2	9.6	<10	<2			
1833697	Drill Core	<0.1	<0.02	2.1	0.51	<0.1	0.08	0.02	13.0	0.4	<0.05	3.2	3.29	39.4	<0.02	<1	0.3	11.8	<10	<2			
1833698	Drill Core	<0.1	<0.02	1.7	0.70	<0.1	0.11	<0.02	12.8	0.2	<0.05	3.3	2.69	24.5	<0.02	<1	0.3	10.8	<10	<2			
1833699	Drill Core	<0.1	0.07	1.3	0.60	<0.1	0.12	<0.02	12.4	0.3	<0.05	3.8	3.29	25.2	<0.02	<1	0.2	7.5	<10	<2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 04, 2019

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000393.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1833700	Rock Pulp	0.12	64	7.408				9.46	199.06	19.80	71.1	884	13.7	11.8	626	4.50	13.7	0.9	7933.4	3.5	68.7
1833701	Drill Core	3.15	476	<0.005	<0.01	<0.17	28.70	0.53	6.69	17.56	22.5	246	2.0	2.8	211	0.90	0.3	2.4	1.5	10.7	37.3
1833702	Drill Core	3.12	513	0.005	<0.01	<0.17	31.46	0.47	13.07	26.64	22.4	346	2.3	2.3	173	0.80	0.5	1.8	1.3	14.0	50.4
1833703	Drill Core	3.02	466	<0.005	<0.01	<0.17	31.04	0.25	39.78	16.82	30.2	415	3.5	3.1	248	1.13	1.0	3.2	1.2	12.1	42.8
1833704	Drill Core	3.13	464	<0.005	<0.01	<0.17	37.25	0.43	7.70	21.92	24.0	108	2.6	2.4	146	0.86	0.8	6.4	0.5	10.2	22.0
1833705	Drill Core	3.45	518	<0.005	<0.01	<0.17	30.07	1.03	9.94	16.80	26.2	161	3.3	3.4	204	1.07	3.2	4.6	0.6	11.9	45.1
1833706	Drill Core	1.64	494	<0.005	<0.01	<0.17	30.94	0.79	5.88	22.58	29.2	180	3.6	2.9	363	1.24	1.4	1.9	<0.2	11.1	87.6
1833707	Drill Core	2.96	469	0.005	<0.01	<0.17	26.70	1.35	8.82	20.03	29.3	265	3.4	3.2	269	1.07	2.4	1.4	2.0	12.5	86.2
1833708	Drill Core	1.61	480	0.006	<0.01	<0.17	26.85	0.90	9.87	20.38	26.5	452	3.4	3.6	162	1.03	4.0	2.1	2.3	12.6	65.8
1833709	Drill Core	3.38	517	<0.005	<0.01	<0.17	33.06	1.20	11.36	31.39	27.0	546	3.8	3.5	254	1.00	3.2	3.2	<0.2	11.8	69.6
1833710	Drill Core	3.09	475	<0.005	<0.01	<0.17	32.88	1.17	10.52	25.90	29.9	303	4.0	3.4	283	1.18	3.3	3.4	<0.2	11.3	64.2
1833711	Drill Core	3.27	447	0.006	<0.01	<0.17	25.03	0.20	8.35	22.67	31.5	175	3.5	3.2	220	1.12	3.3	2.7	3.2	12.3	26.8
1833712	Drill Core	3.04	446	<0.005	<0.01	<0.17	31.25	0.18	8.34	34.13	29.5	174	3.5	3.1	255	1.08	2.1	3.6	2.3	11.5	30.1
1833713	Drill Core	2.61	472	<0.005	<0.01	<0.17	30.04	0.38	6.29	22.37	32.5	113	3.5	2.9	226	1.06	1.1	4.6	<0.2	11.7	25.8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 04, 2019

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000393.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1833700	Rock Pulp	0.20	4.56	0.54	105	0.92	0.061	7.7	18.2	0.84	119.9	0.113	3	1.65	0.176	0.23	4.2	3.9	0.07	<0.02
1833701	Drill Core	0.13	0.06	0.45	2	0.33	0.031	21.3	2.5	0.35	325.8	0.002	<1	0.56	0.019	0.27	<0.1	0.8	0.09	0.02
1833702	Drill Core	0.17	0.11	0.53	3	0.34	0.031	24.5	2.5	0.31	497.3	0.002	<1	0.53	0.020	0.28	<0.1	0.6	0.09	0.06
1833703	Drill Core	0.12	0.17	0.21	4	0.41	0.035	25.6	3.8	0.38	125.5	0.003	<1	0.56	0.023	0.23	<0.1	0.8	0.08	0.15
1833704	Drill Core	0.17	0.15	0.05	2	0.19	0.029	15.6	2.5	0.26	119.3	0.002	<1	0.47	0.013	0.27	<0.1	0.6	0.09	0.10
1833705	Drill Core	0.21	0.12	0.22	2	0.27	0.039	19.9	2.5	0.34	541.3	0.002	2	0.54	0.009	0.26	<0.1	0.8	0.09	0.15
1833706	Drill Core	0.29	0.11	0.31	3	0.82	0.013	16.4	4.3	0.41	210.1	0.002	<1	0.55	0.005	0.23	<0.1	1.1	0.07	0.08
1833707	Drill Core	0.25	0.12	0.45	3	0.47	0.034	17.0	3.2	0.36	228.5	0.002	2	0.54	0.012	0.27	<0.1	1.0	0.09	0.16
1833708	Drill Core	0.28	0.12	0.76	3	0.14	0.035	18.3	3.1	0.31	426.7	0.002	<1	0.51	0.011	0.28	<0.1	0.8	0.09	0.21
1833709	Drill Core	0.53	0.10	0.96	3	0.35	0.034	19.2	3.1	0.32	158.9	0.002	1	0.51	0.014	0.26	<0.1	0.9	0.08	0.09
1833710	Drill Core	0.35	0.11	0.46	4	0.38	0.033	14.6	3.6	0.42	143.2	0.002	<1	0.59	0.016	0.25	<0.1	1.0	0.07	0.13
1833711	Drill Core	0.16	0.17	0.17	3	0.15	0.033	19.5	3.8	0.43	214.8	0.002	<1	0.60	0.018	0.25	<0.1	0.7	0.07	0.10
1833712	Drill Core	0.09	0.18	0.10	3	0.20	0.033	17.1	3.2	0.44	151.9	0.002	<1	0.60	0.019	0.25	<0.1	0.7	0.06	0.11
1833713	Drill Core	0.07	0.11	0.03	3	0.19	0.034	19.0	3.1	0.43	178.9	0.003	<1	0.61	0.016	0.26	<0.1	0.8	0.09	0.04



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 04, 2019

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000393.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1833700	Rock Pulp	<0.1	0.18	5.3	0.72	<0.1	0.08	0.12	8.8	1.7	<0.05	1.4	5.29	15.8	0.04	<1	0.2	7.2	<10
1833701	Drill Core	<0.1	<0.02	1.5	0.61	<0.1	0.11	0.02	13.7	0.3	<0.05	3.3	2.97	41.8	<0.02	<1	0.3	10.9	<10
1833702	Drill Core	<0.1	<0.02	1.3	0.58	<0.1	0.07	<0.02	13.4	0.3	<0.05	2.5	3.40	48.5	<0.02	<1	0.3	7.8	<10
1833703	Drill Core	<0.1	<0.02	2.4	0.56	<0.1	0.06	0.03	11.6	0.4	<0.05	1.8	4.64	48.6	<0.02	<1	0.1	9.2	<10
1833704	Drill Core	<0.1	<0.02	1.5	1.19	<0.1	0.04	<0.02	13.5	0.1	<0.05	1.3	2.90	29.9	<0.02	<1	0.2	7.3	<10
1833705	Drill Core	<0.1	<0.02	1.7	0.94	<0.1	0.05	<0.02	12.9	0.3	<0.05	1.6	3.89	36.1	<0.02	<1	0.4	7.2	<10
1833706	Drill Core	<0.1	<0.02	2.0	0.46	<0.1	0.04	<0.02	9.5	0.3	<0.05	1.2	3.51	31.4	<0.02	<1	0.3	7.5	<10
1833707	Drill Core	<0.1	<0.02	2.1	0.96	<0.1	0.05	<0.02	12.6	0.4	<0.05	1.5	4.19	31.7	<0.02	<1	0.2	8.0	<10
1833708	Drill Core	<0.1	0.02	2.0	1.27	<0.1	0.06	<0.02	12.9	0.3	<0.05	1.5	3.24	34.5	<0.02	<1	0.3	7.5	<10
1833709	Drill Core	<0.1	0.02	2.1	0.59	<0.1	0.05	<0.02	12.1	0.3	<0.05	1.4	3.91	36.1	<0.02	1	0.6	7.6	<10
1833710	Drill Core	<0.1	<0.02	2.2	0.59	<0.1	0.03	0.02	11.2	0.2	<0.05	1.1	4.09	28.8	<0.02	<1	0.4	9.0	<10
1833711	Drill Core	<0.1	<0.02	2.7	0.34	<0.1	0.03	<0.02	11.2	0.2	<0.05	0.9	4.43	36.4	<0.02	<1	0.5	9.6	<10
1833712	Drill Core	<0.1	<0.02	2.2	0.33	<0.1	0.03	<0.02	10.1	0.2	<0.05	0.9	4.11	30.7	<0.02	<1	0.2	9.5	<10
1833713	Drill Core	<0.1	<0.02	2.0	0.66	<0.1	0.03	<0.02	12.6	0.2	<0.05	1.0	4.23	35.6	<0.02	<1	0.3	11.2	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 04, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000393.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
1833689	Drill Core	3.40	384	<0.005	<0.01	<0.17	30.43	0.16	9.07	20.34	27.3	125	2.7	3.4	182	1.04	0.6	2.8	<0.2	15.5	112.4	
REP 1833689	QC							0.20	8.82	21.16	27.3	130	2.7	3.6	198	1.03	1.0	2.9	2.3	15.4	114.0	
Core Reject Duplicates																						
1833695	Drill Core	3.06	484	0.010	<0.01	<0.17	30.72	3.50	7.54	24.98	27.6	300	3.5	3.1	243	1.05	12.8	2.4	6.3	11.3	25.1	
DUP 1833695	QC	433		0.010	<0.01	<0.17	30.24	3.62	7.93	21.84	25.2	265	3.2	2.9	222	1.03	12.0	2.2	4.4	10.6	22.2	
Reference Materials																						
STD BVGEO01	Standard							10.38	4364.17	189.00	1728.5	2569	157.5	22.8	683	3.58	118.7	3.9	221.8	14.5	56.2	
STD DS11	Standard							14.19	150.97	136.00	336.7	1635	77.0	13.6	1007	3.10	41.5	2.5	93.1	8.8	65.0	
STD OREAS262	Standard							0.69	118.63	54.44	137.2	450	61.1	26.7	530	3.18	34.5	1.1	71.8	9.3	34.8	
STD OREAS262	Standard							0.68	119.10	57.21	146.6	475	66.3	25.7	532	3.18	37.6	1.2	68.2	9.6	35.0	
STD OXC152	Standard	0.222																				
STD OXH139	Standard	1.315																				
STD OXN134	Standard	7.853																				
STD OXQ90	Standard					25.36	30.17															
STD OXQ90	Standard					25.45	30.30															
STD OXQ90	Standard					25.24	29.83															
STD OXQ90	Standard					25.04	30.23															
STD OXQ90	Standard					25.27	29.96															
STD OXQ90	Standard					23.80	30.46															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55	
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	
STD OXQ90 Expected						24.88																
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	0.2	<0.5	
BLK	Blank							<0.01	0.14	0.14	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5	
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank	<0.17				30.00																



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 04, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000393.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1833689	Drill Core	0.15	0.05	0.05	5	0.52	0.033	33.4	4.4	0.37	162.0	0.020	<1	0.56	0.031	0.37	<0.1	1.9	0.16	0.09	<5
REP 1833689	QC	0.14	0.05	0.05	4	0.55	0.036	37.0	4.5	0.36	174.6	0.021	<1	0.55	0.030	0.36	<0.1	2.0	0.15	0.10	<5
Core Reject Duplicates																					
1833695	Drill Core	0.17	0.14	0.36	2	0.17	0.030	17.8	2.9	0.42	138.6	0.002	<1	0.52	0.014	0.22	<0.1	0.7	0.07	0.18	6
DUP 1833695	QC	0.21	0.10	0.29	2	0.17	0.029	14.9	2.6	0.41	125.2	0.002	<1	0.51	0.014	0.22	<0.1	0.6	0.06	0.18	<5
Reference Materials																					
STD BVGEO01	Standard	6.58	3.79	25.98	72	1.30	0.077	25.7	174.7	1.23	282.5	0.229	2	2.24	0.193	0.90	5.1	5.8	0.61	0.69	85
STD DS11	Standard	2.19	8.22	11.07	50	1.06	0.068	18.9	61.0	0.85	343.5	0.089	7	1.18	0.071	0.40	3.1	3.2	4.77	0.28	242
STD OREAS262	Standard	0.59	5.61	0.98	22	2.87	0.037	15.2	41.3	1.10	240.2	0.002	3	1.31	0.067	0.31	0.2	3.3	0.44	0.25	155
STD OREAS262	Standard	0.65	5.94	1.06	23	2.95	0.039	15.3	42.3	1.12	246.8	0.003	3	1.34	0.068	0.32	0.2	3.4	0.45	0.26	162
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 04, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000393.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1833689	Drill Core	<0.1	<0.02	2.4	0.34	<0.1	0.09	0.09	19.7	0.4	<0.05	2.2	6.86	65.5	<0.02	<1	0.3	7.5	<10	<2
REP 1833689	QC	<0.1	<0.02	2.2	0.38	<0.1	0.08	0.09	20.4	0.5	<0.05	2.5	7.25	69.4	<0.02	1	0.3	8.0	<10	<2
Core Reject Duplicates																				
1833695	Drill Core	<0.1	<0.02	1.8	0.25	<0.1	0.08	<0.02	10.4	0.2	<0.05	2.6	3.07	34.7	<0.02	1	0.2	10.9	<10	<2
DUP 1833695	QC	0.1	<0.02	1.7	0.23	<0.1	0.07	<0.02	9.7	0.2	<0.05	2.5	2.70	30.1	<0.02	3	0.2	9.2	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.9	1.09	7.0	7.22	0.1	0.31	0.32	92.5	6.3	<0.05	8.6	13.97	51.9	0.50	5	1.0	21.0	129	170
STD DS11	Standard	2.1	4.49	5.2	2.88	0.1	0.06	1.42	33.5	1.7	<0.05	2.5	7.37	38.4	0.24	49	0.6	22.7	103	180
STD OREAS262	Standard	0.5	0.23	3.8	2.87	<0.1	0.24	<0.02	18.9	0.5	<0.05	8.5	10.44	32.2	0.03	1	1.3	17.5	<10	<2
STD OREAS262	Standard	0.4	0.21	3.8	3.01	<0.1	0.24	<0.02	19.4	0.5	<0.05	10.5	10.62	31.3	0.04	2	1.4	18.8	<10	<2
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 04, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000393.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		412	<0.005	<0.01	<0.17	25.52	1.04	3.47	5.29	33.0	25	0.8	3.7	504	1.84	1.3	0.5	5.3	2.3	27.0
ROCK-WHI	Prep Blank		426	<0.005	<0.01	<0.17	29.34	1.21	2.78	4.55	35.5	24	0.8	3.7	518	1.90	1.6	0.5	2.3	2.4	29.4



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 04, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000393.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.06	0.12	0.05	23	0.76	0.041	6.7	3.4	0.44	68.2	0.076	3	0.93	0.072	0.08	<0.1	3.5	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.05	0.14	0.03	24	0.74	0.043	6.5	3.2	0.46	67.3	0.073	2	0.93	0.071	0.08	<0.1	3.0	<0.02	<0.02	5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 04, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000393.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.21	<0.1	0.11	0.31	2.2	0.4	<0.05	2.1	9.03	13.1	<0.02	<1	0.2	2.5	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.18	<0.1	0.10	0.24	2.1	0.4	<0.05	2.1	8.82	12.8	<0.02	<1	0.2	2.1	<10