



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: August 20, 2019  
Report Date: September 09, 2019  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI19000401.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-45  
P.O. Number  
Number of Samples: 138

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	132	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	138	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	138	Analysis sample split/packet			WHI
Split -150	138	Analysis sample split/packet			WHI
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
FS631	134	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	138	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Graeme Joyce  
Peter Tallman  
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 2 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000401.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1831523	Drill Core	1.44	426	0.190	0.23	0.61	39.51	2.61	22.18	13.44	108.9	1074	11.9	7.0	545	1.98	23.8	3.4	1230.3	8.2	14.2
1831524	Drill Core	3.20	400	0.042	0.04	<0.17	30.46	0.89	16.49	8.61	114.0	394	11.3	6.8	506	1.74	1.3	2.1	38.3	8.8	11.3
1831525	Drill Core	3.40	404	0.017	0.02	<0.17	38.24	0.85	15.47	6.66	104.0	244	9.6	6.2	352	1.76	3.1	2.9	13.9	11.6	11.0
1831526	Drill Core	3.66	365	0.401	0.36	<0.17	37.90	1.87	65.69	73.75	228.5	800	11.8	8.4	481	2.66	12.0	5.1	479.4	8.4	29.1
1831527	Drill Core	3.09	535	0.457	0.43	<0.17	34.98	1.10	36.14	25.31	217.3	445	12.5	6.9	593	2.44	10.5	3.3	418.0	6.6	30.5
1831528	Drill Core	3.19	546	0.020	0.02	<0.17	30.32	0.42	33.38	9.43	142.2	215	15.9	10.8	624	2.89	1.4	1.4	15.3	7.8	21.6
1831529	Drill Core	2.92	500	0.015	0.01	<0.17	33.28	7.12	17.63	170.56	79.3	476	12.2	7.6	520	2.43	0.8	0.7	11.0	8.6	29.6
1831530	Drill Core	3.31	465	0.040	0.04	<0.17	34.28	0.79	19.16	9.94	102.1	352	17.9	10.3	556	2.60	5.8	2.3	25.4	7.4	13.2
1831531	Drill Core	2.81	408	0.006	<0.01	<0.17	39.63	0.89	18.31	9.51	113.8	220	15.8	9.6	647	2.68	1.6	2.1	11.4	9.5	12.3
1831532	Drill Core	2.22	490	0.013	0.01	<0.17	33.31	0.25	16.17	5.41	121.5	110	17.7	12.3	1019	2.19	1.2	1.1	13.7	8.2	23.5
1831533	Drill Core	3.69	433	0.017	0.02	<0.17	29.49	2.26	33.26	37.23	93.6	355	7.8	3.4	121	2.56	1.4	0.8	16.3	8.1	27.9
1831534	Drill Core	3.39	353	0.041	0.04	<0.17	31.06	2.56	68.24	132.44	125.2	1302	8.4	4.4	168	2.99	18.3	8.7	46.3	8.0	41.2
1831535	Drill Core	3.04	446	0.039	0.04	<0.17	41.16	2.21	43.65	86.10	98.9	845	4.0	1.4	118	2.56	6.7	5.4	33.8	7.4	35.2
1831536	Drill Core	2.57	462	0.024	0.02	<0.17	29.01	3.10	98.67	335.44	84.8	2100	3.5	1.1	67	2.82	12.4	4.8	18.1	8.9	28.7
1831537	Drill Core	3.91	477	0.028	0.03	<0.17	39.28	1.84	67.94	75.77	74.2	1229	4.0	2.2	67	1.94	11.9	6.1	30.6	11.5	26.2
1831538	Drill Core	3.61	467	0.017	0.02	<0.17	35.65	1.61	54.79	140.18	115.9	793	4.4	1.8	113	1.76	5.2	4.9	11.2	10.8	60.3
1831539	Drill Core	2.81	501	0.013	0.01	<0.17	38.13	1.68	49.93	135.88	162.6	481	6.3	4.9	186	1.63	1.5	2.0	12.0	9.9	18.6
1831540	Rock Pulp	0.13	79	0.008				3.98	21.35	0.95	30.8	21	6.4	3.9	569	2.38	1.5	0.4	1.4	2.3	34.5
1831541	Drill Core	2.85	400	0.015	0.01	<0.17	39.76	0.60	112.40	199.84	274.4	783	12.1	9.3	386	2.33	2.9	2.3	9.5	7.0	39.0
1831542	Drill Core	3.28	436	0.067	0.06	<0.17	34.52	1.91	115.35	35.94	151.6	918	13.0	15.6	881	2.04	19.6	6.3	46.1	7.2	7.3
1831543	Drill Core	3.27	447	0.115	0.11	<0.17	36.78	2.24	73.90	38.22	92.2	6673	10.9	11.5	619	1.72	9.8	4.6	100.5	6.7	21.0
1831544	Drill Core	3.25	441	0.014	0.01	<0.17	37.26	0.46	36.67	17.11	104.8	434	5.7	3.2	130	1.94	2.6	1.9	12.7	10.0	15.7
1831545	Drill Core	2.24	443	0.074	0.16	1.09	35.69	1.73	60.56	82.03	78.3	679	8.8	16.4	553	2.07	1.9	1.1	36.5	7.5	25.3
1831546	Drill Core	2.03	393	0.137	0.12	<0.17	35.60	1.21	62.81	8.00	85.0	1029	8.9	4.9	115	2.15	3.0	5.6	182.3	7.6	8.4
1831547	Drill Core	2.39	440	0.019	0.02	<0.17	38.46	3.54	31.42	97.34	94.2	592	9.3	4.6	113	2.00	1.7	2.0	16.8	7.5	36.4
1831548	Drill Core	3.58	337	0.021	0.02	<0.17	36.26	1.70	73.09	64.22	139.2	607	11.5	8.4	680	2.09	2.3	2.4	15.6	7.2	32.8
1831549	Drill Core	3.48	361	0.141	0.13	<0.17	36.44	0.61	40.76	21.26	88.0	1028	7.7	3.6	132	1.89	1.6	3.2	103.3	8.7	11.9
1831550	Drill Core	2.86	466	0.040	0.04	<0.17	35.03	0.36	25.71	3.63	85.0	218	9.4	10.8	853	1.56	0.6	1.8	24.2	9.6	21.7
1831551	Drill Core	3.05	480	0.109	0.10	<0.17	34.76	1.85	18.52	31.06	59.4	415	9.1	6.8	620	1.55	0.9	0.9	57.8	8.1	27.6
1831552	Drill Core	3.28	487	0.008	<0.01	<0.17	39.50	0.67	7.83	17.77	89.9	170	6.7	5.5	260	1.41	0.5	1.1	7.0	10.8	9.8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 2 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000401.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831523	Drill Core	1.04	0.69	0.03	6	0.15	0.052	22.8	13.7	0.39	838.1	0.003	<1	0.69	0.010	0.23	4.9	1.6	0.08	<0.02	<5			
1831524	Drill Core	0.99	0.31	0.07	6	0.16	0.047	22.6	8.3	0.60	530.8	0.001	<1	0.98	0.014	0.22	0.9	1.5	0.07	<0.02	12			
1831525	Drill Core	0.68	0.20	0.06	6	0.13	0.053	30.6	8.7	0.66	389.5	0.002	<1	1.04	0.019	0.21	0.2	1.3	0.06	<0.02	<5			
1831526	Drill Core	0.70	0.44	0.06	9	0.11	0.061	19.5	14.4	0.90	445.2	0.002	<1	1.18	0.013	0.20	0.2	2.0	0.06	<0.02	25			
1831527	Drill Core	1.22	0.39	<0.02	9	0.18	0.079	18.8	16.1	0.89	197.4	0.002	2	1.19	0.008	0.20	0.3	2.1	0.07	<0.02	9			
1831528	Drill Core	0.92	0.20	<0.02	9	1.02	0.074	10.7	15.0	1.04	196.3	0.002	<1	1.29	0.009	0.22	0.2	2.4	0.08	0.59	6			
1831529	Drill Core	0.74	0.12	0.21	7	1.78	0.053	6.1	11.4	0.99	106.6	0.001	<1	1.08	0.009	0.17	0.1	1.6	0.04	1.20	<5			
1831530	Drill Core	0.76	0.25	0.03	8	0.49	0.068	11.0	15.2	1.05	238.9	0.002	<1	1.37	0.007	0.20	0.2	1.8	0.05	0.10	<5			
1831531	Drill Core	0.78	0.10	0.05	9	0.19	0.069	14.5	13.7	1.35	285.5	0.002	1	1.61	0.008	0.24	0.1	2.0	0.05	0.11	<5			
1831532	Drill Core	1.28	0.09	0.04	7	1.22	0.066	8.7	9.9	1.11	191.3	0.001	2	1.23	0.007	0.21	0.2	2.0	0.05	0.76	<5			
1831533	Drill Core	0.05	0.19	0.23	4	0.71	0.061	7.0	7.6	0.48	197.0	0.001	<1	0.56	0.016	0.18	0.3	1.1	0.04	0.70	6			
1831534	Drill Core	0.43	2.60	0.06	5	0.05	0.066	16.4	7.7	0.50	573.1	0.001	1	0.73	0.009	0.18	0.3	1.4	0.04	0.08	27			
1831535	Drill Core	0.32	1.77	0.06	4	0.03	0.051	11.7	5.5	0.46	804.9	0.001	<1	0.58	0.007	0.17	0.3	1.0	0.03	0.07	19			
1831536	Drill Core	0.18	29.24	0.16	4	<0.01	0.059	16.9	6.9	0.41	491.5	0.001	<1	0.56	0.006	0.17	0.2	1.0	0.04	0.06	58			
1831537	Drill Core	0.20	7.49	0.08	3	0.02	0.041	21.3	5.6	0.35	993.3	0.002	2	0.69	0.012	0.18	0.3	0.9	0.05	0.05	29			
1831538	Drill Core	0.25	1.75	0.06	3	0.03	0.045	17.1	9.3	0.73	625.3	0.002	<1	0.78	0.011	0.19	0.2	0.9	0.05	0.06	11			
1831539	Drill Core	0.28	0.27	0.10	4	0.10	0.051	13.9	6.9	0.80	292.9	0.003	<1	0.83	0.010	0.21	0.1	1.0	0.05	0.11	12			
1831540	Rock Pulp	0.02	0.18	<0.02	23	0.79	0.036	6.2	13.6	0.50	60.3	0.081	3	1.07	0.075	0.09	0.2	3.1	<0.02	0.05	<5			
1831541	Drill Core	0.71	0.23	0.05	8	0.14	0.068	13.1	12.6	0.91	303.4	0.002	1	1.09	0.008	0.25	0.3	1.8	0.06	0.15	57			
1831542	Drill Core	1.05	0.52	0.04	6	0.08	0.064	15.7	6.7	0.36	364.5	0.002	<1	0.70	0.006	0.22	0.5	1.4	0.07	0.02	17			
1831543	Drill Core	0.71	0.56	0.04	5	0.07	0.047	15.5	12.2	0.31	252.0	0.002	<1	0.64	0.009	0.22	25.1	1.3	0.07	0.05	9			
1831544	Drill Core	0.13	0.19	0.07	5	0.09	0.049	12.9	10.5	0.66	445.0	0.002	<1	0.82	0.012	0.23	0.2	1.1	0.07	0.11	15			
1831545	Drill Core	0.59	0.35	0.06	4	0.14	0.054	9.6	7.5	0.36	601.5	0.002	<1	0.53	0.015	0.21	0.2	1.0	0.06	0.21	11			
1831546	Drill Core	0.18	0.67	<0.02	6	0.10	0.060	13.7	14.0	0.37	221.5	0.002	<1	0.88	0.008	0.26	0.2	1.5	0.06	0.06	12			
1831547	Drill Core	0.16	0.40	0.08	5	0.17	0.052	9.6	11.9	0.50	313.8	0.002	<1	0.64	0.020	0.21	0.1	1.0	0.06	0.34	15			
1831548	Drill Core	0.79	0.43	0.08	4	1.08	0.061	7.0	5.7	0.38	196.3	0.002	<1	0.49	0.007	0.28	0.2	1.4	0.06	0.95	22			
1831549	Drill Core	0.32	0.27	0.06	5	0.11	0.061	15.6	5.8	0.26	253.0	0.002	<1	0.57	0.012	0.28	0.3	1.5	0.06	0.07	24			
1831550	Drill Core	0.82	0.16	0.05	4	0.49	0.058	12.7	5.1	0.41	471.1	0.003	<1	0.60	0.009	0.28	<0.1	1.3	0.08	0.35	12			
1831551	Drill Core	0.33	0.31	0.30	4	1.14	0.046	8.3	7.9	0.63	264.7	0.002	<1	0.64	0.013	0.21	0.1	1.1	0.05	0.51	6			
1831552	Drill Core	0.08	0.15	0.12	4	0.25	0.029	12.2	7.9	0.94	280.2	0.002	<1	1.01	0.021	0.19	<0.1	1.2	0.06	0.13	<5			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 2 of 6 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000401.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1831523	Drill Core	<0.1	0.14	1.9	0.49	<0.1	0.09	<0.02	9.1	0.1	<0.05	4.8	5.21	42.2	<0.02	<1	0.1	8.6	<10	<2			
1831524	Drill Core	<0.1	0.02	2.6	0.36	<0.1	0.15	<0.02	8.6	0.2	<0.05	6.8	4.20	41.9	<0.02	1	<0.1	17.5	<10	<2			
1831525	Drill Core	<0.1	0.02	3.1	0.38	<0.1	0.18	<0.02	8.5	0.1	<0.05	8.9	3.81	55.5	<0.02	<1	0.3	15.8	<10	<2			
1831526	Drill Core	<0.1	0.19	3.2	0.35	<0.1	0.15	<0.02	7.8	0.2	<0.05	5.9	4.23	38.1	<0.02	<1	<0.1	16.5	<10	<2			
1831527	Drill Core	<0.1	0.11	2.8	0.63	<0.1	0.11	<0.02	8.1	0.2	<0.05	4.4	5.09	34.5	<0.02	<1	0.3	19.1	<10	<2			
1831528	Drill Core	<0.1	0.03	3.1	0.58	<0.1	0.14	<0.02	9.0	<0.1	<0.05	7.4	4.98	20.1	<0.02	<1	<0.1	20.3	<10	<2			
1831529	Drill Core	0.2	0.08	2.5	0.16	<0.1	0.27	<0.02	6.2	<0.1	<0.05	9.7	3.95	11.8	<0.02	<1	<0.1	14.8	<10	<2			
1831530	Drill Core	<0.1	0.03	3.2	0.25	<0.1	0.16	<0.02	7.5	<0.1	<0.05	7.4	6.41	21.2	<0.02	<1	<0.1	20.4	<10	<2			
1831531	Drill Core	<0.1	<0.02	3.8	0.27	<0.1	0.23	<0.02	8.5	0.2	<0.05	7.8	5.56	28.3	<0.02	<1	0.1	21.5	<10	<2			
1831532	Drill Core	0.1	<0.02	2.5	0.20	<0.1	0.16	<0.02	7.2	0.2	<0.05	7.4	8.34	17.1	<0.02	<1	<0.1	15.2	<10	<2			
1831533	Drill Core	0.2	0.03	1.6	0.18	<0.1	0.25	<0.02	6.5	0.1	<0.05	10.9	1.48	13.6	<0.02	<1	<0.1	5.6	<10	<2			
1831534	Drill Core	0.1	0.07	1.8	0.28	<0.1	0.20	<0.02	6.5	0.1	<0.05	8.6	2.95	30.4	<0.02	<1	<0.1	6.6	<10	<2			
1831535	Drill Core	<0.1	0.08	1.5	0.18	<0.1	0.21	<0.02	5.7	0.2	<0.05	9.4	1.65	21.8	<0.02	<1	0.2	5.0	<10	<2			
1831536	Drill Core	0.3	0.02	1.6	0.21	<0.1	0.16	<0.02	5.9	0.2	<0.05	7.4	1.27	32.0	<0.02	<1	0.3	4.8	<10	<2			
1831537	Drill Core	<0.1	0.06	1.7	0.31	<0.1	0.32	<0.02	6.5	0.2	<0.05	10.5	2.26	39.9	<0.02	<1	0.2	5.5	<10	<2			
1831538	Drill Core	<0.1	0.03	2.2	0.36	<0.1	0.32	<0.02	7.3	0.2	<0.05	11.4	2.25	31.2	<0.02	<1	0.2	10.0	<10	<2			
1831539	Drill Core	<0.1	0.03	2.1	0.20	<0.1	0.32	<0.02	8.1	0.1	<0.05	11.1	2.48	25.6	<0.02	1	0.2	10.9	<10	<2			
1831540	Rock Pulp	<0.1	<0.02	4.3	0.14	<0.1	0.16	0.34	2.2	1.9	<0.05	4.0	8.21	12.7	<0.02	<1	0.2	1.3	<10	<2			
1831541	Drill Core	0.2	0.02	2.6	0.29	<0.1	0.19	<0.02	9.1	0.2	<0.05	7.7	3.54	26.1	<0.02	<1	<0.1	12.9	<10	<2			
1831542	Drill Core	<0.1	<0.02	1.6	0.34	<0.1	0.15	<0.02	8.0	0.2	<0.05	7.4	7.24	30.6	<0.02	<1	0.2	7.0	<10	<2			
1831543	Drill Core	<0.1	0.12	1.6	0.53	<0.1	0.17	<0.02	7.6	0.2	<0.05	6.9	3.95	30.2	<0.02	<1	0.1	7.1	<10	<2			
1831544	Drill Core	<0.1	<0.02	2.3	0.24	<0.1	0.21	<0.02	8.6	0.1	<0.05	9.2	2.91	23.5	<0.02	<1	<0.1	10.1	<10	<2			
1831545	Drill Core	<0.1	0.03	1.5	0.21	<0.1	0.19	<0.02	7.4	0.1	<0.05	8.4	2.45	18.8	<0.02	<1	<0.1	5.9	<10	<2			
1831546	Drill Core	0.2	0.12	2.1	0.31	<0.1	0.14	<0.02	9.0	0.1	<0.05	6.5	3.86	26.1	<0.02	<1	0.2	6.4	<10	<2			
1831547	Drill Core	<0.1	0.06	1.8	0.17	<0.1	0.25	<0.02	7.8	<0.1	<0.05	11.8	2.47	18.4	<0.02	<1	0.1	6.2	<10	2			
1831548	Drill Core	0.2	0.02	1.2	0.20	<0.1	0.23	0.13	9.5	0.1	<0.05	9.7	4.86	13.9	<0.02	<1	0.2	2.9	10	<2			
1831549	Drill Core	0.1	0.25	1.5	0.31	<0.1	0.17	0.11	10.4	0.2	<0.05	9.1	3.36	30.0	<0.02	<1	0.3	3.5	<10	<2			
1831550	Drill Core	<0.1	0.02	1.3	0.24	<0.1	0.20	<0.02	10.8	<0.1	<0.05	12.5	6.32	24.8	<0.02	<1	<0.1	5.2	<10	<2			
1831551	Drill Core	0.1	0.04	1.5	0.16	<0.1	0.24	<0.02	7.1	0.1	<0.05	9.6	4.41	15.9	<0.02	<1	0.2	5.1	<10	<2			
1831552	Drill Core	<0.1	<0.02	2.8	0.15	<0.1	0.27	<0.02	6.8	0.2	<0.05	8.7	3.02	23.9	<0.02	<1	0.2	11.4	<10	<2			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 3 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000401.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1831553	Drill Core	3.26	454	0.207	0.24	0.68	35.33	1.56	16.14	15.51	73.4	310	6.7	5.4	445	1.58	0.8	0.8	113.8	9.6	21.5
1831554	Drill Core	2.92	418	0.101	0.10	<0.17	38.49	1.65	20.31	28.09	90.0	716	10.3	8.3	945	1.76	0.9	1.4	78.3	7.3	33.4
1831555	Drill Core	1.61	391	0.322	0.37	0.81	39.60	5.25	10.27	140.91	88.5	650	10.5	7.3	654	2.29	1.1	0.8	199.2	6.1	24.0
1831556	Drill Core	3.33	461	0.107	0.10	<0.17	37.93	0.86	8.68	11.77	79.3	344	6.7	6.9	464	1.41	1.0	1.4	95.9	9.3	26.9
1831557	Drill Core	3.14	340	0.009	<0.01	<0.17	26.45	1.85	9.71	32.34	78.0	262	8.2	7.5	471	1.51	1.0	1.8	6.2	10.3	20.2
1831558	Drill Core	3.03	380	0.089	0.08	<0.17	35.30	3.53	21.20	60.22	52.1	545	10.1	8.2	529	1.76	0.8	1.4	74.4	7.5	33.6
1831559	Drill Core	2.95	471	0.283	0.26	<0.17	33.38	0.28	17.48	4.52	58.7	159	5.4	6.6	627	1.41	0.4	0.8	64.9	8.0	60.0
1831560	Core DUP		467	0.207	0.27	1.20	31.78	0.27	17.71	4.32	58.4	184	5.5	7.2	578	1.40	0.4	0.8	176.4	7.8	56.3
1831561	Drill Core	2.66	389	0.247	0.27	0.47	33.72	0.50	51.91	50.95	107.5	658	11.9	12.1	497	1.76	0.8	2.0	146.5	9.1	39.9
1831562	Drill Core	2.15	413	0.357	0.33	<0.17	36.98	0.36	31.54	141.87	87.9	1864	12.1	11.7	569	1.50	0.6	1.3	216.2	5.7	18.7
1831563	Drill Core	1.59	379	0.085	0.08	<0.17	33.72	0.37	31.45	27.66	61.8	771	7.6	6.6	495	1.60	0.8	1.1	46.0	6.9	46.2
1831564	Drill Core	3.95	434	0.030	0.03	<0.17	41.34	5.51	83.30	216.34	123.8	1319	10.7	8.5	540	1.89	12.1	1.6	33.6	7.8	44.4
1831565	Drill Core	2.53	444	0.010	<0.01	<0.17	41.43	0.34	20.55	7.26	52.0	162	6.6	9.5	694	1.45	7.0	0.8	6.2	8.4	39.8
1831566	Drill Core	3.22	451	0.017	0.02	<0.17	39.84	0.53	20.61	8.98	33.3	222	6.0	7.3	543	1.48	5.4	1.3	7.7	8.6	39.7
1831567	Drill Core	2.66	507	0.009	<0.01	<0.17	31.40	0.44	15.30	10.43	12.4	180	5.9	5.7	376	1.49	1.7	2.0	4.5	8.4	46.5
1831568	Drill Core	3.58	502	0.084	0.08	<0.17	32.73	0.66	18.06	11.20	94.0	302	14.4	12.0	661	2.31	1.4	1.5	135.7	5.1	32.1
1831569	Drill Core	3.96	488	0.054	0.05	<0.17	31.84	1.05	23.15	20.17	156.3	593	25.9	16.3	563	2.82	2.4	1.4	62.0	5.5	36.9
1831570	Drill Core	4.21	459	0.138	0.14	0.19	32.13	0.77	27.04	10.68	95.8	761	17.2	15.9	694	2.33	12.1	1.2	96.7	6.0	30.9
1831571	Drill Core	3.49	497	0.043	0.04	<0.17	34.70	1.53	19.51	24.00	67.4	511	13.6	9.0	434	1.82	67.6	3.2	41.2	8.7	41.3
1831572	Drill Core	2.89	385	0.010	<0.01	<0.17	27.94	2.60	77.01	194.09	116.0	1070	10.8	8.6	398	1.82	2.5	1.7	11.4	7.9	44.0
1831573	Drill Core	3.02	379	0.020	0.02	<0.17	35.87	0.39	55.90	25.90	107.6	752	9.1	9.7	648	1.58	5.2	1.4	15.9	9.3	54.6
1831574	Drill Core	3.25	420	0.017	0.02	<0.17	31.61	0.29	141.93	96.10	192.5	2018	11.1	9.2	661	1.97	4.6	1.1	13.9	8.7	45.8
1831575	Drill Core	3.05	485	0.017	0.02	<0.17	32.18	0.39	159.65	165.64	184.7	1890	10.2	9.0	417	1.79	1.8	2.2	10.9	9.3	43.3
1831576	Drill Core	3.22	429	0.015	0.01	<0.17	32.96	0.71	32.61	15.41	39.8	539	11.9	11.1	378	2.32	1.4	2.7	8.1	11.1	45.0
1831577	Drill Core	2.99	379	0.013	0.01	<0.17	30.43	0.60	12.46	5.52	50.6	232	8.6	7.7	348	1.74	12.0	3.1	10.7	11.1	31.9
1831578	Drill Core	1.95	369	0.014	0.01	<0.17	31.18	0.38	16.14	5.65	37.3	253	8.1	8.1	529	1.58	22.6	2.8	10.6	8.6	51.1
1831579	Drill Core	2.13	338	0.027	0.03	<0.17	27.04	0.93	30.49	4.60	110.3	413	20.5	18.1	719	2.82	58.2	2.7	21.4	5.6	54.9
1831580	Rock	0.23	147	<0.005	<0.01	<0.17	34.60	0.42	1.21	1.26	2.0	10	1.0	0.4	58	0.54	0.5	0.2	1.0	1.2	1.7
1831581	Drill Core	2.39	353	0.026	0.02	<0.17	25.39	1.29	28.44	28.19	38.8	475	5.2	5.4	791	1.53	22.5	2.4	23.6	11.2	99.7
1831582	Drill Core	2.11	375	0.017	0.02	<0.17	29.48	0.55	15.98	10.99	41.6	474	5.6	5.9	484	1.42	5.6	0.8	20.5	9.2	57.0



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 3 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000401.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831553	Drill Core	0.16	0.16	0.23	4	0.91	0.041	8.3	6.2	0.87	215.1	0.002	1	0.76	0.016	0.21	<0.1	1.2	0.06	0.73	<5			
1831554	Drill Core	0.76	0.23	0.20	6	1.15	0.045	8.2	6.6	0.89	169.9	0.002	<1	0.67	0.013	0.20	0.1	1.3	0.05	0.84	6			
1831555	Drill Core	0.67	0.16	0.32	5	1.36	0.055	4.7	5.7	0.68	57.9	0.002	<1	0.46	0.014	0.23	0.1	1.3	0.06	2.00	17			
1831556	Drill Core	0.23	0.26	0.14	3	0.81	0.038	8.0	8.0	0.96	198.5	0.001	1	0.82	0.012	0.19	<0.1	1.0	0.05	0.55	<5			
1831557	Drill Core	0.15	0.43	0.14	4	0.68	0.053	9.9	15.8	0.94	257.3	0.002	<1	0.92	0.021	0.25	<0.1	1.2	0.05	0.58	<5			
1831558	Drill Core	0.37	0.11	0.32	4	1.55	0.067	6.3	12.8	0.71	113.7	0.002	<1	0.61	0.010	0.26	<0.1	1.2	0.06	1.14	9			
1831559	Drill Core	0.38	0.08	0.05	3	1.99	0.067	7.5	4.6	0.73	191.1	0.002	1	0.46	0.011	0.28	0.1	1.2	0.06	0.61	14			
1831560	Core DUP	0.33	0.08	0.04	4	1.89	0.066	7.6	4.7	0.71	213.1	0.002	1	0.47	0.011	0.29	0.1	1.3	0.07	0.61	14			
1831561	Drill Core	1.00	0.15	0.14	5	1.08	0.071	8.1	6.0	0.51	98.7	0.002	1	0.66	0.011	0.32	0.1	1.5	0.09	1.02	21			
1831562	Drill Core	1.56	0.24	0.13	4	0.64	0.064	7.2	4.7	0.39	154.0	0.002	1	0.53	0.011	0.26	0.2	1.4	0.07	0.79	16			
1831563	Drill Core	0.53	0.15	0.20	4	1.44	0.066	5.5	5.1	0.58	119.7	0.002	<1	0.52	0.009	0.26	0.1	1.2	0.06	1.05	<5			
1831564	Drill Core	1.23	0.46	0.22	6	1.14	0.064	6.7	7.8	0.75	107.8	0.002	1	0.65	0.008	0.25	<0.1	1.6	0.07	1.22	21			
1831565	Drill Core	0.38	0.12	0.05	5	1.53	0.073	9.6	6.4	0.63	171.9	0.002	1	0.67	0.008	0.30	<0.1	1.5	0.08	0.54	8			
1831566	Drill Core	0.23	0.16	0.06	4	1.31	0.070	7.2	5.4	0.48	159.9	0.002	<1	0.54	0.009	0.28	<0.1	1.3	0.07	0.86	11			
1831567	Drill Core	0.22	0.27	0.03	3	0.92	0.060	4.6	3.4	0.30	100.8	0.002	<1	0.36	0.008	0.23	0.1	1.0	0.05	1.02	<5			
1831568	Drill Core	0.37	0.19	0.04	10	0.74	0.076	4.1	59.8	1.58	172.3	0.002	<1	1.21	0.006	0.19	0.2	1.8	0.05	0.78	<5			
1831569	Drill Core	0.45	0.34	0.02	12	0.38	0.086	5.5	61.5	1.57	345.4	0.002	<1	1.30	0.008	0.20	0.5	2.1	0.06	0.35	6			
1831570	Drill Core	0.49	0.30	0.03	8	0.55	0.071	5.6	38.9	1.33	162.8	0.002	<1	0.98	0.011	0.18	0.3	1.6	0.06	0.99	<5			
1831571	Drill Core	0.33	0.70	0.12	7	0.62	0.053	4.2	29.7	1.01	130.2	0.005	<1	0.77	0.010	0.19	0.1	1.3	0.06	1.26	<5			
1831572	Drill Core	1.71	0.57	0.22	4	0.97	0.068	5.0	5.5	0.37	72.1	0.003	<1	0.47	0.007	0.25	0.1	1.2	0.08	1.49	19			
1831573	Drill Core	0.95	0.34	0.04	6	1.30	0.089	8.1	8.6	0.66	151.4	0.008	1	0.67	0.006	0.28	0.2	1.9	0.11	1.03	48			
1831574	Drill Core	2.68	0.77	0.05	6	1.36	0.067	5.5	7.1	0.67	74.8	0.005	<1	0.62	0.007	0.27	0.2	1.5	0.08	1.59	15			
1831575	Drill Core	1.59	0.97	0.14	6	1.14	0.082	9.9	7.5	0.48	85.2	0.008	<1	0.56	0.006	0.28	0.2	1.3	0.07	1.50	19			
1831576	Drill Core	0.27	0.27	0.09	4	0.83	0.070	6.4	6.7	0.41	42.8	0.005	<1	0.51	0.016	0.26	0.1	1.4	0.07	2.14	28			
1831577	Drill Core	0.13	0.21	0.09	4	0.55	0.056	8.7	7.6	0.76	138.4	0.005	<1	0.72	0.012	0.25	0.1	1.4	0.07	1.15	20			
1831578	Drill Core	0.32	0.44	0.06	6	1.07	0.057	7.3	18.6	0.79	160.2	0.008	<1	0.67	0.011	0.23	0.1	1.3	0.08	1.01	<5			
1831579	Drill Core	0.28	0.35	0.04	16	0.99	0.092	5.5	97.2	2.39	108.4	0.029	<1	1.63	0.006	0.19	0.2	2.5	0.06	1.47	<5			
1831580	Rock	<0.01	0.03	<0.02	<1	0.02	0.002	2.0	3.3	0.02	11.4	0.002	<1	0.06	0.003	0.02	<0.1	0.2	<0.02	<0.02	<5			
1831581	Drill Core	0.17	0.33	0.17	8	2.47	0.044	10.9	14.2	0.91	150.0	0.021	<1	0.64	0.010	0.19	0.4	1.4	0.05	1.06	<5			
1831582	Drill Core	0.30	0.43	0.05	7	1.06	0.044	12.8	13.4	0.87	175.8	0.019	<1	0.63	0.018	0.17	1.0	1.7	0.05	0.72	8			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 3 of 6 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000401.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1831553	Drill Core	<0.1	0.02	2.2	0.19	<0.1	0.26	<0.02	7.8	0.2	<0.05	9.3	3.87	15.5	<0.02	2	0.2	8.6	<10	<2			
1831554	Drill Core	<0.1	0.21	2.2	0.23	<0.1	0.29	<0.02	7.8	0.1	<0.05	12.6	6.89	15.3	<0.02	<1	<0.1	8.5	11	<2			
1831555	Drill Core	0.3	0.08	1.2	0.23	<0.1	0.32	<0.02	8.4	0.2	<0.05	10.8	5.38	9.4	<0.02	2	<0.1	3.1	<10	<2			
1831556	Drill Core	0.1	0.08	2.1	0.28	<0.1	0.28	<0.02	6.8	0.2	<0.05	8.6	3.70	14.9	<0.02	1	0.2	10.7	<10	<2			
1831557	Drill Core	0.1	<0.02	2.6	0.18	<0.1	0.35	<0.02	8.1	0.2	<0.05	11.5	3.01	17.9	<0.02	1	0.2	8.9	<10	<2			
1831558	Drill Core	0.5	0.13	1.5	0.19	<0.1	0.21	<0.02	8.3	0.2	<0.05	7.6	3.53	12.2	<0.02	4	0.2	5.0	<10	<2			
1831559	Drill Core	0.2	<0.02	1.2	0.21	<0.1	0.13	<0.02	9.6	0.1	<0.05	5.6	4.67	14.1	<0.02	<1	0.2	3.3	<10	<2			
1831560	Core DUP	0.3	<0.02	1.1	0.21	<0.1	0.12	<0.02	9.8	0.1	<0.05	5.5	4.33	14.5	<0.02	<1	0.2	3.1	<10	<2			
1831561	Drill Core	0.6	0.16	1.5	0.36	<0.1	0.28	<0.02	11.5	0.3	<0.05	10.8	5.73	15.4	<0.02	<1	0.3	5.3	<10	<2			
1831562	Drill Core	0.6	0.72	1.3	0.19	<0.1	0.18	<0.02	8.8	0.2	<0.05	7.7	6.11	14.2	<0.02	<1	0.2	4.6	<10	<2			
1831563	Drill Core	0.5	0.22	1.3	0.26	<0.1	0.24	<0.02	9.1	0.3	<0.05	9.5	4.98	10.7	<0.02	1	0.2	4.3	<10	<2			
1831564	Drill Core	0.5	0.05	1.9	0.79	<0.1	0.35	<0.02	9.9	0.3	<0.05	13.0	5.21	13.2	<0.02	2	0.2	8.0	<10	<2			
1831565	Drill Core	0.3	<0.02	1.5	0.32	<0.1	0.14	<0.02	11.9	0.1	<0.05	6.1	5.70	18.2	<0.02	<1	0.2	6.6	<10	<2			
1831566	Drill Core	0.3	<0.02	1.4	0.31	<0.1	0.18	<0.02	10.9	0.2	<0.05	7.4	4.43	13.9	<0.02	<1	0.2	5.2	<10	<2			
1831567	Drill Core	0.3	<0.02	0.9	0.21	<0.1	0.20	<0.02	8.1	0.2	<0.05	8.0	2.96	9.4	<0.02	<1	0.1	3.5	<10	<2			
1831568	Drill Core	0.2	0.05	3.2	0.23	<0.1	0.32	<0.02	6.6	0.1	<0.05	10.9	3.55	7.8	<0.02	<1	0.1	13.5	<10	<2			
1831569	Drill Core	0.4	0.04	3.3	0.43	<0.1	0.27	<0.02	7.6	<0.1	<0.05	9.7	4.16	10.9	<0.02	<1	0.2	16.4	<10	<2			
1831570	Drill Core	0.4	0.04	2.2	0.29	<0.1	0.29	<0.02	6.6	0.1	<0.05	11.3	4.68	10.3	<0.02	1	0.2	14.2	<10	<2			
1831571	Drill Core	0.3	0.08	2.9	0.28	<0.1	0.34	<0.02	7.2	0.2	<0.05	11.2	3.58	8.3	<0.02	2	0.1	11.1	<10	<2			
1831572	Drill Core	0.7	0.02	1.2	0.19	<0.1	0.42	<0.02	9.3	0.1	<0.05	9.4	4.22	9.9	<0.02	<1	0.2	3.8	<10	<2			
1831573	Drill Core	0.4	0.03	1.9	0.62	<0.1	0.24	0.02	11.7	0.5	<0.05	9.1	7.66	14.9	<0.02	<1	0.3	6.4	<10	<2			
1831574	Drill Core	0.6	0.02	1.8	0.50	<0.1	0.26	<0.02	10.1	0.2	<0.05	10.3	6.03	11.0	<0.02	<1	0.2	7.3	<10	<2			
1831575	Drill Core	0.6	0.02	1.7	0.37	<0.1	0.39	0.04	10.2	0.3	<0.05	15.5	5.85	18.1	<0.02	<1	0.2	5.5	<10	<2			
1831576	Drill Core	0.5	0.03	1.4	0.28	<0.1	0.46	0.03	10.0	0.2	<0.05	16.2	4.91	12.5	<0.02	<1	0.1	4.8	<10	<2			
1831577	Drill Core	0.2	<0.02	2.3	0.26	<0.1	0.24	<0.02	10.1	0.2	<0.05	7.4	4.74	16.8	<0.02	<1	0.1	8.7	<10	<2			
1831578	Drill Core	<0.1	<0.02	2.0	0.28	<0.1	0.14	0.05	9.2	0.5	<0.05	5.0	4.88	14.5	<0.02	<1	0.2	7.9	<10	<2			
1831579	Drill Core	0.4	<0.02	4.4	0.31	<0.1	0.28	0.04	7.0	0.2	<0.05	8.5	7.34	11.2	<0.02	2	0.2	24.8	<10	<2			
1831580	Rock	<0.1	<0.02	0.3	0.08	<0.1	0.10	0.06	0.8	<0.1	<0.05	2.3	0.86	4.4	<0.02	<1	<0.1	1.0	<10	<2			
1831581	Drill Core	<0.1	0.07	3.0	0.16	<0.1	0.25	0.07	7.0	0.5	<0.05	7.2	7.20	20.1	<0.02	<1	0.2	8.8	<10	<2			
1831582	Drill Core	0.1	0.04	2.7	0.69	<0.1	0.28	0.06	7.1	0.3	<0.05	8.7	6.59	23.7	<0.02	<1	0.2	7.9	<10	<2			





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 4 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000401.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1831583	Drill Core	3.14	389	0.076	0.07	<0.17	32.66	0.18	21.88	4.10	21.4	736	2.6	4.4	398	0.80	3.6	0.9	39.1	10.4	43.2
1831584	Drill Core	2.83	429	0.161	0.16	<0.17	28.30	0.52	101.54	188.10	125.1	3550	4.5	5.1	412	1.24	6.8	2.6	180.4	10.7	37.8
1831585	Drill Core	1.75	359	0.021	0.02	<0.17	31.51	0.49	93.84	13.47	113.1	748	4.3	3.0	331	1.02	3.6	1.0	16.7	12.1	26.2
1831586	Drill Core	1.79	409	0.043	0.04	<0.17	27.20	0.21	16.04	3.97	41.4	1553	5.1	5.6	339	1.19	4.0	1.3	40.3	11.4	53.8
1831587	Drill Core	2.91	392	0.396	0.37	<0.17	26.30	1.92	17.36	17.34	40.7	518	5.8	5.0	189	1.67	3.3	4.0	30.5	9.7	93.2
1831588	Drill Core	2.83	408	0.267	0.27	0.30	33.87	1.82	13.76	93.77	25.8	1887	7.0	6.8	377	1.31	2.3	1.7	331.7	8.7	70.2
1831589	Drill Core	3.51	392	0.139	0.20	0.99	30.42	0.32	22.36	5.16	44.7	829	10.7	10.4	537	1.63	4.1	1.9	156.4	9.1	81.6
1831590	Drill Core	3.14	344	0.084	0.08	<0.17	26.40	0.26	22.44	3.20	94.7	340	16.4	13.9	667	2.29	1.2	1.5	49.8	6.7	67.3
1831591	Drill Core	2.48	493	0.012	0.01	<0.17	26.48	0.21	7.75	2.70	48.7	92	6.0	5.2	265	1.21	0.6	1.2	9.3	10.5	39.0
1831592	Drill Core	1.48	429	0.288	0.33	0.95	27.33	0.52	12.07	9.45	29.6	616	6.5	6.7	321	1.03	0.4	0.9	275.1	9.5	42.4
1831593	Drill Core	3.46	425	0.228	0.31	1.64	26.25	0.81	23.02	8.44	100.9	622	17.3	16.0	493	2.12	1.4	1.9	439.0	8.2	38.1
1831594	Drill Core	2.16	459	0.088	0.08	<0.17	28.15	2.58	11.81	22.26	32.9	504	7.5	5.9	259	1.25	0.7	2.0	110.1	10.1	36.3
1831595	Drill Core	2.13	445	0.132	0.12	<0.17	27.98	0.28	12.11	3.00	45.7	238	7.1	7.9	409	1.72	0.9	2.0	35.6	9.2	69.0
1831596	Drill Core	1.35	462	0.072	0.07	<0.17	31.24	0.26	9.87	22.63	17.1	1055	3.3	3.5	256	1.07	0.5	1.5	114.5	6.6	55.2
1831597	Drill Core	1.69	440	0.136	0.13	<0.17	28.41	0.18	31.96	2.48	51.6	400	4.0	5.2	259	1.06	0.7	1.2	146.1	10.3	50.2
1831598	Drill Core	2.44	399	0.020	0.02	<0.17	27.70	0.20	18.60	2.92	57.6	191	3.2	3.8	328	1.05	2.4	1.2	7.5	10.4	102.4
1831599	Drill Core	2.50	438	0.109	0.10	<0.17	30.35	0.23	35.92	4.86	64.6	348	3.1	3.5	250	1.04	7.3	1.4	38.4	9.8	73.4
1831600	Rock Pulp	0.12	77	7.401				9.25	175.42	19.96	72.2	860	13.0	11.1	542	4.31	13.7	0.9	7603.8	3.0	67.3
1831601	Drill Core	1.45	463	<0.005	<0.01	<0.17	26.69	1.18	7.01	51.20	40.1	222	1.2	1.0	178	0.64	0.7	3.3	4.3	12.7	62.3
1831602	Drill Core	2.83	466	0.038	0.04	<0.17	26.89	2.97	13.26	80.76	26.6	402	1.2	1.2	151	0.71	2.5	2.9	29.6	13.0	102.6
1831603	Drill Core	1.47	475	0.414	0.47	1.36	30.09	0.59	14.10	140.20	22.0	3135	1.1	1.3	144	0.63	0.7	2.4	1017.1	10.6	50.7
1831604	Drill Core	3.17	475	0.031	0.03	<0.17	26.64	2.56	16.68	72.32	24.6	483	1.9	2.2	152	0.76	8.8	2.0	34.2	11.1	68.0
1831605	Drill Core	2.93	456	0.012	0.01	<0.17	34.35	1.94	5.37	52.75	26.7	178	1.2	1.3	145	0.69	1.4	3.8	14.6	13.4	40.9
1831606	Drill Core	4.06	456	0.017	0.02	<0.17	29.02	2.79	4.47	50.31	39.7	233	2.3	2.5	332	0.73	2.4	3.4	2.6	13.1	107.3
1831607	Drill Core	1.46	468	0.021	0.02	<0.17	29.25	0.36	6.75	5.72	37.0	458	3.3	4.0	250	0.98	1.5	4.5	30.7	11.4	70.3
1831608	Drill Core	1.78	382	0.012	0.01	<0.17	30.54	1.72	3.65	10.53	34.8	159	1.2	1.5	247	0.62	1.6	1.2	22.4	11.0	58.7
1831609	Drill Core	2.10	434	0.014	0.01	<0.17	26.46	0.23	8.71	2.84	22.0	148	3.6	4.7	247	1.14	1.3	2.7	10.0	10.0	61.6
1831610	Drill Core	2.35	492	0.016	0.02	<0.17	32.47	0.79	5.41	14.06	11.4	127	3.9	4.5	149	1.07	1.1	3.2	10.9	9.5	47.8
1831611	Drill Core	1.38	485	0.043	0.04	<0.17	37.12	2.16	4.35	47.58	12.2	389	4.4	5.6	168	1.21	1.0	1.5	30.4	9.4	40.7
1831612	Drill Core	2.83	532	0.007	0.04	0.53	37.65	2.13	5.47	49.51	9.7	148	3.5	4.7	167	1.15	0.8	3.6	7.0	9.8	42.1





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 4 of 6 **Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000401.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831583	Drill Core	0.23	0.24	<0.02	3	0.91	0.039	11.1	4.2	0.50	287.1	0.007	<1	0.48	0.013	0.23	0.1	1.0	0.05	0.35	<5			
1831584	Drill Core	1.94	0.45	0.14	5	0.66	0.038	11.9	7.6	0.99	220.9	0.015	<1	0.74	0.014	0.20	0.2	1.2	0.05	0.61	7			
1831585	Drill Core	0.82	0.88	<0.02	6	0.46	0.041	18.1	7.8	1.18	123.1	0.024	<1	0.83	0.010	0.19	0.1	1.0	0.05	0.25	<5			
1831586	Drill Core	0.24	0.35	<0.02	6	0.60	0.036	12.7	9.8	0.84	147.0	0.020	<1	0.65	0.012	0.22	0.2	1.5	0.06	0.70	<5			
1831587	Drill Core	0.12	0.47	0.19	6	0.46	0.053	9.9	15.2	0.83	127.9	0.016	<1	0.70	0.014	0.22	0.2	1.7	0.08	1.05	<5			
1831588	Drill Core	0.28	0.51	0.08	5	0.82	0.038	9.6	5.5	0.58	175.4	0.006	<1	0.57	0.010	0.26	0.2	1.3	0.08	0.80	<5			
1831589	Drill Core	0.31	0.36	0.04	6	1.30	0.064	9.8	18.7	0.86	145.5	0.017	<1	0.68	0.010	0.27	0.3	1.6	0.08	1.14	<5			
1831590	Drill Core	0.23	0.32	0.04	10	1.01	0.081	7.8	56.8	1.79	141.5	0.025	<1	1.21	0.009	0.24	0.3	2.1	0.11	0.91	<5			
1831591	Drill Core	0.07	0.19	<0.02	4	0.31	0.047	11.3	6.6	1.06	393.3	0.010	<1	0.85	0.015	0.22	0.2	1.1	0.06	0.32	<5			
1831592	Drill Core	0.14	0.19	0.11	4	0.54	0.035	9.9	7.2	0.73	341.5	0.005	<1	0.61	0.013	0.21	0.2	1.0	0.06	0.44	<5			
1831593	Drill Core	0.18	0.25	0.10	8	0.53	0.062	5.5	57.9	1.83	181.7	0.008	<1	1.31	0.006	0.18	0.3	1.5	0.06	0.85	<5			
1831594	Drill Core	0.14	0.28	0.45	4	0.43	0.039	10.0	5.9	0.83	226.3	0.006	1	0.66	0.008	0.22	0.1	0.8	0.07	0.64	<5			
1831595	Drill Core	0.16	0.49	<0.02	4	0.79	0.050	6.5	10.7	1.02	127.6	0.011	<1	0.77	0.015	0.21	0.1	1.3	0.06	1.04	5			
1831596	Drill Core	0.17	0.21	0.03	2	0.66	0.019	7.5	4.9	0.36	192.8	0.010	<1	0.35	0.014	0.18	0.1	0.8	0.04	0.67	<5			
1831597	Drill Core	0.17	0.24	<0.02	3	0.61	0.039	8.0	4.2	0.75	267.9	0.008	<1	0.58	0.009	0.24	0.1	1.0	0.08	0.53	<5			
1831598	Drill Core	0.20	0.39	<0.02	3	0.68	0.039	10.1	4.5	0.75	313.5	0.010	<1	0.60	0.007	0.24	0.1	0.9	0.07	0.45	<5			
1831599	Drill Core	0.20	0.37	<0.02	2	0.69	0.029	8.8	3.4	0.70	293.1	0.006	<1	0.55	0.006	0.23	0.1	0.8	0.07	0.56	<5			
1831600	Rock Pulp	0.22	5.15	0.57	99	0.88	0.070	7.7	18.3	0.80	125.2	0.108	3	1.59	0.174	0.22	3.7	3.4	0.06	<0.02	198			
1831601	Drill Core	0.23	0.49	0.20	<1	0.38	0.004	12.4	2.1	0.52	523.3	0.002	<1	0.42	0.006	0.19	<0.1	0.6	0.06	0.18	<5			
1831602	Drill Core	0.25	0.81	0.26	<1	0.65	0.005	10.2	1.8	0.38	360.9	0.002	<1	0.36	0.005	0.21	0.1	0.7	0.06	0.40	<5			
1831603	Drill Core	0.23	0.44	0.15	<1	0.49	0.003	8.0	2.2	0.34	366.6	0.002	<1	0.30	0.006	0.17	0.1	0.7	0.05	0.29	<5			
1831604	Drill Core	0.20	0.63	0.21	<1	0.48	0.011	9.7	1.8	0.35	379.4	0.002	<1	0.34	0.004	0.20	0.1	0.6	0.06	0.44	<5			
1831605	Drill Core	0.19	0.38	0.15	<1	0.28	0.005	11.8	1.6	0.40	338.2	0.002	<1	0.38	0.005	0.21	0.1	0.7	0.06	0.33	<5			
1831606	Drill Core	0.30	0.38	0.21	1	0.64	0.013	11.3	2.9	0.65	555.9	0.006	<1	0.47	0.006	0.20	0.3	1.1	0.06	0.30	<5			
1831607	Drill Core	0.19	0.38	<0.02	2	0.67	0.020	10.2	3.8	0.46	180.0	0.014	<1	0.38	0.008	0.19	0.5	0.9	0.07	0.47	<5			
1831608	Drill Core	0.21	0.38	0.07	1	0.40	0.007	10.3	1.8	0.50	494.7	0.002	<1	0.37	0.004	0.18	0.1	0.6	0.04	0.20	<5			
1831609	Drill Core	0.16	0.31	0.05	1	0.59	0.035	8.2	2.9	0.37	153.9	0.005	<1	0.36	0.010	0.21	0.1	1.1	0.06	0.86	<5			
1831610	Drill Core	0.08	0.26	0.07	2	0.39	0.039	11.8	3.9	0.25	140.8	0.006	<1	0.38	0.020	0.26	0.1	0.9	0.07	0.79	<5			
1831611	Drill Core	0.15	0.27	0.04	3	0.45	0.036	10.9	4.1	0.26	118.5	0.005	<1	0.34	0.022	0.22	0.1	1.0	0.05	1.06	<5			
1831612	Drill Core	0.16	0.36	0.04	2	0.44	0.041	12.1	3.5	0.23	117.9	0.005	<1	0.34	0.024	0.23	<0.1	0.8	0.04	0.93	<5			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 4 of 6 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000401.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1831583	Drill Core	<0.1	0.27	1.8	0.41	<0.1	0.14	0.05	8.9	0.3	<0.05	4.4	5.21	21.8	<0.02	<1	0.2	5.8	<10	<2			
1831584	Drill Core	0.4	1.26	2.9	0.30	<0.1	0.27	0.04	7.8	0.3	<0.05	7.9	7.23	22.6	<0.02	<1	0.2	10.0	<10	<2			
1831585	Drill Core	<0.1	0.08	3.5	0.32	<0.1	0.22	0.05	7.4	0.4	<0.05	6.6	9.03	32.9	<0.02	<1	0.3	13.2	<10	<2			
1831586	Drill Core	<0.1	0.68	2.8	0.71	<0.1	0.28	0.08	9.0	0.3	<0.05	8.1	8.06	23.7	<0.02	<1	0.2	9.0	<10	<2			
1831587	Drill Core	0.2	0.11	2.6	0.95	<0.1	0.39	0.07	9.9	0.4	<0.05	11.8	5.62	18.3	<0.02	<1	0.3	9.9	<10	<2			
1831588	Drill Core	0.3	0.75	2.1	0.82	<0.1	0.26	0.03	10.4	0.3	<0.05	9.0	5.89	18.7	<0.02	<1	0.2	7.0	<10	<2			
1831589	Drill Core	0.3	0.23	2.1	0.48	<0.1	0.32	0.05	11.8	0.3	<0.05	11.4	8.35	19.3	<0.02	<1	0.3	8.7	<10	<2			
1831590	Drill Core	0.3	0.05	2.9	0.80	<0.1	0.30	<0.02	11.9	0.2	<0.05	11.1	9.08	14.7	<0.02	<1	0.2	15.4	<10	<2			
1831591	Drill Core	<0.1	<0.02	2.5	0.43	<0.1	0.18	0.02	8.7	0.3	<0.05	5.1	5.77	20.2	<0.02	<1	0.2	12.1	<10	<2			
1831592	Drill Core	<0.1	0.22	1.6	0.38	<0.1	0.21	0.02	7.5	0.3	<0.05	6.9	3.64	18.7	<0.02	<1	0.1	8.5	<10	<2			
1831593	Drill Core	0.4	0.17	3.6	1.35	<0.1	0.43	0.02	6.9	0.2	<0.05	11.5	6.47	11.0	<0.02	<1	0.2	19.8	<10	<2			
1831594	Drill Core	0.1	0.11	1.9	0.46	<0.1	0.20	0.03	8.6	0.2	<0.05	7.7	4.34	19.3	<0.02	3	0.2	8.7	<10	<2			
1831595	Drill Core	0.2	<0.02	2.2	0.39	<0.1	0.23	0.03	7.9	0.3	<0.05	6.9	6.09	13.4	<0.02	6	0.3	12.0	<10	<2			
1831596	Drill Core	<0.1	0.36	1.1	0.13	<0.1	0.14	0.07	5.7	0.2	<0.05	4.5	5.23	13.6	<0.02	<1	0.1	4.0	<10	<2			
1831597	Drill Core	<0.1	0.03	1.7	0.41	<0.1	0.17	0.03	9.4	0.4	<0.05	5.6	5.11	15.4	<0.02	<1	0.2	7.1	<10	<2			
1831598	Drill Core	<0.1	<0.02	1.7	0.36	<0.1	0.20	0.03	9.9	0.2	<0.05	6.3	5.25	18.9	<0.02	<1	0.2	7.1	<10	<2			
1831599	Drill Core	<0.1	<0.02	1.4	0.32	<0.1	0.21	0.04	8.1	0.2	<0.05	6.2	5.04	17.1	<0.02	<1	0.1	7.4	<10	<2			
1831600	Rock Pulp	<0.1	0.16	4.9	0.75	0.1	0.07	0.11	8.2	1.7	<0.05	1.6	5.55	15.4	0.05	<1	0.2	6.6	<10	<2			
1831601	Drill Core	<0.1	<0.02	1.3	0.38	<0.1	0.11	0.06	8.1	0.3	<0.05	3.2	2.46	23.2	<0.02	1	0.2	5.7	<10	<2			
1831602	Drill Core	<0.1	<0.02	1.1	0.28	<0.1	0.07	0.10	8.2	0.2	<0.05	2.1	3.23	20.0	<0.02	2	0.2	4.4	<10	<2			
1831603	Drill Core	0.3	1.33	1.0	0.28	<0.1	0.08	0.09	6.6	0.2	<0.05	2.7	3.14	14.9	<0.02	<1	0.1	4.2	<10	<2			
1831604	Drill Core	<0.1	<0.02	0.9	0.39	<0.1	0.08	0.09	8.2	0.2	<0.05	2.4	3.07	18.2	<0.02	<1	0.2	3.9	<10	<2			
1831605	Drill Core	<0.1	<0.02	1.1	0.34	<0.1	0.06	0.14	8.4	0.2	<0.05	2.1	3.46	22.1	<0.02	1	0.2	4.7	<10	<2			
1831606	Drill Core	<0.1	<0.02	1.8	0.54	<0.1	0.22	0.08	8.4	0.3	<0.05	6.5	5.55	21.6	<0.02	2	0.2	6.7	<10	<2			
1831607	Drill Core	<0.1	0.16	1.3	0.27	<0.1	0.36	0.09	7.0	0.3	<0.05	9.3	7.63	18.4	<0.02	<1	0.1	5.4	<10	<2			
1831608	Drill Core	<0.1	<0.02	1.2	0.28	<0.1	0.35	0.03	6.7	0.2	<0.05	10.8	4.07	18.6	<0.02	<1	0.1	4.9	<10	<2			
1831609	Drill Core	<0.1	<0.02	1.0	0.29	<0.1	0.25	0.05	7.7	0.2	<0.05	8.4	5.55	15.2	<0.02	<1	0.2	4.7	<10	<2			
1831610	Drill Core	<0.1	<0.02	1.2	0.20	<0.1	0.17	0.04	8.2	0.2	<0.05	5.8	3.45	22.3	<0.02	<1	0.1	3.0	<10	<2			
1831611	Drill Core	<0.1	0.15	1.2	0.16	<0.1	0.16	0.02	7.4	0.2	<0.05	5.3	4.10	19.6	<0.02	1	0.1	3.4	<10	<2			
1831612	Drill Core	<0.1	<0.02	1.1	0.17	<0.1	0.16	0.03	7.0	0.2	<0.05	5.6	4.54	23.0	<0.02	1	0.1	2.6	<10	<2			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 5 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000401.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1831613	Drill Core	2.79	478	0.007	<0.01	<0.17	31.92	1.83	8.14	27.95	17.7	194	3.7	4.1	158	1.14	3.1	6.9	6.2	10.6	62.2
1831614	Drill Core	2.96	533	0.005	<0.01	<0.17	33.76	1.64	9.39	29.97	51.9	206	3.8	5.5	283	1.08	1.6	3.4	60.1	11.6	42.9
1831615	Drill Core	2.47	536	0.009	<0.01	<0.17	30.70	1.07	10.17	9.46	38.5	123	4.2	5.6	181	1.09	1.1	3.3	4.7	11.7	40.4
1831616	Drill Core	2.88	407	0.030	0.03	<0.17	25.45	5.85	11.25	29.62	28.5	459	4.6	5.9	223	1.24	2.6	2.3	493.1	10.5	53.9
1831617	Drill Core	2.29	485	0.102	0.10	<0.17	29.28	1.86	13.76	4.86	24.2	626	4.5	5.0	247	1.11	2.0	1.8	66.9	9.7	48.2
1831618	Drill Core	2.70	486	0.034	0.03	<0.17	27.41	1.24	6.93	16.00	33.2	182	2.9	1.8	225	0.87	0.5	3.4	37.1	13.9	138.0
1831619	Drill Core	1.32	470	0.044	0.06	0.26	26.69	0.53	9.49	8.64	38.3	185	1.7	1.6	100	0.71	0.2	4.3	53.0	15.8	38.0
1831620	Rock Pulp	0.12	77	0.500				2.61	409.72	19.56	50.5	300	596.4	28.4	443	2.57	19.8	0.6	588.1	2.0	57.3
1831621	Drill Core	2.50	524	0.009	<0.01	<0.17	25.65	2.13	6.24	21.98	44.5	121	0.8	0.6	127	0.49	0.7	3.8	35.7	15.7	73.5
1831622	Drill Core	1.89	387	0.033	0.03	<0.17	25.47	0.37	6.83	83.58	43.5	464	0.6	0.4	255	0.48	2.7	3.0	31.2	16.1	96.2
1831623	Drill Core	2.94	506	0.013	0.01	<0.17	34.71	0.49	14.07	69.69	13.9	535	0.4	0.5	61	0.58	2.1	3.2	3.8	16.2	50.7
1831624	Drill Core	1.32	508	0.126	0.18	0.98	31.55	0.98	36.68	402.77	15.4	4626	0.5	0.4	122	0.58	1.7	2.6	147.3	11.7	35.8
1831625	Drill Core	3.29	391	0.007	0.03	0.35	31.77	2.96	23.95	35.00	20.4	467	0.5	0.4	139	0.47	1.9	3.6	5.3	16.5	85.8
1831626	Drill Core	1.65	433	<0.005	<0.01	<0.17	29.68	1.47	0.69	9.41	18.5	34	0.5	0.3	156	0.38	0.4	3.1	1.1	12.4	90.0
1831627	Drill Core	2.81	417	<0.005	<0.01	<0.17	28.60	0.48	6.00	14.07	8.2	126	0.4	0.3	65	0.48	0.5	2.8	0.9	13.9	47.0
1831628	Drill Core	1.49	459	0.084	0.08	<0.17	30.25	1.07	10.36	99.25	22.0	1111	0.6	0.4	152	0.51	0.8	2.0	54.8	13.1	36.1
1831629	Drill Core	3.08	454	<0.005	<0.01	<0.17	32.56	0.89	15.63	31.29	19.9	198	0.5	0.3	87	0.47	0.5	3.4	<0.2	13.7	35.9
1831630	Drill Core	3.07	470	<0.005	<0.01	<0.17	33.86	0.63	27.34	10.52	49.8	264	6.0	2.5	222	0.65	0.6	4.3	1.9	14.1	41.5
1831631	Drill Core	2.86	410	<0.005	0.02	0.22	31.71	0.17	10.73	37.22	9.5	154	1.0	0.4	77	0.40	0.7	3.0	1.0	15.2	33.3
1831632	Drill Core	2.71	479	<0.005	<0.01	<0.17	33.67	0.17	2.52	19.47	6.0	102	0.4	0.2	67	0.29	0.4	2.6	<0.2	13.7	24.5
1831633	Drill Core	1.49	469	<0.005	<0.01	<0.17	41.10	0.23	15.62	21.42	5.0	186	0.2	0.1	53	0.28	0.8	3.3	0.4	15.4	37.9
1831634	Drill Core	1.54	452	<0.005	<0.01	<0.17	38.89	0.21	1.34	22.44	5.5	115	0.3	0.1	57	0.27	0.8	2.9	0.3	16.2	45.3
1831635	Drill Core	1.31	388	<0.005	<0.01	<0.17	35.58	0.13	4.92	21.95	5.1	115	0.3	1.3	49	0.27	1.0	2.4	<0.2	15.1	36.8
1831636	Drill Core	2.76	429	0.007	<0.01	<0.17	35.68	0.16	2.04	20.20	5.2	140	0.3	0.5	58	0.29	5.5	2.7	2.8	17.2	11.6
1831637	Drill Core	1.68	419	<0.005	<0.01	<0.17	39.90	0.24	2.76	27.14	6.0	137	0.5	0.6	53	0.33	1.0	2.7	<0.2	15.3	41.0
1831638	Drill Core	2.93	439	<0.005	<0.01	<0.17	40.40	0.22	3.04	20.69	5.4	130	0.3	0.4	46	0.26	0.5	3.1	<0.2	17.8	37.5
1831639	Drill Core	3.13	495	<0.005	<0.01	<0.17	40.41	0.14	2.42	10.51	4.3	159	0.3	0.5	41	0.26	0.9	1.6	<0.2	16.3	37.2
1831640	Rock Pulp	0.13	78	0.006				3.92	22.11	1.10	29.2	19	7.0	4.3	563	2.39	1.5	0.4	3.3	2.9	32.5
1831641	Drill Core	2.66	396	<0.005	<0.01	<0.17	35.70	0.14	2.94	27.81	5.5	154	0.2	0.4	50	0.26	1.2	3.5	<0.2	17.8	25.6
1831642	Drill Core	2.46	446	0.023	0.02	<0.17	30.00	0.15	24.00	3.12	49.9	278	20.9	21.1	613	1.98	19.3	4.1	20.8	7.5	260.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 5 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000401.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831613	Drill Core	0.09	0.36	0.07	3	0.44	0.045	13.1	5.6	0.31	236.6	0.011	<1	0.38	0.021	0.23	0.2	1.2	0.08	0.63	<5
1831614	Drill Core	0.34	0.33	0.14	2	0.37	0.032	10.9	3.8	0.52	283.9	0.003	<1	0.50	0.014	0.24	<0.1	1.0	0.09	0.52	<5
1831615	Drill Core	0.32	0.27	0.10	2	0.37	0.041	12.8	4.0	0.34	208.6	0.003	<1	0.42	0.015	0.25	<0.1	1.2	0.09	0.79	<5
1831616	Drill Core	0.34	0.51	0.29	2	0.48	0.044	9.0	3.9	0.30	131.7	0.002	<1	0.36	0.016	0.23	<0.1	1.2	0.12	0.98	10
1831617	Drill Core	0.22	0.58	0.05	2	0.70	0.038	8.1	3.2	0.32	224.9	0.002	<1	0.32	0.013	0.21	<0.1	0.9	0.10	0.84	13
1831618	Drill Core	0.25	0.28	0.23	<1	0.62	0.008	8.0	1.9	0.35	224.5	0.001	<1	0.35	0.015	0.20	0.1	0.8	0.05	0.57	7
1831619	Drill Core	0.44	0.25	<0.02	<1	0.19	0.003	10.8	1.3	0.18	292.8	0.001	<1	0.29	0.015	0.20	0.1	0.8	0.06	0.46	14
1831620	Rock Pulp	0.19	0.42	0.30	54	1.38	0.033	4.7	98.3	1.75	80.8	0.075	3	2.01	0.207	0.15	1.2	3.0	0.10	0.19	14
1831621	Drill Core	0.21	0.33	0.13	<1	0.59	0.002	10.3	1.8	0.32	906.2	<0.001	<1	0.34	0.006	0.20	0.2	0.5	0.04	0.18	8
1831622	Drill Core	0.70	1.25	0.23	<1	1.10	0.001	9.2	1.4	0.42	702.1	0.001	<1	0.36	0.007	0.19	0.2	0.6	0.04	0.17	7
1831623	Drill Core	0.16	2.65	0.28	<1	0.11	0.002	13.8	1.5	0.19	398.1	0.001	<1	0.30	0.014	0.21	0.4	0.6	0.05	0.37	<5
1831624	Drill Core	0.33	8.74	0.89	<1	0.40	0.001	8.6	2.2	0.20	294.8	<0.001	<1	0.22	0.009	0.15	0.2	0.5	0.04	0.28	11
1831625	Drill Core	0.16	4.34	0.20	<1	0.56	0.001	17.8	1.8	0.29	750.7	0.001	<1	0.32	0.006	0.20	0.5	0.5	0.05	0.17	8
1831626	Drill Core	0.13	0.19	0.09	<1	1.03	0.001	14.5	1.5	0.33	762.6	<0.001	<1	0.30	0.003	0.18	0.7	0.3	0.04	0.07	6
1831627	Drill Core	0.07	1.20	0.10	<1	0.19	<0.001	13.8	1.6	0.12	604.4	<0.001	<1	0.25	0.013	0.18	0.6	0.4	0.04	0.24	8
1831628	Drill Core	0.32	1.41	0.36	<1	0.48	0.001	8.9	1.8	0.29	156.4	<0.001	<1	0.27	0.006	0.14	0.1	0.5	0.04	0.20	8
1831629	Drill Core	0.09	0.52	0.13	<1	0.11	<0.001	12.6	1.4	0.27	610.5	0.001	<1	0.27	0.009	0.16	0.4	0.4	0.03	0.17	8
1831630	Drill Core	0.10	0.63	0.05	<1	0.33	0.002	9.0	5.3	0.68	593.9	0.002	<1	0.45	0.007	0.20	0.1	0.8	0.06	0.14	5
1831631	Drill Core	0.06	0.15	0.26	<1	0.10	<0.001	26.2	1.8	0.14	877.4	<0.001	<1	0.29	0.016	0.21	0.3	0.5	0.04	0.11	<5
1831632	Drill Core	0.03	0.13	0.14	<1	0.09	<0.001	21.1	1.1	0.09	611.6	<0.001	<1	0.23	0.014	0.20	0.2	0.4	0.04	0.08	5
1831633	Drill Core	0.02	0.07	0.14	<1	0.08	0.001	29.6	1.1	0.07	1235.8	<0.001	<1	0.27	0.025	0.24	0.1	0.5	0.04	0.07	<5
1831634	Drill Core	0.03	0.05	0.16	<1	0.08	0.001	32.5	1.2	0.08	1353.5	0.001	<1	0.27	0.029	0.24	<0.1	0.5	0.04	0.07	<5
1831635	Drill Core	<0.01	0.07	0.15	<1	0.06	<0.001	34.3	1.2	0.06	1232.9	0.001	<1	0.28	0.035	0.25	<0.1	0.6	0.05	0.07	<5
1831636	Drill Core	0.03	0.16	0.14	<1	0.13	0.002	32.8	1.5	0.07	262.1	<0.001	<1	0.25	0.024	0.25	<0.1	0.5	0.05	0.07	<5
1831637	Drill Core	0.04	0.08	0.19	<1	0.11	0.003	28.6	1.7	0.09	951.1	<0.001	<1	0.30	0.023	0.27	<0.1	0.7	0.05	0.06	<5
1831638	Drill Core	0.07	0.08	0.15	<1	0.10	0.001	37.2	1.3	0.08	963.2	<0.001	<1	0.32	0.021	0.29	<0.1	0.7	0.06	0.06	<5
1831639	Drill Core	0.03	0.08	0.15	<1	0.15	0.002	35.8	1.4	0.05	1031.3	<0.001	<1	0.26	0.025	0.24	<0.1	0.6	0.04	0.06	<5
1831640	Rock Pulp	0.02	0.18	<0.02	23	0.77	0.046	6.4	15.5	0.50	62.6	0.082	2	1.06	0.071	0.08	0.2	3.0	<0.02	0.05	<5
1831641	Drill Core	0.08	0.09	0.18	<1	0.20	0.002	36.7	1.3	0.08	735.7	<0.001	<1	0.33	0.031	0.27	<0.1	0.7	0.04	0.05	<5
1831642	Drill Core	0.35	0.39	<0.02	12	3.74	0.034	8.1	38.2	1.60	180.6	0.007	<1	0.83	0.003	0.32	<0.1	5.8	0.09	0.83	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 5 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000401.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1831613	Drill Core	0.2	<0.02	1.4	0.50	<0.1	0.21	0.05	8.1	0.3	<0.05	7.4	4.66	24.3	<0.02	2	0.2	4.1	<10	<2			
1831614	Drill Core	0.2	<0.02	1.5	0.59	<0.1	0.27	<0.02	9.7	0.2	<0.05	8.4	4.67	19.3	<0.02	1	0.2	5.3	<10	<2			
1831615	Drill Core	0.1	<0.02	1.3	0.30	<0.1	0.23	<0.02	9.0	0.2	<0.05	7.9	3.35	23.9	<0.02	<1	0.1	3.9	<10	<2			
1831616	Drill Core	0.3	0.03	1.3	0.37	<0.1	0.30	<0.02	8.8	0.3	<0.05	9.0	3.02	17.2	<0.02	3	0.2	4.1	<10	<2			
1831617	Drill Core	0.2	0.22	1.0	0.52	<0.1	0.39	<0.02	8.4	0.2	<0.05	11.1	2.67	14.9	<0.02	<1	0.1	4.5	<10	<2			
1831618	Drill Core	<0.1	<0.02	1.2	0.36	<0.1	0.53	0.04	7.2	0.3	<0.05	15.5	3.50	15.7	<0.02	<1	0.1	4.3	<10	<2			
1831619	Drill Core	0.2	0.06	1.2	0.56	<0.1	0.59	0.07	7.9	0.4	<0.05	16.1	3.68	20.0	<0.02	<1	0.2	3.0	<10	<2			
1831620	Rock Pulp	0.6	0.16	4.6	0.68	<0.1	0.08	0.02	6.2	0.5	<0.05	1.9	3.69	9.6	<0.02	3	<0.1	8.5	257	125			
1831621	Drill Core	<0.1	<0.02	1.0	0.50	<0.1	0.32	0.10	7.3	0.4	<0.05	9.4	4.23	18.7	<0.02	<1	0.2	3.8	<10	<2			
1831622	Drill Core	0.1	0.12	1.1	0.34	<0.1	0.54	0.14	6.4	0.3	<0.05	13.7	6.49	17.8	<0.02	<1	0.2	5.2	<10	<2			
1831623	Drill Core	0.1	<0.02	1.4	0.96	<0.1	0.59	0.24	8.5	0.3	<0.05	16.7	6.67	26.2	<0.02	<1	0.2	3.0	<10	<2			
1831624	Drill Core	0.6	2.22	0.9	0.49	<0.1	0.43	0.20	6.0	0.4	<0.05	12.4	4.87	17.0	<0.02	<1	0.2	2.6	<10	<2			
1831625	Drill Core	<0.1	<0.02	1.2	0.47	<0.1	0.30	0.19	7.9	0.2	<0.05	8.8	8.16	33.6	<0.02	<1	0.2	4.5	<10	<2			
1831626	Drill Core	<0.1	<0.02	0.7	0.77	<0.1	0.14	0.17	6.7	0.4	<0.05	3.6	8.89	27.4	<0.02	<1	0.2	3.8	<10	<2			
1831627	Drill Core	<0.1	<0.02	0.7	0.24	<0.1	0.35	0.27	6.2	0.2	<0.05	10.1	7.32	26.7	<0.02	<1	0.2	1.9	<10	<2			
1831628	Drill Core	0.1	0.49	0.9	0.33	<0.1	0.36	0.10	5.5	0.2	<0.05	9.5	4.18	16.3	<0.02	<1	0.2	3.3	<10	<2			
1831629	Drill Core	<0.1	<0.02	0.9	0.28	<0.1	0.41	0.41	6.1	0.2	<0.05	12.8	6.60	24.5	<0.02	<1	0.1	3.2	<10	<2			
1831630	Drill Core	<0.1	<0.02	1.3	0.49	<0.1	0.53	0.08	9.1	0.2	<0.05	14.9	4.64	17.0	<0.02	<1	0.3	8.2	<10	<2			
1831631	Drill Core	<0.1	<0.02	1.0	0.17	<0.1	0.51	0.22	7.2	0.2	<0.05	15.9	7.95	47.5	<0.02	<1	0.2	2.0	<10	<2			
1831632	Drill Core	<0.1	<0.02	0.8	0.17	<0.1	0.46	0.20	7.0	0.2	<0.05	16.5	5.66	39.9	<0.02	<1	0.2	1.6	<10	<2			
1831633	Drill Core	<0.1	<0.02	1.1	0.17	<0.1	0.40	0.14	8.5	0.2	<0.05	11.7	5.89	61.0	<0.02	<1	0.2	1.3	<10	<2			
1831634	Drill Core	<0.1	<0.02	1.2	0.10	<0.1	0.38	0.15	9.5	0.2	<0.05	11.3	5.53	62.9	<0.02	<1	0.3	1.2	<10	<2			
1831635	Drill Core	<0.1	<0.02	1.2	0.09	<0.1	0.45	0.12	9.5	0.6	<0.05	13.0	5.60	63.8	<0.02	<1	0.2	1.0	<10	<2			
1831636	Drill Core	<0.1	<0.02	1.1	0.20	<0.1	0.45	0.11	9.5	0.3	<0.05	13.8	6.24	66.1	<0.02	<1	0.3	1.3	<10	<2			
1831637	Drill Core	<0.1	<0.02	1.0	0.14	<0.1	0.47	0.10	10.0	0.3	<0.05	12.7	5.34	54.1	<0.02	<1	0.2	1.9	<10	<2			
1831638	Drill Core	<0.1	<0.02	1.3	0.17	<0.1	0.37	0.09	10.4	0.3	<0.05	11.3	7.01	71.6	<0.02	<1	0.3	1.7	<10	<2			
1831639	Drill Core	<0.1	<0.02	1.1	0.15	<0.1	0.33	0.09	8.3	0.3	<0.05	9.2	6.01	68.5	<0.02	<1	0.3	1.0	<10	<2			
1831640	Rock Pulp	<0.1	<0.02	4.0	0.14	0.1	0.14	0.30	2.2	1.8	<0.05	3.6	8.06	12.5	<0.02	<1	0.2	1.1	<10	<2			
1831641	Drill Core	<0.1	<0.02	1.2	0.16	<0.1	0.29	0.07	8.0	0.3	<0.05	10.1	6.56	70.6	<0.02	<1	0.3	1.4	<10	<2			
1831642	Drill Core	0.1	0.02	2.3	0.61	<0.1	0.13	<0.02	12.8	0.2	<0.05	4.0	16.62	15.8	<0.02	<1	0.5	13.3	<10	<2			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 6 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000401.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1831643	Drill Core	1.47	456	<0.005	<0.01	<0.17	33.99	0.19	2.09	30.39	8.6	153	0.6	0.6	101	0.42	1.3	3.5	<0.2	15.0	81.3
1831644	Drill Core	2.50	440	<0.005	<0.01	<0.17	29.03	0.52	1.97	18.82	21.1	63	1.0	0.8	99	0.54	0.6	3.8	<0.2	16.5	44.8
1831645	Drill Core	2.77	424	0.011	<0.01	<0.17	31.24	0.22	22.86	66.40	39.4	248	23.7	3.9	184	0.88	17.1	5.2	13.0	14.0	59.8
1831646	Drill Core	3.20	504	0.022	0.02	<0.17	36.07	0.19	3.91	13.81	9.7	194	1.3	1.8	91	0.60	43.8	1.7	16.2	12.4	30.0
1831647	Drill Core	2.03	403	0.009	<0.01	<0.17	32.79	0.20	4.21	28.41	5.9	146	0.9	1.1	74	0.50	17.2	1.4	5.9	11.3	30.5
1831648	Drill Core	2.02	405	0.043	0.04	<0.17	26.50	0.16	2.45	19.60	21.2	318	2.2	2.6	248	1.01	121.3	3.6	31.3	12.6	60.2
1831649	Drill Core	1.66	440	0.249	0.32	1.24	31.51	0.18	12.32	7.88	17.3	945	2.3	3.3	233	1.04	23.1	2.7	158.6	10.0	55.5
1831650	Drill Core	2.31	468	0.034	0.03	<0.17	26.59	0.17	4.05	15.86	22.8	183	1.8	2.2	149	0.76	60.1	3.6	23.3	12.3	26.9
1831651	Drill Core	1.69	398	0.133	0.13	<0.17	30.48	0.16	4.99	6.21	27.2	428	2.3	3.1	156	1.10	225.9	2.9	111.2	13.1	31.7
1831652	Drill Core	1.66	514	0.006	<0.01	<0.17	34.82	0.29	4.64	0.47	1.7	200	0.5	0.3	68	0.40	1.6	0.2	1.2	1.0	4.6
1831653	Drill Core	0.86	471	0.010	<0.01	<0.17	36.53	0.27	6.47	4.50	3.1	208	0.8	0.8	65	0.50	3.2	0.4	5.1	2.7	8.1
1831654	Drill Core	1.56	494	0.058	0.05	<0.17	38.77	0.15	3.59	107.98	5.2	2324	1.0	1.5	65	0.51	1.0	1.1	43.2	11.1	20.6
1831655	Drill Core	2.84	459	0.006	<0.01	<0.17	30.64	0.11	4.94	13.34	6.5	77	0.9	1.3	89	0.50	3.6	3.1	3.5	13.1	44.4
1831656	Drill Core	1.63	499	0.028	0.03	<0.17	33.93	0.12	5.77	18.58	8.4	276	1.3	1.9	103	0.61	33.5	2.7	21.8	12.3	40.1
1831657	Drill Core	1.74	397	0.021	0.02	<0.17	34.91	0.16	5.11	24.40	12.9	181	1.5	2.4	95	0.68	84.6	3.3	18.9	13.4	28.8
1831658	Drill Core	1.97	435	0.020	0.02	<0.17	30.12	0.16	2.49	14.57	12.6	184	1.3	1.8	99	0.73	71.5	1.3	15.2	12.4	33.0
1831659	Drill Core	1.68	442	0.100	0.09	<0.17	29.60	0.12	10.98	12.88	13.2	214	1.5	2.0	110	0.71	62.7	4.0	84.3	12.8	29.7
1831660	Core DUP		499	0.101	0.09	<0.17	35.93	0.06	10.98	10.63	12.9	210	1.5	1.9	116	0.66	56.9	3.6	130.1	10.8	27.6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 6 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000401.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831643	Drill Core	0.07	0.21	0.20	<1	0.34	0.002	28.5	2.8	0.30	1783.9	<0.001	<1	0.34	0.010	0.24	<0.1	0.6	0.04	0.06	9
1831644	Drill Core	0.13	0.10	0.07	<1	0.60	0.002	27.5	2.6	0.52	315.6	0.001	<1	0.48	0.013	0.26	<0.1	1.4	0.05	<0.02	<5
1831645	Drill Core	0.26	0.18	0.18	3	0.81	0.027	21.8	8.4	0.74	317.8	0.002	<1	0.60	0.012	0.31	<0.1	2.1	0.07	0.18	<5
1831646	Drill Core	0.05	0.27	0.05	2	0.26	0.038	21.1	2.7	0.21	233.0	0.002	<1	0.36	0.013	0.32	<0.1	0.5	0.06	0.27	<5
1831647	Drill Core	0.01	0.24	0.09	1	0.21	0.042	20.2	2.6	0.14	279.0	0.002	<1	0.30	0.019	0.31	<0.1	0.5	0.06	0.18	<5
1831648	Drill Core	0.06	0.55	0.08	2	0.70	0.039	13.2	2.4	0.68	217.6	0.002	<1	0.42	0.006	0.23	<0.1	0.6	0.06	0.60	<5
1831649	Drill Core	0.16	0.41	<0.02	1	0.81	0.018	9.3	1.8	0.53	137.0	0.001	<1	0.28	0.003	0.20	<0.1	0.5	0.04	0.65	<5
1831650	Drill Core	0.06	0.34	0.06	<1	0.26	0.032	13.1	1.8	0.44	119.3	0.001	<1	0.40	0.003	0.22	<0.1	0.5	0.05	0.28	<5
1831651	Drill Core	0.10	0.77	<0.02	2	0.31	0.039	13.6	2.5	0.54	96.6	0.002	<1	0.47	0.004	0.27	<0.1	0.6	0.07	0.69	<5
1831652	Drill Core	0.01	0.68	<0.02	<1	0.08	0.002	1.9	3.9	0.03	54.9	<0.001	<1	0.05	0.003	0.05	<0.1	<0.1	<0.02	<0.02	12
1831653	Drill Core	0.02	0.60	<0.02	<1	0.14	0.008	5.4	3.1	0.03	179.9	<0.001	<1	0.12	0.003	0.14	<0.1	0.2	0.02	0.14	15
1831654	Drill Core	0.05	0.10	0.26	2	0.15	0.042	20.5	2.5	0.10	360.6	0.002	<1	0.34	0.018	0.34	<0.1	0.6	0.05	0.22	<5
1831655	Drill Core	0.05	0.09	0.03	2	0.30	0.048	21.4	2.4	0.14	607.8	0.003	<1	0.37	0.025	0.34	<0.1	0.9	0.05	0.16	<5
1831656	Drill Core	0.06	0.21	0.04	2	0.32	0.037	19.1	2.6	0.16	253.7	0.003	<1	0.39	0.031	0.34	<0.1	0.9	0.06	0.27	<5
1831657	Drill Core	0.09	0.48	0.02	2	0.18	0.044	20.1	2.9	0.19	249.1	0.002	<1	0.35	0.024	0.34	<0.1	0.9	0.07	0.39	<5
1831658	Drill Core	0.07	0.34	0.02	2	0.25	0.040	20.2	2.5	0.16	223.0	0.002	<1	0.33	0.021	0.33	<0.1	0.5	0.08	0.42	<5
1831659	Drill Core	0.05	0.36	0.03	2	0.21	0.041	18.7	2.3	0.20	212.5	0.003	<1	0.38	0.025	0.33	<0.1	0.8	0.08	0.37	<5
1831660	Core DUP	0.04	0.32	<0.02	2	0.21	0.034	17.0	2.2	0.21	198.1	0.003	<1	0.45	0.025	0.40	<0.1	0.9	0.08	0.37	<5





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 6 of 6 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000401.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1831643	Drill Core	<0.1	<0.02	1.3	0.17	<0.1	0.08	0.04	7.3	0.3	<0.05	2.7	6.48	56.3	<0.02	<1	0.2	3.6	<10
1831644	Drill Core	<0.1	<0.02	1.5	0.33	<0.1	0.09	0.11	7.5	0.3	<0.05	2.8	5.90	54.6	<0.02	<1	0.2	6.4	<10
1831645	Drill Core	<0.1	<0.02	1.9	0.51	<0.1	0.06	<0.02	11.1	0.3	<0.05	2.6	6.89	37.9	<0.02	1	0.3	9.2	<10
1831646	Drill Core	<0.1	<0.02	1.3	0.36	<0.1	0.04	<0.02	10.1	0.3	<0.05	1.7	7.03	35.2	<0.02	<1	0.2	2.5	<10
1831647	Drill Core	<0.1	<0.02	1.0	0.20	<0.1	0.02	0.03	9.8	0.2	<0.05	1.0	6.72	34.6	<0.02	<1	0.3	2.0	<10
1831648	Drill Core	<0.1	0.03	1.5	0.24	<0.1	0.05	<0.02	8.4	0.2	<0.05	1.9	8.07	23.1	<0.02	<1	0.2	7.1	<10
1831649	Drill Core	<0.1	0.45	0.7	0.37	<0.1	0.06	<0.02	6.7	0.2	<0.05	1.7	5.29	16.2	<0.02	<1	0.3	3.6	<10
1831650	Drill Core	<0.1	0.03	1.1	0.41	<0.1	0.08	0.03	7.6	0.2	<0.05	2.5	5.54	25.2	<0.02	<1	0.2	6.5	<10
1831651	Drill Core	<0.1	0.18	1.8	1.28	<0.1	0.07	<0.02	11.1	0.2	<0.05	2.7	5.43	23.8	<0.02	<1	0.4	7.9	<10
1831652	Drill Core	<0.1	<0.02	0.2	0.23	<0.1	<0.02	<0.02	1.9	<0.1	<0.05	0.6	0.50	3.5	<0.02	1	<0.1	0.2	<10
1831653	Drill Core	<0.1	0.03	0.4	0.76	<0.1	<0.02	<0.02	4.7	0.3	<0.05	0.7	1.33	10.1	<0.02	<1	0.1	1.0	<10
1831654	Drill Core	0.2	1.15	1.2	0.24	<0.1	0.03	0.03	10.8	0.2	<0.05	0.8	4.45	34.1	<0.02	<1	0.2	1.5	<10
1831655	Drill Core	<0.1	<0.02	1.3	0.25	<0.1	0.03	0.03	11.4	0.2	<0.05	0.9	4.50	37.2	<0.02	<1	0.2	2.2	<10
1831656	Drill Core	<0.1	0.07	1.4	0.28	<0.1	0.03	0.03	11.0	0.2	<0.05	1.2	4.15	33.0	<0.02	<1	0.2	3.2	<10
1831657	Drill Core	<0.1	<0.02	1.4	0.44	<0.1	0.04	0.03	12.5	0.2	<0.05	1.4	6.37	35.8	<0.02	<1	0.3	2.9	<10
1831658	Drill Core	<0.1	<0.02	1.2	0.23	<0.1	0.03	0.02	11.4	0.2	<0.05	1.5	6.42	34.1	<0.02	<1	0.2	2.2	<10
1831659	Drill Core	<0.1	0.03	1.3	0.47	<0.1	0.04	0.04	12.9	0.2	<0.05	1.4	4.87	30.9	<0.02	<1	0.3	3.9	<10
1831660	Core DUP	<0.1	<0.02	1.6	0.41	<0.1	0.03	0.03	14.3	0.2	<0.05	1.1	4.58	29.9	<0.02	<1	0.2	3.8	<10



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 09, 2019

Page:

1 of 3

Part:

1 of 3

## QUALITY CONTROL REPORT

WHI19000401.1

Method		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1831531	Drill Core	2.81	408	0.006	<0.01	<0.17	39.63	0.89	18.31	9.51	113.8	220	15.8	9.6	647	2.68	1.6	2.1	11.4	9.5	12.3
REP 1831531	QC	0.008																			
1831541	Drill Core	2.85	400	0.015	0.01	<0.17	39.76	0.60	112.40	199.84	274.4	783	12.1	9.3	386	2.33	2.9	2.3	9.5	7.0	39.0
REP 1831541	QC							0.61	111.13	196.08	267.0	793	11.3	8.7	393	2.33	2.7	2.2	8.6	7.1	38.2
1831549	Drill Core	3.48	361	0.141	0.13	<0.17	36.44	0.61	40.76	21.26	88.0	1028	7.7	3.6	132	1.89	1.6	3.2	103.3	8.7	11.9
REP 1831549	QC	0.162																			
1831575	Drill Core	3.05	485	0.017	0.02	<0.17	32.18	0.39	159.65	165.64	184.7	1890	10.2	9.0	417	1.79	1.8	2.2	10.9	9.3	43.3
REP 1831575	QC							0.39	161.54	167.09	185.5	1803	10.1	8.5	411	1.80	2.0	2.3	9.4	9.5	42.9
1831606	Drill Core	4.06	456	0.017	0.02	<0.17	29.02	2.79	4.47	50.31	39.7	233	2.3	2.5	332	0.73	2.4	3.4	2.6	13.1	107.3
REP 1831606	QC	0.006																			
1831610	Drill Core	2.35	492	0.016	0.02	<0.17	32.47	0.79	5.41	14.06	11.4	127	3.9	4.5	149	1.07	1.1	3.2	10.9	9.5	47.8
REP 1831610	QC							0.77	5.29	13.50	11.5	118	3.6	4.2	150	1.03	1.0	3.1	7.3	9.4	47.6
1831624	Drill Core	1.32	508	0.126	0.18	0.98	31.55	0.98	36.68	402.77	15.4	4626	0.5	0.4	122	0.58	1.7	2.6	147.3	11.7	35.8
REP 1831624	QC	0.142																			
1831645	Drill Core	2.77	424	0.011	<0.01	<0.17	31.24	0.22	22.86	66.40	39.4	248	23.7	3.9	184	0.88	17.1	5.2	13.0	14.0	59.8
REP 1831645	QC							0.19	21.91	62.00	36.1	238	21.9	3.7	170	0.83	16.1	4.9	7.2	13.1	55.6
Core Reject Duplicates																					
1831530	Drill Core	3.31	465	0.040	0.04	<0.17	34.28	0.79	19.16	9.94	102.1	352	17.9	10.3	556	2.60	5.8	2.3	25.4	7.4	13.2
DUP 1831530	QC	468		0.066	0.06	<0.17	36.53	0.75	19.53	10.23	104.7	333	17.8	10.1	585	2.62	6.6	2.4	23.3	7.9	13.0
1831564	Drill Core	3.95	434	0.030	0.03	<0.17	41.34	5.51	83.30	216.34	123.8	1319	10.7	8.5	540	1.89	12.1	1.6	33.6	7.8	44.4
DUP 1831564	QC	383		0.025	0.02	<0.17	26.62	5.89	91.13	229.14	136.2	1342	11.5	8.4	556	1.93	12.9	1.7	22.4	7.9	46.0
1831598	Drill Core	2.44	399	0.020	0.02	<0.17	27.70	0.20	18.60	2.92	57.6	191	3.2	3.8	328	1.05	2.4	1.2	7.5	10.4	102.4
DUP 1831598	QC	405		0.017	0.02	<0.17	34.12	0.22	18.65	2.95	59.7	191	3.3	4.1	342	1.04	2.8	1.3	3.3	10.7	108.5
1831632	Drill Core	2.71	479	<0.005	<0.01	<0.17	33.67	0.17	2.52	19.47	6.0	102	0.4	0.2	67	0.29	0.4	2.6	<0.2	13.7	24.5
DUP 1831632	QC	441		0.011	0.06	0.76	26.19	0.15	2.67	20.62	6.8	107	0.5	0.3	72	0.31	0.7	3.2	1.7	16.2	27.1
Reference Materials																					
STD BVGEO01	Standard							11.47	4391.74	192.53	1721.3	2588	156.5	26.5	703	3.62	124.7	4.3	221.5	15.3	56.4
STD BVGEO01	Standard							10.61	4377.84	188.00	1714.0	2579	157.6	24.6	702	3.57	117.4	4.0	211.3	14.9	55.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 09, 2019

Page:

1 of 3

Part:

2 of 3

## QUALITY CONTROL REPORT

WHI19000401.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1831531	Drill Core	0.78	0.10	0.05	9	0.19	0.069	14.5	13.7	1.35	285.5	0.002	1	1.61	0.008	0.24	0.1	2.0	0.05	0.11	<5
REP 1831531	QC																				
1831541	Drill Core	0.71	0.23	0.05	8	0.14	0.068	13.1	12.6	0.91	303.4	0.002	1	1.09	0.008	0.25	0.3	1.8	0.06	0.15	57
REP 1831541	QC	0.69	0.22	0.04	8	0.14	0.069	12.9	12.6	0.90	298.3	0.002	<1	1.08	0.008	0.24	0.3	1.7	0.06	0.15	60
1831549	Drill Core	0.32	0.27	0.06	5	0.11	0.061	15.6	5.8	0.26	253.0	0.002	<1	0.57	0.012	0.28	0.3	1.5	0.06	0.07	24
REP 1831549	QC																				
1831575	Drill Core	1.59	0.97	0.14	6	1.14	0.082	9.9	7.5	0.48	85.2	0.008	<1	0.56	0.006	0.28	0.2	1.3	0.07	1.50	19
REP 1831575	QC	1.51	0.96	0.14	6	1.14	0.081	9.8	7.3	0.48	94.8	0.008	<1	0.56	0.006	0.27	0.2	1.4	0.07	1.49	18
1831606	Drill Core	0.30	0.38	0.21	1	0.64	0.013	11.3	2.9	0.65	555.9	0.006	<1	0.47	0.006	0.20	0.3	1.1	0.06	0.30	<5
REP 1831606	QC																				
1831610	Drill Core	0.08	0.26	0.07	2	0.39	0.039	11.8	3.9	0.25	140.8	0.006	<1	0.38	0.020	0.26	0.1	0.9	0.07	0.79	<5
REP 1831610	QC	0.08	0.27	0.07	2	0.37	0.042	10.9	3.7	0.24	160.4	0.006	<1	0.35	0.018	0.25	0.1	0.9	0.06	0.75	<5
1831624	Drill Core	0.33	8.74	0.89	<1	0.40	0.001	8.6	2.2	0.20	294.8	<0.001	<1	0.22	0.009	0.15	0.2	0.5	0.04	0.28	11
REP 1831624	QC																				
1831645	Drill Core	0.26	0.18	0.18	3	0.81	0.027	21.8	8.4	0.74	317.8	0.002	<1	0.60	0.012	0.31	<0.1	2.1	0.07	0.18	<5
REP 1831645	QC	0.23	0.18	0.18	3	0.77	0.028	20.2	7.5	0.72	280.9	0.002	<1	0.56	0.010	0.29	<0.1	2.2	0.07	0.17	<5
Core Reject Duplicates																					
1831530	Drill Core	0.76	0.25	0.03	8	0.49	0.068	11.0	15.2	1.05	238.9	0.002	<1	1.37	0.007	0.20	0.2	1.8	0.05	0.10	<5
DUP 1831530	QC	0.75	0.23	0.04	8	0.48	0.074	11.8	15.7	1.08	232.3	0.001	2	1.35	0.007	0.20	0.2	2.0	0.05	0.11	9
1831564	Drill Core	1.23	0.46	0.22	6	1.14	0.064	6.7	7.8	0.75	107.8	0.002	1	0.65	0.008	0.25	<0.1	1.6	0.07	1.22	21
DUP 1831564	QC	1.24	0.50	0.22	6	1.18	0.063	7.2	8.9	0.76	125.7	0.002	<1	0.68	0.009	0.27	<0.1	1.7	0.07	1.25	19
1831598	Drill Core	0.20	0.39	<0.02	3	0.68	0.039	10.1	4.5	0.75	313.5	0.010	<1	0.60	0.007	0.24	0.1	0.9	0.07	0.45	<5
DUP 1831598	QC	0.20	0.38	<0.02	3	0.67	0.041	10.8	4.7	0.74	329.5	0.010	<1	0.59	0.008	0.25	0.2	1.0	0.08	0.44	<5
1831632	Drill Core	0.03	0.13	0.14	<1	0.09	<0.001	21.1	1.1	0.09	611.6	<0.001	<1	0.23	0.014	0.20	0.2	0.4	0.04	0.08	5
DUP 1831632	QC	0.02	0.13	0.16	<1	0.10	0.001	24.7	1.2	0.11	659.8	0.001	<1	0.31	0.018	0.24	0.3	0.5	0.05	0.08	7
Reference Materials																					
STD BVGE001	Standard	6.99	3.95	26.76	73	1.29	0.084	27.4	183.4	1.27	290.3	0.225	4	2.35	0.199	0.90	5.4	5.9	0.65	0.63	95
STD BVGE001	Standard	6.81	3.84	24.76	73	1.31	0.087	26.1	181.1	1.30	300.1	0.207	4	2.41	0.194	0.87	5.1	5.4	0.58	0.64	90



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 09, 2019

Page:

1 of 3

Part:

3 of 3

## QUALITY CONTROL REPORT

WHI19000401.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1831531	Drill Core	<0.1	<0.02	3.8	0.27	<0.1	0.23	<0.02	8.5	0.2	<0.05	7.8	5.56	28.3	<0.02	<1	0.1	21.5	<10	<2
REP 1831531	QC																			
1831541	Drill Core	0.2	0.02	2.6	0.29	<0.1	0.19	<0.02	9.1	0.2	<0.05	7.7	3.54	26.1	<0.02	<1	<0.1	12.9	<10	<2
REP 1831541	QC	<0.1	0.03	2.6	0.29	<0.1	0.18	<0.02	8.8	0.2	<0.05	7.9	3.35	25.3	<0.02	<1	0.2	13.2	<10	<2
1831549	Drill Core	0.1	0.25	1.5	0.31	<0.1	0.17	0.11	10.4	0.2	<0.05	9.1	3.36	30.0	<0.02	<1	0.3	3.5	<10	<2
REP 1831549	QC																			
1831575	Drill Core	0.6	0.02	1.7	0.37	<0.1	0.39	0.04	10.2	0.3	<0.05	15.5	5.85	18.1	<0.02	<1	0.2	5.5	<10	<2
REP 1831575	QC	0.6	0.03	1.7	0.37	<0.1	0.41	0.04	10.3	0.2	<0.05	15.7	5.94	17.7	<0.02	<1	0.2	6.0	<10	<2
1831606	Drill Core	<0.1	<0.02	1.8	0.54	<0.1	0.22	0.08	8.4	0.3	<0.05	6.5	5.55	21.6	<0.02	2	0.2	6.7	<10	<2
REP 1831606	QC																			
1831610	Drill Core	<0.1	<0.02	1.2	0.20	<0.1	0.17	0.04	8.2	0.2	<0.05	5.8	3.45	22.3	<0.02	<1	0.1	3.0	<10	<2
REP 1831610	QC	<0.1	<0.02	1.0	0.19	<0.1	0.18	0.04	8.2	0.2	<0.05	5.5	3.34	21.0	<0.02	<1	0.1	2.9	<10	<2
1831624	Drill Core	0.6	2.22	0.9	0.49	<0.1	0.43	0.20	6.0	0.4	<0.05	12.4	4.87	17.0	<0.02	<1	0.2	2.6	<10	<2
REP 1831624	QC																			
1831645	Drill Core	<0.1	<0.02	1.9	0.51	<0.1	0.06	<0.02	11.1	0.3	<0.05	2.6	6.89	37.9	<0.02	1	0.3	9.2	<10	<2
REP 1831645	QC	0.1	<0.02	1.8	0.50	<0.1	0.06	<0.02	10.8	0.3	<0.05	2.4	6.32	37.3	<0.02	<1	0.3	8.2	<10	<2
Core Reject Duplicates																				
1831530	Drill Core	<0.1	0.03	3.2	0.25	<0.1	0.16	<0.02	7.5	<0.1	<0.05	7.4	6.41	21.2	<0.02	<1	<0.1	20.4	<10	<2
DUP 1831530	QC	<0.1	<0.02	3.1	0.26	<0.1	0.12	<0.02	7.3	0.2	<0.05	6.1	6.26	22.7	<0.02	<1	0.2	20.1	<10	<2
1831564	Drill Core	0.5	0.05	1.9	0.79	<0.1	0.35	<0.02	9.9	0.3	<0.05	13.0	5.21	13.2	<0.02	2	0.2	8.0	<10	<2
DUP 1831564	QC	0.6	0.06	2.1	0.85	<0.1	0.37	<0.02	11.1	0.3	<0.05	13.9	5.45	14.1	<0.02	2	0.3	8.3	<10	<2
1831598	Drill Core	<0.1	<0.02	1.7	0.36	<0.1	0.20	0.03	9.9	0.2	<0.05	6.3	5.25	18.9	<0.02	<1	0.2	7.1	<10	<2
DUP 1831598	QC	<0.1	<0.02	1.9	0.40	<0.1	0.20	0.03	10.4	0.2	<0.05	6.3	5.00	19.4	<0.02	<1	0.2	8.1	<10	<2
1831632	Drill Core	<0.1	<0.02	0.8	0.17	<0.1	0.46	0.20	7.0	0.2	<0.05	16.5	5.66	39.9	<0.02	<1	0.2	1.6	<10	<2
DUP 1831632	QC	<0.1	<0.02	0.9	0.16	<0.1	0.54	0.20	8.5	0.2	<0.05	19.2	7.16	47.9	<0.02	<1	0.4	1.8	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.6	1.04	7.5	8.16	0.2	0.33	0.35	95.2	6.3	<0.05	8.7	15.86	54.7	0.50	4	0.7	22.0	119	178
STD BVGEO01	Standard	4.4	1.03	8.0	8.01	0.2	0.29	0.37	88.5	5.8	<0.05	8.3	14.81	52.0	0.49	4	0.6	20.0	106	175



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 2 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000401.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11	Standard							14.27	143.60	127.77	331.7	1722	71.9	12.8	993	3.01	42.0	2.5	79.1	7.8	67.1
STD DS11	Standard							15.75	145.57	141.35	334.0	1758	81.1	15.3	1017	3.05	46.1	3.0	81.1	8.9	66.6
STD OREAS262	Standard							0.63	116.48	55.52	148.7	458	60.7	25.3	517	3.20	34.9	1.2	72.2	9.5	35.1
STD OREAS262	Standard							0.74	124.47	60.99	160.8	467	64.6	29.6	539	3.15	38.7	1.4	80.8	10.6	37.9
STD OREAS262	Standard							0.70	119.60	58.20	150.4	458	61.1	29.4	497	3.24	37.2	1.3	73.4	10.0	35.1
STD OREAS262	Standard							0.68	115.36	59.38	147.0	462	63.1	28.5	499	3.18	36.3	1.4	68.4	10.2	37.0
STD OXC152	Standard			0.222																	
STD OXC152	Standard			0.214																	
STD OXC152	Standard			0.215																	
STD OXC152	Standard			0.213																	
STD OXH139	Standard			1.315																	
STD OXH139	Standard			1.334																	
STD OXH139	Standard			1.276																	
STD OXH139	Standard			1.308																	
STD OXN134	Standard			7.853																	
STD OXN134	Standard			7.812																	
STD OXN134	Standard			7.798																	
STD OXN134	Standard			7.700																	
STD OXQ90	Standard					25.24	29.63														
STD OXQ90	Standard					25.25	29.55														
STD OXQ90	Standard					25.27	29.96														
STD OXQ90	Standard					23.80	30.46														
STD OXQ90	Standard					25.09	30.13														
STD OXQ90	Standard					24.31	29.91														
STD OXQ90	Standard					25.35	29.90														
STD OXQ90	Standard					25.38	29.32														
STD OXQ90	Standard					25.18	30.22														
STD OXQ90	Standard					24.96	29.93														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 09, 2019

Page:

2 of 3

Part:

2 of 3

## QUALITY CONTROL REPORT

WHI19000401.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD DS11	Standard	2.25	8.89	11.51	49	1.05	0.070	18.9	55.9	0.84	352.0	0.092	7	1.19	0.073	0.41	2.8	3.4	4.76	0.27	249
STD DS11	Standard	2.80	9.45	12.64	52	1.02	0.084	21.5	59.3	0.87	368.0	0.096	7	1.22	0.072	0.41	3.1	3.8	5.25	0.26	278
STD OREAS262	Standard	0.64	5.75	1.05	23	2.95	0.039	18.4	42.5	1.15	254.6	0.003	3	1.44	0.067	0.34	0.2	3.3	0.45	0.25	166
STD OREAS262	Standard	0.70	6.52	1.14	22	2.87	0.041	18.3	46.1	1.12	265.2	0.003	3	1.37	0.066	0.32	0.3	3.6	0.50	0.24	169
STD OREAS262	Standard	0.70	6.01	1.07	23	3.02	0.046	17.9	45.3	1.15	244.8	0.003	4	1.42	0.069	0.33	0.2	3.2	0.47	0.25	154
STD OREAS262	Standard	0.71	6.16	1.04	22	2.92	0.045	17.5	47.6	1.16	262.4	0.003	3	1.43	0.068	0.31	0.2	3.6	0.43	0.25	158
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 2 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000401.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD DS11	Standard	2.2	4.46	5.1	2.87	<0.1	0.05	1.38	33.7	1.8	<0.05	3.0	8.34	38.6	0.23	47	1.0	22.1	91	173
STD DS11	Standard	2.1	4.78	5.7	3.35	0.1	0.09	1.75	35.1	2.0	<0.05	3.6	9.86	39.4	0.27	48	0.7	25.8	90	176
STD OREAS262	Standard	0.2	0.22	4.2	3.00	<0.1	0.24	<0.02	20.7	0.6	<0.05	9.4	11.64	36.6	0.04	<1	0.8	18.0	<10	<2
STD OREAS262	Standard	0.4	0.24	4.6	3.16	<0.1	0.28	<0.02	21.5	0.6	<0.05	10.1	11.80	36.6	0.04	<1	1.1	17.9	<10	<2
STD OREAS262	Standard	0.4	0.23	3.9	3.30	<0.1	0.23	<0.02	20.1	0.6	<0.05	9.5	11.20	33.9	0.04	<1	1.0	17.3	<10	<2
STD OREAS262	Standard	0.4	0.25	4.2	3.47	<0.1	0.23	<0.02	21.8	0.6	<0.05	8.9	11.44	34.0	0.04	<1	1.3	15.8	<10	<2
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 3 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000401.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.03	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	0.02	0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.2	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.010																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		411	<0.005	<0.01	<0.17	41.30	1.17	2.94	1.12	28.4	8	0.9	3.1	445	1.78	1.2	0.5	0.8	2.4	22.5
ROCK-WHI	Prep Blank		421	<0.005	<0.01	<0.17	28.68	1.09	2.33	1.28	30.3	8	1.1	3.4	479	1.83	0.7	0.5	<0.2	2.5	24.5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 09, 2019

**Page:** 3 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000401.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	0.6	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.07	0.20	0.03	22	0.62	0.041	6.6	2.6	0.43	49.9	0.080	3	0.85	0.078	0.08	<0.1	2.9	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.04	0.06	0.02	23	0.66	0.041	6.6	3.4	0.47	52.8	0.080	3	0.88	0.071	0.08	<0.1	3.0	<0.02	0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 09, 2019

Page:

3 of 3

Part:

3 of 3

## QUALITY CONTROL REPORT

WHI19000401.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
STD OXQ90 Expected																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.16	<0.1	0.14	0.31	2.2	0.5	<0.05	2.4	9.18	13.5	0.02	<1	0.2	2.4	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.17	<0.1	0.13	0.28	2.1	0.4	<0.05	2.7	9.02	13.3	<0.02	<1	0.2	1.8	<10