



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 20, 2019
Report Date: September 09, 2019
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000402.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-45
P.O. Number
Number of Samples: 55

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	54	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FS631	55	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	55	Analysis sample split/packet			WHI
Split -150	55	Analysis sample split/packet			WHI
EN002	55	Environmental disposal charge-Fire assay lead waste			VAN
FS631	54	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	55	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	55	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000402.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1831661	Drill Core	3.32	470	0.022	0.02	<0.17	36.52	0.10	2.78	14.10	41.1	112	9.8	4.5	224	1.19	59.0	3.4	18.0	12.5	86.1
1831662	Drill Core	3.32	469	0.007	<0.01	<0.17	25.61	0.12	2.90	13.03	39.7	45	4.9	3.7	200	1.18	5.0	3.2	5.0	12.6	58.5
1831663	Drill Core	3.17	492	<0.005	<0.01	<0.17	35.64	0.08	2.58	6.97	59.6	24	14.7	6.1	222	1.78	0.5	2.1	0.8	11.9	67.8
1831664	Drill Core	3.03	442	<0.005	<0.01	<0.17	42.11	0.27	1.21	15.11	39.1	30	4.2	3.1	202	1.21	0.3	3.4	1.0	13.8	59.7
1831665	Drill Core	3.06	446	<0.005	<0.01	<0.17	45.51	0.50	2.40	19.48	23.4	49	2.3	2.0	149	0.67	0.6	3.3	<0.2	13.1	60.9
1831666	Drill Core	2.94	462	0.005	<0.01	<0.17	30.06	0.65	6.00	33.30	11.6	88	1.7	1.4	136	0.51	0.5	3.4	<0.2	10.9	76.1
1831667	Drill Core	2.94	419	<0.005	<0.01	<0.17	39.47	0.40	0.78	19.12	38.2	39	3.7	3.3	177	1.15	0.7	2.7	0.4	12.3	50.7
1831668	Drill Core	3.01	430	0.039	0.04	<0.17	37.85	0.14	5.36	7.91	51.2	209	5.1	4.1	181	1.46	101.5	2.1	38.7	12.3	28.2
1831669	Drill Core	3.10	418	0.010	<0.01	<0.17	29.53	0.14	10.97	16.07	29.1	175	3.5	2.7	145	0.95	24.1	2.6	8.7	12.9	35.5
1831670	Drill Core	1.58	332	0.150	0.15	<0.17	24.56	0.14	4.77	6.89	11.5	95	2.1	2.4	135	0.79	12.0	2.9	154.6	12.9	58.9
1831671	Drill Core	3.11	465	0.232	0.23	<0.17	24.58	0.13	7.70	11.02	15.0	373	2.0	2.3	140	0.92	1.2	3.1	250.7	11.7	86.9
1831672	Drill Core	2.77	441	0.009	<0.01	<0.17	32.37	0.11	7.35	16.39	31.2	59	3.5	2.8	157	1.00	0.4	1.8	7.7	13.4	90.7
1831673	Drill Core	2.97	449	<0.005	<0.01	<0.17	33.89	0.13	5.60	7.73	35.1	45	4.2	2.7	150	1.05	1.6	1.7	0.7	12.9	62.9
1831674	Drill Core	2.97	447	<0.005	<0.01	<0.17	29.24	0.07	8.26	7.58	34.9	50	4.2	3.0	130	1.04	2.5	2.2	6.1	13.2	40.5
1831675	Drill Core	3.02	359	0.020	0.02	<0.17	40.60	0.15	9.52	10.78	37.3	125	4.4	3.1	149	1.14	53.5	1.0	18.2	12.5	28.6
1831676	Drill Core	3.22	538	0.007	<0.01	<0.17	47.74	0.49	3.73	11.96	45.2	64	4.3	3.5	186	1.24	16.4	3.5	5.9	12.6	35.7
1831677	Drill Core	2.89	528	<0.005	<0.01	<0.17	54.16	1.10	4.39	18.73	31.9	52	2.5	2.6	165	1.03	0.5	3.1	1.8	11.6	67.1
1831678	Drill Core	3.07	484	<0.005	<0.01	<0.17	35.53	0.35	4.87	9.98	17.7	65	1.8	2.1	219	0.82	0.8	3.2	66.3	9.7	123.8
1831679	Drill Core	2.90	428	0.082	0.08	<0.17	25.36	0.38	9.24	17.95	24.1	356	2.2	2.4	151	0.82	0.7	4.1	120.8	11.1	65.0
1831680	Rock	0.23	68	0.036	0.04	<0.17	1.65	0.40	1.83	6.58	27.2	37	2.6	1.8	185	1.19	0.9	2.4	29.2	8.7	78.7
1831681	Drill Core	3.04	478	0.007	<0.01	<0.17	39.93	0.43	13.93	32.66	32.1	193	3.2	3.3	163	1.06	4.3	2.6	5.5	9.5	33.0
1831682	Drill Core	3.13	529	0.008	<0.01	<0.17	37.60	0.30	9.05	21.23	34.2	160	3.6	3.7	156	0.96	8.4	2.8	6.5	11.0	28.1
1831683	Drill Core	3.10	520	0.040	0.04	<0.17	39.64	0.37	5.22	25.32	39.0	134	3.5	3.2	177	1.14	0.2	2.8	<0.2	11.5	48.8
1831684	Drill Core	2.89	476	0.009	<0.01	<0.17	40.16	0.67	12.89	20.53	38.2	147	4.0	3.6	218	1.05	13.5	4.5	<0.2	11.7	74.6
1831685	Drill Core	3.19	532	0.007	<0.01	<0.17	38.77	1.15	2.92	18.06	45.7	147	4.6	4.2	241	1.25	7.9	4.7	3.9	10.7	78.5
1831686	Drill Core	3.19	461	<0.005	<0.01	<0.17	39.19	0.80	4.00	20.24	40.5	124	4.0	3.8	238	1.18	1.1	4.2	2.3	13.0	1227.1
1831687	Drill Core	2.78	472	0.006	<0.01	<0.17	37.84	0.33	6.09	36.14	42.3	150	3.5	3.5	172	1.18	0.4	3.6	9.8	12.6	68.0
1831688	Drill Core	1.49	432	0.146	0.17	0.43	32.72	0.15	10.23	8.59	29.7	298	2.6	3.4	150	0.88	3.7	4.6	133.8	10.6	97.9
1831689	Drill Core	2.54	434	0.031	0.03	<0.17	37.70	0.20	2.45	28.57	36.6	100	2.6	3.3	163	1.00	1.7	5.3	40.1	12.0	64.2
1831690	Drill Core	3.06	526	<0.005	<0.01	<0.17	32.16	0.65	3.27	17.90	24.2	47	2.6	2.1	111	0.74	0.8	2.9	4.9	12.1	51.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000402.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831661	Drill Core																							
1831662	Drill Core																							
1831663	Drill Core																							
1831664	Drill Core																							
1831665	Drill Core																							
1831666	Drill Core																							
1831667	Drill Core																							
1831668	Drill Core																							
1831669	Drill Core																							
1831670	Drill Core																							
1831671	Drill Core																							
1831672	Drill Core																							
1831673	Drill Core																							
1831674	Drill Core																							
1831675	Drill Core																							
1831676	Drill Core																							
1831677	Drill Core																							
1831678	Drill Core																							
1831679	Drill Core																							
1831680	Rock																							
1831681	Drill Core																							
1831682	Drill Core																							
1831683	Drill Core																							
1831684	Drill Core																							
1831685	Drill Core																							
1831686	Drill Core																							
1831687	Drill Core																							
1831688	Drill Core																							
1831689	Drill Core																							
1831690	Drill Core																							



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000402.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1831661	Drill Core	<0.1	0.03	2.4	0.45	<0.1	0.05	0.03	11.2	0.3	<0.05	2.1	5.63	27.6	<0.02	<1	0.3	11.0	<10	<2			
1831662	Drill Core	<0.1	<0.02	2.7	0.43	<0.1	0.06	0.02	8.8	0.3	<0.05	1.9	4.65	33.7	<0.02	<1	0.2	10.8	<10	<2			
1831663	Drill Core	<0.1	<0.02	3.7	1.28	<0.1	0.10	0.03	19.8	0.3	<0.05	3.2	5.45	32.9	<0.02	<1	0.3	19.1	<10	<2			
1831664	Drill Core	<0.1	<0.02	2.9	0.94	<0.1	0.06	0.03	18.9	0.3	<0.05	1.9	4.66	39.5	<0.02	<1	0.3	14.1	<10	<2			
1831665	Drill Core	<0.1	0.04	1.7	0.50	<0.1	0.05	0.04	11.9	0.2	<0.05	2.0	3.81	39.0	<0.02	<1	0.3	6.8	<10	<2			
1831666	Drill Core	<0.1	<0.02	1.3	0.26	<0.1	0.05	0.03	9.9	0.2	<0.05	1.4	3.28	33.7	<0.02	<1	0.3	4.0	<10	<2			
1831667	Drill Core	<0.1	<0.02	2.6	1.39	<0.1	0.07	0.05	25.8	0.2	<0.05	2.2	3.76	35.6	<0.02	<1	0.4	11.7	<10	<2			
1831668	Drill Core	<0.1	<0.02	3.3	0.62	<0.1	0.06	0.02	11.9	0.4	<0.05	2.2	4.85	30.4	<0.02	2	0.3	14.9	<10	<2			
1831669	Drill Core	<0.1	<0.02	2.3	0.38	<0.1	0.03	0.03	11.7	0.3	<0.05	1.7	5.71	40.5	<0.02	<1	0.3	8.0	<10	<2			
1831670	Drill Core	<0.1	0.04	1.3	0.26	<0.1	0.04	0.03	13.1	0.3	<0.05	1.5	4.94	35.6	<0.02	<1	0.4	3.1	<10	<2			
1831671	Drill Core	<0.1	0.18	1.4	0.24	<0.1	0.03	0.05	13.2	0.3	<0.05	1.6	5.89	32.3	<0.02	<1	0.5	4.5	<10	<2			
1831672	Drill Core	<0.1	<0.02	2.0	0.30	<0.1	0.03	0.06	11.8	0.4	<0.05	1.4	5.33	44.4	<0.02	<1	0.5	5.4	<10	3			
1831673	Drill Core	<0.1	<0.02	2.4	0.34	<0.1	0.05	0.06	11.6	0.4	<0.05	1.3	5.34	43.9	<0.02	<1	0.5	6.0	<10	<2			
1831674	Drill Core	<0.1	<0.02	2.4	0.26	<0.1	0.04	0.03	10.9	0.4	<0.05	1.4	5.26	45.9	<0.02	<1	0.5	5.7	<10	<2			
1831675	Drill Core	<0.1	<0.02	2.6	0.26	<0.1	0.02	0.03	10.4	0.4	<0.05	1.4	4.93	38.0	<0.02	<1	0.4	8.3	<10	<2			
1831676	Drill Core	<0.1	<0.02	3.2	0.30	<0.1	0.07	<0.02	9.6	0.3	<0.05	2.1	3.79	32.6	<0.02	<1	0.4	12.0	<10	<2			
1831677	Drill Core	<0.1	<0.02	2.3	0.29	<0.1	0.07	<0.02	10.1	0.2	<0.05	2.3	4.31	37.0	<0.02	<1	0.4	7.8	<10	<2			
1831678	Drill Core	<0.1	<0.02	1.4	0.23	<0.1	0.07	<0.02	9.2	0.2	<0.05	2.3	4.00	22.9	<0.02	<1	0.2	5.2	<10	<2			
1831679	Drill Core	<0.1	0.14	1.5	0.24	<0.1	0.07	0.03	10.6	0.2	<0.05	2.2	3.24	34.2	<0.02	<1	0.3	5.3	<10	<2			
1831680	Rock	<0.1	<0.02	3.5	0.33	<0.1	0.08	0.11	23.1	0.6	<0.05	2.8	3.43	39.8	<0.02	<1	0.6	6.8	<10	<2			
1831681	Drill Core	<0.1	<0.02	2.0	0.26	<0.1	0.04	<0.02	9.2	0.3	<0.05	1.8	3.36	31.0	<0.02	<1	0.3	6.1	<10	<2			
1831682	Drill Core	<0.1	<0.02	2.4	0.33	<0.1	0.05	<0.02	11.6	0.3	<0.05	2.2	3.27	33.3	<0.02	2	0.4	6.3	<10	<2			
1831683	Drill Core	<0.1	<0.02	3.1	0.89	<0.1	0.08	0.06	23.9	0.3	<0.05	2.8	3.22	43.5	<0.02	<1	0.6	7.9	<10	<2			
1831684	Drill Core	<0.1	<0.02	2.9	0.77	<0.1	0.12	0.04	20.6	0.4	<0.05	4.0	3.46	31.8	<0.02	2	0.2	8.2	<10	<2			
1831685	Drill Core	<0.1	<0.02	3.2	1.03	<0.1	0.12	0.04	21.6	0.3	<0.05	3.9	4.06	28.4	<0.02	<1	0.2	10.9	<10	<2			
1831686	Drill Core	<0.1	0.03	3.3	1.02	<0.1	0.09	0.05	24.3	0.3	<0.05	3.6	4.40	36.0	<0.02	1	0.3	8.5	<10	<2			
1831687	Drill Core	<0.1	<0.02	2.9	1.08	<0.1	0.11	0.04	22.1	0.2	<0.05	3.1	3.80	39.0	<0.02	<1	0.4	9.5	<10	<2			
1831688	Drill Core	<0.1	0.13	1.3	0.29	<0.1	0.08	<0.02	9.7	0.2	<0.05	2.4	3.51	20.2	<0.02	<1	0.3	4.7	<10	<2			
1831689	Drill Core	<0.1	0.03	2.1	0.47	<0.1	0.07	0.04	11.3	0.2	<0.05	2.6	3.56	30.0	<0.02	2	0.3	6.4	<10	<2			
1831690	Drill Core	<0.1	<0.02	1.9	0.42	<0.1	0.09	0.04	11.0	0.2	<0.05	2.8	3.68	44.5	<0.02	<1	0.3	5.0	<10	<2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000402.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1831691	Drill Core	2.91	536	0.006	<0.01	<0.17	40.33	0.19	12.94	17.67	25.6	92	3.2	2.9	137	0.88	1.1	3.9	4.2	11.1	72.9
1831692	Drill Core	2.93	474	<0.005	<0.01	<0.17	26.94	0.34	11.18	22.61	27.5	91	2.5	2.9	155	0.94	1.2	3.5	3.4	12.4	90.6
1831693	Drill Core	1.58	490	0.564	0.78	3.14	40.70	0.22	3.84	7.92	23.2	489	2.5	3.2	248	1.13	0.9	2.5	289.9	9.1	188.9
1831694	Drill Core	2.99	436	0.185	0.25	1.01	36.72	0.61	21.92	13.33	34.2	264	4.0	3.9	235	1.35	2.6	2.7	175.1	10.0	97.4
1831695	Drill Core	3.25	525	<0.005	<0.01	<0.17	32.45	0.67	6.50	27.36	59.3	128	7.5	5.7	313	1.86	0.7	2.6	0.8	9.5	104.5
1831696	Drill Core	2.62	511	0.022	0.02	<0.17	28.93	0.56	1.63	17.66	73.3	101	7.4	6.3	297	1.73	1.0	2.5	16.6	8.6	91.0
1831697	Drill Core	3.06	434	<0.005	<0.01	<0.17	33.05	0.65	5.89	13.58	73.0	136	6.7	6.5	328	1.81	2.3	2.3	1.6	8.2	77.3
1831698	Drill Core	2.11	462	0.007	<0.01	<0.17	31.67	0.48	1.68	13.08	58.8	103	7.8	6.1	270	1.88	7.5	2.3	3.5	9.6	69.5
1831699	Drill Core	2.80	492	0.005	<0.01	<0.17	35.08	0.62	7.34	8.08	58.2	132	7.4	6.0	266	1.84	4.7	3.0	3.1	9.5	65.5
1831700	Rock Pulp	0.13	66	7.320				9.80	204.31	20.74	78.6	876	13.5	11.2	606	4.72	14.9	1.0	7385.8	3.3	78.1
1831701	Drill Core	3.17	505	0.036	0.03	<0.17	27.19	0.69	19.63	12.71	54.0	459	6.4	5.2	303	1.67	6.1	2.7	91.6	11.8	83.1
1831702	Drill Core	3.36	524	0.021	0.02	<0.17	42.15	0.96	16.17	13.38	61.6	227	47.7	14.3	586	2.46	8.3	1.1	16.2	9.3	63.1
1831703	Drill Core	2.79	433	0.011	<0.01	<0.17	36.29	0.53	18.19	20.75	24.6	216	4.2	3.3	310	1.08	10.0	1.0	6.9	11.8	27.2
1831704	Drill Core	2.17	438	0.015	0.01	<0.17	42.88	0.17	7.73	7.46	14.3	103	2.4	2.9	219	0.91	10.4	2.8	12.5	14.5	61.6
1831705	Drill Core	1.55	505	0.005	<0.01	<0.17	34.24	0.25	2.30	2.72	3.5	39	0.9	0.5	91	0.51	2.2	0.3	2.6	2.8	21.3
1831706	Drill Core	1.73	519	0.024	0.07	0.71	37.93	0.39	4.02	203.48	5.2	1516	1.4	1.4	122	0.70	2.8	2.4	16.5	5.2	26.9
1831707	Drill Core	2.98	412	0.113	0.11	<0.17	30.67	0.20	14.26	8.92	21.3	295	3.1	3.8	214	1.12	6.4	3.5	128.9	15.2	81.0
1831708	Drill Core	1.50	405	0.115	0.11	<0.17	31.24	0.17	6.14	24.29	14.3	316	1.3	1.3	156	0.65	0.4	4.0	283.1	18.8	81.4
1831709	Drill Core	2.98	488	0.016	0.01	<0.17	35.42	0.14	10.74	18.42	18.0	104	1.4	1.4	188	0.69	0.2	1.7	16.3	14.1	166.2
1831710	Drill Core	3.28	439	0.138	0.14	<0.17	47.91	0.35	11.96	30.91	19.7	301	2.5	3.3	278	1.00	0.5	2.8	129.0	13.3	247.7
1831711	Drill Core	1.62	502	0.565	0.57	0.59	32.08	0.15	3.15	5.68	16.3	202	1.3	1.9	145	0.79	1.0	4.4	630.4	14.4	98.7
1831712	Drill Core	3.17	416	0.126	0.14	0.41	26.67	0.26	6.32	21.28	29.5	217	2.7	1.9	195	1.08	0.6	2.5	112.4	14.0	156.8
1831713	Drill Core	3.30	504	0.008	<0.01	<0.17	34.73	0.29	6.90	25.29	42.1	208	3.4	3.2	259	1.42	0.7	2.5	4.7	13.6	162.5
1831714	Drill Core	3.37	518	0.024	0.02	<0.17	37.61	0.65	9.00	16.95	50.8	115	7.2	5.3	255	1.96	0.9	2.3	21.4	12.6	145.0
1831715	Drill Core	3.09	413	<0.005	<0.01	<0.17	29.32	0.78	9.04	15.41	56.6	75	8.3	5.9	297	2.09	1.0	2.5	0.9	12.5	142.0



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000402.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1831691 Drill Core	0.07	0.10	0.04	3	0.35	0.034	19.0	2.7	0.28	282.2	0.009	1	0.45	0.032	0.31	<0.1	1.5	0.07	0.16	<5
1831692 Drill Core	0.07	0.11	0.07	2	0.46	0.037	21.8	2.9	0.39	253.0	0.006	2	0.51	0.033	0.28	<0.1	1.6	0.06	0.09	<5
1831693 Drill Core	0.15	0.18	0.05	2	1.07	0.032	13.2	2.5	0.54	310.2	0.003	<1	0.49	0.020	0.23	<0.1	1.2	0.06	0.45	<5
1831694 Drill Core	0.17	0.22	0.07	4	0.82	0.043	14.2	3.6	0.71	255.6	0.005	<1	0.70	0.024	0.26	<0.1	1.4	0.07	0.25	8
1831695 Drill Core	0.15	0.14	0.18	10	0.86	0.056	15.6	6.4	1.17	138.2	0.027	<1	1.09	0.022	0.39	<0.1	2.5	0.18	0.04	<5
1831696 Drill Core	0.15	0.23	0.13	8	0.56	0.058	12.4	5.3	1.09	130.3	0.028	2	1.00	0.006	0.40	<0.1	2.1	0.18	0.04	<5
1831697 Drill Core	0.18	0.25	0.09	7	0.76	0.056	11.8	5.5	1.12	119.3	0.015	<1	0.99	0.009	0.32	<0.1	2.2	0.12	0.09	<5
1831698 Drill Core	0.13	0.19	0.08	8	0.71	0.047	12.7	5.8	1.25	109.2	0.028	2	1.05	0.006	0.40	<0.1	2.9	0.16	0.11	<5
1831699 Drill Core	0.11	0.21	0.06	9	0.68	0.062	14.6	6.1	1.19	132.8	0.032	2	1.11	0.007	0.49	<0.1	2.6	0.22	0.09	<5
1831700 Rock Pulp	0.19	5.48	0.62	116	0.97	0.064	8.2	19.1	0.87	126.1	0.138	5	1.91	0.214	0.27	4.1	4.4	0.07	<0.02	229
1831701 Drill Core	0.15	0.17	0.10	9	0.91	0.050	18.4	5.9	1.11	131.8	0.017	<1	1.02	0.009	0.35	<0.1	2.7	0.12	0.18	<5
1831702 Drill Core	0.12	0.16	0.12	18	1.21	0.047	12.6	52.3	2.07	95.8	0.004	<1	1.49	0.005	0.27	<0.1	4.9	0.08	0.30	<5
1831703 Drill Core	0.10	0.21	0.19	4	0.58	0.034	19.4	4.1	0.51	130.9	0.002	<1	0.49	0.033	0.24	<0.1	1.3	0.06	0.37	<5
1831704 Drill Core	0.06	0.27	0.08	4	0.93	0.043	24.5	3.8	0.39	207.4	0.003	3	0.57	0.039	0.39	<0.1	1.2	0.08	0.39	<5
1831705 Drill Core	<0.01	0.10	0.02	<1	0.27	0.016	4.2	3.6	0.06	47.3	<0.001	<1	0.08	0.013	0.07	<0.1	0.3	<0.02	0.14	<5
1831706 Drill Core	0.07	0.11	2.69	1	0.37	0.029	10.2	4.8	0.11	89.9	0.001	1	0.18	0.022	0.14	<0.1	0.5	0.03	0.27	<5
1831707 Drill Core	0.04	0.28	0.13	5	1.03	0.040	25.5	6.1	0.49	196.4	0.004	<1	0.61	0.035	0.35	<0.1	2.1	0.10	0.37	<5
1831708 Drill Core	0.06	0.09	0.25	3	0.64	0.054	39.4	3.0	0.25	1065.2	0.003	1	0.60	0.045	0.44	<0.1	1.3	0.08	0.06	<5
1831709 Drill Core	0.17	0.14	0.14	2	1.64	0.032	32.4	2.3	0.23	217.3	0.004	2	0.44	0.034	0.30	<0.1	1.1	0.05	0.04	<5
1831710 Drill Core	0.34	0.12	0.49	7	1.68	0.046	26.5	6.7	0.54	275.0	0.009	<1	0.61	0.045	0.33	<0.1	2.6	0.07	0.05	<5
1831711 Drill Core	0.09	0.14	0.06	2	0.66	0.037	23.1	2.3	0.23	205.0	0.005	<1	0.42	0.025	0.31	<0.1	1.2	0.06	0.27	<5
1831712 Drill Core	0.11	0.06	0.20	5	0.96	0.031	25.4	3.3	0.23	308.6	0.034	<1	0.56	0.062	0.42	0.1	1.7	0.11	0.11	<5
1831713 Drill Core	0.11	0.06	0.41	7	1.07	0.039	22.7	4.6	0.46	295.8	0.053	<1	0.72	0.036	0.49	0.1	2.3	0.17	0.06	<5
1831714 Drill Core	0.13	0.09	0.14	12	0.89	0.051	20.4	8.2	0.96	395.0	0.069	1	1.15	0.020	0.70	<0.1	4.5	0.24	0.03	<5
1831715 Drill Core	0.17	0.10	0.08	12	1.12	0.056	23.2	9.8	1.14	386.3	0.031	2	1.36	0.026	0.50	<0.1	5.0	0.15	0.03	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000402.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1831691	Drill Core	<0.1	<0.02	1.7	0.39	<0.1	0.05	0.05	11.2	0.3	<0.05	2.6	3.71	34.8	<0.02	1	0.3	4.5	<10
1831692	Drill Core	<0.1	<0.02	1.8	0.32	<0.1	0.06	0.03	10.0	0.3	<0.05	2.3	4.15	40.5	<0.02	<1	0.4	4.9	<10
1831693	Drill Core	<0.1	0.23	1.7	0.30	<0.1	0.06	<0.02	8.6	0.1	<0.05	2.2	4.18	26.3	<0.02	1	0.3	6.6	<10
1831694	Drill Core	<0.1	0.06	2.0	0.37	<0.1	0.09	0.02	8.3	0.5	<0.05	2.1	4.24	26.1	<0.02	<1	<0.1	8.8	<10
1831695	Drill Core	<0.1	0.02	3.7	1.33	<0.1	0.17	<0.02	17.1	0.2	<0.05	4.6	3.87	29.0	<0.02	<1	0.4	14.7	12
1831696	Drill Core	<0.1	<0.02	3.5	1.65	<0.1	0.14	<0.02	19.2	0.3	<0.05	3.9	4.42	25.0	<0.02	<1	<0.1	17.6	<10
1831697	Drill Core	<0.1	<0.02	3.0	0.86	<0.1	0.11	<0.02	13.1	0.4	<0.05	3.1	4.66	22.0	<0.02	<1	0.3	16.9	<10
1831698	Drill Core	<0.1	<0.02	3.2	1.31	<0.1	0.09	<0.02	17.7	0.2	<0.05	3.1	3.71	25.0	<0.02	<1	<0.1	19.6	<10
1831699	Drill Core	<0.1	<0.02	3.6	1.61	<0.1	0.14	<0.02	20.9	0.2	<0.05	4.0	3.84	28.1	<0.02	<1	0.7	13.8	12
1831700	Rock Pulp	<0.1	0.16	5.2	0.75	0.2	0.07	0.14	9.0	1.9	<0.05	1.4	5.72	17.0	0.06	<1	0.2	7.6	<10
1831701	Drill Core	<0.1	0.10	3.3	0.88	<0.1	0.13	<0.02	13.4	0.2	<0.05	3.7	5.12	34.6	<0.02	3	0.2	15.5	<10
1831702	Drill Core	<0.1	<0.02	5.1	0.34	<0.1	0.09	<0.02	8.2	0.2	<0.05	3.0	7.06	23.9	<0.02	1	0.3	23.9	<10
1831703	Drill Core	<0.1	<0.02	1.8	0.30	<0.1	0.11	<0.02	7.3	0.2	<0.05	3.2	5.12	36.2	<0.02	<1	<0.1	7.2	<10
1831704	Drill Core	<0.1	<0.02	1.9	0.35	<0.1	0.10	<0.02	11.1	0.4	<0.05	2.6	6.99	44.5	<0.02	<1	<0.1	5.2	<10
1831705	Drill Core	<0.1	<0.02	0.4	0.37	<0.1	0.03	<0.02	2.5	0.1	<0.05	1.0	1.22	8.2	<0.02	<1	<0.1	0.4	<10
1831706	Drill Core	0.3	0.09	0.7	0.26	<0.1	0.05	<0.02	4.7	0.5	<0.05	1.7	2.45	18.5	<0.02	2	<0.1	1.1	<10
1831707	Drill Core	<0.1	0.02	1.8	0.44	<0.1	0.14	<0.02	11.4	0.4	<0.05	3.7	5.95	46.7	<0.02	<1	<0.1	5.4	12
1831708	Drill Core	<0.1	0.05	1.9	0.30	<0.1	0.06	<0.02	12.7	0.4	<0.05	2.4	5.10	71.6	<0.02	<1	<0.1	3.6	<10
1831709	Drill Core	<0.1	0.03	1.3	0.30	<0.1	0.07	0.04	8.6	0.3	<0.05	2.6	5.21	58.0	<0.02	<1	0.3	2.7	<10
1831710	Drill Core	<0.1	0.02	1.8	0.40	<0.1	0.11	<0.02	10.8	0.4	<0.05	2.9	5.69	49.5	<0.02	1	0.5	5.9	<10
1831711	Drill Core	<0.1	<0.02	1.3	0.27	<0.1	0.11	0.04	9.7	0.3	<0.05	3.5	3.37	43.2	<0.02	<1	0.3	3.7	<10
1831712	Drill Core	<0.1	0.06	2.0	0.69	<0.1	0.09	0.22	16.7	0.6	<0.05	2.3	4.65	48.1	<0.02	<1	<0.1	4.3	<10
1831713	Drill Core	<0.1	<0.02	2.8	1.88	<0.1	0.11	0.12	20.8	0.5	<0.05	2.0	4.38	41.3	<0.02	<1	0.1	5.2	<10
1831714	Drill Core	<0.1	<0.02	3.8	2.16	<0.1	0.03	0.14	32.7	0.3	<0.05	1.9	4.51	39.2	0.02	1	0.2	12.6	<10
1831715	Drill Core	<0.1	<0.02	4.3	1.14	<0.1	0.04	0.06	20.2	0.2	<0.05	1.5	6.11	45.6	0.02	2	0.3	14.4	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000402.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251		
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr		
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm		
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																							
REP 1831666	QC								0.74	6.19	35.90	11.4	94	1.7	1.5	142	0.52	0.2	3.6	7.4	11.8	78.8	
1831681	Drill Core	3.04	478	0.007	<0.01	<0.17	39.93	0.43	13.93	32.66	32.1	193	3.2	3.3	163	1.06	4.3	2.6	5.5	9.5	33.0		
REP 1831681	QC								0.005														
1831699	Drill Core	2.80	492	0.005	<0.01	<0.17	35.08	0.62	7.34	8.08	58.2	132	7.4	6.0	266	1.84	4.7	3.0	3.1	9.5	65.5		
REP 1831699	QC								0.006	0.62	7.46	7.95	58.0	142	8.0	6.2	279	1.86	4.9	3.1	1.5	9.7	65.7
Core Reject Duplicates																							
1831666	Drill Core	2.94	462	0.005	<0.01	<0.17	30.06	0.65	6.00	33.30	11.6	88	1.7	1.4	136	0.51	0.5	3.4	<0.2	10.9	76.1		
DUP 1831666	QC	388		0.008	<0.01	<0.17	42.48	0.75	6.24	32.43	12.9	87	1.7	1.7	145	0.57	0.3	3.7	5.4	11.7	83.4		
Reference Materials																							
STD BVGEO01	Standard								10.74	4295.72	185.29	1676.6	2568	171.8	25.0	692	3.68	115.2	3.8	218.4	16.7	58.2	
STD DS11	Standard								14.87	146.68	130.72	338.1	1740	78.7	13.8	989	3.13	43.5	2.5	76.4	7.8	64.7	
STD OREAS262	Standard								0.66	114.62	53.23	144.7	438	62.4	26.0	503	3.16	34.3	1.1	68.0	8.7	32.8	
STD OREAS262	Standard								0.68	117.75	56.70	145.5	454	66.6	28.3	528	3.25	35.5	1.2	59.2	10.2	35.2	
STD OXC152	Standard	0.216																					
STD OXH139	Standard	1.296																					
STD OXN134	Standard	7.594																					
STD OXQ90	Standard						25.16	30.49															
STD OXQ90	Standard						25.03	30.20															
STD OXQ90	Standard						25.27	30.16															
STD OXQ90	Standard						24.75	30.34															
STD DS11 Expected									14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	
STD BVGEO01 Expected									11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55	
STD OREAS262 Expected									0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	
STD OXQ90 Expected		24.88																					
BLK	Blank								<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5	
BLK	Blank								<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	0.1	<0.5	
BLK	Blank	<0.005																					
BLK	Blank	<0.005																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000402.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
REP 1831666	QC	0.09	0.08	0.13	1	0.35	0.038	19.1	2.1	0.24	509.0	0.004	2	0.34	0.012	0.28	<0.1	1.0	0.12	0.02	<5
1831681	Drill Core	0.12	0.12	0.23	2	0.20	0.032	17.5	3.0	0.39	362.6	0.003	1	0.49	0.029	0.24	<0.1	1.0	0.06	0.19	<5
REP 1831681	QC																				
1831699	Drill Core	0.11	0.21	0.06	9	0.68	0.062	14.6	6.1	1.19	132.8	0.032	2	1.11	0.007	0.49	<0.1	2.6	0.22	0.09	<5
REP 1831699	QC	0.12	0.24	0.06	9	0.69	0.060	15.3	6.2	1.20	133.1	0.034	<1	1.15	0.007	0.50	<0.1	2.8	0.21	0.09	<5
Core Reject Duplicates																					
1831666	Drill Core	0.09	0.06	0.11	2	0.36	0.037	18.5	2.0	0.24	520.6	0.004	1	0.34	0.013	0.28	<0.1	1.2	0.10	0.02	<5
DUP 1831666	QC	0.08	0.07	0.11	1	0.37	0.036	20.6	2.2	0.25	522.6	0.004	2	0.37	0.014	0.30	<0.1	1.1	0.10	0.04	6
Reference Materials																					
STD BVGE001	Standard	6.24	3.31	26.21	74	1.30	0.070	26.9	197.6	1.30	274.5	0.241	3	2.35	0.194	0.92	4.8	6.0	0.65	0.67	91
STD DS11	Standard	2.48	8.81	11.20	48	1.05	0.069	17.2	58.4	0.82	366.8	0.094	8	1.15	0.070	0.39	3.1	3.2	4.76	0.27	257
STD OREAS262	Standard	0.64	5.59	0.95	22	2.87	0.038	13.9	40.0	1.14	236.9	0.003	4	1.31	0.065	0.29	0.2	3.3	0.45	0.25	162
STD OREAS262	Standard	0.63	4.79	1.07	23	2.93	0.038	17.6	47.3	1.20	260.5	0.003	4	1.42	0.069	0.32	0.2	3.3	0.47	0.27	168
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	7
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000402.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
REP 1831666	QC	<0.1	<0.02	1.2	0.28	<0.1	0.04	0.04	10.2	0.2	<0.05	1.4	3.43	35.3	<0.02	<1	0.4	3.6	<10	<2
1831681	Drill Core	<0.1	<0.02	2.0	0.26	<0.1	0.04	<0.02	9.2	0.3	<0.05	1.8	3.36	31.0	<0.02	<1	0.3	6.1	<10	<2
REP 1831681	QC																			
1831699	Drill Core	<0.1	<0.02	3.6	1.61	<0.1	0.14	<0.02	20.9	0.2	<0.05	4.0	3.84	28.1	<0.02	<1	0.7	13.8	12	<2
REP 1831699	QC	<0.1	<0.02	3.6	1.59	<0.1	0.15	<0.02	21.2	0.2	<0.05	4.2	3.84	29.6	<0.02	2	0.2	14.7	11	<2
Core Reject Duplicates																				
1831666	Drill Core	<0.1	<0.02	1.3	0.26	<0.1	0.05	0.03	9.9	0.2	<0.05	1.4	3.28	33.7	<0.02	<1	0.3	4.0	<10	<2
DUP 1831666	QC	<0.1	<0.02	1.4	0.25	<0.1	0.05	0.03	10.5	0.2	<0.05	1.6	3.55	37.6	<0.02	<1	0.3	4.3	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.7	1.00	7.7	7.32	0.1	0.32	0.28	92.6	5.9	<0.05	7.2	14.95	54.4	0.48	5	1.0	19.4	137	180
STD DS11	Standard	2.2	4.75	5.1	2.94	0.2	0.07	1.50	33.3	1.9	<0.05	2.7	7.65	35.4	0.23	46	0.6	23.2	105	167
STD OREAS262	Standard	0.2	0.25	3.8	2.89	<0.1	0.24	<0.02	17.7	0.6	<0.05	9.7	9.81	28.3	0.03	<1	1.1	16.1	<10	<2
STD OREAS262	Standard	0.4	0.22	4.2	2.77	<0.1	0.23	<0.02	19.1	0.6	<0.05	12.0	11.24	35.6	0.04	<1	1.4	18.7	<10	<2
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000402.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		365	<0.005	<0.01	<0.17	45.90	1.06	2.77	1.35	31.0	11	0.9	3.5	478	1.78	1.2	0.5	<0.2	2.2	26.0
ROCK-WHI	Prep Blank		364	<0.005	<0.01	<0.17	33.41	1.10	2.68	1.24	30.9	11	0.9	3.5	467	1.76	1.3	0.4	0.6	2.1	25.4



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000402.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.04	0.07	<0.02	22	0.64	0.041	6.0	2.2	0.43	65.6	0.084	2	0.89	0.095	0.10	0.1	4.1	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	0.07	<0.02	22	0.68	0.039	5.9	2.2	0.43	59.8	0.078	2	0.90	0.094	0.10	<0.1	3.3	<0.02	0.03	5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000402.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.18	<0.1	0.32	0.28	2.5	0.4	<0.05	4.0	8.42	12.1	<0.02	1	0.3	1.8	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.19	<0.1	0.14	0.26	2.5	0.3	<0.05	2.8	8.37	11.9	<0.02	<1	<0.1	2.1	<10