



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 21, 2019
Report Date: September 09, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000416.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-46
P.O. Number
Number of Samples: 84

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	80	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	84	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	84	Analysis sample split/packet			WHI
Split -150	84	Analysis sample split/packet			WHI
EN002	84	Environmental disposal charge-Fire assay lead waste			VAN
FS631	81	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	84	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	84	Per sample shipping charges for branch shipments			VAN
FA530	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000416.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2023581	Drill Core				3.28	512	0.009	<0.01	<0.17	40.85	0.15	3.31	11.25	13.1	105	1.9	0.8	37	0.33	3.3	2.8	2.3	13.2	18.5
2023582	Drill Core				3.04	482	0.008	<0.01	<0.17	36.43	0.18	1.66	15.97	7.1	152	0.7	0.5	35	0.32	4.4	1.8	0.5	12.9	31.0
2023583	Drill Core				2.38	474	0.010	<0.01	<0.17	38.93	0.74	2.96	15.40	19.3	147	2.0	1.4	95	0.31	1.6	3.5	6.7	13.9	17.7
2023584	Drill Core				2.27	481	0.006	<0.01	<0.17	36.03	1.15	6.42	18.67	14.5	155	3.6	3.4	204	0.81	1.9	2.6	1.4	11.6	27.2
2023585	Drill Core				3.25	462	0.007	<0.01	<0.17	36.87	2.75	6.57	16.65	6.2	188	1.0	0.8	41	0.75	1.6	1.6	1.3	11.1	26.5
2023586	Drill Core				3.56	509	0.005	<0.01	<0.17	33.87	0.58	9.65	14.58	11.9	148	0.8	0.5	125	0.34	1.4	2.4	<0.2	14.0	45.7
2023587	Drill Core				3.74	521	0.007	<0.01	<0.17	37.82	0.50	8.48	15.19	36.0	155	2.1	1.5	271	0.58	11.5	2.1	<0.2	12.3	42.4
2023588	Drill Core				3.27	498	0.010	<0.01	<0.17	41.03	0.18	1.89	10.91	10.1	108	0.6	0.4	55	0.31	11.9	2.1	0.6	13.7	7.3
2023589	Drill Core				2.77	513	0.007	<0.01	<0.17	35.94	0.21	0.86	18.83	9.4	128	1.0	0.3	34	0.27	4.5	1.5	<0.2	13.6	16.0
2023590	Drill Core				3.03	432	0.144	0.13	<0.17	42.36	0.28	0.56	17.95	6.7	101	0.5	0.3	59	0.28	1.1	1.8	0.7	15.3	29.5
2023591	Drill Core				2.54	483	<0.005	<0.01	<0.17	37.75	0.23	0.71	21.89	5.7	118	0.2	<0.1	45	0.25	0.9	1.7	<0.2	16.5	46.8
2023592	Drill Core				2.86	438	<0.005	<0.01	<0.17	37.58	0.27	0.59	16.98	4.3	103	0.5	0.1	39	0.23	0.8	1.1	<0.2	15.3	18.3
2023593	Drill Core				2.75	509	<0.005	<0.01	<0.17	37.95	0.22	1.17	18.63	6.9	104	0.4	0.2	52	0.26	1.3	1.4	<0.2	15.7	18.3
2023594	Drill Core				2.61	509	<0.005	<0.01	<0.17	38.47	0.21	0.79	19.74	8.6	104	0.3	0.2	80	0.26	1.6	2.0	<0.2	16.5	22.4
2023595	Drill Core				2.99	511	<0.005	<0.01	<0.17	39.10	0.37	0.43	20.07	8.4	104	0.3	0.2	90	0.28	1.6	2.3	<0.2	16.1	21.7
2023596	Drill Core				3.03	509	0.006	<0.01	<0.17	35.96	0.18	0.85	17.09	6.0	106	0.3	0.2	64	0.27	2.5	1.2	<0.2	15.6	9.3
2023597	Drill Core				2.89	388	0.005	<0.01	<0.17	34.44	0.21	0.75	13.52	5.9	120	0.3	0.1	49	0.28	1.2	1.0	<0.2	15.5	19.5
2023598	Drill Core				3.75	430	0.005	<0.01	<0.17	38.94	0.09	1.31	18.96	7.7	121	0.2	0.2	43	0.21	1.7	1.9	<0.2	16.3	33.3
2023599	Drill Core				2.37	470	0.006	<0.01	<0.17	37.68	0.19	2.04	51.58	8.4	241	0.6	0.3	86	0.32	1.7	1.7	<0.2	15.1	30.6
2023600	Rock Pulp				0.13	69	7.608				8.84	186.92	18.46	74.6	944	12.3	10.2	549	4.31	12.9	0.9	8782.4	3.5	65.8
2023601	Drill Core				4.19	389	0.030	0.03	<0.17	28.80	0.83	55.44	131.26	39.2	3044	2.1	1.2	74	0.46	4.5	3.7	41.4	14.0	42.4
2023602	Drill Core				2.86	453	0.006	<0.01	<0.17	34.46	1.73	24.34	23.92	25.1	283	1.0	0.4	242	0.48	0.9	2.2	3.3	15.2	91.2
2023603	Drill Core				2.96	399	0.010	<0.01	<0.17	42.32	0.81	14.20	26.47	44.0	361	6.3	2.2	396	0.76	2.1	1.2	3.8	8.4	83.7
2023604	Drill Core				1.66	462	0.005	<0.01	<0.17	33.49	1.77	4.55	28.00	7.3	205	1.1	1.0	47	0.86	1.4	2.1	1.0	10.8	21.8
2023605	Drill Core				1.72	470	0.006	<0.01	<0.17	39.13	0.51	13.14	49.88	19.7	262	2.7	1.9	104	0.63	0.8	5.0	3.2	12.9	23.0
2023606	Drill Core				1.63	476	0.008	<0.01	<0.17	37.58	0.35	10.48	13.14	18.1	209	0.7	0.4	135	0.44	0.6	2.3	7.7	13.2	53.5
2023607	Drill Core				1.70	527	0.010	<0.01	<0.17	39.38	2.53	5.07	91.61	14.2	183	0.5	0.2	32	0.45	0.7	1.9	3.0	8.7	38.7
2023608	Drill Core				1.52	429	0.007	<0.01	<0.17	30.30	3.09	9.49	230.06	49.3	658	2.7	0.9	239	0.58	1.1	1.8	<0.2	12.6	61.1
2023609	Drill Core				3.34	434	0.005	<0.01	<0.17	36.17	0.16	6.19	4.78	20.5	105	0.5	0.4	142	0.38	0.4	2.5	0.6	14.7	54.2
2023610	Drill Core				3.20	469	0.005	<0.01	<0.17	34.69	0.60	12.10	14.40	17.6	154	1.1	0.9	138	0.55	1.1	1.8	<0.2	12.2	31.9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000416.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023581	Drill Core	0.03	0.10	0.13	<1	0.03	0.002	20.6	1.4	0.11	641.3	<0.001	<1	0.32	0.019	0.21	<0.1	0.4	0.04	<5
2023582	Drill Core	<0.01	0.10	0.20	<1	<0.01	0.001	10.8	1.1	0.06	1137.1	<0.001	1	0.27	0.024	0.21	<0.1	0.4	0.04	<5
2023583	Drill Core	0.27	0.08	0.10	<1	0.05	0.002	23.8	0.9	0.09	588.8	<0.001	<1	0.32	0.021	0.22	0.1	0.4	0.04	<5
2023584	Drill Core	0.14	0.20	0.11	1	0.39	0.024	10.9	2.3	0.20	290.3	0.001	2	0.33	0.027	0.23	0.1	0.7	0.05	7
2023585	Drill Core	0.03	0.24	0.12	<1	0.20	0.021	11.1	2.1	0.04	375.1	0.001	1	0.25	0.028	0.23	<0.1	0.5	0.06	<5
2023586	Drill Core	0.17	0.23	0.08	<1	0.23	0.002	16.1	0.9	0.19	1199.6	<0.001	<1	0.29	0.014	0.21	0.2	0.4	0.04	7
2023587	Drill Core	0.28	0.24	0.11	<1	0.29	0.003	12.4	2.5	0.44	971.8	<0.001	<1	0.37	0.014	0.19	0.3	0.8	0.04	<5
2023588	Drill Core	0.10	0.23	0.10	<1	0.04	0.001	16.3	1.2	0.09	255.3	<0.001	<1	0.25	0.015	0.20	0.1	0.4	0.05	<5
2023589	Drill Core	0.10	0.06	0.15	<1	<0.01	0.002	30.0	1.7	0.06	770.3	<0.001	<1	0.28	0.031	0.24	0.2	0.5	0.05	<5
2023590	Drill Core	0.09	0.04	0.13	<1	0.08	0.002	32.1	1.0	0.07	1099.7	<0.001	<1	0.29	0.038	0.25	<0.1	0.5	0.07	<5
2023591	Drill Core	0.03	0.05	0.16	<1	0.04	0.001	36.9	1.0	0.06	1964.6	<0.001	<1	0.27	0.041	0.24	<0.1	0.5	0.07	<5
2023592	Drill Core	0.02	0.05	0.13	<1	0.05	0.001	36.8	1.3	0.06	812.4	<0.001	1	0.26	0.042	0.23	<0.1	0.5	0.06	<5
2023593	Drill Core	0.04	0.07	0.13	<1	0.07	0.002	35.2	0.9	0.07	755.1	<0.001	<1	0.26	0.037	0.24	<0.1	0.5	0.06	<5
2023594	Drill Core	0.06	0.07	0.14	<1	0.11	0.002	37.0	0.7	0.09	748.4	<0.001	<1	0.26	0.031	0.23	<0.1	0.5	0.05	7
2023595	Drill Core	0.05	0.04	0.13	<1	0.13	0.001	36.7	0.7	0.12	602.3	<0.001	<1	0.32	0.037	0.27	<0.1	0.5	0.06	<5
2023596	Drill Core	0.09	0.07	0.12	<1	0.10	0.001	37.9	0.7	0.09	249.9	<0.001	<1	0.27	0.036	0.24	<0.1	0.4	0.05	<5
2023597	Drill Core	0.09	0.05	0.10	<1	0.04	0.001	38.3	1.0	0.06	826.6	<0.001	<1	0.28	0.046	0.26	<0.1	0.6	0.05	<5
2023598	Drill Core	0.07	0.06	0.14	<1	0.05	0.001	37.0	<0.5	0.08	1122.1	<0.001	<1	0.34	0.045	0.28	<0.1	0.5	0.06	<5
2023599	Drill Core	0.06	0.09	0.34	<1	0.08	0.001	34.2	1.0	0.09	910.6	<0.001	<1	0.30	0.036	0.24	0.2	0.4	0.05	<5
2023600	Rock Pulp	0.16	4.55	0.55	97	0.82	0.065	7.2	15.8	0.79	115.0	0.098	2	1.61	0.166	0.22	3.2	3.2	0.07	221
2023601	Drill Core	0.39	4.94	0.57	<1	0.11	0.002	19.1	0.7	0.22	893.2	<0.001	<1	0.35	0.018	0.20	1.0	0.5	0.05	16
2023602	Drill Core	0.17	0.59	0.15	<1	0.58	0.003	23.1	1.2	0.43	1339.6	0.001	<1	0.39	0.018	0.20	0.2	0.7	0.04	16
2023603	Drill Core	0.35	1.53	0.12	2	0.88	0.011	6.4	6.3	0.62	660.0	0.001	<1	0.38	0.015	0.17	<0.1	1.8	0.05	25
2023604	Drill Core	0.02	0.15	0.09	2	0.11	0.027	14.7	2.9	0.06	213.0	0.002	<1	0.30	0.033	0.29	<0.1	0.5	0.08	9
2023605	Drill Core	0.14	0.47	0.27	1	0.25	0.016	10.5	1.6	0.18	398.9	0.001	<1	0.34	0.027	0.21	<0.1	0.5	0.05	5
2023606	Drill Core	0.16	1.01	0.08	<1	0.28	0.001	7.5	1.4	0.19	1017.4	<0.001	<1	0.24	0.013	0.16	0.1	0.4	0.05	11
2023607	Drill Core	0.42	0.29	0.16	<1	0.03	<0.001	12.2	1.0	0.06	982.7	<0.001	<1	0.27	0.024	0.22	0.2	0.4	0.05	9
2023608	Drill Core	0.86	1.24	0.87	<1	0.59	0.003	10.6	1.9	0.39	898.7	0.001	<1	0.35	0.009	0.21	0.2	0.7	0.05	19
2023609	Drill Core	0.08	0.21	0.04	<1	0.29	0.001	16.7	0.9	0.24	1006.5	0.001	<1	0.28	0.010	0.18	0.2	0.4	0.04	<5
2023610	Drill Core	0.10	0.33	0.10	<1	0.22	0.008	14.1	1.7	0.25	481.7	<0.001	<1	0.33	0.024	0.22	<0.1	0.7	0.05	9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000416.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Ag
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	20
2023581	Drill Core	<0.1	<0.02	0.9	0.15	<0.1	0.59	0.15	7.5	0.2	<0.05	15.8	3.85	40.7	<0.02	<1	0.1	3.3	<10	<2
2023582	Drill Core	<0.1	<0.02	0.8	0.13	<0.1	0.67	0.17	7.9	0.2	<0.05	17.8	2.71	22.0	<0.02	<1	0.2	1.8	<10	<2
2023583	Drill Core	<0.1	0.03	0.8	0.15	<0.1	0.70	0.17	7.1	0.2	<0.05	18.8	7.30	47.8	<0.02	<1	0.3	2.1	<10	<2
2023584	Drill Core	<0.1	<0.02	1.1	0.23	<0.1	0.44	0.05	7.9	0.2	<0.05	11.1	5.11	21.7	<0.02	<1	<0.1	2.3	<10	<2
2023585	Drill Core	<0.1	0.03	0.8	0.12	<0.1	0.27	0.02	7.5	0.2	<0.05	8.3	1.85	20.9	<0.02	<1	<0.1	1.0	<10	<2
2023586	Drill Core	<0.1	<0.02	0.7	0.09	<0.1	0.57	0.21	6.3	0.2	<0.05	15.7	6.61	33.4	<0.02	<1	0.3	2.2	<10	<2
2023587	Drill Core	<0.1	<0.02	1.0	0.17	<0.1	0.72	0.11	6.6	0.2	<0.05	21.6	5.53	24.6	<0.02	<1	0.1	5.1	<10	<2
2023588	Drill Core	<0.1	<0.02	0.7	0.21	<0.1	0.72	0.14	6.8	0.2	<0.05	18.7	4.47	31.9	<0.02	<1	<0.1	1.9	18	<2
2023589	Drill Core	<0.1	<0.02	0.9	0.13	<0.1	0.46	0.09	8.3	0.2	<0.05	13.5	4.26	57.8	<0.02	<1	0.1	1.2	<10	<2
2023590	Drill Core	<0.1	<0.02	0.9	0.10	<0.1	0.43	0.10	8.6	0.2	<0.05	11.9	5.41	62.3	<0.02	<1	<0.1	1.2	<10	3
2023591	Drill Core	<0.1	<0.02	1.0	0.10	<0.1	0.35	0.10	9.0	0.2	<0.05	10.6	6.42	70.7	<0.02	<1	0.2	1.1	<10	<2
2023592	Drill Core	<0.1	<0.02	0.8	0.08	<0.1	0.31	0.09	8.1	0.2	<0.05	9.0	6.09	68.3	<0.02	2	0.2	0.8	<10	3
2023593	Drill Core	<0.1	<0.02	1.0	0.10	<0.1	0.33	0.10	8.7	0.2	<0.05	10.0	6.09	66.9	<0.02	<1	<0.1	1.1	11	<2
2023594	Drill Core	<0.1	<0.02	0.9	0.13	<0.1	0.39	0.11	8.9	0.2	<0.05	11.0	7.12	70.9	<0.02	<1	<0.1	1.2	<10	<2
2023595	Drill Core	<0.1	<0.02	0.9	0.16	<0.1	0.38	0.10	9.9	0.2	<0.05	11.9	7.47	70.3	<0.02	<1	<0.1	2.0	<10	<2
2023596	Drill Core	<0.1	<0.02	0.8	0.16	<0.1	0.38	0.10	8.6	0.3	<0.05	10.3	7.41	68.9	<0.02	<1	0.2	1.3	<10	<2
2023597	Drill Core	<0.1	<0.02	1.1	0.09	<0.1	0.26	0.10	9.4	0.2	<0.05	8.8	6.07	71.8	<0.02	<1	0.3	0.9	<10	<2
2023598	Drill Core	<0.1	<0.02	1.2	0.14	<0.1	0.36	0.09	10.6	0.2	<0.05	10.6	6.75	69.8	<0.02	<1	0.1	1.8	<10	<2
2023599	Drill Core	<0.1	<0.02	1.0	0.15	<0.1	0.41	0.08	8.3	0.2	<0.05	12.5	6.52	65.4	<0.02	<1	0.3	2.0	<10	<2
2023600	Rock Pulp	<0.1	0.17	4.6	0.70	0.1	0.08	0.10	7.8	1.8	<0.05	1.6	4.96	14.8	0.03	<1	<0.1	6.7	<10	<2
2023601	Drill Core	0.2	0.06	1.0	0.35	<0.1	0.56	0.22	7.9	0.2	<0.05	14.1	6.92	37.1	<0.02	1	0.4	5.4	<10	<2
2023602	Drill Core	<0.1	<0.02	1.2	0.29	<0.1	0.38	0.16	7.1	0.2	<0.05	10.5	7.59	44.8	<0.02	1	0.1	5.7	<10	<2
2023603	Drill Core	<0.1	0.03	1.1	0.22	<0.1	0.25	0.03	6.5	0.2	<0.05	6.5	3.98	12.3	<0.02	<1	0.3	7.2	<10	<2
2023604	Drill Core	<0.1	0.03	0.9	0.17	<0.1	0.11	<0.02	10.0	0.2	<0.05	3.4	2.67	27.2	<0.02	<1	0.1	1.5	<10	<2
2023605	Drill Core	<0.1	<0.02	1.2	0.12	<0.1	0.32	0.04	7.2	0.2	<0.05	7.9	4.63	20.0	<0.02	<1	<0.1	3.2	<10	<2
2023606	Drill Core	<0.1	<0.02	0.7	0.11	<0.1	0.37	0.17	5.8	0.1	<0.05	9.5	4.19	14.9	<0.02	1	0.3	2.7	<10	<2
2023607	Drill Core	<0.1	<0.02	0.8	0.09	<0.1	0.42	0.20	7.0	0.2	<0.05	10.1	2.52	24.1	<0.02	<1	0.2	1.4	<10	<2
2023608	Drill Core	<0.1	0.02	0.9	0.20	<0.1	0.31	0.13	7.5	0.2	<0.05	8.2	4.44	19.1	<0.02	<1	<0.1	4.5	13	<2
2023609	Drill Core	<0.1	<0.02	0.9	0.12	<0.1	0.46	0.25	6.7	0.2	<0.05	10.9	6.84	32.6	<0.02	<1	0.1	3.7	27	<2
2023610	Drill Core	<0.1	<0.02	0.9	0.18	<0.1	0.40	0.04	7.5	0.2	<0.05	9.9	4.59	27.6	<0.02	<1	0.1	3.9	<10	2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000416.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2023611	Drill Core	2.25	461	<0.005	<0.01	<0.17	36.98	0.64	17.29	17.89	17.7	176	0.9	0.5	149	0.42	1.4	1.7	1.3	15.0	32.3
2023612	Drill Core	2.81	456	0.005	<0.01	<0.17	27.24	0.16	9.67	36.45	6.7	175	0.3	0.2	69	0.31	1.5	1.7	3.8	14.5	14.5
2023613	Drill Core	3.47	486	0.006	<0.01	<0.17	38.46	0.45	15.49	37.95	9.7	201	0.3	0.2	74	0.30	5.7	1.5	4.1	16.3	16.5
2023614	Drill Core	3.36	476	0.010	<0.01	<0.17	36.79	0.34	7.54	34.45	17.1	184	0.5	0.3	55	0.34	7.3	2.4	4.9	15.5	18.1
2023615	Drill Core	3.38	522	0.020	0.02	<0.17	35.08	0.43	2.88	19.21	12.0	158	0.6	0.3	52	0.36	10.9	3.3	13.3	16.0	5.1
2023616	Drill Core	2.57	452	0.011	<0.01	<0.17	40.05	0.99	3.32	17.55	35.4	268	14.6	3.5	165	0.85	18.8	4.5	7.4	17.4	35.9
2023617	Drill Core	2.16	472	0.015	0.01	<0.17	35.68	0.32	8.16	22.66	30.2	377	3.5	2.9	211	0.93	21.5	3.3	12.3	17.1	158.9
2023618	Drill Core	1.78	382	<0.005	<0.01	<0.17	36.16	1.14	4.95	21.57	23.4	230	2.7	2.7	188	0.80	1.1	3.3	1.8	15.0	117.9
2023619	Drill Core	3.40	378	<0.005	<0.01	<0.17	34.38	0.37	8.77	26.27	40.8	192	3.9	3.2	206	1.03	0.8	4.0	0.8	17.0	82.5
2023620	Rock Pulp	0.13	73	0.521				2.25	426.68	18.69	48.4	266	575.2	25.6	433	2.40	18.3	0.6	382.4	2.1	50.8
2023621	Drill Core	3.38	467	0.048	0.04	<0.17	39.96	0.29	20.55	77.73	28.8	1176	3.4	3.6	244	0.98	10.0	4.1	53.1	15.7	99.3
2023622	Drill Core	3.52	400	0.061	0.06	<0.17	43.97	0.17	4.34	17.82	15.5	251	2.1	2.6	213	0.67	1.2	2.0	53.8	14.8	80.0
2023623	Drill Core	3.19	418	<0.005	<0.01	<0.17	41.17	0.11	4.11	22.79	24.2	107	2.5	2.0	126	0.69	0.6	2.0	1.2	15.1	47.1
2023624	Drill Core	3.67	408	<0.005	<0.01	<0.17	43.81	0.23	6.90	17.69	32.7	113	3.1	2.6	151	0.80	1.4	3.0	2.1	14.6	36.9
2023625	Drill Core	3.45	527	<0.005	<0.01	<0.17	36.43	0.33	5.19	21.32	29.6	69	3.5	2.5	140	0.90	0.4	2.5	1.2	13.8	48.6
2023626	Drill Core	3.38	378	<0.005	<0.01	<0.17	32.72	0.35	3.06	24.11	42.5	58	3.7	3.4	179	1.29	0.7	2.5	1.4	13.5	90.5
2023627	Drill Core	3.61	416	0.129	0.13	<0.17	28.29	0.31	9.94	20.40	40.6	237	3.5	2.9	190	1.11	1.1	3.2	292.4	14.3	58.6
2023628	Drill Core	3.30	517	0.037	0.04	<0.17	27.07	0.27	7.31	21.47	31.1	140	2.4	2.6	163	0.97	5.2	3.7	31.6	13.8	90.4
2023629	Drill Core	3.49	382	<0.005	<0.01	<0.17	28.30	0.31	7.47	23.53	33.9	146	2.9	2.8	152	1.12	1.3	4.3	1.0	12.9	46.5
2023630	Drill Core	3.17	487	0.101	0.10	<0.17	29.04	0.29	10.50	15.80	25.6	197	2.6	2.7	160	0.82	7.3	3.8	47.7	13.3	64.3
2023631	Drill Core	3.23	423	0.017	0.02	<0.17	31.57	0.15	5.79	15.67	18.6	110	2.0	2.2	115	0.69	3.3	3.0	22.4	12.6	71.0
2023632	Drill Core	3.48	460	0.317	0.40	1.26	40.33	0.23	3.86	24.02	22.2	155	1.9	2.2	125	0.77	0.9	3.8	347.1	12.1	66.7
2023633	Drill Core	3.26	493	0.017	0.02	<0.17	26.89	0.20	9.96	18.62	28.1	101	2.8	3.6	159	0.86	1.4	3.0	27.2	12.8	67.8
2023634	Drill Core	3.13	491	0.066	0.28	3.07	35.51	0.59	12.70	20.86	43.1	315	4.9	3.8	237	1.31	6.4	2.9	460.0	11.9	81.1
2023635	Drill Core	3.14	459	<0.005	<0.01	<0.17	39.72	1.36	19.54	16.98	44.7	150	7.0	5.1	260	1.54	1.4	1.7	2.8	9.6	107.2
2023636	Drill Core	3.29	519	0.014	0.01	<0.17	39.98	0.66	8.62	22.33	46.2	96	7.3	4.8	249	1.55	0.8	2.7	35.4	9.8	111.8
2023637	Drill Core	1.53	501	0.135	0.17	0.70	34.07	0.14	11.62	15.74	21.3	103	2.8	3.4	202	1.00	7.5	2.6	56.2	11.1	83.8
2023638	Drill Core	1.59	500	0.028	0.03	<0.17	39.35	0.24	2.51	28.57	20.9	97	1.6	1.6	208	0.70	1.2	2.8	19.7	10.7	88.2
2023639	Drill Core	2.98	451	0.025	0.02	<0.17	30.57	0.19	6.27	16.15	20.6	163	1.4	1.7	158	0.79	6.3	2.9	25.8	11.5	66.7
2023640	Rock Pulp	0.12	78	<0.005				3.72	19.94	0.89	32.0	22	6.7	3.9	562	2.32	1.5	0.4	0.8	2.4	28.9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 09, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000416.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023611	Drill Core	0.19	0.24	0.09	<1	0.23	0.002	23.9	1.1	0.26	477.2	<0.001	<1	0.27	0.016	0.19	0.1	0.5	0.05	0.16	12
2023612	Drill Core	0.08	0.13	0.22	<1	0.06	0.001	27.7	0.9	0.11	441.8	<0.001	2	0.26	0.025	0.22	<0.1	0.5	0.06	0.10	<5
2023613	Drill Core	0.23	0.11	0.24	<1	0.09	0.001	33.6	0.7	0.13	378.0	<0.001	2	0.25	0.024	0.22	<0.1	0.4	0.06	0.11	<5
2023614	Drill Core	0.16	0.15	0.22	<1	0.08	0.003	36.4	1.4	0.09	573.4	<0.001	1	0.21	0.017	0.20	<0.1	0.4	0.05	0.11	<5
2023615	Drill Core	0.11	0.14	0.16	<1	0.02	0.002	32.9	1.6	0.14	122.5	<0.001	1	0.30	0.007	0.24	<0.1	0.5	0.06	0.11	<5
2023616	Drill Core	0.09	0.43	0.21	3	0.29	0.009	33.4	31.0	0.82	119.2	<0.001	1	0.70	0.008	0.19	<0.1	1.3	0.07	0.35	<5
2023617	Drill Core	0.11	0.48	0.88	2	1.03	0.041	37.6	3.8	0.60	156.1	0.002	2	0.66	0.010	0.25	<0.1	1.8	0.09	0.22	<5
2023618	Drill Core	0.12	0.11	1.24	2	0.87	0.039	39.5	3.6	0.51	292.6	0.003	<1	0.61	0.015	0.26	<0.1	1.9	0.08	0.11	<5
2023619	Drill Core	0.16	0.11	2.21	3	0.83	0.035	40.2	3.8	0.86	406.4	0.007	<1	0.85	0.013	0.31	<0.1	1.8	0.10	0.06	<5
2023620	Rock Pulp	0.19	0.33	0.32	45	1.19	0.032	3.7	86.7	1.66	74.6	0.064	4	1.77	0.174	0.13	1.3	2.5	0.09	0.18	15
2023621	Drill Core	0.17	0.19	1.45	2	1.14	0.050	36.5	3.8	0.59	245.0	0.003	1	0.67	0.015	0.28	<0.1	1.6	0.09	0.23	<5
2023622	Drill Core	0.10	0.09	0.33	2	1.03	0.048	35.2	3.1	0.29	246.5	0.003	2	0.51	0.028	0.34	<0.1	1.4	0.08	0.14	<5
2023623	Drill Core	0.03	0.07	0.17	3	0.36	0.037	35.6	3.3	0.24	325.8	0.004	1	0.55	0.040	0.38	<0.1	1.3	0.08	0.05	<5
2023624	Drill Core	0.15	0.07	0.13	2	0.26	0.037	28.0	3.1	0.33	424.5	0.003	2	0.55	0.021	0.34	<0.1	1.0	0.07	0.08	<5
2023625	Drill Core	0.04	0.08	0.12	2	0.31	0.035	23.5	2.9	0.48	352.3	0.005	<1	0.53	0.022	0.25	<0.1	1.2	0.06	<0.02	<5
2023626	Drill Core	0.05	0.11	0.07	4	0.50	0.036	25.8	3.7	0.71	396.4	0.016	1	0.74	0.028	0.34	<0.1	1.7	0.14	0.03	<5
2023627	Drill Core	0.21	0.13	0.08	3	0.27	0.038	26.3	3.7	0.48	397.3	0.004	2	0.60	0.033	0.25	<0.1	1.4	0.07	0.14	<5
2023628	Drill Core	0.11	0.17	0.10	2	0.36	0.036	22.2	2.7	0.40	548.1	0.003	1	0.51	0.026	0.24	<0.1	1.2	0.06	0.17	<5
2023629	Drill Core	0.07	0.15	0.11	3	0.26	0.034	20.8	3.5	0.50	156.5	0.003	<1	0.61	0.024	0.24	<0.1	1.3	0.06	0.13	<5
2023630	Drill Core	0.11	0.22	0.08	2	0.45	0.040	20.7	2.9	0.33	182.4	0.003	2	0.48	0.029	0.25	<0.1	1.2	0.06	0.19	<5
2023631	Drill Core	0.09	0.12	0.08	2	0.38	0.036	22.5	2.7	0.21	226.0	0.004	<1	0.40	0.046	0.24	<0.1	1.3	0.05	0.13	<5
2023632	Drill Core	0.13	0.13	0.07	2	0.40	0.031	18.8	2.6	0.23	306.4	0.004	<1	0.39	0.031	0.26	<0.1	1.1	0.06	0.25	<5
2023633	Drill Core	0.11	0.14	0.04	2	0.45	0.039	21.1	3.2	0.27	327.1	0.005	<1	0.45	0.036	0.24	<0.1	1.3	0.05	0.21	<5
2023634	Drill Core	0.15	0.18	0.09	6	0.62	0.041	17.4	5.4	0.74	159.9	0.020	2	0.75	0.028	0.35	<0.1	1.9	0.14	0.20	<5
2023635	Drill Core	0.13	0.24	0.06	7	0.87	0.067	13.1	5.0	0.97	265.9	0.038	1	0.90	0.005	0.50	<0.1	2.2	0.26	0.10	<5
2023636	Drill Core	0.13	0.22	0.10	6	0.99	0.059	13.6	6.2	0.89	243.7	0.031	1	0.85	0.008	0.47	<0.1	2.4	0.28	0.06	<5
2023637	Drill Core	0.11	0.11	0.09	2	0.93	0.038	13.7	2.4	0.30	166.3	0.003	<1	0.45	0.029	0.24	<0.1	1.2	0.05	0.40	<5
2023638	Drill Core	0.12	0.08	0.10	2	0.92	0.050	16.6	2.4	0.31	586.3	0.003	<1	0.45	0.025	0.28	<0.1	1.4	0.05	0.16	<5
2023639	Drill Core	0.08	0.15	0.08	3	0.76	0.046	19.1	2.4	0.28	180.8	0.003	<1	0.46	0.026	0.29	<0.1	1.3	0.06	0.23	<5
2023640	Rock Pulp	0.01	0.15	<0.02	21	0.74	0.041	5.3	13.4	0.48	53.9	0.070	2	0.99	0.067	0.07	0.3	2.6	<0.02	0.04	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 4 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000416.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Ag
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	20
2023611	Drill Core	<0.1	<0.02	0.8	0.18	<0.1	0.60	0.12	6.6	0.2	<0.05	14.9	6.42	46.5	<0.02	<1	0.2	3.8	<10	2
2023612	Drill Core	<0.1	<0.02	0.9	0.14	<0.1	0.53	0.15	7.7	0.2	<0.05	14.5	6.19	51.2	<0.02	<1	0.2	1.8	<10	<2
2023613	Drill Core	<0.1	<0.02	0.9	0.17	<0.1	0.36	0.14	7.9	0.2	<0.05	11.8	6.41	61.7	<0.02	<1	0.3	1.9	<10	<2
2023614	Drill Core	<0.1	<0.02	0.8	0.20	<0.1	0.39	0.07	7.0	0.2	<0.05	12.1	7.29	67.5	<0.02	<1	0.5	1.9	<10	<2
2023615	Drill Core	<0.1	<0.02	1.0	0.73	<0.1	0.36	0.04	8.2	0.2	<0.05	11.1	6.91	62.4	<0.02	<1	0.3	2.7	<10	<2
2023616	Drill Core	<0.1	<0.02	2.8	2.41	<0.1	0.21	<0.02	8.0	0.2	<0.05	7.5	10.87	60.3	0.02	<1	0.8	17.2	<10	<2
2023617	Drill Core	<0.1	0.02	2.4	1.48	<0.1	0.08	<0.02	10.2	0.3	<0.05	3.2	10.56	63.4	0.02	<1	0.2	13.1	<10	<2
2023618	Drill Core	<0.1	0.03	2.1	0.68	<0.1	0.07	0.04	9.9	0.3	<0.05	2.1	12.48	68.0	<0.02	<1	0.8	7.8	<10	<2
2023619	Drill Core	<0.1	<0.02	2.8	0.70	<0.1	0.04	0.05	11.9	0.5	<0.05	1.2	12.39	70.6	<0.02	<1	0.4	10.7	<10	<2
2023620	Rock Pulp	0.4	0.18	3.9	0.57	<0.1	0.04	0.05	5.7	0.4	<0.05	1.1	3.00	7.7	<0.02	3	0.1	7.0	251	120
2023621	Drill Core	<0.1	0.27	2.4	0.54	<0.1	0.06	0.03	10.0	0.3	<0.05	1.7	10.55	64.5	<0.02	<1	0.3	9.5	<10	<2
2023622	Drill Core	<0.1	0.04	1.9	0.46	<0.1	0.06	<0.02	11.0	0.2	<0.05	2.1	5.78	61.0	<0.02	<1	0.3	5.8	<10	<2
2023623	Drill Core	<0.1	<0.02	2.0	0.33	<0.1	0.06	0.05	12.7	0.3	<0.05	1.8	6.90	62.3	<0.02	<1	<0.1	4.5	<10	<2
2023624	Drill Core	<0.1	<0.02	2.1	0.33	<0.1	0.06	0.02	11.3	0.3	<0.05	2.3	5.67	49.4	<0.02	<1	0.3	6.3	<10	<2
2023625	Drill Core	<0.1	<0.02	2.1	0.39	<0.1	0.07	0.02	9.7	0.2	<0.05	2.2	4.28	41.5	<0.02	<1	0.4	6.7	<10	<2
2023626	Drill Core	<0.1	<0.02	2.9	0.77	<0.1	0.10	0.04	16.2	0.2	<0.05	2.4	5.10	45.9	<0.02	<1	0.2	10.2	<10	<2
2023627	Drill Core	<0.1	<0.02	2.4	0.28	<0.1	0.06	<0.02	9.5	0.2	<0.05	2.5	5.18	47.0	<0.02	<1	0.4	7.0	<10	<2
2023628	Drill Core	<0.1	<0.02	1.9	0.25	<0.1	0.07	0.03	8.8	0.2	<0.05	2.2	5.26	38.6	<0.02	<1	0.2	5.5	<10	<2
2023629	Drill Core	<0.1	<0.02	2.6	0.47	<0.1	0.10	<0.02	8.5	0.2	<0.05	3.4	4.63	37.7	<0.02	<1	0.4	7.7	<10	<2
2023630	Drill Core	<0.1	<0.02	1.9	0.25	<0.1	0.07	0.03	8.1	0.2	<0.05	2.5	4.82	36.2	<0.02	<1	0.3	5.7	<10	<2
2023631	Drill Core	<0.1	<0.02	1.5	0.29	<0.1	0.06	0.04	8.2	0.2	<0.05	1.7	4.28	40.5	<0.02	<1	0.1	3.8	<10	<2
2023632	Drill Core	<0.1	0.02	1.3	0.26	<0.1	0.07	0.04	8.4	0.2	<0.05	1.9	3.32	34.3	<0.02	<1	0.2	3.6	<10	<2
2023633	Drill Core	<0.1	<0.02	1.8	0.31	<0.1	0.07	0.03	8.4	0.2	<0.05	2.1	3.81	37.3	<0.02	<1	<0.1	4.2	<10	<2
2023634	Drill Core	<0.1	0.02	2.8	0.87	<0.1	0.16	0.03	14.9	0.2	<0.05	4.2	3.80	31.2	<0.02	<1	0.3	9.3	<10	<2
2023635	Drill Core	<0.1	<0.02	2.6	1.98	<0.1	0.12	<0.02	24.5	0.2	<0.05	4.0	4.02	24.7	<0.02	<1	0.2	10.6	<10	<2
2023636	Drill Core	<0.1	<0.02	2.2	1.89	<0.1	0.12	<0.02	23.1	0.1	<0.05	4.6	4.58	25.1	<0.02	1	0.4	7.6	<10	<2
2023637	Drill Core	<0.1	<0.02	1.4	0.21	<0.1	0.15	0.02	7.4	0.2	<0.05	3.8	4.39	25.3	<0.02	<1	0.4	4.3	<10	<2
2023638	Drill Core	<0.1	<0.02	1.3	0.27	<0.1	0.09	0.03	7.7	0.1	<0.05	2.9	4.18	29.8	<0.02	<1	0.2	4.4	<10	<2
2023639	Drill Core	<0.1	<0.02	1.5	0.23	<0.1	0.08	0.03	9.0	0.1	<0.05	2.4	5.39	34.7	<0.02	<1	0.3	4.9	<10	<2
2023640	Rock Pulp	<0.1	<0.02	3.9	0.12	<0.1	0.14	0.31	1.9	1.7	<0.05	3.0	7.36	10.2	<0.02	<1	0.3	0.9	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000416.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2023641	Drill Core	3.24	524	0.260	0.26	0.21	37.88	0.16	5.66	14.77	22.3	422	1.9	1.8	141	0.87	883.7	2.5	287.1	11.7	51.1
2023642	Drill Core	3.02	478	0.065	0.06	<0.17	41.86	0.23	6.00	12.59	23.5	168	2.0	2.5	178	0.98	17.2	2.2	59.3	11.6	61.8
2023643	Drill Core	2.98	400	0.016	0.01	<0.17	38.04	0.62	5.85	21.47	28.4	165	2.2	2.7	270	0.86	28.4	2.1	13.8	11.6	59.5
2023644	Drill Core	3.07	474	0.014	0.01	<0.17	25.84	2.14	5.37	13.51	21.5	287	2.3	2.6	314	1.07	53.4	1.4	11.4	11.2	74.7
2023645	Drill Core	3.34	536	0.018	0.02	<0.17	39.83	0.18	5.98	8.53	20.0	162	2.1	3.3	297	1.11	23.8	1.5	14.4	13.0	63.1
2023646	Drill Core	3.14	483	0.028	0.03	<0.17	40.58	0.71	3.68	10.28	17.4	180	2.3	3.2	330	1.08	36.1	2.2	22.8	12.2	68.9
2023647	Drill Core	3.27	504	0.047	0.04	<0.17	31.29	0.47	670.88	14.19	16.5>100000	16.8	5.6	298	1.09	8.1	1.4	31.6	8.5	70.4	
2023648	Drill Core	2.54	444	0.068	0.09	0.28	39.68	0.53	1.80	15.18	15.0	309	1.4	1.5	348	0.87	10.9	2.1	50.5	12.4	115.4
2023649	Drill Core	3.39	429	0.026	0.02	<0.17	36.47	0.47	13.82	16.23	28.4	206	2.8	2.7	238	0.96	6.5	2.2	8.4	12.1	102.5
2023650	Drill Core	3.61	399	0.021	0.02	<0.17	41.32	0.68	7.85	14.71	25.3	244	2.1	2.1	298	1.12	22.9	3.0	17.5	12.3	108.7
2023651	Drill Core	2.44	492	0.012	0.01	<0.17	43.67	0.42	13.61	11.42	26.1	160	2.8	2.3	252	1.04	13.7	2.1	8.5	12.5	62.8
2023652	Drill Core	3.10	506	0.033	0.03	<0.17	40.21	0.27	9.57	13.94	31.5	171	8.0	3.9	299	1.16	23.4	2.7	29.4	11.2	101.6
2023653	Drill Core	2.97	442	0.060	0.06	<0.17	44.38	0.25	5.78	27.85	20.8	241	3.1	3.2	245	0.97	5.5	2.9	164.2	10.7	107.1
2023654	Drill Core	1.58	477	0.300	0.38	1.90	24.71	0.23	8.52	22.62	21.3	255	1.7	2.9	205	0.98	6.1	3.3	149.7	11.5	85.0
2023655	Drill Core	3.16	471	0.057	0.05	<0.17	40.61	0.81	11.57	20.77	28.5	238	1.7	3.0	252	1.14	6.4	2.2	36.9	12.5	112.4
2023656	Drill Core	3.23	510	0.009	<0.01	<0.17	41.96	2.22	6.29	16.08	28.9	188	1.5	2.3	226	1.02	5.7	2.5	2.5	11.4	78.0
2023657	Drill Core	3.19	470	<0.005	<0.01	<0.17	28.59	3.23	5.20	25.10	27.5	157	1.5	2.5	249	1.05	1.4	3.4	1.4	13.2	73.5
2023658	Drill Core	2.28	457	<0.005	<0.01	<0.17	37.37	0.53	4.81	12.69	24.4	138	1.7	2.1	190	0.83	1.0	3.1	0.9	14.0	55.2
2023659	Drill Core	3.72	439	0.005	<0.01	<0.17	43.41	0.28	6.45	15.78	15.6	133	1.6	1.9	205	0.69	5.9	2.7	2.8	13.1	60.9
2023660	Core DUP		506	0.007	<0.01	<0.17	31.37	0.23	5.88	14.58	14.9	128	1.5	1.6	192	0.64	5.6	2.6	<0.2	13.2	58.4
2023661	Drill Core	3.27	387	0.006	<0.01	<0.17	32.19	0.38	2.01	17.60	19.5	99	1.9	1.7	168	0.71	5.4	2.7	1.7	13.7	54.2
2023662	Drill Core	3.44	382	0.046	0.04	<0.17	36.49	0.56	7.31	22.82	23.5	243	2.7	2.2	234	0.90	419.6	3.4	31.6	13.6	56.3
2023663	Drill Core	3.09	480	0.017	0.02	<0.17	47.12	0.33	3.43	16.56	19.9	117	2.0	1.8	210	0.84	10.2	2.6	11.3	14.5	64.7
2023664	Drill Core	2.36	469	0.006	<0.01	<0.17	38.40	0.52	3.00	19.03	18.4	108	2.1	2.0	161	0.80	5.5	2.3	3.3	12.6	87.8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000416.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023641	Drill Core	0.08	3.79	0.03	2	0.54	0.031	22.6	2.4	0.17	210.5	0.003	<1	0.41	0.033	0.29	<0.1	1.1	0.06	0.38	<5
2023642	Drill Core	0.22	0.25	0.05	2	0.72	0.036	19.8	2.3	0.28	182.7	0.003	2	0.46	0.026	0.30	<0.1	1.1	0.07	0.52	<5
2023643	Drill Core	0.21	0.18	0.16	2	0.83	0.036	19.7	2.5	0.32	173.0	0.002	<1	0.43	0.015	0.29	<0.1	1.1	0.07	0.31	<5
2023644	Drill Core	0.12	0.35	0.13	3	1.03	0.039	18.0	2.7	0.45	239.7	0.002	<1	0.47	0.010	0.25	0.4	1.2	0.07	0.47	<5
2023645	Drill Core	0.12	0.14	0.07	2	1.28	0.040	18.4	2.6	0.32	205.6	0.002	<1	0.45	0.018	0.28	0.2	1.0	0.07	0.59	<5
2023646	Drill Core	0.07	0.20	0.11	2	1.30	0.038	16.0	3.1	0.40	195.7	0.002	<1	0.44	0.015	0.27	<0.1	1.0	0.08	0.64	<5
2023647	Drill Core	0.24	0.26	0.12	2	0.83	0.037	14.6	4.5	0.36	314.3	0.001	<1	0.34	0.014	0.21	>100	0.8	0.05	0.40	<5
2023648	Drill Core	0.06	0.11	0.11	3	1.27	0.041	17.8	2.5	0.46	168.9	0.002	<1	0.46	0.006	0.27	0.6	1.2	0.06	0.30	<5
2023649	Drill Core	0.24	0.12	0.10	3	0.94	0.041	16.3	2.4	0.32	165.3	0.002	<1	0.47	0.024	0.27	0.4	1.1	0.06	0.35	6
2023650	Drill Core	0.16	0.16	0.10	4	1.23	0.038	14.5	3.2	0.46	185.0	0.002	<1	0.56	0.007	0.28	1.7	1.0	0.07	0.41	6
2023651	Drill Core	0.13	0.11	0.09	4	0.76	0.037	15.5	3.1	0.42	180.5	0.002	<1	0.48	0.016	0.24	0.3	1.1	0.06	0.38	<5
2023652	Drill Core	0.19	0.14	0.09	4	1.21	0.033	12.9	10.4	0.52	147.8	0.002	<1	0.53	0.017	0.23	0.6	1.4	0.05	0.41	7
2023653	Drill Core	0.13	0.19	0.24	3	0.97	0.043	14.7	5.6	0.36	382.0	0.002	<1	0.44	0.015	0.28	0.8	1.5	0.07	0.38	7
2023654	Drill Core	0.17	0.18	0.20	2	0.73	0.036	15.7	2.7	0.32	338.2	0.002	1	0.41	0.021	0.24	0.2	1.2	0.06	0.47	<5
2023655	Drill Core	0.17	0.23	0.21	3	1.07	0.042	21.6	3.0	0.47	166.9	0.004	<1	0.58	0.021	0.27	0.3	1.8	0.08	0.28	<5
2023656	Drill Core	0.12	0.19	0.18	3	0.82	0.034	18.3	2.4	0.44	160.0	0.003	<1	0.57	0.016	0.25	0.2	1.4	0.06	0.11	<5
2023657	Drill Core	0.17	0.21	0.23	3	0.93	0.037	24.1	2.5	0.37	343.5	0.003	<1	0.59	0.020	0.32	0.4	1.3	0.11	0.11	<5
2023658	Drill Core	0.16	0.20	0.12	2	0.58	0.041	26.4	2.4	0.25	226.1	0.002	<1	0.50	0.018	0.33	0.6	1.2	0.10	0.09	<5
2023659	Drill Core	0.17	0.17	0.10	2	0.82	0.050	30.8	2.6	0.31	216.9	0.003	<1	0.49	0.027	0.32	0.2	1.2	0.08	0.09	6
2023660	Core DUP	0.15	0.17	0.09	2	0.78	0.049	29.5	2.3	0.29	214.5	0.003	<1	0.46	0.025	0.30	0.2	1.0	0.07	0.09	10
2023661	Drill Core	0.09	0.22	0.15	2	0.57	0.037	33.0	2.4	0.27	176.6	0.002	2	0.48	0.014	0.30	0.1	1.4	0.08	0.05	18
2023662	Drill Core	0.20	1.67	0.22	3	0.75	0.032	26.4	3.0	0.36	162.6	0.002	<1	0.51	0.016	0.29	0.1	1.3	0.09	0.29	5
2023663	Drill Core	0.11	0.30	0.10	3	0.83	0.049	30.8	2.6	0.37	171.7	0.002	<1	0.55	0.020	0.29	0.2	1.2	0.09	0.17	<5
2023664	Drill Core	0.13	0.21	0.10	3	0.88	0.034	29.5	2.1	0.36	141.3	0.002	1	0.53	0.016	0.28	0.1	1.3	0.09	0.05	8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000416.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Ag
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	20
2023641	Drill Core	<0.1	0.16	1.6	0.32	<0.1	0.05	0.05	9.7	0.2	<0.05	1.9	5.60	39.7	<0.02	<1	0.4	4.6	<10	<2	
2023642	Drill Core	<0.1	<0.02	1.6	0.28	<0.1	0.10	0.03	10.0	0.2	<0.05	4.0	5.82	35.4	<0.02	<1	0.2	5.2	<10	<2	
2023643	Drill Core	<0.1	<0.02	1.3	0.29	<0.1	0.14	0.02	8.7	0.2	<0.05	5.2	6.85	36.7	<0.02	<1	0.6	4.8	<10	<2	
2023644	Drill Core	<0.1	<0.02	1.7	0.29	<0.1	0.11	<0.02	9.0	0.2	<0.05	4.4	7.23	32.7	<0.02	<1	0.6	8.0	<10	<2	
2023645	Drill Core	<0.1	<0.02	1.5	0.34	<0.1	0.06	<0.02	9.9	0.1	<0.05	2.3	6.54	33.7	<0.02	<1	0.5	7.0	<10	<2	
2023646	Drill Core	<0.1	<0.02	1.7	0.33	<0.1	0.10	<0.02	10.0	0.1	<0.05	3.3	8.19	29.5	<0.02	<1	0.5	6.2	<10	<2	
2023647	Drill Core	0.2	0.06	1.1	0.25	<0.1	0.13	0.02	6.8	0.2	<0.05	3.9	6.05	27.6	<0.02	2	<0.1	4.2	<10	<2	172
2023648	Drill Core	<0.1	0.09	1.5	0.23	<0.1	0.21	<0.02	8.0	0.2	<0.05	4.1	8.63	32.5	<0.02	<1	0.2	6.5	<10	<2	
2023649	Drill Core	0.2	<0.02	1.6	0.33	<0.1	0.12	<0.02	8.3	0.2	<0.05	3.3	5.93	29.7	<0.02	<1	0.2	6.2	<10	<2	
2023650	Drill Core	<0.1	<0.02	2.2	0.36	<0.1	0.10	<0.02	8.4	0.2	<0.05	3.5	6.20	26.4	<0.02	<1	<0.1	8.7	<10	<2	
2023651	Drill Core	<0.1	<0.02	1.8	0.40	<0.1	0.11	<0.02	8.1	0.1	<0.05	3.9	6.41	29.2	<0.02	<1	0.1	7.0	<10	<2	
2023652	Drill Core	0.1	<0.02	1.9	0.38	<0.1	0.12	0.04	7.5	0.1	<0.05	3.7	6.35	23.4	<0.02	<1	<0.1	8.1	<10	<2	
2023653	Drill Core	0.1	<0.02	1.4	0.76	<0.1	0.13	<0.02	8.9	0.1	<0.05	5.6	5.32	26.9	<0.02	<1	0.1	5.8	<10	2	
2023654	Drill Core	0.2	0.05	1.5	0.56	<0.1	0.16	0.02	8.4	0.1	<0.05	5.5	5.86	29.2	<0.02	<1	0.4	5.0	<10	<2	
2023655	Drill Core	<0.1	0.02	2.1	0.56	<0.1	0.13	0.02	9.4	0.2	<0.05	4.4	7.37	38.5	<0.02	<1	0.2	7.9	<10	<2	
2023656	Drill Core	<0.1	<0.02	1.8	0.80	<0.1	0.11	<0.02	9.1	0.1	<0.05	4.0	5.39	34.1	<0.02	<1	0.3	7.6	<10	<2	
2023657	Drill Core	<0.1	<0.02	1.7	1.23	<0.1	0.09	0.04	11.5	0.2	<0.05	3.7	6.28	43.1	<0.02	<1	<0.1	4.3	<10	<2	
2023658	Drill Core	<0.1	<0.02	1.4	1.17	<0.1	0.09	<0.02	11.2	0.2	<0.05	2.8	5.96	49.2	<0.02	2	0.2	3.6	<10	<2	
2023659	Drill Core	<0.1	<0.02	1.6	0.87	<0.1	0.10	0.05	10.7	0.2	<0.05	3.8	8.55	56.2	<0.02	<1	0.2	5.4	<10	<2	
2023660	Core DUP	<0.1	<0.02	1.4	0.88	<0.1	0.13	0.03	10.0	0.2	<0.05	4.2	8.51	53.4	<0.02	<1	0.2	5.2	<10	<2	
2023661	Drill Core	<0.1	<0.02	1.3	0.76	<0.1	0.09	0.02	10.4	0.2	<0.05	3.5	6.58	60.4	<0.02	<1	0.2	5.9	<10	<2	
2023662	Drill Core	<0.1	<0.02	1.6	1.38	<0.1	0.12	<0.02	10.7	0.2	<0.05	3.5	6.40	48.7	<0.02	<1	0.4	8.0	<10	<2	
2023663	Drill Core	<0.1	<0.02	1.9	1.36	<0.1	0.10	<0.02	10.7	0.2	<0.05	3.5	7.85	56.3	<0.02	<1	0.4	8.2	<10	<2	
2023664	Drill Core	<0.1	<0.02	1.5	2.43	<0.1	0.10	<0.02	10.7	0.1	<0.05	2.8	5.33	52.2	<0.02	<1	0.2	7.7	<10	<2	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 09, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000416.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
2023585	Drill Core	3.25	462	0.007	<0.01	<0.17	36.87	2.75	6.57	16.65	6.2	188	1.0	0.8	41	0.75	1.6	1.6	1.3	11.1	26.5
REP 2023585	QC	0.008																			
2023603	Drill Core	2.96	399	0.010	<0.01	<0.17	42.32	0.81	14.20	26.47	44.0	361	6.3	2.2	396	0.76	2.1	1.2	3.8	8.4	83.7
REP 2023603	QC	0.008																			
2023606	Drill Core	1.63	476	0.008	<0.01	<0.17	37.58	0.35	10.48	13.14	18.1	209	0.7	0.4	135	0.44	0.6	2.3	7.7	13.2	53.5
REP 2023606	QC	0.36 11.12 13.33 16.9 214 0.7 0.5 138 0.43 0.6 2.3 5.9 13.4 50.8																			
2023640	Rock Pulp	0.12	78	<0.005				3.72	19.94	0.89	32.0	22	6.7	3.9	562	2.32	1.5	0.4	0.8	2.4	28.9
REP 2023640	QC	3.68 19.98 0.95 30.9 15 7.0 4.1 575 2.35 1.6 0.4 2.4 2.2 30.2																			
2023647	Drill Core	3.27	504	0.047	0.04	<0.17	31.29	0.47	670.88	14.19	16.5>100000	16.8	5.6	298	1.09	8.1	1.4	31.6	8.5	70.4	
REP 2023647	QC																				
2023658	Drill Core	2.28	457	<0.005	<0.01	<0.17	37.37	0.53	4.81	12.69	24.4	138	1.7	2.1	190	0.83	1.0	3.1	0.9	14.0	55.2
REP 2023658	QC	<0.005																			
Core Reject Duplicates																					
2023583	Drill Core	2.38	474	0.010	<0.01	<0.17	38.93	0.74	2.96	15.40	19.3	147	2.0	1.4	95	0.31	1.6	3.5	6.7	13.9	17.7
DUP 2023583	QC	518 0.021 0.02 <0.17 40.36 0.81 3.30 17.00 20.9 173 2.1 1.4 93 0.30 2.0 3.5 5.1 14.4 17.7																			
2023617	Drill Core	2.16	472	0.015	0.01	<0.17	35.68	0.32	8.16	22.66	30.2	377	3.5	2.9	211	0.93	21.5	3.3	12.3	17.1	158.9
DUP 2023617	QC	502 0.013 0.01 <0.17 31.94 0.28 7.30 19.62 28.7 355 3.3 2.8 191 0.94 19.4 3.2 10.6 15.4 147.3																			
2023651	Drill Core	2.44	492	0.012	0.01	<0.17	43.67	0.42	13.61	11.42	26.1	160	2.8	2.3	252	1.04	13.7	2.1	8.5	12.5	62.8
DUP 2023651	QC	506 0.013 0.01 <0.17 31.10 0.41 13.06 10.99 23.6 158 2.8 2.5 239 1.03 13.4 2.1 8.4 11.9 62.0																			
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGE001	Standard	10.69 4220.85 185.94 1742.2 2643 152.5 24.7 693 3.62 121.0 3.7 229.4 15.2 55.6																			
STD DS11	Standard	13.97 139.35 129.01 332.4 1680 74.6 12.7 977 3.05 41.5 2.6 88.6 8.4 65.7																			
STD DS11	Standard	13.36 143.37 134.32 334.3 1705 73.2 13.2 985 3.00 40.6 2.6 71.5 8.0 61.2																			
STD OREAS262	Standard	0.71 110.77 56.22 141.3 463 59.9 26.2 555 3.18 35.7 1.3 74.8 9.9 34.9																			
STD OREAS262	Standard	0.59 111.06 54.70 139.5 429 57.1 24.5 477 3.08 33.3 1.2 80.5 8.9 33.7																			
STD OREAS262	Standard	0.68 116.52 56.98 145.9 463 62.9 27.6 526 3.22 37.0 1.3 72.0 9.8 36.0																			
STD OXC152	Standard	0.217																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 09, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000416.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2023585	Drill Core	0.03	0.24	0.12	<1	0.20	0.021	11.1	2.1	0.04	375.1	0.001	1	0.25	0.028	0.23	<0.1	0.5	0.06	0.30	<5
REP 2023585	QC																				
2023603	Drill Core	0.35	1.53	0.12	2	0.88	0.011	6.4	6.3	0.62	660.0	0.001	<1	0.38	0.015	0.17	<0.1	1.8	0.05	0.25	25
REP 2023603	QC																				
2023606	Drill Core	0.16	1.01	0.08	<1	0.28	0.001	7.5	1.4	0.19	1017.4	<0.001	<1	0.24	0.013	0.16	0.1	0.4	0.05	0.15	11
REP 2023606	QC	0.19	0.94	0.08	<1	0.27	0.001	7.0	1.3	0.18	934.1	<0.001	<1	0.23	0.010	0.16	0.1	0.3	0.04	0.15	15
2023640	Rock Pulp	0.01	0.15	<0.02	21	0.74	0.041	5.3	13.4	0.48	53.9	0.070	2	0.99	0.067	0.07	0.3	2.6	<0.02	0.04	<5
REP 2023640	QC	0.03	0.17	<0.02	21	0.76	0.036	5.7	13.5	0.49	58.0	0.073	2	1.03	0.070	0.08	0.2	2.6	<0.02	0.04	<5
2023647	Drill Core	0.24	0.26	0.12	2	0.83	0.037	14.6	4.5	0.36	314.3	0.001	<1	0.34	0.014	0.21	>100	0.8	0.05	0.40	<5
REP 2023647	QC																				
2023658	Drill Core	0.16	0.20	0.12	2	0.58	0.041	26.4	2.4	0.25	226.1	0.002	<1	0.50	0.018	0.33	0.6	1.2	0.10	0.09	<5
REP 2023658	QC																				
Core Reject Duplicates																					
2023583	Drill Core	0.27	0.08	0.10	<1	0.05	0.002	23.8	0.9	0.09	588.8	<0.001	<1	0.32	0.021	0.22	0.1	0.4	0.04	0.03	<5
DUP 2023583	QC	0.28	0.11	0.12	<1	0.05	0.002	24.4	1.0	0.09	564.8	<0.001	<1	0.34	0.024	0.24	0.1	0.4	0.05	0.03	<5
2023617	Drill Core	0.11	0.48	0.88	2	1.03	0.041	37.6	3.8	0.60	156.1	0.002	2	0.66	0.010	0.25	<0.1	1.8	0.09	0.22	<5
DUP 2023617	QC	0.12	0.43	0.79	2	1.08	0.036	35.1	3.8	0.61	141.7	0.002	2	0.67	0.010	0.25	<0.1	1.7	0.08	0.21	<5
2023651	Drill Core	0.13	0.11	0.09	4	0.76	0.037	15.5	3.1	0.42	180.5	0.002	<1	0.48	0.016	0.24	0.3	1.1	0.06	0.38	<5
DUP 2023651	QC	0.12	0.10	0.08	3	0.76	0.038	15.5	3.2	0.41	177.0	0.002	<1	0.47	0.015	0.24	0.3	1.0	0.06	0.38	5
Reference Materials																					
STD AGPROOF	Standard																				
STD BVGEO01	Standard	6.48	3.57	25.87	70	1.28	0.074	27.0	166.8	1.24	290.7	0.227	<1	2.18	0.183	0.84	5.7	5.8	0.61	0.62	87
STD DS11	Standard	2.24	8.63	11.52	48	1.03	0.074	17.7	55.0	0.81	343.4	0.087	8	1.15	0.071	0.39	2.8	3.3	4.60	0.28	256
STD DS11	Standard	2.27	8.52	11.61	47	0.98	0.069	16.7	54.8	0.82	334.2	0.088	7	1.14	0.070	0.38	3.0	2.9	4.77	0.27	254
STD OREAS262	Standard	0.71	5.51	1.05	22	2.85	0.039	17.1	42.7	1.14	242.5	0.002	4	1.37	0.068	0.31	0.2	3.4	0.44	0.26	170
STD OREAS262	Standard	0.61	5.42	1.02	20	2.78	0.038	12.7	37.8	1.11	223.9	0.003	3	1.17	0.066	0.27	0.3	2.8	0.44	0.25	155
STD OREAS262	Standard	0.69	5.99	1.06	21	2.98	0.046	15.7	41.0	1.13	251.7	0.003	4	1.28	0.068	0.29	0.2	3.0	0.45	0.24	175
STD OXC152	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000416.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Ag
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	20
Pulp Duplicates																					
2023585	Drill Core	<0.1	0.03	0.8	0.12	<0.1	0.27	0.02	7.5	0.2	<0.05	8.3	1.85	20.9	<0.02	<1	<0.1	1.0	<10	<2	
REP 2023585	QC																				
2023603	Drill Core	<0.1	0.03	1.1	0.22	<0.1	0.25	0.03	6.5	0.2	<0.05	6.5	3.98	12.3	<0.02	<1	0.3	7.2	<10	<2	
REP 2023603	QC																				
2023606	Drill Core	<0.1	<0.02	0.7	0.11	<0.1	0.37	0.17	5.8	0.1	<0.05	9.5	4.19	14.9	<0.02	1	0.3	2.7	<10	<2	
REP 2023606	QC	<0.1	<0.02	0.7	0.11	<0.1	0.37	0.15	5.3	0.1	<0.05	8.8	3.90	14.2	<0.02	<1	<0.1	2.7	<10	<2	
2023640	Rock Pulp	<0.1	<0.02	3.9	0.12	<0.1	0.14	0.31	1.9	1.7	<0.05	3.0	7.36	10.2	<0.02	<1	0.3	0.9	<10	<2	
REP 2023640	QC	<0.1	<0.02	4.0	0.12	0.1	0.15	0.37	2.0	1.7	<0.05	3.4	7.65	10.8	<0.02	<1	0.4	0.7	10	<2	
2023647	Drill Core	0.2	0.06	1.1	0.25	<0.1	0.13	0.02	6.8	0.2	<0.05	3.9	6.05	27.6	<0.02	2	<0.1	4.2	<10	<2	172
REP 2023647	QC	I.S.																			
2023658	Drill Core	<0.1	<0.02	1.4	1.17	<0.1	0.09	<0.02	11.2	0.2	<0.05	2.8	5.96	49.2	<0.02	2	0.2	3.6	<10	<2	
REP 2023658	QC																				
Core Reject Duplicates																					
2023583	Drill Core	<0.1	0.03	0.8	0.15	<0.1	0.70	0.17	7.1	0.2	<0.05	18.8	7.30	47.8	<0.02	<1	0.3	2.1	<10	<2	
DUP 2023583	QC	<0.1	0.04	0.8	0.16	<0.1	0.71	0.18	7.7	0.2	<0.05	20.6	7.56	49.8	<0.02	<1	<0.1	2.1	<10	2	
2023617	Drill Core	<0.1	0.02	2.4	1.48	<0.1	0.08	<0.02	10.2	0.3	<0.05	3.2	10.56	63.4	0.02	<1	0.2	13.1	<10	<2	
DUP 2023617	QC	<0.1	<0.02	2.2	1.33	<0.1	0.09	<0.02	9.1	0.3	<0.05	2.6	9.81	60.1	<0.02	<1	0.3	12.7	<10	<2	
2023651	Drill Core	<0.1	<0.02	1.8	0.40	<0.1	0.11	<0.02	8.1	0.1	<0.05	3.9	6.41	29.2	<0.02	<1	0.1	7.0	<10	<2	
DUP 2023651	QC	<0.1	<0.02	2.0	0.40	<0.1	0.12	<0.02	7.8	0.1	<0.05	3.8	6.22	28.9	<0.02	<1	0.3	7.0	<10	<2	
Reference Materials																					
STD AGPROOF	Standard	93																			
STD BVGEO01	Standard	4.4	1.12	7.0	7.18	0.2	0.29	0.42	97.8	5.7	<0.05	8.3	14.37	53.2	0.48	6	0.7	21.7	118	191	
STD DS11	Standard	2.3	4.57	4.9	2.85	<0.1	0.08	1.40	32.9	1.7	<0.05	3.5	7.53	35.3	0.23	46	0.7	20.5	98	171	
STD DS11	Standard	2.0	4.42	5.0	2.81	0.1	0.05	1.25	32.2	1.8	<0.05	2.7	7.55	34.6	0.23	53	0.4	23.6	96	170	
STD OREAS262	Standard	0.2	0.24	3.9	3.00	<0.1	0.24	<0.02	19.5	0.6	<0.05	11.3	10.78	33.9	0.03	<1	0.9	17.9	<10	<2	
STD OREAS262	Standard	0.2	0.23	3.4	2.78	<0.1	0.23	<0.02	16.5	0.5	<0.05	9.0	9.60	25.4	0.04	1	1.1	16.8	<10	<2	
STD OREAS262	Standard	<0.1	0.23	4.0	3.01	<0.1	0.25	<0.02	18.8	0.6	<0.05	9.8	10.74	30.9	0.03	<1	1.8	19.6	<10	<2	
STD OXC152	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000416.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXC152	Standard			0.229																	
STD OXH139	Standard			1.253																	
STD OXH139	Standard			1.334																	
STD OXN134	Standard			7.760																	
STD OXN134	Standard			7.937																	
STD OXQ114	Standard																				
STD OXQ90	Standard					25.35	29.90														
STD OXQ90	Standard					25.38	29.32														
STD OXQ90	Standard					25.35	29.74														
STD OXQ90	Standard					25.44	29.84														
STD OXQ90	Standard					25.26	30.09														
STD SP49	Standard																				
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.2	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	0.3	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.006																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			0.005																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000416.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000416.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2	FA530 Ag gm/t 20
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ114	Standard																				124
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD SP49	Standard																				62
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172	
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182	
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8			
STD OXQ90 Expected																					
STD AGPROOF Expected																					94
STD SP49 Expected																					60.2
STD OXQ114 Expected																					127.1
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000416.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		398	<0.005	<0.01	<0.17	40.91	0.68	2.49	0.75	28.1	8	1.1	3.4	493	1.76	0.6	0.4	<0.2	2.5	20.3
ROCK-WHI	Prep Blank		402	<0.005	<0.01	<0.17	39.89	0.85	5.86	1.00	28.8	8	1.6	4.3	495	1.88	1.0	0.4	0.8	2.3	27.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000416.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.01	0.04	<0.02	22	0.63	0.041	5.5	2.9	0.47	48.1	0.056	2	0.84	0.088	0.09	<0.1	2.5	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.01	0.03	<0.02	25	0.63	0.041	5.9	3.0	0.51	58.5	0.066	2	0.94	0.098	0.09	<0.1	2.8	<0.02	0.03	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000416.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	FA530
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	Ag
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	gm/t
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	20
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.12	<0.1	0.11	0.19	1.9	0.3	<0.05	2.4	7.76	11.1	<0.02	<1	<0.1	1.3	<10	<2	
ROCK-WHI	Prep Blank	<0.1	<0.02	4.0	0.12	<0.1	0.10	0.18	2.1	0.4	<0.05	2.8	8.28	11.9	<0.02	<1	0.3	0.9	<10	<2	