



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 21, 2019
Report Date: September 09, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000418.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-46
P.O. Number
Number of Samples: 63

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	60	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	63	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	63	Analysis sample split/packet			WHI
Split -150	63	Analysis sample split/packet			WHI
EN002	63	Environmental disposal charge-Fire assay lead waste			VAN
FS631	60	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	63	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	63	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 4 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000418.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2023438	Drill Core	3.38	499	0.022	0.02	<0.17	40.92	1.92	22.42	26.57	120.8	611	17.7	19.3	714	2.25	8.3	6.0	18.1	9.7	18.6
2023439	Drill Core	3.52	457	0.020	0.02	<0.17	39.88	1.01	12.87	12.25	80.5	726	9.9	8.0	540	1.65	10.6	5.8	17.1	9.6	17.5
2023440	Rock Pulp	0.13	64	<0.005				4.36	23.57	1.08	35.0	21	7.6	4.9	614	2.46	1.4	0.4	0.4	2.7	36.0
2023441	Drill Core	3.69	436	0.015	0.01	<0.17	36.29	1.27	14.59	6.12	99.0	498	12.0	9.4	708	1.83	5.7	5.4	13.9	11.0	12.1
2023442	Drill Core	2.65	440	0.015	0.01	<0.17	41.69	1.53	15.00	3.02	127.0	887	13.2	9.2	720	1.83	12.6	4.6	10.0	11.8	10.5
2023443	Drill Core	2.79	400	0.012	0.01	<0.17	40.35	1.26	12.18	3.32	98.7	459	11.2	7.5	498	1.86	7.5	6.2	7.7	11.8	17.6
2023444	Drill Core	3.09	450	0.010	<0.01	<0.17	34.15	1.16	12.52	5.24	84.7	280	9.9	6.4	385	1.63	3.2	4.2	6.3	11.3	10.8
2023445	Drill Core	3.68	454	0.069	0.07	<0.17	42.95	4.38	22.19	3.74	114.3	862	17.6	24.4	1983	1.84	5.9	7.9	83.3	11.4	14.3
2023446	Drill Core	3.53	423	0.053	0.05	<0.17	38.24	2.07	18.57	3.70	71.6	543	9.2	7.1	373	1.94	3.8	7.8	77.1	11.9	16.2
2023447	Drill Core	3.57	460	0.042	0.04	<0.17	38.18	1.64	18.22	6.42	69.7	396	8.7	13.6	551	1.88	9.5	7.2	51.4	10.5	18.4
2023448	Drill Core	3.35	458	0.084	0.08	<0.17	39.12	0.35	17.65	3.34	87.2	453	12.8	10.1	912	1.55	1.0	1.6	108.8	8.4	35.8
2023449	Drill Core	3.45	475	0.023	0.02	<0.17	32.59	1.48	22.26	9.55	98.8	340	11.0	12.7	809	1.69	11.3	4.4	13.3	10.3	29.8
2023450	Drill Core	3.54	453	0.033	0.03	<0.17	37.16	2.17	13.22	11.02	61.0	354	5.5	2.7	106	1.65	15.0	6.3	22.8	10.8	13.3
2023451	Drill Core	3.20	490	0.019	0.02	<0.17	34.33	1.16	11.84	5.22	27.2	284	2.6	1.6	57	1.22	3.2	4.3	16.0	11.1	34.5
2023452	Drill Core	1.62	511	0.027	0.02	<0.17	39.06	2.23	11.51	27.73	37.1	386	3.9	1.9	67	1.68	4.0	5.8	28.0	11.3	24.0
2023453	Drill Core	3.30	526	0.014	0.09	0.97	42.47	3.00	9.51	53.92	32.2	408	3.0	2.1	62	1.55	1.3	4.9	8.6	10.0	31.0
2023454	Drill Core	3.09	461	0.013	0.01	<0.17	26.58	2.84	15.91	12.17	41.3	274	4.6	8.2	1806	1.69	4.2	4.6	7.8	9.4	29.1
2023455	Drill Core	3.23	512	0.008	<0.01	<0.17	33.12	0.71	9.02	6.29	25.2	157	2.8	2.2	312	1.29	1.5	2.4	4.6	9.5	37.0
2023456	Drill Core	3.16	474	0.009	<0.01	<0.17	32.56	0.26	12.66	4.72	31.8	198	6.1	6.3	413	1.71	0.7	1.3	6.5	9.0	15.1
2023457	Drill Core	3.13	449	0.014	0.01	<0.17	42.32	2.12	19.85	98.22	59.4	384	7.8	5.7	408	1.77	0.9	2.7	12.4	8.6	30.7
2023458	Drill Core	3.23	484	0.011	<0.01	<0.17	36.43	2.49	14.08	89.76	58.6	286	3.9	2.4	106	1.79	0.7	1.3	8.0	10.1	39.6
2023459	Drill Core	2.66	481	0.215	0.20	<0.17	45.04	1.78	14.44	37.12	87.7	549	6.7	2.7	140	1.96	1.0	4.4	212.8	6.6	57.8
2023460	Core DUP		494	0.330	0.33	0.27	36.77	1.88	15.82	38.48	86.8	549	7.3	2.8	138	1.92	1.4	4.5	142.4	6.5	58.3
2023461	Drill Core	3.52	486	0.506	0.50	0.42	35.56	1.63	26.52	17.73	36.6	1260	12.4	16.7	708	1.79	1.2	3.6	243.2	7.5	24.7
2023462	Drill Core	2.96	414	0.017	0.02	<0.17	29.92	0.76	25.13	4.48	74.7	225	18.3	20.6	1086	1.93	1.6	2.2	11.9	6.8	21.7
2023463	Drill Core	3.41	446	0.016	0.04	0.27	47.29	1.47	20.65	9.45	70.3	257	12.6	12.3	437	1.77	1.5	4.2	24.5	7.1	24.5
2023464	Drill Core	3.43	510	0.008	<0.01	<0.17	28.18	3.98	12.62	63.23	49.9	307	6.6	6.8	392	1.57	0.9	3.6	6.4	9.9	25.6
2023465	Drill Core	2.41	500	0.012	0.01	<0.17	36.12	2.37	13.69	17.02	58.6	237	7.1	7.0	440	1.61	1.0	4.6	6.5	9.8	26.1
2023466	Drill Core	2.97	487	0.021	0.02	<0.17	32.71	1.73	24.58	7.10	90.6	338	20.0	17.2	666	2.64	1.8	2.9	16.1	5.2	20.3
2023467	Drill Core	2.26	462	0.144	0.15	0.25	36.15	2.62	23.75	16.66	97.7	425	18.1	16.7	830	2.12	2.6	8.7	123.9	7.2	44.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 4 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000418.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
			0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023438	Drill Core	0.86	0.35	0.15	12	0.16	0.057	17.0	59.7	1.15	844.2	0.009	<1	1.30	0.019	0.17	1.3	1.9	0.06	<0.02	<5	
2023439	Drill Core	0.92	0.31	0.06	8	0.11	0.042	17.8	30.8	0.67	975.4	0.012	<1	0.85	0.018	0.22	0.2	1.5	0.07	0.02	<5	
2023440	Rock Pulp	0.01	0.19	<0.02	24	0.80	0.039	6.5	16.2	0.50	64.9	0.091	1	1.10	0.090	0.09	0.3	2.9	<0.02	0.05	11	
2023441	Drill Core	1.13	0.26	0.09	5	0.12	0.050	18.6	15.6	0.60	597.5	0.002	1	0.87	0.018	0.22	0.3	1.4	0.07	<0.02	<5	
2023442	Drill Core	0.89	0.37	0.07	6	0.13	0.054	21.6	11.1	0.84	472.8	0.003	2	1.11	0.021	0.22	3.4	1.4	0.06	<0.02	10	
2023443	Drill Core	0.69	0.28	0.08	6	0.09	0.044	18.8	10.4	0.74	1257.6	0.003	1	1.06	0.027	0.24	0.3	1.5	0.06	0.03	15	
2023444	Drill Core	0.41	0.20	0.05	6	0.10	0.043	18.1	10.0	0.86	706.5	0.002	<1	1.11	0.027	0.23	<0.1	1.3	0.06	<0.02	14	
2023445	Drill Core	1.79	1.04	0.07	4	0.08	0.045	22.1	7.6	0.34	857.8	0.002	<1	0.72	0.015	0.19	0.1	1.1	0.12	<0.02	20	
2023446	Drill Core	0.34	0.38	0.11	4	0.09	0.043	22.7	6.1	0.29	911.8	0.002	1	0.74	0.017	0.24	0.2	1.1	0.09	0.02	16	
2023447	Drill Core	0.37	0.47	0.08	5	0.08	0.042	17.5	7.7	0.32	1054.4	0.002	<1	0.78	0.020	0.23	0.2	1.2	0.07	0.03	12	
2023448	Drill Core	0.64	0.20	0.12	5	1.24	0.053	11.4	6.7	0.65	538.3	0.007	<1	0.80	0.010	0.26	0.1	1.6	0.06	0.24	9	
2023449	Drill Core	0.44	0.34	0.14	6	0.72	0.070	12.9	8.0	0.62	312.0	0.006	<1	0.90	0.008	0.27	0.2	1.4	0.09	0.19	<5	
2023450	Drill Core	0.26	0.52	0.17	2	0.06	0.044	11.5	4.7	0.22	525.2	0.002	<1	0.42	0.005	0.15	<0.1	0.7	0.04	0.02	11	
2023451	Drill Core	0.14	0.40	0.08	2	0.05	0.034	9.5	3.5	0.09	597.8	0.002	<1	0.24	0.007	0.15	<0.1	0.5	0.04	0.05	<5	
2023452	Drill Core	0.14	0.49	0.17	2	0.04	0.038	12.3	3.4	0.10	466.6	0.001	<1	0.23	0.007	0.13	<0.1	0.8	0.04	0.04	8	
2023453	Drill Core	0.11	0.30	0.20	2	0.04	0.044	7.7	3.2	0.13	1031.9	0.002	<1	0.23	0.010	0.14	<0.1	0.7	0.04	0.07	13	
2023454	Drill Core	0.54	0.86	0.07	2	0.03	0.030	8.0	3.4	0.10	1001.9	0.001	<1	0.27	0.005	0.14	0.3	0.7	0.13	0.04	11	
2023455	Drill Core	0.09	0.33	0.03	2	0.06	0.041	7.7	3.9	0.22	702.3	0.002	2	0.31	0.009	0.18	0.2	0.6	0.06	0.12	<5	
2023456	Drill Core	0.40	0.24	0.02	2	0.47	0.036	5.0	3.9	0.16	215.4	0.002	<1	0.31	0.005	0.16	<0.1	0.6	0.04	0.75	7	
2023457	Drill Core	0.62	0.23	0.17	3	0.54	0.038	4.8	14.6	0.69	239.4	0.002	<1	0.65	0.014	0.14	<0.1	0.9	0.04	0.60	15	
2023458	Drill Core	0.03	0.26	0.21	4	0.11	0.036	6.6	16.6	0.70	556.4	0.002	<1	0.65	0.015	0.13	<0.1	1.0	0.04	0.28	<5	
2023459	Drill Core	0.14	0.34	0.16	6	0.12	0.047	6.9	39.8	0.92	941.2	0.002	<1	0.79	0.010	0.14	<0.1	1.3	0.05	0.10	<5	
2023460	Core DUP	0.13	0.39	0.16	6	0.11	0.050	7.3	40.3	0.89	908.0	0.002	<1	0.74	0.009	0.13	<0.1	1.3	0.05	0.09	6	
2023461	Drill Core	0.57	0.61	0.07	3	0.22	0.040	5.3	9.5	0.38	145.3	0.002	<1	0.41	0.006	0.15	<0.1	0.9	0.07	0.87	5	
2023462	Drill Core	0.76	0.33	0.02	6	0.33	0.062	3.6	37.3	1.00	228.9	0.003	<1	0.85	0.004	0.16	<0.1	1.2	0.07	0.66	<5	
2023463	Drill Core	0.35	0.32	0.03	6	0.13	0.044	4.6	24.2	0.92	241.3	0.002	<1	0.84	0.006	0.14	0.1	1.2	0.05	0.62	<5	
2023464	Drill Core	0.28	0.29	0.27	4	0.20	0.036	6.2	10.4	0.76	194.0	0.002	<1	0.70	0.022	0.13	<0.1	1.0	0.04	0.73	<5	
2023465	Drill Core	0.26	0.33	0.15	4	0.22	0.037	5.8	14.0	0.72	335.6	0.002	<1	0.65	0.015	0.12	0.1	1.2	0.04	0.47	8	
2023466	Drill Core	0.38	0.34	0.07	9	0.64	0.066	3.1	68.1	1.42	91.8	0.003	<1	1.02	0.008	0.12	<0.1	1.7	0.05	1.66	7	
2023467	Drill Core	1.21	0.90	0.06	5	0.27	0.053	6.7	34.2	0.82	151.6	0.002	<1	0.72	0.006	0.13	0.2	1.2	0.08	0.83	9	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000418.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2023438	Drill Core	<0.1	0.02	3.9	0.15	<0.1	0.37	<0.02	5.7	0.3	<0.05	11.1	6.23	33.3	<0.02	<1	0.3	15.3	21	<2
2023439	Drill Core	<0.1	<0.02	2.4	0.11	<0.1	0.42	0.02	6.8	0.2	<0.05	10.4	4.78	33.4	<0.02	<1	0.3	8.5	<10	<2
2023440	Rock Pulp	<0.1	<0.02	4.5	0.14	<0.1	0.16	0.31	2.3	2.2	<0.05	3.9	8.60	12.6	<0.02	<1	<0.1	1.1	14	<2
2023441	Drill Core	<0.1	<0.02	2.4	0.29	<0.1	0.34	<0.02	8.1	0.2	<0.05	10.7	4.39	34.7	<0.02	<1	0.6	8.0	<10	<2
2023442	Drill Core	<0.1	<0.02	3.0	0.22	<0.1	0.23	<0.02	8.5	0.2	<0.05	7.4	5.04	41.1	<0.02	<1	0.1	11.6	<10	<2
2023443	Drill Core	<0.1	<0.02	3.0	0.15	<0.1	0.17	<0.02	8.8	0.1	<0.05	6.9	4.88	37.7	<0.02	<1	0.1	9.5	<10	<2
2023444	Drill Core	<0.1	<0.02	2.9	0.15	<0.1	0.27	<0.02	8.1	0.2	<0.05	8.1	4.03	34.2	<0.02	<1	0.4	9.1	<10	<2
2023445	Drill Core	<0.1	0.07	1.8	0.56	<0.1	0.18	<0.02	8.2	<0.1	<0.05	7.4	4.84	41.3	<0.02	<1	0.1	8.5	<10	<2
2023446	Drill Core	<0.1	0.04	1.7	0.23	<0.1	0.15	<0.02	9.1	0.1	<0.05	6.1	3.49	42.2	<0.02	<1	<0.1	5.3	<10	<2
2023447	Drill Core	<0.1	0.06	1.8	0.46	<0.1	0.18	<0.02	8.3	0.1	<0.05	6.1	3.92	32.8	<0.02	<1	0.4	6.0	14	<2
2023448	Drill Core	0.1	0.06	1.5	0.17	<0.1	0.22	<0.02	9.3	0.2	<0.05	8.5	8.58	21.1	<0.02	<1	0.1	5.7	15	<2
2023449	Drill Core	<0.1	<0.02	2.1	0.27	<0.1	0.21	<0.02	9.4	0.1	<0.05	6.8	5.68	24.8	<0.02	<1	0.4	7.9	39	<2
2023450	Drill Core	<0.1	0.03	1.1	0.34	<0.1	0.26	<0.02	5.4	<0.1	<0.05	7.4	2.37	21.4	<0.02	<1	<0.1	4.1	<10	<2
2023451	Drill Core	<0.1	0.02	0.7	0.21	<0.1	0.25	<0.02	5.4	0.1	<0.05	7.2	1.53	17.4	<0.02	2	<0.1	1.7	<10	<2
2023452	Drill Core	<0.1	0.05	0.7	0.17	<0.1	0.31	<0.02	4.5	0.1	<0.05	7.2	1.81	23.1	<0.02	1	<0.1	1.4	<10	<2
2023453	Drill Core	<0.1	<0.02	0.7	0.17	<0.1	0.20	<0.02	4.9	0.1	<0.05	6.7	1.34	15.5	<0.02	<1	0.3	1.5	<10	<2
2023454	Drill Core	<0.1	<0.02	0.7	0.38	<0.1	0.24	<0.02	4.9	0.2	<0.05	7.5	1.59	14.8	<0.02	<1	<0.1	1.9	<10	<2
2023455	Drill Core	<0.1	<0.02	1.0	0.43	<0.1	0.23	<0.02	6.3	<0.1	<0.05	6.7	1.12	14.2	<0.02	<1	<0.1	2.7	<10	<2
2023456	Drill Core	<0.1	<0.02	0.9	0.12	<0.1	0.22	<0.02	5.6	<0.1	<0.05	7.7	2.03	9.7	<0.02	<1	<0.1	2.3	<10	<2
2023457	Drill Core	0.1	0.02	1.8	0.11	<0.1	0.28	<0.02	4.6	0.2	<0.05	10.1	2.29	9.2	<0.02	1	<0.1	5.5	11	<2
2023458	Drill Core	<0.1	0.03	2.3	0.15	<0.1	0.32	<0.02	4.7	<0.1	<0.05	9.0	0.88	12.1	<0.02	2	<0.1	5.1	<10	<2
2023459	Drill Core	<0.1	0.14	2.4	0.33	<0.1	0.30	<0.02	4.9	<0.1	<0.05	11.0	1.53	13.6	<0.02	<1	0.1	7.4	<10	<2
2023460	Core DUP	<0.1	0.15	2.4	0.39	<0.1	0.36	<0.02	5.1	<0.1	<0.05	12.1	1.55	13.7	<0.02	<1	0.2	8.4	<10	<2
2023461	Drill Core	<0.1	0.66	1.0	0.34	<0.1	0.39	<0.02	6.1	<0.1	<0.05	10.8	3.68	10.4	<0.02	<1	<0.1	5.1	<10	<2
2023462	Drill Core	<0.1	<0.02	2.3	0.46	<0.1	0.38	<0.02	5.9	<0.1	<0.05	11.1	4.49	6.9	<0.02	<1	<0.1	7.8	<10	<2
2023463	Drill Core	<0.1	0.03	2.4	0.21	<0.1	0.33	<0.02	5.3	<0.1	<0.05	9.9	3.02	8.9	<0.02	<1	<0.1	8.4	<10	<2
2023464	Drill Core	<0.1	0.03	2.4	0.13	<0.1	0.32	<0.02	4.7	0.1	<0.05	9.5	2.65	12.1	<0.02	<1	0.2	6.3	<10	<2
2023465	Drill Core	<0.1	<0.02	2.0	0.21	<0.1	0.39	<0.02	4.7	<0.1	<0.05	13.2	2.69	11.3	<0.02	2	<0.1	7.9	<10	<2
2023466	Drill Core	<0.1	0.04	2.8	0.32	<0.1	0.37	<0.02	4.5	<0.1	<0.05	12.9	2.72	6.0	<0.02	3	0.2	10.1	<10	<2
2023467	Drill Core	<0.1	0.04	2.1	0.29	<0.1	0.37	<0.02	5.4	<0.1	<0.05	14.0	4.71	13.1	<0.02	1	0.4	7.8	<10	<2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000418.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2023468	Drill Core	3.41	438	0.016	0.01	<0.17	43.37	1.92	22.70	14.60	94.3	277	15.5	13.3	624	2.35	2.1	5.9	14.8	6.9	21.6
2023469	Drill Core	2.58	393	0.150	0.14	<0.17	36.45	1.95	22.83	18.10	80.8	831	11.8	8.9	259	2.03	5.1	3.8	103.3	8.4	15.6
2023470	Drill Core	3.29	494	0.014	0.01	<0.17	34.99	0.85	13.35	8.20	48.4	237	7.5	6.6	389	1.47	1.0	2.5	11.4	9.5	41.4
2023471	Drill Core	2.36	482	0.019	0.02	<0.17	38.71	1.73	11.61	54.62	54.5	496	7.5	5.5	216	1.46	1.5	2.5	540.4	8.9	55.2
2023472	Drill Core	3.28	416	0.027	0.02	<0.17	34.70	2.23	10.54	38.88	71.1	428	7.7	6.7	448	1.56	13.0	2.8	15.2	9.0	20.6
2023473	Drill Core	2.34	376	0.025	0.02	<0.17	41.55	0.72	15.61	7.23	79.9	335	12.0	9.4	372	1.77	7.5	7.4	136.2	9.2	22.5
2023474	Drill Core	2.53	422	0.026	0.02	<0.17	28.35	0.53	13.08	2.47	52.5	169	6.9	5.6	160	1.32	0.9	4.1	28.2	9.9	24.9
2023475	Drill Core	3.23	336	0.016	0.01	<0.17	29.71	1.16	9.25	4.90	39.3	180	2.7	1.7	101	1.19	0.5	2.7	23.6	9.5	39.3
2023476	Drill Core	3.21	420	0.038	0.04	<0.17	28.64	1.87	182.17	290.46	105.0	2038	7.1	4.3	147	1.44	1.0	5.5	28.2	8.2	28.8
2023477	Drill Core	3.38	358	0.015	0.01	<0.17	39.00	0.81	21.68	8.56	29.0	425	4.0	3.3	63	1.50	1.7	3.1	13.0	6.7	33.7
2023478	Drill Core	2.12	448	0.008	<0.01	<0.17	42.69	0.80	11.88	6.77	25.9	221	8.0	6.1	206	1.73	0.7	3.3	8.2	9.3	27.2
2023479	Drill Core	1.81	402	0.010	<0.01	<0.17	30.24	0.76	13.44	9.12	45.9	198	7.4	6.0	233	1.68	0.8	3.3	11.2	9.5	22.7
2023480	Rock	0.23	146	<0.005	I.S.	I.S.	I.S.	0.42	1.29	0.90	1.8	11	1.3	0.4	70	0.60	0.9	0.1	0.8	1.0	1.5
2023481	Drill Core	3.52	372	0.010	<0.01	<0.17	39.73	0.92	13.37	9.88	33.0	208	8.2	5.9	373	1.92	0.7	2.9	8.6	8.9	28.7
2023482	Drill Core	1.57	337	0.008	<0.01	<0.17	38.02	0.71	16.64	17.72	32.2	309	9.6	8.6	404	2.24	1.0	1.7	6.0	8.6	20.1
2023483	Drill Core	1.85	418	0.007	<0.01	<0.17	37.95	2.51	10.62	21.29	19.2	263	6.8	4.8	425	1.69	0.9	2.8	3.5	8.1	28.9
2023484	Drill Core	3.53	393	0.012	0.01	<0.17	34.07	3.53	20.75	74.61	48.8	559	12.1	9.6	432	3.70	1.7	4.2	8.2	8.9	19.7
2023485	Drill Core	2.14	479	0.007	<0.01	<0.17	33.02	0.41	13.17	8.08	42.1	209	6.7	5.3	245	1.52	0.9	5.1	3.7	6.1	37.5
2023486	Drill Core	2.62	423	0.010	<0.01	<0.17	41.70	0.31	23.92	3.97	112.8	239	20.8	14.3	1087	2.54	1.4	0.7	6.1	4.9	61.0
2023487	Drill Core	2.92	333	0.014	0.01	<0.17	29.83	0.31	26.11	3.41	93.9	286	21.3	16.3	977	2.74	1.3	0.7	10.7	5.4	49.9
2023488	Drill Core	3.53	374	0.014	0.01	<0.17	32.48	1.07	20.80	11.36	96.3	306	18.7	14.6	849	2.49	2.7	2.0	10.2	6.0	36.5
2023489	Drill Core	4.31	356	0.020	0.02	<0.17	39.26	1.43	21.38	10.60	130.3	447	17.8	14.8	559	2.37	37.7	6.6	17.6	5.9	41.2
2023490	Drill Core	3.80	394	0.213	0.21	0.21	42.57	1.41	13.97	6.61	162.8	674	22.2	16.9	1149	2.79	14.4	4.3	310.9	3.9	79.3
2023491	Drill Core	2.44	494	0.217	0.22	0.21	33.97	0.55	24.76	4.40	122.2	1677	22.2	19.0	1033	2.91	7.2	1.6	198.4	3.7	69.2
2023492	Drill Core	1.44	462	0.016	0.01	<0.17	36.03	0.56	18.86	5.18	128.0	355	23.2	20.9	1077	2.80	13.1	2.1	12.9	3.7	64.8
2023493	Drill Core	3.06	403	0.011	0.01	<0.17	35.66	1.41	19.68	11.36	83.6	215	11.6	13.1	588	1.68	14.7	2.4	7.0	8.6	32.7
2023494	Drill Core	4.19	431	0.012	0.01	<0.17	36.61	1.54	22.76	11.30	112.9	219	21.5	20.0	948	2.67	15.8	2.0	5.4	4.0	48.1
2023495	Drill Core	3.03	449	0.151	0.18	0.66	30.52	0.96	31.43	26.06	56.0	1632	4.9	4.1	351	0.98	6.7	3.1	131.8	13.1	66.0
2023496	Drill Core	2.79	456	0.023	0.02	<0.17	32.46	0.30	5.14	4.28	12.7	108	0.7	0.4	104	0.42	3.6	2.2	8.5	13.5	34.1
2023497	Drill Core	2.94	459	0.007	<0.01	<0.17	48.69	0.62	10.37	8.17	19.6	96	0.7	0.4	134	0.45	1.0	2.0	9.5	16.0	49.7



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000418.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023468	Drill Core	0.56	0.53	0.04	8	0.55	0.063	3.6	52.3	1.15	96.4	0.002	2	0.98	0.007	0.15	<0.1	1.3	0.09	<5
2023469	Drill Core	0.34	0.93	0.10	4	0.17	0.056	8.4	23.2	0.75	168.8	0.002	<1	0.70	0.012	0.16	0.5	1.2	0.05	11
2023470	Drill Core	0.41	0.34	0.08	4	0.44	0.037	5.8	15.6	0.80	144.6	0.002	<1	0.64	0.015	0.14	<0.1	0.8	0.04	<5
2023471	Drill Core	0.20	0.54	0.34	4	0.17	0.042	7.6	14.2	0.78	198.9	0.002	<1	0.69	0.016	0.13	<0.1	0.9	0.04	<5
2023472	Drill Core	0.33	0.62	0.26	5	0.31	0.039	7.8	15.8	1.03	212.3	0.002	2	0.80	0.024	0.14	<0.1	1.0	0.04	<5
2023473	Drill Core	0.49	0.36	0.11	5	0.24	0.046	8.3	25.5	1.19	154.9	0.002	<1	0.99	0.019	0.16	<0.1	1.3	0.05	8
2023474	Drill Core	0.24	0.21	0.07	2	0.10	0.036	8.6	5.0	0.83	312.9	0.002	<1	0.72	0.018	0.15	<0.1	0.9	0.05	<5
2023475	Drill Core	0.19	0.27	0.09	2	0.11	0.033	10.5	5.3	0.50	592.8	0.001	<1	0.51	0.020	0.15	<0.1	0.8	0.08	<5
2023476	Drill Core	1.94	0.38	0.19	2	0.13	0.040	5.9	4.4	0.45	177.8	0.002	<1	0.53	0.015	0.16	<0.1	0.7	0.06	54
2023477	Drill Core	0.14	0.23	0.09	3	0.08	0.040	4.9	4.3	0.22	185.5	0.001	<1	0.34	0.008	0.19	0.5	0.7	0.06	31
2023478	Drill Core	0.30	0.19	0.08	3	0.20	0.043	7.0	4.5	0.19	99.7	0.002	<1	0.35	0.024	0.21	<0.1	0.7	0.06	18
2023479	Drill Core	0.39	0.24	0.09	3	0.20	0.043	6.5	4.8	0.40	152.3	0.002	<1	0.47	0.024	0.18	<0.1	1.0	0.06	12
2023480	Rock	0.01	0.03	<0.02	<1	0.01	0.002	1.4	3.0	0.01	11.0	0.001	<1	0.05	0.004	0.01	<0.1	0.2	<0.02	<5
2023481	Drill Core	0.31	0.22	0.11	2	0.34	0.040	6.6	4.8	0.30	94.9	0.002	<1	0.38	0.022	0.19	0.1	0.9	0.05	8
2023482	Drill Core	0.32	0.27	0.12	2	0.33	0.041	4.7	4.0	0.31	57.8	0.002	<1	0.38	0.017	0.21	0.1	1.1	0.05	13
2023483	Drill Core	0.34	0.24	0.18	2	0.50	0.038	4.9	2.9	0.28	73.3	0.002	<1	0.34	0.019	0.21	0.1	0.7	0.05	<5
2023484	Drill Core	0.50	0.28	0.42	3	0.44	0.042	3.8	5.3	0.53	26.0	0.002	<1	0.60	0.009	0.21	0.1	1.2	0.06	<5
2023485	Drill Core	0.94	0.30	0.03	3	0.21	0.036	4.6	5.9	0.47	169.7	0.002	<1	0.53	0.015	0.17	<0.1	1.2	0.06	8
2023486	Drill Core	0.51	0.18	0.05	16	1.82	0.072	2.7	103.4	2.35	373.3	0.003	<1	1.66	0.014	0.16	<0.1	2.6	0.04	9
2023487	Drill Core	0.58	0.17	0.06	18	1.87	0.072	2.3	102.7	2.17	221.4	0.004	2	1.63	0.016	0.17	<0.1	3.2	0.04	14
2023488	Drill Core	0.68	0.18	0.09	17	0.98	0.067	3.8	94.3	2.26	313.8	0.003	<1	1.64	0.009	0.16	<0.1	2.2	0.06	11
2023489	Drill Core	0.72	0.45	0.06	11	0.59	0.063	5.2	52.6	1.69	244.2	0.002	<1	1.26	0.008	0.15	0.2	1.6	0.06	7
2023490	Drill Core	2.01	0.24	0.07	9	1.74	0.073	2.6	42.7	2.34	177.2	0.002	<1	1.23	0.004	0.14	0.6	1.9	0.04	16
2023491	Drill Core	0.83	0.27	0.03	13	1.62	0.064	2.7	76.7	2.94	163.3	0.002	<1	1.46	0.004	0.12	0.6	2.3	0.03	13
2023492	Drill Core	1.04	0.20	0.03	16	0.90	0.084	2.7	96.4	2.55	214.3	0.002	<1	1.63	0.004	0.11	1.1	2.1	0.03	<5
2023493	Drill Core	0.49	0.15	0.02	6	0.45	0.047	7.6	40.6	1.25	302.9	0.001	<1	0.98	0.007	0.15	0.2	1.1	0.04	<5
2023494	Drill Core	0.43	0.17	0.03	19	0.60	0.075	3.1	118.7	2.72	208.1	0.002	<1	1.92	0.004	0.12	0.3	2.0	0.03	9
2023495	Drill Core	1.71	0.68	0.10	1	0.93	0.020	12.2	3.0	0.47	236.1	<0.001	<1	0.33	0.005	0.17	0.7	0.6	0.05	21
2023496	Drill Core	0.11	0.59	0.03	<1	0.22	0.002	12.9	1.2	0.23	692.7	<0.001	<1	0.19	0.004	0.12	0.7	0.4	0.02	<5
2023497	Drill Core	0.09	0.78	0.07	<1	0.26	<0.001	26.6	1.5	0.37	1019.6	0.001	<1	0.26	0.004	0.12	0.4	0.4	0.03	6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 3 of 4 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000418.1

	Method	Analyte	Method																		
			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251		
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
			Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2		
2023468	Drill Core	0.1	<0.02	2.4	0.14	<0.1	0.32	<0.02	4.6	<0.1	<0.05	10.8	3.16	6.9	<0.02	2	0.2	8.8	<10	<2	
2023469	Drill Core	0.1	0.20	2.0	0.23	<0.1	0.44	<0.02	5.6	<0.1	<0.05	14.7	3.25	16.1	<0.02	<1	<0.1	8.8	<10	2	
2023470	Drill Core	<0.1	0.02	2.0	0.12	<0.1	0.26	<0.02	4.6	<0.1	<0.05	7.1	2.94	11.2	<0.02	<1	0.4	7.3	<10	<2	
2023471	Drill Core	<0.1	0.04	2.3	0.16	<0.1	0.31	<0.02	4.6	<0.1	<0.05	10.4	2.75	15.0	<0.02	1	<0.1	7.7	<10	<2	
2023472	Drill Core	<0.1	0.02	2.5	0.22	<0.1	0.42	<0.02	4.7	0.1	<0.05	13.1	3.20	14.5	<0.02	1	0.3	9.5	<10	<2	
2023473	Drill Core	0.2	0.04	2.6	0.24	<0.1	0.39	<0.02	5.6	<0.1	<0.05	11.1	3.72	15.8	<0.02	1	0.2	11.4	<10	<2	
2023474	Drill Core	<0.1	<0.02	2.0	0.19	<0.1	0.30	<0.02	5.8	0.1	<0.05	8.6	2.05	16.0	<0.02	<1	0.3	6.9	<10	<2	
2023475	Drill Core	<0.1	0.03	1.7	0.23	<0.1	0.26	<0.02	5.4	<0.1	<0.05	7.7	1.42	19.4	<0.02	<1	0.2	5.5	<10	<2	
2023476	Drill Core	0.8	0.04	1.4	0.21	<0.1	0.26	<0.02	5.4	0.1	<0.05	8.3	1.99	11.7	<0.02	1	0.1	5.7	<10	<2	
2023477	Drill Core	0.2	<0.02	1.0	0.21	<0.1	0.23	<0.02	6.6	<0.1	<0.05	7.6	1.26	9.5	<0.02	<1	0.1	2.4	<10	3	
2023478	Drill Core	0.1	0.02	1.0	0.23	<0.1	0.25	<0.02	8.1	0.1	<0.05	8.0	2.33	14.3	<0.02	<1	0.1	2.6	<10	<2	
2023479	Drill Core	<0.1	<0.02	1.2	0.23	<0.1	0.33	<0.02	7.2	0.1	<0.05	9.5	2.19	12.5	<0.02	1	0.3	4.0	11	<2	
2023480	Rock	<0.1	<0.02	0.3	0.08	<0.1	0.08	0.04	0.8	<0.1	<0.05	1.9	0.71	3.0	<0.02	<1	<0.1	0.8	<10	<2	
2023481	Drill Core	0.1	<0.02	1.1	0.20	<0.1	0.29	<0.02	7.0	0.1	<0.05	9.1	2.42	12.7	<0.02	<1	<0.1	2.4	<10	<2	
2023482	Drill Core	<0.1	<0.02	1.1	0.18	<0.1	0.20	<0.02	7.0	0.2	<0.05	6.8	2.55	9.5	<0.02	<1	0.4	1.9	<10	<2	
2023483	Drill Core	<0.1	0.02	0.8	0.18	<0.1	0.18	<0.02	6.5	<0.1	<0.05	5.1	1.88	10.1	<0.02	1	<0.1	1.6	<10	<2	
2023484	Drill Core	0.3	0.03	1.7	0.24	<0.1	0.23	0.03	7.1	0.1	<0.05	6.5	2.33	7.3	<0.02	2	0.3	3.9	<10	<2	
2023485	Drill Core	<0.1	<0.02	1.4	0.26	<0.1	0.14	<0.02	6.1	0.1	<0.05	4.9	2.10	9.1	<0.02	<1	0.1	4.7	<10	<2	
2023486	Drill Core	0.1	<0.02	3.8	0.15	<0.1	0.50	<0.02	5.0	0.1	<0.05	6.3	4.28	5.3	<0.02	<1	0.3	15.2	<10	<2	
2023487	Drill Core	0.4	0.03	3.9	0.14	<0.1	0.24	<0.02	5.9	<0.1	<0.05	8.6	3.98	4.7	<0.02	1	0.1	13.8	22	<2	
2023488	Drill Core	<0.1	<0.02	3.8	0.37	<0.1	0.24	<0.02	5.5	<0.1	<0.05	9.9	3.76	7.4	<0.02	1	0.2	15.7	<10	<2	
2023489	Drill Core	0.4	0.03	3.2	0.88	<0.1	0.26	<0.02	6.2	<0.1	<0.05	11.1	3.86	10.0	<0.02	<1	0.2	19.1	<10	<2	
2023490	Drill Core	0.2	0.05	2.0	0.84	<0.1	0.26	<0.02	5.4	0.2	<0.05	10.9	7.09	5.5	<0.02	<1	0.4	19.0	<10	<2	
2023491	Drill Core	0.4	0.63	3.2	0.46	<0.1	0.50	<0.02	4.6	<0.1	<0.05	11.9	7.38	5.7	<0.02	<1	<0.1	18.4	<10	<2	
2023492	Drill Core	0.4	0.05	4.3	0.34	<0.1	0.26	<0.02	4.4	0.1	<0.05	9.3	5.40	5.4	<0.02	<1	0.1	18.3	<10	<2	
2023493	Drill Core	0.1	<0.02	2.6	2.07	<0.1	0.24	<0.02	6.1	0.1	<0.05	8.2	4.41	14.9	<0.02	<1	<0.1	10.8	<10	<2	
2023494	Drill Core	0.3	<0.02	4.4	0.22	<0.1	0.28	<0.02	3.9	<0.1	<0.05	12.8	4.32	5.8	<0.02	<1	0.3	18.9	<10	<2	
2023495	Drill Core	<0.1	0.50	0.7	4.89	<0.1	0.34	<0.02	8.8	<0.1	<0.05	11.3	6.56	23.2	<0.02	<1	0.4	2.5	<10	<2	
2023496	Drill Core	<0.1	0.02	0.5	0.57	<0.1	0.29	0.68	4.2	0.1	<0.05	7.0	5.95	25.0	<0.02	<1	<0.1	2.1	<10	<2	
2023497	Drill Core	<0.1	<0.02	0.8	0.20	<0.1	0.35	0.55	4.4	<0.1	<0.05	10.5	9.14	51.6	<0.02	<1	<0.1	3.4	<10	<2	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000418.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2023498	Drill Core	3.22	496	0.005	<0.01	<0.17	46.93	0.26	3.24	7.53	18.2	72	1.3	0.9	95	0.44	3.1	1.8	1.4	15.2	31.3	
2023499	Drill Core	3.20	332	0.011	0.01	<0.17	25.75	0.24	2.77	9.43	14.5	82	2.2	0.9	54	0.43	3.3	2.6	2.9	15.7	25.3	
2023500	Rock Pulp	0.13	62	7.418				9.73	198.35	19.95	75.7	895	14.0	11.3	602	4.82	14.2	0.9	7266.6	3.6	68.8	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000418.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023498	Drill Core	0.14	0.18	0.06	<1	0.04	0.002	19.7	1.6	0.19	1043.8	<0.001	<1	0.27	0.008	0.15	0.3	0.4	0.03	0.12	6
2023499	Drill Core	0.06	0.10	0.09	<1	0.03	0.002	49.2	1.8	0.14	909.2	0.001	<1	0.30	0.016	0.18	0.2	0.4	0.04	0.14	<5
2023500	Rock Pulp	0.19	5.79	0.61	116	0.87	0.068	8.0	18.2	0.84	127.0	0.129	4	1.71	0.162	0.22	4.5	3.5	0.06	<0.02	215



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000418.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2023498	Drill Core	<0.1	<0.02	0.7	0.19	<0.1	0.64	0.28	5.1	<0.1	<0.05	15.7	6.15	40.3	<0.02	<1	<0.1	3.3	<10
2023499	Drill Core	<0.1	<0.02	0.8	0.14	<0.1	0.76	0.19	6.4	<0.1	<0.05	21.6	7.99	97.0	<0.02	<1	0.1	3.1	<10
2023500	Rock Pulp	0.2	0.18	5.1	0.71	0.1	0.12	0.10	8.2	1.9	<0.05	2.7	5.29	16.0	0.04	1	<0.1	6.7	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000418.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	
Pulp Duplicates																						
2023455	Drill Core	3.23	512	0.008	<0.01	<0.17	33.12	0.71	9.02	6.29	25.2	157	2.8	2.2	312	1.29	1.5	2.4	4.6	9.5	37.0	
REP 2023455	QC							0.74	9.33	6.63	26.0	164	2.8	2.2	301	1.30	1.4	2.5	5.9	10.3	37.4	
2023477	Drill Core	3.38	358	0.015	0.01	<0.17	39.00	0.81	21.68	8.56	29.0	425	4.0	3.3	63	1.50	1.7	3.1	13.0	6.7	33.7	
REP 2023477	QC	0.015																				
2023488	Drill Core	3.53	374	0.014	0.01	<0.17	32.48	1.07	20.80	11.36	96.3	306	18.7	14.6	849	2.49	2.7	2.0	10.2	6.0	36.5	
REP 2023488	QC							1.05	20.93	11.39	87.5	280	18.2	14.2	839	2.49	2.6	1.9	9.5	5.8	34.8	
REP 2023494	QC	0.011																				
Core Reject Duplicates																						
2023494	Drill Core	4.19	431	0.012	0.01	<0.17	36.61	1.54	22.76	11.30	112.9	219	21.5	20.0	948	2.67	15.8	2.0	5.4	4.0	48.1	
DUP 2023494	QC	450		0.009	<0.01	<0.17	35.06	1.54	24.41	11.31	110.4	214	21.4	20.3	977	2.58	16.1	2.0	8.6	4.0	49.6	
Reference Materials																						
STD BVGEO01	Standard							11.22	4406.76	183.84	1788.9	2545	157.6	24.5	722	3.78	122.5	3.8	226.8	15.6	54.0	
STD BVGEO01	Standard							10.74	4295.72	185.29	1676.6	2568	171.8	25.0	692	3.68	115.2	3.8	218.4	16.7	58.2	
STD DS11	Standard							13.94	156.74	139.29	330.9	1725	79.7	13.8	1008	3.03	43.4	2.7	85.1	8.0	65.4	
STD OREAS262	Standard							0.69	121.79	55.53	149.9	460	65.1	26.5	544	3.30	35.7	1.2	70.7	9.6	34.7	
STD OREAS262	Standard							0.69	118.44	57.82	150.4	470	66.3	27.3	558	3.18	36.8	1.3	81.0	9.8	35.2	
STD OREAS262	Standard							0.68	117.75	56.70	145.5	454	66.6	28.3	528	3.25	35.5	1.2	59.2	10.2	35.2	
STD OXC152	Standard	0.217																				
STD OXC152	Standard	0.216																				
STD OXC152	Standard	0.223																				
STD OXH139	Standard	1.331																				
STD OXH139	Standard	1.296																				
STD OXH139	Standard	1.322																				
STD OXN134	Standard	7.859																				
STD OXN134	Standard	7.594																				
STD OXN134	Standard	7.835																				
STD OXQ90	Standard						25.28	29.99														
STD OXQ90	Standard						25.26	30.29														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000418.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2023455	Drill Core	0.09	0.33	0.03	2	0.06	0.041	7.7	3.9	0.22	702.3	0.002	2	0.31	0.009	0.18	0.2	0.6	0.06	0.12	<5
REP 2023455	QC	0.10	0.35	0.03	2	0.06	0.041	7.6	3.7	0.21	697.7	0.001	<1	0.31	0.008	0.18	0.1	0.5	0.06	0.13	<5
2023477	Drill Core	0.14	0.23	0.09	3	0.08	0.040	4.9	4.3	0.22	185.5	0.001	<1	0.34	0.008	0.19	0.5	0.7	0.06	0.81	31
REP 2023477	QC																				
2023488	Drill Core	0.68	0.18	0.09	17	0.98	0.067	3.8	94.3	2.26	313.8	0.003	<1	1.64	0.009	0.16	<0.1	2.2	0.06	0.54	11
REP 2023488	QC	0.72	0.18	0.09	18	0.98	0.070	3.4	95.7	2.32	293.7	0.003	<1	1.68	0.009	0.16	<0.1	2.4	0.06	0.54	8
REP 2023494	QC																				
Core Reject Duplicates																					
2023494	Drill Core	0.43	0.17	0.03	19	0.60	0.075	3.1	118.7	2.72	208.1	0.002	<1	1.92	0.004	0.12	0.3	2.0	0.03	0.66	9
DUP 2023494	QC	0.39	0.14	0.03	18	0.59	0.076	2.8	113.3	2.54	223.7	0.002	<1	1.79	0.005	0.12	0.2	2.2	0.03	0.65	11
Reference Materials																					
STD BVGE001	Standard	6.52	4.00	25.77	73	1.35	0.068	26.4	186.0	1.28	289.1	0.240	3	2.34	0.191	0.87	5.6	6.0	0.65	0.63	110
STD BVGE001	Standard	6.24	3.31	26.21	74	1.30	0.070	26.9	197.6	1.30	274.5	0.241	3	2.35	0.194	0.92	4.8	6.0	0.65	0.67	91
STD DS11	Standard	2.44	9.08	12.10	45	1.01	0.067	17.4	60.7	0.81	358.1	0.090	4	1.10	0.070	0.39	3.1	3.3	4.87	0.26	277
STD OREAS262	Standard	0.64	6.25	1.06	21	3.00	0.039	15.5	42.2	1.18	244.3	0.003	3	1.28	0.068	0.30	0.2	3.3	0.44	0.24	157
STD OREAS262	Standard	0.67	6.29	1.08	20	2.95	0.034	15.5	43.5	1.12	254.9	0.003	<1	1.20	0.067	0.29	0.2	3.1	0.46	0.24	178
STD OREAS262	Standard	0.63	4.79	1.07	23	2.93	0.038	17.6	47.3	1.20	260.5	0.003	4	1.42	0.069	0.32	0.2	3.3	0.47	0.27	168
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000418.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2023455	Drill Core	<0.1	<0.02	1.0	0.43	<0.1	0.23	<0.02	6.3	<0.1	<0.05	6.7	1.12	14.2	<0.02	<1	<0.1	2.7	<10	<2
REP 2023455	QC	<0.1	<0.02	1.0	0.44	<0.1	0.19	<0.02	6.4	<0.1	<0.05	6.8	1.11	14.2	<0.02	<1	<0.1	2.6	<10	<2
2023477	Drill Core	0.2	<0.02	1.0	0.21	<0.1	0.23	<0.02	6.6	<0.1	<0.05	7.6	1.26	9.5	<0.02	<1	0.1	2.4	<10	3
REP 2023477	QC																			
2023488	Drill Core	<0.1	<0.02	3.8	0.37	<0.1	0.24	<0.02	5.5	<0.1	<0.05	9.9	3.76	7.4	<0.02	1	0.2	15.7	<10	<2
REP 2023488	QC	0.3	<0.02	3.8	0.35	<0.1	0.25	<0.02	5.3	<0.1	<0.05	9.2	3.81	6.8	<0.02	<1	<0.1	15.5	15	<2
REP 2023494	QC																			
Core Reject Duplicates																				
2023494	Drill Core	0.3	<0.02	4.4	0.22	<0.1	0.28	<0.02	3.9	<0.1	<0.05	12.8	4.32	5.8	<0.02	<1	0.3	18.9	<10	<2
DUP 2023494	QC	0.4	<0.02	4.1	0.22	<0.1	0.28	<0.02	4.2	<0.1	<0.05	12.4	4.58	5.9	<0.02	<1	<0.1	19.3	12	<2
Reference Materials																				
STD BVGEO01	Standard	5.5	1.09	7.3	7.08	0.2	0.31	0.35	93.4	5.9	<0.05	9.7	14.78	52.6	0.46	7	0.4	18.4	117	178
STD BVGEO01	Standard	4.7	1.00	7.7	7.32	0.1	0.32	0.28	92.6	5.9	<0.05	7.2	14.95	54.4	0.48	5	1.0	19.4	137	180
STD DS11	Standard	2.0	4.60	5.3	2.95	<0.1	0.10	1.43	33.9	1.8	<0.05	3.0	7.69	35.3	0.27	54	1.1	21.8	106	165
STD OREAS262	Standard	0.4	0.25	3.7	3.03	<0.1	0.25	<0.02	18.8	0.6	<0.05	9.7	10.10	30.7	0.03	<1	0.8	16.6	<10	<2
STD OREAS262	Standard	0.3	0.27	4.1	3.12	<0.1	0.25	<0.02	18.5	0.6	<0.05	8.7	10.63	31.0	0.04	<1	1.4	17.2	<10	<2
STD OREAS262	Standard	0.4	0.22	4.2	2.77	<0.1	0.23	<0.02	19.1	0.6	<0.05	12.0	11.24	35.6	0.04	<1	1.4	18.7	<10	<2
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000418.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXQ90	Standard					25.27	30.16														
STD OXQ90	Standard					24.75	30.34														
STD OXQ90	Standard					25.17	30.24														
STD OXQ90	Standard					25.13	29.77														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGEO01 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		447	<0.005	<0.01	<0.17	39.90	0.92	6.00	2.46	33.1	23	2.1	4.8	633	2.00	1.1	0.5	0.9	2.8	27.5
ROCK-WHI	Prep Blank		465	<0.005	<0.01	<0.17	39.90	0.84	6.47	1.67	34.0	10	1.9	4.6	593	2.02	1.1	0.4	0.8	2.5	23.5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000418.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	10
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.03	<0.02	30	0.74	0.042	6.9	5.5	0.55	61.7	0.091	<1	1.15	0.152	0.12	<0.1	3.9	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	0.03	<0.02	31	0.78	0.041	6.2	4.6	0.56	54.9	0.086	<1	1.08	0.116	0.10	<0.1	3.3	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 09, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000418.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	4.3	0.16	<0.1	0.12	0.17	2.2	0.4	<0.05	3.0	9.86	13.9	<0.02	<1	<0.1	1.4	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.14	<0.1	0.13	0.15	2.1	0.3	<0.05	3.0	8.80	12.8	<0.02	<1	0.1	1.2	<10	<2