



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 21, 2019
Report Date: September 11, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000419.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-47
P.O. Number
Number of Samples: 139

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	133	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	5	Sort, label and box pulps			WHI
FS631	139	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	139	Analysis sample split/packet			WHI
Split -150	139	Analysis sample split/packet			WHI
EN002	139	Environmental disposal charge-Fire assay lead waste			VAN
FS631	134	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	139	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	139	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000419.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1829685	Drill Core	1.96	376	0.034	0.03	<0.17	24.08	0.55	14.13	17.39	27.8	4425	3.3	2.3	197	0.88	13.9	1.0	42.5	11.0	8.9
1829686	Drill Core	2.84	356	0.051	0.05	<0.17	30.60	0.39	19.12	23.04	45.0	370	2.9	4.0	281	1.12	10.3	1.3	24.7	13.8	12.1
1829687	Drill Core	3.40	363	0.026	0.02	<0.17	34.51	0.51	38.82	72.64	67.8	669	2.3	2.9	285	1.09	12.9	1.5	14.4	13.1	10.3
1829688	Drill Core	1.78	344	0.027	0.02	<0.17	43.56	0.50	32.27	88.94	55.5	375	1.7	2.5	211	1.00	12.4	2.1	19.3	16.0	8.7
1829689	Drill Core	3.03	424	0.024	0.02	<0.17	34.64	0.82	40.18	55.34	54.9	343	2.6	2.8	283	0.95	20.6	2.6	21.5	16.7	10.2
1829690	Drill Core	2.52	422	0.059	0.07	0.20	30.12	0.74	9.20	24.51	17.1	375	1.8	2.4	187	0.84	25.5	1.4	139.6	14.5	8.6
1829691	Drill Core	3.18	464	0.013	0.01	<0.17	32.46	0.63	6.31	19.68	35.3	263	3.4	2.7	199	0.98	23.7	1.9	8.7	16.9	13.8
1829692	Drill Core	3.18	454	0.009	<0.01	<0.17	41.52	0.60	4.92	19.21	26.6	174	3.1	2.6	191	0.90	11.9	1.3	6.5	15.9	10.5
1829693	Drill Core	3.31	449	0.047	0.04	<0.17	29.03	1.51	8.71	37.05	53.1	443	3.6	3.2	235	1.01	48.7	2.8	41.4	15.2	10.1
1829694	Drill Core	3.84	372	0.080	0.07	<0.17	27.20	0.83	9.07	25.15	70.3	853	5.1	3.5	248	1.75	175.4	6.6	73.1	13.9	16.1
1829695	Drill Core	2.87	348	0.049	0.05	<0.17	28.41	0.76	11.77	15.94	70.1	340	5.0	3.9	293	1.87	238.9	5.2	40.3	12.4	20.2
1829696	Drill Core	3.46	332	0.022	0.02	<0.17	26.86	0.53	18.80	20.40	58.4	337	5.3	5.3	303	1.60	72.7	3.4	20.4	12.6	19.0
1829697	Drill Core	4.49	455	0.287	0.30	0.44	24.87	1.46	15.56	18.78	58.7	1171	4.4	3.8	208	1.53	91.1	7.1	241.9	13.7	31.1
1829698	Drill Core	2.91	423	0.016	0.02	<0.17	24.57	0.73	7.49	12.07	33.6	245	2.8	2.1	186	0.97	37.6	2.8	15.1	15.1	30.9
1829699	Drill Core	3.56	347	0.014	0.01	<0.17	27.45	0.87	20.89	27.69	63.8	453	8.5	4.7	483	1.50	49.3	2.2	17.4	13.7	22.2
1829700	Rock Pulp	0.13	77	7.539				9.34	191.62	20.57	74.6	902	13.1	11.9	592	4.50	14.8	0.9	7945.6	3.4	71.4
1829701	Drill Core	3.40	471	0.043	0.04	<0.17	31.91	0.80	22.20	28.86	78.0	511	7.9	5.4	533	1.74	20.1	1.9	49.7	11.7	24.7
1829702	Drill Core	2.33	409	0.046	0.04	<0.17	34.62	0.83	21.18	18.90	40.1	4469	5.4	3.0	301	1.32	35.0	2.0	104.0	12.8	15.7
1829703	Drill Core	2.99	432	0.047	0.04	<0.17	31.46	0.63	16.61	17.55	46.0	455	5.8	4.1	295	1.58	31.4	2.3	51.2	12.3	19.7
1829704	Drill Core	3.11	513	0.120	0.11	<0.17	28.19	0.39	8.91	14.16	28.8	448	1.9	2.4	209	1.27	77.6	1.8	77.1	14.6	19.1
1829705	Drill Core	3.14	502	0.028	0.03	<0.17	40.15	0.54	6.68	12.37	35.4	359	2.5	2.6	298	1.17	55.5	1.4	24.2	15.0	19.0
1829706	Drill Core	3.16	436	0.055	0.05	<0.17	37.77	0.91	12.55	15.08	34.9	329	3.4	2.9	289	1.49	103.7	2.5	53.4	13.3	19.1
1829707	Drill Core	3.07	477	0.034	0.03	<0.17	28.00	1.07	12.76	17.57	58.2	429	6.5	5.0	508	1.83	172.8	2.2	35.5	12.3	22.8
1829708	Drill Core	3.57	473	0.118	0.11	<0.17	34.26	0.50	5.52	9.45	24.0	492	1.8	2.3	246	1.09	181.3	1.3	79.4	14.2	14.6
1829709	Drill Core	2.87	390	0.158	0.15	<0.17	33.66	0.52	6.09	9.17	22.0	344	1.5	2.3	278	1.22	644.8	2.5	101.1	13.5	17.0
1829710	Drill Core	2.95	370	0.084	0.08	<0.17	30.39	0.56	13.07	21.50	35.0	397	2.1	3.1	249	1.63	1113.1	4.3	82.3	14.5	26.7
1829711	Drill Core	2.76	468	0.016	0.01	<0.17	26.03	0.75	4.27	17.89	48.9	220	3.3	3.6	312	1.82	205.4	4.7	28.2	12.5	22.9
1829712	Drill Core	2.32	450	0.105	0.10	<0.17	29.70	1.00	23.12	10.87	79.5	490	21.1	11.2	688	2.70	144.2	2.6	81.6	11.8	37.8
1829713	Drill Core	2.01	389	0.042	0.04	<0.17	36.31	1.20	40.19	26.30	56.5	363	4.0	4.4	401	1.65	114.8	1.6	62.9	13.8	19.3
1829714	Drill Core	1.42	460	0.011	0.01	<0.17	28.50	0.64	9.07	24.64	44.1	179	2.9	2.8	274	1.30	23.5	1.0	6.9	10.1	15.1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000419.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829685	Drill Core	0.21	0.23	0.22	3	0.08	0.034	24.3	3.3	0.20	291.7	0.001	<1	0.46	0.028	0.20	10.3	1.0	0.06	<0.02	<5
1829686	Drill Core	0.41	0.17	0.16	4	0.13	0.049	33.8	3.8	0.30	322.1	0.002	<1	0.72	0.038	0.31	0.4	2.2	0.10	<0.02	<5
1829687	Drill Core	0.49	0.19	0.68	4	0.11	0.047	31.3	3.6	0.30	320.7	0.002	<1	0.64	0.024	0.29	0.2	1.4	0.08	<0.02	<5
1829688	Drill Core	0.43	0.22	0.10	3	0.10	0.041	35.3	3.4	0.19	275.3	0.002	<1	0.60	0.032	0.31	0.1	1.2	0.09	<0.02	<5
1829689	Drill Core	0.45	0.30	0.38	3	0.11	0.042	38.4	3.9	0.25	307.6	0.002	<1	0.63	0.022	0.31	0.1	1.4	0.11	<0.02	<5
1829690	Drill Core	0.24	0.31	0.27	2	0.08	0.039	31.9	3.2	0.19	258.4	0.002	<1	0.47	0.031	0.25	0.1	1.2	0.08	<0.02	<5
1829691	Drill Core	0.29	0.34	0.32	3	0.12	0.050	38.6	3.5	0.34	300.8	0.002	<1	0.73	0.022	0.34	<0.1	1.6	0.12	<0.02	11
1829692	Drill Core	0.26	0.21	0.26	2	0.12	0.043	37.2	3.3	0.31	280.1	0.002	<1	0.72	0.023	0.36	0.1	1.2	0.11	<0.02	<5
1829693	Drill Core	0.56	0.60	0.40	3	0.10	0.039	36.6	3.5	0.29	246.1	0.001	1	0.66	0.025	0.28	<0.1	1.2	0.09	<0.02	<5
1829694	Drill Core	1.25	2.48	0.16	5	0.09	0.044	37.6	5.4	0.38	224.7	0.001	2	0.80	0.022	0.25	0.1	1.9	0.09	<0.02	6
1829695	Drill Core	0.80	1.72	0.04	8	0.16	0.056	35.4	6.0	0.54	252.3	0.002	<1	1.05	0.031	0.23	0.1	2.2	0.08	<0.02	<5
1829696	Drill Core	0.66	0.79	0.06	6	0.14	0.056	36.0	5.6	0.41	358.2	0.002	<1	0.93	0.028	0.29	<0.1	2.1	0.09	<0.02	<5
1829697	Drill Core	0.89	1.55	0.05	5	0.08	0.046	34.6	5.5	0.31	1522.5	0.001	<1	0.76	0.017	0.28	0.2	1.8	0.09	0.04	9
1829698	Drill Core	0.24	0.43	0.08	2	0.07	0.020	31.1	3.7	0.38	2130.1	<0.001	<1	0.73	0.013	0.24	0.2	0.9	0.08	0.04	<5
1829699	Drill Core	0.64	0.48	0.19	7	0.17	0.057	33.8	6.0	0.58	345.5	0.002	<1	1.03	0.012	0.33	0.1	2.0	0.10	<0.02	<5
1829700	Rock Pulp	0.22	5.12	0.60	111	0.97	0.076	8.8	17.8	0.83	132.7	0.118	3	1.82	0.191	0.23	3.8	3.6	0.07	<0.02	212
1829701	Drill Core	0.56	0.37	0.15	7	0.18	0.072	31.6	7.6	0.59	298.7	0.002	<1	0.96	0.010	0.26	0.3	2.3	0.08	<0.02	<5
1829702	Drill Core	0.39	0.38	0.16	6	0.12	0.049	33.3	6.9	0.35	299.5	0.002	<1	0.71	0.019	0.29	5.6	1.6	0.08	<0.02	<5
1829703	Drill Core	0.47	0.39	0.10	6	0.15	0.058	31.9	5.9	0.44	424.2	0.003	<1	0.88	0.017	0.34	0.3	2.0	0.09	<0.02	<5
1829704	Drill Core	0.20	0.81	0.10	4	0.15	0.050	35.0	3.9	0.29	279.9	0.002	1	0.65	0.026	0.32	0.1	1.5	0.08	0.05	10
1829705	Drill Core	0.40	0.63	0.10	4	0.11	0.047	38.0	3.8	0.28	484.0	0.002	<1	0.66	0.020	0.32	0.1	1.5	0.10	<0.02	<5
1829706	Drill Core	0.42	0.80	0.09	6	0.13	0.049	35.9	5.2	0.43	242.8	0.002	<1	0.84	0.019	0.29	<0.1	1.7	0.10	<0.02	<5
1829707	Drill Core	0.51	1.26	0.08	7	0.16	0.052	35.4	6.4	0.57	236.9	0.002	<1	0.99	0.015	0.24	0.3	2.3	0.10	<0.02	<5
1829708	Drill Core	0.14	1.11	0.12	3	0.11	0.049	35.4	3.1	0.25	246.3	0.002	1	0.61	0.017	0.33	0.1	1.1	0.11	<0.02	12
1829709	Drill Core	0.20	3.91	0.09	3	0.11	0.041	34.3	3.0	0.26	245.3	0.002	<1	0.57	0.021	0.30	0.1	1.1	0.10	<0.02	12
1829710	Drill Core	0.21	8.50	0.18	4	0.11	0.049	35.6	4.2	0.30	213.6	0.002	1	0.64	0.026	0.28	<0.1	1.6	0.09	0.04	<5
1829711	Drill Core	0.23	2.09	<0.02	6	0.14	0.050	34.1	4.9	0.52	191.3	0.003	1	0.93	0.028	0.25	<0.1	2.8	0.08	<0.02	<5
1829712	Drill Core	0.36	1.00	<0.02	20	0.26	0.079	31.5	27.8	0.95	256.7	0.004	<1	1.47	0.019	0.30	0.1	4.3	0.10	<0.02	<5
1829713	Drill Core	0.41	0.83	0.08	6	0.16	0.054	38.0	5.5	0.46	255.7	0.002	<1	0.92	0.026	0.31	0.1	2.5	0.10	<0.02	<5
1829714	Drill Core	0.20	0.30	0.15	4	0.14	0.050	28.4	4.4	0.40	221.7	0.002	<1	0.74	0.012	0.27	<0.1	1.7	0.08	<0.02	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000419.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829685	Drill Core	<0.1	0.02	1.8	0.52	<0.1	0.11	<0.02	9.2	0.2	<0.05	4.2	5.28	42.9	<0.02	<1	0.2	5.2	<10	<2			
1829686	Drill Core	<0.1	0.03	2.8	0.77	<0.1	0.08	<0.02	12.9	0.3	<0.05	3.0	7.17	62.8	<0.02	<1	0.4	8.0	<10	<2			
1829687	Drill Core	<0.1	0.03	2.7	0.64	<0.1	0.07	<0.02	12.0	0.3	<0.05	2.8	7.09	57.6	<0.02	<1	0.3	6.7	<10	<2			
1829688	Drill Core	<0.1	0.03	2.5	0.52	<0.1	0.02	0.04	12.1	0.5	<0.05	2.3	8.12	66.8	<0.02	<1	0.3	5.2	<10	<2			
1829689	Drill Core	<0.1	0.02	2.7	0.98	0.1	0.05	0.02	14.0	0.4	<0.05	2.1	9.38	72.9	<0.02	<1	0.4	8.0	<10	<2			
1829690	Drill Core	<0.1	0.11	1.9	0.63	<0.1	0.05	<0.02	11.0	0.3	<0.05	1.9	6.80	60.1	<0.02	<1	0.3	6.4	<10	<2			
1829691	Drill Core	<0.1	0.02	2.7	1.09	0.1	0.10	<0.02	14.6	0.3	<0.05	4.0	7.12	73.3	<0.02	<1	0.4	10.9	<10	<2			
1829692	Drill Core	<0.1	<0.02	2.6	0.99	<0.1	0.08	<0.02	14.3	0.4	<0.05	3.3	7.51	70.7	<0.02	<1	0.3	9.2	<10	<2			
1829693	Drill Core	<0.1	0.09	2.4	1.18	0.1	0.08	<0.02	11.8	0.3	<0.05	2.9	9.57	69.6	<0.02	<1	0.4	8.6	<10	<2			
1829694	Drill Core	0.1	0.27	3.3	1.75	<0.1	0.07	<0.02	12.0	0.3	<0.05	2.7	10.80	66.3	<0.02	<1	0.5	10.6	<10	<2			
1829695	Drill Core	<0.1	0.08	4.6	1.64	<0.1	0.18	<0.02	10.3	0.2	<0.05	6.2	8.42	60.9	0.02	<1	0.4	15.4	<10	<2			
1829696	Drill Core	<0.1	0.06	3.3	1.40	<0.1	0.13	<0.02	12.5	0.3	<0.05	5.8	8.28	66.3	<0.02	<1	0.4	12.8	<10	<2			
1829697	Drill Core	<0.1	0.23	2.8	1.83	<0.1	0.12	<0.02	12.4	0.4	<0.05	5.0	10.63	60.5	<0.02	<1	0.4	9.2	<10	<2			
1829698	Drill Core	<0.1	0.03	2.8	1.29	<0.1	0.41	<0.02	10.7	0.2	<0.05	12.1	7.52	57.0	<0.02	<1	0.4	11.6	<10	<2			
1829699	Drill Core	<0.1	0.05	3.2	1.33	<0.1	0.23	<0.02	14.0	0.2	<0.05	9.6	8.18	60.5	<0.02	<1	0.5	18.2	<10	<2			
1829700	Rock Pulp	0.1	0.16	5.2	0.79	0.1	0.09	0.13	9.2	1.9	<0.05	1.8	5.54	16.9	0.04	<1	0.2	7.0	<10	<2			
1829701	Drill Core	<0.1	0.03	3.4	1.00	<0.1	0.22	<0.02	12.4	0.2	<0.05	8.7	7.90	57.5	<0.02	<1	0.4	16.6	<10	<2			
1829702	Drill Core	<0.1	0.05	3.0	1.02	<0.1	0.10	<0.02	13.9	0.3	<0.05	3.7	8.45	58.5	<0.02	<1	0.3	10.1	<10	<2			
1829703	Drill Core	<0.1	<0.02	2.7	0.73	<0.1	0.15	<0.02	14.4	0.2	<0.05	5.4	7.89	58.6	<0.02	<1	0.3	11.6	<10	<2			
1829704	Drill Core	0.1	0.12	2.7	1.07	<0.1	0.04	<0.02	15.0	0.3	<0.05	1.4	8.92	64.0	<0.02	<1	0.3	7.6	<10	<2			
1829705	Drill Core	<0.1	<0.02	2.8	1.85	<0.1	0.02	<0.02	17.3	0.3	<0.05	1.1	9.16	69.5	<0.02	<1	0.4	9.1	<10	<2			
1829706	Drill Core	<0.1	0.03	3.5	2.42	<0.1	0.07	<0.02	15.2	0.3	<0.05	3.2	9.08	65.4	<0.02	<1	0.3	11.6	<10	<2			
1829707	Drill Core	<0.1	<0.02	3.8	3.77	<0.1	0.14	<0.02	13.8	0.2	<0.05	6.3	10.10	62.9	<0.02	<1	0.3	16.7	<10	<2			
1829708	Drill Core	<0.1	0.24	2.1	1.42	<0.1	<0.02	<0.02	15.9	0.2	<0.05	0.9	7.56	65.5	<0.02	<1	0.3	7.8	<10	<2			
1829709	Drill Core	<0.1	0.11	2.2	0.76	<0.1	0.03	<0.02	14.1	0.2	<0.05	1.2	6.97	58.9	<0.02	<1	0.2	7.7	<10	<2			
1829710	Drill Core	<0.1	0.04	2.7	1.05	<0.1	0.11	<0.02	12.8	0.3	<0.05	3.9	6.98	68.0	0.02	<1	0.3	9.1	<10	<2			
1829711	Drill Core	<0.1	<0.02	3.8	0.82	<0.1	0.27	<0.02	10.7	0.2	<0.05	8.8	6.90	58.5	<0.02	<1	0.4	13.4	<10	<2			
1829712	Drill Core	<0.1	0.11	5.5	1.18	<0.1	0.21	<0.02	14.5	0.3	<0.05	7.4	9.34	57.7	0.02	<1	0.5	26.4	<10	<2			
1829713	Drill Core	<0.1	0.03	4.1	0.92	<0.1	0.08	<0.02	14.5	0.3	<0.05	2.8	9.40	75.1	0.03	<1	0.3	13.1	<10	<2			
1829714	Drill Core	<0.1	<0.02	2.6	0.67	<0.1	<0.02	<0.02	12.2	0.2	<0.05	0.9	6.59	50.8	<0.02	<1	0.3	10.4	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000419.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1829715	Drill Core	3.52	339	0.048	0.04	<0.17	25.94	0.51	11.02	13.29	44.7	212	3.7	4.1	310	1.83	78.9	2.4	42.4	13.4	33.8
1829716	Drill Core	3.61	364	0.018	0.02	<0.17	26.17	0.76	12.15	10.16	51.4	191	24.1	9.8	504	2.37	164.2	1.6	15.5	11.8	46.2
1829717	Drill Core	3.13	469	0.013	0.01	<0.17	39.17	0.73	10.98	16.32	57.2	245	4.0	4.0	361	2.11	63.3	1.6	12.2	14.8	21.6
1829718	Drill Core	3.23	461	0.006	<0.01	<0.17	36.15	0.60	9.99	13.31	42.7	140	4.0	4.2	298	2.03	13.4	2.8	6.7	11.9	79.5
1829719	Drill Core	3.49	497	0.006	<0.01	<0.17	37.65	0.72	13.05	13.47	39.2	95	3.5	3.9	285	1.84	11.5	1.5	4.5	11.9	77.4
1829720	Rock Pulp	0.13	75	0.450				2.30	432.74	17.58	48.0	282	589.5	24.8	401	2.47	18.3	0.6	440.0	1.5	55.1
1829721	Drill Core	2.70	422	<0.005	<0.01	<0.17	32.73	0.74	8.01	18.10	41.7	137	4.0	3.7	316	1.86	5.5	2.2	<0.2	12.1	106.0
1829722	Drill Core	2.74	418	<0.005	<0.01	<0.17	37.71	0.47	5.98	11.48	50.0	154	10.4	5.1	355	2.02	11.0	1.4	0.4	11.4	97.1
1829723	Drill Core	3.31	446	0.017	0.02	<0.17	29.26	0.98	5.57	15.48	63.6	238	20.0	8.3	447	2.30	21.1	1.8	15.3	11.4	161.1
1829724	Drill Core	2.87	416	<0.005	<0.01	<0.17	42.70	0.21	3.53	10.52	41.8	74	2.0	2.9	334	1.74	2.1	2.2	<0.2	12.2	102.1
1829725	Drill Core	2.95	421	<0.005	<0.01	<0.17	42.53	0.44	14.54	42.22	66.3	533	3.3	3.7	228	1.65	6.4	2.1	2.9	12.6	106.4
1829726	Drill Core	3.08	452	<0.005	<0.01	<0.17	43.60	0.69	11.71	35.44	61.4	386	3.9	3.5	240	1.26	5.3	3.0	3.9	12.7	131.6
1829727	Drill Core	1.48	483	<0.005	<0.01	<0.17	41.39	0.17	6.50	23.98	37.3	240	2.1	2.5	195	1.33	3.0	2.8	1.6	11.7	106.9
1829728	Drill Core	2.47	487	<0.005	<0.01	<0.17	37.77	0.25	9.85	26.69	38.5	300	2.6	3.2	253	1.54	6.4	1.6	1.1	12.2	116.8
1829729	Drill Core	1.60	471	<0.005	<0.01	<0.17	39.65	0.26	7.17	25.11	48.6	294	2.9	3.2	210	1.38	3.5	3.7	1.6	15.4	107.8
1829730	Drill Core	3.06	478	<0.005	<0.01	<0.17	29.80	0.63	14.73	44.92	65.7	570	3.4	3.3	183	1.14	5.0	3.7	1.4	15.4	94.9
1829731	Drill Core	2.69	491	0.024	0.02	<0.17	37.91	0.62	7.64	46.33	99.6	517	3.4	3.2	210	1.23	6.3	3.7	25.3	14.2	118.4
1829732	Drill Core	3.26	421	0.014	0.01	<0.17	27.68	0.43	9.64	23.70	48.6	375	2.7	3.3	221	1.30	25.3	3.3	19.8	13.5	70.9
1829733	Drill Core	3.31	445	0.032	0.05	0.24	28.85	0.23	4.32	18.30	36.7	215	2.1	2.9	289	1.45	23.5	3.4	40.0	14.0	59.3
1829734	Drill Core	3.07	395	0.023	0.02	<0.17	38.02	0.20	7.68	9.01	46.0	201	2.5	3.0	389	1.63	73.1	4.7	22.2	12.7	111.8
1829735	Drill Core	3.15	417	0.029	0.03	<0.17	30.51	0.77	8.32	16.87	51.5	249	3.0	3.8	493	1.90	70.6	3.1	22.1	10.8	156.8
1829736	Drill Core	3.06	498	0.068	0.08	0.20	34.67	0.35	10.77	20.79	71.2	304	13.4	7.1	640	2.54	21.3	1.9	147.0	10.7	262.0
1829737	Drill Core	2.67	478	0.090	0.11	0.36	41.38	0.83	10.75	7.84	82.0	274	24.7	12.9	531	3.00	45.2	1.4	80.6	7.5	259.0
1829738	Drill Core	2.64	410	0.006	<0.01	<0.17	36.41	1.16	9.54	11.15	58.8	189	11.5	7.2	276	2.14	14.8	3.4	3.3	9.2	124.2
1829739	Drill Core	2.86	445	0.006	<0.01	<0.17	31.66	1.00	7.14	20.19	38.2	260	2.8	3.5	287	1.40	9.7	2.0	2.5	14.3	85.8
1829740	Rock Pulp	0.13	72	0.007				4.08	21.65	1.02	30.8	17	6.9	4.3	612	2.38	1.6	0.4	3.2	2.1	33.2
1829741	Drill Core	2.90	457	0.008	<0.01	<0.17	33.65	0.27	6.33	18.93	40.1	190	2.1	3.1	390	1.50	31.7	3.2	6.2	13.2	73.6
1829742	Drill Core	2.87	415	0.017	0.02	<0.17	33.90	0.26	5.66	15.00	37.3	156	2.0	2.8	357	1.56	81.2	3.2	13.1	12.6	62.4
1829743	Drill Core	2.90	373	0.033	0.03	<0.17	32.34	0.21	6.60	16.96	39.9	143	2.1	3.1	450	1.57	30.2	3.1	20.4	13.2	118.1
1829744	Drill Core	2.81	483	0.035	0.04	<0.17	38.74	0.16	5.86	12.90	44.4	93	2.1	2.8	308	1.54	172.8	3.1	31.5	12.5	76.9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000419.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829715	Drill Core	0.21	1.16	0.09	5	0.40	0.049	34.0	5.1	0.44	254.6	0.003	1	0.87	0.025	0.33	<0.1	2.7	0.11	<5
1829716	Drill Core	0.16	2.25	0.06	19	0.49	0.051	32.9	23.8	0.93	221.9	0.003	<1	1.23	0.033	0.23	<0.1	5.9	0.08	<0.02
1829717	Drill Core	0.17	1.14	0.11	11	0.23	0.048	38.0	7.0	0.47	201.1	0.003	<1	0.94	0.037	0.20	<0.1	3.8	0.08	0.05
1829718	Drill Core	0.14	0.47	0.11	9	0.95	0.038	35.5	6.0	0.42	178.8	0.005	<1	0.95	0.050	0.24	<0.1	4.1	0.08	0.23
1829719	Drill Core	0.12	0.30	0.11	7	0.92	0.037	35.1	4.2	0.34	262.7	0.005	<1	0.83	0.041	0.28	<0.1	3.6	0.09	0.08
1829720	Rock Pulp	0.19	0.37	0.28	51	1.27	0.030	3.8	96.2	1.71	75.1	0.069	3	1.89	0.189	0.14	1.2	3.0	0.09	0.20
1829721	Drill Core	0.20	0.30	0.14	8	1.05	0.039	35.3	5.0	0.35	298.5	0.008	3	0.87	0.049	0.30	<0.1	3.6	0.10	0.09
1829722	Drill Core	0.25	0.20	0.09	11	1.04	0.034	33.5	10.7	0.52	337.0	0.007	1	1.00	0.049	0.29	0.1	4.6	0.09	0.07
1829723	Drill Core	0.32	0.35	0.14	16	1.62	0.040	34.2	20.7	0.76	399.6	0.005	<1	1.17	0.037	0.34	0.1	6.0	0.09	0.16
1829724	Drill Core	0.11	0.17	0.09	6	0.93	0.031	35.9	3.5	0.33	362.8	0.007	2	0.75	0.063	0.26	<0.1	3.8	0.08	0.04
1829725	Drill Core	0.39	0.22	0.89	8	0.98	0.037	36.7	5.3	0.52	427.9	0.008	<1	0.97	0.050	0.36	<0.1	4.5	0.10	0.09
1829726	Drill Core	0.37	0.25	0.73	7	1.25	0.039	35.7	4.4	0.37	387.1	0.005	<1	0.70	0.043	0.31	<0.1	4.3	0.10	0.08
1829727	Drill Core	0.10	0.31	0.35	6	1.00	0.034	31.4	4.2	0.47	328.4	0.004	1	0.77	0.027	0.36	0.1	4.9	0.11	0.07
1829728	Drill Core	0.16	0.35	0.49	8	1.32	0.036	34.2	4.7	0.49	290.8	0.004	<1	0.82	0.051	0.29	0.1	4.0	0.10	0.14
1829729	Drill Core	0.19	0.41	0.51	6	1.13	0.039	43.4	3.8	0.43	359.8	0.005	<1	0.82	0.027	0.43	0.1	5.5	0.18	0.09
1829730	Drill Core	0.86	0.31	0.82	5	1.04	0.041	41.3	3.8	0.32	402.1	0.004	2	0.75	0.035	0.40	0.1	3.6	0.15	0.14
1829731	Drill Core	1.26	0.38	0.85	4	1.13	0.039	27.5	3.3	0.37	585.3	0.003	<1	0.75	0.028	0.39	<0.1	4.6	0.13	0.14
1829732	Drill Core	0.37	0.62	0.61	6	0.75	0.036	32.3	4.2	0.33	292.4	0.003	1	0.71	0.044	0.30	0.1	3.9	0.11	0.26
1829733	Drill Core	0.18	0.77	0.24	7	0.66	0.038	37.2	4.2	0.33	287.8	0.003	<1	0.80	0.048	0.35	<0.1	3.7	0.13	0.32
1829734	Drill Core	0.31	0.68	0.11	11	1.43	0.036	28.0	7.3	0.50	196.2	0.002	<1	0.68	0.066	0.16	<0.1	3.4	0.06	0.61
1829735	Drill Core	0.45	0.73	0.10	11	2.29	0.033	22.4	7.6	0.75	221.4	0.003	1	0.83	0.074	0.14	<0.1	3.4	0.05	0.67
1829736	Drill Core	0.47	0.37	0.18	17	2.45	0.040	19.1	30.0	1.35	177.2	0.005	<1	1.41	0.031	0.26	0.1	5.0	0.09	0.57
1829737	Drill Core	0.27	0.66	0.05	28	2.09	0.053	18.0	34.5	1.71	214.2	0.007	2	1.71	0.024	0.32	0.2	5.7	0.11	0.53
1829738	Drill Core	0.26	0.38	0.09	18	1.32	0.056	20.8	15.1	1.07	224.4	0.005	2	1.22	0.023	0.27	<0.1	3.6	0.08	0.30
1829739	Drill Core	0.18	0.30	0.32	6	1.22	0.044	40.3	4.6	0.52	311.1	0.003	1	0.90	0.023	0.36	0.1	2.7	0.10	0.09
1829740	Rock Pulp	0.02	0.16	<0.02	23	0.80	0.037	5.7	14.5	0.48	57.9	0.086	2	1.05	0.073	0.08	0.3	3.8	<0.02	0.05
1829741	Drill Core	0.15	0.78	0.14	6	0.98	0.041	37.7	4.0	0.31	207.1	0.003	2	0.79	0.045	0.31	<0.1	2.9	0.10	0.23
1829742	Drill Core	0.16	1.45	0.10	6	0.83	0.037	35.6	3.5	0.25	195.0	0.003	<1	0.68	0.043	0.33	0.1	2.9	0.12	0.44
1829743	Drill Core	0.16	1.43	0.13	6	1.50	0.038	34.9	3.2	0.28	185.3	0.004	1	0.71	0.037	0.33	<0.1	3.2	0.13	0.38
1829744	Drill Core	0.16	1.97	0.10	6	1.10	0.038	33.1	3.6	0.39	170.7	0.003	1	0.78	0.035	0.30	<0.1	2.7	0.12	0.33



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000419.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829715	Drill Core	<0.1	<0.02	3.3	1.01	<0.1	0.02	<0.02	15.1	0.3	<0.05	0.9	10.96	64.6	0.03	<1	0.3	12.2	<10	<2
1829716	Drill Core	<0.1	<0.02	5.6	0.89	<0.1	<0.02	<0.02	10.7	0.4	<0.05	1.0	13.95	62.0	0.04	<1	0.4	17.8	<10	<2
1829717	Drill Core	<0.1	<0.02	6.7	1.25	<0.1	0.03	<0.02	11.1	0.5	<0.05	1.1	11.91	71.3	0.04	<1	0.3	12.7	<10	<2
1829718	Drill Core	<0.1	<0.02	5.1	1.43	0.1	0.03	0.03	11.0	0.6	<0.05	0.9	13.85	67.5	0.04	<1	0.3	9.3	<10	<2
1829719	Drill Core	<0.1	<0.02	4.2	1.32	<0.1	0.03	0.04	12.5	0.5	<0.05	0.9	13.41	68.2	0.03	<1	0.5	7.8	<10	<2
1829720	Rock Pulp	0.3	0.14	4.1	0.57	<0.1	0.05	0.04	5.6	0.4	<0.05	1.2	3.05	7.7	<0.02	1	0.2	7.5	262	104
1829721	Drill Core	0.3	<0.02	4.3	2.35	<0.1	0.06	0.07	14.5	0.6	<0.05	0.9	16.17	69.4	0.03	<1	0.4	9.1	<10	<2
1829722	Drill Core	<0.1	<0.02	5.0	1.82	<0.1	0.03	0.04	13.0	0.5	<0.05	1.0	15.10	65.3	0.03	<1	0.5	10.6	<10	<2
1829723	Drill Core	<0.1	<0.02	5.1	1.64	<0.1	0.03	0.02	14.1	0.6	<0.05	0.8	17.30	66.2	0.04	<1	0.4	13.9	<10	<2
1829724	Drill Core	<0.1	<0.02	4.4	2.02	<0.1	0.04	0.06	12.0	0.6	<0.05	1.1	14.83	67.3	0.04	1	0.4	9.5	<10	<2
1829725	Drill Core	<0.1	0.03	3.7	1.30	<0.1	0.03	0.09	15.3	1.0	<0.05	0.8	15.33	69.0	0.03	<1	0.5	10.8	<10	<2
1829726	Drill Core	<0.1	<0.02	3.5	1.48	<0.1	0.03	0.05	15.9	0.9	<0.05	1.0	15.53	68.7	0.05	<1	0.3	8.3	<10	<2
1829727	Drill Core	<0.1	<0.02	3.2	1.89	<0.1	<0.02	0.04	17.2	0.7	<0.05	0.5	14.64	60.7	0.02	<1	0.4	10.0	<10	<2
1829728	Drill Core	<0.1	<0.02	3.6	2.12	<0.1	0.02	<0.02	13.8	0.7	<0.05	1.0	15.09	65.2	0.03	<1	0.3	9.4	<10	<2
1829729	Drill Core	<0.1	0.03	3.3	1.40	<0.1	0.05	0.04	22.6	1.0	<0.05	1.2	16.82	82.0	0.05	<1	0.6	7.6	<10	<2
1829730	Drill Core	<0.1	0.04	3.3	1.15	<0.1	0.03	0.03	20.8	0.9	<0.05	1.0	15.13	78.5	0.03	2	0.4	8.7	<10	<2
1829731	Drill Core	<0.1	<0.02	2.8	0.97	<0.1	0.03	0.02	18.5	0.8	<0.05	1.2	8.65	52.5	0.04	<1	0.5	8.7	<10	<2
1829732	Drill Core	<0.1	<0.02	3.1	1.16	<0.1	0.03	<0.02	16.2	1.0	<0.05	1.0	9.97	62.0	0.04	<1	0.6	9.5	<10	<2
1829733	Drill Core	<0.1	<0.02	4.0	1.14	<0.1	0.02	0.03	17.5	0.5	<0.05	1.2	12.80	71.2	0.04	<1	0.2	10.3	<10	<2
1829734	Drill Core	<0.1	0.03	4.0	0.53	<0.1	0.04	0.03	7.5	0.5	<0.05	1.1	10.91	54.1	0.03	<1	0.3	9.4	<10	<2
1829735	Drill Core	<0.1	<0.02	3.9	0.45	<0.1	0.03	<0.02	6.4	0.5	<0.05	1.2	11.92	42.8	0.02	<1	0.2	13.6	<10	<2
1829736	Drill Core	<0.1	0.06	5.1	0.47	<0.1	<0.02	<0.02	11.0	0.4	<0.05	0.6	11.37	36.3	0.03	<1	0.4	23.5	<10	<2
1829737	Drill Core	0.2	0.07	5.4	0.87	<0.1	0.06	<0.02	13.4	0.3	<0.05	1.8	10.56	35.6	0.03	1	0.6	28.0	<10	<2
1829738	Drill Core	0.2	<0.02	4.2	0.75	<0.1	0.05	0.04	11.0	0.3	<0.05	2.2	10.03	40.8	0.03	1	0.4	21.1	<10	<2
1829739	Drill Core	<0.1	<0.02	3.7	0.48	<0.1	0.04	0.02	15.4	0.5	<0.05	1.1	13.80	76.4	0.03	1	0.2	13.3	<10	<2
1829740	Rock Pulp	<0.1	<0.02	4.1	0.14	0.1	0.14	0.31	2.1	1.8	<0.05	3.9	7.80	11.4	<0.02	<1	0.2	1.0	<10	<2
1829741	Drill Core	<0.1	0.02	3.5	0.66	<0.1	0.03	0.02	14.6	0.4	<0.05	1.0	13.10	71.4	0.03	<1	0.6	10.6	<10	<2
1829742	Drill Core	<0.1	<0.02	3.6	0.84	<0.1	0.02	0.05	14.7	0.4	<0.05	0.9	12.33	66.0	0.03	<1	0.1	8.5	<10	<2
1829743	Drill Core	<0.1	<0.02	3.1	1.50	<0.1	0.03	0.05	16.9	0.4	<0.05	0.9	13.65	66.4	0.03	<1	0.2	9.3	<10	<2
1829744	Drill Core	<0.1	<0.02	3.7	1.04	<0.1	<0.02	<0.02	14.3	0.4	<0.05	0.7	12.17	62.1	0.02	<1	0.5	10.3	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000419.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1829745	Drill Core	2.85	413	0.009	<0.01	<0.17	34.45	0.32	8.21	19.15	40.3	166	2.5	3.0	266	1.56	8.9	2.9	6.4	13.0	79.4
1829746	Drill Core	2.97	437	0.147	0.15	<0.17	35.53	1.00	9.30	17.35	43.7	181	3.7	3.9	321	1.70	55.4	3.4	114.1	13.2	102.9
1829747	Drill Core	3.06	443	0.006	<0.01	<0.17	40.83	0.21	4.31	15.19	38.4	84	2.3	3.3	297	1.49	3.0	3.0	0.6	13.4	102.7
1829748	Drill Core	3.32	414	0.009	<0.01	<0.17	33.43	0.30	8.29	16.85	42.7	119	2.7	3.2	265	1.53	9.0	3.2	2.2	15.2	77.3
1829749	Drill Core	3.52	392	0.011	0.01	<0.17	31.33	0.74	7.27	16.25	38.7	127	3.2	3.5	296	1.65	12.2	3.4	12.0	13.2	120.9
1829750	Drill Core	3.15	453	0.022	0.02	<0.17	32.80	1.76	11.95	9.17	50.5	103	10.8	6.9	371	2.04	31.1	2.4	19.0	10.5	156.1
1829751	Drill Core	3.31	429	0.006	<0.01	<0.17	42.88	0.44	9.71	20.86	42.5	129	4.8	4.0	210	1.65	17.1	3.0	4.0	13.9	117.6
1829752	Drill Core	3.15	453	<0.005	<0.01	<0.17	40.65	0.42	8.22	19.50	40.9	131	4.3	4.1	195	1.35	5.9	3.2	1.4	15.5	120.6
1829753	Drill Core	2.91	455	<0.005	<0.01	<0.17	33.63	0.68	2.08	18.62	33.5	62	2.6	3.2	161	1.17	2.6	2.5	2.8	14.1	104.1
1829754	Drill Core	3.06	488	<0.005	<0.01	<0.17	36.14	0.66	6.76	17.86	27.6	60	2.2	2.4	161	1.20	2.1	2.2	1.5	11.9	93.1
1829755	Drill Core	3.06	520	<0.005	<0.01	<0.17	38.68	0.77	3.54	14.78	26.5	78	2.1	2.3	174	1.06	1.6	2.4	1.9	14.9	82.9
1829756	Drill Core	2.83	462	<0.005	<0.01	<0.17	33.07	0.56	2.33	15.16	22.3	75	1.9	2.1	151	0.95	0.5	2.2	1.4	13.8	69.8
1829757	Drill Core	3.17	511	0.006	<0.01	<0.17	28.40	0.54	4.02	15.33	25.8	58	1.7	2.1	161	0.95	0.4	2.2	0.9	14.0	70.9
1829758	Drill Core	3.25	337	0.057	0.06	<0.17	25.55	0.63	3.68	17.01	20.9	78	1.4	2.0	160	0.93	1.2	1.6	87.8	13.3	91.4
1829759	Drill Core	2.98	493	0.013	0.04	0.36	38.70	0.54	4.18	11.99	20.4	55	1.3	1.8	149	0.90	1.6	2.0	25.7	13.4	75.8
1829760	Core DUP		457	0.013	0.01	<0.17	24.88	0.61	4.60	12.93	21.2	58	1.4	2.0	150	0.88	1.8	2.1	8.5	13.4	82.9
1829761	Drill Core	3.14	505	0.006	<0.01	<0.17	41.06	0.81	2.10	15.88	20.0	49	1.5	1.7	193	0.91	2.5	2.5	2.1	13.4	94.4
1829762	Drill Core	3.21	348	0.375	0.41	0.76	35.44	0.28	8.51	15.46	25.5	324	2.0	2.8	200	1.06	12.2	2.3	380.4	14.2	66.9
1829763	Drill Core	3.64	373	0.014	0.01	<0.17	23.86	0.35	6.81	16.24	44.3	218	3.5	3.4	194	1.42	11.2	1.3	11.6	13.1	44.6
1829764	Drill Core	3.17	493	0.011	<0.01	<0.17	40.75	0.23	7.01	21.82	43.2	795	3.3	3.3	179	1.19	9.9	1.4	6.6	12.5	37.3
1829765	Drill Core	3.46	366	0.181	0.18	0.18	28.49	0.47	9.62	24.69	58.5	1974	4.2	4.6	296	1.50	18.5	2.4	86.1	13.6	51.8
1829766	Drill Core	3.38	421	0.193	0.26	0.85	40.04	0.36	7.23	18.14	40.3	272	3.3	3.2	180	1.32	9.3	1.8	262.0	14.8	93.4
1829767	Drill Core	3.72	384	0.008	<0.01	<0.17	37.24	0.33	9.37	19.01	31.6	201	4.4	3.1	187	0.98	2.8	1.5	2.8	14.7	57.7
1829768	Drill Core	2.41	369	<0.005	<0.01	<0.17	34.71	0.26	6.29	25.14	18.0	120	3.5	3.3	250	0.85	2.3	2.1	1.8	14.5	92.6
1829769	Drill Core	1.60	420	<0.005	<0.01	<0.17	40.82	0.18	4.02	16.44	21.0	59	3.2	2.7	153	0.91	1.3	2.8	1.1	15.1	65.9
1829770	Drill Core	3.35	459	<0.005	<0.01	<0.17	39.19	0.31	6.87	17.57	19.4	133	2.3	1.9	177	0.86	2.3	1.6	1.6	16.5	45.1
1829771	Drill Core	2.29	442	0.006	<0.01	<0.17	40.87	0.63	8.21	17.67	56.0	142	5.1	3.5	169	1.07	4.5	1.5	1.7	15.1	43.8
1829772	Drill Core	3.44	356	0.006	<0.01	<0.17	24.33	0.45	9.26	14.29	45.0	117	3.4	3.6	228	1.68	3.4	2.2	3.5	16.3	120.3
1829773	Drill Core	3.24	525	0.018	0.02	<0.17	40.62	0.39	6.90	17.05	40.1	124	3.1	3.1	178	1.46	1.8	2.5	87.1	15.0	78.4
1829774	Drill Core	3.29	477	0.005	<0.01	<0.17	38.64	0.32	6.33	12.81	45.2	102	3.0	3.4	254	1.51	3.4	2.0	1.0	13.0	59.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000419.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829745	Drill Core	0.14	0.54	0.16	7	1.12	0.037	33.8	3.8	0.43	190.6	0.003	1	0.85	0.035	0.31	<0.1	2.8	0.10	<5
1829746	Drill Core	0.21	0.88	0.12	7	1.10	0.042	27.1	4.4	0.62	246.2	0.003	1	0.97	0.029	0.35	<0.1	4.0	0.12	<5
1829747	Drill Core	0.13	0.59	0.14	6	1.31	0.037	36.8	3.2	0.34	189.3	0.003	2	0.83	0.033	0.34	<0.1	3.5	0.13	5
1829748	Drill Core	0.19	0.35	0.15	6	0.75	0.045	43.4	4.0	0.45	301.3	0.003	3	0.90	0.029	0.37	0.1	4.1	0.11	5
1829749	Drill Core	0.20	0.27	0.12	6	1.35	0.039	30.4	3.6	0.70	271.1	0.002	<1	0.93	0.021	0.34	<0.1	4.2	0.10	7
1829750	Drill Core	0.23	0.63	0.05	15	1.35	0.056	27.7	11.9	0.99	269.5	0.002	1	1.19	0.017	0.35	<0.1	4.2	0.11	9
1829751	Drill Core	0.19	0.31	0.12	7	1.11	0.041	36.8	4.3	0.77	248.9	0.003	<1	1.00	0.021	0.37	<0.1	4.6	0.12	9
1829752	Drill Core	0.22	0.23	0.11	6	1.01	0.043	42.7	4.0	0.70	225.8	0.004	2	0.84	0.029	0.31	<0.1	5.3	0.11	6
1829753	Drill Core	0.13	0.24	0.04	3	0.74	0.036	40.2	2.8	0.53	195.7	0.003	1	0.70	0.016	0.28	<0.1	2.8	0.08	<5
1829754	Drill Core	0.11	0.22	0.02	3	0.71	0.028	33.6	2.4	0.45	188.1	0.003	6	0.65	0.015	0.30	<0.1	2.9	0.08	8
1829755	Drill Core	0.13	0.21	0.08	3	0.57	0.033	41.7	2.9	0.37	234.5	0.003	2	0.62	0.017	0.33	<0.1	2.6	0.09	7
1829756	Drill Core	0.08	0.19	0.08	2	0.49	0.033	40.6	2.4	0.33	202.0	0.003	4	0.55	0.011	0.32	<0.1	2.3	0.09	<5
1829757	Drill Core	0.08	0.19	0.04	2	0.56	0.031	34.8	2.2	0.32	206.9	0.003	3	0.57	0.015	0.33	<0.1	2.5	0.08	<5
1829758	Drill Core	0.09	0.22	0.02	2	0.66	0.030	27.8	2.0	0.31	322.5	0.002	5	0.50	0.011	0.33	<0.1	1.9	0.08	8
1829759	Drill Core	0.08	0.20	<0.02	1	0.55	0.030	31.8	2.1	0.28	204.6	0.002	3	0.53	0.010	0.34	<0.1	1.8	0.08	6
1829760	Core DUP	0.10	0.20	<0.02	1	0.56	0.037	32.0	2.0	0.28	195.5	0.002	2	0.52	0.010	0.32	<0.1	1.7	0.08	8
1829761	Drill Core	0.09	0.17	0.04	2	0.65	0.030	32.4	2.1	0.33	174.4	0.002	3	0.55	0.009	0.32	<0.1	1.6	0.08	10
1829762	Drill Core	0.14	0.36	0.04	4	0.50	0.037	30.6	3.1	0.26	210.6	0.003	5	0.55	0.031	0.32	0.1	1.9	0.09	7
1829763	Drill Core	0.16	0.52	0.09	7	0.27	0.036	35.7	5.8	0.34	130.1	0.003	<1	0.70	0.035	0.28	<0.1	2.3	0.08	11
1829764	Drill Core	0.17	0.54	0.07	6	0.19	0.035	33.0	4.1	0.31	132.2	0.002	<1	0.62	0.026	0.26	2.2	2.0	0.08	7
1829765	Drill Core	0.21	0.55	0.03	8	0.31	0.031	40.4	6.0	0.40	188.8	0.003	3	0.76	0.029	0.27	6.3	1.7	0.08	5
1829766	Drill Core	0.16	0.28	<0.02	6	0.49	0.039	38.8	5.2	0.39	155.4	0.004	3	0.65	0.028	0.24	0.3	2.1	0.07	12
1829767	Drill Core	0.12	0.26	0.09	4	0.42	0.040	35.0	5.1	0.34	165.1	0.002	2	0.59	0.019	0.31	0.3	1.8	0.09	6
1829768	Drill Core	0.08	0.23	0.09	5	0.96	0.033	34.8	10.2	0.25	905.9	0.002	<1	0.44	0.025	0.29	0.1	2.3	0.08	8
1829769	Drill Core	0.06	0.22	0.04	5	0.59	0.035	37.2	10.1	0.31	206.8	0.003	1	0.55	0.022	0.33	0.1	2.5	0.08	6
1829770	Drill Core	0.10	0.26	0.06	4	0.36	0.029	39.4	3.9	0.21	150.9	0.002	2	0.41	0.024	0.25	<0.1	1.8	0.06	8
1829771	Drill Core	0.36	0.26	0.07	5	0.49	0.035	37.1	4.3	0.39	165.3	0.002	4	0.58	0.008	0.30	<0.1	1.9	0.08	7
1829772	Drill Core	0.10	0.19	<0.02	10	0.98	0.040	42.2	6.2	0.55	124.7	0.004	1	0.80	0.035	0.22	0.1	3.5	0.06	<5
1829773	Drill Core	0.13	0.29	<0.02	8	0.45	0.036	40.0	4.9	0.38	140.7	0.005	1	0.67	0.034	0.24	<0.1	2.8	0.07	<5
1829774	Drill Core	0.17	0.25	<0.02	8	0.52	0.037	28.3	5.1	0.39	121.3	0.004	<1	0.66	0.028	0.20	0.1	2.2	0.06	6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000419.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829745	Drill Core	<0.1	<0.02	3.9	0.97	<0.1	<0.02	0.04	14.9	0.4	<0.05	0.7	11.39	64.6	0.04	<1	0.4	10.7	<10	<2			
1829746	Drill Core	<0.1	0.04	2.8	1.25	<0.1	0.04	<0.02	15.4	0.4	<0.05	0.9	8.37	52.3	0.02	<1	0.3	14.7	<10	<2			
1829747	Drill Core	<0.1	0.03	4.0	1.71	<0.1	<0.02	<0.02	16.4	0.5	<0.05	0.7	12.74	68.8	0.03	<1	0.5	7.8	<10	<2			
1829748	Drill Core	<0.1	<0.02	3.7	1.03	<0.1	0.03	<0.02	18.2	0.5	<0.05	0.9	11.70	80.8	0.03	<1	0.5	11.6	<10	<2			
1829749	Drill Core	0.2	<0.02	3.0	0.60	<0.1	0.02	<0.02	13.3	0.4	<0.05	1.0	9.39	56.9	0.03	<1	0.4	12.3	<10	<2			
1829750	Drill Core	0.1	<0.02	3.9	0.90	<0.1	0.06	<0.02	13.1	0.4	<0.05	2.5	11.40	53.5	<0.02	<1	0.4	17.1	<10	<2			
1829751	Drill Core	<0.1	<0.02	3.2	1.00	<0.1	0.04	<0.02	14.3	0.4	<0.05	1.2	12.63	69.7	<0.02	<1	0.6	13.3	<10	<2			
1829752	Drill Core	<0.1	<0.02	3.3	0.90	<0.1	0.08	<0.02	13.8	0.4	<0.05	3.4	11.85	80.6	<0.02	<1	0.4	11.7	<10	2			
1829753	Drill Core	<0.1	<0.02	2.7	0.65	<0.1	0.25	<0.02	12.2	0.3	<0.05	8.5	10.03	75.8	<0.02	2	0.4	9.4	<10	<2			
1829754	Drill Core	<0.1	<0.02	2.2	0.58	<0.1	0.17	0.04	11.5	0.3	<0.05	5.0	7.99	59.9	<0.02	<1	0.1	6.0	<10	<2			
1829755	Drill Core	<0.1	<0.02	2.6	0.55	<0.1	0.25	0.03	13.6	0.4	<0.05	8.9	10.62	75.6	<0.02	1	0.2	6.0	<10	<2			
1829756	Drill Core	<0.1	<0.02	2.0	0.79	<0.1	0.23	0.03	13.3	0.4	<0.05	7.9	8.75	71.9	<0.02	2	0.3	5.9	<10	<2			
1829757	Drill Core	<0.1	<0.02	1.9	0.49	<0.1	0.22	0.04	12.5	0.3	<0.05	7.5	7.85	61.3	0.02	<1	<0.1	5.5	<10	2			
1829758	Drill Core	<0.1	<0.02	1.7	0.50	<0.1	0.29	<0.02	12.7	0.2	<0.05	10.0	5.36	50.1	<0.02	<1	0.2	5.2	<10	<2			
1829759	Drill Core	<0.1	<0.02	1.6	0.35	<0.1	0.26	0.02	12.4	0.2	<0.05	8.4	5.41	58.0	<0.02	<1	0.4	5.7	<10	<2			
1829760	Core DUP	<0.1	<0.02	1.6	0.36	<0.1	0.29	<0.02	12.2	0.2	<0.05	9.2	5.84	57.6	<0.02	<1	0.4	6.2	<10	<2			
1829761	Drill Core	<0.1	<0.02	1.7	0.45	<0.1	0.22	0.02	12.4	0.2	<0.05	6.4	7.07	58.2	<0.02	2	0.3	6.9	<10	<2			
1829762	Drill Core	<0.1	0.05	2.1	0.83	<0.1	0.24	0.05	13.5	0.2	<0.05	7.1	7.80	56.4	<0.02	<1	0.5	6.6	<10	<2			
1829763	Drill Core	<0.1	<0.02	3.6	1.13	<0.1	0.21	<0.02	11.3	0.4	<0.05	6.1	8.38	64.6	<0.02	1	0.3	8.3	<10	<2			
1829764	Drill Core	<0.1	<0.02	3.4	1.32	<0.1	0.15	<0.02	11.7	0.3	<0.05	4.7	8.60	63.7	<0.02	<1	<0.1	8.6	<10	<2			
1829765	Drill Core	<0.1	0.03	3.9	1.33	<0.1	0.26	<0.02	11.4	0.4	<0.05	7.4	10.50	69.8	<0.02	<1	0.3	10.9	<10	<2			
1829766	Drill Core	<0.1	<0.02	3.4	0.70	<0.1	0.13	<0.02	9.9	0.3	<0.05	4.4	9.62	71.0	<0.02	<1	0.5	9.4	<10	<2			
1829767	Drill Core	<0.1	<0.02	2.1	0.84	<0.1	0.19	<0.02	11.7	0.3	<0.05	7.1	8.81	67.0	<0.02	<1	0.3	7.7	<10	3			
1829768	Drill Core	<0.1	<0.02	1.7	1.00	<0.1	0.29	<0.02	11.5	0.3	<0.05	8.8	9.49	65.3	<0.02	<1	0.2	4.6	<10	<2			
1829769	Drill Core	<0.1	<0.02	2.2	0.79	<0.1	0.25	<0.02	12.0	0.3	<0.05	7.3	7.97	64.6	<0.02	<1	0.2	4.6	<10	<2			
1829770	Drill Core	<0.1	<0.02	2.2	0.55	<0.1	0.21	<0.02	9.5	0.4	<0.05	6.5	8.63	69.7	<0.02	1	0.3	4.1	<10	<2			
1829771	Drill Core	<0.1	<0.02	2.1	0.54	<0.1	0.31	<0.02	10.7	0.2	<0.05	10.0	8.05	67.9	<0.02	<1	0.3	8.0	<10	<2			
1829772	Drill Core	<0.1	<0.02	4.6	0.48	<0.1	0.29	<0.02	9.5	0.4	<0.05	9.6	14.41	77.6	0.03	<1	0.4	9.6	<10	<2			
1829773	Drill Core	<0.1	<0.02	3.9	0.45	<0.1	0.15	0.02	9.7	0.3	<0.05	5.0	11.81	70.7	<0.02	<1	0.1	7.9	<10	<2			
1829774	Drill Core	<0.1	<0.02	3.7	0.49	<0.1	0.15	<0.02	7.8	0.3	<0.05	4.7	7.92	53.2	<0.02	<1	0.4	6.5	11	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000419.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1829775	Drill Core	3.27	521	0.013	0.01	<0.17	31.30	0.33	15.82	17.69	48.7	208	3.5	3.4	277	1.64	12.3	2.8	7.8	14.9	49.4
1829776	Drill Core	3.05	470	<0.005	<0.01	<0.17	25.17	0.36	7.28	12.51	47.6	164	3.4	3.5	241	1.71	4.0	1.1	1.6	13.9	48.0
1829777	Drill Core	3.26	396	<0.005	<0.01	<0.17	28.70	0.38	7.60	15.41	44.2	124	3.4	3.4	189	1.57	1.8	1.3	1.9	15.5	57.0
1829778	Drill Core	3.10	520	0.007	<0.01	<0.17	37.35	0.39	7.82	14.01	46.5	157	3.4	3.5	229	1.71	7.5	1.5	3.2	14.4	63.6
1829779	Drill Core	3.01	514	0.032	0.03	<0.17	44.05	0.57	5.14	18.70	24.0	104	1.7	2.1	138	0.79	0.7	1.4	34.7	14.6	57.2
1829780	Rock	0.25	168	<0.005	<0.01	<0.17	24.38	0.48	0.90	1.05	2.3	11	1.2	0.4	74	0.64	0.9	0.2	<0.2	1.5	1.7
1829781	Drill Core	2.85	418	<0.005	<0.01	<0.17	34.42	0.51	10.60	15.84	21.4	130	1.8	2.0	161	0.98	1.5	1.5	0.8	13.8	67.0
1829782	Drill Core	3.14	465	0.007	<0.01	<0.17	40.55	0.57	4.69	16.08	16.6	65	1.2	1.4	122	0.73	0.7	1.4	0.8	13.1	53.5
1829783	Drill Core	2.88	450	<0.005	<0.01	<0.17	26.46	0.57	8.42	14.95	43.7	149	3.3	3.2	169	1.36	3.0	1.3	0.3	14.6	63.2
1829784	Drill Core	3.11	442	<0.005	<0.01	<0.17	29.93	0.73	3.89	12.65	34.2	106	2.3	2.4	150	1.23	2.7	2.9	1.2	14.5	62.1
1829785	Drill Core	3.02	419	<0.005	<0.01	<0.17	26.52	1.21	5.26	17.49	27.4	77	2.3	2.3	176	1.12	2.8	2.5	<0.2	15.0	88.6
1829786	Drill Core	2.87	503	0.006	<0.01	<0.17	34.12	0.36	5.28	18.17	36.6	123	3.3	2.9	165	1.32	11.8	2.3	2.6	15.1	74.3
1829787	Drill Core	3.45	489	0.006	<0.01	<0.17	31.94	1.36	6.41	22.86	35.6	131	9.0	5.2	214	1.33	25.7	3.1	1.9	15.3	126.6
1829788	Drill Core	3.53	486	0.006	<0.01	<0.17	40.34	0.48	5.41	16.67	25.6	81	2.0	2.7	190	1.02	2.1	1.5	2.2	14.4	67.5
1829789	Drill Core	1.19	398	0.005	<0.01	<0.17	25.16	0.93	8.79	15.49	49.8	220	26.5	14.0	355	2.13	54.8	2.1	5.0	12.4	241.6
1829790	Drill Core	2.76	404	<0.005	<0.01	<0.17	41.11	1.65	8.53	23.49	31.3	186	5.5	4.9	203	1.17	13.5	3.5	3.9	16.2	97.6
1829791	Drill Core	3.09	470	0.007	<0.01	<0.17	40.72	1.63	6.69	20.38	48.7	159	6.4	4.6	160	0.96	15.1	2.4	5.0	14.6	67.8
1829792	Drill Core	2.62	412	0.010	<0.01	<0.17	30.94	0.88	4.68	16.08	61.8	126	7.9	5.4	296	1.28	11.7	1.3	3.4	13.9	76.1
1829793	Drill Core	3.04	417	0.043	0.04	<0.17	29.55	0.39	7.23	14.98	29.7	122	2.9	3.5	205	1.15	13.4	1.3	34.9	14.1	45.3
1829794	Drill Core	2.66	402	<0.005	<0.01	<0.17	41.33	0.54	8.01	18.97	38.6	131	2.2	2.6	146	1.12	2.1	1.8	2.2	14.5	56.4
1829795	Drill Core	2.46	334	<0.005	<0.01	<0.17	32.46	0.54	7.99	16.60	21.3	120	1.9	2.3	113	0.94	0.9	2.2	<0.2	14.6	72.6
1829796	Drill Core	2.96	382	<0.005	<0.01	<0.17	26.07	0.35	4.34	17.93	24.8	76	1.7	2.3	123	0.95	0.3	2.1	0.3	13.9	96.7
1829797	Drill Core	3.17	501	<0.005	<0.01	<0.17	27.36	0.64	10.88	15.46	20.8	149	1.6	2.2	111	0.98	0.3	1.9	0.6	13.9	81.2
1829798	Drill Core	2.03	501	0.009	<0.01	<0.17	38.53	5.14	5.14	18.00	37.5	109	3.5	3.5	136	1.29	0.4	2.8	<0.2	15.5	101.3
1829799	Drill Core	1.44	475	0.021	0.02	<0.17	37.83	0.26	1.75	15.51	31.7	62	2.5	2.7	160	1.17	1.5	2.5	2.3	13.3	98.7
1829800	Rock Pulp	0.13	66	7.244				9.29	192.80	20.46	79.0	863	13.8	10.6	538	4.64	14.4	0.9	7935.3	3.3	74.8
1829801	Drill Core	2.89	388	0.010	<0.01	<0.17	38.60	0.41	3.37	12.66	38.0	78	2.9	2.9	148	1.08	8.3	1.8	4.6	13.7	72.8
1829802	Drill Core	3.08	458	0.005	<0.01	<0.17	35.97	0.89	5.06	12.06	50.8	107	5.3	4.7	252	1.50	4.6	2.5	0.6	13.4	98.8
1829803	Drill Core	2.74	519	0.022	0.02	<0.17	30.76	0.28	7.15	18.97	33.6	226	2.4	3.3	348	1.63	13.9	2.5	7.9	13.9	164.2
1829804	Drill Core	3.22	446	0.014	0.01	<0.17	33.57	0.36	10.64	16.23	28.5	237	3.1	3.6	330	1.59	16.7	3.8	16.6	14.6	178.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000419.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829775	Drill Core	0.20	0.30	<0.02	10	0.37	0.035	35.6	6.5	0.39	122.2	0.003	2	0.68	0.030	0.20	<0.1	2.4	0.06	<5
1829776	Drill Core	0.14	0.27	<0.02	12	0.32	0.034	37.1	7.1	0.40	92.0	0.004	2	0.68	0.034	0.19	<0.1	2.7	0.05	8
1829777	Drill Core	0.15	0.22	<0.02	10	0.37	0.036	40.1	6.1	0.38	106.9	0.006	2	0.69	0.035	0.23	<0.1	3.2	0.07	<5
1829778	Drill Core	0.13	0.30	<0.02	11	0.50	0.037	38.5	6.2	0.46	85.4	0.003	1	0.73	0.031	0.19	<0.1	2.8	0.06	<5
1829779	Drill Core	0.11	0.16	0.03	3	0.45	0.033	38.8	2.3	0.26	142.4	0.002	1	0.48	0.012	0.33	<0.1	2.1	0.08	<5
1829780	Rock	<0.01	0.04	<0.02	1	0.01	0.002	2.1	3.5	0.02	10.6	0.003	2	0.06	0.005	0.02	<0.1	0.2	<0.02	<5
1829781	Drill Core	0.11	0.21	0.03	2	0.49	0.033	39.4	2.3	0.30	192.2	0.003	2	0.60	0.012	0.38	<0.1	2.1	0.09	<5
1829782	Drill Core	0.12	0.15	<0.02	2	0.47	0.032	34.6	1.7	0.23	184.0	0.002	2	0.49	0.011	0.39	<0.1	1.6	0.09	<5
1829783	Drill Core	0.16	0.21	0.02	9	0.42	0.038	35.9	5.5	0.34	108.9	0.004	<1	0.61	0.026	0.22	<0.1	3.0	0.06	<5
1829784	Drill Core	0.11	0.21	<0.02	6	0.41	0.034	40.0	4.1	0.34	171.0	0.003	1	0.61	0.017	0.32	<0.1	2.6	0.08	5
1829785	Drill Core	0.10	0.17	0.04	3	0.68	0.034	39.6	2.8	0.44	160.2	0.003	1	0.59	0.013	0.30	<0.1	3.1	0.07	<5
1829786	Drill Core	0.17	0.20	0.05	6	0.51	0.034	37.3	4.1	0.49	168.9	0.002	3	0.70	0.024	0.28	<0.1	2.5	0.07	<5
1829787	Drill Core	0.20	0.38	0.08	7	1.06	0.041	36.4	6.7	0.61	195.2	0.003	<1	0.76	0.018	0.31	<0.1	3.6	0.09	5
1829788	Drill Core	0.13	0.21	<0.02	2	0.54	0.031	37.2	2.3	0.29	200.7	0.003	<1	0.60	0.015	0.37	<0.1	2.0	0.09	5
1829789	Drill Core	0.35	0.63	0.05	22	2.01	0.048	30.8	45.5	1.21	190.2	0.005	<1	1.12	0.011	0.29	<0.1	6.6	0.08	<5
1829790	Drill Core	0.27	0.26	0.13	5	0.86	0.047	39.1	3.4	0.54	260.7	0.003	<1	0.75	0.016	0.37	<0.1	2.8	0.09	<5
1829791	Drill Core	0.25	0.29	0.13	3	0.69	0.042	32.1	3.0	0.40	234.0	0.002	<1	0.63	0.009	0.36	<0.1	1.6	0.09	<5
1829792	Drill Core	0.30	0.22	0.09	7	0.74	0.043	29.0	9.2	0.57	549.2	0.002	<1	0.76	0.015	0.36	<0.1	2.2	0.08	<5
1829793	Drill Core	0.18	0.18	0.05	4	0.36	0.036	27.9	2.7	0.40	196.1	0.002	<1	0.58	0.019	0.27	<0.1	1.7	0.07	<5
1829794	Drill Core	0.23	0.14	0.11	2	0.42	0.039	36.9	2.5	0.42	171.4	0.002	<1	0.62	0.011	0.30	<0.1	1.8	0.08	<5
1829795	Drill Core	0.14	0.08	0.13	2	0.51	0.038	38.1	2.1	0.33	184.8	0.002	<1	0.52	0.015	0.33	<0.1	2.1	0.07	<5
1829796	Drill Core	0.15	0.09	0.05	3	0.59	0.036	37.3	2.6	0.39	180.9	0.007	<1	0.54	0.024	0.33	<0.1	4.3	0.09	<5
1829797	Drill Core	0.13	0.08	0.16	2	0.50	0.033	34.0	1.8	0.38	209.8	0.004	<1	0.54	0.011	0.31	<0.1	2.4	0.08	<5
1829798	Drill Core	0.12	0.13	0.13	5	0.53	0.041	39.0	3.6	0.52	191.3	0.006	<1	0.71	0.029	0.30	<0.1	3.9	0.10	6
1829799	Drill Core	0.12	0.15	0.05	4	0.86	0.037	32.3	2.5	0.43	190.0	0.002	<1	0.62	0.016	0.28	<0.1	1.8	0.08	<5
1829800	Rock Pulp	0.21	5.17	0.57	107	0.97	0.072	8.6	17.8	0.85	127.4	0.115	2	1.75	0.192	0.23	3.8	3.8	0.07	203
1829801	Drill Core	0.17	0.26	0.03	5	0.50	0.044	36.3	3.5	0.35	320.3	0.002	<1	0.61	0.026	0.30	<0.1	2.4	0.07	<5
1829802	Drill Core	0.21	0.16	0.05	9	1.07	0.047	35.2	7.5	0.52	235.2	0.002	<1	0.78	0.020	0.29	<0.1	4.1	0.09	<5
1829803	Drill Core	0.17	0.28	0.18	8	1.19	0.039	34.1	4.8	0.32	164.1	0.003	<1	0.69	0.033	0.24	<0.1	3.0	0.08	<5
1829804	Drill Core	0.17	0.25	0.14	8	1.28	0.042	33.7	4.4	0.33	187.7	0.003	<1	0.69	0.025	0.27	<0.1	2.8	0.09	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000419.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1829775	Drill Core	<0.1	<0.02	4.3	0.37	<0.1	0.17	<0.02	7.7	0.9	<0.05	5.0	9.62	68.4	0.02	<1	0.4	9.1	<10	<2			
1829776	Drill Core	<0.1	<0.02	5.4	0.30	<0.1	0.17	<0.02	7.0	0.3	<0.05	5.0	10.35	67.5	0.02	<1	0.7	7.9	<10	<2			
1829777	Drill Core	<0.1	<0.02	4.5	0.80	<0.1	0.22	<0.02	10.5	0.3	<0.05	6.1	13.63	75.7	0.02	<1	0.1	8.4	<10	<2			
1829778	Drill Core	<0.1	<0.02	4.6	0.78	<0.1	0.16	<0.02	8.6	0.3	<0.05	5.6	9.96	68.7	0.04	<1	0.3	9.4	<10	<2			
1829779	Drill Core	<0.1	<0.02	1.7	0.57	<0.1	0.18	<0.02	12.9	0.2	<0.05	5.6	8.64	72.0	<0.02	<1	0.3	5.1	<10	<2			
1829780	Rock	<0.1	<0.02	0.3	0.08	<0.1	0.11	0.04	0.9	<0.1	<0.05	2.4	0.89	4.2	<0.02	<1	<0.1	1.2	<10	<2			
1829781	Drill Core	<0.1	<0.02	2.1	1.20	<0.1	0.20	<0.02	15.6	0.2	<0.05	5.8	7.31	74.0	<0.02	<1	0.5	5.8	<10	<2			
1829782	Drill Core	<0.1	<0.02	1.5	0.73	<0.1	0.11	0.03	14.6	0.1	<0.05	4.4	5.61	65.0	<0.02	<1	0.5	4.6	<10	<2			
1829783	Drill Core	<0.1	<0.02	3.7	0.48	<0.1	0.23	<0.02	9.0	0.2	<0.05	6.3	10.27	66.0	0.02	1	0.6	7.1	<10	<2			
1829784	Drill Core	<0.1	<0.02	3.0	0.59	<0.1	0.19	<0.02	12.4	0.3	<0.05	5.9	8.52	76.0	0.02	<1	0.3	8.1	<10	<2			
1829785	Drill Core	<0.1	<0.02	2.4	0.62	<0.1	0.21	<0.02	12.4	0.3	<0.05	5.6	9.00	75.9	<0.02	<1	0.2	8.7	<10	<2			
1829786	Drill Core	<0.1	<0.02	3.1	0.54	<0.1	0.13	<0.02	10.7	0.2	<0.05	4.2	10.69	68.7	<0.02	<1	0.2	10.7	<10	<2			
1829787	Drill Core	<0.1	<0.02	2.8	0.68	<0.1	0.09	<0.02	11.7	0.3	<0.05	2.6	12.76	69.5	<0.02	1	0.3	12.0	<10	<2			
1829788	Drill Core	<0.1	<0.02	2.0	0.91	<0.1	0.23	<0.02	14.7	0.2	<0.05	7.2	6.70	70.6	<0.02	<1	0.5	6.9	<10	<2			
1829789	Drill Core	0.2	<0.02	3.9	1.33	<0.1	0.08	<0.02	12.4	0.2	<0.05	2.9	15.60	56.0	<0.02	<1	0.5	16.8	<10	2			
1829790	Drill Core	<0.1	<0.02	2.8	0.66	0.1	0.05	<0.02	14.0	0.2	<0.05	1.7	12.12	72.7	<0.02	2	0.3	10.4	<10	<2			
1829791	Drill Core	<0.1	<0.02	2.4	0.97	<0.1	0.05	<0.02	14.5	0.2	<0.05	1.4	8.74	59.3	<0.02	<1	0.3	8.9	<10	<2			
1829792	Drill Core	<0.1	<0.02	3.1	0.63	<0.1	0.05	<0.02	13.3	0.2	<0.05	1.7	8.48	52.0	<0.02	<1	0.3	10.3	<10	<2			
1829793	Drill Core	0.1	<0.02	2.5	0.45	<0.1	0.16	<0.02	10.8	0.2	<0.05	4.7	6.44	46.4	<0.02	1	0.2	7.9	<10	<2			
1829794	Drill Core	<0.1	<0.02	2.2	0.71	<0.1	0.18	<0.02	12.1	0.1	<0.05	6.0	7.29	70.5	<0.02	<1	0.3	7.9	<10	<2			
1829795	Drill Core	<0.1	<0.02	1.9	0.62	<0.1	0.14	<0.02	12.1	0.2	<0.05	4.5	7.96	71.9	<0.02	1	0.2	5.3	<10	<2			
1829796	Drill Core	<0.1	<0.02	2.3	0.73	<0.1	0.08	0.04	13.2	0.3	<0.05	2.7	7.11	73.3	<0.02	<1	0.3	5.4	<10	<2			
1829797	Drill Core	<0.1	<0.02	2.1	0.74	<0.1	0.07	0.03	12.2	0.2	<0.05	2.3	6.72	64.8	<0.02	<1	0.2	5.6	<10	<2			
1829798	Drill Core	<0.1	<0.02	3.3	1.27	0.1	0.14	<0.02	13.6	0.3	<0.05	4.6	13.76	74.6	<0.02	<1	0.4	9.3	<10	<2			
1829799	Drill Core	<0.1	<0.02	2.3	1.20	<0.1	0.10	<0.02	11.4	0.1	<0.05	3.6	9.58	62.5	<0.02	<1	0.4	7.8	<10	<2			
1829800	Rock Pulp	0.1	0.15	5.1	0.74	0.1	0.09	0.10	8.7	1.8	<0.05	1.4	5.36	16.4	0.05	<1	0.1	7.1	<10	<2			
1829801	Drill Core	<0.1	<0.02	3.0	0.89	<0.1	0.16	<0.02	11.9	0.3	<0.05	4.8	9.08	67.1	<0.02	<1	0.2	7.0	<10	<2			
1829802	Drill Core	0.1	<0.02	3.5	1.08	<0.1	0.07	<0.02	12.9	0.3	<0.05	2.5	13.54	66.4	0.02	<1	0.3	9.6	<10	<2			
1829803	Drill Core	0.2	<0.02	4.2	1.47	<0.1	0.03	0.05	11.9	0.4	<0.05	1.0	15.39	62.8	0.03	<1	0.3	8.4	<10	<2			
1829804	Drill Core	0.2	<0.02	4.6	1.94	<0.1	0.02	0.02	13.9	0.5	<0.05	0.9	16.22	61.3	0.03	<1	0.3	8.9	<10	<2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000419.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1829805	Drill Core	2.98	507	0.016	0.02	<0.17	33.78	0.31	3.60	19.76	34.0	209	2.4	3.4	378	1.66	21.1	3.1	11.2	14.3	103.7
1829806	Drill Core	2.71	439	0.013	0.01	<0.17	35.82	0.68	16.18	13.80	34.9	237	4.0	4.2	309	1.59	10.4	3.8	5.3	16.4	105.7
1829807	Drill Core	2.43	422	0.012	0.01	<0.17	36.59	0.78	8.13	15.79	40.4	114	4.8	4.4	294	1.65	2.8	3.8	2.5	14.7	116.3
1829808	Drill Core	3.04	441	0.005	<0.01	<0.17	41.25	0.23	3.68	14.52	44.7	119	2.0	3.2	431	1.77	1.8	3.4	1.4	15.4	100.8
1829809	Drill Core	3.05	520	0.005	<0.01	<0.17	29.87	0.20	5.34	16.43	41.0	167	2.0	3.0	308	1.60	2.0	2.5	0.6	12.8	85.0
1829810	Drill Core	3.25	458	<0.005	<0.01	<0.17	39.35	0.21	8.39	19.27	42.1	127	2.3	3.3	336	1.59	1.9	3.1	1.9	14.1	156.1
1829811	Drill Core	3.18	495	0.063	0.06	<0.17	32.80	0.21	3.93	16.61	45.9	176	2.2	3.6	401	1.69	4.5	3.0	46.9	15.1	128.2
1829812	Drill Core	2.99	435	<0.005	<0.01	<0.17	37.98	0.19	2.30	13.22	38.6	84	1.9	2.8	321	1.61	3.3	2.6	2.8	12.5	124.9
1829813	Drill Core	1.87	521	<0.005	<0.01	<0.17	35.93	0.18	3.99	15.29	43.3	100	2.1	3.0	329	1.61	1.3	2.5	1.7	12.5	148.3
1829814	Drill Core	1.57	379	0.006	<0.01	<0.17	32.11	0.14	17.68	18.88	50.6	162	3.0	4.3	375	1.86	3.6	2.5	1.6	11.2	148.0
1829815	Drill Core	2.87	474	0.017	0.02	<0.17	34.41	2.66	9.66	14.07	50.6	251	15.5	8.2	425	2.07	15.0	3.3	11.9	13.0	186.4
1829816	Drill Core	2.58	434	0.175	0.17	<0.17	26.03	0.23	6.83	13.02	35.9	205	2.0	3.1	332	1.39	2.4	3.3	237.4	14.4	112.7
1829817	Drill Core	2.10	355	<0.005	<0.01	<0.17	31.10	0.25	9.31	24.42	36.8	172	2.0	2.9	355	1.48	1.5	2.2	<0.2	10.9	90.8
1829818	Drill Core	1.43	442	<0.005	<0.01	<0.17	36.79	0.21	13.16	8.44	40.0	87	2.4	3.6	356	1.43	2.0	2.0	<0.2	12.1	107.2
1829819	Drill Core	3.15	446	0.011	0.01	<0.17	38.45	1.29	11.26	16.90	41.2	194	7.7	6.0	282	1.39	3.2	1.8	<0.2	9.1	126.8
1829820	Rock Pulp	0.13	71	0.445				2.32	410.43	19.80	50.6	273	602.0	27.0	406	2.48	20.0	0.6	475.1	2.1	53.3
1829821	Drill Core	3.17	433	0.008	<0.01	<0.17	25.60	0.25	11.69	17.08	37.6	176	4.0	4.1	298	1.38	2.9	2.4	<0.2	10.7	87.8
1829822	Drill Core	3.18	455	<0.005	<0.01	<0.17	37.16	0.29	7.33	16.47	40.6	172	3.1	3.8	327	1.52	2.6	2.8	<0.2	14.3	111.1
1829823	Drill Core	3.66	509	0.005	<0.01	<0.17	28.73	0.37	6.82	17.35	44.5	142	4.1	4.0	322	1.50	1.8	2.4	0.3	12.2	72.0



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000419.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1829805	Drill Core	0.16	0.19	0.22	7	1.00	0.041	33.2	4.1	0.32	196.3	0.003	<1	0.68	0.032	0.25	<0.1	2.8	0.08	0.30	<5
1829806	Drill Core	0.15	0.30	0.11	7	0.92	0.050	36.2	4.9	0.55	228.3	0.002	<1	0.81	0.017	0.29	<0.1	3.1	0.09	0.24	<5
1829807	Drill Core	0.16	0.14	0.13	6	1.22	0.045	35.8	4.7	0.73	276.3	0.003	<1	0.93	0.009	0.29	<0.1	4.0	0.08	0.07	<5
1829808	Drill Core	0.16	0.20	0.23	9	1.26	0.045	37.2	4.4	0.30	322.6	0.005	<1	0.75	0.045	0.23	<0.1	4.5	0.07	<0.02	<5
1829809	Drill Core	0.16	0.18	0.33	8	0.93	0.043	36.0	3.9	0.25	244.0	0.004	<1	0.62	0.037	0.19	<0.1	3.6	0.06	0.03	<5
1829810	Drill Core	0.16	0.20	0.21	6	1.31	0.045	36.3	3.7	0.26	296.9	0.012	<1	0.64	0.043	0.24	<0.1	3.6	0.08	0.04	<5
1829811	Drill Core	0.15	0.17	0.28	7	1.14	0.045	37.0	4.1	0.30	322.8	0.008	<1	0.71	0.045	0.25	<0.1	3.8	0.08	0.10	<5
1829812	Drill Core	0.13	0.11	0.12	6	0.84	0.040	31.5	3.6	0.30	364.1	0.012	<1	0.62	0.047	0.24	<0.1	3.0	0.06	0.05	<5
1829813	Drill Core	0.15	0.12	0.16	7	0.85	0.042	29.9	3.8	0.33	443.8	0.014	<1	0.60	0.050	0.21	<0.1	3.5	0.06	0.04	<5
1829814	Drill Core	0.17	0.18	0.14	10	1.06	0.042	25.5	5.1	0.43	407.7	0.038	<1	0.67	0.065	0.16	0.1	3.8	0.04	0.14	<5
1829815	Drill Core	0.24	0.56	0.10	15	2.04	0.051	29.3	23.6	0.75	227.1	0.004	<1	1.06	0.016	0.30	<0.1	4.9	0.11	0.29	6
1829816	Drill Core	0.14	0.12	0.13	4	1.06	0.052	33.5	3.0	0.26	270.3	0.003	<1	0.65	0.030	0.27	<0.1	2.5	0.09	0.15	<5
1829817	Drill Core	0.15	0.15	0.23	6	1.03	0.042	25.4	3.7	0.24	258.6	0.009	<1	0.69	0.046	0.27	<0.1	2.8	0.08	0.04	<5
1829818	Drill Core	0.17	0.15	0.07	6	1.33	0.047	30.5	3.6	0.27	327.5	0.010	<1	0.62	0.033	0.25	<0.1	3.2	0.07	0.05	<5
1829819	Drill Core	0.18	0.24	0.33	9	1.37	0.053	23.0	13.3	0.44	264.2	0.012	<1	0.83	0.027	0.29	<0.1	3.4	0.09	0.04	<5
1829820	Rock Pulp	0.20	0.38	0.30	52	1.23	0.036	4.3	94.1	1.73	78.4	0.066	3	1.92	0.199	0.15	1.2	3.0	0.09	0.19	23
1829821	Drill Core	0.20	0.24	0.24	6	1.19	0.042	28.0	3.9	0.26	289.9	0.015	<1	0.68	0.029	0.25	<0.1	3.3	0.08	0.05	<5
1829822	Drill Core	0.24	0.25	0.20	5	1.51	0.048	40.0	4.0	0.31	223.4	0.003	<1	0.72	0.025	0.25	<0.1	3.1	0.09	0.10	<5
1829823	Drill Core	0.17	0.21	0.17	5	1.09	0.048	31.7	4.1	0.40	248.1	0.007	<1	0.77	0.029	0.21	<0.1	2.5	0.07	0.06	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000419.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1829805	Drill Core	<0.1	<0.02	3.9	1.27	<0.1	0.02	<0.02	12.4	0.4	<0.05	0.7	13.13	60.4	0.03	<1	0.2	8.9	<10
1829806	Drill Core	0.1	<0.02	4.3	2.41	<0.1	<0.02	<0.02	14.2	0.4	<0.05	0.7	13.57	68.6	0.03	<1	0.3	12.6	<10
1829807	Drill Core	0.2	<0.02	3.7	1.52	<0.1	0.02	0.02	12.8	0.4	<0.05	0.5	16.12	66.7	0.03	1	0.3	14.2	<10
1829808	Drill Core	0.1	<0.02	4.5	1.45	<0.1	0.03	0.07	11.1	1.0	<0.05	0.7	18.66	74.2	0.04	1	0.3	11.7	<10
1829809	Drill Core	<0.1	<0.02	4.0	1.56	<0.1	0.02	0.04	10.0	0.8	<0.05	0.7	15.97	66.1	0.03	<1	0.3	7.6	<10
1829810	Drill Core	<0.1	<0.02	4.1	2.79	0.1	0.02	0.07	13.2	0.6	<0.05	1.0	16.67	65.6	0.03	<1	0.2	6.3	<10
1829811	Drill Core	<0.1	0.03	4.2	1.94	<0.1	0.02	0.06	13.6	0.7	<0.05	0.7	14.70	67.7	0.03	1	0.2	8.0	<10
1829812	Drill Core	<0.1	<0.02	3.5	2.75	<0.1	0.02	0.11	12.2	0.6	<0.05	0.7	12.82	58.4	0.03	<1	0.2	5.7	<10
1829813	Drill Core	<0.1	<0.02	3.6	3.51	<0.1	0.02	0.11	11.1	0.7	<0.05	0.7	14.18	54.9	0.03	<1	0.2	6.7	<10
1829814	Drill Core	0.2	<0.02	3.7	3.16	<0.1	0.04	0.26	8.7	0.8	<0.05	0.9	12.24	46.8	0.03	<1	0.2	7.2	<10
1829815	Drill Core	<0.1	<0.02	4.8	2.61	<0.1	<0.02	<0.02	16.0	0.4	<0.05	0.7	13.19	53.5	0.03	<1	0.4	16.6	<10
1829816	Drill Core	0.1	<0.02	3.2	1.44	<0.1	<0.02	<0.02	14.9	0.3	<0.05	0.5	11.05	61.1	0.02	<1	0.2	5.9	<10
1829817	Drill Core	0.1	<0.02	3.4	1.83	<0.1	<0.02	0.10	13.5	0.6	<0.05	0.6	10.91	47.6	0.02	<1	0.3	7.1	<10
1829818	Drill Core	<0.1	<0.02	3.3	2.40	<0.1	0.03	0.09	14.0	0.7	<0.05	0.6	12.80	54.3	0.02	<1	0.2	7.3	<10
1829819	Drill Core	<0.1	<0.02	3.6	1.89	<0.1	<0.02	0.10	16.4	0.6	<0.05	0.6	10.54	40.2	<0.02	<1	0.3	10.4	<10
1829820	Rock Pulp	0.7	0.14	4.6	0.64	<0.1	0.05	<0.02	6.0	0.4	<0.05	1.0	3.26	8.8	<0.02	2	0.1	7.7	255
1829821	Drill Core	<0.1	<0.02	3.5	1.84	<0.1	0.02	0.12	14.2	0.6	<0.05	0.8	11.89	48.6	0.03	<1	0.3	9.2	<10
1829822	Drill Core	0.2	<0.02	3.8	2.47	<0.1	0.03	<0.02	15.5	0.6	<0.05	0.9	15.63	70.2	0.03	1	0.3	12.1	<10
1829823	Drill Core	0.2	<0.02	3.8	2.56	<0.1	<0.02	0.07	12.9	0.5	<0.05	0.6	13.64	56.0	<0.02	1	0.2	8.6	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000419.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
		Pulp Duplicates																				
1829691	Drill Core	3.18	464	0.013	0.01	<0.17	32.46	0.63	6.31	19.68	35.3	263	3.4	2.7	199	0.98	23.7	1.9	8.7	16.9	13.8	
REP 1829691	QC							0.60	6.26	19.04	34.4	249	3.2	2.7	178	0.99	23.2	1.8	7.9	16.9	12.9	
1829724	Drill Core	2.87	416	<0.005	<0.01	<0.17	42.70	0.21	3.53	10.52	41.8	74	2.0	2.9	334	1.74	2.1	2.2	<0.2	12.2	102.1	
REP 1829724	QC							0.27	3.68	10.52	41.8	89	2.1	3.0	339	1.72	2.1	2.3	<0.2	12.8	105.3	
1829734	Drill Core	3.07	395	0.023	0.02	<0.17	38.02	0.20	7.68	9.01	46.0	201	2.5	3.0	389	1.63	73.1	4.7	22.2	12.7	111.8	
REP 1829734	QC			0.025																		
1829754	Drill Core	3.06	488	<0.005	<0.01	<0.17	36.14	0.66	6.76	17.86	27.6	60	2.2	2.4	161	1.20	2.1	2.2	1.5	11.9	93.1	
REP 1829754	QC			<0.005																		
1829760	Core DUP		457	0.013	0.01	<0.17	24.88	0.61	4.60	12.93	21.2	58	1.4	2.0	150	0.88	1.8	2.1	8.5	13.4	82.9	
REP 1829760	QC							0.56	4.97	13.51	20.5	55	1.4	2.1	162	0.92	1.6	2.2	11.1	14.8	85.1	
1829795	Drill Core	2.46	334	<0.005	<0.01	<0.17	32.46	0.54	7.99	16.60	21.3	120	1.9	2.3	113	0.94	0.9	2.2	<0.2	14.6	72.6	
REP 1829795	QC							0.49	8.07	15.79	20.4	115	1.9	2.3	118	0.93	0.8	2.1	<0.2	14.0	69.3	
1829809	Drill Core	3.05	520	0.005	<0.01	<0.17	29.87	0.20	5.34	16.43	41.0	167	2.0	3.0	308	1.60	2.0	2.5	0.6	12.8	85.0	
REP 1829809	QC			<0.005																		
Core Reject Duplicates																						
1829706	Drill Core	3.16	436	0.055	0.05	<0.17	37.77	0.91	12.55	15.08	34.9	329	3.4	2.9	289	1.49	103.7	2.5	53.4	13.3	19.1	
DUP 1829706	QC		440	0.056	0.05	<0.17	27.33	0.91	12.58	14.50	35.2	329	3.2	2.9	269	1.47	102.2	2.5	56.7	12.2	18.2	
1829774	Drill Core	3.29	477	0.005	<0.01	<0.17	38.64	0.32	6.33	12.81	45.2	102	3.0	3.4	254	1.51	3.4	2.0	1.0	13.0	59.5	
DUP 1829774	QC		502	0.006	<0.01	<0.17	35.38	0.29	6.35	13.07	46.4	131	3.0	3.5	255	1.51	3.6	2.1	1.8	13.8	59.9	
1829808	Drill Core	3.04	441	0.005	<0.01	<0.17	41.25	0.23	3.68	14.52	44.7	119	2.0	3.2	431	1.77	1.8	3.4	1.4	15.4	100.8	
DUP 1829808	QC		436	0.008	<0.01	<0.17	31.07	0.25	3.76	15.47	47.8	123	2.4	3.4	431	1.79	2.0	3.6	1.9	16.4	103.9	
Reference Materials																						
STD BVGEO01	Standard							11.23	4316.06	188.64	1732.7	2569	158.1	26.1	703	3.61	126.1	4.0	217.1	16.0	55.3	
STD BVGEO01	Standard							10.48	4314.10	184.66	1688.6	2484	165.8	25.0	713	3.66	113.7	3.6	227.1	13.7	56.9	
STD DS11	Standard							15.01	151.89	137.79	347.5	1733	81.5	14.5	1043	3.13	46.4	2.8	142.9	9.3	67.9	
STD DS11	Standard							14.96	148.70	133.33	335.5	1611	79.5	13.6	969	3.11	41.4	2.6	69.2	8.6	68.8	
STD OREAS262	Standard							0.69	121.37	57.27	152.9	451	65.2	29.4	554	3.18	38.1	1.3	69.1	10.6	36.7	
STD OREAS262	Standard							0.67	120.08	55.14	150.7	444	61.5	27.7	472	3.19	35.5	1.3	64.1	10.3	34.5	



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 11, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000419.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1829691	Drill Core	0.29	0.34	0.32	3	0.12	0.050	38.6	3.5	0.34	300.8	0.002	<1	0.73	0.022	0.34	<0.1	1.6	0.12	<0.02	11
REP 1829691	QC	0.27	0.34	0.30	3	0.12	0.049	37.3	3.6	0.34	295.6	0.002	<1	0.75	0.023	0.35	<0.1	1.7	0.12	<0.02	7
1829724	Drill Core	0.11	0.17	0.09	6	0.93	0.031	35.9	3.5	0.33	362.8	0.007	2	0.75	0.063	0.26	<0.1	3.8	0.08	0.04	<5
REP 1829724	QC	0.13	0.17	0.09	6	0.93	0.032	35.2	3.4	0.32	367.0	0.008	1	0.75	0.062	0.26	<0.1	3.9	0.07	0.04	<5
1829734	Drill Core	0.31	0.68	0.11	11	1.43	0.036	28.0	7.3	0.50	196.2	0.002	<1	0.68	0.066	0.16	<0.1	3.4	0.06	0.61	9
REP 1829734	QC																				
1829754	Drill Core	0.11	0.22	0.02	3	0.71	0.028	33.6	2.4	0.45	188.1	0.003	6	0.65	0.015	0.30	<0.1	2.9	0.08	0.06	8
REP 1829754	QC																				
1829760	Core DUP	0.10	0.20	<0.02	1	0.56	0.037	32.0	2.0	0.28	195.5	0.002	2	0.52	0.010	0.32	<0.1	1.7	0.08	0.04	8
REP 1829760	QC	0.10	0.21	<0.02	2	0.58	0.034	33.3	2.0	0.29	212.2	0.002	3	0.54	0.009	0.34	<0.1	2.0	0.09	0.04	7
1829795	Drill Core	0.14	0.08	0.13	2	0.51	0.038	38.1	2.1	0.33	184.8	0.002	<1	0.52	0.015	0.33	<0.1	2.1	0.07	0.04	<5
REP 1829795	QC	0.13	0.08	0.13	2	0.51	0.037	35.9	2.0	0.33	179.2	0.002	<1	0.52	0.015	0.32	<0.1	1.9	0.07	0.04	<5
1829809	Drill Core	0.16	0.18	0.33	8	0.93	0.043	36.0	3.9	0.25	244.0	0.004	<1	0.62	0.037	0.19	<0.1	3.6	0.06	0.03	<5
REP 1829809	QC																				
Core Reject Duplicates																					
1829706	Drill Core	0.42	0.80	0.09	6	0.13	0.049	35.9	5.2	0.43	242.8	0.002	<1	0.84	0.019	0.29	<0.1	1.7	0.10	<0.02	<5
DUP 1829706	QC	0.39	0.78	0.09	6	0.13	0.052	35.7	4.7	0.42	235.2	0.001	1	0.83	0.019	0.29	0.1	1.7	0.10	<0.02	<5
1829774	Drill Core	0.17	0.25	<0.02	8	0.52	0.037	28.3	5.1	0.39	121.3	0.004	<1	0.66	0.028	0.20	0.1	2.2	0.06	0.19	6
DUP 1829774	QC	0.19	0.25	<0.02	8	0.53	0.038	30.5	5.0	0.40	132.0	0.004	<1	0.68	0.030	0.21	0.1	2.4	0.05	0.19	<5
1829808	Drill Core	0.16	0.20	0.23	9	1.26	0.045	37.2	4.4	0.30	322.6	0.005	<1	0.75	0.045	0.23	<0.1	4.5	0.07	<0.02	<5
DUP 1829808	QC	0.16	0.23	0.24	9	1.29	0.047	40.1	4.9	0.30	351.3	0.006	<1	0.75	0.042	0.24	<0.1	4.9	0.07	<0.02	<5
Reference Materials																					
STD BVGE001	Standard	7.25	4.13	26.28	73	1.31	0.081	26.9	176.2	1.25	290.3	0.219	3	2.26	0.196	0.92	5.5	6.2	0.62	0.66	94
STD BVGE001	Standard	6.14	3.54	23.31	73	1.32	0.073	24.5	192.6	1.32	279.0	0.228	5	2.38	0.198	0.90	5.0	6.3	0.58	0.68	105
STD DS11	Standard	2.57	9.35	12.22	48	1.08	0.077	20.0	59.8	0.85	352.8	0.095	8	1.23	0.075	0.41	3.0	3.2	4.84	0.27	245
STD DS11	Standard	2.27	8.88	11.59	48	1.04	0.070	18.7	60.9	0.83	348.8	0.100	5	1.20	0.071	0.39	2.9	3.2	4.82	0.27	276
STD OREAS262	Standard	0.71	6.35	1.09	22	2.94	0.047	18.7	43.7	1.15	264.4	0.003	4	1.40	0.067	0.32	0.2	3.4	0.44	0.25	168
STD OREAS262	Standard	0.69	5.68	1.05	22	2.91	0.043	17.5	41.9	1.14	245.8	0.003	4	1.39	0.067	0.33	0.2	3.2	0.44	0.25	162



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000419.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
Pulp Duplicates																			
1829691	Drill Core	<0.1	0.02	2.7	1.09	0.1	0.10	<0.02	14.6	0.3	<0.05	4.0	7.12	73.3	<0.02	<1	0.4	10.9	<10
REP 1829691	QC	<0.1	<0.02	2.6	1.07	<0.1	0.10	<0.02	14.4	0.3	<0.05	4.1	7.02	73.5	<0.02	<1	0.3	10.7	<10
1829724	Drill Core	<0.1	<0.02	4.4	2.02	<0.1	0.04	0.06	12.0	0.6	<0.05	1.1	14.83	67.3	0.04	1	0.4	9.5	<10
REP 1829724	QC	<0.1	<0.02	4.4	2.16	<0.1	0.04	0.05	12.3	0.6	<0.05	1.1	15.28	68.2	0.04	<1	0.5	8.7	<10
1829734	Drill Core	<0.1	0.03	4.0	0.53	<0.1	0.04	0.03	7.5	0.5	<0.05	1.1	10.91	54.1	0.03	<1	0.3	9.4	<10
REP 1829734	QC																		
1829754	Drill Core	<0.1	<0.02	2.2	0.58	<0.1	0.17	0.04	11.5	0.3	<0.05	5.0	7.99	59.9	<0.02	<1	0.1	6.0	<10
REP 1829754	QC																		
1829760	Core DUP	<0.1	<0.02	1.6	0.36	<0.1	0.29	<0.02	12.2	0.2	<0.05	9.2	5.84	57.6	<0.02	<1	0.4	6.2	<10
REP 1829760	QC	<0.1	<0.02	1.6	0.39	<0.1	0.32	<0.02	13.2	0.2	<0.05	9.7	6.18	63.2	<0.02	<1	0.4	6.0	<10
1829795	Drill Core	<0.1	<0.02	1.9	0.62	<0.1	0.14	<0.02	12.1	0.2	<0.05	4.5	7.96	71.9	<0.02	1	0.2	5.3	<10
REP 1829795	QC	<0.1	<0.02	2.1	0.62	<0.1	0.15	<0.02	11.8	0.2	<0.05	4.1	7.92	69.7	<0.02	1	0.3	5.5	<10
1829809	Drill Core	<0.1	<0.02	4.0	1.56	<0.1	0.02	0.04	10.0	0.8	<0.05	0.7	15.97	66.1	0.03	<1	0.3	7.6	<10
REP 1829809	QC																		
Core Reject Duplicates																			
1829706	Drill Core	<0.1	0.03	3.5	2.42	<0.1	0.07	<0.02	15.2	0.3	<0.05	3.2	9.08	65.4	<0.02	<1	0.3	11.6	<10
DUP 1829706	QC	<0.1	0.04	3.4	2.39	<0.1	0.08	<0.02	14.7	0.3	<0.05	3.0	9.32	66.3	<0.02	<1	0.4	11.5	<10
1829774	Drill Core	<0.1	<0.02	3.7	0.49	<0.1	0.15	<0.02	7.8	0.3	<0.05	4.7	7.92	53.2	<0.02	<1	0.4	6.5	11
DUP 1829774	QC	<0.1	<0.02	4.0	0.50	<0.1	0.20	<0.02	8.1	0.3	<0.05	4.9	8.48	56.6	0.02	<1	0.1	6.9	<10
1829808	Drill Core	0.1	<0.02	4.5	1.45	<0.1	0.03	0.07	11.1	1.0	<0.05	0.7	18.66	74.2	0.04	1	0.3	11.7	<10
DUP 1829808	QC	<0.1	<0.02	4.9	1.56	<0.1	0.03	<0.02	12.1	1.0	<0.05	0.8	19.48	77.0	0.03	<1	0.3	11.1	<10
Reference Materials																			
STD BVGEO01	Standard	4.9	1.00	7.3	8.02	0.2	0.32	0.39	95.7	6.6	<0.05	7.5	14.62	53.3	0.50	5	0.8	22.6	98
STD BVGEO01	Standard	5.0	1.06	7.0	7.05	0.2	0.30	0.34	92.5	5.5	<0.05	9.0	13.79	50.2	0.41	3	0.5	20.3	120
STD DS11	Standard	2.2	4.51	5.6	3.27	<0.1	0.07	1.54	35.8	2.1	<0.05	3.2	8.48	38.6	0.25	47	0.9	23.3	86
STD DS11	Standard	2.3	4.37	4.8	2.89	<0.1	0.08	1.62	34.0	1.9	<0.05	3.3	8.57	38.7	0.25	41	0.7	22.7	101
STD OREAS262	Standard	0.5	0.23	4.3	3.43	<0.1	0.23	<0.02	22.1	0.6	<0.05	9.5	11.06	34.5	0.03	2	1.1	18.7	<10
STD OREAS262	Standard	0.5	0.24	4.0	3.18	<0.1	0.23	<0.02	19.8	0.6	<0.05	8.5	10.44	34.6	0.03	2	1.0	17.3	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 11, 2019

Page:

2 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000419.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.64	117.08	54.96	143.7	431	62.5	27.1	529	3.20	35.5	1.2	71.0	9.2	35.5
STD OREAS262	Standard							0.69	117.10	56.33	146.4	442	62.0	25.4	516	3.19	34.0	1.2	69.2	10.2	34.1
STD OXC152	Standard			0.217																	
STD OXC152	Standard			0.220																	
STD OXC152	Standard			0.215																	
STD OXH139	Standard			1.331																	
STD OXH139	Standard			1.343																	
STD OXH139	Standard			1.321																	
STD OXN134	Standard			7.859																	
STD OXN134	Standard			7.683																	
STD OXN134	Standard			7.600																	
STD OXQ90	Standard					25.24	29.76														
STD OXQ90	Standard					25.19	30.69														
STD OXQ90	Standard					24.88	30.15														
STD OXQ90	Standard					25.31	30.74														
STD OXQ90	Standard					25.55	30.06														
STD OXQ90	Standard					25.21	29.95														
STD OXQ90	Standard					25.06	29.97														
STD OXQ90	Standard					25.03	29.85														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	0.2	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.2	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000419.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OREAS262	Standard	0.66	5.38	1.02	23	2.89	0.041	16.4	44.2	1.18	251.1	0.003	5	1.50	0.068	0.34	0.2	3.1	0.44	0.27	170
STD OREAS262	Standard	0.63	5.72	1.05	22	2.82	0.039	17.8	44.7	1.13	241.9	0.003	5	1.50	0.066	0.33	0.2	3.4	0.48	0.24	173
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000419.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OREAS262	Standard	0.4	0.21	4.2	2.89	<0.1	0.28	<0.02	20.4	0.6	<0.05	10.2	10.40	33.6	0.03	1	1.5	18.4	<10	<2
STD OREAS262	Standard	0.4	0.19	4.0	2.99	<0.1	0.22	<0.02	20.4	0.5	<0.05	10.9	10.98	36.0	0.04	1	1.0	16.4	<10	<2
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000419.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank			<0.005																	
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		389	<0.005	<0.01	<0.17	47.60	0.99	4.22	1.01	33.0	8	1.4	4.1	546	1.95	1.1	0.5	0.2	2.3	23.2
ROCK-WHI	Prep Blank		442	<0.005	<0.01	<0.17	36.25	0.99	4.85	0.93	31.0	7	1.2	4.2	508	1.93	1.0	0.4	<0.2	2.3	26.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000419.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.03	0.04	<0.02	24	0.66	0.052	7.7	4.2	0.52	59.3	0.081	2	0.97	0.091	0.09	<0.1	3.7	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	0.03	<0.02	25	0.68	0.048	7.0	3.4	0.50	57.1	0.078	2	0.94	0.086	0.09	0.1	3.1	<0.02	<0.02	6



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 11, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000419.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	4.3	0.15	<0.1	0.12	0.22	2.7	0.4	<0.05	3.0	9.50	14.8	<0.02	<1	0.2	1.4	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.8	0.13	<0.1	0.12	0.22	2.6	0.3	<0.05	3.1	9.30	13.7	<0.02	<1	0.2	1.1	<10