



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List

Receiving Lab: Canada-Whitehorse

Received: August 22, 2019

Report Date: September 10, 2019

Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000420.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-47
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	133	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	138	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	138	Analysis sample split/packet			WHI
Split -150	138	Analysis sample split/packet			WHI
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
FS631	134	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	138	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


LILYBETH DE VERA-BOY
Fire Assay Spectroscopy Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 2 of 6 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000420.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2024066	Drill Core	2.56	465	0.014	0.01	<0.17	37.25	1.10	18.40	15.57	75.0	617	19.3	9.6	604	2.99	14.5	1.5	8.1	10.0	20.5
2024067	Drill Core	1.74	362	0.010	<0.01	<0.17	31.92	1.07	10.53	17.08	72.5	496	16.3	8.4	589	2.72	10.6	1.5	4.4	10.9	22.1
2024068	Drill Core	2.60	381	0.021	0.02	<0.17	29.56	1.03	58.16	10.37	88.3	712	14.0	10.4	705	3.59	21.8	1.4	16.3	11.7	52.4
2024069	Drill Core	2.90	452	0.007	<0.01	<0.17	37.34	0.53	17.82	9.71	75.7	337	15.6	8.7	582	2.84	17.0	1.4	3.7	7.0	87.6
2024070	Drill Core	2.92	435	<0.005	<0.01	<0.17	39.79	0.79	22.57	11.29	74.2	196	21.7	10.7	623	2.68	17.7	1.5	1.0	6.6	98.6
2024071	Drill Core	1.10	466	0.009	<0.01	<0.17	32.33	0.45	20.64	7.93	60.7	187	13.7	9.7	447	2.07	16.4	1.6	2.7	5.7	66.0
2024072	Drill Core	1.16	486	0.008	<0.01	<0.17	35.68	0.36	27.73	10.80	83.5	412	22.0	10.9	577	2.94	18.0	0.9	1.8	6.9	101.5
2024073	Drill Core	2.82	413	0.005	<0.01	<0.17	37.70	0.42	24.53	6.79	81.4	359	19.0	10.1	674	2.98	17.1	0.6	0.5	7.4	63.9
2024074	Drill Core	2.84	427	<0.005	<0.01	<0.17	42.00	0.72	23.36	4.54	82.8	315	22.6	10.6	664	2.91	19.5	1.0	1.2	7.8	80.9
2024075	Drill Core	3.58	401	<0.005	<0.01	<0.17	35.39	0.64	19.31	6.46	76.0	232	19.1	9.4	567	2.91	15.7	1.2	1.1	7.3	75.5
2024076	Drill Core	2.84	428	0.006	<0.01	<0.17	39.24	0.58	23.47	9.30	80.3	308	20.5	10.9	597	2.92	43.2	1.1	0.3	7.6	73.7
2024077	Drill Core	3.02	468	<0.005	<0.01	<0.17	37.32	0.90	26.86	10.50	80.6	236	26.4	10.9	635	2.90	68.9	1.2	0.6	7.1	88.9
2024078	Drill Core	3.09	506	0.019	0.02	<0.17	28.02	4.10	25.74	9.55	93.2	247	30.7	16.4	580	3.07	85.0	2.4	14.8	8.7	80.8
2024079	Drill Core	2.95	425	0.006	<0.01	<0.17	36.18	0.60	20.85	21.31	79.4	439	28.0	13.6	711	2.86	26.9	0.6	1.9	7.5	60.0
2024080	Rock	0.23	143	<0.005	<0.01	<0.17	24.72	0.44	1.10	1.11	2.0	10	1.4	0.5	72	0.61	1.2	0.2	<0.2	1.1	1.2
2024081	Drill Core	2.53	382	0.014	0.01	<0.17	31.08	1.26	48.47	19.80	79.9	282	24.3	10.3	561	2.65	8.5	1.0	10.3	7.9	37.0
2024082	Drill Core	2.84	440	0.009	<0.01	<0.17	34.69	1.19	43.34	17.49	71.1	277	19.9	8.7	594	2.58	9.6	0.9	3.2	8.8	46.6
2024083	Drill Core	3.17	487	0.040	0.04	<0.17	24.37	1.18	28.67	21.08	85.0	256	16.4	8.2	516	2.68	4.2	1.5	28.7	9.8	27.3
2024084	Drill Core	3.00	442	<0.005	<0.01	<0.17	37.98	2.08	39.25	33.39	189.8	603	17.0	9.2	668	3.09	4.1	1.9	1.1	6.4	31.5
2024085	Drill Core	3.01	463	0.008	<0.01	<0.17	33.72	2.22	47.96	85.33	440.2	1115	20.4	10.9	741	3.11	11.2	2.4	4.5	5.9	39.0
2024086	Drill Core	2.89	427	0.006	<0.01	<0.17	42.00	3.10	60.64	74.03	585.7	908	30.4	17.9	1180	3.17	2.7	2.1	0.6	6.5	13.9
2024087	Drill Core	2.86	428	0.007	<0.01	<0.17	28.46	1.84	49.18	28.18	189.3	473	26.6	13.9	739	3.05	46.7	2.1	<0.2	4.4	54.1
2024088	Drill Core	2.78	416	0.006	<0.01	<0.17	39.71	2.20	34.41	33.08	159.8	543	17.2	6.3	564	3.24	27.6	1.0	1.2	4.9	34.8
2024089	Drill Core	2.96	477	0.007	<0.01	<0.17	32.64	2.65	64.65	32.74	256.6	561	46.7	20.6	976	3.50	19.4	2.1	1.4	4.6	20.7
2024090	Drill Core	3.00	443	0.008	<0.01	<0.17	37.35	2.53	42.43	11.48	121.6	405	26.2	10.4	580	3.32	14.1	1.6	2.3	5.0	22.2
2024091	Drill Core	2.67	383	0.006	<0.01	<0.17	33.01	2.90	44.40	14.81	116.6	360	41.5	15.1	905	3.60	11.3	1.8	<0.2	4.7	27.7
2024092	Drill Core	3.85	382	0.008	<0.01	<0.17	28.91	2.85	53.73	26.15	155.3	368	41.1	18.1	947	3.53	19.1	1.2	0.3	5.0	22.6
2024093	Drill Core	2.69	478	0.007	<0.01	<0.17	33.42	2.22	37.80	13.24	104.6	310	31.8	12.9	694	3.69	12.4	1.4	0.7	4.7	23.2
2024094	Drill Core	2.37	469	0.007	<0.01	<0.17	35.71	2.28	39.18	46.93	109.5	556	29.8	12.5	860	3.49	23.8	1.2	1.1	4.5	26.9
2024095	Drill Core	2.81	526	0.008	<0.01	<0.17	36.14	2.63	52.03	41.28	143.4	600	34.7	14.5	864	3.62	219.2	1.3	0.9	4.9	34.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000420.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024066	Drill Core	0.39	0.38	0.20	28	0.30	0.087	32.3	24.0	0.77	255.7	0.004	2	1.40	0.013	0.31	0.1	5.8	0.09	<0.02	<5			
2024067	Drill Core	0.43	0.32	0.22	27	0.32	0.096	32.3	20.0	0.72	298.0	0.003	<1	1.33	0.010	0.37	0.1	4.4	0.11	<0.02	<5			
2024068	Drill Core	0.43	0.43	0.14	33	1.07	0.107	35.1	24.0	1.01	285.4	0.003	1	1.80	0.016	0.37	0.1	6.2	0.10	<0.02	<5			
2024069	Drill Core	0.30	0.22	0.06	36	1.83	0.077	22.4	57.7	1.09	204.3	0.004	2	1.47	0.015	0.22	0.1	8.5	0.06	<0.02	<5			
2024070	Drill Core	0.37	0.23	0.07	43	2.29	0.070	20.8	85.9	1.23	188.5	0.022	1	1.42	0.022	0.18	<0.1	9.8	0.04	<0.02	<5			
2024071	Drill Core	0.27	0.23	0.07	36	1.64	0.072	15.6	79.2	0.89	174.5	0.101	2	1.01	0.026	0.17	<0.1	7.9	0.06	0.04	<5			
2024072	Drill Core	0.44	0.20	0.06	51	2.08	0.070	22.1	100.9	1.46	155.1	0.004	2	1.68	0.025	0.17	<0.1	9.2	0.04	<0.02	<5			
2024073	Drill Core	0.33	0.30	0.04	53	1.68	0.074	23.2	104.8	1.48	176.1	0.003	2	1.75	0.020	0.19	<0.1	8.4	0.05	<0.02	<5			
2024074	Drill Core	0.37	0.30	0.05	40	2.02	0.080	23.9	82.5	1.48	202.5	0.003	2	1.71	0.012	0.24	<0.1	7.2	0.06	<0.02	<5			
2024075	Drill Core	0.30	0.17	0.06	43	1.58	0.072	23.5	81.7	1.59	189.5	0.004	2	1.70	0.009	0.23	<0.1	8.0	0.05	<0.02	<5			
2024076	Drill Core	0.38	0.30	0.08	49	1.74	0.076	24.3	94.6	1.43	181.4	0.004	2	1.66	0.019	0.20	<0.1	8.6	0.05	<0.02	<5			
2024077	Drill Core	0.40	1.31	0.06	55	2.26	0.068	20.8	115.6	1.62	165.2	0.006	2	1.76	0.026	0.17	<0.1	8.3	0.03	<0.02	<5			
2024078	Drill Core	0.47	0.55	0.10	47	1.92	0.081	25.8	105.8	1.79	156.3	0.055	1	1.87	0.019	0.14	<0.1	6.6	0.04	0.09	<5			
2024079	Drill Core	0.43	0.32	0.24	41	1.14	0.070	20.5	80.1	1.88	140.6	0.044	2	1.93	0.031	0.17	<0.1	5.5	0.03	<0.02	<5			
2024080	Rock	<0.01	0.06	<0.02	1	0.01	0.002	1.7	4.5	0.02	10.0	0.002	2	0.06	0.004	0.02	<0.1	0.2	<0.02	<0.02	<5			
2024081	Drill Core	0.63	0.18	<0.02	23	0.68	0.063	23.5	22.9	1.57	162.9	0.034	1	1.70	0.007	0.23	<0.1	2.0	0.04	0.02	<5			
2024082	Drill Core	0.43	0.20	<0.02	20	0.92	0.059	24.3	20.1	1.52	156.8	0.021	1	1.69	0.008	0.23	<0.1	2.1	0.04	<0.02	<5			
2024083	Drill Core	0.41	0.37	0.04	13	0.42	0.058	24.2	16.9	1.31	165.6	0.013	1	1.52	0.009	0.23	<0.1	1.7	0.04	<0.02	<5			
2024084	Drill Core	1.38	0.67	0.25	19	0.23	0.072	18.5	15.2	1.19	179.1	0.010	2	1.45	0.005	0.33	<0.1	2.2	0.14	<0.02	<5			
2024085	Drill Core	2.85	0.90	0.67	26	0.27	0.073	19.2	15.0	1.24	194.0	0.008	3	1.56	0.008	0.33	0.3	3.1	0.13	<0.02	<5			
2024086	Drill Core	4.56	0.43	0.78	18	0.16	0.069	20.4	14.4	1.58	160.8	0.007	2	1.63	0.005	0.25	<0.1	1.6	0.05	<0.02	66			
2024087	Drill Core	0.96	0.31	0.33	20	0.13	0.070	14.4	13.8	1.15	140.9	0.003	3	1.33	0.008	0.23	<0.1	1.4	0.06	0.05	30			
2024088	Drill Core	0.72	0.37	0.32	24	0.16	0.079	14.5	16.3	1.23	152.5	0.003	2	1.43	0.010	0.24	<0.1	1.7	0.07	0.05	11			
2024089	Drill Core	2.12	0.51	0.23	30	0.17	0.080	14.4	18.5	1.51	129.4	0.003	2	1.74	0.009	0.22	<0.1	2.2	0.06	<0.02	7			
2024090	Drill Core	0.84	0.24	0.05	26	0.18	0.085	14.8	18.6	1.24	119.5	0.002	1	1.49	0.012	0.22	<0.1	1.9	0.06	0.02	<5			
2024091	Drill Core	0.51	0.27	0.04	33	0.17	0.083	13.2	21.5	1.49	110.6	0.003	2	1.70	0.020	0.21	<0.1	2.3	0.06	0.05	<5			
2024092	Drill Core	0.97	0.34	0.03	32	0.20	0.086	13.0	21.0	1.65	102.6	0.004	1	1.77	0.013	0.20	<0.1	2.5	0.06	0.02	<5			
2024093	Drill Core	0.42	0.34	<0.02	33	0.48	0.085	11.6	21.9	1.39	95.8	0.003	1	1.60	0.019	0.19	<0.1	2.6	0.06	0.03	<5			
2024094	Drill Core	0.54	2.07	0.08	35	0.51	0.078	9.2	20.1	1.38	100.5	0.009	2	1.63	0.014	0.21	<0.1	2.6	0.10	0.04	<5			
2024095	Drill Core	1.15	11.56	0.15	35	0.63	0.080	9.7	19.4	1.23	109.7	0.013	1	1.45	0.011	0.25	0.1	3.1	0.14	0.04	<5			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 2 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000420.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
			0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024066	Drill Core	0.4	0.05	6.4	1.64	<0.1	0.07	<0.02	16.7	0.6	<0.05	3.4	11.10	60.6	0.04	<1	0.3	25.3	<10	<2	
2024067	Drill Core	0.6	0.03	6.3	1.15	<0.1	0.07	<0.02	18.4	0.3	<0.05	3.7	10.78	61.8	0.03	<1	0.1	21.2	<10	<2	
2024068	Drill Core	1.1	0.05	9.4	0.85	<0.1	0.04	<0.02	16.8	0.4	<0.05	1.3	14.61	65.8	0.07	<1	<0.1	29.0	<10	<2	
2024069	Drill Core	0.6	<0.02	5.4	0.54	<0.1	<0.02	<0.02	9.3	0.3	<0.05	1.0	13.74	45.4	0.03	3	0.3	26.7	<10	<2	
2024070	Drill Core	0.4	0.02	4.3	0.40	<0.1	0.04	<0.02	6.5	0.3	<0.05	1.3	12.53	40.2	0.04	1	0.2	26.6	<10	<2	
2024071	Drill Core	0.4	<0.02	3.7	0.35	<0.1	0.04	0.13	6.2	0.4	<0.05	1.0	10.29	30.4	0.03	3	0.2	15.2	<10	<2	
2024072	Drill Core	0.3	0.03	5.8	0.31	<0.1	0.03	<0.02	6.2	0.3	<0.05	1.0	8.39	41.5	0.04	<1	0.2	29.4	<10	<2	
2024073	Drill Core	<0.1	<0.02	6.4	0.46	<0.1	0.10	<0.02	7.4	0.3	<0.05	1.2	8.69	44.9	0.04	<1	0.1	25.4	<10	<2	
2024074	Drill Core	0.4	0.03	6.6	0.43	<0.1	0.02	<0.02	9.4	0.3	<0.05	1.4	10.43	46.0	0.03	2	0.4	29.6	<10	<2	
2024075	Drill Core	0.1	<0.02	7.0	0.31	<0.1	0.04	<0.02	8.7	0.3	<0.05	1.3	10.24	44.8	0.04	<1	0.1	29.4	<10	<2	
2024076	Drill Core	0.1	<0.02	6.8	0.25	<0.1	0.04	<0.02	7.5	0.3	<0.05	1.5	11.17	45.1	0.03	1	0.1	26.4	<10	<2	
2024077	Drill Core	0.7	<0.02	6.9	0.21	<0.1	0.06	<0.02	5.6	0.2	<0.05	2.3	11.75	39.6	0.04	2	0.4	22.9	<10	<2	
2024078	Drill Core	1.6	0.03	7.5	0.17	<0.1	0.15	0.05	4.8	0.4	<0.05	4.9	14.17	49.2	0.03	18	<0.1	13.9	<10	<2	
2024079	Drill Core	<0.1	0.03	6.3	0.18	<0.1	0.18	<0.02	4.7	0.4	<0.05	7.1	11.68	38.4	0.02	2	0.3	12.4	<10	<2	
2024080	Rock	<0.1	<0.02	0.2	0.08	<0.1	0.09	<0.02	0.9	<0.1	<0.05	2.2	0.73	3.1	<0.02	<1	<0.1	1.0	<10	<2	
2024081	Drill Core	0.8	<0.02	5.1	0.11	<0.1	0.25	<0.02	6.1	0.5	<0.05	8.1	8.83	44.6	<0.02	4	0.1	10.6	<10	<2	
2024082	Drill Core	0.6	0.02	4.8	0.12	<0.1	0.26	<0.02	6.0	0.2	<0.05	9.2	9.04	45.7	<0.02	1	0.1	9.9	<10	<2	
2024083	Drill Core	0.3	0.03	4.3	0.21	<0.1	0.27	<0.02	6.5	0.3	<0.05	11.4	9.18	46.2	<0.02	<1	<0.1	9.5	<10	<2	
2024084	Drill Core	0.9	0.03	3.2	2.88	<0.1	0.17	<0.02	13.3	0.6	<0.05	9.3	8.29	36.8	0.03	<1	<0.1	17.4	<10	<2	
2024085	Drill Core	1.2	0.09	3.7	3.87	<0.1	0.16	<0.02	12.4	0.9	<0.05	8.6	9.30	36.7	0.14	<1	0.1	16.5	<10	<2	
2024086	Drill Core	1.4	0.07	3.7	0.33	<0.1	0.13	<0.02	6.7	0.2	<0.05	8.2	11.24	46.2	0.08	2	<0.1	12.6	<10	<2	
2024087	Drill Core	0.6	0.07	3.0	0.21	<0.1	0.12	<0.02	6.3	0.2	<0.05	6.8	5.94	27.7	<0.02	<1	0.1	9.5	17	<2	
2024088	Drill Core	1.0	0.05	3.4	0.15	<0.1	0.09	<0.02	6.6	0.2	<0.05	4.7	4.52	28.6	<0.02	<1	<0.1	10.2	<10	3	
2024089	Drill Core	0.5	0.06	3.8	0.47	<0.1	0.12	<0.02	5.7	<0.1	<0.05	6.5	5.80	27.5	<0.02	<1	0.1	15.6	<10	<2	
2024090	Drill Core	0.8	0.04	3.6	0.22	<0.1	0.11	<0.02	6.1	0.1	<0.05	5.8	5.79	28.6	<0.02	2	<0.1	12.5	<10	<2	
2024091	Drill Core	1.0	0.03	4.3	0.19	<0.1	0.07	<0.02	5.9	0.1	<0.05	4.8	6.16	25.1	<0.02	2	0.1	14.0	<10	<2	
2024092	Drill Core	0.9	0.04	4.1	0.31	<0.1	0.11	<0.02	6.4	0.1	<0.05	5.3	4.69	24.9	<0.02	1	<0.1	15.0	<10	<2	
2024093	Drill Core	0.7	0.04	3.8	0.22	<0.1	0.11	<0.02	5.6	0.1	<0.05	5.7	5.77	22.2	<0.02	<1	<0.1	13.1	<10	<2	
2024094	Drill Core	0.7	0.04	3.9	1.23	<0.1	0.09	<0.02	7.1	0.2	<0.05	5.4	5.22	17.4	<0.02	3	0.1	15.0	<10	<2	
2024095	Drill Core	2.8	0.05	3.6	2.10	<0.1	0.10	<0.02	9.2	0.2	<0.05	6.8	6.72	18.4	<0.02	1	0.3	13.4	<10	3	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000420.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2024096	Drill Core	2.69	434	0.013	0.01	<0.17	31.02	3.21	63.00	34.54	146.6	603	41.1	17.7	995	4.19	21.3	1.5	5.6	35.1
2024097	Drill Core	2.77	490	<0.005	<0.01	<0.17	35.27	2.46	51.97	39.96	259.3	491	40.0	15.7	984	3.33	14.3	0.8	<0.2	4.4
2024098	Drill Core	2.82	483	0.011	0.01	<0.17	28.69	2.60	60.53	26.70	282.7	460	34.1	14.1	838	3.50	53.0	0.6	2.2	4.7
2024099	Drill Core	2.84	446	0.005	<0.01	<0.17	35.87	2.81	76.85	23.44	325.3	460	40.8	18.6	976	3.66	13.1	0.6	<0.2	4.4
2024100	Rock Pulp	0.13	64	7.191				9.73	186.89	20.61	79.2	922	13.6	12.6	609	4.94	15.1	0.9	7864.1	3.1
2024101	Drill Core	3.07	479	0.005	<0.01	<0.17	32.63	2.05	31.60	26.05	172.0	342	21.0	10.5	560	3.24	8.3	0.7	10.0	5.4
2024102	Drill Core	2.91	368	0.006	<0.01	<0.17	35.34	1.64	29.84	1.92	196.6	204	16.0	9.9	498	4.04	41.7	1.6	1.6	8.7
2024103	Drill Core	2.99	524	0.006	<0.01	<0.17	39.97	2.00	49.99	4.96	115.6	333	21.6	11.0	461	3.17	14.0	1.7	0.6	5.5
2024104	Drill Core	3.07	371	0.006	<0.01	<0.17	41.13	1.70	43.51	5.34	119.5	259	33.5	14.6	482	3.12	17.3	1.3	<0.2	5.2
2024105	Drill Core	3.04	416	<0.005	<0.01	<0.17	33.53	2.09	35.45	4.10	108.0	184	30.9	11.1	577	3.06	10.6	1.1	<0.2	5.7
2024106	Drill Core	3.17	449	<0.005	<0.01	<0.17	36.54	2.40	46.27	4.04	87.3	179	37.6	14.6	518	3.07	1.4	1.0	2.1	5.7
2024107	Drill Core	3.13	344	0.006	<0.01	<0.17	37.06	2.16	43.39	6.37	92.7	195	32.8	13.3	541	3.07	5.9	0.8	2.6	5.5
2024108	Drill Core	3.23	491	0.006	<0.01	<0.17	36.81	1.97	35.05	18.62	94.1	269	27.5	15.9	752	3.16	10.3	0.7	1.8	4.7
2024109	Drill Core	3.23	453	0.006	<0.01	<0.17	40.03	1.55	31.48	9.85	104.6	169	29.8	17.2	693	3.75	16.3	0.6	1.6	5.0
2024110	Drill Core	3.12	412	<0.005	<0.01	<0.17	35.50	1.97	59.07	4.84	108.2	227	35.1	14.2	507	3.27	11.5	1.0	0.7	6.1
2024111	Drill Core	3.45	395	0.005	<0.01	<0.17	33.74	1.56	39.32	10.66	123.2	206	33.5	14.7	664	3.39	16.4	0.7	<0.2	5.7
2024112	Drill Core	2.92	343	<0.005	<0.01	<0.17	24.48	2.11	42.60	4.49	111.1	136	37.2	15.5	561	3.28	10.6	1.2	<0.2	5.6
2024113	Drill Core	0.91	388	<0.005	<0.01	<0.17	40.06	1.44	6.12	32.27	96.2	242	23.3	14.1	443	2.91	20.0	2.2	<0.2	6.4
2024114	Drill Core	2.89	464	<0.005	<0.01	<0.17	37.36	1.76	20.24	20.98	100.2	223	25.2	14.9	389	3.01	21.1	1.9	<0.2	7.5
2024115	Drill Core	3.16	377	0.005	<0.01	<0.17	41.13	1.56	22.50	22.98	89.8	243	22.2	12.3	449	2.94	20.1	0.9	<0.2	6.6
2024116	Drill Core	3.39	359	0.007	<0.01	<0.17	36.84	1.72	21.70	19.87	89.8	637	19.1	10.8	390	2.99	21.8	1.6	<0.2	6.7
2024117	Drill Core	3.32	458	0.006	<0.01	<0.17	36.76	2.25	34.51	7.92	94.0	197	22.6	10.5	526	2.77	23.8	1.1	<0.2	5.7
2024118	Drill Core	2.92	391	0.006	<0.01	<0.17	34.51	1.81	32.79	28.59	102.7	311	24.7	13.0	571	3.06	26.5	0.8	0.2	5.8
2024119	Drill Core	0.80	333	0.006	<0.01	<0.17	34.74	2.20	37.18	6.12	103.5	271	26.0	9.3	636	2.95	31.3	0.8	1.0	5.8
2024120	Rock Pulp	0.13	77	0.470				2.42	429.84	18.85	51.6	270	600.6	26.3	443	2.60	19.1	0.6	429.3	1.9
2024121	Drill Core	1.48	473	<0.005	<0.01	<0.17	33.71	1.53	31.39	28.21	132.0	347	22.8	12.0	596	3.02	15.5	0.8	<0.2	6.4
2024122	Drill Core	3.04	445	0.005	<0.01	<0.17	38.45	2.14	45.65	13.12	124.0	273	32.0	13.3	591	3.46	38.5	1.1	<0.2	6.1
2024123	Drill Core	3.13	379	0.005	<0.01	<0.17	27.19	1.63	54.73	73.37	245.7	788	23.6	11.6	671	2.92	35.1	0.8	1.2	7.3
2024124	Drill Core	2.90	446	<0.005	<0.01	<0.17	43.31	1.51	27.42	32.80	110.1	340	25.3	11.2	652	2.65	18.5	0.6	<0.2	5.8
2024125	Drill Core	3.20	354	0.006	<0.01	<0.17	36.80	1.94	46.21	10.98	119.9	252	24.8	11.2	585	3.47	16.5	1.8	<0.2	5.6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000420.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024096	Drill Core	0.97	2.13	0.16	34	0.76	0.092	11.2	19.6	1.16	128.7	0.015	2	1.48	0.011	0.30	0.2	3.7	0.19	<0.02	<5			
2024097	Drill Core	2.34	0.38	0.38	37	0.71	0.079	8.7	20.1	1.56	120.0	0.020	<1	1.69	0.008	0.23	0.1	2.9	0.09	<0.02	<5			
2024098	Drill Core	1.81	0.45	0.23	29	0.42	0.076	7.8	18.2	1.40	125.7	0.009	1	1.49	0.006	0.23	<0.1	2.0	0.09	0.05	<5			
2024099	Drill Core	3.41	0.26	0.33	35	0.23	0.088	8.8	20.2	1.64	175.8	0.016	2	1.72	0.010	0.26	<0.1	2.9	0.09	0.07	<5			
2024100	Rock Pulp	0.20	5.68	0.59	118	1.05	0.067	8.8	19.7	0.87	131.5	0.133	6	1.94	0.206	0.23	4.2	4.2	0.08	<0.02	212			
2024101	Drill Core	1.24	0.28	0.27	29	0.35	0.078	9.3	19.9	1.95	156.1	0.020	1	1.98	0.008	0.24	<0.1	2.5	0.06	0.02	<5			
2024102	Drill Core	0.92	0.77	<0.02	29	0.30	0.095	14.1	23.6	2.38	153.0	0.047	1	2.55	0.020	0.25	0.2	3.3	0.08	0.03	<5			
2024103	Drill Core	0.82	1.03	0.03	31	0.42	0.080	9.8	21.1	1.52	179.8	0.070	1	1.75	0.010	0.33	0.2	2.7	0.15	0.05	<5			
2024104	Drill Core	0.53	0.96	0.07	41	0.68	0.083	8.4	30.9	1.67	168.4	0.074	1	1.91	0.012	0.33	0.2	2.8	0.14	0.03	<5			
2024105	Drill Core	0.74	0.46	0.06	35	0.70	0.092	11.5	29.5	1.61	186.3	0.043	<1	1.77	0.009	0.27	0.1	2.7	0.10	<0.02	<5			
2024106	Drill Core	0.49	0.20	0.07	31	0.47	0.096	14.8	26.6	1.40	202.7	0.013	<1	1.57	0.009	0.24	<0.1	2.5	0.07	<0.02	<5			
2024107	Drill Core	0.38	0.24	0.11	33	0.71	0.093	15.2	30.7	1.64	227.0	0.013	1	1.82	0.009	0.25	<0.1	2.7	0.06	<0.02	<5			
2024108	Drill Core	0.56	0.25	0.22	38	1.67	0.071	11.7	30.5	2.04	167.5	0.015	<1	2.05	0.009	0.21	<0.1	4.0	0.06	<0.02	<5			
2024109	Drill Core	0.46	0.31	0.09	56	1.49	0.070	10.6	42.1	2.43	164.1	0.035	<1	2.44	0.013	0.20	0.2	5.8	0.05	<0.02	<5			
2024110	Drill Core	0.64	0.50	0.03	39	0.78	0.092	13.2	36.8	1.59	213.2	0.023	<1	1.72	0.010	0.25	0.1	3.0	0.07	<0.02	<5			
2024111	Drill Core	0.47	0.39	0.13	44	0.63	0.084	13.4	35.7	2.06	194.3	0.033	<1	2.12	0.011	0.24	0.1	3.5	0.06	<0.02	<5			
2024112	Drill Core	0.59	0.61	0.06	38	0.53	0.089	10.1	34.8	1.65	173.0	0.054	<1	1.70	0.010	0.25	<0.1	3.0	0.10	<0.02	<5			
2024113	Drill Core	0.30	1.25	0.24	36	0.41	0.079	7.8	80.0	2.27	103.2	0.091	1	2.01	0.013	0.24	0.1	3.9	0.15	0.08	<5			
2024114	Drill Core	0.43	1.39	0.14	39	0.48	0.083	8.7	87.5	2.40	110.8	0.105	2	2.08	0.013	0.29	0.1	4.6	0.22	0.13	<5			
2024115	Drill Core	0.48	1.06	0.18	38	0.95	0.081	13.4	63.4	2.07	131.4	0.078	1	2.07	0.012	0.22	0.3	4.3	0.08	<0.02	<5			
2024116	Drill Core	0.33	1.20	0.18	36	0.34	0.073	15.5	62.3	1.96	134.1	0.067	1	1.99	0.019	0.21	1.3	4.6	0.06	<0.02	<5			
2024117	Drill Core	0.62	1.75	0.08	33	0.60	0.076	14.3	47.3	1.67	167.3	0.034	1	1.76	0.013	0.28	0.2	3.9	0.12	<0.02	<5			
2024118	Drill Core	0.54	1.73	0.20	34	1.04	0.077	12.8	55.9	1.99	138.6	0.045	2	1.99	0.012	0.29	0.4	4.2	0.11	<0.02	<5			
2024119	Drill Core	0.67	2.06	0.04	29	0.83	0.088	13.7	21.2	1.50	204.6	0.022	<1	1.62	0.012	0.34	0.3	3.0	0.13	0.02	<5			
2024120	Rock Pulp	0.19	0.36	0.30	55	1.44	0.031	4.6	99.7	1.83	78.6	0.076	4	2.14	0.217	0.14	1.2	3.3	0.09	0.21	18			
2024121	Drill Core	1.48	1.09	0.28	30	0.75	0.079	14.6	23.1	1.65	212.9	0.019	<1	1.78	0.011	0.28	0.1	3.2	0.07	<0.02	<5			
2024122	Drill Core	0.53	0.79	0.13	43	0.37	0.092	14.4	27.7	1.89	222.4	0.029	1	1.99	0.011	0.26	0.1	3.5	0.06	<0.02	<5			
2024123	Drill Core	2.54	0.61	0.67	32	0.67	0.077	16.9	25.3	1.78	241.7	0.017	<1	1.89	0.012	0.27	0.1	3.2	0.06	<0.02	<5			
2024124	Drill Core	0.61	0.57	0.36	35	0.99	0.071	14.6	24.6	1.64	203.7	0.028	<1	1.74	0.012	0.22	0.1	3.5	0.05	<0.02	<5			
2024125	Drill Core	0.59	0.74	0.10	67	0.44	0.088	12.3	41.5	1.84	202.8	0.074	<1	2.03	0.019	0.21	0.2	5.5	0.04	<0.02	<5			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 3 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000420.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024096	Drill Core	1.7	0.07	3.7	3.62	<0.1	0.07	<0.02	14.9	0.2	<0.05	5.8	8.01	21.6	<0.02	<1	<0.1	11.3	<10	<2
2024097	Drill Core	0.9	0.06	3.9	1.08	<0.1	0.12	<0.02	8.2	0.2	<0.05	7.0	6.86	17.0	<0.02	<1	0.1	14.8	<10	<2
2024098	Drill Core	0.9	0.04	3.7	0.45	<0.1	0.11	<0.02	7.9	0.2	<0.05	6.1	5.52	14.9	<0.02	<1	0.2	10.5	<10	2
2024099	Drill Core	1.0	0.05	4.3	0.37	<0.1	0.14	0.02	9.2	0.3	<0.05	6.7	5.45	17.5	0.03	<1	0.2	12.8	<10	<2
2024100	Rock Pulp	0.1	0.17	5.8	0.77	0.1	0.12	0.10	9.2	1.9	<0.05	2.2	6.15	18.4	0.06	<1	0.1	7.4	<10	<2
2024101	Drill Core	0.4	0.03	5.0	0.42	<0.1	0.16	0.02	8.8	0.2	<0.05	9.0	4.93	18.0	<0.02	<1	0.2	16.1	<10	<2
2024102	Drill Core	1.5	<0.02	6.4	1.22	<0.1	0.09	0.04	11.0	0.2	<0.05	6.5	7.69	28.8	<0.02	<1	0.2	21.6	<10	<2
2024103	Drill Core	1.3	0.03	4.4	1.58	<0.1	0.27	0.06	15.1	0.4	<0.05	11.0	8.32	18.8	<0.02	<1	0.3	15.1	<10	<2
2024104	Drill Core	1.2	0.02	4.5	1.56	<0.1	0.18	0.07	13.0	0.3	<0.05	8.2	9.48	17.0	<0.02	<1	0.3	16.0	<10	<2
2024105	Drill Core	0.5	<0.02	4.7	1.12	<0.1	0.20	0.05	10.0	0.2	<0.05	8.7	7.70	22.5	<0.02	<1	0.2	16.1	<10	<2
2024106	Drill Core	0.9	0.02	4.2	0.64	<0.1	0.15	0.03	8.5	0.2	<0.05	6.7	6.56	28.9	<0.02	<1	0.1	12.1	<10	<2
2024107	Drill Core	0.5	0.03	4.8	0.39	<0.1	0.16	<0.02	7.7	0.2	<0.05	7.3	6.04	29.0	<0.02	<1	0.2	12.2	<10	<2
2024108	Drill Core	0.3	0.04	5.2	0.42	<0.1	0.24	<0.02	7.2	0.2	<0.05	9.3	6.99	22.7	<0.02	<1	0.1	13.3	<10	<2
2024109	Drill Core	0.3	0.02	6.6	0.31	<0.1	0.22	0.03	6.6	0.2	<0.05	9.9	8.85	22.0	<0.02	<1	0.2	17.9	<10	<2
2024110	Drill Core	0.5	0.03	5.0	0.53	<0.1	0.19	0.03	8.5	0.2	<0.05	7.9	8.69	25.4	<0.02	<1	0.2	15.1	<10	<2
2024111	Drill Core	0.4	0.04	5.6	0.50	<0.1	0.20	0.04	8.0	0.2	<0.05	8.2	8.74	26.0	<0.02	<1	0.2	18.6	<10	<2
2024112	Drill Core	1.9	0.02	4.8	1.11	<0.1	0.22	0.06	9.2	0.2	<0.05	9.0	10.14	20.6	<0.02	2	0.2	17.8	<10	<2
2024113	Drill Core	0.7	0.05	6.6	2.39	<0.1	0.36	0.07	10.6	0.3	<0.05	14.0	9.00	17.3	<0.02	15	0.2	31.5	<10	<2
2024114	Drill Core	1.0	0.03	7.0	3.07	<0.1	0.37	0.07	14.1	0.4	<0.05	13.4	10.92	18.5	<0.02	14	0.2	34.7	<10	<2
2024115	Drill Core	1.0	0.03	6.2	1.31	<0.1	0.26	0.05	7.7	0.3	<0.05	11.3	11.83	27.2	<0.02	1	0.3	36.4	<10	<2
2024116	Drill Core	0.9	0.03	6.7	1.08	<0.1	0.21	0.05	6.4	0.4	<0.05	10.6	9.90	31.0	0.02	<1	0.3	35.8	<10	<2
2024117	Drill Core	1.0	<0.02	4.9	2.08	<0.1	0.24	0.03	10.3	0.3	<0.05	11.2	8.93	29.3	<0.02	<1	0.3	26.8	<10	<2
2024118	Drill Core	0.8	0.03	5.8	2.24	<0.1	0.24	0.03	12.0	0.3	<0.05	10.6	6.84	24.9	<0.02	<1	0.2	26.3	<10	<2
2024119	Drill Core	0.8	0.04	4.7	2.21	<0.1	0.28	0.03	13.7	0.2	<0.05	10.3	7.63	26.4	<0.02	<1	0.3	17.5	<10	<2
2024120	Rock Pulp	0.6	0.16	4.8	0.63	<0.1	0.07	0.03	6.2	0.4	<0.05	1.9	3.65	9.3	<0.02	2	0.1	8.1	285	147
2024121	Drill Core	0.9	0.05	5.0	0.55	<0.1	0.18	<0.02	8.5	0.3	<0.05	8.3	6.06	27.1	<0.02	<1	0.3	18.7	<10	<2
2024122	Drill Core	1.8	0.04	5.8	0.37	<0.1	0.15	0.03	8.1	0.3	<0.05	7.2	7.61	28.3	<0.02	<1	0.3	19.0	<10	<2
2024123	Drill Core	1.1	0.10	5.5	0.33	<0.1	0.18	0.02	8.1	0.3	<0.05	7.8	6.25	31.4	<0.02	<1	0.2	16.4	<10	<2
2024124	Drill Core	0.7	0.05	5.0	0.18	<0.1	0.19	0.04	6.4	0.3	<0.05	7.8	7.34	28.5	<0.02	<1	0.3	17.7	<10	<2
2024125	Drill Core	0.9	<0.02	6.5	0.31	<0.1	0.13	0.07	6.4	0.5	<0.05	5.9	8.37	24.4	<0.02	1	0.2	20.3	<10	<2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000420.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2024126	Drill Core	3.63	392	<0.005	<0.01	<0.17	28.82	1.85	43.07	11.18	99.9	278	32.7	13.2	668	2.99	229.3	1.3	<0.2	6.9	25.1
2024127	Drill Core	1.41	360	<0.005	<0.01	<0.17	33.63	1.03	18.92	14.61	81.9	179	20.6	9.7	566	2.48	17.0	0.6	<0.2	7.4	32.9
2024128	Drill Core	3.07	469	<0.005	<0.01	<0.17	31.80	0.91	32.06	5.13	72.0	399	26.8	27.2	695	5.59	1.8	0.4	<0.2	0.9	52.9
2024129	Drill Core	2.85	471	<0.005	<0.01	<0.17	36.25	1.74	24.95	12.00	121.2	214	38.7	17.1	657	3.70	15.7	0.6	<0.2	5.9	29.7
2024130	Drill Core	3.64	483	<0.005	<0.01	<0.17	29.29	1.12	37.36	7.04	75.7	393	36.4	31.5	707	5.67	6.0	1.1	<0.2	1.3	67.8
2024131	Drill Core	3.25	393	<0.005	<0.01	<0.17	32.88	1.40	38.52	86.37	184.2	1018	24.8	12.0	601	3.11	16.1	0.6	<0.2	6.1	27.5
2024132	Drill Core	3.70	380	0.006	<0.01	<0.17	34.46	1.79	38.53	13.54	128.7	433	29.5	13.9	758	3.44	40.4	0.6	<0.2	5.2	50.8
2024133	Drill Core	3.00	457	0.008	<0.01	<0.17	38.28	2.02	42.41	8.64	111.6	412	34.3	17.0	745	3.77	38.5	0.8	1.2	5.7	32.1
2024134	Drill Core	1.53	474	0.009	<0.01	<0.17	33.57	1.85	40.85	16.29	125.7	409	32.6	14.0	644	3.36	25.0	0.7	6.7	6.2	27.7
2024135	Drill Core	2.78	395	<0.005	<0.01	<0.17	39.24	2.11	39.45	35.71	110.2	360	25.4	12.0	614	3.04	149.9	0.8	1.1	5.3	26.3
2024136	Drill Core	2.62	441	0.006	<0.01	<0.17	36.48	1.49	32.85	12.95	126.2	353	29.3	13.7	726	3.44	22.7	0.6	<0.2	5.4	39.3
2024137	Drill Core	1.66	471	<0.005	<0.01	<0.17	37.60	1.33	29.85	5.82	95.2	226	41.8	34.1	1137	6.08	29.5	1.5	0.5	1.2	137.0
2024138	Drill Core	1.68	515	<0.005	<0.01	<0.17	40.77	2.06	31.15	24.50	119.5	326	29.2	11.5	563	3.21	16.5	0.6	<0.2	5.6	43.1
2024139	Drill Core	3.13	386	0.006	<0.01	<0.17	31.59	2.87	32.44	28.53	96.7	407	26.9	12.2	548	2.89	17.3	1.2	1.1	4.2	66.6
2024140	Rock Pulp	0.13	79	0.006				2.29	94.12	3.62	36.5	114	4.6	8.4	374	2.57	0.8	0.9	0.5	2.7	72.0
2024141	Drill Core	3.10	492	0.023	0.02	<0.17	38.25	2.23	33.21	10.98	68.6	359	28.2	11.4	513	2.76	11.7	0.7	10.1	3.3	65.4
2024142	Drill Core	2.54	351	0.012	0.01	<0.17	41.61	2.88	23.34	20.09	73.0	405	29.8	11.7	557	2.78	10.4	0.6	5.6	3.7	77.3
2024143	Drill Core	3.05	490	<0.005	<0.01	<0.17	41.13	0.36	8.46	19.35	29.8	261	3.4	2.5	160	0.94	1.8	1.6	1.4	12.5	34.3
2024144	Drill Core	1.94	404	0.021	0.02	<0.17	33.59	0.81	21.00	10.42	82.6	420	16.3	9.4	323	2.59	12.5	1.7	22.5	9.0	60.9
2024145	Drill Core	3.53	484	0.007	<0.01	<0.17	39.55	0.68	19.96	12.17	90.3	356	16.1	9.3	323	2.37	2.8	1.4	3.1	7.7	53.2
2024146	Drill Core	3.74	461	0.006	<0.01	<0.17	33.77	0.39	49.80	54.47	215.3	541	11.1	7.3	409	2.16	1.8	1.7	0.5	10.5	65.2
2024147	Drill Core	3.34	518	0.006	<0.01	<0.17	36.74	0.39	32.91	28.75	105.2	569	8.9	7.2	311	2.20	2.7	1.6	1.1	11.3	45.1
2024148	Drill Core	3.31	483	0.007	<0.01	<0.17	38.40	0.77	25.26	33.76	82.1	465	15.9	9.0	427	2.01	5.7	1.6	4.5	6.7	46.2
2024149	Drill Core	3.50	509	0.408	0.46	1.19	35.30	1.09	14.14	11.03	50.3	577	11.0	7.6	358	2.12	6.2	1.5	486.5	10.3	49.8
2024150	Drill Core	3.54	486	0.641	0.65	0.71	40.99	1.49	17.19	11.76	50.7	1559	16.5	7.8	368	2.19	22.1	1.9	633.2	8.8	74.0
2024151	Drill Core	3.34	422	0.037	0.03	<0.17	32.58	1.45	32.55	14.46	77.7	786	32.7	10.4	339	2.60	122.7	1.1	22.7	7.8	84.1
2024152	Drill Core	3.27	468	0.182	0.17	<0.17	33.41	1.48	28.27	24.48	57.5	867	9.7	5.0	359	1.71	17.8	1.7	198.2	13.3	83.2
2024153	Drill Core	3.22	419	0.257	0.26	0.27	30.10	1.39	11.51	10.48	31.8	1399	14.1	6.7	297	1.92	57.0	3.4	323.8	11.4	66.4
2024154	Drill Core	2.87	423	0.036	0.03	<0.17	26.84	2.33	20.76	17.65	44.9	1135	20.2	8.3	331	1.89	80.0	2.1	31.9	9.9	65.6
2024155	Drill Core	3.45	460	0.088	0.08	<0.17	33.04	1.41	12.83	11.66	22.9	778	11.6	5.2	174	1.22	11.8	3.0	73.9	13.5	23.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000420.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
			0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024126	Drill Core	0.62	4.10	0.13	38	0.63	0.086	14.2	27.3	1.57	215.5	0.049	<1	1.67	0.013	0.26	0.3	3.3	0.08	<0.02	<5	
2024127	Drill Core	0.26	1.93	0.14	40	0.77	0.076	14.6	27.7	1.58	215.0	0.045	<1	1.71	0.016	0.25	0.2	3.9	0.05	<0.02	<5	
2024128	Drill Core	0.13	0.75	0.03	105	1.15	0.114	11.5	34.0	2.74	45.8	0.309	<1	2.70	0.132	0.13	0.2	6.2	0.29	1.00	<5	
2024129	Drill Core	0.33	2.70	0.09	92	0.54	0.088	9.6	66.3	2.44	227.9	0.107	<1	2.51	0.025	0.21	0.2	7.9	0.09	<0.02	<5	
2024130	Drill Core	0.20	0.68	0.05	113	1.05	0.103	10.0	41.7	2.65	166.8	0.294	<1	3.13	0.154	0.20	0.3	8.8	0.38	0.27	<5	
2024131	Drill Core	1.39	1.44	1.11	46	0.62	0.079	14.4	33.8	1.95	217.7	0.057	<1	2.08	0.015	0.22	0.2	4.0	0.06	<0.02	<5	
2024132	Drill Core	0.75	2.69	0.16	68	1.37	0.075	14.0	39.8	2.26	184.9	0.068	<1	2.41	0.015	0.21	0.3	6.1	0.06	<0.02	<5	
2024133	Drill Core	0.44	5.50	0.10	85	0.91	0.076	14.3	52.1	2.36	165.8	0.069	1	2.51	0.017	0.19	0.4	7.0	0.06	<0.02	<5	
2024134	Drill Core	0.48	9.96	0.18	80	0.73	0.078	13.8	72.8	2.02	116.6	0.061	2	2.19	0.038	0.19	0.3	6.2	0.05	<0.02	5	
2024135	Drill Core	0.62	0.96	0.23	47	0.86	0.068	10.4	40.3	1.91	138.0	0.036	<1	2.02	0.031	0.26	0.2	4.0	0.07	<0.02	<5	
2024136	Drill Core	0.32	0.76	0.09	66	1.02	0.069	9.4	41.9	2.43	140.1	0.064	<1	2.48	0.031	0.25	0.2	5.4	0.06	<0.02	<5	
2024137	Drill Core	0.26	0.99	0.02	129	3.26	0.113	10.8	35.8	2.90	77.2	0.357	1	3.14	0.040	0.28	0.4	13.3	0.14	<0.02	<5	
2024138	Drill Core	0.46	2.14	0.21	54	0.73	0.074	7.3	61.1	2.24	112.6	0.073	<1	2.21	0.009	0.29	0.4	4.3	0.10	0.03	<5	
2024139	Drill Core	0.46	0.25	0.22	36	1.02	0.074	4.7	49.0	1.78	146.0	0.094	<1	1.65	0.019	0.69	0.3	3.0	0.40	0.41	<5	
2024140	Rock Pulp	0.07	0.11	0.04	92	0.86	0.058	6.8	9.8	0.72	116.3	0.103	3	1.50	0.167	0.21	2.9	2.5	0.05	<0.02	<5	
2024141	Drill Core	0.38	0.16	0.13	33	1.01	0.069	4.7	26.5	1.64	150.0	0.104	<1	1.52	0.016	0.90	0.3	2.5	0.52	0.47	<5	
2024142	Drill Core	0.29	0.21	0.22	39	1.35	0.073	6.5	44.2	1.76	172.8	0.159	<1	1.65	0.016	1.28	0.3	3.3	0.77	0.22	<5	
2024143	Drill Core	0.39	0.49	0.21	6	0.31	0.024	31.6	8.3	0.42	309.4	0.039	2	0.74	0.040	0.31	0.5	2.9	0.12	0.02	8	
2024144	Drill Core	0.38	1.18	0.06	27	0.77	0.071	14.0	32.2	1.28	184.0	0.100	<1	1.43	0.041	0.88	0.8	4.5	0.70	0.08	<5	
2024145	Drill Core	0.56	0.88	0.09	29	0.72	0.069	16.2	37.1	1.12	142.3	0.099	<1	1.38	0.046	0.54	0.8	4.8	0.36	<0.02	<5	
2024146	Drill Core	1.84	1.12	0.25	20	1.02	0.062	28.9	24.1	0.83	141.9	0.082	<1	1.32	0.027	0.40	0.7	4.3	0.23	<0.02	8	
2024147	Drill Core	1.26	0.87	0.14	23	0.54	0.063	22.9	28.0	0.81	200.0	0.110	1	1.21	0.069	0.51	1.1	4.9	0.28	<0.02	7	
2024148	Drill Core	0.76	1.10	0.18	22	0.58	0.071	15.9	24.5	0.83	207.5	0.092	<1	1.21	0.029	0.56	1.0	4.3	0.31	<0.02	6	
2024149	Drill Core	0.26	1.08	0.08	16	0.69	0.074	14.4	18.7	0.81	209.6	0.069	<1	1.00	0.031	0.55	1.0	4.0	0.34	0.37	6	
2024150	Drill Core	0.37	1.52	0.21	17	1.02	0.069	10.0	20.6	0.83	194.3	0.055	1	0.98	0.025	0.58	0.7	3.8	0.28	0.59	9	
2024151	Drill Core	0.45	1.94	0.22	33	1.00	0.077	15.3	46.2	1.19	196.0	0.051	2	1.36	0.020	0.57	0.4	6.6	0.27	0.06	<5	
2024152	Drill Core	0.52	0.85	0.37	11	1.15	0.065	22.4	12.4	0.74	189.3	0.028	2	0.93	0.027	0.49	0.4	3.8	0.23	0.24	6	
2024153	Drill Core	0.32	0.89	0.20	13	0.96	0.073	14.7	15.5	0.61	141.0	0.048	1	0.86	0.032	0.40	0.7	3.5	0.15	0.96	<5	
2024154	Drill Core	0.57	1.68	0.83	18	0.95	0.084	20.0	21.8	0.63	179.2	0.031	<1	0.97	0.049	0.43	0.5	3.9	0.24	0.36	7	
2024155	Drill Core	0.14	0.74	0.41	6	0.29	0.056	32.0	8.6	0.29	222.4	0.015	<1	0.67	0.034	0.37	0.3	2.1	0.14	0.20	<5	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 4 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000420.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024126	Drill Core	0.9	0.03	5.1	0.35	<0.1	0.14	0.05	7.9	0.3	<0.05	6.1	8.93	27.4	<0.02	<1	0.3	18.6	<10	<2
2024127	Drill Core	0.4	0.03	5.4	0.24	<0.1	0.21	0.06	7.3	0.4	<0.05	7.4	7.57	28.4	<0.02	<1	0.2	19.5	<10	<2
2024128	Drill Core	0.8	<0.02	11.0	2.35	0.1	0.16	0.06	8.5	0.7	<0.05	5.9	19.41	27.6	0.02	<1	0.3	21.7	<10	<2
2024129	Drill Core	0.4	0.02	9.5	0.82	<0.1	0.18	0.08	7.5	0.7	<0.05	7.2	8.61	19.4	<0.02	<1	0.3	29.1	<10	<2
2024130	Drill Core	1.6	<0.02	11.7	3.77	0.1	0.21	0.06	12.2	0.6	<0.05	7.4	17.59	23.5	0.03	<1	0.3	29.7	<10	<2
2024131	Drill Core	0.9	0.19	6.7	0.34	<0.1	0.22	0.05	7.3	0.5	<0.05	7.6	9.35	28.3	<0.02	<1	0.2	23.1	<10	<2
2024132	Drill Core	0.4	0.04	8.2	0.34	<0.1	0.25	0.07	7.4	0.5	<0.05	8.9	9.18	28.0	<0.02	<1	0.4	28.5	<10	<2
2024133	Drill Core	1.5	0.04	8.6	0.30	<0.1	0.20	0.04	6.5	0.5	<0.05	8.3	9.68	28.4	0.02	2	0.4	29.6	<10	<2
2024134	Drill Core	0.7	0.05	7.9	0.42	<0.1	0.20	0.03	5.2	0.7	<0.05	8.4	8.52	27.3	0.03	1	0.3	25.1	<10	2
2024135	Drill Core	1.1	0.05	5.6	0.40	<0.1	0.22	<0.02	6.6	0.5	<0.05	8.7	4.78	20.6	<0.02	1	0.1	19.0	<10	<2
2024136	Drill Core	0.5	<0.02	6.8	0.44	<0.1	0.25	0.02	6.4	0.3	<0.05	8.7	6.23	17.7	<0.02	<1	0.2	23.7	18	<2
2024137	Drill Core	0.5	<0.02	12.6	4.33	<0.1	0.54	0.06	16.1	0.6	<0.05	13.5	17.12	25.1	0.07	<1	0.6	82.0	11	<2
2024138	Drill Core	0.4	0.03	6.4	0.90	<0.1	0.24	0.03	9.8	0.3	<0.05	10.1	6.11	14.2	<0.02	2	0.2	24.8	<10	<2
2024139	Drill Core	1.3	0.03	4.7	3.42	<0.1	0.22	<0.02	38.5	0.3	<0.05	8.6	4.20	9.4	<0.02	6	0.3	18.2	<10	4
2024140	Rock Pulp	<0.1	<0.02	4.4	0.30	<0.1	0.07	0.06	6.7	0.2	<0.05	1.4	4.31	14.1	<0.02	<1	0.2	6.2	<10	<2
2024141	Drill Core	1.1	0.05	3.8	3.88	<0.1	0.33	<0.02	52.7	0.2	<0.05	10.5	3.62	9.2	<0.02	<1	0.2	15.9	<10	<2
2024142	Drill Core	0.7	0.07	4.6	5.46	<0.1	0.39	<0.02	77.5	0.4	<0.05	13.8	4.28	12.6	<0.02	2	0.5	21.4	11	<2
2024143	Drill Core	<0.1	<0.02	2.5	0.58	<0.1	0.24	0.24	15.0	0.5	<0.05	8.2	20.33	57.4	0.02	<1	0.5	9.2	<10	<2
2024144	Drill Core	<0.1	0.02	4.6	8.95	<0.1	0.09	0.07	69.2	0.6	<0.05	2.6	11.43	27.0	<0.02	1	0.9	16.0	<10	<2
2024145	Drill Core	<0.1	<0.02	5.5	3.90	<0.1	0.09	0.09	37.0	0.5	<0.05	2.6	10.52	29.7	0.03	<1	0.3	16.8	<10	<2
2024146	Drill Core	<0.1	<0.02	6.0	1.92	<0.1	0.08	0.09	27.8	0.6	<0.05	2.4	14.99	53.1	0.03	<1	0.6	15.0	<10	<2
2024147	Drill Core	<0.1	<0.02	5.2	2.92	<0.1	0.21	0.11	31.4	0.7	<0.05	6.1	11.80	43.1	<0.02	<1	0.5	13.5	<10	<2
2024148	Drill Core	<0.1	0.02	4.2	3.60	<0.1	0.10	0.12	35.5	0.5	<0.05	2.9	12.46	28.4	<0.02	<1	0.6	11.2	<10	<2
2024149	Drill Core	0.5	0.02	4.0	3.01	<0.1	0.06	0.10	38.4	0.6	<0.05	2.2	9.69	27.2	<0.02	<1	0.7	10.7	<10	<2
2024150	Drill Core	0.3	0.02	3.5	3.21	<0.1	0.12	0.06	34.1	0.3	<0.05	4.4	8.34	19.3	0.03	2	0.2	9.4	<10	<2
2024151	Drill Core	0.5	<0.02	4.2	3.68	<0.1	0.27	0.03	33.4	0.3	<0.05	10.2	11.29	29.4	<0.02	<1	0.5	15.8	<10	<2
2024152	Drill Core	0.3	0.02	3.9	2.27	<0.1	0.16	0.05	28.6	0.3	<0.05	6.4	13.70	40.7	<0.02	<1	0.3	12.1	<10	4
2024153	Drill Core	1.1	0.02	3.3	1.11	<0.1	0.10	0.14	20.7	0.3	<0.05	3.5	11.22	27.7	0.03	2	0.3	11.7	<10	<2
2024154	Drill Core	1.9	0.07	3.9	2.57	<0.1	0.40	0.05	25.2	0.4	<0.05	14.3	12.80	38.5	0.03	5	0.3	11.2	<10	<2
2024155	Drill Core	0.6	<0.02	2.5	2.04	<0.1	0.36	0.02	20.4	0.2	<0.05	13.7	16.27	59.4	0.02	<1	0.4	6.7	<10	3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000420.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2024156	Drill Core	3.40	438	0.041	0.04	<0.17	36.10	2.17	20.44	20.71	32.6	784	12.3	4.1	158	1.17	9.5	3.1	26.5	15.2	27.1
2024157	Drill Core	3.50	436	0.005	<0.01	<0.17	31.22	0.91	17.40	22.51	39.2	531	9.0	4.5	353	1.40	10.5	2.3	<0.2	12.0	96.4
2024158	Drill Core	3.29	458	0.043	0.04	<0.17	33.17	1.17	25.64	11.43	47.0	1430	23.9	7.8	332	1.90	23.3	1.5	51.9	7.7	79.6
2024159	Drill Core	1.35	385	0.066	0.06	<0.17	25.34	1.11	13.82	8.18	39.1	705	27.1	9.7	297	1.70	20.7	1.4	53.0	7.7	50.0
2024160	Core DUP		401	0.077	0.07	<0.17	28.14	1.13	14.16	8.55	40.6	722	28.9	9.9	313	1.72	21.4	1.4	59.5	7.8	52.2
2024161	Drill Core	1.93	465	0.012	0.01	<0.17	35.47	0.46	44.48	5.66	56.9	574	29.6	10.6	322	2.50	25.3	1.2	8.0	7.3	23.3
2024162	Drill Core	3.16	410	0.012	0.02	<0.17	25.18	0.50	23.08	3.30	52.9	360	26.7	8.5	354	2.04	35.5	0.7	6.4	7.7	25.7
2024163	Drill Core	2.44	467	0.010	<0.01	<0.17	29.15	0.77	23.48	5.77	43.6	372	17.7	7.4	258	1.87	33.6	1.3	6.2	10.6	34.6
2024164	Drill Core	3.07	494	0.010	<0.01	<0.17	38.21	1.01	24.62	9.27	59.9	280	14.8	9.4	501	2.56	23.8	1.4	2.3	7.8	56.1
2024165	Drill Core	3.89	524	0.007	<0.01	<0.17	35.49	1.03	20.40	10.46	63.9	168	12.3	9.1	422	2.39	30.2	1.2	2.6	5.1	57.1
2024166	Drill Core	3.48	442	0.006	<0.01	<0.17	36.85	2.35	23.18	12.19	57.8	166	26.3	11.7	430	2.16	16.1	2.4	0.8	7.1	73.0
2024167	Drill Core	3.46	463	0.008	<0.01	<0.17	34.17	1.21	27.14	10.88	63.8	249	23.1	11.9	463	2.30	16.9	1.7	2.1	8.0	74.9
2024168	Drill Core	3.43	467	0.009	<0.01	<0.17	42.17	1.41	24.86	10.69	77.0	247	24.7	12.1	603	2.76	30.8	2.1	2.9	7.3	119.7
2024169	Drill Core	3.54	408	<0.005	<0.01	<0.17	33.18	2.42	27.76	8.95	80.3	230	32.1	15.2	601	3.09	39.2	2.3	0.5	7.4	98.6
2024170	Drill Core	3.48	376	0.007	<0.01	<0.17	37.59	2.16	21.09	15.10	81.6	265	32.5	15.4	544	3.04	77.3	1.8	0.3	7.2	99.7
2024171	Drill Core	3.56	444	0.007	<0.01	<0.17	25.24	1.57	41.57	10.20	77.6	268	31.0	11.9	509	2.88	23.2	1.9	1.9	7.0	59.5
2024172	Drill Core	3.52	409	0.008	<0.01	<0.17	26.88	1.06	25.27	10.12	72.6	182	13.5	7.9	453	2.67	13.4	2.1	5.5	8.8	14.2
2024173	Drill Core	2.99	362	0.007	<0.01	<0.17	36.43	1.19	36.48	50.50	127.4	456	23.2	10.4	640	3.24	56.7	1.4	4.1	6.6	21.1
2024174	Drill Core	2.88	399	0.008	<0.01	<0.17	39.84	1.64	54.66	143.11	360.8	1186	25.2	14.8	762	3.36	76.5	1.7	3.8	5.5	18.1
2024175	Drill Core	3.17	396	0.010	<0.01	<0.17	35.30	3.89	51.13	19.16	147.8	425	36.1	18.8	581	3.21	72.4	6.8	1.6	3.8	36.1
2024176	Drill Core	3.02	373	0.007	<0.01	<0.17	39.83	3.21	51.50	34.94	196.4	463	35.1	14.3	674	3.75	66.9	3.7	<0.2	4.6	30.2
2024177	Drill Core	2.98	350	0.005	<0.01	<0.17	40.39	2.43	57.45	98.36	218.4	945	35.3	15.0	965	3.66	199.8	2.5	<0.2	4.5	28.0
2024178	Drill Core	2.98	372	0.006	<0.01	<0.17	28.72	2.34	39.84	24.66	126.0	407	29.6	12.4	560	3.30	317.9	1.9	<0.2	4.5	44.7
2024179	Drill Core	3.23	461	0.005	<0.01	<0.17	36.80	2.44	50.07	8.29	117.4	284	46.8	24.1	673	3.49	71.2	1.4	6.7	4.2	40.8
2024180	Rock	0.24	157	<0.005	<0.01	<0.17	41.25	0.59	3.85	6.46	10.4	26	9.8	10.8	252	0.77	2.3	0.2	<0.2	1.3	2.3
2024181	Drill Core	3.24	409	<0.005	<0.01	<0.17	40.43	2.63	46.26	16.02	131.8	395	47.1	20.5	778	3.54	32.9	1.2	<0.2	4.8	26.7
2024182	Drill Core	3.04	419	<0.005	<0.01	<0.17	35.34	2.84	65.87	17.28	418.2	573	49.1	21.9	1114	3.90	43.1	1.1	<0.2	4.0	30.2
2024183	Drill Core	3.21	387	<0.005	<0.01	<0.17	35.26	2.37	72.16	26.42	262.5	705	20.2	9.7	619	3.45	18.5	1.3	<0.2	4.7	43.2
2024184	Drill Core	3.27	376	0.005	<0.01	<0.17	39.40	2.51	62.74	27.53	494.1	612	34.0	14.5	888	3.61	43.9	0.7	3.5	4.3	22.9
2024185	Drill Core	2.83	406	<0.005	<0.01	<0.17	40.54	2.81	56.11	29.10	273.1	426	37.2	16.3	765	3.63	23.2	0.7	1.7	4.9	17.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000420.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024156	Drill Core	0.27	0.95	0.58	10	0.46	0.052	35.0	10.8	0.29	180.8	0.049	<1	0.72	0.043	0.32	0.6	2.8	0.11	0.04	<5			
2024157	Drill Core	0.48	0.96	0.46	13	1.65	0.063	27.3	14.6	0.42	241.8	0.081	<1	0.86	0.041	0.38	0.5	4.3	0.16	0.03	<5			
2024158	Drill Core	0.49	1.08	0.19	13	1.22	0.059	19.7	13.8	0.67	190.9	0.024	<1	0.98	0.020	0.37	0.3	4.6	0.16	0.11	<5			
2024159	Drill Core	0.44	1.04	0.05	13	0.66	0.063	21.6	15.9	0.56	195.5	0.028	<1	0.96	0.024	0.39	0.6	3.3	0.14	0.04	<5			
2024160	Core DUP	0.41	1.01	0.06	13	0.65	0.065	22.0	16.1	0.56	206.2	0.028	<1	0.99	0.023	0.40	0.5	3.5	0.13	0.04	<5			
2024161	Drill Core	0.27	1.71	0.06	21	0.39	0.065	18.3	21.0	1.02	179.8	0.087	1	1.34	0.010	0.40	0.8	5.9	0.15	<0.02	<5			
2024162	Drill Core	0.22	1.37	0.02	18	0.38	0.066	17.8	16.3	0.75	207.7	0.041	1	1.08	0.023	0.49	0.4	5.3	0.23	<0.02	<5			
2024163	Drill Core	0.26	2.05	0.07	25	0.59	0.063	21.0	36.9	0.73	187.2	0.082	2	1.08	0.053	0.42	0.7	4.6	0.23	<0.02	<5			
2024164	Drill Core	0.22	1.27	0.08	26	1.03	0.078	17.0	27.5	0.75	369.0	0.078	<1	1.09	0.045	0.45	0.2	6.1	0.25	<0.02	<5			
2024165	Drill Core	0.22	0.44	0.07	22	0.95	0.080	9.5	30.0	0.86	257.8	0.100	<1	1.20	0.047	0.36	0.2	3.2	0.17	0.03	<5			
2024166	Drill Core	0.26	0.34	0.07	33	1.24	0.071	15.6	77.9	0.96	207.9	0.103	<1	1.12	0.051	0.27	0.2	3.3	0.12	0.04	<5			
2024167	Drill Core	0.31	0.39	0.07	42	1.23	0.072	13.8	94.4	1.09	213.9	0.114	<1	1.26	0.055	0.28	0.2	4.3	0.16	<0.02	<5			
2024168	Drill Core	0.38	0.33	0.08	49	2.11	0.074	12.8	97.6	1.50	185.9	0.082	<1	1.60	0.038	0.33	0.1	7.0	0.22	0.06	<5			
2024169	Drill Core	0.31	0.26	0.11	49	2.23	0.077	10.1	115.8	1.78	156.7	0.053	2	1.88	0.045	0.26	0.1	7.9	0.11	0.15	<5			
2024170	Drill Core	0.43	0.25	0.17	44	2.09	0.073	10.3	106.0	1.79	151.3	0.041	1	1.93	0.051	0.19	0.1	6.3	0.07	0.06	<5			
2024171	Drill Core	0.33	0.21	0.05	29	1.13	0.064	10.6	45.4	1.73	163.9	0.019	2	1.86	0.010	0.25	<0.1	3.3	0.06	0.07	<5			
2024172	Drill Core	0.17	0.38	0.08	15	0.32	0.058	11.4	18.5	1.53	147.1	0.033	<1	1.66	0.020	0.28	0.1	1.9	0.08	0.05	<5			
2024173	Drill Core	0.57	2.03	0.39	33	0.34	0.073	9.5	28.2	2.09	138.3	0.073	1	2.14	0.020	0.29	0.4	3.0	0.12	<0.02	<5			
2024174	Drill Core	1.77	2.84	0.59	36	0.35	0.078	9.0	24.0	1.94	139.4	0.061	1	1.93	0.011	0.38	0.5	2.6	0.18	<0.02	<5			
2024175	Drill Core	1.11	3.26	0.10	46	0.46	0.084	10.3	29.5	1.14	131.6	0.095	2	1.65	0.011	0.31	0.2	3.3	0.21	<0.02	<5			
2024176	Drill Core	1.14	1.96	0.23	46	0.36	0.082	11.1	26.6	1.65	128.5	0.063	<1	1.99	0.010	0.35	0.2	3.3	0.15	0.04	<5			
2024177	Drill Core	2.39	4.13	0.54	43	0.61	0.081	12.0	27.7	1.97	115.6	0.049	2	2.07	0.010	0.28	0.2	3.0	0.09	0.03	<5			
2024178	Drill Core	1.14	2.66	0.08	36	0.32	0.078	11.7	23.7	1.32	119.6	0.056	2	1.56	0.011	0.32	0.2	2.6	0.12	0.06	<5			
2024179	Drill Core	0.76	1.52	0.03	46	0.32	0.084	10.7	29.5	1.38	103.1	0.074	1	1.76	0.014	0.28	0.2	3.0	0.11	0.09	<5			
2024180	Rock	0.14	0.22	0.02	4	0.02	0.004	2.7	4.6	0.10	20.3	0.005	2	0.17	0.004	0.04	<0.1	0.4	<0.02	<0.02	<5			
2024181	Drill Core	0.43	1.64	0.06	44	0.47	0.087	12.0	29.6	1.56	136.7	0.069	1	1.83	0.010	0.35	0.2	3.3	0.18	0.03	<5			
2024182	Drill Core	3.11	2.36	0.29	54	0.56	0.079	10.9	30.9	1.67	154.4	0.066	2	1.99	0.012	0.40	0.2	4.0	0.28	<0.02	<5			
2024183	Drill Core	2.18	1.02	0.35	42	0.39	0.081	10.0	25.5	1.40	171.9	0.059	<1	1.69	0.010	0.44	0.2	3.1	0.26	0.12	6			
2024184	Drill Core	4.32	1.28	0.44	47	0.39	0.075	9.9	27.8	1.81	138.1	0.034	<1	1.89	0.013	0.31	0.2	3.3	0.15	0.03	<5			
2024185	Drill Core	2.41	1.25	0.28	32	0.41	0.082	11.3	19.0	1.51	165.2	0.007	<1	1.74	0.008	0.27	<0.1	2.4	0.08	0.04	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 5 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000420.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024156	Drill Core	0.2	0.03	2.9	1.13	<0.1	0.25	0.17	16.8	0.5	<0.05	8.4	17.94	64.5	<0.02	<1	0.3	6.1	<10	2
2024157	Drill Core	0.1	<0.02	3.1	1.55	<0.1	0.09	0.20	19.6	0.7	<0.05	3.1	16.34	53.1	0.03	<1	0.4	9.2	<10	3
2024158	Drill Core	0.6	0.03	3.0	1.79	<0.1	0.16	<0.02	18.6	0.2	<0.05	5.9	11.52	37.1	<0.02	2	0.3	15.2	<10	<2
2024159	Drill Core	0.1	<0.02	3.8	1.60	<0.1	0.14	<0.02	19.0	0.2	<0.05	4.9	15.54	42.1	<0.02	<1	0.7	13.1	<10	<2
2024160	Core DUP	<0.1	<0.02	4.1	1.58	<0.1	0.12	<0.02	20.5	0.2	<0.05	4.8	15.57	41.7	0.02	<1	0.9	12.6	<10	<2
2024161	Drill Core	0.2	<0.02	4.2	3.19	<0.1	0.06	0.06	21.3	0.5	<0.05	2.1	13.73	36.7	0.02	<1	0.8	16.7	<10	<2
2024162	Drill Core	<0.1	<0.02	3.1	3.39	<0.1	0.20	0.02	35.5	0.3	<0.05	7.7	7.70	33.8	0.03	<1	0.4	10.0	<10	<2
2024163	Drill Core	0.1	<0.02	4.0	2.96	<0.1	0.09	0.08	27.2	0.6	<0.05	3.1	11.96	40.7	<0.02	<1	0.4	10.5	<10	<2
2024164	Drill Core	0.2	0.02	4.6	6.04	<0.1	0.07	0.09	25.8	0.5	<0.05	2.4	11.02	32.3	0.03	<1	0.4	7.8	<10	<2
2024165	Drill Core	0.3	<0.02	4.1	2.29	<0.1	0.04	0.10	17.1	0.4	<0.05	1.3	7.44	18.5	<0.02	2	0.3	10.8	<10	<2
2024166	Drill Core	0.2	0.02	4.0	1.20	<0.1	0.04	0.10	12.1	0.3	<0.05	1.6	10.53	30.5	0.02	1	0.1	11.0	<10	2
2024167	Drill Core	0.6	0.02	4.3	1.62	<0.1	0.06	0.08	14.8	0.4	<0.05	2.0	11.19	25.9	0.03	<1	0.4	11.6	<10	3
2024168	Drill Core	0.4	<0.02	5.7	1.32	<0.1	0.07	0.05	18.1	0.4	<0.05	2.6	12.76	24.0	0.04	<1	0.5	13.6	<10	<2
2024169	Drill Core	0.9	0.02	6.2	0.49	<0.1	0.10	0.06	11.1	0.5	<0.05	3.1	11.87	19.8	0.03	11	<0.1	14.7	<10	<2
2024170	Drill Core	1.2	<0.02	6.4	0.15	<0.1	0.09	0.05	5.4	0.3	<0.05	4.3	10.00	20.4	0.02	7	0.3	14.2	<10	<2
2024171	Drill Core	0.6	<0.02	5.1	0.15	<0.1	0.15	<0.02	6.7	0.2	<0.05	6.8	8.04	20.4	<0.02	4	0.3	13.9	<10	3
2024172	Drill Core	0.4	0.04	4.5	0.58	<0.1	0.37	0.03	9.4	0.3	<0.05	11.6	7.06	21.1	<0.02	2	0.3	15.3	<10	<2
2024173	Drill Core	0.5	0.07	5.6	1.46	<0.1	0.31	0.03	9.9	0.5	<0.05	11.3	9.22	17.7	<0.02	<1	0.3	26.5	<10	<2
2024174	Drill Core	0.7	0.11	4.1	3.06	<0.1	0.22	0.02	14.8	1.1	<0.05	10.2	7.81	17.3	0.05	<1	0.3	20.3	<10	<2
2024175	Drill Core	1.5	0.03	4.0	2.35	<0.1	0.20	0.03	12.3	0.8	<0.05	6.8	9.27	22.6	<0.02	2	0.6	17.3	<10	3
2024176	Drill Core	1.4	0.03	4.8	2.26	<0.1	0.20	<0.02	13.6	0.4	<0.05	8.1	7.47	21.8	<0.02	<1	0.3	21.1	<10	<2
2024177	Drill Core	0.9	0.12	4.7	0.82	<0.1	0.22	<0.02	10.4	0.3	<0.05	8.5	7.13	23.4	<0.02	<1	0.2	21.2	<10	2
2024178	Drill Core	0.8	0.05	3.5	0.75	<0.1	0.19	0.03	15.0	0.2	<0.05	7.6	6.57	21.8	<0.02	2	0.5	15.6	<10	4
2024179	Drill Core	0.8	<0.02	4.2	0.54	<0.1	0.23	0.04	11.5	0.3	<0.05	7.4	7.98	21.3	<0.02	<1	0.3	17.2	<10	3
2024180	Rock	<0.1	<0.02	0.5	0.15	<0.1	0.10	<0.02	1.8	0.1	<0.05	3.1	1.51	5.1	<0.02	<1	<0.1	2.6	<10	<2
2024181	Drill Core	1.6	0.03	4.4	1.35	<0.1	0.30	<0.02	16.0	0.3	<0.05	9.3	7.45	23.3	<0.02	<1	0.2	16.3	<10	<2
2024182	Drill Core	0.8	0.03	5.1	3.61	<0.1	0.20	<0.02	19.2	0.4	<0.05	9.0	10.04	20.7	<0.02	<1	0.5	16.3	<10	3
2024183	Drill Core	1.7	0.04	4.0	2.81	<0.1	0.21	<0.02	18.0	0.4	<0.05	8.2	6.45	19.6	0.02	1	0.2	13.1	<10	<2
2024184	Drill Core	1.3	0.03	4.6	1.35	<0.1	0.21	<0.02	12.8	0.3	<0.05	8.8	6.62	18.7	0.03	<1	<0.1	16.0	12	<2
2024185	Drill Core	1.4	0.03	3.9	0.55	<0.1	0.13	<0.02	10.2	0.3	<0.05	6.5	5.76	21.5	<0.02	<1	0.1	12.1	<10	<2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000420.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2024186	Drill Core	2.95	443	<0.005	<0.01	<0.17	38.13	2.08	57.66	21.50	288.8	452	26.4	11.4	711	3.23	30.7	0.5	0.4	4.6	17.8
2024187	Drill Core	3.35	401	<0.005	<0.01	<0.17	34.42	2.14	31.96	14.40	88.4	273	22.4	11.7	575	2.97	8.9	0.8	<0.2	5.7	30.1
2024188	Drill Core	3.08	372	0.006	0.01	<0.17	25.78	1.58	29.60	10.97	100.4	220	29.7	11.7	607	2.86	7.5	0.8	4.5	5.8	45.0
2024189	Drill Core	3.00	370	<0.005	<0.01	<0.17	30.88	2.00	35.30	12.52	123.6	362	36.5	11.2	621	2.86	4.2	0.8	1.3	5.0	30.3
2024190	Drill Core	3.45	436	<0.005	<0.01	<0.17	36.82	2.02	39.35	13.11	144.5	294	31.0	11.5	558	2.99	30.5	0.7	0.5	5.1	24.5
2024191	Drill Core	3.11	385	<0.005	<0.01	<0.17	38.41	1.03	28.47	15.48	120.3	251	19.7	11.7	598	3.25	842.3	0.5	<0.2	4.8	43.5
2024192	Drill Core	3.13	390	<0.005	<0.01	<0.17	35.16	0.91	21.65	26.05	84.8	266	17.5	8.5	450	2.66	551.8	0.5	<0.2	6.2	24.0
2024193	Drill Core	1.75	368	<0.005	<0.01	<0.17	26.25	2.05	27.79	15.17	76.5	284	25.9	10.5	564	2.88	413.2	0.6	<0.2	5.1	29.6
2024194	Drill Core	0.89	386	<0.005	<0.01	<0.17	26.85	4.13	33.70	8.97	68.2	203	44.9	14.8	538	2.89	199.8	1.2	<0.2	5.9	31.0
2024195	Drill Core	3.25	417	<0.005	<0.01	<0.17	32.60	1.71	41.14	45.70	104.2	364	25.0	12.9	636	3.04	426.2	0.6	<0.2	5.3	46.3
2024196	Drill Core	3.21	410	<0.005	<0.01	<0.17	35.64	1.64	46.70	7.52	132.5	356	38.4	15.2	755	3.26	510.4	0.5	<0.2	5.7	20.7
2024197	Drill Core	3.32	405	<0.005	<0.01	<0.17	33.65	1.39	35.19	23.23	103.8	364	21.4	11.8	624	3.06	110.2	0.5	<0.2	5.4	37.1
2024198	Drill Core	3.16	383	<0.005	<0.01	<0.17	29.89	2.03	42.92	6.62	131.8	270	34.5	13.0	484	3.21	60.4	1.0	<0.2	5.5	20.7
2024199	Drill Core	2.65	369	0.005	<0.01	<0.17	25.33	1.63	40.12	16.84	142.7	314	32.7	11.7	565	3.32	209.1	0.7	<0.2	5.9	23.0
2024200	Rock Pulp	0.12	63	7.316				9.31	189.74	19.77	77.2	846	13.6	11.0	553	4.71	13.8	0.9	7605.1	3.1	72.3
2024201	Drill Core	2.81	362	0.020	0.02	<0.17	38.22	1.66	33.08	48.27	107.1	452	24.1	11.8	628	3.03	316.3	0.8	<0.2	5.2	30.0
2024202	Drill Core	3.37	421	<0.005	<0.01	<0.17	36.82	2.59	38.37	17.33	119.3	373	33.3	13.0	616	3.16	362.3	1.2	<0.2	5.8	41.1
2024203	Drill Core	3.22	392	<0.005	<0.01	<0.17	29.92	2.22	34.66	13.48	111.6	318	30.7	13.2	613	3.21	6.1	1.2	<0.2	5.5	33.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000420.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
2024186	Drill Core	3.23	0.50	0.32	24	0.24	0.072	10.2	15.5	1.41	164.6	0.006	<1	1.53	0.006	0.25	<0.1	1.9	0.06	0.03
2024187	Drill Core	0.56	0.30	0.19	26	0.80	0.066	11.2	18.6	1.50	184.7	0.005	<1	1.72	0.010	0.26	<0.1	2.2	0.05	0.03
2024188	Drill Core	0.49	0.58	0.12	32	1.26	0.071	14.4	25.5	1.44	201.6	0.012	<1	1.69	0.010	0.25	<0.1	2.7	0.04	<0.02
2024189	Drill Core	1.18	1.73	0.19	31	1.09	0.075	12.1	25.7	1.28	188.9	0.025	<1	1.50	0.006	0.25	<0.1	2.4	0.06	<0.02
2024190	Drill Core	1.11	1.75	0.14	31	0.86	0.070	11.9	24.4	1.38	169.5	0.015	2	1.58	0.007	0.23	<0.1	2.3	0.05	<0.02
2024191	Drill Core	0.67	17.79	0.17	35	1.35	0.063	10.1	25.1	1.79	152.9	0.012	<1	1.96	0.016	0.26	0.2	3.7	0.08	<0.02
2024192	Drill Core	0.30	15.07	0.20	22	0.66	0.060	11.7	16.2	1.62	158.8	0.016	1	1.72	0.008	0.27	0.3	2.0	0.07	<0.02
2024193	Drill Core	0.33	11.12	0.13	35	0.93	0.066	10.0	22.9	1.54	164.8	0.022	<1	1.73	0.019	0.25	0.3	2.7	0.06	<0.02
2024194	Drill Core	0.24	8.38	0.14	42	1.01	0.081	12.1	32.3	1.26	179.0	0.066	2	1.53	0.010	0.30	0.5	2.8	0.09	<0.02
2024195	Drill Core	1.41	12.01	0.12	38	1.36	0.066	9.4	29.0	1.67	161.0	0.031	2	1.86	0.009	0.26	0.4	3.4	0.07	<0.02
2024196	Drill Core	0.62	13.23	0.07	45	0.45	0.077	12.3	37.1	1.98	171.6	0.034	<1	2.10	0.008	0.32	0.4	3.2	0.12	<0.02
2024197	Drill Core	0.60	3.20	0.18	35	1.49	0.067	11.2	29.9	1.78	157.5	0.033	<1	1.92	0.009	0.27	0.3	3.5	0.08	<0.02
2024198	Drill Core	0.65	2.12	0.10	41	0.59	0.075	12.0	29.4	1.69	164.5	0.032	1	1.87	0.007	0.27	0.3	2.6	0.08	<0.02
2024199	Drill Core	0.89	5.42	0.15	47	0.50	0.081	17.1	36.2	1.70	165.0	0.010	1	1.98	0.008	0.26	<0.1	3.2	0.08	<0.02
2024200	Rock Pulp	0.16	5.09	0.57	114	0.97	0.063	7.9	17.7	0.87	121.4	0.128	4	1.83	0.204	0.26	4.0	3.5	0.07	<0.02
2024201	Drill Core	0.76	7.03	0.25	43	0.81	0.064	11.3	27.2	1.66	150.2	0.028	<1	1.85	0.009	0.27	0.2	3.5	0.08	<0.02
2024202	Drill Core	0.51	9.19	0.17	39	0.88	0.081	8.3	34.9	1.79	184.0	0.024	1	1.95	0.007	0.27	0.1	3.0	0.08	0.16
2024203	Drill Core	0.53	0.29	0.14	40	0.65	0.071	8.6	29.5	1.83	175.9	0.032	<1	1.94	0.008	0.25	0.1	3.0	0.06	0.13



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 6 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000420.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024186	Drill Core	0.5	0.04	3.4	0.33	<0.1	0.12	<0.02	7.1	0.2	<0.05	6.4	3.47	19.6	0.02	2	<0.1	10.6	<10	<2
2024187	Drill Core	0.8	0.04	4.4	0.19	<0.1	0.25	<0.02	6.3	0.2	<0.05	10.5	4.35	21.8	<0.02	<1	0.3	10.1	<10	3
2024188	Drill Core	0.5	0.02	4.3	0.20	<0.1	0.22	<0.02	6.1	0.2	<0.05	7.8	6.49	27.2	<0.02	<1	0.1	10.1	<10	<2
2024189	Drill Core	1.1	0.07	3.8	0.40	<0.1	0.21	<0.02	7.3	0.3	<0.05	7.3	7.77	22.1	<0.02	<1	0.2	10.5	<10	<2
2024190	Drill Core	1.3	0.03	4.2	0.56	<0.1	0.20	<0.02	6.7	0.2	<0.05	7.7	5.90	23.1	<0.02	<1	0.3	10.4	<10	<2
2024191	Drill Core	0.3	0.04	4.7	1.81	<0.1	0.22	<0.02	8.4	0.3	<0.05	9.5	6.29	20.4	<0.02	<1	<0.1	16.8	<10	<2
2024192	Drill Core	0.3	0.04	4.1	0.34	<0.1	0.25	<0.02	7.8	0.2	<0.05	9.7	6.98	22.6	<0.02	<1	0.1	13.3	<10	<2
2024193	Drill Core	0.4	0.05	4.6	0.34	<0.1	0.21	<0.02	7.9	0.2	<0.05	9.6	7.48	19.4	<0.02	<1	<0.1	15.1	<10	<2
2024194	Drill Core	1.2	0.02	4.2	0.82	<0.1	0.18	0.03	12.8	0.3	<0.05	6.5	9.14	23.5	<0.02	<1	0.3	16.9	<10	<2
2024195	Drill Core	0.6	0.06	4.8	0.39	<0.1	0.26	<0.02	7.9	0.2	<0.05	8.5	8.02	18.7	<0.02	<1	0.2	15.8	<10	<2
2024196	Drill Core	0.2	0.06	5.3	1.38	<0.1	0.26	<0.02	12.2	0.3	<0.05	8.9	9.51	23.6	<0.02	<1	0.5	18.4	<10	<2
2024197	Drill Core	0.6	0.05	5.0	0.78	<0.1	0.19	<0.02	9.8	0.2	<0.05	9.4	8.16	21.0	<0.02	2	<0.1	14.1	<10	<2
2024198	Drill Core	1.8	0.05	4.5	0.96	<0.1	0.16	<0.02	9.1	0.2	<0.05	7.4	8.54	22.3	<0.02	<1	0.3	14.4	<10	<2
2024199	Drill Core	0.8	0.06	5.8	1.82	<0.1	0.13	<0.02	10.1	0.3	<0.05	6.3	9.88	32.5	<0.02	<1	0.5	22.5	<10	<2
2024200	Rock Pulp	<0.1	0.16	5.5	0.68	0.1	0.10	0.06	8.0	1.8	<0.05	2.1	5.33	16.0	0.05	<1	0.2	6.9	<10	<2
2024201	Drill Core	1.7	0.07	5.2	0.98	<0.1	0.17	<0.02	10.8	0.3	<0.05	7.8	9.83	21.4	<0.02	<1	0.3	17.2	<10	<2
2024202	Drill Core	2.4	0.07	5.3	0.33	<0.1	0.20	<0.02	7.8	0.2	<0.05	4.6	8.46	16.5	<0.02	4	0.2	15.6	<10	<2
2024203	Drill Core	2.0	0.04	5.3	0.17	<0.1	0.13	<0.02	5.9	0.2	<0.05	5.2	10.24	17.0	<0.02	2	0.3	12.9	<10	<2



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 10, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000420.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
		Pulp Duplicates																				
2024069	Drill Core	2.90	452	0.007	<0.01	<0.17	37.34	0.53	17.82	9.71	75.7	337	15.6	8.7	582	2.84	17.0	1.4	3.7	7.0	87.6	
REP 2024069	QC	0.009																				
2024082	Drill Core	2.84	440	0.009	<0.01	<0.17	34.69	1.19	43.34	17.49	71.1	277	19.9	8.7	594	2.58	9.6	0.9	3.2	8.8	46.6	
REP 2024082	QC							1.21	44.28	17.90	72.3	279	20.7	9.0	605	2.60	9.7	0.9	3.1	9.3	47.9	
2024116	Drill Core	3.39	359	0.007	<0.01	<0.17	36.84	1.72	21.70	19.87	89.8	637	19.1	10.8	390	2.99	21.8	1.6	<0.2	6.7	21.3	
REP 2024116	QC							1.74	21.78	20.76	94.9	637	19.2	10.8	392	2.99	22.0	1.6	<0.2	7.2	21.3	
2024124	Drill Core	2.90	446	<0.005	<0.01	<0.17	43.31	1.51	27.42	32.80	110.1	340	25.3	11.2	652	2.65	18.5	0.6	<0.2	5.8	24.8	
REP 2024124	QC	<0.005																				
2024144	Drill Core	1.94	404	0.021	0.02	<0.17	33.59	0.81	21.00	10.42	82.6	420	16.3	9.4	323	2.59	12.5	1.7	22.5	9.0	60.9	
REP 2024144	QC	0.033																				
2024151	Drill Core	3.34	422	0.037	0.03	<0.17	32.58	1.45	32.55	14.46	77.7	786	32.7	10.4	339	2.60	122.7	1.1	22.7	7.8	84.1	
REP 2024151	QC							1.57	32.96	15.48	82.1	857	36.0	11.0	358	2.74	129.1	1.1	33.9	8.2	89.2	
2024186	Drill Core	2.95	443	<0.005	<0.01	<0.17	38.13	2.08	57.66	21.50	288.8	452	26.4	11.4	711	3.23	30.7	0.5	0.4	4.6	17.8	
REP 2024186	QC							2.08	60.39	21.83	304.6	461	27.7	12.2	719	3.32	32.0	0.6	0.8	4.9	19.3	
2024199	Drill Core	2.65	369	0.005	<0.01	<0.17	25.33	1.63	40.12	16.84	142.7	314	32.7	11.7	565	3.32	209.1	0.7	<0.2	5.9	23.0	
REP 2024199	QC	0.006																				
Core Reject Duplicates																						
2024077	Drill Core	3.02	468	<0.005	<0.01	<0.17	37.32	0.90	26.86	10.50	80.6	236	26.4	10.9	635	2.90	68.9	1.2	0.6	7.1	88.9	
DUP 2024077	QC	503		0.006	<0.01	<0.17	41.39	0.87	25.69	10.45	80.7	221	26.4	10.8	634	2.85	68.1	1.2	0.5	6.9	84.9	
2024111	Drill Core	3.45	395	0.005	<0.01	<0.17	33.74	1.56	39.32	10.66	123.2	206	33.5	14.7	664	3.39	16.4	0.7	<0.2	5.7	21.6	
DUP 2024111	QC	494		0.005	<0.01	<0.17	32.74	1.44	34.85	10.47	121.3	192	32.1	13.9	618	3.25	15.8	0.7	<0.2	5.5	22.8	
2024145	Drill Core	3.53	484	0.007	<0.01	<0.17	39.55	0.68	19.96	12.17	90.3	356	16.1	9.3	323	2.37	2.8	1.4	3.1	7.7	53.2	
DUP 2024145	QC	444		0.012	0.01	<0.17	36.56	0.66	20.89	12.43	88.3	347	16.0	9.7	340	2.47	2.8	1.6	6.1	7.9	58.6	
2024179	Drill Core	3.23	461	0.005	<0.01	<0.17	36.80	2.44	50.07	8.29	117.4	284	46.8	24.1	673	3.49	71.2	1.4	6.7	4.2	40.8	
DUP 2024179	QC	384		0.006	<0.01	<0.17	29.75	2.67	53.15	8.49	123.3	309	50.7	24.7	743	3.69	75.0	1.5	0.3	4.5	41.0	
Reference Materials																						
STD BVGEO01	Standard							10.90	4325.89	180.63	1679.9	2444	156.9	24.1	741	3.72	116.3	3.8	208.0	14.9	62.6	
STD BVGEO01	Standard							10.67	4490.00	187.26	1776.2	2603	162.7	24.3	722	3.70	118.3	3.9	212.0	15.4	59.8	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 10, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000420.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2024069	Drill Core	0.30	0.22	0.06	36	1.83	0.077	22.4	57.7	1.09	204.3	0.004	2	1.47	0.015	0.22	0.1	8.5	0.06	<0.02	<5
REP 2024069	QC																				
2024082	Drill Core	0.43	0.20	<0.02	20	0.92	0.059	24.3	20.1	1.52	156.8	0.021	1	1.69	0.008	0.23	<0.1	2.1	0.04	<0.02	<5
REP 2024082	QC	0.45	0.18	<0.02	21	0.91	0.060	25.1	20.5	1.53	164.4	0.022	2	1.70	0.010	0.23	<0.1	2.0	0.04	<0.02	<5
2024116	Drill Core	0.33	1.20	0.18	36	0.34	0.073	15.5	62.3	1.96	134.1	0.067	1	1.99	0.019	0.21	1.3	4.6	0.06	<0.02	<5
REP 2024116	QC	0.33	1.27	0.19	36	0.34	0.075	16.2	61.9	1.98	141.3	0.068	2	2.01	0.019	0.21	1.3	4.8	0.06	<0.02	<5
2024124	Drill Core	0.61	0.57	0.36	35	0.99	0.071	14.6	24.6	1.64	203.7	0.028	<1	1.74	0.012	0.22	0.1	3.5	0.05	<0.02	<5
REP 2024124	QC																				
2024144	Drill Core	0.38	1.18	0.06	27	0.77	0.071	14.0	32.2	1.28	184.0	0.100	<1	1.43	0.041	0.88	0.8	4.5	0.70	0.08	<5
REP 2024144	QC																				
2024151	Drill Core	0.45	1.94	0.22	33	1.00	0.077	15.3	46.2	1.19	196.0	0.051	2	1.36	0.020	0.57	0.4	6.6	0.27	0.06	<5
REP 2024151	QC	0.50	2.12	0.25	34	1.04	0.084	16.0	48.7	1.25	210.3	0.054	1	1.43	0.021	0.60	0.4	6.7	0.28	0.07	<5
2024186	Drill Core	3.23	0.50	0.32	24	0.24	0.072	10.2	15.5	1.41	164.6	0.006	<1	1.53	0.006	0.25	<0.1	1.9	0.06	0.03	<5
REP 2024186	QC	3.50	0.54	0.34	25	0.24	0.077	11.3	16.0	1.44	172.6	0.007	1	1.58	0.006	0.26	<0.1	2.1	0.06	0.03	7
2024199	Drill Core	0.89	5.42	0.15	47	0.50	0.081	17.1	36.2	1.70	165.0	0.010	1	1.98	0.008	0.26	<0.1	3.2	0.08	<0.02	<5
REP 2024199	QC																				
Core Reject Duplicates																					
2024077	Drill Core	0.40	1.31	0.06	55	2.26	0.068	20.8	115.6	1.62	165.2	0.006	2	1.76	0.026	0.17	<0.1	8.3	0.03	<0.02	<5
DUP 2024077	QC	0.42	1.27	0.06	56	2.24	0.072	20.4	112.4	1.59	163.2	0.006	1	1.73	0.025	0.17	<0.1	8.2	0.04	<0.02	<5
2024111	Drill Core	0.47	0.39	0.13	44	0.63	0.084	13.4	35.7	2.06	194.3	0.033	<1	2.12	0.011	0.24	0.1	3.5	0.06	<0.02	<5
DUP 2024111	QC	0.48	0.38	0.14	41	0.66	0.078	12.4	32.8	2.00	175.4	0.031	<1	2.05	0.010	0.22	<0.1	3.5	0.06	<0.02	<5
2024145	Drill Core	0.56	0.88	0.09	29	0.72	0.069	16.2	37.1	1.12	142.3	0.099	<1	1.38	0.046	0.54	0.8	4.8	0.36	<0.02	<5
DUP 2024145	QC	0.58	0.91	0.09	30	0.77	0.072	16.7	38.5	1.16	150.2	0.107	<1	1.46	0.056	0.57	0.8	5.2	0.36	<0.02	<5
2024179	Drill Core	0.76	1.52	0.03	46	0.32	0.084	10.7	29.5	1.38	103.1	0.074	1	1.76	0.014	0.28	0.2	3.0	0.11	0.09	<5
DUP 2024179	QC	0.78	1.59	0.03	46	0.34	0.084	11.5	30.2	1.44	110.3	0.078	2	1.83	0.016	0.30	0.2	3.2	0.12	0.09	<5
Reference Materials																					
STD BVGEO01	Standard	6.29	3.31	23.89	73	1.35	0.074	26.3	200.8	1.32	266.2	0.227	4	2.47	0.219	0.91	4.9	6.3	0.60	0.66	89
STD BVGEO01	Standard	6.45	2.87	25.15	77	1.28	0.076	26.8	196.4	1.29	239.3	0.236	5	2.37	0.199	0.92	4.7	5.8	0.62	0.64	96



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 10, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000420.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2024069	Drill Core	0.6	<0.02	5.4	0.54	<0.1	<0.02	<0.02	9.3	0.3	<0.05	1.0	13.74	45.4	0.03	3	0.3	26.7	<10	<2
REP 2024069	QC																			
2024082	Drill Core	0.6	0.02	4.8	0.12	<0.1	0.26	<0.02	6.0	0.2	<0.05	9.2	9.04	45.7	<0.02	1	0.1	9.9	<10	<2
REP 2024082	QC	0.6	0.02	5.1	0.13	<0.1	0.24	<0.02	6.3	0.3	<0.05	9.8	9.51	47.9	<0.02	2	<0.1	10.1	<10	<2
2024116	Drill Core	0.9	0.03	6.7	1.08	<0.1	0.21	0.05	6.4	0.4	<0.05	10.6	9.90	31.0	0.02	<1	0.3	35.8	<10	<2
REP 2024116	QC	1.0	0.04	7.0	1.11	<0.1	0.21	0.06	6.5	0.4	<0.05	10.7	10.51	32.5	0.02	<1	0.3	38.0	<10	<2
2024124	Drill Core	0.7	0.05	5.0	0.18	<0.1	0.19	0.04	6.4	0.3	<0.05	7.8	7.34	28.5	<0.02	<1	0.3	17.7	<10	<2
REP 2024124	QC																			
2024144	Drill Core	<0.1	0.02	4.6	8.95	<0.1	0.09	0.07	69.2	0.6	<0.05	2.6	11.43	27.0	<0.02	1	0.9	16.0	<10	<2
REP 2024144	QC																			
2024151	Drill Core	0.5	<0.02	4.2	3.68	<0.1	0.27	0.03	33.4	0.3	<0.05	10.2	11.29	29.4	<0.02	<1	0.5	15.8	<10	<2
REP 2024151	QC	0.5	0.03	4.6	4.08	<0.1	0.31	0.03	36.3	0.4	<0.05	11.3	12.03	31.0	0.02	<1	0.3	16.8	<10	<2
2024186	Drill Core	0.5	0.04	3.4	0.33	<0.1	0.12	<0.02	7.1	0.2	<0.05	6.4	3.47	19.6	0.02	2	<0.1	10.6	<10	<2
REP 2024186	QC	0.7	0.04	3.7	0.34	<0.1	0.17	<0.02	7.6	0.2	<0.05	7.2	3.58	21.2	<0.02	<1	0.4	11.1	<10	<2
2024199	Drill Core	0.8	0.06	5.8	1.82	<0.1	0.13	<0.02	10.1	0.3	<0.05	6.3	9.88	32.5	<0.02	<1	0.5	22.5	<10	<2
REP 2024199	QC																			
Core Reject Duplicates																				
2024077	Drill Core	0.7	<0.02	6.9	0.21	<0.1	0.06	<0.02	5.6	0.2	<0.05	2.3	11.75	39.6	0.04	2	0.4	22.9	<10	<2
DUP 2024077	QC	0.6	0.03	6.8	0.21	<0.1	0.06	<0.02	5.5	0.3	<0.05	2.2	11.85	37.5	0.03	2	<0.1	21.4	<10	<2
2024111	Drill Core	0.4	0.04	5.6	0.50	<0.1	0.20	0.04	8.0	0.2	<0.05	8.2	8.74	26.0	<0.02	<1	0.2	18.6	<10	<2
DUP 2024111	QC	0.4	0.03	5.6	0.52	<0.1	0.23	0.03	7.6	0.2	<0.05	9.0	8.06	23.9	<0.02	<1	0.2	17.1	<10	<2
2024145	Drill Core	<0.1	<0.02	5.5	3.90	<0.1	0.09	0.09	37.0	0.5	<0.05	2.6	10.52	29.7	0.03	<1	0.3	16.8	<10	<2
DUP 2024145	QC	<0.1	<0.02	5.4	4.05	<0.1	0.08	0.07	38.8	0.5	<0.05	2.7	11.00	31.8	0.02	<1	0.4	17.6	<10	<2
2024179	Drill Core	0.8	<0.02	4.2	0.54	<0.1	0.23	0.04	11.5	0.3	<0.05	7.4	7.98	21.3	<0.02	<1	0.3	17.2	<10	3
DUP 2024179	QC	1.1	0.03	4.7	0.56	<0.1	0.19	0.04	11.9	0.3	<0.05	8.4	8.43	22.6	<0.02	<1	0.3	18.0	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.5	0.95	7.7	7.42	0.2	0.36	0.27	95.2	5.7	<0.05	10.2	14.81	54.5	0.45	3	0.7	20.6	122	180
STD BVGEO01	Standard	5.0	1.01	7.3	7.13	0.2	0.34	0.22	95.6	5.9	<0.05	9.5	15.18	53.8	0.50	4	0.9	21.6	127	188



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000420.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11	Standard							14.53	151.11	138.36	338.8	1652	80.7	12.8	1035	3.13	42.6	2.7	78.1	8.1	68.6
STD DS11	Standard							14.55	154.49	135.32	345.1	1704	80.7	13.6	1030	3.12	43.0	2.6	69.7	8.2	67.4
STD OREAS262	Standard							0.64	116.50	59.83	156.6	466	66.5	26.2	549	3.26	36.4	1.3	56.2	10.0	37.6
STD OREAS262	Standard							0.65	115.30	57.69	148.6	446	63.0	26.7	538	3.28	36.6	1.3	59.5	9.9	35.4
STD OREAS262	Standard							0.67	118.25	57.39	150.6	465	66.0	28.1	569	3.28	36.3	1.3	53.7	10.0	35.9
STD OREAS262	Standard							0.66	116.30	57.52	151.7	455	64.7	27.0	533	3.20	36.6	1.2	49.6	9.2	36.5
STD OXC152	Standard			0.215																	
STD OXC152	Standard			0.214																	
STD OXC152	Standard			0.214																	
STD OXC152	Standard			0.207																	
STD OXH139	Standard			1.321																	
STD OXH139	Standard			1.299																	
STD OXH139	Standard			1.310																	
STD OXH139	Standard			1.327																	
STD OXN134	Standard			7.600																	
STD OXN134	Standard			7.528																	
STD OXN134	Standard			7.726																	
STD OXN134	Standard			7.735																	
STD OXQ90	Standard					24.81	29.95														
STD OXQ90	Standard					25.28	29.99														
STD OXQ90	Standard					25.26	30.29														
STD OXQ90	Standard					25.09	29.81														
STD OXQ90	Standard					25.22	30.09														
STD OXQ90	Standard					24.97	30.28														
STD OXQ90	Standard					25.11	29.99														
STD OXQ90	Standard					25.19	30.09														
STD OXQ90	Standard					25.01	30.19														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000420.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Tl ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD DS11	Standard	2.33	8.02	11.30	50	1.10	0.072	19.8	59.3	0.87	373.7	0.097	7	1.23	0.075	0.41	2.8	3.3	4.89	0.28	260
STD DS11	Standard	2.33	7.42	11.28	51	1.06	0.067	19.1	59.9	0.86	361.0	0.095	9	1.21	0.077	0.41	2.9	3.3	4.81	0.29	247
STD OREAS262	Standard	0.65	4.24	1.05	22	2.93	0.038	18.1	43.3	1.18	256.2	0.003	6	1.38	0.068	0.32	0.2	3.2	0.50	0.25	166
STD OREAS262	Standard	0.65	4.42	1.04	23	2.95	0.041	17.8	43.7	1.18	262.0	0.003	4	1.46	0.070	0.33	0.2	3.6	0.45	0.25	161
STD OREAS262	Standard	0.64	4.06	1.02	23	2.97	0.037	18.0	45.5	1.15	251.3	0.003	4	1.42	0.068	0.33	0.2	3.4	0.46	0.25	174
STD OREAS262	Standard	0.66	3.70	0.98	22	2.88	0.041	16.7	44.1	1.17	245.9	0.003	2	1.36	0.068	0.31	0.1	3.2	0.46	0.27	156
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000420.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD DS11	Standard	2.1	4.66	5.1	2.85	<0.1	0.08	1.69	34.4	1.9	<0.05	4.0	8.31	38.6	0.24	48	0.6	23.7	105	176
STD DS11	Standard	2.2	4.59	4.9	2.85	<0.1	0.08	1.62	34.9	1.9	<0.05	3.1	8.20	37.4	0.23	45	0.7	22.7	109	171
STD OREAS262	Standard	0.4	0.23	4.2	2.69	<0.1	0.27	<0.02	20.2	0.6	<0.05	10.9	11.08	35.4	0.04	3	1.1	17.9	<10	<2
STD OREAS262	Standard	0.4	0.22	4.3	2.85	<0.1	0.28	<0.02	20.8	0.6	<0.05	11.8	11.02	35.5	0.03	1	1.1	18.4	<10	<2
STD OREAS262	Standard	0.6	0.21	4.1	2.66	<0.1	0.28	<0.02	19.8	0.6	<0.05	10.4	11.29	36.0	0.02	1	1.1	17.6	<10	<2
STD OREAS262	Standard	0.3	0.24	4.0	2.55	<0.1	0.27	<0.02	19.0	0.6	<0.05	9.8	11.07	32.8	0.04	<1	1.0	16.9	11	3
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000420.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.02	<0.01	0.3	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		459	<0.005	<0.01	<0.17	34.61	0.82	2.59	0.81	26.5	7	0.9	3.4	525	1.80	0.4	0.4	<0.2	2.1	17.4
ROCK-WHI	Prep Blank		436	0.005	<0.01	<0.17	36.05	0.78	3.30	0.83	30.3	4	1.2	3.5	541	1.89	0.6	0.4	<0.2	2.2	21.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000420.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.8	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.02	<0.02	21	0.55	0.042	6.1	3.0	0.47	47.3	0.070	3	0.87	0.102	0.10	<0.1	2.6	<0.02	0.03	<5
ROCK-WHI	Prep Blank	0.01	<0.02	<0.02	23	0.65	0.044	6.6	3.7	0.51	50.3	0.077	1	0.98	0.116	0.11	<0.1	2.8	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 10, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000420.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8	
STD OXQ90 Expected																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.5	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.11	<0.1	0.12	0.11	1.9	0.4	<0.05	2.9	8.33	12.1	<0.02	<1	0.2	1.0	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.11	<0.1	0.13	0.14	2.1	0.3	<0.05	3.1	9.05	12.9	<0.02	2	0.2	1.1	<10