



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: August 22, 2019  
Report Date: September 11, 2019  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI19000421.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-47  
P.O. Number  
Number of Samples: 68

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	66	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FS631	68	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	68	Analysis sample split/packet			WHI
Split -150	68	Analysis sample split/packet			WHI
EN002	68	Environmental disposal charge-Fire assay lead waste			VAN
FS631	67	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	68	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	68	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Graeme Joyce  
Peter Tallman  
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 11, 2019

**Page:** 2 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000421.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2024204	Drill Core				3.21	502	<0.005	<0.01	<0.17	39.40	1.90	24.91	17.68	71.0	270	30.3	11.6	1068	2.81	6.9	1.0	1.1	4.5	177.0
2024205	Drill Core				3.41	354	<0.005	<0.01	<0.17	33.15	1.90	41.38	17.10	117.2	315	32.2	13.2	708	3.06	7.5	1.0	2.5	4.7	98.6
2024206	Drill Core				3.36	402	<0.005	<0.01	<0.17	25.51	2.06	29.66	11.77	73.9	258	28.5	11.7	462	3.02	6.2	0.9	1.4	5.5	63.6
2024207	Drill Core				3.43	357	<0.005	<0.01	<0.17	28.48	2.28	27.88	21.84	88.7	300	23.6	12.0	582	2.85	29.4	0.7	1.4	5.1	92.9
2024208	Drill Core				3.24	405	0.007	<0.01	<0.17	29.75	2.07	30.30	17.39	101.3	279	28.6	12.2	568	2.98	15.3	0.8	5.4	5.2	91.0
2024209	Drill Core				3.30	403	0.006	<0.01	<0.17	25.91	2.62	38.31	15.87	167.4	341	32.9	12.0	576	3.08	71.9	1.0	4.4	5.2	106.6
2024210	Drill Core				3.29	394	<0.005	<0.01	<0.17	30.37	2.81	34.77	11.39	78.5	208	29.9	12.5	553	2.87	31.8	1.0	0.5	4.9	61.4
2024211	Drill Core				3.49	359	0.244	0.25	0.35	25.42	1.40	26.91	16.67	66.9	507	29.1	10.2	510	2.49	11.5	0.9	249.1	4.3	58.2
2024212	Drill Core				3.02	515	0.272	0.25	<0.17	36.62	0.55	20.23	9.49	79.8	328	9.5	9.1	610	3.03	5.4	1.0	501.5	6.7	123.1
2024213	Drill Core				3.32	408	0.009	<0.01	<0.17	32.64	1.16	16.30	14.17	80.0	211	10.7	9.0	577	2.98	5.7	2.5	1.4	8.4	93.7
2024214	Drill Core				2.58	475	0.008	<0.01	<0.17	38.83	1.11	23.92	16.21	90.3	272	18.1	8.7	449	2.39	55.8	1.1	2.2	8.2	75.5
2024215	Drill Core				2.90	374	<0.005	<0.01	<0.17	27.46	1.39	21.41	16.42	65.2	318	25.4	6.5	285	1.91	12.7	1.0	1.2	7.6	50.2
2024349	Drill Core				1.29	465	<0.005	<0.01	<0.17	35.36	0.19	2.41	10.91	24.4	134	0.4	0.2	61	0.45	1.7	1.1	<0.2	7.8	17.9
2024350	Drill Core				1.24	483	0.005	<0.01	<0.17	38.36	1.35	2.12	10.97	32.0	449	0.7	0.5	85	0.74	8.8	1.7	640.5	4.4	17.0
2024351	Drill Core				2.62	465	0.006	<0.01	<0.17	40.85	0.46	3.25	11.10	23.7	357	0.6	0.5	104	0.60	5.6	1.5	3.7	12.3	6.6
2024352	Drill Core				2.61	427	0.018	0.02	<0.17	37.82	0.48	3.41	9.37	11.5	511	0.4	0.4	97	0.58	5.7	1.3	14.5	9.0	7.2
2024353	Drill Core				2.92	535	0.016	0.01	<0.17	30.64	0.31	2.36	8.54	21.4	260	0.4	0.3	83	0.54	3.5	0.8	30.6	8.7	5.9
2024354	Drill Core				1.07	457	0.006	<0.01	<0.17	32.89	0.24	1.43	8.91	23.3	201	0.3	0.3	79	0.51	2.7	0.7	2.5	8.1	5.5
2024355	Drill Core				3.64	375	0.031	0.03	<0.17	38.73	0.67	4.39	14.30	30.6	558	0.3	0.3	128	0.83	14.7	1.5	16.4	8.6	7.7
2024356	Drill Core				2.69	484	0.035	0.03	<0.17	33.65	0.54	3.31	16.64	38.2	359	0.5	0.4	174	0.69	5.3	1.4	3.5	9.8	25.3
2024357	Drill Core				3.35	344	0.006	<0.01	<0.17	40.93	0.48	2.25	11.98	13.7	330	0.4	0.3	133	0.55	3.3	1.0	1.6	8.6	22.4
2024358	Drill Core				3.59	332	<0.005	<0.01	<0.17	35.87	0.40	3.10	9.43	46.2	305	0.5	0.4	212	0.86	0.6	0.8	1.4	8.8	22.5
2024359	Drill Core				4.08	458	0.005	<0.01	<0.17	41.56	0.33	4.06	11.34	28.5	339	0.4	0.5	248	0.64	1.1	0.9	2.2	7.5	31.9
2024360	Core DUP					453	<0.005	<0.01	<0.17	29.11	0.35	4.47	11.52	29.1	346	0.4	0.5	237	0.68	1.1	0.9	2.1	7.4	35.6
2024361	Drill Core				4.02	392	<0.005	<0.01	<0.17	34.00	0.34	3.31	8.87	27.2	345	0.4	0.5	131	0.59	1.6	0.8	2.9	5.6	19.1
2024362	Drill Core				1.17	531	0.028	0.03	<0.17	28.64	0.70	5.29	14.18	22.5	1296	0.6	0.5	73	0.86	13.2	1.2	22.5	9.3	38.0
2024363	Drill Core				3.24	408	0.007	<0.01	<0.17	32.61	0.51	2.97	12.87	13.8	623	0.5	0.4	54	0.64	4.8	1.0	2.9	9.2	18.2
2024364	Drill Core				3.28	340	0.019	0.02	<0.17	36.04	0.83	4.68	16.72	24.0	658	0.8	0.5	74	0.82	4.9	0.9	10.1	8.5	18.6
2024365	Drill Core				2.03	403	0.007	<0.01	<0.17	29.30	0.73	4.67	18.78	23.7	398	0.6	0.6	90	0.84	7.1	1.2	2.9	8.2	13.8
2024366	Drill Core				4.32	444	0.006	<0.01	<0.17	38.08	0.83	3.31	12.51	31.0	485	0.6	0.6	78	0.95	5.9	1.1	2.7	8.2	7.5



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 11, 2019

**Page:** 2 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000421.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024204	Drill Core	0.40	0.49	0.17	37	2.21	0.071	6.3	26.6	1.91	156.6	0.028	<1	1.76	0.008	0.30	<0.1	2.9	0.11	0.22	<5			
2024205	Drill Core	0.57	0.37	0.17	34	1.56	0.076	5.6	25.1	1.57	209.6	0.021	<1	1.61	0.008	0.31	<0.1	2.9	0.11	0.44	<5			
2024206	Drill Core	0.42	0.27	0.13	31	0.89	0.074	6.9	24.8	1.61	191.6	0.033	<1	1.65	0.010	0.29	<0.1	2.5	0.10	0.42	<5			
2024207	Drill Core	0.63	0.31	0.17	29	1.30	0.072	6.7	45.7	1.65	186.4	0.043	<1	1.65	0.009	0.38	<0.1	2.8	0.17	0.29	<5			
2024208	Drill Core	0.39	0.28	0.18	35	1.22	0.072	6.5	39.2	1.74	206.4	0.034	<1	1.74	0.009	0.38	<0.1	2.9	0.15	0.29	<5			
2024209	Drill Core	1.47	0.44	0.25	38	1.49	0.079	7.5	43.9	1.67	210.7	0.023	<1	1.73	0.008	0.28	<0.1	3.3	0.10	0.38	<5			
2024210	Drill Core	0.39	0.48	0.12	33	1.09	0.076	5.4	34.1	1.67	193.6	0.009	<1	1.63	0.009	0.28	<0.1	2.8	0.09	0.39	<5			
2024211	Drill Core	0.41	0.38	0.17	27	0.96	0.065	7.5	27.7	1.31	217.6	0.072	2	1.38	0.014	0.84	0.2	3.1	0.44	0.18	<5			
2024212	Drill Core	0.50	0.19	0.05	22	2.49	0.084	20.5	25.8	0.97	381.8	0.107	<1	1.37	0.022	0.79	0.2	6.2	0.38	0.17	<5			
2024213	Drill Core	0.42	0.26	0.09	26	1.66	0.080	26.5	27.3	1.01	522.9	0.022	1	1.32	0.022	0.33	0.2	5.9	0.11	0.19	<5			
2024214	Drill Core	0.53	0.44	0.10	25	1.62	0.070	25.2	28.2	0.88	272.9	0.017	<1	1.23	0.014	0.30	0.1	4.5	0.10	0.07	<5			
2024215	Drill Core	0.37	0.69	0.05	23	1.03	0.059	24.5	26.5	0.69	186.4	0.015	<1	1.10	0.019	0.24	0.2	3.7	0.09	<0.02	<5			
2024349	Drill Core	0.18	0.30	0.12	<1	0.09	0.003	20.6	1.3	0.02	305.9	0.002	<1	0.31	0.017	0.24	0.1	1.6	0.08	<0.02	15			
2024350	Drill Core	0.32	0.61	0.03	<1	0.13	0.007	9.6	1.6	0.03	388.2	0.022	<1	0.35	0.020	0.25	0.1	2.2	0.07	<0.02	16			
2024351	Drill Core	0.30	0.36	0.13	<1	0.04	0.009	25.0	1.8	0.04	595.5	<0.001	2	0.34	0.017	0.29	0.2	2.3	0.10	<0.02	35			
2024352	Drill Core	0.28	0.37	0.11	<1	0.04	0.010	25.9	1.7	0.03	751.8	0.002	2	0.30	0.019	0.25	0.2	2.6	0.08	<0.02	81			
2024353	Drill Core	0.21	0.19	0.08	<1	0.02	0.006	26.9	1.6	0.05	503.7	0.001	1	0.31	0.019	0.27	0.1	1.3	0.06	<0.02	19			
2024354	Drill Core	0.18	0.16	0.08	<1	0.03	0.009	29.9	1.4	0.06	268.8	0.002	<1	0.29	0.027	0.25	<0.1	1.5	0.05	<0.02	21			
2024355	Drill Core	0.23	0.57	0.27	<1	0.02	0.006	29.7	1.5	0.05	542.1	0.002	<1	0.34	0.033	0.21	0.2	1.9	0.04	<0.02	14			
2024356	Drill Core	0.35	0.19	0.44	<1	0.03	0.006	24.1	1.5	0.08	1832.6	0.002	<1	0.34	0.025	0.24	0.1	2.1	0.05	0.04	16			
2024357	Drill Core	0.36	0.21	0.10	<1	0.10	0.005	29.2	1.7	0.06	1346.5	0.001	<1	0.35	0.019	0.28	<0.1	1.9	0.06	0.02	19			
2024358	Drill Core	0.33	0.28	0.12	<1	0.07	0.009	30.1	1.9	0.30	1191.8	0.002	1	0.56	0.016	0.25	0.2	2.9	0.06	<0.02	12			
2024359	Drill Core	0.40	0.39	0.12	<1	0.24	0.007	21.4	1.4	0.12	599.2	0.004	1	0.41	0.017	0.24	<0.1	2.2	0.06	<0.02	8			
2024360	Core DUP	0.41	0.38	0.13	<1	0.25	0.008	22.6	1.6	0.13	630.8	0.004	2	0.45	0.018	0.25	0.1	2.2	0.06	<0.02	9			
2024361	Drill Core	0.23	0.30	0.09	<1	0.10	0.009	15.6	1.5	0.11	386.6	0.007	1	0.41	0.018	0.25	<0.1	2.5	0.07	<0.02	12			
2024362	Drill Core	0.24	0.89	0.14	<1	0.10	0.008	24.4	1.4	0.05	1182.1	0.003	2	0.38	0.017	0.29	0.4	2.9	0.10	0.03	58			
2024363	Drill Core	0.13	0.87	0.14	<1	0.03	0.009	27.8	1.4	0.04	1567.3	0.002	<1	0.33	0.024	0.28	0.6	2.2	0.08	0.03	35			
2024364	Drill Core	0.18	0.63	0.14	<1	0.04	0.012	31.3	1.7	0.04	1001.5	0.001	3	0.40	0.023	0.26	2.5	3.2	0.08	<0.02	27			
2024365	Drill Core	0.17	0.77	0.15	<1	0.06	0.010	23.6	1.5	0.04	611.9	0.002	2	0.38	0.022	0.27	0.3	3.0	0.09	<0.02	17			
2024366	Drill Core	0.11	0.96	0.13	<1	0.04	0.010	24.2	1.5	0.05	365.0	0.002	2	0.39	0.023	0.25	1.0	2.3	0.08	<0.02	15			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 11, 2019

**Page:** 2 of 4

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000421.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024204	Drill Core	1.1	0.05	4.8	0.76	<0.1	0.12	<0.02	11.9	0.2	<0.05	3.9	10.04	12.4	<0.02	3	<0.1	13.8	<10
2024205	Drill Core	1.8	0.06	4.3	0.95	<0.1	0.09	<0.02	12.2	0.2	<0.05	3.5	9.37	11.1	<0.02	3	0.2	12.4	<10
2024206	Drill Core	1.2	0.04	4.8	0.48	<0.1	0.09	<0.02	11.4	0.2	<0.05	3.8	7.75	14.1	<0.02	1	<0.1	12.4	<10
2024207	Drill Core	0.6	0.05	4.7	0.94	<0.1	0.14	<0.02	17.2	0.2	<0.05	5.4	5.94	13.5	<0.02	2	<0.1	12.7	<10
2024208	Drill Core	0.8	0.04	4.7	0.77	<0.1	0.12	<0.02	16.3	0.2	<0.05	4.1	5.92	13.2	<0.02	2	<0.1	12.6	<10
2024209	Drill Core	1.1	0.07	4.9	0.46	<0.1	0.08	<0.02	10.4	0.2	<0.05	3.3	5.61	14.5	<0.02	3	0.2	13.7	<10
2024210	Drill Core	1.1	0.02	4.5	0.70	<0.1	0.08	<0.02	9.4	0.2	<0.05	3.8	3.08	10.9	<0.02	2	0.1	13.3	<10
2024211	Drill Core	0.7	0.07	4.0	6.23	<0.1	0.33	<0.02	49.0	0.3	<0.05	11.8	3.88	15.0	<0.02	<1	0.4	12.6	<10
2024212	Drill Core	0.4	<0.02	5.1	4.34	<0.1	0.24	0.04	44.9	0.3	<0.05	3.2	6.82	39.7	0.03	<1	0.2	11.3	<10
2024213	Drill Core	0.5	<0.02	6.0	15.42	<0.1	0.05	0.03	20.9	0.3	<0.05	2.3	12.94	50.6	0.03	<1	0.4	13.8	<10
2024214	Drill Core	0.4	0.05	5.2	2.71	<0.1	0.12	0.02	15.2	0.4	<0.05	5.3	13.11	49.2	<0.02	<1	0.4	13.2	<10
2024215	Drill Core	<0.1	0.02	5.5	2.63	<0.1	0.14	<0.02	13.6	0.4	<0.05	6.3	15.98	47.0	0.03	<1	0.6	17.7	<10
2024349	Drill Core	<0.1	<0.02	1.5	1.10	<0.1	0.03	0.10	14.6	0.4	<0.05	1.0	16.62	40.7	<0.02	<1	0.2	2.5	<10
2024350	Drill Core	<0.1	<0.02	1.8	0.84	<0.1	0.07	0.45	13.0	0.3	<0.05	2.3	9.91	25.0	<0.02	<1	0.2	4.3	<10
2024351	Drill Core	<0.1	<0.02	1.4	1.34	<0.1	0.04	0.02	15.9	0.4	<0.05	1.5	17.87	62.8	0.02	<1	0.3	1.5	<10
2024352	Drill Core	<0.1	<0.02	1.1	0.74	<0.1	0.03	0.03	11.7	0.3	<0.05	1.5	17.59	54.4	0.03	<1	<0.1	1.2	<10
2024353	Drill Core	<0.1	<0.02	1.2	0.36	<0.1	0.26	<0.02	11.3	0.2	<0.05	10.7	7.86	55.8	<0.02	<1	<0.1	2.4	<10
2024354	Drill Core	<0.1	<0.02	1.2	0.33	<0.1	0.29	0.03	10.2	0.2	<0.05	10.6	6.71	54.4	<0.02	<1	0.2	2.2	<10
2024355	Drill Core	<0.1	<0.02	1.4	0.22	<0.1	0.30	<0.02	8.3	0.3	<0.05	10.9	8.54	51.7	0.03	<1	0.1	2.1	<10
2024356	Drill Core	<0.1	<0.02	1.7	0.40	<0.1	0.31	0.02	9.8	0.3	<0.05	10.4	10.27	66.1	0.03	<1	0.2	2.3	<10
2024357	Drill Core	<0.1	<0.02	1.3	0.29	<0.1	0.22	0.02	10.2	0.2	<0.05	7.8	10.18	50.5	<0.02	<1	0.1	1.8	<10
2024358	Drill Core	<0.1	<0.02	1.8	0.46	<0.1	0.08	0.02	9.0	0.3	<0.05	3.5	14.55	59.2	<0.02	<1	0.1	8.0	<10
2024359	Drill Core	<0.1	<0.02	1.3	0.52	<0.1	0.03	0.08	9.9	0.3	<0.05	1.4	13.01	42.6	0.02	<1	<0.1	4.0	<10
2024360	Core DUP	<0.1	<0.02	1.6	0.46	<0.1	0.03	0.07	10.0	0.4	<0.05	1.3	13.82	45.1	<0.02	<1	0.1	4.0	<10
2024361	Drill Core	<0.1	<0.02	1.5	0.47	<0.1	0.04	0.14	9.6	0.3	<0.05	1.5	12.48	33.5	0.03	<1	<0.1	3.9	<10
2024362	Drill Core	<0.1	<0.02	1.4	0.81	<0.1	0.07	0.05	12.6	0.3	<0.05	2.3	15.69	54.4	0.03	<1	<0.1	1.6	<10
2024363	Drill Core	<0.1	<0.02	1.2	0.80	<0.1	0.06	0.02	12.6	0.4	<0.05	2.3	12.00	54.8	0.02	<1	0.4	1.6	<10
2024364	Drill Core	<0.1	<0.02	1.3	1.33	<0.1	0.04	<0.02	10.8	0.3	<0.05	2.3	16.27	61.3	0.03	<1	0.2	1.7	<10
2024365	Drill Core	<0.1	<0.02	1.3	1.15	<0.1	0.04	0.04	11.7	0.5	<0.05	1.6	16.86	46.4	0.03	<1	<0.1	1.6	<10
2024366	Drill Core	<0.1	<0.02	1.4	1.15	<0.1	0.04	0.02	10.9	0.3	<0.05	1.3	16.71	44.4	0.03	<1	0.1	2.6	<10



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 11, 2019

**Page:** 3 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000421.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2024367	Drill Core	5.24	526	<0.005	<0.01	<0.17	39.60	1.19	5.31	15.74	71.4	418	0.9	1.1	118	1.25	5.0	1.4	2.4	21.7
2024368	Drill Core	2.34	455	0.006	<0.01	<0.17	26.66	1.14	4.00	12.73	67.4	445	0.7	1.3	102	1.23	9.1	1.5	3.2	18.8
2024369	Drill Core	3.78	397	<0.005	<0.01	<0.17	38.95	0.63	10.78	7.15	73.8	182	0.6	1.4	284	1.65	1.2	1.0	0.4	24.9
2024370	Drill Core	4.99	526	<0.005	<0.01	<0.17	33.70	0.72	2.97	6.24	103.9	162	0.6	1.0	232	1.57	0.7	1.1	1.4	12.7
2024371	Drill Core	4.12	529	<0.005	<0.01	<0.17	38.36	2.68	7.59	11.23	65.7	1262	0.5	0.6	73	0.85	2.9	1.5	1.4	30.2
2024372	Drill Core	4.14	444	<0.005	<0.01	<0.17	31.14	1.62	4.41	29.24	123.4	859	0.5	0.9	123	1.01	0.8	1.1	2.1	25.9
2024373	Drill Core	4.64	512	<0.005	<0.01	<0.17	36.63	0.93	38.06	13.12	220.5	1072	0.4	0.8	190	1.12	0.4	1.0	1.0	43.0
2024374	Drill Core	4.89	492	<0.005	<0.01	<0.17	39.05	0.66	7.30	19.29	181.5	810	0.6	1.0	210	1.23	0.9	0.9	1.8	58.2
2024375	Drill Core	4.26	434	<0.005	<0.01	<0.17	28.56	0.52	4.22	13.58	105.2	366	0.7	1.2	155	1.33	1.0	1.3	1.0	41.7
2024376	Drill Core	1.39	367	0.005	<0.01	<0.17	30.00	0.52	3.92	9.02	93.5	344	0.7	0.9	142	1.11	0.4	0.8	1.8	9.2
2024377	Drill Core	3.25	455	0.008	<0.01	<0.17	40.95	0.79	5.08	17.94	88.2	421	0.8	1.1	106	1.03	1.5	1.0	4.2	9.1
2024378	Drill Core	2.20	530	<0.005	<0.01	<0.17	35.25	0.58	4.06	18.38	31.8	284	0.4	0.3	57	0.56	1.8	1.1	1.0	11.6
2024379	Drill Core	4.30	530	0.012	0.01	<0.17	31.95	0.84	4.83	21.21	24.9	519	0.5	0.5	45	0.61	5.5	1.2	4.8	13.8
2024380	Rock	0.24	156	<0.005	<0.01	<0.17	36.71	0.51	1.15	1.53	2.5	15	1.1	0.4	72	0.65	0.7	0.2	<0.2	1.7
2024381	Drill Core	2.13	491	0.011	0.01	<0.17	32.72	0.89	2.41	7.29	26.2	324	0.4	0.3	210	0.58	5.3	1.8	6.7	4.9
2024382	Drill Core	2.34	516	0.025	0.03	<0.17	42.35	1.25	3.05	8.92	26.3	284	0.4	0.3	271	0.55	5.9	1.4	24.4	3.7
2024383	Drill Core	1.76	479	0.027	0.06	0.67	26.73	1.69	3.84	18.75	41.9	460	0.6	0.5	207	0.66	6.1	1.3	153.9	4.8
2024384	Drill Core	2.83	520	0.008	<0.01	<0.17	33.65	0.42	2.07	12.02	20.0	293	0.5	0.3	55	0.54	7.2	1.3	2.8	12.0
2024385	Drill Core	2.70	417	<0.005	<0.01	<0.17	33.06	0.34	3.01	14.36	13.2	184	0.5	0.3	48	0.50	3.4	1.2	1.6	5.3
2024386	Drill Core	3.02	474	0.005	<0.01	<0.17	36.07	0.44	3.06	13.87	14.3	252	0.4	0.4	46	0.62	5.3	1.0	2.8	11.6
2024387	Drill Core	2.41	386	0.013	0.01	<0.17	33.68	0.59	3.41	18.31	18.9	360	0.5	0.4	50	0.77	6.9	0.9	10.1	12.7
2024388	Drill Core	3.36	406	0.005	<0.01	<0.17	35.34	0.38	3.24	13.64	13.2	241	0.4	0.4	46	0.61	4.0	1.0	3.0	8.8
2024389	Drill Core	3.09	487	<0.005	<0.01	<0.17	37.88	0.39	2.84	12.91	16.2	201	0.4	0.3	44	0.61	4.6	1.0	1.4	7.3
2024390	Drill Core	3.88	515	<0.005	<0.01	<0.17	34.96	0.35	3.14	12.01	16.6	206	0.4	0.3	46	0.61	4.0	1.0	1.4	7.4
2024391	Drill Core	2.55	386	<0.005	<0.01	<0.17	39.46	0.32	2.56	9.25	12.1	210	0.4	0.3	45	0.51	2.7	0.8	2.4	6.1
2024392	Drill Core	3.59	448	0.009	<0.01	<0.17	36.96	0.41	4.00	13.26	18.6	295	0.5	0.4	55	0.72	5.8	0.9	4.5	9.9
2024393	Drill Core	1.34	385	<0.005	<0.01	<0.17	40.56	0.41	3.32	7.10	18.3	284	0.5	0.3	49	0.54	1.8	0.6	1.0	7.6
2024394	Drill Core	2.04	403	0.022	0.02	<0.17	33.73	0.71	3.18	9.45	15.1	429	0.6	0.5	53	0.71	3.3	0.7	18.6	14.7
2024395	Drill Core	2.57	451	0.008	<0.01	<0.17	33.91	0.45	2.61	9.82	13.3	372	0.4	0.4	45	0.55	3.6	0.9	4.7	12.6
2024396	Drill Core	2.93	466	0.010	<0.01	<0.17	38.33	0.54	4.14	12.54	16.9	786	0.5	0.6	52	0.72	4.3	1.2	6.0	9.7



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 11, 2019

**Page:** 3 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000421.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024367	Drill Core	0.18	0.81	0.13	<1	0.06	0.011	32.8	1.3	0.17	1162.5	0.001	1	0.61	0.023	0.21	0.7	3.1	0.08	<0.02	52			
2024368	Drill Core	0.24	0.48	0.11	<1	0.06	0.009	32.7	1.4	0.32	809.0	<0.001	2	0.76	0.018	0.22	0.3	3.0	0.08	<0.02	67			
2024369	Drill Core	0.40	0.21	0.15	<1	0.44	0.011	29.6	1.6	0.95	557.3	0.001	1	1.30	0.019	0.16	0.3	3.3	0.07	<0.02	11			
2024370	Drill Core	0.24	0.19	0.15	1	0.04	0.011	32.0	1.2	0.96	715.5	0.001	2	1.24	0.022	0.12	0.1	2.9	0.06	<0.02	<5			
2024371	Drill Core	0.39	0.68	0.88	<1	0.07	0.010	12.2	1.1	0.19	1355.5	0.004	2	0.48	0.026	0.19	0.5	2.4	0.11	0.02	38			
2024372	Drill Core	0.45	0.48	0.21	<1	0.15	0.010	22.8	1.0	0.38	679.8	0.007	1	0.64	0.030	0.20	<0.1	2.8	0.11	0.04	65			
2024373	Drill Core	2.37	0.38	0.15	<1	0.28	0.010	16.9	1.1	0.47	890.6	0.007	1	0.76	0.022	0.21	<0.1	2.4	0.08	0.05	272			
2024374	Drill Core	1.10	0.41	0.12	<1	0.31	0.012	16.9	1.2	0.62	1897.3	0.008	2	0.90	0.022	0.19	<0.1	2.1	0.07	0.09	103			
2024375	Drill Core	0.17	0.47	0.13	1	0.07	0.010	27.8	1.4	0.67	2039.0	0.003	1	0.92	0.021	0.18	0.2	2.7	0.06	0.04	10			
2024376	Drill Core	0.23	0.28	0.10	<1	0.05	0.010	27.4	1.5	0.55	482.4	0.002	1	0.79	0.021	0.21	0.2	2.3	0.06	<0.02	17			
2024377	Drill Core	0.29	0.52	0.15	<1	0.04	0.012	29.3	1.3	0.34	499.7	0.001	<1	0.65	0.017	0.23	0.2	2.8	0.07	<0.02	24			
2024378	Drill Core	0.14	0.52	0.13	<1	0.03	0.008	28.5	1.2	0.06	1110.9	0.001	<1	0.33	0.023	0.21	0.3	2.0	0.07	<0.02	27			
2024379	Drill Core	0.23	0.86	0.14	<1	0.04	0.008	30.2	1.1	0.03	1155.9	0.001	1	0.31	0.024	0.24	0.6	2.4	0.08	0.02	32			
2024380	Rock	<0.01	0.04	<0.02	<1	0.02	0.002	2.4	3.2	0.02	33.9	0.002	2	0.08	0.005	0.03	<0.1	0.3	<0.02	<0.02	<5			
2024381	Drill Core	0.27	0.27	<0.02	<1	0.02	0.003	21.7	1.1	0.02	330.6	<0.001	<1	0.26	0.017	0.25	0.2	1.5	0.06	<0.02	28			
2024382	Drill Core	0.25	0.28	0.06	<1	0.01	0.004	30.3	1.0	0.02	297.3	<0.001	<1	0.26	0.013	0.26	0.2	1.2	0.05	<0.02	35			
2024383	Drill Core	0.28	0.43	<0.02	<1	0.01	0.004	27.6	1.8	0.02	363.4	<0.001	1	0.24	0.011	0.21	0.4	1.3	0.05	<0.02	32			
2024384	Drill Core	0.14	0.30	0.04	<1	0.03	0.003	36.7	1.2	0.08	861.2	<0.001	1	0.35	0.020	0.26	0.2	2.1	0.05	<0.02	26			
2024385	Drill Core	0.09	0.25	0.11	<1	0.03	0.008	24.6	1.4	0.05	405.9	0.001	1	0.32	0.020	0.27	0.1	1.4	0.07	<0.02	27			
2024386	Drill Core	0.12	0.44	0.14	<1	0.03	0.008	22.8	1.1	0.05	934.8	0.002	1	0.35	0.023	0.29	0.3	2.2	0.08	<0.02	20			
2024387	Drill Core	0.13	0.64	0.10	<1	0.04	0.008	24.3	1.5	0.05	1383.3	0.002	1	0.35	0.023	0.27	0.3	2.4	0.08	0.02	19			
2024388	Drill Core	0.12	0.56	0.14	<1	0.03	0.009	27.7	1.3	0.04	831.5	0.002	1	0.34	0.026	0.29	0.2	2.6	0.08	<0.02	6			
2024389	Drill Core	0.10	0.49	0.11	<1	0.04	0.009	26.3	1.2	0.06	324.3	0.001	<1	0.35	0.026	0.25	0.3	2.2	0.08	<0.02	20			
2024390	Drill Core	0.10	0.57	0.13	<1	0.04	0.009	25.3	1.2	0.05	445.3	0.002	<1	0.33	0.024	0.26	0.3	2.4	0.07	<0.02	9			
2024391	Drill Core	0.09	0.36	0.10	<1	0.03	0.008	24.5	1.3	0.05	333.1	0.002	<1	0.29	0.029	0.25	0.2	2.1	0.06	<0.02	17			
2024392	Drill Core	0.23	0.42	0.12	<1	0.04	0.009	29.0	1.3	0.07	573.0	0.001	<1	0.38	0.026	0.29	0.1	2.1	0.08	<0.02	17			
2024393	Drill Core	0.14	0.20	0.06	<1	0.03	0.007	18.1	1.3	0.06	380.9	0.001	<1	0.32	0.028	0.26	0.2	1.6	0.07	<0.02	19			
2024394	Drill Core	0.21	0.62	0.10	<1	0.04	0.009	20.7	3.3	0.05	1650.0	0.002	<1	0.33	0.027	0.25	0.6	1.7	0.07	0.03	20			
2024395	Drill Core	0.21	0.42	0.11	<1	0.04	0.010	30.6	1.3	0.04	1155.9	0.001	1	0.32	0.025	0.25	0.2	1.7	0.07	<0.02	42			
2024396	Drill Core	0.27	1.00	0.13	<1	0.03	0.009	18.9	1.2	0.03	743.8	0.002	<1	0.31	0.027	0.22	0.3	2.5	0.07	<0.02	99			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 11, 2019

**Page:** 3 of 4

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000421.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024367	Drill Core	<0.1	<0.02	1.9	1.47	<0.1	0.03	<0.02	9.9	0.4	<0.05	1.6	24.03	64.9	0.03	<1	0.2	7.5	<10	<2			
2024368	Drill Core	<0.1	<0.02	2.3	0.83	<0.1	<0.02	<0.02	10.3	0.4	<0.05	1.4	19.98	62.5	0.03	<1	0.2	9.4	<10	<2			
2024369	Drill Core	<0.1	<0.02	3.7	0.49	<0.1	<0.02	<0.02	6.9	0.6	<0.05	1.1	21.63	56.5	0.07	<1	0.2	17.4	<10	<2			
2024370	Drill Core	<0.1	<0.02	3.7	0.53	<0.1	0.03	<0.02	5.4	0.6	<0.05	0.8	20.95	64.5	0.06	<1	0.3	19.7	<10	<2			
2024371	Drill Core	<0.1	0.02	1.7	0.71	<0.1	0.02	0.08	7.8	0.6	<0.05	0.9	9.26	23.2	0.09	<1	0.1	3.8	<10	<2			
2024372	Drill Core	<0.1	0.03	2.6	0.76	<0.1	0.03	0.11	7.3	0.5	<0.05	0.9	17.00	41.3	0.03	<1	0.2	6.2	<10	<2			
2024373	Drill Core	<0.1	<0.02	2.6	0.61	<0.1	0.02	0.09	7.4	0.7	<0.05	0.8	12.85	34.8	0.07	<1	0.4	6.5	<10	<2			
2024374	Drill Core	<0.1	<0.02	2.7	0.60	<0.1	<0.02	0.10	6.7	0.5	<0.05	0.8	12.37	31.4	0.02	<1	0.2	8.2	<10	<2			
2024375	Drill Core	<0.1	<0.02	3.0	1.03	<0.1	0.04	0.03	6.5	0.6	<0.05	1.6	16.86	49.9	0.03	<1	0.2	8.3	<10	<2			
2024376	Drill Core	<0.1	<0.02	2.5	0.58	<0.1	0.03	<0.02	7.2	0.3	<0.05	2.3	13.35	49.7	0.03	<1	0.2	7.3	<10	<2			
2024377	Drill Core	<0.1	<0.02	2.0	0.62	<0.1	0.05	<0.02	8.1	0.3	<0.05	2.0	14.62	54.5	<0.02	<1	0.2	8.2	<10	<2			
2024378	Drill Core	<0.1	<0.02	1.0	0.68	<0.1	0.05	0.03	8.8	0.2	<0.05	2.2	14.70	53.1	<0.02	<1	0.4	2.7	<10	<2			
2024379	Drill Core	<0.1	<0.02	1.1	1.01	<0.1	0.06	0.05	11.4	0.4	<0.05	2.7	18.66	62.6	0.02	<1	0.2	1.5	<10	<2			
2024380	Rock	<0.1	<0.02	0.3	0.12	<0.1	0.11	0.03	1.3	<0.1	<0.05	2.5	1.22	4.7	<0.02	<1	<0.1	1.2	<10	<2			
2024381	Drill Core	<0.1	<0.02	1.0	0.70	<0.1	0.27	0.04	12.0	0.2	<0.05	6.7	9.55	44.5	<0.02	<1	0.2	1.4	<10	<2			
2024382	Drill Core	<0.1	<0.02	1.1	0.48	<0.1	0.44	0.03	12.1	0.2	<0.05	10.8	8.80	55.0	<0.02	<1	0.1	1.8	<10	<2			
2024383	Drill Core	<0.1	<0.02	0.9	0.71	<0.1	0.43	<0.02	9.6	0.2	<0.05	11.0	9.91	52.1	<0.02	<1	0.2	1.4	<10	<2			
2024384	Drill Core	<0.1	<0.02	1.1	0.55	<0.1	0.53	<0.02	10.6	0.2	<0.05	19.3	12.70	63.0	0.03	<1	0.1	2.2	<10	<2			
2024385	Drill Core	<0.1	<0.02	1.0	0.59	<0.1	0.04	<0.02	10.1	0.1	<0.05	2.0	11.58	44.8	<0.02	<1	0.1	1.6	<10	<2			
2024386	Drill Core	<0.1	<0.02	1.1	0.62	<0.1	0.05	0.02	12.4	0.3	<0.05	2.2	12.74	49.5	0.02	<1	0.3	1.7	<10	<2			
2024387	Drill Core	<0.1	<0.02	1.2	1.00	<0.1	0.06	0.03	11.5	0.3	<0.05	3.2	14.91	45.6	0.02	1	0.2	2.7	<10	<2			
2024388	Drill Core	<0.1	<0.02	1.1	0.74	<0.1	0.06	0.03	11.9	0.3	<0.05	2.9	13.68	48.8	0.02	<1	0.1	1.7	<10	2			
2024389	Drill Core	<0.1	<0.02	1.1	1.43	<0.1	0.06	<0.02	10.8	0.3	<0.05	3.5	14.30	46.3	<0.02	<1	0.1	1.8	<10	<2			
2024390	Drill Core	<0.1	<0.02	1.2	1.11	<0.1	0.05	0.02	11.3	0.3	<0.05	2.7	15.12	41.1	<0.02	<1	0.2	2.2	<10	<2			
2024391	Drill Core	<0.1	<0.02	1.0	0.76	<0.1	0.06	<0.02	10.2	0.3	<0.05	2.7	14.40	36.8	0.03	<1	0.1	1.8	<10	<2			
2024392	Drill Core	<0.1	<0.02	1.2	1.16	<0.1	0.12	<0.02	12.7	0.2	<0.05	4.4	14.29	52.1	<0.02	<1	0.2	3.0	<10	<2			
2024393	Drill Core	<0.1	<0.02	1.1	1.01	<0.1	0.15	<0.02	10.1	0.2	<0.05	5.2	10.40	37.4	<0.02	<1	0.2	1.5	<10	<2			
2024394	Drill Core	<0.1	<0.02	1.1	1.44	<0.1	0.06	<0.02	10.1	0.3	<0.05	2.0	11.97	44.1	<0.02	<1	0.2	1.6	<10	<2			
2024395	Drill Core	<0.1	<0.02	0.9	1.03	<0.1	0.03	<0.02	10.3	0.2	<0.05	2.0	13.12	52.7	<0.02	<1	0.2	1.4	<10	2			
2024396	Drill Core	<0.1	<0.02	1.0	0.71	<0.1	0.05	0.03	9.4	0.3	<0.05	2.2	13.53	36.4	0.03	<1	0.2	2.1	<10	<2			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 11, 2019

**Page:** 4 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000421.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2024397	Drill Core	2.59	381	0.026	0.02	<0.17	32.90	1.06	6.10	17.60	40.6	1165	0.8	0.8	67	0.88	5.0	1.6	41.9	10.0	17.2
2024398	Drill Core	2.11	382	<0.005	<0.01	<0.17	40.38	0.42	3.15	14.31	15.2	371	0.4	0.7	101	0.76	1.5	1.6	<0.2	8.4	12.0
2024399	Drill Core	2.87	374	0.031	0.03	<0.17	31.88	0.55	3.57	13.11	14.4	462	0.4	0.6	57	0.69	2.1	1.7	3.0	9.2	11.2
2024400	Rock Pulp	0.13	75	7.346				9.46	197.04	19.99	80.3	903	13.7	11.5	573	4.97	14.5	0.9	7985.0	2.9	67.7
2024401	Drill Core	2.04	444	0.006	<0.01	<0.17	36.45	1.11	3.95	10.14	16.1	706	0.6	0.7	55	0.63	2.3	1.2	5.4	8.8	6.8
2024402	Drill Core	2.93	474	0.005	<0.01	<0.17	39.22	0.67	3.96	8.54	18.0	543	0.4	0.5	52	0.60	2.0	1.1	3.9	7.7	5.7
2024403	Drill Core	1.67	348	<0.005	<0.01	<0.17	30.78	0.74	2.92	9.88	20.6	560	0.5	0.5	68	0.91	1.2	1.4	1.2	8.0	10.8
2024404	Drill Core	3.29	479	0.049	0.14	1.27	34.61	0.69	3.76	12.37	61.6	508	0.6	1.0	177	1.10	2.1	1.4	123.6	8.1	14.4





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 11, 2019

**Page:** 4 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000421.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024397	Drill Core	0.38	0.88	0.15	<1	0.05	0.011	27.8	1.6	0.07	1126.7	0.002	<1	0.44	0.028	0.28	0.3	2.9	0.09	<0.02	75
2024398	Drill Core	0.36	1.34	0.20	<1	0.05	0.009	46.5	1.3	0.04	598.6	0.004	<1	0.32	0.029	0.24	0.3	3.7	0.07	<0.02	16
2024399	Drill Core	0.33	1.36	0.43	<1	0.04	0.010	56.1	1.3	0.03	553.6	0.003	<1	0.33	0.028	0.25	0.2	3.4	0.08	<0.02	15
2024400	Rock Pulp	0.21	5.52	0.56	111	0.92	0.063	8.1	18.1	0.86	129.9	0.124	3	1.71	0.176	0.23	4.1	3.5	0.07	<0.02	223
2024401	Drill Core	0.30	0.54	0.26	<1	0.02	0.009	30.8	1.5	0.02	495.0	0.001	1	0.30	0.020	0.27	0.2	2.0	0.07	<0.02	31
2024402	Drill Core	0.22	0.50	0.18	<1	0.03	0.009	31.1	1.2	0.03	382.0	0.001	<1	0.32	0.025	0.26	0.3	1.9	0.07	<0.02	50
2024403	Drill Core	0.21	1.07	0.12	<1	0.05	0.009	29.4	1.6	0.05	456.8	0.003	1	0.36	0.030	0.23	1.0	2.7	0.08	<0.02	22
2024404	Drill Core	0.46	0.52	0.12	<1	0.06	0.010	21.7	1.2	0.25	498.7	0.003	1	0.63	0.027	0.21	0.1	3.2	0.08	<0.02	28



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 11, 2019

**Page:** 4 of 4

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000421.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2024397	Drill Core	<0.1	<0.02	1.4	1.70	<0.1	0.11	0.02	13.2	0.3	<0.05	4.6	18.96	53.6	0.03	<1	0.2	3.6	<10
2024398	Drill Core	<0.1	<0.02	1.2	0.81	<0.1	0.04	0.05	9.8	0.5	<0.05	1.4	16.61	99.4	0.04	<1	0.2	1.4	<10
2024399	Drill Core	<0.1	<0.02	1.3	0.67	<0.1	0.03	0.05	9.8	0.5	<0.05	1.2	19.47	114.9	0.04	<1	0.2	1.2	<10
2024400	Rock Pulp	<0.1	0.18	5.1	0.72	<0.1	0.09	0.07	8.3	1.9	<0.05	1.8	5.35	16.2	0.06	<1	0.1	7.2	<10
2024401	Drill Core	<0.1	<0.02	1.1	0.56	<0.1	0.02	<0.02	10.8	0.3	<0.05	1.1	11.48	54.3	0.02	<1	0.2	1.3	<10
2024402	Drill Core	<0.1	<0.02	1.2	0.68	<0.1	<0.02	<0.02	9.5	0.3	<0.05	0.9	11.96	49.8	0.02	<1	0.2	1.5	<10
2024403	Drill Core	<0.1	<0.02	1.4	0.94	<0.1	0.02	0.04	9.8	0.4	<0.05	1.1	12.96	51.2	0.04	<1	0.4	2.0	<10
2024404	Drill Core	<0.1	<0.02	2.4	0.90	<0.1	0.02	0.03	8.9	0.4	<0.05	1.4	17.67	47.4	0.04	<1	0.2	6.1	<10



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 11, 2019

Page:

1 of 2

Part:

1 of 3

## QUALITY CONTROL REPORT

WHI19000421.1

Method		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
2024215	Drill Core	2.90	374	<0.005	<0.01	<0.17	27.46	1.39	21.41	16.42	65.2	318	25.4	6.5	285	1.91	12.7	1.0	1.2	7.6	50.2
REP 2024215	QC	0.006																			
2024352	Drill Core	2.61	427	0.018	0.02	<0.17	37.82	0.48	3.41	9.37	11.5	511	0.4	0.4	97	0.58	5.7	1.3	14.5	9.0	7.2
REP 2024352	QC	0.017																			
2024353	Drill Core	2.92	535	0.016	0.01	<0.17	30.64	0.31	2.36	8.54	21.4	260	0.4	0.3	83	0.54	3.5	0.8	30.6	8.7	5.9
REP 2024353	QC	0.31 2.39 8.95 23.7 263 0.3 0.3 85 0.55 3.7 0.8 12.0 8.9 6.2																			
2024387	Drill Core	2.41	386	0.013	0.01	<0.17	33.68	0.59	3.41	18.31	18.9	360	0.5	0.4	50	0.77	6.9	0.9	10.1	8.4	12.7
REP 2024387	QC	0.58 3.55 19.18 19.1 354 0.5 0.4 54 0.82 7.3 1.0 4.0 9.0 13.9																			
Core Reject Duplicates																					
2024206	Drill Core	3.36	402	<0.005	<0.01	<0.17	25.51	2.06	29.66	11.77	73.9	258	28.5	11.7	462	3.02	6.2	0.9	1.4	5.5	63.6
DUP 2024206	QC	395 0.005 <0.01 <0.17 26.79 2.08 29.10 10.83 71.4 255 27.1 11.5 468 2.93 6.1 0.9 1.1 5.2 62.2																			
2024373	Drill Core	4.64	512	<0.005	<0.01	<0.17	36.63	0.93	38.06	13.12	220.5	1072	0.4	0.8	190	1.12	0.4	1.0	1.0	6.0	43.0
DUP 2024373	QC	436 <0.005 <0.01 <0.17 38.83 0.93 31.47 13.69 205.8 862 0.5 0.9 210 1.16 0.4 1.0 <0.2 6.6 51.2																			
Reference Materials																					
STD BVGEO01	Standard	10.89 4393.28 183.26 1751.5 2632 160.2 25.0 683 3.81 122.4 3.7 222.9 14.7 53.3																			
STD DS11	Standard	15.53 152.93 135.43 343.4 1762 80.6 13.5 1035 3.15 43.4 2.6 68.3 8.3 68.4																			
STD OREAS262	Standard	0.69 112.43 53.77 154.0 445 64.1 27.3 530 3.28 35.5 1.2 51.4 8.5 33.7																			
STD OREAS262	Standard	0.67 119.01 54.25 142.9 461 64.0 25.9 516 3.31 36.1 1.2 61.8 9.4 33.0																			
STD OXC152	Standard	0.215																			
STD OXH139	Standard	1.336																			
STD OXN134	Standard	7.911																			
STD OXQ90	Standard	25.22 30.01																			
STD OXQ90	Standard	25.03 29.96																			
STD OXQ90	Standard	25.32 30.06																			
STD OXQ90	Standard	25.02 30.06																			
STD DS11 Expected		14.6 149 138 345 1710 77.7 14.2 1055 3.1 42.8 2.59 79 7.65 67.3																			
STD BVGEO01 Expected		11.2 4415 187 1741 2530 163 25 733 3.7 121 3.77 219 14.4 55																			
STD OREAS262 Expected		0.68 118 56 154 450 62 26.9 530 3.284 35.8 1.22 65 9.33 36																			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 11, 2019

**Page:** 1 of 2

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000421.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2024215	Drill Core	0.37	0.69	0.05	23	1.03	0.059	24.5	26.5	0.69	186.4	0.015	<1	1.10	0.019	0.24	0.2	3.7	0.09	<0.02	<5
REP 2024215	QC																				
2024352	Drill Core	0.28	0.37	0.11	<1	0.04	0.010	25.9	1.7	0.03	751.8	0.002	2	0.30	0.019	0.25	0.2	2.6	0.08	<0.02	81
REP 2024352	QC																				
2024353	Drill Core	0.21	0.19	0.08	<1	0.02	0.006	26.9	1.6	0.05	503.7	0.001	1	0.31	0.019	0.27	0.1	1.3	0.06	<0.02	19
REP 2024353	QC	0.23	0.19	0.08	<1	0.02	0.007	28.0	1.7	0.06	514.6	0.001	2	0.31	0.020	0.27	0.1	1.5	0.07	<0.02	19
2024387	Drill Core	0.13	0.64	0.10	<1	0.04	0.008	24.3	1.5	0.05	1383.3	0.002	1	0.35	0.023	0.27	0.3	2.4	0.08	0.02	19
REP 2024387	QC	0.15	0.66	0.11	<1	0.04	0.010	26.3	1.5	0.06	1404.8	0.002	<1	0.37	0.024	0.28	0.3	2.5	0.08	0.02	23
Core Reject Duplicates																					
2024206	Drill Core	0.42	0.27	0.13	31	0.89	0.074	6.9	24.8	1.61	191.6	0.033	<1	1.65	0.010	0.29	<0.1	2.5	0.10	0.42	<5
DUP 2024206	QC	0.41	0.27	0.13	31	0.86	0.075	6.9	24.5	1.58	199.6	0.032	<1	1.61	0.010	0.30	<0.1	2.6	0.10	0.40	<5
2024373	Drill Core	2.37	0.38	0.15	<1	0.28	0.010	16.9	1.1	0.47	890.6	0.007	1	0.76	0.022	0.21	<0.1	2.4	0.08	0.05	272
DUP 2024373	QC	2.24	0.38	0.15	<1	0.34	0.010	19.1	1.2	0.45	997.5	0.007	1	0.76	0.024	0.22	0.1	2.6	0.08	0.06	224
Reference Materials																					
STD BVGEO01	Standard	6.92	3.49	25.18	74	1.34	0.074	26.8	187.3	1.28	285.1	0.232	2	2.32	0.196	0.94	5.1	6.0	0.62	0.69	103
STD DS11	Standard	2.42	8.24	11.56	52	1.06	0.069	19.1	60.2	0.88	385.1	0.100	8	1.24	0.073	0.42	2.9	3.5	4.86	0.28	257
STD OREAS262	Standard	0.69	3.62	0.91	23	3.03	0.039	16.9	43.1	1.15	232.3	0.003	2	1.45	0.068	0.34	0.1	3.5	0.48	0.26	168
STD OREAS262	Standard	0.66	4.66	1.00	23	2.90	0.040	16.8	43.0	1.15	248.8	0.003	3	1.37	0.068	0.32	0.2	3.3	0.45	0.26	156
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 11, 2019

Page:

1 of 2

Part:

3 of 3

## QUALITY CONTROL REPORT

WHI19000421.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2024215	Drill Core	<0.1	0.02	5.5	2.63	<0.1	0.14	<0.02	13.6	0.4	<0.05	6.3	15.98	47.0	0.03	<1	0.6	17.7	<10	<2
REP 2024215	QC																			
2024352	Drill Core	<0.1	<0.02	1.1	0.74	<0.1	0.03	0.03	11.7	0.3	<0.05	1.5	17.59	54.4	0.03	<1	<0.1	1.2	<10	<2
REP 2024352	QC																			
2024353	Drill Core	<0.1	<0.02	1.2	0.36	<0.1	0.26	<0.02	11.3	0.2	<0.05	10.7	7.86	55.8	<0.02	<1	<0.1	2.4	<10	<2
REP 2024353	QC	<0.1	<0.02	1.2	0.37	<0.1	0.29	<0.02	11.4	0.2	<0.05	10.8	7.98	58.3	<0.02	<1	0.2	2.2	<10	<2
2024387	Drill Core	<0.1	<0.02	1.2	1.00	<0.1	0.06	0.03	11.5	0.3	<0.05	3.2	14.91	45.6	0.02	1	0.2	2.7	<10	<2
REP 2024387	QC	<0.1	<0.02	1.2	1.05	<0.1	0.06	0.02	11.7	0.4	<0.05	3.1	15.72	46.4	0.03	<1	0.2	2.8	<10	<2
Core Reject Duplicates																				
2024206	Drill Core	1.2	0.04	4.8	0.48	<0.1	0.09	<0.02	11.4	0.2	<0.05	3.8	7.75	14.1	<0.02	1	<0.1	12.4	<10	<2
DUP 2024206	QC	1.2	0.04	4.5	0.47	<0.1	0.08	<0.02	11.2	0.2	<0.05	3.6	7.35	13.6	<0.02	2	<0.1	11.2	<10	3
2024373	Drill Core	<0.1	<0.02	2.6	0.61	<0.1	0.02	0.09	7.4	0.7	<0.05	0.8	12.85	34.8	0.07	<1	0.4	6.5	<10	<2
DUP 2024373	QC	<0.1	<0.02	2.6	0.60	<0.1	0.05	0.08	7.8	0.7	<0.05	0.9	13.83	37.8	0.07	<1	0.2	6.4	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.6	1.03	7.4	7.38	0.2	0.36	0.23	95.0	5.9	<0.05	9.6	14.66	53.7	0.46	5	0.8	20.0	120	189
STD DS11	Standard	2.1	4.62	5.2	2.99	<0.1	0.07	1.56	35.9	1.9	<0.05	3.2	8.65	37.7	0.23	45	0.7	23.6	100	171
STD OREAS262	Standard	<0.1	0.20	4.2	2.69	<0.1	0.21	<0.02	19.9	0.6	<0.05	9.3	10.37	33.5	0.04	2	1.1	17.5	<10	<2
STD OREAS262	Standard	0.2	0.25	3.9	2.86	<0.1	0.28	<0.02	19.0	0.6	<0.05	10.5	10.45	32.4	0.03	<1	0.9	16.6	<10	<2
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 11, 2019

**Page:** 2 of 2

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000421.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXQ90 Expected		24.88																			
BLK	Blank							<0.01	<0.01	<0.01	0.2	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		407	<0.005	<0.01	<0.17	32.54	0.96	2.34	0.90	32.7	5	1.1	3.6	538	1.85	0.9	0.4	<0.2	2.3	18.9
ROCK-WHI	Prep Blank		408	<0.005	<0.01	<0.17	35.87	0.89	2.36	0.90	30.2	7	1.8	3.9	561	1.90	0.8	0.4	0.5	2.3	20.0



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 11, 2019

**Page:** 2 of 2

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000421.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.03	<0.02	22	0.59	0.043	6.8	3.2	0.49	56.2	0.079	1	0.82	0.067	0.08	<0.1	2.8	<0.02	<0.02	7
ROCK-WHI	Prep Blank	0.02	0.03	<0.02	24	0.59	0.041	6.6	4.6	0.54	60.1	0.074	1	0.89	0.072	0.08	<0.1	2.8	0.03	<0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 11, 2019

**Page:** 2 of 2

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000421.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
STD OXQ90 Expected																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	4.0	0.13	<0.1	0.13	0.18	2.3	0.3	<0.05	3.3	9.36	13.4	<0.02	<1	0.2	1.3	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.14	<0.1	0.13	0.14	2.2	0.3	<0.05	3.4	9.12	13.0	<0.02	<1	<0.1	1.2	<10