



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List

Receiving Lab: Canada-Whitehorse

Received: August 23, 2019

Report Date: September 16, 2019

Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000433.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-48
P.O. Number
Number of Samples: 130

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	126	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	130	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	130	Analysis sample split/packet			WHI
Split -150	130	Analysis sample split/packet			WHI
EN002	130	Environmental disposal charge-Fire assay lead waste			VAN
FS631	127	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	130	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	130	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000433.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2023665	Drill Core	2.77	435	0.164	0.18	0.41	36.50	1.51	58.67	74.39	157.0	833	10.6	9.3	410	1.94	8.7	3.4	111.5	6.8	14.9
2023666	Drill Core	2.21	367	0.054	0.05	<0.17	33.24	2.30	202.30	491.44	262.6	1490	10.1	7.8	447	3.09	2.2	3.5	50.2	8.0	23.8
2023667	Drill Core	3.07	426	0.025	0.02	<0.17	31.53	2.64	122.11	267.58	225.5	622	10.0	5.0	134	2.38	2.0	1.5	22.1	7.7	25.9
2023668	Drill Core	2.50	461	0.016	0.02	<0.17	29.76	2.46	100.30	162.15	273.9	579	17.5	11.3	900	2.38	3.9	1.8	8.8	7.9	19.5
2023669	Drill Core	3.30	387	0.018	0.02	<0.17	37.75	3.32	94.53	212.51	205.2	801	14.2	8.2	383	2.30	4.9	3.0	8.7	8.6	39.7
2023670	Drill Core	2.89	413	0.040	0.04	<0.17	32.86	1.53	72.29	41.14	176.8	435	11.4	8.0	423	2.20	9.2	4.8	30.7	10.0	15.8
2023671	Drill Core	1.15	478	0.052	0.05	<0.17	27.67	0.96	54.33	44.12	188.7	339	10.1	6.1	414	2.18	11.4	6.1	30.8	9.3	15.6
2023672	Drill Core	2.89	419	0.024	0.02	<0.17	36.55	2.56	41.48	90.61	167.2	468	10.8	4.6	203	2.20	23.9	2.6	14.4	8.1	14.6
2023673	Drill Core	1.78	418	0.281	0.27	<0.17	26.19	4.25	28.77	270.10	145.7	1720	5.7	1.8	127	2.13	29.9	2.5	109.0	5.8	54.3
2023674	Drill Core	2.15	503	0.282	0.27	<0.17	40.46	0.80	77.85	61.44	174.1	1923	7.5	3.5	152	2.38	69.1	1.9	219.4	6.9	24.3
2023675	Drill Core	3.17	452	0.076	0.07	<0.17	28.47	4.66	91.76	351.66	214.2	1442	6.5	3.1	203	2.77	66.4	3.6	63.3	6.0	24.4
2023676	Drill Core	4.01	470	0.056	0.05	<0.17	35.65	2.72	98.51	294.49	289.5	1026	11.1	6.0	321	3.10	13.9	4.7	53.3	6.8	9.9
2023677	Drill Core	3.27	501	0.016	0.01	<0.17	38.97	2.80	73.09	189.97	251.0	663	12.7	8.7	533	2.40	1.2	1.0	8.7	6.6	19.5
2023678	Drill Core	1.41	507	0.012	0.01	<0.17	36.03	0.38	26.29	7.93	135.6	125	17.2	12.2	751	2.02	1.5	1.2	6.0	9.3	16.4
2023679	Drill Core	1.41	491	0.014	0.01	<0.17	36.74	0.47	39.13	12.06	120.1	221	18.7	20.3	1220	2.14	1.2	2.8	5.0	9.4	12.2
2023680	Rock	0.22	153	0.006	<0.01	<0.17	28.48	0.49	1.52	1.29	3.2	9	1.3	0.6	77	0.59	0.4	0.2	1.0	1.2	1.7
2023681	Drill Core	2.69	394	0.050	0.05	<0.17	39.00	0.65	40.46	11.48	137.2	340	12.9	8.7	355	2.23	1.1	1.8	6.0	9.6	7.3
2023682	Drill Core	3.09	391	0.039	0.04	<0.17	31.32	1.79	36.39	40.24	135.5	351	6.4	3.1	202	2.40	8.7	2.9	24.0	8.7	10.9
2023683	Drill Core	3.94	457	0.016	0.02	<0.17	36.65	1.41	62.58	124.77	223.1	527	9.0	3.0	155	2.79	3.3	2.7	10.1	7.4	7.6
2023684	Drill Core	3.23	512	0.136	0.14	<0.17	36.60	2.72	71.83	306.37	223.6	1436	7.5	2.1	129	2.62	2.0	1.8	109.7	6.5	15.7
2023685	Drill Core	3.35	500	0.013	0.01	<0.17	32.11	1.89	47.57	94.38	207.6	517	7.6	1.7	162	2.56	0.8	1.3	6.3	6.2	9.4
2023686	Drill Core	2.52	367	0.011	0.01	<0.17	32.35	2.85	51.45	149.05	198.1	502	7.1	1.7	170	2.86	1.0	1.4	7.2	7.1	12.8
2023687	Drill Core	2.94	421	0.041	0.04	<0.17	36.02	3.56	82.98	404.16	221.7	971	6.9	1.9	209	2.62	1.0	1.3	21.0	6.0	25.2
2023688	Drill Core	2.59	492	0.024	0.02	<0.17	33.01	2.75	96.44	255.81	303.3	711	7.9	2.8	283	2.79	1.5	1.6	35.4	8.0	11.5
2023689	Drill Core	2.25	507	0.007	<0.01	<0.17	34.55	0.93	68.67	65.47	209.8	297	8.8	5.9	389	2.26	0.7	1.1	2.7	7.7	10.5
2023690	Drill Core	2.93	444	0.008	<0.01	<0.17	35.39	0.78	43.06	42.04	189.1	266	7.9	3.8	375	2.42	0.7	1.3	1.8	8.6	9.3
2023691	Drill Core	2.98	420	0.008	<0.01	<0.17	28.11	1.57	60.12	98.69	189.6	382	9.2	3.1	264	2.84	1.2	1.6	2.5	9.1	11.1
2023692	Drill Core	2.74	379	0.012	0.01	<0.17	41.99	1.66	63.71	129.66	223.5	974	7.9	1.9	247	3.01	1.9	2.7	5.9	6.5	12.9
2023693	Drill Core	1.92	424	0.016	0.01	<0.17	44.61	0.77	66.38	39.13	169.2	565	7.3	2.0	177	2.70	0.6	1.9	5.8	8.1	9.9
2023694	Drill Core	2.56	378	0.011	<0.01	<0.17	42.16	1.16	48.18	22.09	99.1	380	6.0	2.8	123	2.21	0.8	1.7	4.6	9.4	13.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000433.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023665	Drill Core	1.30	1.37	0.08	6	0.09	0.043	14.9	13.7	0.52	800.9	0.002	<1	0.68	0.010	0.16	1.2	1.1	0.05	<0.02	39			
2023666	Drill Core	1.74	1.40	0.11	9	0.08	0.058	15.9	34.3	0.49	670.7	0.003	<1	0.81	0.008	0.22	<0.1	2.0	0.07	0.04	74			
2023667	Drill Core	1.04	0.53	0.16	5	0.06	0.057	14.4	8.3	0.33	406.6	0.003	<1	0.56	0.027	0.21	<0.1	1.6	0.05	0.03	41			
2023668	Drill Core	2.46	0.56	0.13	6	0.12	0.063	12.2	9.2	0.56	497.3	0.003	<1	0.71	0.017	0.22	0.1	1.8	0.09	0.10	41			
2023669	Drill Core	0.75	0.79	0.18	7	0.09	0.057	14.3	10.8	0.88	1009.4	0.003	<1	1.05	0.016	0.24	0.1	1.5	0.08	0.08	23			
2023670	Drill Core	1.05	0.46	0.07	6	0.14	0.054	15.0	10.1	0.80	484.1	0.005	1	1.04	0.010	0.21	<0.1	1.5	0.07	<0.02	7			
2023671	Drill Core	1.28	0.65	0.05	6	0.17	0.057	14.6	9.3	0.75	692.3	0.005	1	1.03	0.008	0.23	0.2	1.4	0.08	<0.02	19			
2023672	Drill Core	0.74	0.48	0.09	6	0.18	0.057	8.3	9.9	0.75	217.2	0.004	<1	0.88	0.012	0.21	0.1	1.4	0.05	0.23	15			
2023673	Drill Core	0.47	0.69	0.15	6	0.06	0.046	11.3	10.0	0.63	325.5	0.009	<1	0.70	0.022	0.18	0.2	1.3	0.05	0.12	37			
2023674	Drill Core	0.42	2.19	0.02	7	0.09	0.066	10.3	10.6	0.84	176.2	0.016	<1	0.81	0.011	0.20	0.3	1.5	0.06	0.11	26			
2023675	Drill Core	0.47	4.46	0.10	9	0.11	0.064	9.7	17.0	1.07	195.6	0.013	<1	1.10	0.012	0.20	0.2	1.8	0.05	0.15	26			
2023676	Drill Core	0.53	1.25	0.15	9	0.08	0.078	10.2	17.8	1.08	347.9	0.005	1	1.28	0.013	0.19	0.9	1.9	0.06	0.10	18			
2023677	Drill Core	1.52	0.26	0.08	8	0.85	0.066	5.7	15.2	1.01	185.4	0.005	<1	1.08	0.013	0.19	0.1	1.9	0.05	0.84	16			
2023678	Drill Core	1.22	0.19	0.03	6	1.23	0.060	7.9	10.7	0.88	157.2	0.005	<1	0.97	0.010	0.19	<0.1	1.9	0.06	0.78	6			
2023679	Drill Core	1.80	0.21	0.03	6	0.53	0.049	9.8	10.2	0.80	229.3	0.008	<1	0.99	0.015	0.17	0.2	1.8	0.06	0.34	11			
2023680	Rock	0.02	0.04	<0.02	2	0.03	0.003	2.0	3.5	0.02	10.8	0.004	1	0.06	0.004	0.01	<0.1	0.3	<0.02	<0.02	<5			
2023681	Drill Core	0.33	0.27	0.02	7	0.10	0.056	13.7	11.9	0.89	263.3	0.007	<1	1.06	0.017	0.19	0.2	1.8	0.06	0.12	9			
2023682	Drill Core	0.22	0.47	0.04	7	0.04	0.051	16.6	13.0	0.71	193.3	0.012	<1	0.98	0.022	0.20	0.2	1.5	0.05	0.13	10			
2023683	Drill Core	0.21	0.34	0.08	9	0.04	0.061	12.3	18.5	0.97	170.9	0.014	<1	1.12	0.015	0.18	0.2	2.0	0.05	0.08	20			
2023684	Drill Core	0.16	0.51	0.09	8	0.03	0.061	9.7	15.1	0.89	608.2	0.011	<1	0.92	0.026	0.19	0.2	1.9	0.06	0.16	29			
2023685	Drill Core	0.14	0.35	0.08	9	0.04	0.065	9.9	15.7	1.09	217.6	0.007	<1	1.11	0.015	0.18	0.1	1.7	0.05	0.12	8			
2023686	Drill Core	0.17	0.34	0.09	9	0.03	0.068	9.9	16.2	1.04	247.2	0.007	1	1.08	0.019	0.20	0.2	1.8	0.06	0.16	16			
2023687	Drill Core	0.19	0.58	0.14	9	0.06	0.065	7.8	16.0	1.11	753.1	0.007	<1	1.08	0.012	0.17	0.3	1.9	0.05	0.16	10			
2023688	Drill Core	0.23	0.61	0.16	10	0.36	0.064	9.8	17.1	1.36	318.9	0.005	<1	1.42	0.014	0.17	0.4	2.0	0.07	0.43	16			
2023689	Drill Core	1.23	0.30	0.03	8	1.14	0.055	5.3	15.3	1.08	130.3	0.008	<1	1.13	0.019	0.16	0.1	1.8	0.05	1.34	13			
2023690	Drill Core	0.52	0.22	0.03	9	0.55	0.056	7.4	16.6	1.21	153.9	0.008	<1	1.28	0.037	0.22	0.2	1.8	0.05	0.78	13			
2023691	Drill Core	0.15	0.52	0.08	9	0.10	0.062	11.2	15.3	1.32	197.2	0.010	<1	1.28	0.022	0.18	0.2	1.7	0.06	0.25	8			
2023692	Drill Core	0.18	0.44	0.05	11	0.03	0.065	13.1	21.1	1.35	165.4	0.025	<1	1.31	0.016	0.23	0.3	2.0	0.06	0.18	10			
2023693	Drill Core	0.11	0.23	0.12	8	0.04	0.065	17.9	15.4	0.93	224.1	0.020	<1	1.04	0.015	0.23	0.3	1.6	0.07	0.16	28			
2023694	Drill Core	0.12	0.18	0.06	6	0.04	0.049	17.1	9.1	0.56	277.4	0.011	<1	0.76	0.033	0.23	0.4	1.5	0.06	0.21	<5			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 2 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000433.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2023665	Drill Core	<0.1	0.10	1.6	0.26	<0.1	0.13	<0.02	6.3	0.2	<0.05	6.4	4.35	27.1	<0.02	<1	0.2	6.9	<10	<2
2023666	Drill Core	<0.1	0.04	2.1	0.51	<0.1	0.20	0.03	8.1	0.3	<0.05	9.3	4.34	30.0	0.02	<1	0.2	6.5	<10	<2
2023667	Drill Core	0.3	0.04	1.4	0.32	<0.1	0.23	<0.02	8.0	0.2	<0.05	10.5	3.72	26.3	<0.02	<1	0.1	4.1	<10	<2
2023668	Drill Core	0.2	0.03	1.6	0.54	<0.1	0.22	<0.02	8.5	0.3	<0.05	10.6	4.31	23.6	<0.02	<1	0.1	7.5	<10	<2
2023669	Drill Core	<0.1	0.03	2.3	0.31	<0.1	0.32	<0.02	8.6	0.2	<0.05	14.2	3.47	26.3	<0.02	<1	0.2	12.5	<10	<2
2023670	Drill Core	<0.1	<0.02	2.5	0.42	<0.1	0.30	<0.02	8.6	0.2	<0.05	15.8	5.31	27.1	<0.02	<1	<0.1	11.1	<10	<2
2023671	Drill Core	<0.1	0.02	2.1	0.56	<0.1	0.28	<0.02	10.0	0.2	<0.05	13.3	5.22	26.1	<0.02	<1	0.2	10.3	11	<2
2023672	Drill Core	<0.1	0.03	2.0	0.25	<0.1	0.19	<0.02	7.4	0.2	<0.05	8.9	3.77	14.8	<0.02	<1	<0.1	9.0	<10	<2
2023673	Drill Core	0.2	0.43	1.9	0.17	<0.1	0.21	0.05	6.6	0.2	<0.05	8.4	2.37	20.9	<0.02	<1	<0.1	7.5	<10	<2
2023674	Drill Core	0.2	0.47	2.1	0.21	<0.1	0.18	0.07	7.2	0.2	<0.05	7.2	3.42	19.0	<0.02	<1	0.1	8.8	<10	<2
2023675	Drill Core	0.3	0.14	2.9	0.30	<0.1	0.20	0.06	7.0	0.2	<0.05	9.1	3.94	17.9	<0.02	<1	<0.1	13.9	<10	<2
2023676	Drill Core	0.1	0.06	3.0	0.41	<0.1	0.16	0.02	7.4	0.1	<0.05	8.1	3.91	18.8	<0.02	<1	<0.1	15.7	<10	<2
2023677	Drill Core	0.3	<0.02	2.5	0.29	<0.1	0.14	0.09	7.0	0.2	<0.05	6.7	3.44	11.0	<0.02	<1	0.1	13.9	<10	<2
2023678	Drill Core	0.2	<0.02	2.1	0.27	<0.1	0.20	0.03	7.5	0.2	<0.05	8.4	5.91	14.6	<0.02	<1	0.1	11.2	19	<2
2023679	Drill Core	0.1	<0.02	2.2	0.30	<0.1	0.40	0.04	7.3	0.3	<0.05	9.2	6.81	18.2	<0.02	1	0.2	13.1	29	<2
2023680	Rock	<0.1	<0.02	0.3	0.08	<0.1	0.11	0.08	0.8	<0.1	<0.05	2.4	1.01	3.8	<0.02	<1	<0.1	1.1	<10	<2
2023681	Drill Core	<0.1	<0.02	2.8	0.26	<0.1	0.21	0.03	7.7	0.3	<0.05	9.3	2.91	25.5	<0.02	<1	0.3	13.7	<10	<2
2023682	Drill Core	<0.1	0.05	2.6	0.36	<0.1	0.18	0.05	7.4	0.2	<0.05	9.1	3.32	30.2	<0.02	<1	<0.1	10.0	<10	<2
2023683	Drill Core	0.1	0.03	2.9	0.30	<0.1	0.18	0.12	6.5	0.2	<0.05	8.0	2.73	21.5	<0.02	<1	0.2	12.2	<10	<2
2023684	Drill Core	0.5	0.18	2.4	0.23	<0.1	0.19	0.06	6.4	0.3	<0.05	9.2	2.21	17.9	<0.02	<1	0.4	10.0	<10	<2
2023685	Drill Core	0.2	0.03	2.8	0.31	<0.1	0.16	0.03	6.7	0.2	<0.05	7.4	1.72	17.6	<0.02	<1	0.1	13.2	<10	<2
2023686	Drill Core	0.2	0.02	2.8	0.32	<0.1	0.19	0.08	7.4	0.2	<0.05	10.0	1.82	18.7	<0.02	<1	0.1	12.9	<10	<2
2023687	Drill Core	0.5	0.02	2.7	0.19	<0.1	0.14	<0.02	6.0	0.2	<0.05	6.6	1.76	14.2	<0.02	1	<0.1	12.4	<10	<2
2023688	Drill Core	0.1	0.03	3.3	0.45	<0.1	0.23	<0.02	6.5	0.2	<0.05	9.3	2.43	18.2	<0.02	1	0.2	16.9	<10	<2
2023689	Drill Core	0.2	<0.02	2.6	0.20	<0.1	0.15	0.08	6.7	0.2	<0.05	5.9	2.93	9.7	<0.02	<1	0.2	13.8	<10	2
2023690	Drill Core	0.2	<0.02	3.4	0.21	<0.1	0.15	0.05	7.5	0.2	<0.05	7.6	2.15	13.8	<0.02	<1	<0.1	14.7	16	<2
2023691	Drill Core	0.2	<0.02	3.2	0.19	<0.1	0.35	0.08	6.6	0.3	<0.05	12.3	2.25	20.6	<0.02	<1	0.2	15.7	<10	<2
2023692	Drill Core	0.3	<0.02	3.4	0.23	<0.1	0.17	0.07	8.1	0.2	<0.05	8.7	2.11	24.4	<0.02	<1	0.2	17.5	<10	<2
2023693	Drill Core	0.3	<0.02	2.6	0.28	<0.1	0.15	0.07	8.9	0.3	<0.05	6.7	1.91	33.3	<0.02	<1	<0.1	11.0	15	<2
2023694	Drill Core	<0.1	<0.02	2.1	0.26	<0.1	0.19	0.06	8.8	0.3	<0.05	6.5	2.05	31.5	<0.02	1	<0.1	7.3	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000433.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2023695	Drill Core	2.43	416	0.078	0.08	<0.17	30.79	0.49	29.56	6.07	70.1	297	4.7	1.3	112	2.04	0.8	2.0	47.8	7.7	16.2
2023696	Drill Core	2.61	376	0.011	<0.01	<0.17	36.34	0.81	55.30	15.13	162.1	283	14.7	3.2	283	3.32	1.0	3.4	6.6	6.8	16.5
2023697	Drill Core	3.32	499	0.022	0.04	0.34	35.75	0.60	56.48	15.19	130.4	380	8.7	2.3	186	2.41	1.4	2.7	17.5	7.2	7.5
2023698	Drill Core	2.86	457	0.012	0.01	<0.17	30.86	0.36	55.61	7.98	102.0	368	7.0	2.7	148	2.46	1.0	1.5	3.6	8.4	8.0
2023699	Drill Core	3.16	433	0.014	0.01	<0.17	37.39	0.48	72.52	13.84	132.4	484	7.6	3.6	174	2.69	1.6	2.2	8.0	8.9	12.4
2023700	Rock Pulp	0.12	76	7.291				8.85	183.98	18.89	75.6	810	12.2	10.3	520	4.15	13.1	0.9	7255.9	3.1	58.0
2023701	Drill Core	2.66	426	0.014	0.01	<0.17	36.05	3.55	47.46	133.96	149.8	962	5.3	2.3	159	2.61	2.1	2.9	12.9	9.0	43.1
2023702	Drill Core	2.89	409	0.012	0.01	<0.17	33.85	2.65	35.67	173.15	102.9	776	3.2	1.3	113	2.28	1.5	2.3	6.0	8.2	46.9
2023703	Drill Core	2.82	431	0.011	<0.01	<0.17	32.99	0.57	22.92	15.39	92.1	355	3.0	0.9	122	1.85	6.3	2.1	4.0	8.6	38.8
2023704	Drill Core	3.02	486	0.013	0.01	<0.17	38.35	0.38	18.26	4.37	37.5	176	1.9	0.8	133	1.35	21.4	2.2	5.5	11.4	31.4
2023705	Drill Core	4.52	447	0.036	0.03	<0.17	40.92	0.74	26.92	22.94	46.4	697	2.4	1.6	115	1.54	26.1	3.1	34.9	9.7	28.2
2023706	Drill Core	2.52	436	0.040	0.04	<0.17	36.89	0.38	18.69	8.16	38.8	236	1.6	1.0	100	1.51	8.2	2.7	36.1	9.8	33.1
2023707	Drill Core	3.67	361	0.087	0.08	<0.17	28.84	1.73	35.43	198.57	35.2	836	1.4	1.0	81	1.67	1.8	2.2	66.2	8.6	73.5
2023708	Drill Core	3.78	379	0.028	0.03	<0.17	26.56	1.47	29.35	15.38	92.9	224	7.5	4.6	157	1.99	1.7	3.6	37.2	8.6	85.8
2023709	Drill Core	2.81	456	0.342	0.39	1.01	35.62	1.60	65.60	30.11	123.7	2922	9.0	5.0	188	2.92	4.7	4.0	499.4	6.3	70.7
2023710	Drill Core	3.80	382	0.131	0.16	0.64	24.97	1.32	32.31	35.62	79.6	967	4.4	4.8	199	1.58	3.6	3.1	121.0	9.5	94.8
2023711	Drill Core	3.38	351	0.075	0.07	<0.17	24.76	1.35	13.13	32.97	52.9	439	10.4	11.8	1323	1.28	1.6	1.7	82.5	9.2	40.2
2023712	Drill Core	2.82	479	0.020	0.02	<0.17	30.42	0.56	9.59	4.27	69.0	100	11.0	13.1	739	1.29	8.4	2.7	7.7	11.6	52.9
2023713	Drill Core	3.67	394	0.021	0.02	<0.17	29.30	1.23	7.96	17.05	73.8	220	6.1	6.9	377	1.29	4.7	3.2	14.6	10.4	65.5
2023714	Drill Core	3.08	520	0.028	0.03	<0.17	34.12	0.37	37.08	25.06	160.5	290	8.2	6.7	361	1.48	1.1	2.1	16.6	11.9	17.5
2023715	Drill Core	2.65	445	0.019	0.02	<0.17	42.54	2.20	30.60	76.91	61.1	534	6.8	5.0	264	1.64	2.4	1.6	11.1	9.1	32.0
2023716	Drill Core	2.92	513	0.037	0.03	<0.17	36.69	0.62	16.64	9.37	21.3	297	5.8	4.8	181	1.47	2.2	2.7	32.2	11.6	41.5
2023717	Drill Core	3.00	436	0.018	0.02	<0.17	30.92	0.72	21.41	4.74	66.1	268	14.2	12.9	549	2.11	1.7	1.3	16.7	7.7	40.2
2023718	Drill Core	3.12	398	0.019	0.02	<0.17	35.47	2.75	22.54	50.28	93.1	449	23.5	15.4	543	3.10	2.0	1.5	12.6	5.8	20.4
2023719	Drill Core	2.93	406	0.032	0.03	<0.17	37.30	1.93	12.88	19.72	60.6	266	10.5	5.8	238	1.79	33.9	4.4	20.8	8.9	40.0
2023720	Rock Pulp	0.12	76					2.38	415.24	19.16	48.1	276	577.8	25.9	416	2.40	19.2	0.6	521.3	1.9	49.2
2023721	Drill Core	3.32	417	0.026	0.02	<0.17	41.89	0.25	12.35	1.88	39.8	114	8.2	5.8	165	0.92	31.9	4.4	28.8	10.9	15.0
2023722	Drill Core	3.11	370	0.165	0.20	0.49	36.78	3.30	35.55	72.05	170.9	633	26.1	17.3	399	2.65	11.2	9.7	224.6	8.8	36.9
2023723	Drill Core	2.89	447	0.131	0.12	<0.17	29.23	0.70	11.84	8.14	55.3	160	5.9	4.6	148	1.11	4.0	3.4	104.2	9.9	42.6
2023724	Drill Core	3.36	367	0.093	0.09	<0.17	39.13	0.49	18.80	4.97	82.0	566	11.6	9.7	332	1.54	2.4	3.0	55.4	9.3	32.0



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000433.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023695	Drill Core	0.07	0.18	0.04	6	0.04	0.052	11.1	17.8	0.67	314.9	0.008	<1	0.73	0.024	0.19	0.2	1.2	0.05	0.16	<5			
2023696	Drill Core	0.11	0.22	0.03	19	0.06	0.069	8.4	97.0	2.10	247.4	0.010	<1	2.01	0.011	0.16	0.2	2.7	0.03	0.08	<5			
2023697	Drill Core	0.11	0.24	<0.02	9	0.07	0.063	11.8	25.3	1.10	102.8	0.005	<1	1.09	0.009	0.16	0.2	1.7	0.03	0.06	7			
2023698	Drill Core	0.09	0.19	<0.02	8	0.07	0.075	10.9	14.4	0.89	118.8	0.004	<1	0.91	0.010	0.20	0.2	1.6	0.05	0.14	7			
2023699	Drill Core	0.13	0.23	<0.02	8	0.09	0.073	10.5	14.0	1.02	116.9	0.003	<1	1.00	0.009	0.20	0.3	1.9	0.05	0.14	8			
2023700	Rock Pulp	0.18	4.48	0.51	94	0.80	0.064	7.1	17.7	0.79	117.8	0.102	1	1.55	0.154	0.21	3.6	3.0	0.06	<0.02	185			
2023701	Drill Core	0.21	0.37	0.07	7	0.08	0.069	9.8	13.3	1.07	118.2	0.002	<1	0.94	0.012	0.20	2.7	1.6	0.06	0.16	<5			
2023702	Drill Core	0.10	1.08	0.18	5	0.04	0.054	8.6	13.6	0.65	745.1	0.002	<1	0.63	0.015	0.20	0.5	1.2	0.05	0.18	6			
2023703	Drill Core	0.10	0.62	0.06	5	0.04	0.048	10.7	15.2	0.68	318.1	0.002	<1	0.63	0.029	0.18	0.2	1.2	0.05	0.14	<5			
2023704	Drill Core	0.06	0.39	0.08	3	0.04	0.037	10.7	7.5	0.63	697.7	0.002	<1	0.61	0.015	0.18	0.1	1.0	0.05	0.09	<5			
2023705	Drill Core	0.08	0.38	0.08	5	0.07	0.044	13.0	7.5	0.46	521.6	0.002	<1	0.55	0.011	0.21	0.8	1.2	0.06	0.06	11			
2023706	Drill Core	0.04	0.29	0.03	5	0.10	0.060	15.3	6.7	0.43	453.7	0.002	<1	0.54	0.014	0.26	0.2	1.6	0.08	0.08	6			
2023707	Drill Core	0.06	1.08	0.16	4	0.06	0.043	12.2	7.2	0.27	982.7	0.002	<1	0.40	0.014	0.22	0.1	1.2	0.07	0.12	33			
2023708	Drill Core	0.13	0.50	0.06	7	0.14	0.058	9.2	34.7	0.80	1218.6	0.003	<1	0.84	0.015	0.21	0.1	1.6	0.09	0.12	<5			
2023709	Drill Core	0.46	1.17	0.09	8	0.17	0.071	7.5	50.5	0.89	709.2	0.005	<1	0.76	0.016	0.21	0.1	1.8	0.12	0.17	10			
2023710	Drill Core	0.38	0.49	0.17	5	0.11	0.038	11.5	12.6	0.54	1503.2	0.003	<1	0.62	0.018	0.19	0.2	1.2	0.09	0.10	<5			
2023711	Drill Core	1.39	0.32	0.17	2	0.20	0.039	8.0	4.4	0.39	265.7	0.002	<1	0.47	0.012	0.19	0.2	0.8	0.06	0.59	<5			
2023712	Drill Core	0.73	0.28	0.03	3	0.11	0.039	7.3	4.8	0.68	608.7	0.002	<1	0.64	0.012	0.17	<0.1	0.9	0.07	0.28	<5			
2023713	Drill Core	1.07	0.22	0.08	3	0.09	0.035	9.3	5.8	0.51	598.1	0.006	<1	0.52	0.018	0.17	0.1	0.8	0.06	0.29	<5			
2023714	Drill Core	0.58	0.31	0.03	3	0.14	0.049	9.6	6.5	0.77	268.1	0.003	<1	0.75	0.011	0.19	<0.1	0.9	0.06	0.61	<5			
2023715	Drill Core	0.27	0.31	0.19	3	0.10	0.051	7.7	5.4	0.25	196.6	0.002	<1	0.40	0.017	0.22	0.1	0.9	0.06	0.86	15			
2023716	Drill Core	0.22	0.25	0.05	3	0.08	0.048	10.7	5.1	0.20	155.2	0.009	<1	0.38	0.024	0.21	0.2	0.9	0.06	0.91	<5			
2023717	Drill Core	0.25	0.22	0.03	12	0.48	0.068	6.6	69.3	1.37	251.0	0.007	<1	1.16	0.016	0.19	0.1	2.0	0.06	0.74	<5			
2023718	Drill Core	0.13	0.34	0.07	22	0.25	0.079	5.3	142.3	3.19	180.2	0.008	<1	2.42	0.005	0.14	<0.1	2.8	0.03	0.94	<5			
2023719	Drill Core	0.14	0.34	0.04	8	0.13	0.053	9.5	30.8	1.60	194.3	0.002	<1	1.32	0.008	0.17	0.1	1.4	0.04	0.10	<5			
2023720	Rock Pulp	0.20	0.38	0.29	46	1.15	0.030	3.9	91.9	1.67	76.0	0.063	1	1.83	0.173	0.13	1.3	2.7	0.09	0.19	21			
2023721	Drill Core	0.10	0.17	<0.02	4	0.09	0.035	14.7	6.3	0.55	232.6	0.004	<1	0.69	0.013	0.23	0.1	1.1	0.05	0.13	<5			
2023722	Drill Core	0.23	0.65	0.08	18	0.25	0.067	11.4	84.7	1.98	510.7	0.007	<1	1.70	0.008	0.19	0.3	2.6	0.06	0.21	17			
2023723	Drill Core	0.09	0.20	<0.02	4	0.11	0.037	14.2	6.9	0.61	912.4	0.005	<1	0.66	0.013	0.20	0.5	0.9	0.06	0.15	<5			
2023724	Drill Core	0.25	0.20	0.02	6	0.33	0.052	9.2	20.2	0.92	402.5	0.002	<1	0.86	0.013	0.20	2.4	1.2	0.05	0.42	<5			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 3 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000433.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2023695	Drill Core	0.2	0.07	2.2	0.28	<0.1	0.18	0.04	7.4	0.2	<0.05	9.8	1.56	22.0	<0.02	<1	0.2	7.5	<10
2023696	Drill Core	0.3	<0.02	4.6	0.34	<0.1	0.18	<0.02	6.3	0.1	<0.05	10.5	2.08	16.8	<0.02	<1	0.2	23.3	<10
2023697	Drill Core	0.2	<0.02	2.6	0.31	<0.1	0.11	0.02	6.3	<0.1	<0.05	6.8	2.41	24.0	<0.02	<1	0.2	14.3	<10
2023698	Drill Core	0.2	<0.02	2.4	0.32	<0.1	0.14	<0.02	8.0	0.2	<0.05	6.4	2.24	20.9	<0.02	<1	0.2	9.9	<10
2023699	Drill Core	0.4	<0.02	2.5	0.74	<0.1	0.12	<0.02	8.2	0.2	<0.05	7.2	2.70	20.5	<0.02	<1	0.2	13.4	<10
2023700	Rock Pulp	<0.1	0.16	4.8	0.70	<0.1	0.08	0.15	8.4	1.5	<0.05	0.2	4.94	14.5	0.04	<1	0.1	6.2	<10
2023701	Drill Core	0.3	<0.02	2.5	1.31	<0.1	0.24	<0.02	8.9	0.2	<0.05	12.5	2.30	19.4	<0.02	<1	0.2	14.7	<10
2023702	Drill Core	0.3	<0.02	2.0	0.67	<0.1	0.26	<0.02	8.4	0.3	<0.05	14.1	1.63	17.1	<0.02	<1	0.2	8.0	<10
2023703	Drill Core	0.2	<0.02	2.1	0.71	<0.1	0.24	<0.02	7.0	0.2	<0.05	11.8	1.57	20.3	<0.02	<1	0.1	6.8	<10
2023704	Drill Core	0.1	<0.02	2.4	0.94	<0.1	0.28	<0.02	7.6	0.2	<0.05	11.1	1.51	19.6	<0.02	<1	0.2	8.1	<10
2023705	Drill Core	0.3	0.04	1.8	1.52	<0.1	0.21	<0.02	9.1	0.2	<0.05	10.1	1.91	25.0	<0.02	<1	0.2	6.3	<10
2023706	Drill Core	0.3	0.04	1.6	1.31	<0.1	0.20	<0.02	10.8	0.2	<0.05	9.2	1.95	29.3	<0.02	<1	0.2	5.7	<10
2023707	Drill Core	0.7	0.11	1.3	1.65	<0.1	0.28	<0.02	10.0	0.4	<0.05	10.8	1.18	22.9	<0.02	<1	0.2	3.7	<10
2023708	Drill Core	0.3	0.02	2.2	0.85	<0.1	0.33	<0.02	9.6	<0.1	<0.05	14.3	1.84	17.2	<0.02	<1	0.2	9.3	<10
2023709	Drill Core	0.5	0.64	1.9	0.82	<0.1	0.32	<0.02	11.3	0.1	<0.05	15.6	2.60	14.5	<0.02	<1	0.2	8.2	<10
2023710	Drill Core	0.3	0.26	1.6	0.39	<0.1	0.34	<0.02	7.7	0.2	<0.05	14.2	3.14	21.9	<0.02	<1	0.2	8.1	<10
2023711	Drill Core	<0.1	0.09	1.0	0.30	<0.1	0.31	<0.02	7.4	0.2	<0.05	11.0	6.00	15.4	<0.02	<1	0.2	5.8	<10
2023712	Drill Core	<0.1	<0.02	1.6	0.25	<0.1	0.36	<0.02	6.5	0.2	<0.05	13.6	5.28	14.3	<0.02	<1	0.2	8.4	<10
2023713	Drill Core	0.1	0.02	1.5	0.23	<0.1	0.38	0.03	6.7	<0.1	<0.05	14.1	4.60	17.7	<0.02	<1	0.2	6.0	<10
2023714	Drill Core	0.3	<0.02	1.9	0.24	<0.1	0.44	<0.02	7.8	<0.1	<0.05	16.5	4.19	17.9	<0.02	<1	0.2	7.7	<10
2023715	Drill Core	0.5	<0.02	1.2	0.25	<0.1	0.31	<0.02	9.1	<0.1	<0.05	15.0	2.79	14.9	<0.02	<1	0.2	3.4	<10
2023716	Drill Core	0.3	0.04	1.1	0.21	<0.1	0.28	0.08	8.4	0.1	<0.05	11.7	3.52	20.5	<0.02	<1	0.2	3.3	<10
2023717	Drill Core	0.5	<0.02	3.0	0.22	<0.1	0.35	<0.02	7.6	<0.1	<0.05	16.4	4.16	12.8	<0.02	<1	0.2	12.4	<10
2023718	Drill Core	0.8	0.04	5.9	0.12	<0.1	0.37	<0.02	5.0	<0.1	<0.05	19.4	3.19	10.3	<0.02	2	0.2	26.4	<10
2023719	Drill Core	0.3	0.06	3.4	0.53	<0.1	0.36	<0.02	7.0	0.2	<0.05	15.6	2.68	18.9	<0.02	<1	0.2	19.9	<10
2023720	Rock Pulp	0.6	0.16	3.7	0.60	<0.1	0.06	0.05	6.1	0.3	<0.05	0.5	2.87	7.8	<0.02	3	0.1	7.2	267
2023721	Drill Core	<0.1	<0.02	2.1	0.40	<0.1	0.28	<0.02	9.0	0.1	<0.05	9.6	6.01	28.2	<0.02	<1	0.2	8.6	<10
2023722	Drill Core	0.7	0.07	4.7	1.39	<0.1	0.37	<0.02	8.7	0.2	<0.05	16.8	4.93	21.8	<0.02	<1	0.3	27.0	<10
2023723	Drill Core	<0.1	<0.02	2.0	0.53	<0.1	0.28	0.02	8.4	0.1	<0.05	13.6	2.95	26.4	<0.02	<1	0.1	8.5	<10
2023724	Drill Core	0.2	0.02	2.0	0.40	<0.1	0.24	<0.02	8.7	<0.1	<0.05	10.5	4.97	17.5	<0.02	<1	0.2	10.9	<10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000433.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2023725	Drill Core	3.27	383	0.287	0.32	0.62	37.33	0.49	16.48	2.82	46.7	284	11.6	7.5	378	1.40	1.0	2.0	421.3	9.2	25.2
2023726	Drill Core	2.63	379	0.038	0.03	<0.17	31.64	0.57	9.84	9.82	52.9	186	5.5	4.4	229	1.37	0.8	3.9	20.0	11.0	32.9
2023727	Drill Core	2.67	432	0.009	<0.01	<0.17	30.17	2.29	7.23	44.82	69.5	266	8.0	8.9	472	1.37	0.7	3.5	6.1	10.8	29.7
2023728	Drill Core	3.42	336	0.009	<0.01	<0.17	33.04	1.67	10.30	22.51	49.6	309	6.3	5.7	371	1.33	0.7	2.6	4.4	9.8	50.4
2023729	Drill Core	2.97	394	0.012	0.01	<0.17	36.03	1.24	19.23	31.86	108.1	337	17.4	14.2	710	2.43	1.8	1.1	13.2	6.4	37.8
2023730	Drill Core	2.93	433	0.024	0.02	<0.17	29.28	1.85	28.23	27.86	89.0	447	21.1	20.8	648	2.60	2.2	1.4	15.3	4.1	32.2
2023731	Drill Core	3.06	478	0.024	0.02	<0.17	37.24	0.94	15.04	12.66	54.8	226	9.6	9.6	379	1.51	0.8	2.1	33.6	6.5	32.5
2023732	Drill Core	2.80	435	0.031	0.03	<0.17	34.78	0.34	15.10	7.91	35.0	192	6.7	8.0	174	1.14	0.7	4.2	33.1	9.4	42.9
2023733	Drill Core	3.02	444	0.012	0.01	<0.17	39.18	0.92	13.00	5.10	31.9	123	7.5	8.4	310	1.27	0.7	1.8	5.0	9.1	48.1
2023734	Drill Core	3.89	462	0.020	0.02	<0.17	38.96	2.68	11.11	17.68	68.6	179	6.8	7.6	457	1.76	2.2	1.1	9.5	7.6	37.5
2023735	Drill Core	3.10	409	0.012	0.01	<0.17	30.15	0.27	15.54	4.14	81.5	189	4.6	5.2	246	1.36	3.6	1.3	5.5	9.3	23.5
2023736	Drill Core	2.77	369	0.030	0.03	<0.17	26.32	0.31	58.26	11.84	96.4	897	5.2	5.3	241	1.41	9.6	1.6	19.3	9.4	22.1
2023737	Drill Core	2.94	449	0.213	0.20	<0.17	43.90	2.30	57.23	44.23	67.7	704	3.1	3.4	259	1.18	8.4	2.2	91.8	11.0	29.8
2023738	Drill Core	2.46	385	0.030	0.03	<0.17	40.05	2.21	5.03	42.38	41.3	202	2.5	2.7	268	0.98	1.7	4.3	11.7	10.2	27.7
2023739	Drill Core	3.75	475	0.013	0.01	<0.17	36.63	1.41	5.44	3.62	49.5	134	4.3	5.2	318	1.24	3.7	1.0	4.9	8.9	30.4
2023740	Rock Pulp	0.12	63	<0.005				4.41	23.38	0.98	30.3	15	7.3	4.7	600	2.36	1.4	0.4	0.7	2.2	28.8
2023741	Drill Core	3.84	484	0.049	0.05	<0.17	37.76	0.41	64.97	14.54	51.8	2003	4.3	4.6	285	1.17	41.5	1.2	31.8	8.1	93.2
2023742	Drill Core	2.61	374	0.024	0.02	<0.17	33.34	0.36	7.55	4.55	28.6	472	3.9	4.2	268	1.08	11.8	2.4	16.4	8.2	35.8
2023743	Drill Core	2.13	484	0.060	0.07	<0.17	32.78	0.22	7.04	7.51	19.2	864	4.0	4.8	211	0.98	10.7	1.4	40.3	8.1	58.7
2023744	Drill Core	3.22	474	0.021	0.02	<0.17	24.69	0.39	13.10	8.96	17.4	716	4.4	5.5	213	1.17	15.5	4.1	17.6	8.3	113.8
2023745	Drill Core	3.44	375	0.140	0.14	<0.17	28.80	0.25	10.40	3.85	14.9	1362	5.1	4.9	140	1.29	20.3	3.8	108.4	9.2	59.5
2023746	Drill Core	1.54	451	0.019	0.02	<0.17	40.14	0.22	5.78	2.14	17.9	192	3.7	3.9	193	0.73	21.7	3.1	13.6	8.0	51.9
2023747	Drill Core	2.23	526	0.036	0.03	<0.17	33.46	0.21	10.14	4.04	24.5	251	4.0	5.7	289	1.04	32.3	1.4	22.5	9.1	68.5
2023748	Drill Core	1.51	435	0.046	0.04	<0.17	32.40	0.25	9.00	3.66	21.6	424	4.7	4.6	236	1.17	18.7	1.1	38.8	8.5	55.8
2023749	Drill Core	1.59	462	0.022	0.02	<0.17	34.22	1.52	6.54	135.17	19.1	1048	2.0	2.2	335	0.91	7.2	1.0	17.3	9.4	53.0
2023750	Drill Core	1.89	423	0.131	0.13	<0.17	41.62	2.53	3.39	20.34	26.0	906	1.8	1.9	223	0.89	7.1	1.1	111.2	11.2	26.4
2023751	Drill Core	2.13	468	0.044	0.04	<0.17	33.36	0.33	9.75	4.93	43.1	242	4.7	5.1	266	1.17	4.5	1.2	39.0	11.0	41.7
2023752	Drill Core	3.42	372	0.158	0.16	<0.17	36.02	0.37	16.06	18.30	37.4	1622	5.1	4.9	468	1.30	18.9	2.0	168.5	10.4	43.0
2023753	Drill Core	2.19	463	0.014	0.01	<0.17	38.80	0.21	6.92	5.51	18.5	259	4.8	6.5	220	1.15	8.6	3.2	8.2	9.8	27.5
2023754	Drill Core	1.66	455	0.028	0.03	<0.17	37.56	0.65	11.59	12.60	30.3	389	7.5	8.2	92	1.37	22.9	6.0	22.2	10.4	21.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000433.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023725	Drill Core	0.27	0.12	0.07	4	0.55	0.053	7.2	5.6	0.55	221.5	0.002	<1	0.58	0.008	0.23	0.3	0.8	0.07	0.75	<5			
2023726	Drill Core	0.22	0.12	0.11	3	0.20	0.040	11.4	5.1	0.66	330.5	0.002	<1	0.65	0.012	0.19	0.2	0.9	0.07	0.41	<5			
2023727	Drill Core	0.28	0.33	0.24	3	0.34	0.035	9.4	6.5	0.92	227.3	0.002	<1	0.78	0.015	0.15	<0.1	0.9	0.05	0.71	<5			
2023728	Drill Core	0.30	0.26	0.16	3	0.44	0.036	9.8	7.0	0.50	297.3	0.002	<1	0.58	0.018	0.21	0.3	1.1	0.05	0.47	<5			
2023729	Drill Core	0.36	0.12	0.08	18	0.93	0.077	3.8	102.4	2.05	164.4	0.003	<1	1.61	0.016	0.17	<0.1	2.4	0.04	0.90	<5			
2023730	Drill Core	0.31	0.14	0.07	20	0.68	0.071	4.4	116.0	2.36	156.0	0.004	<1	1.82	0.015	0.17	<0.1	3.6	0.04	0.95	<5			
2023731	Drill Core	0.34	0.17	<0.02	7	0.35	0.041	6.0	34.9	1.11	229.9	0.002	<1	0.96	0.017	0.18	0.1	1.4	0.04	0.49	<5			
2023732	Drill Core	0.17	0.18	<0.02	3	0.27	0.037	8.8	5.1	0.48	280.2	0.002	<1	0.57	0.019	0.21	0.1	1.1	0.05	0.52	<5			
2023733	Drill Core	0.12	0.16	<0.02	3	0.46	0.032	7.8	6.0	0.70	242.4	0.002	<1	0.75	0.030	0.24	0.1	1.3	0.05	0.53	<5			
2023734	Drill Core	0.17	0.17	0.11	6	0.56	0.031	6.1	9.5	1.56	241.4	0.002	<1	1.31	0.006	0.22	0.1	1.7	0.05	0.57	<5			
2023735	Drill Core	0.23	0.22	<0.02	3	0.42	0.032	7.8	4.8	0.80	234.8	0.002	2	0.81	0.021	0.25	<0.1	1.2	0.06	0.63	<5			
2023736	Drill Core	0.33	0.51	0.03	3	0.30	0.034	14.5	5.3	0.86	221.5	0.002	<1	0.79	0.010	0.24	0.2	1.2	0.05	0.77	<5			
2023737	Drill Core	0.16	0.55	0.16	2	0.46	0.018	11.1	4.0	0.92	212.2	0.002	<1	0.78	0.006	0.24	0.1	1.4	0.07	0.59	6			
2023738	Drill Core	0.08	0.30	0.17	<1	0.41	0.012	10.0	2.6	0.81	315.9	0.001	<1	0.72	0.005	0.23	0.1	0.9	0.05	0.41	<5			
2023739	Drill Core	0.05	0.24	0.02	2	0.52	0.024	9.3	4.3	1.24	329.3	0.002	<1	1.02	0.005	0.24	0.2	1.3	0.05	0.43	<5			
2023740	Rock Pulp	<0.01	0.16	<0.02	22	0.76	0.036	5.4	15.8	0.47	59.0	0.083	3	1.04	0.087	0.09	0.3	3.8	<0.02	0.05	<5			
2023741	Drill Core	0.30	2.20	0.07	2	1.07	0.022	7.9	4.6	0.89	205.2	0.001	<1	0.61	0.006	0.20	0.6	1.0	0.05	0.78	7			
2023742	Drill Core	0.21	0.77	<0.02	2	0.65	0.022	6.5	2.7	0.60	174.5	0.001	<1	0.39	0.015	0.17	0.2	0.8	0.03	0.77	<5			
2023743	Drill Core	0.07	0.63	<0.02	2	0.69	0.015	6.4	3.6	0.54	256.3	0.002	<1	0.40	0.007	0.17	<0.1	0.7	0.03	0.68	<5			
2023744	Drill Core	0.08	0.86	0.03	2	0.71	0.025	5.7	3.7	0.48	162.7	0.002	<1	0.40	0.009	0.18	<0.1	0.7	0.04	0.87	6			
2023745	Drill Core	0.06	0.49	<0.02	2	0.60	0.026	5.7	3.1	0.42	126.9	0.002	<1	0.44	0.018	0.21	<0.1	0.8	0.04	1.02	<5			
2023746	Drill Core	0.04	0.27	<0.02	2	0.58	0.032	8.1	3.2	0.52	324.5	0.001	<1	0.39	0.015	0.18	<0.1	0.6	0.04	0.40	<5			
2023747	Drill Core	0.05	0.50	<0.02	2	0.90	0.034	5.8	3.7	0.71	171.1	0.002	<1	0.38	0.015	0.19	<0.1	0.7	0.04	0.75	<5			
2023748	Drill Core	0.09	0.48	<0.02	2	0.86	0.031	5.4	3.3	0.67	149.7	0.001	<1	0.35	0.014	0.17	<0.1	0.7	0.04	0.89	<5			
2023749	Drill Core	0.13	0.99	0.83	1	1.30	0.017	4.4	2.1	0.77	189.6	0.001	<1	0.29	0.007	0.16	<0.1	0.8	0.03	0.58	8			
2023750	Drill Core	0.17	0.26	0.17	1	0.67	0.005	7.7	1.8	0.63	145.7	0.001	<1	0.36	0.006	0.18	<0.1	0.8	0.04	0.51	<5			
2023751	Drill Core	0.13	0.28	<0.02	1	0.48	0.030	7.7	3.8	0.74	160.9	0.001	<1	0.46	0.021	0.15	<0.1	1.0	0.04	0.76	<5			
2023752	Drill Core	0.32	0.79	<0.02	2	0.80	0.022	7.1	3.7	0.73	201.8	0.002	<1	0.47	0.021	0.22	0.1	1.2	0.05	0.76	<5			
2023753	Drill Core	0.14	0.21	<0.02	3	0.45	0.032	10.6	4.5	0.30	159.7	0.002	<1	0.37	0.016	0.24	0.1	1.0	0.06	0.83	<5			
2023754	Drill Core	0.14	0.30	<0.02	3	0.09	0.027	9.4	7.1	0.23	208.1	0.002	<1	0.44	0.015	0.24	0.2	1.3	0.06	0.64	<5			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 4 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000433.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2023725	Drill Core	0.4	0.02	1.2	0.22	<0.1	0.21	<0.02	9.3	<0.1	<0.05	8.0	4.51	13.8	<0.02	<1	0.1	5.5	<10	<2
2023726	Drill Core	0.2	<0.02	1.9	0.35	<0.1	0.28	<0.02	8.0	<0.1	<0.05	9.9	2.94	21.0	<0.02	<1	0.1	7.9	<10	<2
2023727	Drill Core	0.2	<0.02	2.2	0.30	<0.1	0.31	<0.02	6.1	<0.1	<0.05	11.1	4.84	18.3	<0.02	2	0.2	11.6	<10	<2
2023728	Drill Core	0.3	<0.02	1.6	0.25	<0.1	0.25	0.02	8.5	<0.1	<0.05	8.4	3.35	18.8	<0.02	<1	0.2	7.3	<10	<2
2023729	Drill Core	0.5	<0.02	4.2	0.15	<0.1	0.20	<0.02	6.0	<0.1	<0.05	11.8	3.28	7.8	<0.02	1	0.2	17.5	<10	<2
2023730	Drill Core	0.7	0.02	4.6	0.15	<0.1	0.38	0.03	5.9	0.1	<0.05	8.2	3.10	9.4	<0.02	2	0.2	16.0	<10	<2
2023731	Drill Core	0.4	<0.02	2.3	0.28	<0.1	0.17	<0.02	5.9	0.1	<0.05	4.8	3.14	12.1	<0.02	<1	0.1	10.3	<10	<2
2023732	Drill Core	0.3	0.02	1.6	0.70	<0.1	0.22	<0.02	7.6	0.1	<0.05	6.0	2.55	18.5	<0.02	<1	0.1	6.8	<10	<2
2023733	Drill Core	0.1	<0.02	1.9	0.47	<0.1	0.20	0.08	8.0	0.2	<0.05	5.7	2.61	15.6	<0.02	<1	0.1	11.5	<10	<2
2023734	Drill Core	0.2	<0.02	3.1	1.50	<0.1	0.26	0.05	7.8	0.2	<0.05	7.6	3.03	13.2	<0.02	1	0.2	24.9	<10	<2
2023735	Drill Core	0.1	<0.02	1.9	0.75	<0.1	0.37	<0.02	8.7	0.2	<0.05	8.1	2.76	15.8	<0.02	<1	0.1	13.2	<10	<2
2023736	Drill Core	<0.1	0.04	2.2	0.43	<0.1	0.31	<0.02	8.5	0.2	<0.05	7.6	4.07	28.4	<0.02	<1	0.2	13.8	<10	<2
2023737	Drill Core	<0.1	0.02	2.1	0.68	<0.1	0.21	0.06	9.0	0.2	<0.05	5.6	3.96	23.6	<0.02	2	0.2	12.0	<10	<2
2023738	Drill Core	0.1	<0.02	1.6	0.97	<0.1	0.18	0.07	8.2	0.2	<0.05	5.3	3.08	20.5	<0.02	3	0.2	12.3	<10	<2
2023739	Drill Core	0.1	<0.02	2.3	0.93	<0.1	0.24	0.05	8.3	0.1	<0.05	6.0	3.03	18.8	<0.02	1	0.2	20.8	<10	<2
2023740	Rock Pulp	<0.1	<0.02	4.0	0.14	0.1	0.14	0.41	2.3	1.8	<0.05	2.7	8.20	11.5	<0.02	<1	0.2	1.0	<10	<2
2023741	Drill Core	0.1	0.16	2.0	0.68	<0.1	0.30	<0.02	8.0	<0.1	<0.05	7.4	3.58	16.2	<0.02	<1	0.2	11.0	<10	<2
2023742	Drill Core	<0.1	0.09	0.9	0.28	<0.1	0.17	<0.02	5.5	<0.1	<0.05	4.3	3.00	12.8	<0.02	<1	0.1	5.1	<10	<2
2023743	Drill Core	0.1	0.30	1.4	0.13	<0.1	0.15	<0.02	5.8	0.1	<0.05	4.2	2.75	13.6	<0.02	<1	0.2	5.1	<10	<2
2023744	Drill Core	<0.1	0.12	1.3	0.14	<0.1	0.17	<0.02	5.9	0.1	<0.05	4.8	3.13	11.9	<0.02	<1	0.1	4.9	<10	<2
2023745	Drill Core	<0.1	0.71	1.1	0.18	<0.1	0.21	<0.02	6.3	<0.1	<0.05	5.7	2.38	11.8	<0.02	<1	0.1	5.1	<10	<2
2023746	Drill Core	<0.1	0.06	1.0	0.15	<0.1	0.18	<0.02	6.1	<0.1	<0.05	4.6	4.00	16.7	<0.02	<1	<0.1	4.1	<10	<2
2023747	Drill Core	<0.1	0.10	1.2	0.13	<0.1	0.22	<0.02	6.3	0.1	<0.05	5.8	5.47	12.3	<0.02	<1	0.1	5.0	<10	<2
2023748	Drill Core	<0.1	0.14	1.0	0.16	<0.1	0.20	<0.02	5.9	<0.1	<0.05	5.1	4.73	11.2	<0.02	<1	0.1	4.1	<10	<2
2023749	Drill Core	0.2	0.21	0.9	0.14	<0.1	0.17	<0.02	5.3	0.1	<0.05	4.2	5.03	9.2	<0.02	<1	0.1	3.7	<10	<2
2023750	Drill Core	0.1	0.46	1.0	0.19	<0.1	0.23	<0.02	6.1	0.1	<0.05	6.2	3.17	16.3	<0.02	<1	0.1	4.7	<10	<2
2023751	Drill Core	<0.1	0.03	1.2	0.14	<0.1	0.21	<0.02	5.2	0.1	<0.05	5.8	4.09	15.7	<0.02	<1	0.1	6.6	<10	<2
2023752	Drill Core	<0.1	0.83	1.2	0.36	<0.1	0.19	<0.02	7.2	0.2	<0.05	5.0	4.83	14.8	<0.02	<1	0.1	6.0	<10	<2
2023753	Drill Core	<0.1	0.08	1.2	0.45	<0.1	0.11	0.06	8.2	0.1	<0.05	3.1	7.35	22.0	<0.02	<1	0.1	3.4	<10	<2
2023754	Drill Core	0.2	0.13	1.2	0.39	<0.1	0.09	<0.02	8.1	0.1	<0.05	2.9	3.26	19.9	<0.02	<1	0.2	4.8	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000433.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2023755	Drill Core	1.67	486	0.006	<0.01	<0.17	30.07	0.14	6.34	35.65	6.5	260	1.8	3.5	72	0.49	2.8	1.1	7.2	8.4	17.4
2023756	Drill Core	2.93	407	0.010	<0.01	<0.17	34.22	0.22	4.91	4.64	10.6	299	1.8	3.0	57	0.81	2.0	3.0	6.2	8.5	18.2
2023757	Drill Core	2.15	526	0.044	0.04	<0.17	33.41	0.17	6.10	5.69	8.4	397	1.7	2.6	95	0.68	1.3	1.9	3.0	10.3	12.6
2023758	Drill Core	3.21	472	0.006	<0.01	<0.17	32.22	0.16	8.03	1.75	12.0	123	5.7	5.0	293	1.00	1.3	1.6	2.4	10.4	36.7
2023759	Drill Core	3.14	429	<0.005	<0.01	<0.17	36.48	0.18	3.50	6.02	6.3	103	2.3	3.4	158	0.70	0.9	2.8	2.3	8.9	40.5
2023760	Core DUP		470	0.005	<0.01	<0.17	39.54	0.14	3.27	5.87	6.3	83	1.8	3.3	154	0.69	0.5	2.9	2.5	9.4	42.1
2023761	Drill Core	1.57	449	<0.005	<0.01	<0.17	38.06	0.16	6.60	3.76	7.9	76	2.1	4.4	163	0.61	<0.1	3.0	1.5	11.3	39.5
2023762	Drill Core	1.56	456	<0.005	<0.01	<0.17	37.99	0.18	3.73	2.15	10.4	79	1.3	2.3	242	0.58	<0.1	2.8	0.3	9.6	48.7
2023763	Drill Core	2.55	457	<0.005	<0.01	<0.17	38.17	0.17	7.28	1.80	8.2	84	1.6	3.6	182	0.62	0.2	3.0	1.1	10.3	43.7
2023764	Drill Core	1.60	490	<0.005	<0.01	<0.17	36.33	0.16	10.64	3.05	8.0	275	1.5	3.0	114	0.50	0.5	3.3	3.0	9.7	40.0
2023765	Drill Core	3.17	472	0.005	<0.01	<0.17	34.05	0.21	4.08	10.70	15.7	104	2.9	4.7	255	0.80	0.8	3.3	3.5	11.4	65.9
2023766	Drill Core	1.53	461	0.117	0.11	<0.17	41.54	1.41	4.67	14.68	7.7	635	3.2	4.2	144	0.89	1.0	3.6	130.0	11.7	40.8
2023767	Drill Core	3.79	400	0.015	0.01	<0.17	37.35	0.57	7.25	12.65	11.1	134	2.7	4.2	137	0.85	1.9	3.4	3.1	10.8	39.4
2023768	Drill Core	2.06	427	0.012	0.01	<0.17	35.24	2.85	40.65	91.71	38.7	794	4.2	4.1	306	1.05	3.1	2.8	14.0	9.9	57.9
2023769	Drill Core	1.77	342	0.052	0.25	1.71	40.35	0.60	35.89	15.31	41.8	1700	3.2	3.0	223	0.78	1.8	3.3	491.2	9.2	57.4
2023770	Drill Core	3.04	455	0.005	<0.01	<0.17	29.48	0.80	8.58	9.68	20.9	235	1.6	1.0	104	0.70	0.6	3.6	4.0	13.4	79.1
2023771	Drill Core	3.15	512	<0.005	<0.01	<0.17	46.00	0.19	6.43	5.19	9.2	99	1.0	0.7	131	0.49	0.4	3.6	1.2	13.9	74.7
2023772	Drill Core	2.93	428	<0.005	<0.01	<0.17	30.85	2.89	6.48	33.51	7.4	242	0.7	0.3	86	0.39	0.6	3.7	1.9	16.5	69.8
2023773	Drill Core	3.10	518	<0.005	<0.01	<0.17	31.59	1.96	2.47	183.20	32.4	462	0.6	0.5	177	0.46	1.3	3.6	11.6	17.3	64.3
2023774	Drill Core	3.38	372	<0.005	<0.01	<0.17	30.53	5.19	13.95	32.42	12.7	276	0.5	0.2	101	0.40	2.1	3.0	1.6	15.8	47.6
2023775	Drill Core	1.62	420	<0.005	<0.01	<0.17	28.59	0.26	2.55	7.66	12.1	144	0.5	0.3	108	0.36	4.5	2.7	2.5	15.7	27.4
2023776	Drill Core	2.48	508	<0.005	<0.01	<0.17	30.05	0.80	2.64	13.73	4.9	139	0.5	0.3	62	0.41	1.2	4.1	1.2	15.6	14.5
2023777	Drill Core	2.20	463	<0.005	<0.01	<0.17	39.89	1.98	3.81	34.94	10.8	215	0.6	0.5	77	0.46	4.8	2.9	2.9	18.2	16.8
2023778	Drill Core	2.20	458	<0.005	<0.01	<0.17	32.88	0.73	2.94	19.64	8.6	156	0.3	0.2	181	0.34	4.1	2.7	1.4	12.9	72.7
2023779	Drill Core	2.99	490	<0.005	<0.01	<0.17	36.76	0.43	2.39	21.35	5.1	151	0.3	0.2	87	0.31	0.9	2.9	0.8	13.2	68.3
2023780	Rock	0.22	149	<0.005	<0.01	<0.17	31.03	0.41	2.00	1.16	2.7	10	1.4	0.6	77	0.65	0.5	0.2	<0.2	2.5	1.8
2023781	Drill Core	2.34	491	0.006	<0.01	<0.17	42.83	2.36	16.02	62.72	54.0	362	0.4	0.3	60	0.49	1.9	3.1	3.0	14.9	23.0
2023782	Drill Core	1.74	394	<0.005	<0.01	<0.17	26.86	0.97	9.52	15.13	12.0	197	0.3	0.2	110	0.44	2.9	2.3	0.6	13.2	32.4
2023783	Drill Core	1.86	384	<0.005	<0.01	<0.17	44.88	0.42	31.17	30.16	35.2	436	1.3	0.6	121	0.56	7.4	2.5	2.0	15.7	45.1
2023784	Drill Core	3.10	505	0.010	<0.01	<0.17	32.53	2.19	23.04	66.14	32.0	374	0.6	0.3	120	0.45	5.8	2.4	2.1	15.4	32.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 5 of 6 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000433.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2023755	Drill Core	0.02	0.37	0.04	2	0.20	0.036	12.0	3.6	0.13	427.7	0.003	<1	0.32	0.029	0.26	<0.1	0.9	0.04	0.30	<5			
2023756	Drill Core	0.02	0.15	<0.02	2	0.10	0.025	10.8	3.1	0.10	326.4	0.003	<1	0.39	0.021	0.32	0.2	1.2	0.06	0.41	<5			
2023757	Drill Core	0.03	0.66	<0.02	2	0.25	0.023	11.9	3.2	0.16	163.3	0.002	<1	0.34	0.021	0.27	<0.1	0.7	0.05	0.40	<5			
2023758	Drill Core	0.12	0.11	<0.02	2	0.66	0.037	7.6	3.5	0.31	196.5	0.003	<1	0.45	0.010	0.32	<0.1	1.4	0.07	0.74	<5			
2023759	Drill Core	0.06	0.09	<0.02	1	0.54	0.037	8.5	3.3	0.18	291.3	0.002	<1	0.34	0.021	0.25	<0.1	1.1	0.04	0.42	<5			
2023760	Core DUP	0.02	0.07	<0.02	2	0.51	0.036	8.7	2.6	0.18	342.6	0.002	<1	0.35	0.022	0.25	<0.1	0.9	0.04	0.43	6			
2023761	Drill Core	0.05	0.07	<0.02	2	0.37	0.033	12.1	4.0	0.21	436.7	0.003	<1	0.43	0.034	0.30	<0.1	1.3	0.06	0.33	<5			
2023762	Drill Core	0.06	0.09	<0.02	2	0.54	0.037	10.9	3.9	0.29	814.0	0.003	<1	0.45	0.021	0.31	<0.1	1.3	0.06	0.24	<5			
2023763	Drill Core	0.03	0.06	<0.02	2	0.49	0.034	9.8	3.5	0.24	472.4	0.002	<1	0.39	0.023	0.27	<0.1	1.0	0.05	0.31	<5			
2023764	Drill Core	0.06	0.41	<0.02	2	0.36	0.044	13.7	2.8	0.20	550.2	0.002	2	0.34	0.018	0.26	<0.1	0.9	0.06	0.21	<5			
2023765	Drill Core	0.07	0.12	<0.02	3	0.59	0.041	11.2	5.0	0.35	297.9	0.002	<1	0.37	0.010	0.24	<0.1	1.7	0.06	0.46	<5			
2023766	Drill Core	0.11	0.08	<0.02	2	0.37	0.044	11.8	3.4	0.21	201.3	0.002	1	0.32	0.017	0.23	<0.1	1.1	0.05	0.66	<5			
2023767	Drill Core	0.07	0.10	<0.02	2	0.39	0.043	10.6	3.1	0.23	212.6	0.002	<1	0.33	0.022	0.22	<0.1	1.1	0.05	0.62	<5			
2023768	Drill Core	0.60	0.34	0.45	2	0.63	0.035	7.2	3.8	0.34	188.9	0.001	1	0.32	0.011	0.17	<0.1	1.0	0.08	0.77	17			
2023769	Drill Core	0.44	1.26	0.13	1	0.34	0.013	8.2	2.5	0.31	204.4	<0.001	<1	0.24	0.008	0.15	<0.1	0.6	0.07	0.51	11			
2023770	Drill Core	0.26	0.20	0.11	<1	0.23	0.004	10.1	1.6	0.20	222.9	<0.001	<1	0.24	0.019	0.16	<0.1	0.8	0.04	0.48	<5			
2023771	Drill Core	0.03	0.16	0.04	<1	0.36	0.003	7.4	1.7	0.22	588.6	<0.001	<1	0.24	0.011	0.14	0.1	0.5	0.04	0.25	<5			
2023772	Drill Core	0.05	0.45	0.32	<1	0.32	0.002	9.8	2.0	0.17	829.4	<0.001	<1	0.22	0.003	0.16	0.2	0.5	0.04	0.08	<5			
2023773	Drill Core	0.26	0.14	0.53	<1	0.53	<0.001	20.0	1.8	0.62	799.4	<0.001	<1	0.35	0.002	0.17	0.3	0.5	0.05	0.06	5			
2023774	Drill Core	0.09	0.59	0.17	<1	0.20	0.001	18.3	1.7	0.21	747.8	<0.001	<1	0.22	0.005	0.16	0.3	0.4	0.04	0.09	<5			
2023775	Drill Core	0.05	0.19	<0.02	<1	0.21	<0.001	19.3	1.8	0.21	516.5	<0.001	1	0.22	0.005	0.16	0.3	0.5	0.04	0.10	<5			
2023776	Drill Core	<0.01	0.18	0.07	<1	0.06	<0.001	13.2	1.5	0.11	382.4	<0.001	<1	0.19	0.005	0.16	0.5	0.4	0.04	0.15	<5			
2023777	Drill Core	0.04	0.17	0.15	<1	0.11	0.001	19.4	1.5	0.18	394.6	<0.001	<1	0.26	0.015	0.20	0.3	0.6	0.06	0.26	<5			
2023778	Drill Core	0.05	0.33	0.13	<1	0.49	<0.001	16.1	1.6	0.29	1285.8	<0.001	<1	0.19	0.004	0.16	0.3	0.4	0.03	0.12	<5			
2023779	Drill Core	0.04	0.11	0.17	<1	0.18	0.001	13.3	1.4	0.13	1054.3	<0.001	<1	0.19	0.023	0.16	0.3	0.4	0.03	0.14	<5			
2023780	Rock	<0.01	0.02	<0.02	2	0.02	0.002	3.3	4.0	0.02	16.8	0.002	2	0.07	0.005	0.02	<0.1	0.3	<0.02	<0.02	<5			
2023781	Drill Core	1.46	0.29	0.21	<1	0.07	<0.001	16.9	1.5	0.10	466.6	<0.001	<1	0.24	0.012	0.21	0.4	0.6	0.05	0.29	8			
2023782	Drill Core	0.03	0.43	0.05	<1	0.24	0.001	7.9	1.6	0.22	449.8	<0.001	<1	0.20	0.006	0.15	0.2	0.5	0.04	0.16	<5			
2023783	Drill Core	0.09	1.81	0.13	<1	0.25	<0.001	16.7	2.9	0.23	542.0	<0.001	<1	0.18	0.005	0.14	0.5	0.5	0.04	0.23	20			
2023784	Drill Core	0.12	0.62	0.22	<1	0.23	<0.001	16.7	1.6	0.28	377.7	<0.001	<1	0.22	0.004	0.14	0.3	0.4	0.04	0.16	8			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000433.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2023755	Drill Core	<0.1	0.03	0.8	0.09	<0.1	0.07	0.04	8.5	0.1	<0.05	2.1	4.22	24.8	<0.02	<1	0.1	1.6	<10
2023756	Drill Core	<0.1	0.11	0.9	0.11	<0.1	0.09	0.04	9.3	0.1	<0.05	2.9	2.93	21.7	<0.02	<1	0.1	1.9	<10
2023757	Drill Core	<0.1	0.11	1.0	0.16	<0.1	0.07	0.03	8.0	0.2	<0.05	2.3	2.99	23.7	<0.02	<1	0.1	2.5	<10
2023758	Drill Core	<0.1	0.03	1.1	0.13	<0.1	0.09	0.05	10.2	0.1	<0.05	2.6	2.89	15.6	<0.02	<1	0.1	3.3	<10
2023759	Drill Core	<0.1	<0.02	0.8	0.07	<0.1	0.08	<0.02	6.4	0.1	<0.05	2.8	2.48	16.5	<0.02	<1	0.2	2.3	<10
2023760	Core DUP	<0.1	<0.02	0.8	0.08	<0.1	0.07	<0.02	6.4	<0.1	<0.05	2.9	2.42	17.3	<0.02	<1	<0.1	2.0	<10
2023761	Drill Core	<0.1	<0.02	1.0	0.08	<0.1	0.10	0.07	10.0	0.1	<0.05	2.8	2.64	24.4	<0.02	<1	0.1	2.1	<10
2023762	Drill Core	<0.1	<0.02	1.1	0.10	<0.1	0.19	0.08	9.4	0.1	<0.05	2.8	2.90	22.0	<0.02	<1	0.1	2.6	<10
2023763	Drill Core	<0.1	<0.02	1.0	0.11	<0.1	0.07	0.04	8.1	0.1	<0.05	2.3	2.48	20.0	<0.02	<1	0.1	2.4	<10
2023764	Drill Core	<0.1	<0.02	0.8	0.08	<0.1	0.05	<0.02	8.0	0.2	<0.05	2.9	2.44	26.8	<0.02	<1	0.1	2.4	<10
2023765	Drill Core	<0.1	<0.02	1.0	0.11	<0.1	0.05	<0.02	8.1	0.2	<0.05	2.5	2.87	22.2	<0.02	<1	0.1	4.6	<10
2023766	Drill Core	<0.1	0.25	1.0	0.11	<0.1	0.09	0.02	7.7	0.2	<0.05	2.7	2.67	22.9	<0.02	<1	0.1	2.8	<10
2023767	Drill Core	<0.1	<0.02	1.1	0.15	<0.1	0.09	<0.02	7.2	0.2	<0.05	3.1	2.64	20.5	<0.02	<1	0.1	3.2	<10
2023768	Drill Core	0.2	0.07	1.1	0.24	<0.1	0.20	<0.02	6.6	0.2	<0.05	8.2	3.09	14.1	<0.02	2	0.1	5.1	<10
2023769	Drill Core	0.1	0.29	0.8	0.18	<0.1	0.24	<0.02	5.3	0.2	<0.05	10.4	3.01	16.7	<0.02	<1	0.1	3.5	<10
2023770	Drill Core	<0.1	<0.02	0.8	0.10	<0.1	0.37	<0.02	5.7	0.2	<0.05	13.5	3.34	21.0	<0.02	<1	0.2	2.7	<10
2023771	Drill Core	<0.1	<0.02	0.7	0.15	<0.1	0.42	0.18	5.3	0.2	<0.05	13.2	4.16	14.3	<0.02	<1	0.1	3.1	<10
2023772	Drill Core	<0.1	<0.02	0.5	0.15	<0.1	0.28	0.24	5.3	0.3	<0.05	9.3	4.95	19.2	<0.02	2	0.2	2.6	<10
2023773	Drill Core	0.2	0.03	1.0	0.28	<0.1	0.22	0.13	6.3	0.2	<0.05	5.3	6.67	39.9	<0.02	<1	0.2	7.4	<10
2023774	Drill Core	<0.1	<0.02	0.5	0.29	<0.1	0.25	0.31	5.4	0.2	<0.05	8.6	6.69	36.0	<0.02	<1	0.2	2.9	<10
2023775	Drill Core	<0.1	<0.02	0.7	0.21	<0.1	0.39	0.23	5.6	0.2	<0.05	12.4	7.68	38.9	<0.02	<1	0.2	2.9	<10
2023776	Drill Core	<0.1	<0.02	0.6	0.24	<0.1	0.39	0.35	5.6	0.2	<0.05	13.6	7.47	26.1	<0.02	<1	0.2	1.8	<10
2023777	Drill Core	<0.1	0.02	1.1	0.27	<0.1	0.47	0.23	7.5	0.2	<0.05	13.9	7.84	40.6	<0.02	<1	0.2	2.4	<10
2023778	Drill Core	<0.1	<0.02	0.4	0.14	<0.1	0.26	0.30	5.1	<0.1	<0.05	9.7	7.81	33.1	<0.02	<1	0.1	2.1	<10
2023779	Drill Core	<0.1	<0.02	0.6	0.10	<0.1	0.33	0.19	5.5	0.2	<0.05	10.9	6.18	27.2	<0.02	<1	0.1	1.1	<10
2023780	Rock	<0.1	<0.02	0.3	0.09	<0.1	0.14	0.07	1.1	<0.1	<0.05	3.1	1.18	6.6	<0.02	<1	<0.1	1.5	<10
2023781	Drill Core	<0.1	<0.02	0.6	0.15	<0.1	0.40	0.20	7.1	0.2	<0.05	14.8	7.12	35.9	<0.02	<1	0.1	1.3	<10
2023782	Drill Core	<0.1	<0.02	0.6	0.11	<0.1	0.39	0.19	5.2	0.1	<0.05	15.6	5.27	17.0	<0.02	<1	0.1	2.1	<10
2023783	Drill Core	<0.1	<0.02	0.6	0.14	<0.1	0.34	0.25	5.4	0.1	<0.05	11.8	7.40	34.3	<0.02	<1	0.2	2.7	<10
2023784	Drill Core	<0.1	<0.02	0.7	0.19	<0.1	0.32	0.34	5.3	0.2	<0.05	10.9	7.69	34.2	<0.02	<1	0.2	2.9	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000433.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2023785	Drill Core	2.96	535	<0.005	<0.01	<0.17	34.86	0.19	11.48	3.10	31.5	114	1.3	0.8	136	0.54	10.8	3.5	1.7	19.4	32.6
2023786	Drill Core	3.46	371	<0.005	<0.01	<0.17	27.39	0.20	2.14	9.70	5.3	81	0.4	0.3	84	0.42	3.1	2.7	1.0	14.7	28.2
2023787	Drill Core	3.57	339	<0.005	<0.01	<0.17	35.05	0.22	1.32	23.27	5.5	130	0.3	0.2	89	0.33	3.2	2.7	0.9	16.1	32.7
2023788	Drill Core	2.92	487	<0.005	<0.01	<0.17	43.35	0.74	0.69	17.72	4.1	113	0.3	<0.1	46	0.24	1.6	1.9	0.4	16.2	28.1
2023789	Drill Core	2.47	436	<0.005	<0.01	<0.17	36.53	0.88	0.59	17.02	4.3	140	0.2	<0.1	54	0.26	1.2	1.3	<0.2	15.5	28.7
2023790	Drill Core	1.07	448	<0.005	<0.01	<0.17	35.55	0.51	0.62	18.05	4.6	100	0.2	0.1	44	0.27	1.7	3.1	<0.2	13.1	32.2
2023791	Drill Core	1.53	516	<0.005	<0.01	<0.17	33.35	0.35	13.69	19.07	6.9	289	0.2	0.1	42	0.24	1.2	1.9	0.7	13.5	34.6
2023792	Drill Core	3.18	462	<0.005	<0.01	<0.17	40.07	0.76	1.35	23.81	4.4	120	0.2	0.1	47	0.24	0.9	2.0	0.7	16.2	35.8
2023793	Drill Core	3.20	417	<0.005	<0.01	<0.17	34.24	0.64	1.55	21.10	4.2	131	0.3	0.1	42	0.28	1.3	2.7	1.5	14.1	27.7
2023794	Drill Core	2.97	461	<0.005	<0.01	<0.17	33.62	0.14	2.98	23.00	4.7	150	0.4	0.2	42	0.30	2.0	3.0	0.3	16.1	17.7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000433.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
2023785	Drill Core	0.08	0.87	<0.02	<1	0.30	0.002	28.3	2.2	0.29	329.4	<0.001	<1	0.23	0.011	0.16	0.3	0.8	0.04	0.24
2023786	Drill Core	<0.01	0.13	0.06	<1	0.10	0.001	25.7	1.8	0.09	674.5	<0.001	1	0.23	0.021	0.21	0.1	0.6	0.05	0.12
2023787	Drill Core	<0.01	0.13	0.14	<1	0.11	0.002	32.1	1.6	0.10	879.9	<0.001	<1	0.25	0.028	0.24	<0.1	0.7	0.06	0.10
2023788	Drill Core	<0.01	0.04	0.14	<1	0.08	0.001	40.5	1.3	0.06	1002.5	<0.001	<1	0.21	0.027	0.21	<0.1	0.6	0.05	0.07
2023789	Drill Core	<0.01	0.03	0.13	<1	0.10	0.001	39.0	1.2	0.05	1191.2	<0.001	<1	0.22	0.028	0.22	<0.1	0.6	0.05	0.07
2023790	Drill Core	<0.01	0.05	0.12	<1	0.04	0.002	28.2	1.4	0.05	1266.9	<0.001	<1	0.21	0.025	0.22	<0.1	0.5	0.06	0.08
2023791	Drill Core	0.04	1.51	0.11	<1	0.05	0.002	20.4	1.2	0.05	1374.1	<0.001	<1	0.20	0.026	0.20	<0.1	0.6	0.04	0.08
2023792	Drill Core	<0.01	0.02	0.17	<1	0.08	0.002	41.1	1.3	0.06	1281.6	<0.001	<1	0.22	0.027	0.22	<0.1	0.6	0.05	0.07
2023793	Drill Core	<0.01	0.14	0.15	<1	0.07	0.001	27.4	1.2	0.05	1071.9	<0.001	<1	0.21	0.024	0.22	<0.1	0.5	0.05	0.08
2023794	Drill Core	<0.01	0.21	0.16	<1	0.06	0.001	32.4	1.5	0.06	600.3	<0.001	<1	0.21	0.024	0.22	<0.1	0.6	0.05	0.10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000433.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2023785	Drill Core	<0.1	<0.02	0.6	0.17	<0.1	0.72	0.21	6.0	0.1	<0.05	23.4	10.93	54.8	<0.02	<1	0.2	3.2	<10
2023786	Drill Core	<0.1	<0.02	0.6	0.12	<0.1	0.41	0.13	7.4	0.2	<0.05	14.5	6.44	52.8	<0.02	<1	0.2	1.3	<10
2023787	Drill Core	<0.1	<0.02	0.9	0.12	<0.1	0.42	0.10	9.3	0.2	<0.05	13.4	6.90	64.6	<0.02	<1	0.2	1.2	<10
2023788	Drill Core	<0.1	<0.02	0.7	0.07	<0.1	0.34	0.08	8.2	0.1	<0.05	10.0	7.00	76.6	<0.02	<1	0.2	1.0	<10
2023789	Drill Core	<0.1	<0.02	0.7	0.07	<0.1	0.31	0.06	8.2	0.1	<0.05	10.2	7.75	77.4	<0.02	<1	0.3	0.9	<10
2023790	Drill Core	<0.1	<0.02	0.9	0.10	<0.1	0.39	0.07	8.3	0.2	<0.05	11.3	4.32	50.2	<0.02	<1	0.2	0.9	<10
2023791	Drill Core	<0.1	<0.02	0.6	0.06	<0.1	0.32	0.04	7.5	0.2	<0.05	10.3	3.65	40.0	<0.02	<1	0.2	0.7	<10
2023792	Drill Core	<0.1	<0.02	0.7	0.11	<0.1	0.33	0.08	9.4	0.2	<0.05	10.8	6.94	83.5	<0.02	<1	0.2	0.9	<10
2023793	Drill Core	<0.1	<0.02	0.6	0.09	<0.1	0.30	0.06	8.1	0.1	<0.05	10.9	5.09	52.3	<0.02	<1	0.2	0.7	<10
2023794	Drill Core	<0.1	<0.02	0.7	0.08	<0.1	0.42	0.07	8.7	0.1	<0.05	13.6	6.74	65.3	<0.02	<1	0.3	0.8	<10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI19000433.1

Method Analyte Unit MDL		WGHT Wgt kg 0.01	M150 TotWt g 1	FA430 -Au gm/t 0.005	FS600 TotAu gm/t 0.01	FS600 +Au gm/t 0.17	FS600 +Wt g 0.01	AQ251 Mo ppm 0.01	AQ251 Cu ppm 0.01	AQ251 Pb ppm 0.01	AQ251 Zn ppm 0.1	AQ251 Ag ppb 2	AQ251 Ni ppm 0.1	AQ251 Co ppm 0.1	AQ251 Mn ppm 1	AQ251 Fe % 0.01	AQ251 As ppm 0.1	AQ251 U ppm 0.1	AQ251 Au ppb 0.2	AQ251 Th ppm 0.1	AQ251 Sr ppm 0.5	
Pulp Duplicates																						
2023685	Drill Core	3.35	500	0.013	0.01	<0.17	32.11	1.89	47.57	94.38	207.6	517	7.6	1.7	162	2.56	0.8	1.3	6.3	6.2	9.4	
REP 2023685	QC	0.012																				
2023690	Drill Core	2.93	444	0.008	<0.01	<0.17	35.39	0.78	43.06	42.04	189.1	266	7.9	3.8	375	2.42	0.7	1.3	1.8	8.6	9.3	
REP 2023690	QC							0.82	45.39	42.90	194.6	278	7.9	3.7	356	2.44	0.5	1.4	2.1	9.1	9.4	
2023725	Drill Core	3.27	383	0.287	0.32	0.62	37.33	0.49	16.48	2.82	46.7	284	11.6	7.5	378	1.40	1.0	2.0	421.3	9.2	25.2	
REP 2023725	QC							0.49	15.65	2.92	49.0	306	11.2	7.8	373	1.44	0.8	2.1	476.0	9.5	26.6	
2023728	Drill Core	3.42	336	0.009	<0.01	<0.17	33.04	1.67	10.30	22.51	49.6	309	6.3	5.7	371	1.33	0.7	2.6	4.4	9.8	50.4	
REP 2023728	QC	0.008																				
2023758	Drill Core	3.21	472	0.006	<0.01	<0.17	32.22	0.16	8.03	1.75	12.0	123	5.7	5.0	293	1.00	1.3	1.6	2.4	10.4	36.7	
REP 2023758	QC	0.007																				
2023790	Drill Core	1.07	448	<0.005	<0.01	<0.17	35.55	0.51	0.62	18.05	4.6	100	0.2	0.1	44	0.27	1.7	3.1	<0.2	13.1	32.2	
REP 2023790	QC							0.46	0.55	16.46	3.8	86	0.3	0.1	39	0.25	1.4	2.5	<0.2	13.3	28.2	
Core Reject Duplicates																						
2023695	Drill Core	2.43	416	0.078	0.08	<0.17	30.79	0.49	29.56	6.07	70.1	297	4.7	1.3	112	2.04	0.8	2.0	47.8	7.7	16.2	
DUP 2023695	QC			375	0.091	0.08	<0.17	33.45	0.56	31.01	6.25	66.4	314	4.8	1.3	127	2.14	1.0	2.2	48.9	8.8	16.6
2023729	Drill Core	2.97	394	0.012	0.01	<0.17	36.03	1.24	19.23	31.86	108.1	337	17.4	14.2	710	2.43	1.8	1.1	13.2	6.4	37.8	
DUP 2023729	QC			399	0.012	0.01	<0.17	28.95	1.28	18.13	30.38	96.8	334	18.2	14.7	681	2.48	1.4	1.1	18.2	5.4	33.5
2023763	Drill Core	2.55	457	<0.005	<0.01	<0.17	38.17	0.17	7.28	1.80	8.2	84	1.6	3.6	182	0.62	0.2	3.0	1.1	10.3	43.7	
DUP 2023763	QC			373	<0.005	<0.01	<0.17	34.99	0.20	7.50	1.79	7.7	97	1.7	3.7	185	0.69	0.2	2.9	1.8	11.3	43.7
Reference Materials																						
STD BVGEO01	Standard							10.54	4233.16	185.29	1659.6	2512	150.9	23.7	730	3.51	115.5	3.9	211.4	16.2	51.2	
STD BVGEO01	Standard							10.72	4360.79	186.72	1713.7	2664	156.1	23.2	732	3.66	122.0	3.8	220.4	17.3	53.2	
STD DS11	Standard							16.00	160.91	135.22	324.8	1736	81.8	14.4	1011	3.15	41.5	2.5	69.8	7.9	60.6	
STD DS11	Standard							14.75	141.84	139.56	318.5	1550	76.0	14.4	946	3.02	40.1	2.5	67.3	9.0	59.2	
STD DS11	Standard							13.81	141.42	127.58	343.9	1741	78.4	13.2	989	2.98	41.9	2.2	111.2	6.5	55.7	
STD OREAS262	Standard							0.82	124.23	59.82	141.4	466	63.7	28.2	516	3.24	35.7	1.3	74.1	9.8	33.2	
STD OREAS262	Standard							0.65	119.11	58.69	149.8	462	61.6	26.2	547	3.18	36.7	1.3	72.6	10.2	34.6	
STD OREAS262	Standard							0.61	125.33	54.89	148.9	487	56.3	27.9	519	3.35	36.7	1.3	72.2	10.9	35.4	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 16, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000433.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2023685	Drill Core	0.14	0.35	0.08	9	0.04	0.065	9.9	15.7	1.09	217.6	0.007	<1	1.11	0.015	0.18	0.1	1.7	0.05	0.12	8
REP 2023685	QC																				
2023690	Drill Core	0.52	0.22	0.03	9	0.55	0.056	7.4	16.6	1.21	153.9	0.008	<1	1.28	0.037	0.22	0.2	1.8	0.05	0.78	13
REP 2023690	QC	0.58	0.23	0.03	10	0.55	0.053	7.4	16.8	1.25	160.9	0.008	<1	1.32	0.038	0.22	0.2	1.8	0.06	0.78	12
2023725	Drill Core	0.27	0.12	0.07	4	0.55	0.053	7.2	5.6	0.55	221.5	0.002	<1	0.58	0.008	0.23	0.3	0.8	0.07	0.75	<5
REP 2023725	QC	0.28	0.12	0.06	4	0.55	0.056	7.7	5.5	0.56	217.2	0.002	<1	0.60	0.009	0.24	0.3	0.8	0.06	0.76	<5
2023728	Drill Core	0.30	0.26	0.16	3	0.44	0.036	9.8	7.0	0.50	297.3	0.002	<1	0.58	0.018	0.21	0.3	1.1	0.05	0.47	<5
REP 2023728	QC																				
2023758	Drill Core	0.12	0.11	<0.02	2	0.66	0.037	7.6	3.5	0.31	196.5	0.003	<1	0.45	0.010	0.32	<0.1	1.4	0.07	0.74	<5
REP 2023758	QC																				
2023790	Drill Core	<0.01	0.05	0.12	<1	0.04	0.002	28.2	1.4	0.05	1266.9	<0.001	<1	0.21	0.025	0.22	<0.1	0.5	0.06	0.08	<5
REP 2023790	QC	<0.01	0.04	0.11	<1	0.04	0.002	24.2	1.1	0.05	1204.7	<0.001	<1	0.21	0.025	0.21	<0.1	0.6	0.05	0.08	<5
Core Reject Duplicates																					
2023695	Drill Core	0.07	0.18	0.04	6	0.04	0.052	11.1	17.8	0.67	314.9	0.008	<1	0.73	0.024	0.19	0.2	1.2	0.05	0.16	<5
DUP 2023695	QC	0.07	0.18	0.04	7	0.04	0.058	12.4	20.8	0.69	339.1	0.009	<1	0.79	0.027	0.21	0.2	1.5	0.05	0.16	<5
2023729	Drill Core	0.36	0.12	0.08	18	0.93	0.077	3.8	102.4	2.05	164.4	0.003	<1	1.61	0.016	0.17	<0.1	2.4	0.04	0.90	<5
DUP 2023729	QC	0.34	0.10	0.08	19	0.94	0.063	3.2	109.1	2.08	154.0	0.004	<1	1.66	0.024	0.19	0.1	3.3	0.04	0.92	<5
2023763	Drill Core	0.03	0.06	<0.02	2	0.49	0.034	9.8	3.5	0.24	472.4	0.002	<1	0.39	0.023	0.27	<0.1	1.0	0.05	0.31	<5
DUP 2023763	QC	0.05	0.07	<0.02	2	0.50	0.035	11.1	4.3	0.26	490.6	0.003	<1	0.46	0.030	0.32	<0.1	1.3	0.06	0.31	<5
Reference Materials																					
STD BVGEO01	Standard	6.57	3.85	24.42	67	1.23	0.073	25.9	170.5	1.22	299.3	0.207	2	2.19	0.180	0.86	5.4	5.9	0.60	0.63	89
STD BVGEO01	Standard	6.43	3.57	24.43	71	1.29	0.078	25.3	176.0	1.27	302.2	0.212	5	2.31	0.192	0.90	5.6	6.8	0.62	0.65	97
STD DS11	Standard	2.45	8.98	11.59	48	1.06	0.072	18.5	62.7	0.84	360.8	0.098	7	1.18	0.073	0.40	3.0	3.1	4.61	0.28	268
STD DS11	Standard	2.18	7.94	10.10	48	1.04	0.066	16.1	58.9	0.81	323.4	0.087	7	1.15	0.074	0.38	2.8	3.2	4.72	0.27	235
STD DS11	Standard	2.34	8.28	10.99	47	1.07	0.076	15.3	57.6	0.82	321.8	0.084	9	1.09	0.068	0.39	2.9	3.4	4.67	0.27	238
STD OREAS262	Standard	0.70	6.33	1.07	22	2.90	0.037	17.2	45.3	1.16	267.7	0.003	3	1.34	0.067	0.31	0.2	3.0	0.48	0.25	161
STD OREAS262	Standard	0.67	5.88	1.03	21	2.93	0.041	15.8	42.9	1.16	245.9	0.003	2	1.34	0.068	0.30	0.3	3.2	0.46	0.25	155
STD OREAS262	Standard	0.64	5.20	1.01	23	3.08	0.045	15.9	44.4	1.21	256.8	0.003	4	1.42	0.071	0.32	0.2	3.8	0.46	0.27	180



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 16, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000433.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2023685	Drill Core	0.2	0.03	2.8	0.31	<0.1	0.16	0.03	6.7	0.2	<0.05	7.4	1.72	17.6	<0.02	<1	0.1	13.2	<10	<2
REP 2023685	QC																			
2023690	Drill Core	0.2	<0.02	3.4	0.21	<0.1	0.15	0.05	7.5	0.2	<0.05	7.6	2.15	13.8	<0.02	<1	<0.1	14.7	16	<2
REP 2023690	QC	0.1	<0.02	3.4	0.21	<0.1	0.20	0.06	7.5	0.2	<0.05	8.1	2.20	13.7	<0.02	<1	0.2	14.9	<10	<2
2023725	Drill Core	0.4	0.02	1.2	0.22	<0.1	0.21	<0.02	9.3	<0.1	<0.05	8.0	4.51	13.8	<0.02	<1	0.1	5.5	<10	<2
REP 2023725	QC	0.4	0.03	1.3	0.24	<0.1	0.24	<0.02	9.7	<0.1	<0.05	8.4	4.67	15.2	<0.02	<1	0.2	5.5	<10	<2
2023728	Drill Core	0.3	<0.02	1.6	0.25	<0.1	0.25	0.02	8.5	<0.1	<0.05	8.4	3.35	18.8	<0.02	<1	0.2	7.3	<10	<2
REP 2023728	QC																			
2023758	Drill Core	<0.1	0.03	1.1	0.13	<0.1	0.09	0.05	10.2	0.1	<0.05	2.6	2.89	15.6	<0.02	<1	0.1	3.3	<10	<2
REP 2023758	QC																			
2023790	Drill Core	<0.1	<0.02	0.9	0.10	<0.1	0.39	0.07	8.3	0.2	<0.05	11.3	4.32	50.2	<0.02	<1	0.2	0.9	<10	<2
REP 2023790	QC	<0.1	<0.02	0.6	0.07	<0.1	0.34	0.04	7.6	0.2	<0.05	11.4	4.22	47.7	<0.02	<1	0.2	0.7	<10	<2
Core Reject Duplicates																				
2023695	Drill Core	0.2	0.07	2.2	0.28	<0.1	0.18	0.04	7.4	0.2	<0.05	9.8	1.56	22.0	<0.02	<1	0.2	7.5	<10	<2
DUP 2023695	QC	0.2	0.08	2.5	0.28	<0.1	0.20	0.05	8.4	0.2	<0.05	10.5	1.69	23.9	<0.02	<1	0.1	8.8	<10	<2
2023729	Drill Core	0.5	<0.02	4.2	0.15	<0.1	0.20	<0.02	6.0	<0.1	<0.05	11.8	3.28	7.8	<0.02	1	0.2	17.5	<10	<2
DUP 2023729	QC	0.6	<0.02	4.1	0.16	<0.1	0.22	0.04	5.9	0.2	<0.05	5.4	3.08	6.9	<0.02	2	0.2	16.6	10	<2
2023763	Drill Core	<0.1	<0.02	1.0	0.11	<0.1	0.07	0.04	8.1	0.1	<0.05	2.3	2.48	20.0	<0.02	<1	0.1	2.4	<10	<2
DUP 2023763	QC	<0.1	<0.02	1.1	0.12	<0.1	0.08	0.03	9.4	0.1	<0.05	2.4	2.70	22.1	<0.02	<1	<0.1	2.4	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.8	1.04	6.7	7.40	0.1	0.30	0.41	92.3	5.9	<0.05	7.1	14.19	52.4	0.48	3	0.6	20.1	111	178
STD BVGEO01	Standard	4.6	1.08	7.5	7.28	0.1	0.36	0.38	96.8	5.5	<0.05	8.3	13.12	53.5	0.43	3	0.7	20.6	121	180
STD DS11	Standard	2.0	4.47	4.6	2.98	<0.1	0.06	1.44	32.1	1.7	<0.05	2.6	7.86	36.1	0.25	44	0.9	23.8	94	171
STD DS11	Standard	2.1	4.51	4.7	2.80	<0.1	0.07	1.40	33.3	1.6	<0.05	2.4	7.45	36.3	0.22	40	0.6	20.5	103	163
STD DS11	Standard	1.9	4.72	4.9	2.76	<0.1	0.04	1.22	31.6	1.8	<0.05	3.0	7.15	32.4	0.23	50	0.8	21.1	94	172
STD OREAS262	Standard	<0.1	0.21	3.9	3.13	<0.1	0.24	0.02	19.5	0.6	<0.05	10.8	10.84	32.7	0.03	<1	1.0	17.4	<10	<2
STD OREAS262	Standard	0.4	0.23	3.8	3.08	<0.1	0.24	<0.02	19.9	0.5	<0.05	9.9	10.73	32.2	0.03	<1	1.1	16.6	<10	<2
STD OREAS262	Standard	0.2	0.19	4.0	3.11	<0.1	0.22	<0.02	19.4	0.6	<0.05	11.1	9.98	34.2	0.03	<1	1.0	18.5	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000433.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.72	114.02	52.43	146.9	466	64.8	26.7	529	3.29	35.5	1.1	79.4	8.4	30.6
STD OXC152	Standard			0.210																	
STD OXC152	Standard			0.217																	
STD OXC152	Standard																				
STD OXH139	Standard			1.330																	
STD OXH139	Standard			1.285																	
STD OXH139	Standard																				
STD OXN134	Standard			7.764																	
STD OXN134	Standard			7.598																	
STD OXN134	Standard																				
STD OXQ90	Standard					25.62	30.41														
STD OXQ90	Standard					25.09	30.53														
STD OXQ90	Standard					25.07	30.12														
STD OXQ90	Standard					25.19	29.73														
STD OXQ90	Standard					25.13	29.65														
STD OXQ90	Standard					25.11	29.79														
STD OXQ90	Standard					25.68	29.67														
STD OXQ90	Standard					25.26	29.45														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OXQ90 Expected						24.88															
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank							<0.01	0.03	0.05	0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.02	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	0.2	<0.5
BLK	Blank							<0.01	0.02	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000433.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OREAS262	Standard	0.62	5.60	0.95	22	3.18	0.039	14.1	42.0	1.14	229.9	0.003	5	1.29	0.067	0.31	0.3	3.1	0.46	0.25	161
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OXQ90 Expected																					
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 16, 2019

Page:

2 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000433.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OREAS262	Standard	0.3	0.24	3.7	3.05	<0.1	0.28	<0.02	18.0	0.5	<0.05	10.3	10.00	28.9	0.03	<1	1.2	16.8	<10	<2
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OXQ90 Expected																				
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000433.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank			0.006																	
BLK	Blank			0.007																	
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		453	0.006	<0.01	<0.17	32.36	0.82	3.36	0.82	30.2	7	1.4	4.0	547	1.83	0.7	0.4	0.6	2.1	18.3
ROCK-WHI	Prep Blank		475	0.010	<0.01	<0.17	36.74	0.91	5.98	0.99	30.7	7	1.2	4.4	542	1.93	0.9	0.4	0.6	2.2	21.6



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000433.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.2	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.05	<0.02	23	0.59	0.039	5.9	3.1	0.49	55.0	0.067	<1	0.93	0.117	0.10	<0.1	2.9	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.03	0.04	<0.02	26	0.64	0.041	6.2	3.0	0.51	63.5	0.084	2	1.05	0.133	0.12	<0.1	3.6	<0.02	0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000433.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		<2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.2	0.12	<0.1	0.13	0.22	2.2	0.3	<0.05	4.6	7.83	11.4	<0.02	<1	<0.1	1.4	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.14	<0.1	0.14	0.30	2.7	0.3	<0.05	3.5	8.70	11.8	<0.02	<1	<0.1	1.5	<10