



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 23, 2019
Report Date: September 12, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000434.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-48
P.O. Number
Number of Samples: 87

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	84	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	0	Split samples by riffle splitter			WHI
PUL85	0	Pulverize to 85% passing 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FS631	87	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	87	Analysis sample split/packet			WHI
Split -150	87	Analysis sample split/packet			WHI
EN002	87	Environmental disposal charge-Fire assay lead waste			VAN
FS631	84	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	87	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	87	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000434.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2024262	Drill Core	1.41	467	<0.005	<0.01	<0.17	27.53	0.43	4.88	25.47	18.0	247	1.0	0.7	101	0.64	1.6	1.1	1.5	12.1	18.1
2024263	Drill Core	2.07	478	0.014	0.01	<0.17	30.91	0.19	3.60	23.33	17.6	152	0.5	0.4	84	0.44	1.5	1.4	2.6	13.5	4.3
2024264	Drill Core	2.83	392	0.013	0.01	<0.17	30.63	0.27	19.77	14.63	26.2	206	1.4	1.0	125	0.69	2.3	1.4	4.6	13.3	4.6
2024265	Drill Core	3.34	482	0.010	<0.01	<0.17	31.32	0.49	7.45	49.20	67.8	277	4.9	3.1	388	1.67	6.4	1.5	4.9	14.3	13.5
2024266	Drill Core	1.51	397	0.006	<0.01	<0.17	33.29	0.24	3.74	21.90	14.9	158	0.6	0.5	107	0.47	2.4	1.3	2.3	12.9	3.0
2024267	Drill Core	1.57	448	0.006	<0.01	<0.17	35.84	0.21	3.42	13.25	12.0	127	0.6	0.6	121	0.45	2.7	1.3	12.5	12.0	3.3
2024268	Drill Core	3.37	524	0.006	<0.01	<0.17	39.35	0.23	8.91	14.51	31.4	204	3.6	2.9	161	0.94	2.3	1.7	2.2	12.8	7.2
2024269	Drill Core	3.14	430	0.007	<0.01	<0.17	36.95	0.37	24.90	31.82	97.7	566	14.2	9.4	430	2.54	5.2	1.5	4.7	9.6	21.8
2024270	Drill Core	2.91	381	0.005	<0.01	<0.17	32.20	0.39	11.50	18.42	35.4	341	4.8	3.6	252	1.20	1.8	1.7	1.9	12.8	38.7
2024271	Drill Core	1.33	438	0.005	<0.01	<0.17	35.84	0.17	3.87	16.15	14.2	154	0.7	0.6	79	0.53	1.3	1.2	2.6	12.7	4.0
2024272	Drill Core	1.37	429	0.006	<0.01	<0.17	40.87	0.78	27.20	10.35	76.6	674	15.1	9.0	430	2.62	4.8	2.4	3.1	9.4	44.9
2024273	Drill Core	2.94	385	0.217	0.22	0.30	26.36	0.60	13.22	13.44	56.1	515	10.6	9.1	479	2.54	9.8	1.8	204.5	9.3	51.7
2024274	Drill Core	2.91	413	0.518	0.52	0.55	36.18	0.43	12.96	25.05	62.2	663	14.2	8.5	479	2.88	12.6	1.4	439.1	8.7	18.0
2024275	Drill Core	3.33	480	0.053	0.07	0.29	41.96	0.35	27.10	45.98	96.2	530	16.0	9.1	496	3.05	10.4	1.5	26.5	9.1	17.1
2024276	Drill Core	3.64	401	0.042	0.04	<0.17	36.45	0.38	29.75	68.13	103.7	632	14.2	8.1	516	2.66	2.9	1.8	32.1	9.1	18.0
2024277	Drill Core	1.85	411	0.315	0.32	0.40	41.99	0.37	9.66	8.57	42.8	448	7.8	5.6	366	2.04	5.5	1.3	406.1	10.7	13.1
2024278	Drill Core	3.25	478	0.007	<0.01	<0.17	39.86	0.78	24.85	6.78	56.6	354	16.9	9.0	422	2.26	7.7	1.8	2.5	8.8	124.9
2024279	Drill Core	3.19	465	0.006	<0.01	<0.17	39.62	1.07	20.25	9.30	62.5	411	15.7	8.8	473	2.34	9.2	1.3	1.4	7.8	86.4
2024280	Rock	0.22	146	<0.005	<0.01	<0.17	29.44	0.40	0.91	0.75	1.4	8	1.0	0.4	63	0.53	0.4	0.1	0.3	0.8	1.0
2024281	Drill Core	2.98	465	0.007	<0.01	<0.17	27.13	0.51	15.94	7.41	69.5	238	11.5	7.9	396	2.29	6.9	1.3	1.5	9.3	108.5
2024282	Drill Core	2.49	427	0.007	<0.01	<0.17	41.29	0.86	12.89	16.73	70.6	264	10.8	7.7	398	2.01	2.5	1.5	0.9	9.9	110.1
2024283	Drill Core	2.55	471	0.009	<0.01	<0.17	32.62	0.62	15.46	5.61	51.8	198	10.7	7.1	384	2.35	10.3	1.8	6.9	9.3	55.9
2024284	Drill Core	3.37	517	0.007	<0.01	<0.17	38.46	0.77	15.75	6.58	60.6	252	12.2	7.7	418	2.32	8.6	1.5	3.5	10.3	38.4
2024285	Drill Core	3.20	461	0.007	<0.01	<0.17	36.23	1.22	22.31	19.80	64.6	331	29.6	8.9	304	2.23	14.4	1.2	5.4	6.5	60.9
2024286	Drill Core	3.28	502	0.006	<0.01	<0.17	40.55	0.51	10.44	19.17	35.7	243	8.4	4.4	158	1.40	8.5	1.8	3.1	13.5	66.4
2024287	Drill Core	1.49	450	0.005	<0.01	<0.17	35.22	0.18	8.82	14.06	32.0	192	3.9	3.4	120	1.16	6.7	1.4	3.1	14.5	16.8
2024288	Drill Core	1.86	439	0.014	0.01	<0.17	32.57	1.63	13.81	19.47	51.6	539	14.2	5.8	416	2.08	31.2	1.4	8.9	5.9	71.5
2024289	Drill Core	3.13	425	0.027	0.04	0.20	35.24	0.59	14.90	10.34	64.3	401	8.6	5.9	430	2.10	20.1	2.4	19.4	7.1	96.5
2024290	Drill Core	2.87	417	<0.005	<0.01	<0.17	39.68	0.94	14.61	12.17	40.1	426	11.2	5.8	405	1.74	13.1	2.8	2.6	8.8	179.5
2024291	Drill Core	1.74	419	0.010	<0.01	<0.17	40.12	1.31	23.73	28.69	30.2	1258	15.2	7.3	247	1.26	34.6	1.2	5.3	10.9	14.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000434.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024262	Drill Core	0.28	0.32	0.21	1	0.09	0.007	27.6	2.6	0.08	746.8	0.011	<1	0.29	0.014	0.21	0.3	1.7	0.07	<0.02	<5			
2024263	Drill Core	0.15	0.14	0.18	1	0.03	0.008	40.4	1.3	0.06	253.7	0.001	<1	0.30	0.023	0.25	0.1	0.9	0.08	<0.02	20			
2024264	Drill Core	0.24	0.29	0.16	3	0.05	0.012	39.2	3.6	0.17	259.2	<0.001	<1	0.44	0.020	0.26	0.1	0.9	0.09	<0.02	14			
2024265	Drill Core	0.92	0.38	0.38	11	0.18	0.028	41.3	11.1	0.68	258.5	0.001	<1	1.05	0.011	0.31	0.1	2.5	0.15	<0.02	19			
2024266	Drill Core	0.26	0.16	0.21	1	0.03	0.009	39.6	1.4	0.06	252.2	0.001	1	0.28	0.020	0.25	<0.1	1.0	0.09	<0.02	<5			
2024267	Drill Core	0.29	0.13	0.18	1	0.03	0.009	35.0	1.3	0.07	269.7	0.001	<1	0.30	0.021	0.26	0.2	0.9	0.08	<0.02	24			
2024268	Drill Core	0.47	0.31	0.14	5	0.11	0.027	38.9	5.0	0.27	264.4	0.003	1	0.56	0.012	0.30	0.1	2.6	0.15	<0.02	17			
2024269	Drill Core	0.80	0.61	0.16	23	0.33	0.074	27.1	23.1	1.02	242.8	0.008	<1	1.29	0.018	0.37	0.2	5.4	0.23	<0.02	9			
2024270	Drill Core	0.68	0.42	0.12	8	0.59	0.036	35.7	6.5	0.44	328.2	0.009	<1	0.73	0.020	0.44	<0.1	3.3	0.22	0.08	<5			
2024271	Drill Core	0.12	0.19	0.16	1	0.04	0.007	39.7	1.6	0.12	287.5	0.002	1	0.37	0.027	0.28	<0.1	1.2	0.08	<0.02	20			
2024272	Drill Core	0.58	1.02	0.05	27	0.58	0.066	16.3	31.9	1.40	199.3	0.067	<1	1.58	0.018	0.55	0.2	4.9	0.32	<0.02	6			
2024273	Drill Core	0.35	0.68	0.12	24	0.62	0.075	16.6	29.4	1.09	200.3	0.036	2	1.34	0.033	0.39	0.5	5.5	0.22	<0.02	14			
2024274	Drill Core	0.41	0.48	0.26	26	0.25	0.060	20.6	30.2	0.99	154.5	0.004	1	1.27	0.028	0.22	0.2	4.4	0.09	<0.02	12			
2024275	Drill Core	0.60	0.49	0.43	34	0.28	0.072	23.9	41.9	1.06	130.1	0.004	<1	1.43	0.025	0.21	0.1	4.3	0.10	<0.02	<5			
2024276	Drill Core	0.51	0.51	0.09	28	0.26	0.064	24.4	32.2	0.93	169.3	0.009	2	1.36	0.022	0.35	0.2	4.2	0.18	<0.02	12			
2024277	Drill Core	0.28	0.38	0.06	12	0.21	0.055	24.0	13.1	0.61	182.2	0.003	3	0.92	0.015	0.30	0.1	3.0	0.11	<0.02	8			
2024278	Drill Core	0.37	0.44	0.07	21	1.61	0.067	15.3	21.3	0.71	218.4	0.028	<1	1.02	0.019	0.33	<0.1	5.7	0.18	0.09	<5			
2024279	Drill Core	0.30	0.25	0.13	23	1.53	0.064	15.3	25.4	0.92	172.2	0.004	3	1.19	0.014	0.26	<0.1	4.9	0.09	0.06	11			
2024280	Rock	<0.01	0.03	<0.02	1	<0.01	0.001	1.5	2.5	0.01	8.6	0.001	<1	0.04	0.004	0.01	<0.1	0.2	<0.02	<0.02	<5			
2024281	Drill Core	0.37	0.23	0.09	18	1.57	0.059	12.6	18.0	0.82	190.2	0.006	<1	1.11	0.024	0.23	<0.1	5.1	0.08	0.10	<5			
2024282	Drill Core	0.44	0.51	0.08	20	1.58	0.054	24.3	23.7	0.67	138.0	0.022	<1	1.04	0.029	0.23	0.1	3.7	0.09	0.04	<5			
2024283	Drill Core	0.20	0.92	0.09	26	0.81	0.061	18.0	26.2	0.83	173.5	0.062	1	1.04	0.025	0.32	0.5	5.7	0.16	<0.02	<5			
2024284	Drill Core	0.31	0.92	0.11	22	0.58	0.062	17.7	20.3	0.77	274.8	0.048	1	0.99	0.018	0.49	0.2	5.5	0.29	<0.02	<5			
2024285	Drill Core	0.43	0.98	0.36	24	0.90	0.069	11.6	24.8	0.80	233.6	0.034	1	0.93	0.008	0.46	<0.1	6.2	0.36	<0.02	<5			
2024286	Drill Core	0.26	1.69	0.25	12	0.65	0.044	26.5	14.0	0.44	198.7	0.045	<1	0.64	0.025	0.23	0.3	3.7	0.11	<0.02	<5			
2024287	Drill Core	0.22	0.96	0.15	9	0.24	0.035	30.8	7.1	0.34	177.7	0.048	1	0.59	0.026	0.22	0.3	2.6	0.08	<0.02	<5			
2024288	Drill Core	0.29	1.87	0.46	21	0.86	0.075	14.6	18.5	0.88	158.8	0.024	<1	1.07	0.005	0.36	0.1	6.3	0.17	<0.02	<5			
2024289	Drill Core	0.44	1.24	0.18	26	1.25	0.067	17.5	19.4	0.71	134.0	0.050	<1	0.95	0.018	0.25	0.4	5.5	0.13	0.13	<5			
2024290	Drill Core	0.38	1.43	0.39	16	1.86	0.060	18.8	11.7	0.44	191.4	0.027	1	0.69	0.014	0.26	0.2	3.9	0.12	0.18	<5			
2024291	Drill Core	0.47	1.30	1.09	8	0.15	0.053	26.6	8.1	0.19	212.0	0.004	1	0.52	0.023	0.24	<0.1	2.5	0.09	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000434.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
			0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024262	Drill Core	<0.1	<0.02	1.2	0.59	<0.1	0.14	0.41	10.5	0.4	<0.05	5.2	13.26	58.1	0.03	1	0.3	2.9	<10	<2	
2024263	Drill Core	<0.1	<0.02	1.2	1.06	<0.1	0.03	0.03	12.3	0.3	<0.05	2.8	13.01	73.4	<0.02	<1	0.3	3.0	<10	<2	
2024264	Drill Core	<0.1	<0.02	2.0	0.76	<0.1	0.04	<0.02	11.9	0.2	<0.05	3.7	10.43	71.9	<0.02	<1	0.7	6.1	<10	<2	
2024265	Drill Core	<0.1	<0.02	5.4	2.10	<0.1	0.15	<0.02	17.6	0.4	<0.05	10.1	17.04	76.9	0.02	2	1.0	26.4	<10	<2	
2024266	Drill Core	<0.1	<0.02	1.2	1.21	<0.1	0.05	0.03	13.2	0.2	<0.05	3.1	15.07	74.5	<0.02	<1	0.3	3.1	<10	<2	
2024267	Drill Core	<0.1	0.02	1.0	0.81	<0.1	0.06	0.03	12.2	0.3	<0.05	3.5	14.32	69.1	<0.02	<1	<0.1	2.9	<10	<2	
2024268	Drill Core	<0.1	<0.02	1.9	2.86	<0.1	0.03	<0.02	17.1	0.3	<0.05	2.6	17.09	71.5	<0.02	<1	0.2	8.7	<10	2	
2024269	Drill Core	<0.1	<0.02	4.9	3.54	<0.1	0.03	<0.02	23.4	0.4	<0.05	1.8	16.34	50.3	0.03	2	0.8	25.6	<10	<2	
2024270	Drill Core	<0.1	0.03	2.5	2.45	<0.1	0.08	0.14	25.9	0.5	<0.05	4.9	17.11	66.8	0.03	<1	0.2	8.0	<10	<2	
2024271	Drill Core	<0.1	<0.02	1.2	0.57	<0.1	0.10	0.05	12.0	0.3	<0.05	4.9	12.07	76.1	<0.02	1	0.3	3.6	<10	<2	
2024272	Drill Core	<0.1	<0.02	5.3	3.92	<0.1	0.07	0.10	35.3	0.5	<0.05	3.3	14.98	32.2	<0.02	<1	0.7	25.6	<10	<2	
2024273	Drill Core	<0.1	0.03	5.8	3.99	<0.1	0.04	0.04	24.5	0.5	<0.05	2.0	11.86	33.1	0.04	1	0.5	18.8	<10	<2	
2024274	Drill Core	<0.1	0.03	6.5	1.89	<0.1	0.03	<0.02	12.5	0.3	<0.05	1.7	9.33	39.8	0.02	<1	0.6	24.8	13	<2	
2024275	Drill Core	0.3	<0.02	7.6	2.27	<0.1	<0.02	<0.02	11.8	0.4	<0.05	2.0	11.20	45.3	0.03	<1	0.4	30.1	<10	<2	
2024276	Drill Core	<0.1	<0.02	6.8	3.94	<0.1	0.03	<0.02	22.7	0.4	<0.05	1.9	12.87	47.4	<0.02	1	0.9	24.4	<10	<2	
2024277	Drill Core	<0.1	<0.02	4.1	1.52	<0.1	<0.02	<0.02	16.0	0.4	<0.05	1.1	10.31	47.0	0.02	2	0.4	16.8	<10	<2	
2024278	Drill Core	0.2	<0.02	4.7	2.23	<0.1	0.03	<0.02	19.5	0.4	<0.05	1.5	10.37	29.6	0.02	3	0.2	12.2	<10	<2	
2024279	Drill Core	0.2	<0.02	3.8	1.54	<0.1	0.03	<0.02	13.1	0.3	<0.05	1.7	9.34	29.1	0.02	1	0.5	19.2	<10	<2	
2024280	Rock	<0.1	<0.02	0.2	0.08	<0.1	0.06	0.02	0.6	<0.1	<0.05	2.1	0.61	3.1	<0.02	1	<0.1	0.8	<10	<2	
2024281	Drill Core	<0.1	<0.02	3.9	1.04	<0.1	0.03	<0.02	11.2	0.3	<0.05	1.4	7.12	24.5	0.04	<1	0.5	12.7	<10	<2	
2024282	Drill Core	<0.1	<0.02	5.4	1.70	0.1	0.02	0.03	14.0	0.4	<0.05	1.7	14.14	46.3	0.03	1	1.1	13.4	<10	<2	
2024283	Drill Core	<0.1	<0.02	4.6	1.94	<0.1	0.11	0.09	16.8	0.5	<0.05	4.5	10.57	35.3	0.02	<1	0.5	16.1	<10	<2	
2024284	Drill Core	<0.1	0.02	3.8	7.63	<0.1	0.10	0.07	31.6	0.5	<0.05	4.0	9.02	34.0	<0.02	<1	0.2	11.5	<10	<2	
2024285	Drill Core	0.1	0.06	3.0	4.48	<0.1	0.25	0.04	30.5	0.3	<0.05	10.2	6.33	21.9	0.02	<1	0.3	8.5	<10	<2	
2024286	Drill Core	<0.1	0.03	3.7	1.02	<0.1	0.10	0.15	11.4	0.7	<0.05	3.4	13.75	50.3	<0.02	<1	0.7	10.0	<10	<2	
2024287	Drill Core	<0.1	0.03	3.9	1.03	<0.1	0.07	0.21	9.5	0.7	<0.05	2.4	15.78	60.4	<0.02	<1	0.5	8.6	<10	<2	
2024288	Drill Core	0.1	0.06	3.0	2.22	<0.1	0.10	0.03	18.4	0.3	<0.05	4.8	10.23	27.4	<0.02	<1	0.4	17.9	<10	<2	
2024289	Drill Core	0.4	0.02	4.5	1.32	<0.1	0.06	0.09	12.4	0.4	<0.05	2.4	13.42	34.0	0.03	<1	0.4	17.3	<10	<2	
2024290	Drill Core	0.4	0.05	2.8	0.98	<0.1	0.13	0.05	11.9	0.3	<0.05	5.1	12.75	35.9	0.02	1	0.4	13.3	<10	<2	
2024291	Drill Core	<0.1	0.08	2.1	1.29	<0.1	0.37	<0.02	13.0	0.3	<0.05	14.2	11.57	50.3	<0.02	<1	0.3	10.4	<10	2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 12, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000434.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2024292	Drill Core	3.47	429	0.005	<0.01	<0.17	40.66	2.65	22.72	21.14	18.8	386	17.6	5.0	204	1.10	42.9	3.6	1.5	12.3	79.1	
2024293	Drill Core	3.34	387	0.008	<0.01	<0.17	33.48	1.86	10.44	25.37	19.6	327	5.1	3.4	190	1.03	16.4	2.8	1.2	14.0	51.3	
2024294	Drill Core	3.32	373	0.007	<0.01	<0.17	34.66	1.20	12.50	20.83	33.6	299	7.5	4.5	260	1.32	19.2	1.9	3.0	12.9	54.5	
2024295	Drill Core	2.55	457	0.008	<0.01	<0.17	38.11	0.93	26.26	7.52	43.0	276	23.0	7.6	203	1.68	41.3	1.3	4.3	6.6	41.0	
2024296	Drill Core	3.22	395	0.136	0.14	<0.17	36.96	1.46	29.21	7.22	52.3	1808	24.3	8.5	270	1.82	60.0	2.2	147.0	6.2	94.4	
2024297	Drill Core	1.62	465	0.005	<0.01	<0.17	39.98	1.38	25.96	9.66	77.0	521	30.7	10.1	253	2.24	28.4	2.2	<0.2	5.5	28.5	
2024298	Drill Core	2.26	472	<0.005	<0.01	<0.17	39.45	4.23	18.13	5.85	59.0	298	23.9	7.4	244	1.78	12.4	1.2	4.0	4.5	39.0	
2024299	Drill Core	2.16	465	0.077	0.07	<0.17	37.01	2.78	25.32	10.15	51.6	593	23.1	8.1	284	1.92	17.2	1.3	78.8	6.7	71.7	
2024300	Rock Pulp	0.12	75	7.205				9.12	195.34	19.83	75.4	928	13.9	11.0	545	4.41	12.9	0.9	8660.5	2.7	65.3	
2024301	Drill Core	2.00	417	0.031	0.03	<0.17	35.08	1.56	39.28	22.51	101.9	361	31.7	11.0	585	3.14	14.5	1.8	23.9	8.5	141.4	
2024302	Drill Core	3.31	535	0.057	0.05	<0.17	29.66	0.86	21.95	3.50	40.0	343	23.9	7.9	203	2.00	10.1	1.8	66.6	5.8	37.9	
2024303	Drill Core	2.08	427	<0.005	<0.01	<0.17	40.05	1.07	22.14	4.70	43.4	312	21.9	7.9	240	2.23	10.0	1.3	2.4	5.9	35.3	
2024304	Drill Core	2.93	453	0.019	0.02	<0.17	31.90	0.91	17.43	12.80	70.1	301	12.4	6.5	312	2.14	22.0	1.6	11.5	6.4	28.6	
2024305	Drill Core	2.60	465	0.093	0.17	0.96	39.45	0.89	14.00	5.24	40.6	264	17.3	8.3	328	2.21	146.4	1.4	118.8	6.8	46.2	
2024306	Drill Core	2.85	511	0.072	0.07	<0.17	41.69	0.97	9.49	12.28	35.6	272	13.3	5.3	322	1.65	156.6	1.2	10.9	7.2	50.7	
2024307	Drill Core	2.62	462	0.034	0.03	<0.17	40.59	0.89	18.01	16.84	109.8	384	11.8	10.7	653	3.49	647.1	1.4	33.7	6.3	53.4	
2024308	Drill Core	2.84	382	0.007	<0.01	<0.17	30.01	0.86	17.37	8.82	97.9	252	24.3	13.5	665	3.30	113.5	1.0	3.5	7.5	80.2	
2024309	Drill Core	2.84	470	0.034	0.03	<0.17	36.52	0.69	21.89	12.63	79.6	244	19.0	11.0	674	2.88	29.9	1.0	27.0	7.5	109.8	
2024310	Drill Core	3.49	372	0.007	<0.01	<0.17	31.62	0.90	27.24	12.89	80.8	295	23.4	11.9	666	3.01	38.8	1.2	8.5	7.2	74.3	
2024311	Drill Core	3.04	525	0.006	<0.01	<0.17	40.33	0.68	26.08	12.97	78.5	275	20.8	9.8	639	2.62	109.8	0.8	6.9	7.5	71.3	
2024312	Drill Core	3.63	390	0.065	0.06	<0.17	37.20	0.44	21.37	8.82	80.7	251	22.1	11.0	595	2.86	1039.5	1.3	32.9	6.8	72.8	
2024313	Drill Core	3.02	462	0.021	0.02	<0.17	31.19	0.47	27.58	12.12	99.6	333	29.9	16.8	584	3.06	1175.5	1.5	48.0	7.9	59.9	
2024314	Drill Core	3.29	403	0.017	0.02	<0.17	30.43	0.56	23.94	18.20	86.5	298	27.5	15.2	509	2.68	267.3	0.6	16.3	8.5	19.8	
2024315	Drill Core	2.90	393	0.018	0.02	<0.17	42.03	0.78	32.27	17.95	76.3	276	18.0	7.5	486	2.47	238.6	0.5	9.7	8.5	19.8	
2024316	Drill Core	2.64	498	0.012	0.01	<0.17	25.17	1.45	47.00	9.35	106.5	265	23.2	11.3	436	2.62	39.0	1.3	5.3	8.9	20.2	
2024317	Drill Core	1.96	403	0.081	0.07	<0.17	41.04	1.16	35.29	6.62	74.4	155	9.8	6.4	307	2.42	12.1	1.6	16.5	9.1	9.4	
2024318	Drill Core	2.80	446	<0.005	<0.01	<0.17	34.48	1.39	28.41	3.60	87.0	176	19.6	8.6	450	2.62	55.2	1.0	2.2	9.3	12.7	
2024319	Drill Core	3.04	434	<0.005	<0.01	<0.17	41.87	1.55	23.63	3.32	91.1	114	14.4	8.2	345	2.63	21.0	1.8	0.6	10.8	25.5	
2024320	Rock Pulp	0.12	65	0.483				2.38	432.65	19.06	49.3	263	617.0	26.6	434	2.56	18.8	0.6	411.5	1.9	52.2	
2024321	Drill Core	1.62	415	0.007	<0.01	<0.17	35.96	3.41	49.57	120.31	221.7	766	31.1	13.7	560	4.13	21.8	3.6	1.9	5.3	57.1	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000434.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
			0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024292	Drill Core	0.27	0.49	0.43	9	1.59	0.049	30.5	7.4	0.16	166.6	0.051	1	0.34	0.014	0.31	<0.1	3.1	0.13	0.28	<5	
2024293	Drill Core	0.32	0.62	0.47	8	0.96	0.052	31.7	5.5	0.19	191.0	0.048	<1	0.46	0.029	0.27	0.1	3.6	0.12	0.03	<5	
2024294	Drill Core	0.38	1.17	0.31	12	1.13	0.052	31.9	11.4	0.29	240.4	0.027	<1	0.64	0.024	0.26	0.2	3.9	0.12	<0.02	<5	
2024295	Drill Core	0.26	3.12	0.07	14	0.68	0.060	18.1	11.8	0.46	209.8	0.046	<1	0.77	0.009	0.30	0.2	5.3	0.12	<0.02	<5	
2024296	Drill Core	0.46	1.63	0.07	13	1.52	0.059	7.1	10.7	0.65	219.5	0.037	1	0.75	0.012	0.53	0.4	3.4	0.24	0.49	7	
2024297	Drill Core	0.39	0.69	0.11	22	0.59	0.060	8.5	26.1	1.07	145.8	0.075	<1	1.21	0.017	0.56	0.2	3.5	0.26	0.16	<5	
2024298	Drill Core	0.34	0.95	0.08	18	0.83	0.050	8.5	20.4	0.89	118.1	0.071	<1	0.94	0.017	0.54	0.5	3.3	0.30	0.07	<5	
2024299	Drill Core	0.19	1.19	0.07	20	1.07	0.064	11.6	21.7	0.92	151.0	0.085	<1	1.02	0.014	0.53	1.0	3.8	0.25	0.19	<5	
2024300	Rock Pulp	0.20	3.81	0.56	109	0.84	0.064	7.3	17.9	0.80	123.9	0.110	4	1.59	0.153	0.21	3.9	3.4	0.08	<0.02	221	
2024301	Drill Core	0.23	1.02	0.11	37	1.99	0.087	16.4	41.6	1.74	97.5	0.124	2	1.76	0.032	0.47	1.6	7.4	0.21	0.03	6	
2024302	Drill Core	0.18	1.01	0.03	20	0.37	0.059	10.7	22.2	0.89	140.6	0.082	<1	1.01	0.016	0.56	0.6	3.6	0.27	0.07	<5	
2024303	Drill Core	0.17	1.10	0.07	22	0.34	0.061	11.8	23.0	1.04	150.6	0.086	<1	1.16	0.014	0.74	0.4	3.9	0.37	<0.02	<5	
2024304	Drill Core	0.36	1.73	0.10	29	0.47	0.070	13.9	27.2	0.81	191.4	0.082	<1	1.16	0.019	0.49	1.6	3.7	0.20	<0.02	<5	
2024305	Drill Core	0.20	2.89	0.07	33	0.78	0.070	15.7	32.1	0.85	164.9	0.066	<1	1.23	0.014	0.38	1.0	4.3	0.17	<0.02	<5	
2024306	Drill Core	0.17	4.43	0.24	23	0.95	0.052	14.9	20.7	0.61	170.7	0.042	<1	0.91	0.019	0.31	0.6	3.5	0.15	<0.02	<5	
2024307	Drill Core	0.97	12.42	0.14	48	1.20	0.085	17.7	59.6	1.23	184.0	0.058	<1	1.64	0.019	0.23	0.9	8.7	0.10	<0.02	<5	
2024308	Drill Core	0.49	2.34	0.09	70	1.94	0.067	16.0	137.5	1.81	169.5	0.063	<1	1.96	0.016	0.23	0.6	10.5	0.09	<0.02	<5	
2024309	Drill Core	0.33	1.59	0.11	64	2.36	0.064	14.9	127.0	1.53	135.4	0.036	<1	1.57	0.018	0.22	0.2	9.3	0.12	<0.02	<5	
2024310	Drill Core	0.33	2.05	0.11	62	1.80	0.063	15.5	122.8	1.62	168.9	0.034	<1	1.71	0.017	0.22	0.2	8.5	0.11	<0.02	<5	
2024311	Drill Core	0.35	4.28	0.12	50	1.93	0.069	12.5	99.6	1.49	163.2	0.038	<1	1.56	0.012	0.21	0.4	7.8	0.10	<0.02	<5	
2024312	Drill Core	0.37	25.86	0.08	54	1.66	0.065	10.4	115.6	1.48	144.6	0.020	<1	1.58	0.019	0.17	0.3	7.8	0.09	0.03	<5	
2024313	Drill Core	0.76	24.26	0.12	51	1.34	0.073	12.1	115.8	1.68	144.7	0.011	<1	1.82	0.017	0.17	0.2	7.1	0.10	<0.02	<5	
2024314	Drill Core	0.41	8.93	0.07	26	0.46	0.057	14.1	30.8	1.60	155.9	0.005	<1	1.75	0.009	0.20	0.2	2.9	0.07	<0.02	<5	
2024315	Drill Core	0.23	8.97	0.02	22	0.49	0.052	10.2	20.7	1.54	143.9	0.011	<1	1.57	0.008	0.19	0.1	2.1	0.05	<0.02	<5	
2024316	Drill Core	0.32	3.55	0.03	21	0.40	0.052	10.2	18.2	1.44	136.2	0.026	<1	1.53	0.007	0.23	0.2	2.0	0.08	<0.02	<5	
2024317	Drill Core	0.16	1.48	<0.02	14	0.16	0.049	13.6	13.6	1.18	139.5	0.008	<1	1.28	0.012	0.19	<0.1	1.8	0.06	<0.02	<5	
2024318	Drill Core	0.31	3.12	<0.02	15	0.28	0.065	14.5	18.2	1.48	151.2	0.006	<1	1.62	0.013	0.22	<0.1	1.9	0.07	<0.02	<5	
2024319	Drill Core	0.24	2.09	<0.02	13	0.16	0.065	11.4	16.2	1.27	154.6	0.012	1	1.45	0.016	0.30	<0.1	2.1	0.10	0.04	<5	
2024320	Rock Pulp	0.19	0.27	0.30	52	1.22	0.034	4.1	92.3	1.79	73.0	0.068	5	1.95	0.185	0.14	1.2	2.6	0.09	0.21	22	
2024321	Drill Core	1.60	4.58	0.26	47	0.30	0.094	6.2	22.8	1.51	191.9	0.017	3	1.88	0.017	0.47	<0.1	4.1	0.27	0.11	<5	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000434.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024292	Drill Core	0.8	0.06	1.3	0.72	<0.1	0.29	0.37	15.6	0.4	<0.05	10.1	11.50	55.9	0.03	4	0.3	3.4	<10
2024293	Drill Core	0.4	<0.02	2.2	1.17	<0.1	0.20	0.32	14.1	0.8	<0.05	6.0	15.27	60.1	0.03	<1	0.4	5.4	<10
2024294	Drill Core	<0.1	<0.02	3.2	1.60	<0.1	0.06	0.08	14.4	0.5	<0.05	1.8	16.44	62.3	0.03	<1	0.3	11.1	<10
2024295	Drill Core	<0.1	<0.02	2.2	0.95	<0.1	0.16	0.08	12.7	0.4	<0.05	6.1	10.28	33.7	0.03	<1	0.3	10.2	<10
2024296	Drill Core	0.8	0.03	2.4	2.88	<0.1	0.03	0.07	28.2	0.2	<0.05	1.4	6.56	15.0	<0.02	3	0.3	6.5	<10
2024297	Drill Core	0.2	0.03	3.9	3.02	<0.1	0.03	0.10	29.5	0.3	<0.05	1.0	6.99	17.7	<0.02	3	0.2	12.4	<10
2024298	Drill Core	0.4	0.04	3.1	3.22	<0.1	0.07	0.08	31.3	0.3	<0.05	2.2	6.22	17.6	<0.02	2	0.3	9.1	<10
2024299	Drill Core	0.3	0.03	4.1	2.45	<0.1	0.24	0.11	29.0	0.5	<0.05	8.0	8.55	24.6	<0.02	2	0.9	11.1	<10
2024300	Rock Pulp	<0.1	0.17	4.7	0.70	<0.1	0.09	0.09	7.8	1.7	<0.05	1.6	4.90	14.5	0.06	<1	0.2	6.7	<10
2024301	Drill Core	<0.1	0.07	8.4	2.70	0.1	0.27	0.11	30.3	0.8	<0.05	9.0	9.77	33.0	0.03	<1	1.3	18.9	<10
2024302	Drill Core	0.4	0.03	3.4	2.33	<0.1	0.23	0.10	29.2	0.4	<0.05	9.3	6.86	20.8	<0.02	3	0.5	12.5	<10
2024303	Drill Core	<0.1	0.03	3.5	3.76	<0.1	0.34	0.07	41.0	0.3	<0.05	11.6	6.75	21.5	<0.02	<1	0.5	15.6	<10
2024304	Drill Core	<0.1	<0.02	3.9	1.79	<0.1	0.06	0.09	23.8	0.5	<0.05	1.8	8.11	26.1	<0.02	<1	0.4	14.8	<10
2024305	Drill Core	0.3	0.05	4.9	0.92	<0.1	0.05	0.07	18.5	0.5	<0.05	1.9	9.09	28.5	<0.02	<1	0.4	21.2	<10
2024306	Drill Core	<0.1	0.03	3.7	1.00	<0.1	0.04	0.05	16.6	0.5	<0.05	1.4	8.18	27.3	<0.02	<1	0.4	12.0	<10
2024307	Drill Core	<0.1	0.05	7.1	1.74	<0.1	0.04	0.05	12.4	0.5	<0.05	1.4	10.49	32.9	0.04	<1	0.4	23.4	<10
2024308	Drill Core	<0.1	0.03	6.8	0.81	<0.1	0.05	0.03	10.8	0.5	<0.05	2.5	11.06	31.2	0.03	<1	0.5	26.7	<10
2024309	Drill Core	<0.1	0.03	5.8	1.66	<0.1	0.06	<0.02	12.9	0.4	<0.05	2.8	10.65	29.2	0.04	<1	0.7	17.6	<10
2024310	Drill Core	0.4	<0.02	5.6	1.01	<0.1	0.06	<0.02	9.6	0.5	<0.05	2.6	11.04	29.7	0.04	2	0.8	21.3	<10
2024311	Drill Core	<0.1	0.04	6.0	1.05	<0.1	0.11	0.03	10.6	0.4	<0.05	3.7	10.09	24.6	0.04	<1	0.4	19.8	<10
2024312	Drill Core	<0.1	0.02	5.9	0.96	<0.1	0.10	0.03	8.1	0.4	<0.05	4.3	7.65	20.3	0.03	<1	0.3	19.8	<10
2024313	Drill Core	<0.1	0.04	6.5	0.99	<0.1	0.14	<0.02	8.4	0.3	<0.05	6.5	7.43	23.0	0.03	<1	0.4	23.6	<10
2024314	Drill Core	<0.1	<0.02	5.0	0.65	<0.1	0.24	<0.02	8.2	0.3	<0.05	8.1	4.54	26.5	<0.02	<1	0.4	19.4	<10
2024315	Drill Core	<0.1	<0.02	4.5	0.21	<0.1	0.29	<0.02	6.7	0.2	<0.05	11.3	5.58	19.3	<0.02	<1	0.3	16.1	<10
2024316	Drill Core	<0.1	0.02	4.4	0.57	<0.1	0.39	<0.02	10.3	0.3	<0.05	13.9	7.47	20.1	<0.02	<1	0.2	15.8	<10
2024317	Drill Core	<0.1	0.02	3.8	0.47	<0.1	0.33	<0.02	6.7	0.2	<0.05	12.4	4.39	25.5	<0.02	<1	0.2	10.9	<10
2024318	Drill Core	0.9	<0.02	4.6	0.75	<0.1	0.25	<0.02	8.7	0.2	<0.05	10.0	4.64	27.0	<0.02	<1	0.2	17.4	<10
2024319	Drill Core	0.5	<0.02	4.1	1.12	<0.1	0.35	<0.02	12.7	0.3	<0.05	12.9	6.12	22.4	<0.02	<1	0.2	15.2	<10
2024320	Rock Pulp	0.7	0.16	4.3	0.61	<0.1	0.06	0.03	5.9	0.4	<0.05	1.3	2.97	8.4	<0.02	3	<0.1	8.4	272
2024321	Drill Core	1.3	0.09	4.5	3.58	<0.1	0.14	<0.02	23.3	0.3	<0.05	9.1	5.88	12.0	0.02	1	0.2	20.3	<10



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000434.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2024322	Drill Core	3.41	378	<0.005	<0.01	<0.17	39.96	2.68	40.57	30.57	133.9	322	31.2	15.6	723	3.86	19.8	1.9	0.8	27.4
2024323	Drill Core	2.86	440	<0.005	<0.01	<0.17	39.94	1.17	20.64	15.88	101.4	180	19.9	11.4	512	3.47	20.8	1.3	1.2	18.2
2024324	Drill Core	3.28	397	0.008	<0.01	<0.17	36.06	1.30	30.50	19.44	102.9	212	20.0	12.8	564	3.28	12.1	1.1	0.7	15.6
2024325	Drill Core	2.48	429	0.010	<0.01	<0.17	33.42	1.10	33.57	13.11	78.8	222	18.3	10.5	491	3.15	5.8	0.9	0.5	10.9
2024326	Drill Core	3.21	411	0.012	0.01	<0.17	34.71	1.18	49.14	31.46	121.2	316	17.2	11.5	682	3.24	2.8	0.9	0.9	14.9
2024327	Drill Core	3.22	453	<0.005	<0.01	<0.17	34.09	0.58	68.92	6.35	114.7	243	12.7	11.8	815	3.57	2.8	1.0	0.9	22.4
2024328	Drill Core	3.27	511	0.006	<0.01	<0.17	36.46	1.99	47.82	43.35	129.8	430	33.5	15.4	860	3.43	23.4	1.1	1.1	23.6
2024329	Drill Core	3.39	389	<0.005	<0.01	<0.17	38.02	0.81	26.98	6.51	105.7	143	10.9	8.7	630	3.46	3.3	0.6	<0.2	22.8
2024330	Drill Core	3.30	474	<0.005	<0.01	<0.17	40.47	1.93	29.78	17.87	99.1	279	22.2	12.5	604	3.21	7.9	0.9	0.9	14.9
2024331	Drill Core	2.52	538	<0.005	<0.01	<0.17	41.03	2.61	46.79	34.16	136.6	451	29.7	14.5	610	3.53	19.2	1.1	0.8	24.3
2024332	Drill Core	2.67	495	0.006	<0.01	<0.17	26.94	2.73	45.77	50.45	160.3	503	24.1	10.5	883	3.19	16.7	1.0	2.2	46.2
2024333	Drill Core	2.97	423	<0.005	<0.01	<0.17	29.78	2.56	45.63	30.33	151.8	459	27.5	11.7	689	3.22	26.7	0.7	0.6	51.6
2024334	Drill Core	3.17	511	0.005	<0.01	<0.17	32.64	2.83	60.60	156.86	329.3	1208	20.7	9.6	623	3.38	60.3	0.7	2.0	50.3
2024335	Drill Core	2.85	423	0.011	0.01	<0.17	35.53	2.79	57.30	47.00	242.7	547	36.8	15.9	1055	3.26	74.1	0.5	8.5	42.1
2024336	Drill Core	2.89	434	0.028	0.03	<0.17	37.83	2.74	48.81	69.73	157.9	863	27.1	12.1	675	3.43	54.2	0.9	20.6	52.1
2024337	Drill Core	1.67	507	0.014	0.01	<0.17	29.80	2.66	48.42	32.13	142.5	406	29.5	13.1	636	3.57	192.6	0.8	3.9	51.4
2024338	Drill Core	2.78	419	0.005	<0.01	<0.17	31.97	2.56	29.87	10.58	75.9	275	28.7	10.3	455	3.04	36.3	0.8	2.2	32.8
2024339	Drill Core	3.43	423	<0.005	<0.01	<0.17	36.02	1.57	22.23	20.48	63.1	225	20.8	10.3	457	2.79	25.1	0.8	0.6	31.0
2024340	Rock Pulp	0.13	63	<0.005				4.12	22.17	0.90	31.7	17	7.2	4.3	585	2.36	1.5	0.4	0.2	29.2
2024341	Drill Core	3.04	475	<0.005	<0.01	<0.17	40.41	2.59	15.01	2.36	69.8	45	6.7	5.0	219	2.95	6.4	1.0	0.7	23.7
2024342	Drill Core	3.29	452	0.006	<0.01	<0.17	34.07	2.63	44.00	15.30	73.0	191	27.7	11.3	594	2.87	16.5	1.3	0.7	34.0
2024343	Drill Core	3.25	499	0.023	0.02	<0.17	32.33	2.18	27.83	29.07	70.9	241	26.9	10.1	533	2.36	13.4	0.9	1.7	45.2
2024344	Drill Core	3.16	520	0.007	<0.01	<0.17	40.75	2.12	32.53	22.13	82.9	278	21.0	10.1	718	2.61	14.3	1.0	3.3	45.9
2024345	Drill Core	2.89	448	0.005	<0.01	<0.17	34.94	1.57	34.62	13.70	111.1	166	18.3	11.5	521	3.04	16.6	0.8	1.6	39.6
2024346	Drill Core	3.39	403	<0.005	<0.01	<0.17	35.69	1.52	57.73	115.14	174.7	600	21.3	12.5	555	2.95	13.0	0.9	1.3	46.5
2024347	Drill Core	3.59	450	<0.005	<0.01	<0.17	33.15	1.47	44.22	39.03	75.2	434	18.5	9.5	690	2.14	29.7	1.8	1.9	61.4
2024348	Drill Core	1.69	465	<0.005	<0.01	<0.17	35.35	1.13	15.54	15.94	50.8	147	13.2	5.7	811	1.52	25.3	1.9	0.8	82.8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000434.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024322	Drill Core	0.86	7.00	0.06	44	0.29	0.091	8.4	21.7	1.78	186.8	0.017	3	1.97	0.016	0.37	0.1	4.5	0.21	0.03	<5
2024323	Drill Core	0.24	5.29	0.11	41	0.23	0.083	9.2	28.9	2.47	160.0	0.016	3	2.36	0.015	0.29	0.1	4.7	0.13	<0.02	<5
2024324	Drill Core	0.53	4.57	0.11	28	0.27	0.081	10.2	23.1	2.18	115.7	0.006	1	2.09	0.011	0.19	<0.1	3.0	0.07	<0.02	<5
2024325	Drill Core	0.16	1.35	0.11	28	0.30	0.081	11.4	23.9	2.27	113.5	0.003	1	2.19	0.009	0.16	<0.1	2.4	0.05	<0.02	<5
2024326	Drill Core	1.14	0.61	0.17	23	0.53	0.086	12.8	23.8	2.17	115.4	0.004	1	2.09	0.011	0.16	<0.1	3.0	0.05	<0.02	<5
2024327	Drill Core	0.50	0.58	0.04	26	1.04	0.086	11.8	31.8	2.69	96.5	0.004	<1	2.56	0.008	0.15	<0.1	3.7	0.04	<0.02	<5
2024328	Drill Core	0.87	1.00	0.32	27	0.75	0.086	10.0	20.7	1.89	115.3	0.004	<1	1.90	0.008	0.18	0.1	2.8	0.06	<0.02	<5
2024329	Drill Core	0.20	0.35	0.06	27	0.79	0.083	12.9	29.5	2.57	107.7	0.004	<1	2.49	0.011	0.16	<0.1	3.3	0.05	<0.02	<5
2024330	Drill Core	0.28	0.73	0.17	23	0.26	0.086	9.9	21.2	1.99	102.8	0.004	<1	1.94	0.009	0.16	<0.1	2.3	0.05	0.02	<5
2024331	Drill Core	0.48	0.64	0.25	21	0.16	0.087	8.2	15.5	1.31	124.7	0.003	1	1.38	0.008	0.18	<0.1	1.9	0.05	0.07	<5
2024332	Drill Core	1.23	0.77	0.22	21	0.79	0.085	8.3	15.0	1.46	110.0	0.005	<1	1.39	0.008	0.22	0.1	2.1	0.06	0.08	<5
2024333	Drill Core	1.28	0.70	0.20	24	0.60	0.085	6.6	18.0	1.36	118.6	0.006	<1	1.34	0.010	0.21	<0.1	2.3	0.07	0.08	<5
2024334	Drill Core	1.54	1.11	0.52	28	0.62	0.086	7.6	18.9	1.45	113.9	0.010	<1	1.42	0.009	0.20	<0.1	2.6	0.07	0.05	6
2024335	Drill Core	1.57	1.14	0.36	33	1.04	0.083	7.3	19.4	1.76	120.3	0.018	<1	1.60	0.008	0.26	0.1	3.2	0.10	0.05	<5
2024336	Drill Core	1.10	0.98	0.20	26	0.43	0.082	7.2	18.3	1.49	130.0	0.015	<1	1.48	0.008	0.26	0.2	2.4	0.09	0.11	5
2024337	Drill Core	1.36	1.18	0.14	31	0.30	0.092	7.5	18.1	1.54	129.0	0.017	<1	1.54	0.008	0.27	0.1	2.7	0.10	0.10	<5
2024338	Drill Core	0.47	1.17	0.24	32	0.53	0.087	8.3	26.5	1.62	145.7	0.014	<1	1.66	0.008	0.25	<0.1	2.6	0.08	0.02	<5
2024339	Drill Core	0.20	1.00	0.14	21	0.49	0.076	9.1	20.9	1.81	140.7	0.013	1	1.79	0.007	0.24	<0.1	2.5	0.07	<0.02	<5
2024340	Rock Pulp	0.02	0.14	<0.02	22	0.71	0.041	5.3	15.8	0.49	54.3	0.069	2	1.02	0.069	0.08	0.2	2.9	<0.02	0.05	<5
2024341	Drill Core	0.09	0.29	<0.02	18	0.16	0.070	9.3	18.3	1.65	99.9	0.011	<1	1.71	0.015	0.18	<0.1	2.9	0.04	0.03	<5
2024342	Drill Core	0.36	1.80	0.07	27	0.62	0.080	8.6	23.3	1.65	129.5	0.011	1	1.65	0.006	0.25	<0.1	2.6	0.10	<0.02	<5
2024343	Drill Core	0.43	1.52	0.16	29	0.97	0.070	7.5	21.2	1.26	134.8	0.027	<1	1.26	0.009	0.32	<0.1	2.4	0.15	<0.02	<5
2024344	Drill Core	0.81	1.15	0.20	23	1.60	0.069	9.9	17.1	1.06	138.5	0.011	<1	1.22	0.012	0.24	0.1	3.2	0.10	<0.02	<5
2024345	Drill Core	0.41	1.24	0.09	29	1.07	0.073	9.4	22.5	1.40	146.1	0.011	<1	1.67	0.012	0.24	<0.1	3.4	0.08	<0.02	<5
2024346	Drill Core	1.44	0.95	0.39	29	1.14	0.075	6.3	24.7	1.55	144.5	0.012	1	1.64	0.012	0.24	<0.1	3.1	0.09	0.08	<5
2024347	Drill Core	0.51	1.06	0.45	18	1.39	0.069	7.6	14.9	1.31	156.6	0.015	2	1.24	0.009	0.34	<0.1	2.2	0.12	0.09	<5
2024348	Drill Core	0.58	1.47	0.12	10	1.80	0.066	9.1	7.7	0.99	153.4	0.012	2	0.90	0.007	0.35	<0.1	1.5	0.11	0.04	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 12, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000434.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2024322	Drill Core	1.1	0.03	5.1	2.20	<0.1	0.27	<0.02	15.4	0.3	<0.05	11.2	8.45	16.7	0.02	<1	0.2	23.7	<10
2024323	Drill Core	0.5	0.02	6.8	1.62	<0.1	0.28	<0.02	11.5	0.3	<0.05	11.2	7.15	17.6	<0.02	<1	0.2	29.1	<10
2024324	Drill Core	0.8	0.03	5.7	0.71	<0.1	0.21	<0.02	7.0	0.1	<0.05	9.1	4.88	20.1	<0.02	<1	0.2	23.7	<10
2024325	Drill Core	0.6	<0.02	5.1	0.33	<0.1	0.15	<0.02	5.0	<0.1	<0.05	6.0	4.39	21.8	<0.02	<1	0.1	21.7	<10
2024326	Drill Core	0.7	0.03	5.3	0.36	<0.1	0.13	<0.02	5.3	0.1	<0.05	6.8	4.74	24.8	<0.02	<1	0.1	23.0	<10
2024327	Drill Core	0.4	<0.02	6.0	0.37	<0.1	0.13	<0.02	4.6	<0.1	<0.05	7.6	4.63	21.9	<0.02	<1	0.2	26.9	<10
2024328	Drill Core	1.0	0.05	4.6	0.48	<0.1	0.13	<0.02	6.0	0.2	<0.05	5.9	5.39	19.3	<0.02	<1	0.1	19.2	<10
2024329	Drill Core	0.6	<0.02	6.2	0.60	<0.1	0.15	<0.02	5.3	0.1	<0.05	7.2	4.41	24.4	<0.02	<1	0.2	26.4	<10
2024330	Drill Core	0.9	0.02	4.8	0.47	<0.1	0.16	<0.02	5.4	0.2	<0.05	6.6	4.03	19.5	<0.02	<1	0.2	20.7	<10
2024331	Drill Core	1.5	0.05	3.2	0.20	<0.1	0.12	<0.02	5.7	0.2	<0.05	6.2	4.23	16.3	<0.02	<1	0.1	12.8	<10
2024332	Drill Core	0.9	0.04	3.4	0.33	<0.1	0.11	<0.02	7.8	0.3	<0.05	7.1	5.73	15.7	<0.02	<1	0.1	12.8	<10
2024333	Drill Core	2.2	0.03	3.4	0.32	<0.1	0.11	<0.02	7.5	0.2	<0.05	6.1	5.44	12.3	<0.02	<1	0.1	11.9	<10
2024334	Drill Core	2.0	0.12	3.4	0.39	<0.1	0.15	<0.02	7.2	0.2	<0.05	6.9	5.32	14.8	0.03	<1	0.1	12.8	<10
2024335	Drill Core	1.2	0.03	3.8	0.96	<0.1	0.13	<0.02	10.6	0.3	<0.05	6.9	6.35	14.0	<0.02	<1	0.2	13.6	<10
2024336	Drill Core	1.5	0.08	3.7	0.91	<0.1	0.14	<0.02	11.4	0.3	<0.05	6.7	5.98	13.6	<0.02	1	0.2	12.7	<10
2024337	Drill Core	1.2	0.07	3.7	0.82	<0.1	0.12	<0.02	10.9	0.3	<0.05	6.5	5.91	14.7	<0.02	1	0.1	12.9	<10
2024338	Drill Core	1.1	0.05	4.3	0.79	<0.1	0.21	<0.02	9.9	0.2	<0.05	7.7	4.65	16.6	<0.02	<1	0.2	13.5	<10
2024339	Drill Core	0.6	0.04	4.5	0.57	<0.1	0.24	<0.02	8.3	0.2	<0.05	9.0	5.37	17.3	<0.02	<1	0.2	15.7	<10
2024340	Rock Pulp	<0.1	<0.02	3.9	0.12	<0.1	0.12	0.25	1.8	1.8	<0.05	2.9	7.45	10.3	<0.02	<1	0.2	1.1	<10
2024341	Drill Core	1.0	<0.02	5.2	0.44	<0.1	0.16	<0.02	6.2	0.2	<0.05	7.5	3.20	18.0	<0.02	1	0.1	13.7	<10
2024342	Drill Core	0.5	0.03	4.2	0.82	<0.1	0.19	<0.02	10.4	0.2	<0.05	7.4	4.55	16.4	<0.02	1	0.2	14.2	<10
2024343	Drill Core	0.8	0.06	3.6	1.53	<0.1	0.25	<0.02	16.4	0.3	<0.05	9.5	4.33	14.6	<0.02	<1	0.1	11.3	<10
2024344	Drill Core	0.7	0.06	3.5	2.77	<0.1	0.34	<0.02	10.6	0.3	<0.05	12.9	5.13	18.8	<0.02	<1	0.2	12.4	<10
2024345	Drill Core	0.7	0.03	4.8	1.84	<0.1	0.25	<0.02	9.9	0.3	<0.05	10.2	4.42	18.1	<0.02	<1	0.2	16.2	<10
2024346	Drill Core	3.3	0.09	4.5	1.62	<0.1	0.16	<0.02	8.6	0.2	<0.05	7.0	4.04	12.0	<0.02	3	0.2	13.5	11
2024347	Drill Core	1.2	0.05	3.3	2.57	<0.1	0.29	<0.02	13.1	0.3	<0.05	10.0	4.38	13.9	<0.02	2	<0.1	11.6	<10
2024348	Drill Core	0.5	0.03	2.2	2.80	<0.1	0.33	<0.02	13.8	0.3	<0.05	10.6	5.12	17.2	<0.02	<1	0.2	8.4	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 12, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000434.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
2024269	Drill Core	3.14	430	0.007	<0.01	<0.17	36.95	0.37	24.90	31.82	97.7	566	14.2	9.4	430	2.54	5.2	1.5	4.7	9.6	21.8
REP 2024269	QC	0.008																			
2024276	Drill Core	3.64	401	0.042	0.04	<0.17	36.45	0.38	29.75	68.13	103.7	632	14.2	8.1	516	2.66	2.9	1.8	32.1	9.1	18.0
REP 2024276	QC	0.35 29.28 68.88 103.4 659 14.6 8.2 487 2.69 2.9 1.8 26.4 9.3 18.3																			
2024311	Drill Core	3.04	525	0.006	<0.01	<0.17	40.33	0.68	26.08	12.97	78.5	275	20.8	9.8	639	2.62	109.8	0.8	6.9	7.5	71.3
REP 2024311	QC	0.64 25.35 12.41 76.4 275 21.5 9.9 649 2.59 107.2 0.8 5.9 7.2 69.9																			
2024322	Drill Core	3.41	378	<0.005	<0.01	<0.17	39.96	2.68	40.57	30.57	133.9	322	31.2	15.6	723	3.86	19.8	1.9	0.8	5.4	27.4
REP 2024322	QC	0.005																			
2024340	Rock Pulp	0.13	63	<0.005				4.12	22.17	0.90	31.7	17	7.2	4.3	585	2.36	1.5	0.4	0.2	2.2	29.2
REP 2024340	QC	0.014																			
2024343	Drill Core	3.25	499	0.023	0.02	<0.17	32.33	2.18	27.83	29.07	70.9	241	26.9	10.1	533	2.36	13.4	0.9	1.7	4.5	45.2
REP 2024343	QC	2.14 27.36 29.58 74.4 246 27.6 10.1 524 2.43 13.7 1.0 1.5 4.4 47.3																			
Core Reject Duplicates																					
2024262	Drill Core	1.41	467	<0.005	<0.01	<0.17	27.53	0.43	4.88	25.47	18.0	247	1.0	0.7	101	0.64	1.6	1.1	1.5	12.1	18.1
DUP 2024262	QC		432	<0.005	<0.01	<0.17	40.13	0.49	4.66	24.63	18.3	232	1.1	0.9	108	0.72	1.5	1.1	1.4	12.4	18.8
2024296	Drill Core	3.22	395	0.136	0.14	<0.17	36.96	1.46	29.21	7.22	52.3	1808	24.3	8.5	270	1.82	60.0	2.2	147.0	6.2	94.4
DUP 2024296	QC		397	0.150	0.14	<0.17	33.57	1.51	31.33	7.63	51.4	1962	27.1	9.5	282	1.90	65.3	2.5	198.1	6.5	95.1
2024330	Drill Core	3.30	474	<0.005	<0.01	<0.17	40.47	1.93	29.78	17.87	99.1	279	22.2	12.5	604	3.21	7.9	0.9	0.9	5.4	14.9
DUP 2024330	QC		529	<0.005	<0.01	<0.17	32.36	1.98	30.10	18.17	99.3	271	22.4	12.6	621	3.20	7.7	0.9	0.3	5.6	15.2
Reference Materials																					
STD BVGEO01	Standard	10.82 4348.78 196.58 1743.9 2585 161.5 25.1 689 3.66 115.2 4.0 230.9 15.0 56.3																			
STD DS11	Standard	14.47 150.64 139.73 348.5 1746 80.5 13.8 1016 3.17 41.6 2.6 67.0 8.2 66.7																			
STD DS11	Standard	14.69 150.23 142.17 346.2 1663 83.0 13.8 1000 3.06 42.5 2.6 82.6 8.4 65.2																			
STD OREAS262	Standard	0.71 114.00 56.91 154.9 476 64.2 27.0 511 3.31 34.5 1.2 71.3 9.6 34.0																			
STD OREAS262	Standard	0.72 117.91 59.10 156.5 442 67.7 29.4 537 3.28 36.0 1.2 57.8 10.1 36.0																			
STD OREAS262	Standard	0.62 119.67 59.99 156.5 494 65.1 27.6 557 3.21 35.0 1.3 69.3 9.9 35.9																			
STD OXC152	Standard	0.213																			
STD OXC152	Standard	0.214																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 12, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000434.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2024269	Drill Core	0.80	0.61	0.16	23	0.33	0.074	27.1	23.1	1.02	242.8	0.008	<1	1.29	0.018	0.37	0.2	5.4	0.23	<0.02	9
REP 2024269	QC																				
2024276	Drill Core	0.51	0.51	0.09	28	0.26	0.064	24.4	32.2	0.93	169.3	0.009	2	1.36	0.022	0.35	0.2	4.2	0.18	<0.02	12
REP 2024276	QC	0.50	0.51	0.08	29	0.26	0.065	24.7	32.0	0.94	167.6	0.009	<1	1.38	0.023	0.35	0.2	4.7	0.19	<0.02	11
2024311	Drill Core	0.35	4.28	0.12	50	1.93	0.069	12.5	99.6	1.49	163.2	0.038	<1	1.56	0.012	0.21	0.4	7.8	0.10	<0.02	<5
REP 2024311	QC	0.36	4.17	0.12	48	1.94	0.063	12.2	97.0	1.47	154.4	0.037	<1	1.53	0.012	0.21	0.4	7.4	0.10	<0.02	<5
2024322	Drill Core	0.86	7.00	0.06	44	0.29	0.091	8.4	21.7	1.78	186.8	0.017	3	1.97	0.016	0.37	0.1	4.5	0.21	0.03	<5
REP 2024322	QC																				
2024340	Rock Pulp	0.02	0.14	<0.02	22	0.71	0.041	5.3	15.8	0.49	54.3	0.069	2	1.02	0.069	0.08	0.2	2.9	<0.02	0.05	<5
REP 2024340	QC																				
2024343	Drill Core	0.43	1.52	0.16	29	0.97	0.070	7.5	21.2	1.26	134.8	0.027	<1	1.26	0.009	0.32	<0.1	2.4	0.15	<0.02	<5
REP 2024343	QC	0.44	1.49	0.17	29	0.99	0.072	7.9	21.4	1.29	139.0	0.028	<1	1.29	0.008	0.33	<0.1	2.7	0.14	<0.02	<5
Core Reject Duplicates																					
2024262	Drill Core	0.28	0.32	0.21	1	0.09	0.007	27.6	2.6	0.08	746.8	0.011	<1	0.29	0.014	0.21	0.3	1.7	0.07	<0.02	<5
DUP 2024262	QC	0.28	0.36	0.19	1	0.10	0.007	28.0	2.9	0.08	785.6	0.012	<1	0.32	0.014	0.22	0.3	1.9	0.07	<0.02	<5
2024296	Drill Core	0.46	1.63	0.07	13	1.52	0.059	7.1	10.7	0.65	219.5	0.037	1	0.75	0.012	0.53	0.4	3.4	0.24	0.49	7
DUP 2024296	QC	0.49	1.67	0.08	13	1.56	0.061	7.7	11.4	0.67	224.8	0.041	1	0.78	0.013	0.55	0.4	4.1	0.27	0.52	9
2024330	Drill Core	0.28	0.73	0.17	23	0.26	0.086	9.9	21.2	1.99	102.8	0.004	<1	1.94	0.009	0.16	<0.1	2.3	0.05	0.02	<5
DUP 2024330	QC	0.27	0.75	0.16	24	0.27	0.088	11.0	22.6	2.08	106.1	0.003	2	2.04	0.010	0.17	<0.1	2.6	0.05	0.02	<5
Reference Materials																					
STD BVGE001	Standard	6.49	3.15	25.44	76	1.30	0.072	25.7	173.0	1.25	259.6	0.233	4	2.29	0.180	0.87	4.7	6.1	0.65	0.67	96
STD DS11	Standard	2.34	8.99	11.43	51	1.05	0.069	18.3	56.6	0.85	363.1	0.091	7	1.17	0.073	0.40	3.0	3.0	4.93	0.27	284
STD DS11	Standard	2.39	7.34	11.54	50	1.01	0.075	18.1	63.4	0.84	361.6	0.092	7	1.17	0.074	0.39	2.7	3.3	4.82	0.27	251
STD OREAS262	Standard	0.63	5.83	0.99	23	2.91	0.037	15.7	42.0	1.16	236.9	0.003	4	1.30	0.068	0.30	0.2	3.1	0.49	0.25	155
STD OREAS262	Standard	0.61	4.17	1.01	22	2.95	0.043	16.1	44.2	1.18	250.6	0.003	3	1.28	0.072	0.30	0.2	3.4	0.45	0.26	155
STD OREAS262	Standard	0.71	4.29	1.09	26	2.94	0.038	15.9	43.2	1.16	251.6	0.003	5	1.32	0.067	0.30	0.2	3.3	0.47	0.25	165
STD OXC152	Standard																				
STD OXC152	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 12, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000434.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2024269	Drill Core	<0.1	<0.02	4.9	3.54	<0.1	0.03	<0.02	23.4	0.4	<0.05	1.8	16.34	50.3	0.03	2	0.8	25.6	<10	<2
REP 2024269	QC																			
2024276	Drill Core	<0.1	<0.02	6.8	3.94	<0.1	0.03	<0.02	22.7	0.4	<0.05	1.9	12.87	47.4	<0.02	1	0.9	24.4	<10	<2
REP 2024276	QC	<0.1	0.03	6.7	3.81	<0.1	0.03	<0.02	22.9	0.4	<0.05	2.0	12.73	47.3	0.03	1	0.6	24.4	<10	<2
2024311	Drill Core	<0.1	0.04	6.0	1.05	<0.1	0.11	0.03	10.6	0.4	<0.05	3.7	10.09	24.6	0.04	<1	0.4	19.8	<10	<2
REP 2024311	QC	<0.1	0.04	5.6	1.02	<0.1	0.10	0.03	10.2	0.4	<0.05	3.8	9.65	23.5	0.03	<1	0.4	19.8	<10	<2
2024322	Drill Core	1.1	0.03	5.1	2.20	<0.1	0.27	<0.02	15.4	0.3	<0.05	11.2	8.45	16.7	0.02	<1	0.2	23.7	<10	<2
REP 2024322	QC																			
2024340	Rock Pulp	<0.1	<0.02	3.9	0.12	<0.1	0.12	0.25	1.8	1.8	<0.05	2.9	7.45	10.3	<0.02	<1	0.2	1.1	<10	<2
REP 2024340	QC																			
2024343	Drill Core	0.8	0.06	3.6	1.53	<0.1	0.25	<0.02	16.4	0.3	<0.05	9.5	4.33	14.6	<0.02	<1	0.1	11.3	<10	<2
REP 2024343	QC	0.8	0.06	3.7	1.52	<0.1	0.28	<0.02	16.7	0.3	<0.05	9.8	4.60	15.0	<0.02	1	0.2	12.0	<10	<2
Core Reject Duplicates																				
2024262	Drill Core	<0.1	<0.02	1.2	0.59	<0.1	0.14	0.41	10.5	0.4	<0.05	5.2	13.26	58.1	0.03	1	0.3	2.9	<10	<2
DUP 2024262	QC	<0.1	<0.02	1.2	0.60	<0.1	0.11	0.40	11.2	0.5	<0.05	5.6	13.94	60.6	<0.02	1	0.3	3.1	<10	<2
2024296	Drill Core	0.8	0.03	2.4	2.88	<0.1	0.03	0.07	28.2	0.2	<0.05	1.4	6.56	15.0	<0.02	3	0.3	6.5	<10	<2
DUP 2024296	QC	0.8	0.04	2.5	2.89	<0.1	0.03	0.08	28.6	0.3	<0.05	1.2	6.69	15.6	0.02	1	0.3	7.1	<10	<2
2024330	Drill Core	0.9	0.02	4.8	0.47	<0.1	0.16	<0.02	5.4	0.2	<0.05	6.6	4.03	19.5	<0.02	<1	0.2	20.7	<10	<2
DUP 2024330	QC	0.8	0.02	5.0	0.46	<0.1	0.14	<0.02	5.5	0.1	<0.05	6.3	4.31	20.9	<0.02	<1	0.2	20.8	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.9	1.03	7.2	7.74	0.1	0.31	0.23	94.8	5.9	<0.05	9.7	13.87	52.7	0.44	5	0.8	19.7	112	180
STD DS11	Standard	2.0	4.89	5.1	2.98	<0.1	0.05	1.38	34.0	1.9	<0.05	2.8	7.78	37.1	0.27	64	0.4	22.9	94	171
STD DS11	Standard	2.3	4.52	5.0	2.86	0.1	0.07	1.48	32.8	1.8	<0.05	2.7	7.98	36.0	0.23	44	0.7	23.3	101	164
STD OREAS262	Standard	0.3	0.22	3.8	2.86	<0.1	0.20	<0.02	18.4	0.5	<0.05	11.7	10.28	32.2	0.03	1	1.1	16.8	<10	3
STD OREAS262	Standard	0.5	0.22	3.8	2.66	<0.1	0.26	<0.02	17.9	0.5	<0.05	9.4	10.83	31.7	0.03	<1	1.1	17.6	<10	<2
STD OREAS262	Standard	0.3	0.24	4.0	2.70	<0.1	0.31	<0.02	18.1	0.6	<0.05	11.7	10.63	32.2	0.04	<1	1.0	19.1	<10	<2
STD OXC152	Standard																			
STD OXC152	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 12, 2019

Page:

2 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000434.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXH139	Standard			1.268																	
STD OXH139	Standard			1.284																	
STD OXN134	Standard			7.473																	
STD OXN134	Standard			7.651																	
STD OXQ90	Standard					25.21	29.95														
STD OXQ90	Standard					25.38	30.14														
STD OXQ90	Standard					25.51	30.15														
STD OXQ90	Standard					25.29	30.01														
STD OXQ90	Standard					25.22	30.01														
STD OXQ90	Standard					25.38	29.94														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.006																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		449	<0.005	<0.01	<0.17	41.68	0.79	3.95	0.75	27.4	7	1.3	3.6	508	1.86	0.6	0.4	0.6	2.0	20.6



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000434.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.01	<0.02	<0.02	25	0.63	0.036	5.0	2.7	0.49	53.9	0.057	<1	0.87	0.091	0.09	<0.1	2.4	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000434.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.2	0.12	<0.1	0.10	0.14	1.9	0.3	<0.05	3.3	7.24	10.3	<0.02	<1	<0.1	1.0	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000434.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
ROCK-WHI	Prep Blank		454	<0.005	<0.01	<0.17	34.62	0.84	4.56	0.93	32.0	7	2.0	4.5	531	2.02	0.7	0.4	<0.2	2.0	22.8



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000434.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
ROCK-WHI	Prep Blank	<0.01	0.06	<0.02	31	0.67	0.039	5.8	3.8	0.55	55.2	0.071	2	0.95	0.085	0.09	<0.1	3.1	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 12, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000434.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.9	0.14	<0.1	0.10	0.15	2.2	0.3	<0.05	3.5	7.88	11.7	<0.02	1	0.3	1.3	<10	<2