



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: August 27, 2019  
Report Date: September 23, 2019  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI19000454.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: KG19-49  
P.O. Number  
Number of Samples: 136

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	130	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	5	Sort, label and box pulps			WHI
FS631	136	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	136	Analysis sample split/packet			WHI
Split -150	136	Analysis sample split/packet			WHI
EN002	136	Environmental disposal charge-Fire assay lead waste			VAN
FS631	131	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	136	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	136	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8  
Canada

CC: Ian Perry  
Graeme Joyce  
Peter Tallman  
Erika Cayer

  
MAY LAI  
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 2 of 6 **Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000454.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2024585	Drill Core	2.87	443	0.007	<0.01	<0.17	29.90	0.26	2.40	11.54	24.0	323	0.4	0.3	88	0.42	2.7	1.1	1.8	8.5
2024586	Drill Core	2.48	438	0.016	0.01	<0.17	24.43	0.28	3.05	14.00	38.1	291	0.6	0.6	104	0.73	4.5	1.5	8.7	5.9
2024587	Drill Core	1.85	494	0.006	<0.01	<0.17	28.07	0.24	1.91	12.97	17.3	363	0.3	0.3	104	0.38	2.3	1.2	1.8	7.6
2024588	Drill Core	2.75	520	0.005	<0.01	<0.17	30.04	0.20	2.25	11.63	17.5	329	0.3	0.3	120	0.37	4.0	1.1	1.4	9.2
2024589	Drill Core	1.50	439	0.008	<0.01	<0.17	31.84	0.19	2.74	13.03	11.3	286	0.3	0.3	78	0.36	2.4	1.3	5.0	4.5
2024590	Drill Core	1.49	430	<0.005	<0.01	<0.17	32.17	0.21	1.91	15.48	13.3	417	0.2	0.3	106	0.38	2.0	1.6	2.9	7.1
2024591	Drill Core	2.72	441	0.006	<0.01	<0.17	29.22	0.34	2.21	13.47	17.3	337	0.3	0.3	87	0.39	2.7	1.1	1.6	9.6
2024592	Drill Core	2.25	458	0.007	<0.01	<0.17	29.27	0.26	3.01	10.52	10.9	330	0.3	0.2	85	0.32	2.3	1.2	1.5	4.2
2024593	Drill Core	2.42	493	0.016	0.02	<0.17	35.69	0.28	6.16	13.99	19.9	2480	0.9	0.3	89	0.40	4.0	1.6	8.7	3.5
2024594	Drill Core	1.70	537	0.021	0.02	<0.17	31.99	0.34	2.83	16.92	26.8	624	0.4	0.5	90	0.48	7.4	1.7	5.6	5.6
2024595	Drill Core	2.64	504	0.029	0.03	<0.17	39.88	0.41	3.07	16.29	18.1	306	0.4	0.3	148	0.43	9.0	1.7	22.5	5.0
2024596	Drill Core	2.73	453	0.008	<0.01	<0.17	31.97	0.27	2.61	15.05	16.1	498	0.3	0.5	114	0.42	6.2	1.3	4.3	8.2
2024597	Drill Core	2.23	399	0.105	0.10	<0.17	25.86	0.34	1.50	13.51	14.5	618	0.4	0.3	133	0.43	2.5	1.2	17.7	7.5
2024598	Drill Core	3.12	537	<0.005	<0.01	<0.17	29.33	0.34	2.19	14.78	14.4	328	0.4	0.4	137	0.39	3.8	1.4	0.3	9.5
2024599	Drill Core	2.28	413	<0.005	<0.01	<0.17	34.71	0.37	3.92	13.10	17.2	214	0.4	0.4	145	0.41	2.7	1.6	1.1	12.6
2024600	Rock Pulp	0.12	63	7.075				8.85	189.77	19.35	72.4	884	12.7	10.8	537	4.25	13.3	0.9	7865.2	60.1
2024601	Drill Core	0.95	376	0.006	<0.01	<0.17	32.31	0.31	2.22	13.38	28.7	269	0.5	0.3	140	0.67	5.6	1.9	9.8	5.7
2024602	Drill Core	1.19	474	0.012	0.01	<0.17	36.29	0.32	4.19	11.73	21.2	237	0.5	0.8	145	0.49	2.3	1.9	1.1	13.4
2024603	Drill Core	2.41	449	0.037	0.03	<0.17	37.90	0.67	10.15	22.33	29.9	296	0.6	1.1	370	0.87	10.3	2.4	27.6	6.6
2024604	Drill Core	2.11	470	0.011	0.01	<0.17	33.15	0.29	3.92	11.07	16.2	619	0.5	0.4	102	0.46	4.1	1.8	44.0	5.7
2024605	Drill Core	1.79	520	0.048	0.07	0.33	32.96	0.41	12.15	14.72	17.6	1964	1.0	0.4	114	0.63	4.0	1.5	31.1	5.0
2024606	Drill Core	3.44	497	0.012	0.01	<0.17	30.90	0.31	3.90	10.83	21.2	554	0.4	0.7	241	0.71	1.6	1.4	9.2	5.7
2024607	Drill Core	2.13	379	0.012	0.01	<0.17	35.18	0.38	3.64	8.78	22.3	406	0.4	0.8	309	0.68	1.5	0.9	10.7	5.9
2024608	Drill Core	1.95	359	0.011	0.01	<0.17	29.31	0.51	3.89	10.52	43.3	453	0.5	0.8	344	0.94	1.4	0.9	8.0	8.1
2024609	Drill Core	3.10	453	0.006	<0.01	<0.17	32.17	0.53	3.89	8.26	82.1	309	1.3	1.9	306	1.31	1.8	1.1	4.9	15.9
2024610	Drill Core	3.64	341	<0.005	<0.01	<0.17	30.05	0.39	3.66	8.25	108.3	388	0.4	0.8	322	1.12	1.8	1.3	2.4	15.0
2024611	Drill Core	2.86	455	0.011	0.01	<0.17	35.69	0.29	10.81	6.52	205.8	2074	0.4	0.7	226	1.04	0.8	0.8	6.3	18.3
2024612	Drill Core	2.73	462	<0.005	<0.01	<0.17	34.51	0.23	3.66	3.17	93.0	165	0.4	0.8	242	1.13	0.9	0.7	1.1	14.5
2024613	Drill Core	2.81	463	<0.005	<0.01	<0.17	27.32	0.30	5.01	5.78	130.9	230	0.4	0.9	282	1.37	1.0	1.0	1.9	15.8
2024614	Drill Core	3.53	491	<0.005	<0.01	<0.17	35.43	0.35	4.57	8.97	112.2	288	0.4	0.9	262	1.32	1.6	1.2	2.0	13.5



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 2 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000454.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024585	Drill Core	0.23	0.41	0.10	<1	0.04	0.005	28.6	1.6	0.02	856.9	0.002	2	0.22	0.015	0.19	0.7	1.5	0.05	<0.02	41			
2024586	Drill Core	0.35	0.34	0.06	<1	0.03	0.005	34.9	2.0	0.03	423.9	0.001	2	0.28	0.016	0.22	0.1	2.5	0.06	<0.02	45			
2024587	Drill Core	0.21	0.46	0.08	<1	0.06	0.003	22.4	1.7	0.01	315.0	0.003	2	0.22	0.016	0.17	0.1	1.3	0.05	<0.02	33			
2024588	Drill Core	0.26	0.40	0.09	<1	0.08	0.003	17.6	1.8	0.01	210.5	0.005	2	0.23	0.018	0.22	0.1	1.4	0.06	<0.02	23			
2024589	Drill Core	0.13	0.67	0.11	<1	0.03	0.004	17.4	1.9	0.01	205.1	0.001	2	0.20	0.017	0.24	0.3	1.5	0.07	<0.02	23			
2024590	Drill Core	0.22	0.40	0.11	<1	0.05	0.005	29.9	1.8	0.01	250.8	0.002	2	0.23	0.013	0.25	0.2	1.3	0.07	<0.02	25			
2024591	Drill Core	0.24	0.44	0.09	<1	0.05	0.004	15.7	1.8	0.02	387.0	0.002	2	0.24	0.019	0.20	0.2	1.3	0.06	<0.02	26			
2024592	Drill Core	0.18	0.21	0.08	<1	0.02	0.004	27.8	1.7	0.02	328.6	<0.001	2	0.22	0.014	0.24	0.4	0.9	0.07	<0.02	25			
2024593	Drill Core	0.20	0.28	0.08	<1	0.02	0.005	34.4	1.9	0.02	291.4	<0.001	1	0.23	0.018	0.18	3.7	1.3	0.06	<0.02	34			
2024594	Drill Core	0.26	0.39	0.14	<1	0.03	0.007	40.0	1.8	0.02	422.8	<0.001	2	0.24	0.015	0.19	0.5	1.7	0.06	<0.02	54			
2024595	Drill Core	0.35	0.35	0.11	<1	0.02	0.005	36.6	1.6	0.02	430.0	<0.001	2	0.24	0.016	0.21	0.2	1.6	0.06	<0.02	52			
2024596	Drill Core	0.31	0.37	0.11	<1	0.07	0.004	15.4	1.7	0.02	297.9	0.003	2	0.25	0.017	0.22	0.2	1.5	0.06	<0.02	24			
2024597	Drill Core	0.26	0.40	0.10	<1	0.05	0.005	18.8	1.7	0.02	298.9	0.003	1	0.24	0.020	0.22	0.2	1.4	0.06	<0.02	35			
2024598	Drill Core	0.30	0.71	0.13	<1	0.06	0.005	24.2	1.6	0.02	264.4	0.002	2	0.23	0.017	0.20	0.3	1.3	0.07	<0.02	37			
2024599	Drill Core	0.36	0.49	0.10	<1	0.09	0.005	21.0	1.9	0.01	284.3	0.003	1	0.26	0.022	0.17	0.2	1.4	0.09	<0.02	27			
2024600	Rock Pulp	0.19	4.55	0.53	105	0.81	0.061	7.5	17.3	0.79	119.2	0.106	4	1.58	0.159	0.21	3.5	3.2	0.07	<0.02	212			
2024601	Drill Core	0.34	0.27	0.07	<1	0.03	0.006	35.2	1.9	0.05	333.0	<0.001	1	0.30	0.017	0.20	0.5	2.0	0.06	<0.02	47			
2024602	Drill Core	0.39	0.34	0.11	<1	0.08	0.004	26.0	1.8	0.02	431.0	0.001	2	0.31	0.022	0.18	0.2	1.4	0.07	<0.02	45			
2024603	Drill Core	1.04	0.43	0.16	<1	0.04	0.007	40.6	1.9	0.04	400.8	<0.001	2	0.30	0.015	0.21	0.6	2.2	0.06	<0.02	101			
2024604	Drill Core	0.29	0.33	0.11	<1	0.03	0.005	31.4	2.0	0.02	239.3	<0.001	1	0.21	0.020	0.19	3.7	1.1	0.06	<0.02	57			
2024605	Drill Core	0.44	0.37	0.10	<1	0.04	0.009	24.0	2.7	0.04	239.1	<0.001	1	0.26	0.016	0.19	10.1	1.5	0.05	<0.02	46			
2024606	Drill Core	0.42	0.51	0.13	<1	0.04	0.011	25.4	1.8	0.05	326.4	0.001	1	0.29	0.013	0.21	1.7	1.8	0.06	<0.02	27			
2024607	Drill Core	0.49	0.22	0.14	<1	0.04	0.010	27.0	1.9	0.10	338.5	0.001	<1	0.34	0.011	0.21	0.7	1.4	0.07	<0.02	21			
2024608	Drill Core	0.66	0.39	0.13	<1	0.05	0.009	26.0	2.1	0.14	409.8	<0.001	<1	0.46	0.016	0.18	1.2	2.5	0.05	<0.02	13			
2024609	Drill Core	0.50	0.56	0.09	5	0.11	0.015	23.2	6.4	0.48	490.4	0.003	2	0.77	0.021	0.13	0.2	3.5	0.05	<0.02	10			
2024610	Drill Core	0.52	0.80	0.08	1	0.11	0.011	20.4	1.8	0.28	237.0	0.004	1	0.60	0.025	0.12	0.3	2.7	0.05	<0.02	18			
2024611	Drill Core	0.40	0.97	0.08	<1	0.12	0.011	10.2	1.8	0.62	265.0	0.007	<1	0.80	0.019	0.08	0.1	1.8	0.03	<0.02	297			
2024612	Drill Core	0.31	0.38	0.07	<1	0.09	0.011	9.6	1.5	0.83	292.4	0.011	<1	0.97	0.017	0.07	<0.1	1.5	0.02	<0.02	14			
2024613	Drill Core	0.45	0.36	0.11	<1	0.07	0.011	14.6	1.6	0.80	759.4	0.005	<1	1.03	0.017	0.09	0.1	2.1	0.04	<0.02	17			
2024614	Drill Core	0.53	0.44	0.13	<1	0.06	0.013	27.3	1.7	0.64	570.3	0.002	<1	0.88	0.017	0.12	0.1	2.8	0.05	<0.02	17			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 2 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000454.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024585	Drill Core	<0.1	<0.02	0.7	1.15	<0.1	0.04	0.10	9.5	0.2	<0.05	1.1	15.57	52.3	<0.02	<1	0.2	1.1	<10	<2			
2024586	Drill Core	<0.1	<0.02	1.0	1.60	<0.1	0.06	0.02	10.8	0.2	<0.05	1.6	21.90	58.5	<0.02	<1	0.2	1.2	<10	<2			
2024587	Drill Core	<0.1	<0.02	0.9	0.85	<0.1	0.04	0.18	8.6	0.4	<0.05	1.0	19.51	46.7	<0.02	<1	0.2	0.8	<10	<2			
2024588	Drill Core	<0.1	<0.02	1.0	0.98	<0.1	0.03	0.22	13.1	0.4	<0.05	1.0	15.48	43.5	<0.02	<1	0.3	1.0	<10	<2			
2024589	Drill Core	<0.1	<0.02	0.8	0.90	<0.1	0.04	0.08	14.6	0.5	<0.05	1.1	13.14	63.1	0.02	<1	0.2	0.9	<10	<2			
2024590	Drill Core	<0.1	<0.02	0.8	1.24	<0.1	0.05	0.10	14.6	0.3	<0.05	1.0	21.44	51.2	<0.02	<1	0.3	1.2	<10	<2			
2024591	Drill Core	<0.1	<0.02	0.9	1.14	<0.1	0.05	0.11	10.0	0.4	<0.05	0.9	11.49	51.5	0.02	<1	0.2	1.2	<10	<2			
2024592	Drill Core	<0.1	<0.02	0.7	0.96	<0.1	0.04	0.03	11.5	0.2	<0.05	1.0	11.33	63.6	<0.02	<1	0.2	0.8	<10	<2			
2024593	Drill Core	<0.1	<0.02	0.8	0.78	<0.1	0.04	0.03	8.7	0.3	<0.05	1.2	19.47	65.1	<0.02	<1	0.2	1.3	<10	<2			
2024594	Drill Core	<0.1	<0.02	0.9	1.06	<0.1	0.06	0.04	9.1	0.3	<0.05	2.1	22.35	64.9	0.02	<1	0.2	1.8	<10	<2			
2024595	Drill Core	<0.1	<0.02	0.6	1.12	<0.1	0.05	0.03	10.2	0.3	<0.05	1.3	21.67	72.9	0.02	<1	0.2	1.1	<10	<2			
2024596	Drill Core	<0.1	<0.02	1.0	1.08	<0.1	0.04	0.15	12.5	0.4	<0.05	1.1	13.67	53.0	<0.02	<1	0.2	1.2	<10	<2			
2024597	Drill Core	<0.1	<0.02	0.9	0.85	<0.1	0.04	0.13	12.3	0.3	<0.05	1.4	13.18	52.2	0.02	<1	0.3	1.3	<10	<2			
2024598	Drill Core	<0.1	<0.02	0.9	1.19	<0.1	0.04	0.10	10.9	0.4	<0.05	1.3	21.85	53.5	<0.02	<1	0.2	1.1	<10	<2			
2024599	Drill Core	<0.1	<0.02	1.1	0.96	<0.1	0.05	0.16	9.9	0.6	<0.05	1.4	18.98	47.5	<0.02	<1	0.2	1.4	<10	<2			
2024600	Rock Pulp	<0.1	0.17	4.9	0.67	0.1	0.06	0.11	7.6	1.6	<0.05	1.0	5.07	14.8	0.05	<1	0.1	6.4	<10	<2			
2024601	Drill Core	<0.1	<0.02	1.0	1.87	<0.1	0.20	0.02	10.6	0.2	<0.05	5.4	18.06	60.0	<0.02	<1	0.2	2.0	<10	<2			
2024602	Drill Core	<0.1	<0.02	1.1	1.23	<0.1	0.03	0.05	11.1	0.6	<0.05	1.0	20.89	52.1	<0.02	<1	0.2	1.4	<10	<2			
2024603	Drill Core	<0.1	<0.02	0.9	1.36	<0.1	0.14	<0.02	10.0	0.7	<0.05	5.0	18.00	73.8	0.03	<1	0.3	1.5	<10	<2			
2024604	Drill Core	<0.1	<0.02	0.8	1.10	<0.1	0.05	0.04	10.8	0.2	<0.05	1.5	17.48	54.1	<0.02	<1	0.3	1.2	<10	<2			
2024605	Drill Core	<0.1	<0.02	0.7	1.41	<0.1	0.03	<0.02	7.7	0.2	<0.05	1.3	11.61	45.3	<0.02	<1	0.2	1.1	<10	<2			
2024606	Drill Core	<0.1	<0.02	0.9	1.00	<0.1	0.02	0.04	8.8	0.2	<0.05	0.8	13.39	50.5	0.02	<1	0.2	1.3	<10	<2			
2024607	Drill Core	<0.1	<0.02	0.8	0.60	<0.1	<0.02	<0.02	8.9	0.2	<0.05	0.7	8.06	52.3	<0.02	<1	0.1	2.4	<10	<2			
2024608	Drill Core	<0.1	<0.02	1.3	0.63	<0.1	<0.02	<0.02	7.5	0.2	<0.05	0.7	10.47	50.5	0.03	<1	<0.1	4.4	<10	<2			
2024609	Drill Core	<0.1	<0.02	2.4	0.81	<0.1	0.02	0.03	5.5	0.5	<0.05	0.8	17.65	42.4	0.03	<1	0.1	6.9	<10	<2			
2024610	Drill Core	<0.1	<0.02	2.1	0.83	<0.1	0.03	0.07	5.5	0.6	<0.05	0.8	17.53	36.8	0.03	<1	0.1	4.7	<10	<2			
2024611	Drill Core	<0.1	<0.02	2.3	0.42	<0.1	<0.02	0.10	4.0	0.6	<0.05	0.5	10.57	21.6	0.02	<1	0.1	9.6	<10	<2			
2024612	Drill Core	<0.1	<0.02	2.5	0.28	<0.1	<0.02	0.13	3.3	0.4	<0.05	0.5	10.13	20.0	0.02	<1	0.1	12.4	<10	<2			
2024613	Drill Core	<0.1	<0.02	2.6	0.50	<0.1	<0.02	0.06	4.3	0.5	<0.05	0.5	14.77	37.3	0.03	<1	0.1	11.7	<10	<2			
2024614	Drill Core	<0.1	<0.02	2.6	0.91	<0.1	0.03	0.03	5.5	0.4	<0.05	0.9	22.67	52.3	0.04	<1	0.1	9.1	<10	<2			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 3 of 6 **Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000454.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2024615	Drill Core	2.82	421	0.022	0.02	<0.17	37.27	0.52	7.56	44.46	178.5	1194	0.6	0.9	223	1.12	4.7	1.3	18.0	9.0	11.4
2024616	Drill Core	2.15	371	0.069	0.10	0.39	35.84	0.42	3.80	11.66	18.9	558	0.3	0.3	173	0.60	4.0	1.2	14.7	8.1	5.4
2024617	Drill Core	1.93	349	0.045	0.18	1.33	35.34	0.43	21.80	9.97	14.0	5519	1.6	0.3	135	0.55	2.5	0.8	120.4	6.9	3.7
2024618	Drill Core	1.73	512	0.008	<0.01	<0.17	31.59	0.37	6.01	9.09	12.2	928	0.5	0.3	92	0.45	1.9	1.0	4.5	5.9	6.7
2024619	Drill Core	1.75	430	0.009	<0.01	<0.17	30.23	0.34	3.79	11.35	16.7	284	0.4	0.4	56	0.65	3.0	1.2	4.6	7.3	10.6
2024620	Rock Pulp	0.12	63	0.415				2.40	424.12	18.46	47.3	260	588.3	25.9	413	2.50	18.2	0.6	396.9	2.0	52.4
2024621	Drill Core	3.05	512	0.008	<0.01	<0.17	33.92	0.32	5.40	11.65	11.2	911	0.5	0.2	39	0.43	2.4	1.0	3.9	7.1	14.5
2024622	Drill Core	2.13	530	0.282	0.57	5.52	29.00	0.63	4.31	12.90	21.9	635	0.6	0.7	60	0.76	5.8	1.3	1518.4	8.1	7.4
2024623	Drill Core	2.35	387	0.029	0.03	<0.17	30.37	0.88	16.70	16.32	57.9	2843	1.6	1.3	126	1.21	4.3	1.4	8.2	9.0	12.3
2024624	Drill Core	2.44	434	0.011	0.01	<0.17	23.64	0.54	13.27	11.86	39.9	1876	0.9	0.8	101	0.92	2.9	1.1	26.6	7.2	18.0
2024491	Drill Core	2.13	429	0.006	<0.01	<0.17	30.84	0.21	4.27	21.89	12.9	328	0.8	0.6	85	0.45	1.3	1.1	1.7	13.6	4.6
2024625	Drill Core	2.40	489	0.007	<0.01	<0.17	28.10	0.51	10.57	8.83	119.2	490	0.5	1.2	208	1.45	2.0	1.2	3.5	9.5	39.0
2024492	Drill Core	1.95	451	<0.005	<0.01	<0.17	33.79	0.16	8.49	18.81	14.6	240	0.4	0.4	81	0.45	0.7	1.0	0.3	14.0	7.9
2024626	Drill Core	1.68	444	0.041	0.23	2.54	33.83	0.52	8.74	10.95	29.2	1311	0.8	0.4	71	0.72	4.0	1.0	32.9	7.3	6.5
2024493	Drill Core	2.00	482	<0.005	<0.01	<0.17	29.47	0.15	4.77	16.49	15.6	199	0.9	0.8	115	0.58	0.6	1.2	3.4	11.2	23.8
2024494	Drill Core	1.84	439	<0.005	<0.01	<0.17	30.74	0.61	15.85	13.01	65.5	366	10.6	7.1	384	1.97	1.5	1.7	2.3	10.1	78.8
2024495	Drill Core	2.05	407	0.005	<0.01	<0.17	24.27	0.30	8.17	17.44	35.4	287	3.9	3.1	225	1.20	0.9	1.8	2.6	13.9	40.2
2024496	Drill Core	2.75	437	0.007	<0.01	<0.17	40.57	0.25	12.57	21.61	42.4	303	6.9	5.2	210	1.52	1.6	1.4	3.5	12.3	24.4
2024497	Drill Core	2.33	402	0.014	0.01	<0.17	30.11	0.43	33.96	16.28	68.0	530	13.5	8.1	324	2.55	7.5	1.0	6.9	9.7	16.6
2024498	Drill Core	1.56	507	0.014	0.01	<0.17	27.68	0.27	12.23	27.38	67.2	369	13.6	8.7	549	2.65	0.9	1.1	15.9	10.2	110.5
2024499	Drill Core	3.51	381	0.046	0.04	<0.17	41.30	0.37	15.84	17.35	68.4	342	12.6	7.8	602	2.57	0.9	1.5	19.6	9.1	122.3
2024500	Rock Pulp	0.12	64	7.394				9.04	187.14	19.27	74.6	872	13.0	10.8	568	4.65	13.5	0.9	8139.2	2.9	69.8
2024501	Drill Core	3.53	404	0.014	0.02	<0.17	32.94	0.80	15.46	9.65	62.4	297	10.8	8.0	360	2.06	1.2	2.2	1.1	9.1	75.5
2024502	Drill Core	3.12	532	<0.005	<0.01	<0.17	41.36	1.21	18.77	17.23	72.5	303	12.8	8.4	300	2.23	4.7	1.7	<0.2	8.2	62.6
2024503	Drill Core	3.49	365	<0.005	<0.01	<0.17	44.37	0.56	17.76	9.63	62.1	296	12.4	8.1	405	2.09	2.4	1.3	<0.2	7.1	71.1
2024504	Drill Core	3.27	373	<0.005	<0.01	<0.17	39.06	0.44	10.15	24.58	60.0	223	8.2	5.9	410	1.74	3.0	1.8	<0.2	6.4	167.3
2024505	Drill Core	2.68	379	<0.005	<0.01	<0.17	34.06	0.76	19.70	14.87	52.6	165	15.1	7.7	432	2.06	7.0	1.7	<0.2	9.9	141.6
2024506	Drill Core	3.67	394	<0.005	<0.01	<0.17	32.55	1.89	22.20	15.06	65.8	248	20.0	9.6	496	2.42	35.1	1.8	4.3	8.4	214.8
2024507	Drill Core	3.26	400	0.008	<0.01	<0.17	35.96	1.45	23.37	18.59	61.6	319	18.3	7.1	452	2.39	17.5	2.4	5.2	11.4	211.8
2024508	Drill Core	3.33	415	0.009	<0.01	<0.17	39.61	2.06	23.85	30.41	65.5	520	32.1	8.0	392	2.29	47.1	1.2	3.4	7.3	120.6



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 3 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000454.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024615	Drill Core	0.83	0.47	0.58	<1	0.06	0.011	24.6	1.7	0.19	408.0	0.001	<1	0.58	0.022	0.15	0.4	3.0	0.10	<0.02	58			
2024616	Drill Core	0.58	0.36	0.12	<1	0.03	0.009	29.0	1.9	0.04	304.7	<0.001	<1	0.26	0.015	0.21	1.7	1.6	0.05	<0.02	65			
2024617	Drill Core	0.32	0.24	0.10	<1	0.03	0.008	20.9	2.5	0.03	294.7	0.001	1	0.26	0.018	0.21	17.1	1.4	0.05	<0.02	14			
2024618	Drill Core	0.27	0.38	0.12	<1	0.03	0.008	20.2	1.3	0.03	540.6	0.001	<1	0.23	0.016	0.20	3.9	1.5	0.05	<0.02	30			
2024619	Drill Core	0.31	0.68	0.14	<1	0.05	0.009	19.4	1.2	0.04	543.0	0.003	<1	0.29	0.019	0.22	1.2	2.1	0.06	<0.02	24			
2024620	Rock Pulp	0.21	0.36	0.30	49	1.21	0.031	4.0	92.4	1.70	75.8	0.062	3	1.86	0.179	0.13	1.2	2.6	0.09	0.19	22			
2024621	Drill Core	0.20	0.37	0.12	<1	0.03	0.008	23.9	1.4	0.03	1636.6	0.001	<1	0.26	0.017	0.21	2.8	1.5	0.05	0.03	16			
2024622	Drill Core	0.36	0.46	0.12	<1	0.04	0.010	29.7	1.7	0.04	423.3	0.002	<1	0.30	0.017	0.19	1.9	1.9	0.06	<0.02	34			
2024623	Drill Core	0.31	0.63	0.15	2	0.07	0.014	24.8	3.9	0.19	573.3	0.001	<1	0.59	0.020	0.19	14.6	3.2	0.07	<0.02	28			
2024624	Drill Core	0.27	0.51	0.15	<1	0.06	0.009	20.3	2.3	0.20	1022.8	0.002	<1	0.48	0.019	0.18	9.2	2.5	0.05	<0.02	14			
2024491	Drill Core	0.21	0.15	0.22	<1	0.03	0.008	34.5	1.7	0.06	212.6	0.002	<1	0.28	0.022	0.24	0.2	0.9	0.08	<0.02	8			
2024625	Drill Core	0.20	0.41	0.13	<1	0.06	0.012	26.6	1.4	1.00	1575.4	0.002	<1	1.22	0.019	0.10	0.8	3.8	0.04	0.03	8			
2024492	Drill Core	0.32	0.15	0.24	<1	0.06	0.007	42.8	1.3	0.06	181.9	0.004	<1	0.28	0.025	0.23	<0.1	1.7	0.07	<0.02	<5			
2024626	Drill Core	0.26	0.39	0.11	<1	0.03	0.009	23.5	2.4	0.06	394.4	0.001	<1	0.33	0.019	0.20	7.3	1.8	0.05	<0.02	17			
2024493	Drill Core	0.28	0.32	0.17	<1	0.32	0.011	36.2	2.1	0.12	263.7	0.001	<1	0.36	0.016	0.23	0.1	1.2	0.08	<0.02	8			
2024494	Drill Core	0.52	0.57	0.14	19	1.13	0.067	28.2	22.7	0.96	358.4	0.013	<1	1.15	0.012	0.27	0.1	4.4	0.14	0.09	<5			
2024495	Drill Core	0.40	0.28	0.15	7	0.55	0.030	41.8	9.9	0.41	409.5	0.004	<1	0.72	0.017	0.29	<0.1	2.3	0.12	0.03	<5			
2024496	Drill Core	0.50	0.32	0.14	10	0.34	0.043	37.5	13.6	0.49	236.1	0.004	<1	0.79	0.020	0.26	0.1	3.2	0.10	<0.02	<5			
2024497	Drill Core	0.80	0.36	0.12	27	0.22	0.073	27.6	31.2	0.87	167.2	0.003	<1	1.19	0.019	0.20	0.1	4.2	0.08	<0.02	<5			
2024498	Drill Core	0.29	0.26	0.15	28	1.45	0.076	31.8	36.9	1.16	126.8	0.006	<1	1.37	0.023	0.21	0.1	5.6	0.10	<0.02	<5			
2024499	Drill Core	0.36	0.48	0.12	27	1.83	0.070	24.5	30.6	1.12	284.0	0.066	<1	1.35	0.018	0.21	0.4	5.2	0.10	<0.02	<5			
2024500	Rock Pulp	0.17	4.58	0.55	111	0.90	0.066	8.1	17.7	0.83	122.5	0.112	2	1.71	0.175	0.21	3.7	3.5	0.06	<0.02	194			
2024501	Drill Core	0.38	0.69	0.06	22	1.00	0.068	20.5	24.8	0.82	293.1	0.115	<1	1.11	0.027	0.34	0.3	5.5	0.19	0.07	<5			
2024502	Drill Core	0.28	0.57	0.12	26	0.84	0.076	16.9	30.8	0.95	184.6	0.078	<1	1.10	0.029	0.36	0.3	5.3	0.21	0.12	<5			
2024503	Drill Core	0.24	0.42	0.07	20	0.88	0.074	15.6	25.6	0.91	174.4	0.085	<1	1.27	0.025	0.29	0.2	4.2	0.15	0.02	<5			
2024504	Drill Core	0.39	0.32	0.13	16	2.23	0.057	13.5	16.9	0.59	221.1	0.063	<1	0.78	0.029	0.25	0.1	4.4	0.11	0.08	<5			
2024505	Drill Core	0.27	0.33	0.06	15	1.56	0.066	24.5	17.1	0.66	371.3	0.027	<1	0.80	0.019	0.30	<0.1	5.2	0.16	0.09	<5			
2024506	Drill Core	0.31	0.31	0.21	23	1.46	0.086	21.6	28.5	0.95	332.0	0.067	<1	1.08	0.011	0.27	<0.1	6.3	0.16	0.07	<5			
2024507	Drill Core	0.33	0.26	0.31	19	1.50	0.080	23.9	25.8	0.89	260.3	0.008	<1	1.08	0.012	0.30	<0.1	4.3	0.15	0.06	<5			
2024508	Drill Core	0.47	0.41	0.69	21	0.97	0.068	19.1	21.9	0.80	611.1	0.023	<1	0.85	0.010	0.48	<0.1	6.2	0.37	0.08	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 3 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000454.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024615	Drill Core	<0.1	<0.02	1.8	0.97	<0.1	0.04	<0.02	6.9	0.4	<0.05	1.1	19.01	57.9	0.05	<1	0.3	6.2	<10	<2			
2024616	Drill Core	<0.1	<0.02	0.8	1.03	<0.1	0.03	0.05	9.0	0.1	<0.05	1.6	16.16	54.3	<0.02	<1	0.2	1.7	<10	<2			
2024617	Drill Core	<0.1	<0.02	0.8	0.57	<0.1	0.04	0.04	8.2	0.2	<0.05	1.6	12.37	45.9	<0.02	<1	0.1	1.7	<10	<2			
2024618	Drill Core	<0.1	<0.02	0.7	0.74	<0.1	0.04	0.08	8.0	0.3	<0.05	1.6	13.16	44.0	<0.02	<1	0.1	1.6	<10	<2			
2024619	Drill Core	<0.1	<0.02	0.9	0.85	<0.1	0.04	0.14	9.3	0.3	<0.05	1.7	16.47	38.4	0.02	<1	0.2	1.5	<10	<2			
2024620	Rock Pulp	0.7	0.18	4.2	0.63	<0.1	0.05	0.02	6.0	0.3	<0.05	1.0	3.07	8.3	<0.02	2	<0.1	8.2	278	105			
2024621	Drill Core	<0.1	<0.02	0.8	0.68	<0.1	0.06	0.05	8.6	0.1	<0.05	2.1	14.54	49.2	<0.02	<1	0.1	1.5	<10	<2			
2024622	Drill Core	<0.1	<0.02	0.8	0.70	<0.1	0.04	0.04	8.2	0.2	<0.05	2.0	17.81	53.2	<0.02	<1	0.2	2.0	<10	<2			
2024623	Drill Core	<0.1	<0.02	2.0	1.28	<0.1	0.03	0.02	9.4	0.4	<0.05	1.3	20.90	54.2	0.03	<1	0.2	5.9	<10	<2			
2024624	Drill Core	<0.1	<0.02	1.5	0.72	<0.1	0.04	0.04	7.8	0.5	<0.05	1.4	15.64	39.4	<0.02	<1	0.2	3.7	<10	<2			
2024491	Drill Core	<0.1	<0.02	1.0	0.46	<0.1	0.19	0.10	11.3	0.2	<0.05	6.8	10.23	71.7	<0.02	<1	0.3	2.7	<10	<2			
2024625	Drill Core	<0.1	<0.02	3.4	0.79	<0.1	0.04	<0.02	4.4	0.5	<0.05	1.2	18.21	49.6	0.07	<1	0.2	18.6	<10	<2			
2024492	Drill Core	<0.1	<0.02	1.1	0.47	<0.1	0.22	0.16	11.5	0.2	<0.05	8.0	20.48	80.0	<0.02	<1	0.4	3.2	<10	<2			
2024626	Drill Core	<0.1	<0.02	0.8	0.64	<0.1	0.05	0.04	7.8	0.2	<0.05	1.6	14.58	43.5	<0.02	<1	0.2	2.4	<10	<2			
2024493	Drill Core	<0.1	<0.02	1.5	1.62	<0.1	0.05	0.04	12.2	0.2	<0.05	1.8	19.06	69.3	0.02	<1	0.4	4.2	<10	<2			
2024494	Drill Core	0.1	<0.02	4.9	2.35	<0.1	0.06	0.02	18.0	0.3	<0.05	2.0	19.28	54.9	0.03	<1	0.6	24.7	<10	<2			
2024495	Drill Core	<0.1	<0.02	3.2	1.29	<0.1	0.10	0.03	16.5	0.3	<0.05	3.7	20.29	79.7	0.02	<1	0.4	12.2	<10	<2			
2024496	Drill Core	<0.1	<0.02	3.3	1.40	<0.1	0.11	<0.02	14.6	0.2	<0.05	3.8	18.03	72.0	0.03	<1	0.4	14.7	<10	<2			
2024497	Drill Core	0.3	<0.02	6.9	1.69	<0.1	0.10	<0.02	12.0	0.3	<0.05	4.1	14.27	54.9	0.03	<1	0.5	26.7	<10	<2			
2024498	Drill Core	<0.1	<0.02	8.7	2.36	<0.1	0.16	<0.02	14.3	0.3	<0.05	6.2	16.83	61.5	0.06	<1	0.9	29.7	<10	<2			
2024499	Drill Core	0.1	<0.02	7.0	1.75	<0.1	0.08	0.07	14.9	0.4	<0.05	2.2	15.25	48.1	0.02	<1	0.6	26.9	<10	<2			
2024500	Rock Pulp	<0.1	0.17	5.1	0.73	<0.1	0.09	0.10	8.3	1.6	<0.05	1.2	5.48	16.2	0.05	<1	0.1	7.4	<10	<2			
2024501	Drill Core	0.3	<0.02	5.3	4.73	<0.1	0.09	0.24	23.1	0.6	<0.05	2.0	12.22	39.4	0.03	<1	0.6	17.5	<10	<2			
2024502	Drill Core	0.4	<0.02	4.9	4.95	<0.1	0.09	0.15	24.1	0.5	<0.05	2.8	10.80	33.0	<0.02	<1	0.4	16.8	<10	<2			
2024503	Drill Core	<0.1	<0.02	5.1	2.39	<0.1	0.06	0.14	17.5	0.5	<0.05	1.4	10.03	30.9	<0.02	<1	0.5	16.8	<10	<2			
2024504	Drill Core	0.3	<0.02	3.8	8.46	<0.1	0.07	0.18	16.3	0.5	<0.05	2.0	8.74	26.1	<0.02	<1	0.5	10.5	<10	<2			
2024505	Drill Core	0.4	<0.02	3.1	16.31	<0.1	0.08	0.07	22.5	0.5	<0.05	1.9	14.38	47.2	0.02	<1	0.3	7.8	<10	<2			
2024506	Drill Core	0.5	0.02	3.4	8.88	<0.1	0.09	0.11	16.2	0.4	<0.05	2.5	9.91	41.3	0.03	<1	0.3	11.9	<10	<2			
2024507	Drill Core	0.8	0.04	3.4	4.90	<0.1	0.07	<0.02	16.4	0.3	<0.05	3.0	10.39	44.7	0.03	1	0.3	15.0	<10	<2			
2024508	Drill Core	1.1	0.10	2.7	23.15	<0.1	0.19	0.03	37.7	0.3	<0.05	6.6	8.40	36.2	0.02	<1	0.2	8.0	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 4 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000454.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2024509	Drill Core	2.89	465	<0.005	<0.01	<0.17	35.49	0.46	11.62	18.63	33.8	244	7.4	4.2	177	1.29	3.3	3.9	1.5	15.0	110.4
2024510	Drill Core	3.52	438	<0.005	<0.01	<0.17	37.52	0.75	11.50	17.05	37.5	227	7.9	4.7	319	1.49	11.3	2.7	1.9	11.9	139.3
2024511	Drill Core	2.81	447	0.006	<0.01	<0.17	39.96	0.25	19.25	42.12	77.0	317	12.3	5.9	418	1.87	16.8	0.6	1.9	11.5	31.2
2024512	Drill Core	3.23	414	0.022	0.02	<0.17	42.28	0.40	99.39	302.67	249.9	1719	18.8	6.4	567	2.32	14.8	0.7	16.4	11.5	16.5
2024513	Drill Core	2.68	392	0.019	0.02	<0.17	27.27	0.40	38.92	104.76	162.2	629	13.1	5.6	464	1.98	14.2	0.7	13.5	12.5	15.4
2024514	Drill Core	3.07	468	0.009	<0.01	<0.17	28.08	0.52	23.27	16.00	63.7	348	24.7	8.5	389	1.90	12.3	0.8	4.7	7.5	42.3
2024515	Drill Core	3.11	479	0.011	0.01	<0.17	32.24	9.64	27.76	13.02	57.9	248	24.7	8.7	280	2.08	16.0	1.9	1.1	7.2	68.4
2024516	Drill Core	3.20	538	<0.005	<0.01	<0.17	40.33	1.69	23.83	14.02	53.5	242	21.7	8.2	231	1.85	13.7	2.2	0.6	8.2	64.6
2024517	Drill Core	3.10	440	0.010	<0.01	<0.17	25.41	1.01	83.78	12.73	62.5	376	21.4	7.8	310	2.22	51.6	1.8	5.8	8.1	47.8
2024518	Drill Core	3.73	425	<0.005	<0.01	<0.17	36.03	0.58	37.43	15.13	81.7	441	26.3	9.4	364	2.54	15.7	0.9	1.2	5.7	17.5
2024519	Drill Core	3.33	488	<0.005	<0.01	<0.17	40.08	0.24	26.57	10.10	72.0	305	24.4	8.9	320	2.16	1.7	0.7	1.1	6.7	19.1
2024520	Rock Pulp	0.12	69	0.435				2.47	434.55	19.59	49.8	261	583.8	27.1	393	2.44	18.9	0.6	416.7	1.9	49.2
2024521	Drill Core	2.61	371	0.007	<0.01	<0.17	35.77	0.32	28.97	15.74	80.8	443	26.0	9.4	341	2.23	2.8	0.9	2.8	7.3	27.0
2024522	Drill Core	1.78	456	<0.005	<0.01	<0.17	38.09	0.28	16.68	5.17	80.2	263	14.9	9.0	376	2.01	2.2	0.7	0.9	3.4	32.6
2024523	Drill Core	3.17	446	0.007	<0.01	<0.17	38.16	0.23	12.15	5.32	50.6	220	13.0	8.3	482	2.16	1.7	1.2	2.4	7.3	67.2
2024524	Drill Core	1.54	432	0.006	<0.01	<0.17	30.77	0.21	15.86	3.76	65.0	243	10.5	10.1	729	3.10	1.1	1.2	1.7	7.6	97.8
2024525	Drill Core	2.59	376	0.007	<0.01	<0.17	30.25	0.31	26.40	7.85	99.5	342	23.6	14.0	699	2.87	2.5	0.9	2.3	7.6	56.0
2024526	Drill Core	1.98	473	0.056	0.05	<0.17	38.12	1.06	42.74	39.66	85.2	739	24.2	14.0	741	2.82	1.1	1.4	47.9	6.8	168.0
2024527	Drill Core	1.46	400	0.021	0.02	<0.17	42.45	0.89	23.22	21.92	70.8	462	27.5	13.8	671	2.49	2.3	1.4	10.6	6.2	149.8
2024528	Drill Core	2.41	357	0.014	0.01	<0.17	33.25	0.95	23.94	17.03	74.8	330	26.7	14.1	851	2.63	2.8	2.1	8.1	6.4	146.4
2024529	Drill Core	2.46	389	0.033	0.03	<0.17	39.07	2.30	54.04	100.04	84.4	799	29.8	17.2	1141	3.51	2.5	2.8	22.1	8.7	276.6
2024530	Drill Core	3.31	473	0.020	0.02	<0.17	61.98	1.25	10.80	23.67	54.6	182	21.1	8.7	837	2.54	1.3	2.2	9.7	8.1	273.8
2024531	Drill Core	2.59	380	0.038	0.03	<0.17	37.41	1.22	30.72	30.54	79.4	374	23.2	10.0	980	2.90	3.2	2.6	32.8	9.3	208.7
2024532	Drill Core	2.43	430	<0.005	<0.01	<0.17	31.90	1.49	15.83	12.88	83.0	264	19.0	9.3	609	2.64	4.1	1.3	2.0	8.1	78.3
2024533	Drill Core	3.05	454	0.011	0.01	<0.17	41.94	1.54	44.07	33.14	224.3	606	18.9	11.5	575	2.79	16.8	1.1	5.7	7.0	61.5
2024534	Drill Core	3.20	479	0.018	0.02	<0.17	42.43	0.78	44.98	13.26	94.2	407	18.6	13.8	581	3.19	28.0	0.9	8.6	6.0	40.4
2024535	Drill Core	2.73	428	0.005	<0.01	<0.17	35.00	0.76	25.30	5.90	122.6	182	22.0	12.1	566	2.99	26.8	1.6	2.2	6.5	27.9
2024536	Drill Core	2.52	479	0.006	<0.01	<0.17	30.76	1.68	62.87	91.04	887.6	1182	17.0	12.8	824	3.49	25.4	1.6	1.2	5.4	37.1
2024537	Drill Core	3.11	472	0.006	<0.01	<0.17	35.60	2.28	77.44	44.16	274.8	631	36.0	13.6	835	3.28	35.1	1.8	2.6	4.6	26.8
2024538	Drill Core	2.33	475	0.025	0.03	<0.17	40.57	2.56	66.07	32.26	411.6	592	33.7	17.2	936	3.52	35.6	1.0	20.5	4.1	20.2





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 4 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000454.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
			0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024509	Drill Core	0.17	0.16	0.34	9	0.84	0.042	34.6	9.5	0.41	383.7	0.007	<1	0.61	0.021	0.36	<0.1	2.5	0.16	0.10	<5	
2024510	Drill Core	0.34	0.35	0.25	9	1.55	0.053	30.1	8.7	0.40	205.1	0.011	<1	0.65	0.024	0.28	<0.1	3.2	0.12	0.16	<5	
2024511	Drill Core	0.70	0.50	0.17	15	0.53	0.059	32.4	14.9	0.69	182.6	0.003	<1	0.96	0.021	0.23	0.1	4.3	0.09	<0.02	<5	
2024512	Drill Core	1.45	0.71	0.90	23	0.24	0.077	29.0	30.2	0.66	123.2	0.002	<1	1.04	0.031	0.17	0.3	2.6	0.08	<0.02	<5	
2024513	Drill Core	1.68	0.42	0.68	18	0.25	0.071	32.5	24.3	0.55	141.0	<0.001	<1	1.01	0.023	0.23	0.2	2.3	0.09	<0.02	<5	
2024514	Drill Core	0.73	0.50	0.09	17	0.63	0.066	25.8	21.6	0.71	144.4	0.002	<1	1.05	0.015	0.25	0.2	3.7	0.11	<0.02	6	
2024515	Drill Core	0.39	0.57	0.11	18	1.36	0.062	20.8	18.2	0.70	181.8	0.035	<1	0.91	0.016	0.23	<0.1	5.6	0.11	0.15	<5	
2024516	Drill Core	0.42	0.35	0.10	13	1.12	0.061	24.2	12.8	0.55	409.5	0.045	<1	0.70	0.018	0.27	<0.1	6.3	0.14	0.19	<5	
2024517	Drill Core	0.38	0.87	0.10	15	1.01	0.062	24.8	16.4	0.81	180.0	0.005	<1	1.06	0.015	0.17	<0.1	5.5	0.06	0.05	<5	
2024518	Drill Core	0.70	0.71	0.08	16	0.37	0.066	14.7	20.0	1.09	210.5	0.055	<1	1.37	0.013	0.20	0.2	4.9	0.07	<0.02	<5	
2024519	Drill Core	0.34	0.36	0.06	14	0.48	0.065	15.3	23.5	1.25	126.7	0.047	1	1.48	0.011	0.14	0.1	3.0	0.06	<0.02	<5	
2024520	Rock Pulp	0.19	0.35	0.29	46	1.15	0.032	3.9	94.8	1.67	70.2	0.063	4	1.75	0.172	0.13	1.2	2.5	0.09	0.19	20	
2024521	Drill Core	0.53	0.54	0.25	26	0.55	0.074	19.7	42.4	1.13	169.9	0.050	<1	1.40	0.016	0.24	0.2	4.5	0.14	<0.02	6	
2024522	Drill Core	0.78	0.50	0.03	13	0.62	0.079	7.9	21.9	0.75	169.1	0.073	<1	1.19	0.015	0.18	0.1	2.6	0.08	<0.02	<5	
2024523	Drill Core	0.53	1.27	0.05	24	1.42	0.074	20.0	30.1	0.91	121.3	0.083	1	1.28	0.020	0.21	0.5	4.1	0.09	<0.02	<5	
2024524	Drill Core	0.30	1.30	<0.02	35	1.93	0.119	23.5	51.0	1.36	200.5	0.102	<1	1.73	0.021	0.21	0.4	5.8	0.10	<0.02	<5	
2024525	Drill Core	1.06	0.90	0.04	53	0.77	0.077	15.8	157.4	1.80	141.4	0.063	<1	1.87	0.023	0.48	0.2	6.5	0.32	<0.02	<5	
2024526	Drill Core	0.55	0.81	0.11	44	2.49	0.055	14.8	133.5	1.60	664.9	0.098	<1	1.56	0.021	0.28	1.0	6.6	0.17	0.05	<5	
2024527	Drill Core	0.22	0.99	0.12	51	2.37	0.068	11.5	144.0	1.75	247.2	0.094	<1	1.65	0.017	0.34	0.7	6.3	0.23	0.04	6	
2024528	Drill Core	0.21	0.98	0.06	61	2.47	0.065	14.0	178.6	1.93	270.3	0.105	<1	1.73	0.020	0.30	0.8	7.2	0.22	<0.02	<5	
2024529	Drill Core	0.21	0.45	0.07	50	3.88	0.047	21.3	153.0	2.04	119.5	0.013	<1	2.07	0.017	0.26	0.2	7.6	0.15	0.16	6	
2024530	Drill Core	0.10	0.35	0.07	31	3.63	0.053	15.4	68.9	1.71	118.4	0.019	<1	1.53	0.016	0.47	0.8	5.6	0.27	0.11	<5	
2024531	Drill Core	0.24	0.47	0.05	31	3.05	0.092	20.9	61.9	1.79	131.5	0.008	<1	1.78	0.012	0.47	1.0	5.2	0.26	0.18	<5	
2024532	Drill Core	0.27	0.20	0.09	21	1.27	0.060	16.9	29.9	1.55	97.1	0.003	<1	1.57	0.010	0.19	0.1	2.6	0.09	0.07	<5	
2024533	Drill Core	1.76	0.57	0.31	23	1.03	0.068	8.1	22.5	1.66	101.0	0.003	<1	1.62	0.006	0.18	<0.1	2.3	0.07	0.33	<5	
2024534	Drill Core	0.16	0.80	0.20	29	0.80	0.068	11.5	44.0	2.60	110.1	0.008	<1	2.21	0.007	0.20	<0.1	2.9	0.10	0.36	<5	
2024535	Drill Core	0.24	0.59	0.10	27	0.79	0.070	10.1	41.9	2.43	92.6	0.009	2	2.07	0.009	0.19	<0.1	3.0	0.10	0.27	<5	
2024536	Drill Core	6.27	0.77	1.79	26	1.15	0.066	5.5	14.7	1.93	114.2	0.008	2	1.74	0.007	0.23	<0.1	2.4	0.14	0.73	<5	
2024537	Drill Core	1.80	2.68	0.42	46	0.58	0.084	10.5	33.6	1.81	130.9	0.026	1	1.86	0.008	0.27	0.3	3.4	0.18	0.03	5	
2024538	Drill Core	2.77	1.57	0.64	42	0.55	0.076	9.7	23.6	1.61	126.6	0.005	1	1.77	0.010	0.18	0.1	3.8	0.11	0.03	<5	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 4 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000454.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024509	Drill Core	0.4	<0.02	2.4	5.54	<0.1	0.10	0.03	19.9	0.3	<0.05	3.5	10.16	66.8	0.02	<1	0.3	7.4	<10	<2			
2024510	Drill Core	0.7	<0.02	2.5	1.85	<0.1	0.15	0.04	14.3	0.4	<0.05	5.2	13.14	58.6	0.02	2	0.3	8.8	<10	<2			
2024511	Drill Core	0.2	<0.02	3.8	2.16	<0.1	0.30	<0.02	11.7	0.3	<0.05	11.9	11.74	61.7	0.02	<1	0.4	18.2	<10	<2			
2024512	Drill Core	0.9	0.07	5.4	2.15	<0.1	0.17	<0.02	10.2	0.3	<0.05	8.9	10.10	54.9	0.04	<1	0.4	14.0	<10	<2			
2024513	Drill Core	0.4	0.03	4.7	3.13	<0.1	0.19	<0.02	14.1	0.3	<0.05	7.9	10.07	60.3	<0.02	<1	0.4	15.2	<10	<2			
2024514	Drill Core	0.1	0.02	3.9	3.58	<0.1	0.10	<0.02	15.4	0.1	<0.05	4.9	12.30	49.7	0.02	<1	0.5	21.5	<10	<2			
2024515	Drill Core	0.8	0.02	3.4	1.75	<0.1	0.07	0.07	11.5	0.3	<0.05	2.2	12.41	39.9	0.02	2	0.4	13.2	<10	<2			
2024516	Drill Core	0.7	<0.02	2.3	7.66	<0.1	0.11	0.15	15.7	0.3	<0.05	3.5	13.97	46.1	0.03	3	0.3	8.9	<10	<2			
2024517	Drill Core	0.6	0.02	4.1	0.76	<0.1	0.05	<0.02	6.7	0.3	<0.05	1.8	14.14	46.8	0.03	1	0.3	15.8	<10	<2			
2024518	Drill Core	0.2	0.03	4.7	1.49	<0.1	0.04	0.09	8.8	0.4	<0.05	1.4	11.37	29.3	0.02	<1	0.3	19.6	<10	<2			
2024519	Drill Core	<0.1	<0.02	4.9	0.53	<0.1	0.04	0.10	7.2	0.3	<0.05	1.0	9.40	29.1	<0.02	<1	0.2	19.8	<10	<2			
2024520	Rock Pulp	0.7	0.14	3.9	0.62	<0.1	0.04	0.02	5.7	0.4	<0.05	0.8	3.03	8.1	<0.02	2	0.1	7.7	268	104			
2024521	Drill Core	<0.1	0.03	4.7	2.17	<0.1	0.08	0.09	15.5	0.4	<0.05	2.4	12.09	38.1	<0.02	<1	0.4	20.6	<10	<2			
2024522	Drill Core	<0.1	<0.02	3.9	0.92	<0.1	0.03	0.17	10.7	0.3	<0.05	0.8	6.13	15.2	<0.02	<1	0.4	14.0	<10	<2			
2024523	Drill Core	<0.1	<0.02	6.3	1.21	<0.1	0.08	0.10	13.1	0.5	<0.05	1.8	11.57	38.1	<0.02	<1	0.6	19.4	<10	<2			
2024524	Drill Core	<0.1	<0.02	8.1	2.69	<0.1	0.11	0.08	14.5	0.6	<0.05	2.1	14.98	45.0	<0.02	<1	0.7	27.2	<10	<2			
2024525	Drill Core	<0.1	<0.02	6.7	8.48	0.1	0.07	0.04	33.4	0.5	<0.05	1.9	12.28	29.9	<0.02	<1	0.6	27.2	<10	<2			
2024526	Drill Core	0.3	<0.02	8.3	5.29	0.1	0.14	0.06	19.1	0.6	<0.05	3.0	13.21	28.6	0.02	<1	0.8	28.1	<10	<2			
2024527	Drill Core	0.2	0.02	6.7	5.09	0.1	0.10	0.07	22.1	0.6	<0.05	2.9	10.56	22.4	0.02	<1	0.7	25.1	<10	<2			
2024528	Drill Core	0.3	<0.02	7.8	5.59	0.2	0.13	0.08	19.6	0.7	<0.05	3.3	12.44	27.5	0.03	2	0.7	30.8	<10	<2			
2024529	Drill Core	0.6	<0.02	11.6	4.68	<0.1	0.12	<0.02	16.2	0.4	<0.05	4.4	16.27	41.2	0.05	2	0.8	48.4	<10	<2			
2024530	Drill Core	0.3	<0.02	7.7	8.07	<0.1	0.21	<0.02	27.7	0.4	<0.05	8.1	13.99	30.2	0.03	3	0.8	40.5	<10	<2			
2024531	Drill Core	0.5	<0.02	8.4	9.91	<0.1	0.23	<0.02	29.1	0.3	<0.05	8.7	16.72	40.6	0.03	1	0.8	45.6	<10	<2			
2024532	Drill Core	0.3	0.02	6.3	1.91	<0.1	0.22	<0.02	10.2	0.3	<0.05	8.1	10.92	31.7	<0.02	<1	0.3	25.6	<10	<2			
2024533	Drill Core	1.2	0.05	5.0	1.98	<0.1	0.27	<0.02	8.6	0.4	<0.05	8.8	7.50	15.8	0.03	<1	0.3	27.7	<10	<2			
2024534	Drill Core	1.2	0.05	5.4	6.37	<0.1	0.21	<0.02	10.2	0.5	<0.05	8.0	10.55	23.4	<0.02	<1	0.2	37.6	<10	<2			
2024535	Drill Core	1.0	0.03	5.4	9.20	<0.1	0.22	<0.02	9.2	0.6	<0.05	7.4	9.39	20.2	<0.02	2	0.2	35.4	<10	<2			
2024536	Drill Core	3.9	0.15	4.0	6.35	<0.1	0.29	<0.02	9.5	1.0	<0.05	11.1	6.37	11.1	0.35	4	0.1	24.4	<10	<2			
2024537	Drill Core	1.7	0.07	4.8	4.32	<0.1	0.21	<0.02	12.8	0.7	<0.05	8.8	8.52	20.1	<0.02	<1	0.2	30.9	<10	<2			
2024538	Drill Core	1.5	0.06	4.9	3.09	<0.1	0.15	<0.02	8.3	0.6	<0.05	6.3	6.24	19.1	0.05	<1	0.2	25.7	<10	<2			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 5 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000454.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2024539	Drill Core	3.15	502	0.037	0.03	<0.17	37.83	2.52	70.28	21.23	456.3	591	24.5	13.5	818	3.64	27.5	0.7	2.3	4.4	22.9
2024540	Rock Pulp	0.12	70	<0.005				3.83	20.87	0.89	31.1	17	7.0	4.1	565	2.32	1.4	0.4	0.3	2.1	28.7
2024541	Drill Core	3.07	458	0.006	<0.01	<0.17	35.13	2.44	62.25	26.08	188.8	461	22.4	11.7	667	2.87	21.4	0.8	1.1	4.5	22.2
2024542	Drill Core	3.02	440	0.009	<0.01	<0.17	29.71	2.74	54.83	26.43	229.1	463	34.4	16.5	853	3.09	41.5	0.9	2.6	4.5	16.5
2024543	Drill Core	3.02	413	0.008	<0.01	<0.17	46.45	3.21	70.08	330.94	613.3	1900	33.2	14.4	758	3.48	54.1	1.3	1.2	5.4	22.3
2024544	Drill Core	3.44	471	0.005	<0.01	<0.17	28.04	2.53	54.11	77.98	331.3	676	35.3	13.3	889	2.94	130.7	1.1	0.7	5.2	15.8
2024545	Drill Core	2.57	383	0.005	<0.01	<0.17	34.89	2.47	61.87	22.83	228.4	433	34.9	16.5	774	3.23	2.1	1.1	1.0	5.2	65.2
2024546	Drill Core	3.13	442	0.017	0.02	<0.17	28.28	1.02	48.82	28.26	286.2	518	26.6	13.3	655	3.11	2.4	0.8	0.7	6.0	46.3
2024547	Drill Core	3.11	461	<0.005	<0.01	<0.17	31.14	0.91	37.69	35.18	159.2	395	20.2	10.7	574	2.93	0.5	1.0	1.0	5.7	90.3
2024548	Drill Core	2.79	421	0.009	<0.01	<0.17	31.21	2.15	42.27	91.79	115.9	801	29.7	11.8	497	2.70	1.3	1.0	4.5	5.3	41.0
2024549	Drill Core	3.00	448	<0.005	<0.01	<0.17	33.31	1.35	18.95	8.77	73.8	113	13.3	8.3	370	2.61	0.8	0.8	0.4	7.3	27.1
2024550	Drill Core	2.99	423	<0.005	<0.01	<0.17	33.30	1.90	34.10	11.77	87.2	176	26.6	11.3	669	2.74	1.1	1.3	0.2	5.9	69.7
2024551	Drill Core	3.68	456	<0.005	<0.01	<0.17	30.76	1.88	47.99	11.57	124.5	263	26.0	12.4	673	2.88	14.2	1.9	<0.2	5.2	83.3
2024552	Drill Core	1.79	440	<0.005	<0.01	<0.17	34.26	1.97	40.80	16.93	109.5	282	25.7	11.8	481	2.85	34.6	0.8	3.5	5.7	23.9
2024553	Drill Core	0.71	389	0.006	<0.01	<0.17	34.36	2.32	32.50	17.69	74.0	175	19.3	11.6	830	2.81	127.0	0.5	5.3	6.4	45.0
2024554	Drill Core	2.79	497	<0.005	<0.01	<0.17	37.62	1.96	38.68	7.44	97.0	206	29.8	12.2	517	2.82	8.1	1.0	2.0	5.4	61.9
2024555	Drill Core	3.18	469	0.005	<0.01	<0.17	38.79	2.70	36.11	13.72	95.6	283	25.3	11.0	458	2.59	1.6	0.8	3.5	5.2	85.1
2024556	Drill Core	3.18	481	0.005	<0.01	<0.17	36.25	2.08	25.23	11.05	98.0	234	21.3	10.2	418	2.70	12.8	0.9	2.1	6.3	60.9
2024557	Drill Core	3.24	521	<0.005	<0.01	<0.17	26.91	2.03	30.64	15.99	103.3	303	23.6	11.8	498	2.97	14.5	1.0	2.1	5.8	71.1
2024558	Drill Core	3.11	426	<0.005	<0.01	<0.17	38.57	2.39	32.77	5.30	83.6	237	30.9	12.9	502	2.94	57.1	1.4	2.9	5.3	59.2
2024559	Drill Core	2.84	395	0.006	<0.01	<0.17	38.28	2.04	43.96	7.23	71.2	340	29.7	11.7	481	2.67	63.4	1.2	3.9	4.9	54.8
2024560	Core DUP		398	0.007	<0.01	<0.17	34.65	2.13	43.30	7.50	73.2	349	29.2	11.1	477	2.57	61.0	1.1	4.3	5.0	55.9
2024561	Drill Core	3.15	429	0.005	<0.01	<0.17	33.41	1.80	27.22	13.60	67.8	304	22.9	10.5	504	2.60	26.1	1.0	0.6	5.2	50.7
2024562	Drill Core	3.04	515	<0.005	<0.01	<0.17	36.68	2.07	35.59	11.78	60.1	316	27.6	12.0	512	2.86	115.1	0.8	3.4	5.0	40.4
2024563	Drill Core	2.80	481	<0.005	<0.01	<0.17	32.86	1.52	26.67	19.35	78.2	234	16.7	9.8	548	2.64	53.3	1.3	1.8	6.6	62.8
2024564	Drill Core	3.30	504	<0.005	<0.01	<0.17	41.75	1.36	28.91	19.04	86.6	204	11.4	8.1	512	2.47	2.5	1.2	1.5	7.8	59.2
2024565	Drill Core	3.94	439	<0.005	<0.01	<0.17	36.44	0.96	41.98	84.49	194.8	566	11.2	7.9	507	2.46	4.1	0.8	1.3	6.3	42.4
2024566	Drill Core	3.16	499	<0.005	<0.01	<0.17	32.61	1.37	30.25	20.48	102.0	321	22.3	9.9	497	2.50	9.4	1.5	1.0	7.1	53.7
2024567	Drill Core	1.74	434	<0.005	<0.01	<0.17	35.93	1.84	29.20	15.13	75.1	371	29.8	14.8	480	2.67	16.1	1.7	0.7	7.3	79.3
2024568	Drill Core	2.15	396	0.007	<0.01	<0.17	24.08	2.09	15.42	14.83	70.7	274	13.9	8.2	598	2.65	14.8	2.8	3.4	7.8	154.1



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 5 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000454.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
			0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024539	Drill Core	3.56	0.21	0.45	33	0.54	0.086	9.4	20.2	1.68	136.3	0.003	<1	1.73	0.012	0.16	0.2	2.6	0.04	<0.02	6	
2024540	Rock Pulp	0.02	0.15	<0.02	21	0.73	0.039	5.5	14.4	0.47	54.6	0.071	2	1.00	0.065	0.07	0.2	3.0	<0.02	0.04	<5	
2024541	Drill Core	1.04	0.18	0.34	21	0.29	0.078	8.9	16.9	1.16	117.2	0.002	<1	1.17	0.010	0.15	<0.1	1.7	0.04	<0.02	<5	
2024542	Drill Core	1.28	0.18	0.29	25	0.40	0.085	10.1	18.1	1.32	135.5	0.002	<1	1.37	0.010	0.17	<0.1	2.2	0.04	<0.02	<5	
2024543	Drill Core	2.05	1.28	1.25	28	0.19	0.083	8.4	22.7	1.40	96.7	0.003	<1	1.45	0.009	0.16	0.2	2.1	0.03	0.03	11	
2024544	Drill Core	2.74	2.17	0.37	27	0.43	0.087	11.2	19.5	1.24	133.0	0.009	<1	1.40	0.009	0.27	0.3	2.2	0.12	<0.02	<5	
2024545	Drill Core	1.33	0.20	0.25	26	1.04	0.084	8.5	16.1	1.25	158.1	0.059	<1	1.29	0.010	0.59	0.2	2.5	0.40	<0.02	<5	
2024546	Drill Core	2.22	0.29	0.31	21	0.50	0.074	7.3	15.4	1.52	187.2	0.131	<1	1.38	0.010	1.14	0.2	2.0	0.90	0.03	8	
2024547	Drill Core	0.92	0.21	0.23	19	0.84	0.071	4.3	15.4	1.57	181.0	0.129	<1	1.37	0.009	1.18	0.1	2.2	0.89	0.25	<5	
2024548	Drill Core	1.08	0.25	0.30	28	0.52	0.073	9.9	23.4	1.49	165.1	0.079	<1	1.41	0.009	0.61	<0.1	2.0	0.42	0.03	<5	
2024549	Drill Core	0.15	0.08	0.03	15	0.36	0.071	15.8	14.3	1.45	124.3	0.028	<1	1.47	0.008	0.23	<0.1	1.9	0.10	0.02	<5	
2024550	Drill Core	0.45	0.17	0.06	23	1.20	0.073	11.0	22.0	1.40	153.6	0.023	<1	1.37	0.009	0.20	<0.1	2.2	0.06	0.16	<5	
2024551	Drill Core	0.67	0.17	0.10	24	1.44	0.070	5.2	20.6	1.51	147.5	0.004	<1	1.52	0.008	0.18	0.2	2.3	0.04	0.34	<5	
2024552	Drill Core	0.57	0.54	0.18	33	0.57	0.074	15.5	23.8	1.58	126.7	0.003	<1	1.64	0.008	0.16	0.2	3.0	0.03	<0.02	6	
2024553	Drill Core	0.16	0.85	0.17	28	1.56	0.061	12.8	16.3	1.51	741.5	0.003	<1	1.74	0.008	0.18	0.2	2.5	0.05	<0.02	5	
2024554	Drill Core	0.47	0.28	0.10	33	0.95	0.073	9.2	23.6	1.57	147.2	0.005	<1	1.52	0.006	0.17	0.2	2.4	0.04	0.34	<5	
2024555	Drill Core	0.84	0.25	0.17	28	1.11	0.070	7.1	29.7	1.39	150.6	0.017	<1	1.30	0.005	0.24	<0.1	2.3	0.09	0.38	<5	
2024556	Drill Core	0.29	0.31	0.12	38	0.93	0.068	6.8	49.7	1.73	123.8	0.044	<1	1.59	0.007	0.42	<0.1	3.3	0.21	0.18	<5	
2024557	Drill Core	0.53	0.43	0.15	47	1.20	0.067	6.3	56.6	1.74	157.9	0.034	<1	1.64	0.007	0.39	<0.1	3.5	0.20	0.21	<5	
2024558	Drill Core	0.33	0.88	0.06	48	1.36	0.071	6.8	29.4	1.54	131.4	0.005	<1	1.63	0.007	0.18	0.2	3.2	0.06	0.30	<5	
2024559	Drill Core	0.61	0.76	0.06	38	0.88	0.073	6.4	26.3	1.43	167.0	0.004	<1	1.51	0.008	0.18	<0.1	2.8	0.05	0.25	<5	
2024560	Core DUP	0.61	0.78	0.07	36	0.86	0.074	5.7	25.5	1.37	143.1	0.003	<1	1.45	0.007	0.16	<0.1	2.6	0.05	0.24	<5	
2024561	Drill Core	0.25	0.41	0.29	31	0.94	0.069	9.3	19.7	1.60	141.0	0.003	<1	1.56	0.005	0.18	<0.1	2.1	0.05	0.33	<5	
2024562	Drill Core	0.20	1.31	0.20	39	0.72	0.073	7.5	29.6	1.84	185.1	0.003	<1	1.77	0.006	0.14	<0.1	2.7	0.04	0.22	<5	
2024563	Drill Core	0.35	0.69	0.17	23	0.82	0.073	15.1	17.7	1.67	131.4	0.004	<1	1.61	0.006	0.17	<0.1	2.2	0.04	0.28	<5	
2024564	Drill Core	0.28	0.15	0.12	18	0.85	0.060	18.6	15.1	1.46	118.6	0.004	<1	1.39	0.006	0.17	<0.1	2.0	0.04	0.39	<5	
2024565	Drill Core	2.67	0.46	0.26	20	0.96	0.057	14.0	13.6	1.44	117.1	0.004	2	1.38	0.007	0.23	<0.1	2.1	0.09	0.13	<5	
2024566	Drill Core	0.93	0.55	0.19	27	1.13	0.058	15.2	28.6	1.44	104.8	0.006	<1	1.40	0.008	0.24	<0.1	3.5	0.15	0.17	<5	
2024567	Drill Core	0.40	0.28	0.15	42	1.71	0.068	23.6	88.7	1.65	143.9	0.006	<1	1.66	0.013	0.18	0.2	6.2	0.07	0.10	7	
2024568	Drill Core	0.39	0.19	0.13	35	2.11	0.066	22.6	45.0	1.03	903.7	0.009	1	1.12	0.022	0.29	0.2	5.9	0.09	0.10	6	



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 5 of 6

**Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000454.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024539	Drill Core	0.9	0.04	4.5	0.50	<0.1	0.16	<0.02	5.3	0.4	<0.05	7.0	5.21	18.3	0.03	<1	0.1	15.9	<10
2024540	Rock Pulp	<0.1	<0.02	3.9	0.13	<0.1	0.10	0.31	2.0	1.7	<0.05	2.8	7.48	10.9	<0.02	<1	0.2	1.1	<10
2024541	Drill Core	1.1	0.04	3.0	0.42	<0.1	0.13	<0.02	5.1	0.3	<0.05	5.9	4.40	16.8	<0.02	<1	<0.1	11.2	<10
2024542	Drill Core	1.2	0.05	3.4	0.50	<0.1	0.12	<0.02	5.5	0.3	<0.05	5.5	5.04	19.0	<0.02	<1	0.1	13.4	<10
2024543	Drill Core	3.4	0.19	3.6	0.71	<0.1	0.22	<0.02	4.8	0.2	<0.05	14.3	4.53	17.1	0.11	<1	0.1	16.8	<10
2024544	Drill Core	1.6	0.07	3.8	2.05	<0.1	0.24	<0.02	11.7	0.5	<0.05	11.1	6.77	21.3	0.02	<1	0.2	26.1	<10
2024545	Drill Core	0.9	0.04	3.7	4.90	<0.1	0.36	<0.02	36.3	0.5	<0.05	13.7	7.94	16.5	<0.02	<1	0.2	23.5	<10
2024546	Drill Core	1.1	0.03	3.7	7.68	<0.1	0.40	0.06	75.0	0.5	<0.05	14.8	6.14	14.2	<0.02	<1	0.1	16.3	<10
2024547	Drill Core	1.4	0.05	4.2	7.32	0.1	0.43	0.04	76.7	0.4	<0.05	14.7	5.59	8.6	<0.02	2	0.2	18.5	<10
2024548	Drill Core	2.0	0.12	4.0	3.44	<0.1	0.25	0.04	36.9	0.4	<0.05	9.5	6.04	19.3	<0.02	<1	0.1	14.3	<10
2024549	Drill Core	0.7	<0.02	4.3	0.80	<0.1	0.21	0.03	9.7	0.3	<0.05	9.1	5.64	29.6	<0.02	<1	0.1	10.5	<10
2024550	Drill Core	1.3	0.03	3.9	0.52	<0.1	0.17	0.04	7.0	0.3	<0.05	6.5	8.22	21.6	<0.02	2	0.1	9.9	<10
2024551	Drill Core	1.6	0.03	4.2	0.50	<0.1	0.15	<0.02	5.5	0.2	<0.05	5.5	6.78	10.5	<0.02	4	0.1	11.6	<10
2024552	Drill Core	0.5	0.03	4.7	1.34	<0.1	0.16	0.07	5.2	0.3	<0.05	8.1	5.83	28.4	<0.02	<1	0.2	17.8	<10
2024553	Drill Core	<0.1	0.05	5.2	1.02	<0.1	0.31	<0.02	6.3	0.4	<0.05	13.4	8.60	24.0	<0.02	337	0.4	24.9	<10
2024554	Drill Core	1.1	<0.02	4.1	0.48	<0.1	0.11	<0.02	5.5	0.2	<0.05	4.4	7.72	17.9	<0.02	2	<0.1	12.2	<10
2024555	Drill Core	1.1	0.04	3.6	1.09	<0.1	0.11	<0.02	10.0	0.2	<0.05	5.4	6.69	13.7	<0.02	2	0.1	15.6	<10
2024556	Drill Core	0.5	0.03	5.6	2.88	<0.1	0.18	0.02	22.7	0.3	<0.05	7.0	5.29	13.3	<0.02	2	0.4	26.8	<10
2024557	Drill Core	0.7	0.02	6.1	3.14	<0.1	0.24	<0.02	20.5	0.4	<0.05	9.2	6.08	12.2	0.02	2	0.3	38.3	<10
2024558	Drill Core	0.9	<0.02	5.7	1.32	<0.1	0.23	<0.02	7.1	0.4	<0.05	9.8	6.25	13.8	<0.02	2	0.3	37.0	<10
2024559	Drill Core	2.2	<0.02	4.6	0.39	<0.1	0.19	<0.02	5.5	0.3	<0.05	8.0	4.81	12.3	<0.02	5	0.1	16.6	<10
2024560	Core DUP	1.7	<0.02	4.6	0.39	<0.1	0.21	<0.02	5.0	0.3	<0.05	7.6	4.87	11.1	<0.02	6	0.2	16.6	<10
2024561	Drill Core	0.8	<0.02	4.2	0.45	<0.1	0.09	<0.02	5.6	0.4	<0.05	4.5	5.90	19.0	<0.02	3	0.2	19.8	<10
2024562	Drill Core	1.0	0.05	5.1	0.46	<0.1	0.19	<0.02	4.8	0.4	<0.05	7.1	5.28	14.8	<0.02	3	<0.1	21.2	<10
2024563	Drill Core	0.6	0.03	4.4	0.40	<0.1	0.18	<0.02	5.4	0.2	<0.05	6.5	7.37	27.7	<0.02	1	0.1	17.7	<10
2024564	Drill Core	0.6	0.03	3.9	0.58	<0.1	0.11	<0.02	5.4	0.4	<0.05	4.3	7.16	34.8	<0.02	2	<0.1	13.5	<10
2024565	Drill Core	1.3	0.05	3.8	3.80	<0.1	0.15	<0.02	9.4	0.4	<0.05	6.7	6.33	26.8	<0.02	<1	0.2	21.9	<10
2024566	Drill Core	0.8	0.02	4.8	4.11	<0.1	0.19	<0.02	12.3	0.4	<0.05	7.8	8.43	29.2	0.02	1	0.3	23.7	<10
2024567	Drill Core	0.6	0.03	5.7	2.16	<0.1	0.11	<0.02	8.9	0.4	<0.05	4.4	13.95	43.3	0.02	6	0.4	21.7	<10
2024568	Drill Core	<0.1	0.03	5.6	30.71	<0.1	0.07	<0.02	19.8	0.4	<0.05	2.8	12.27	41.3	0.03	2	0.6	17.3	<10



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 6 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI19000454.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2024569	Drill Core	2.29	443	0.010	<0.01	<0.17	35.26	1.53	20.57	9.98	65.2	245	15.1	10.2	501	2.45	26.8	1.5	2.9	9.1	90.2
2024570	Drill Core	2.51	513	<0.005	<0.01	<0.17	28.90	1.38	28.28	11.43	61.3	304	26.5	9.7	270	1.78	13.5	2.0	1.1	8.1	70.3
2024571	Drill Core	2.32	367	<0.005	<0.01	<0.17	37.52	2.01	36.43	7.67	73.4	558	26.8	9.7	293	2.25	8.2	2.3	0.2	7.8	61.4
2024572	Drill Core	3.93	336	0.016	0.01	<0.17	30.13	0.51	79.17	230.22	311.8	1030	15.2	7.6	500	2.56	13.4	1.1	12.8	12.5	24.5
2024573	Drill Core	2.94	420	0.006	<0.01	<0.17	30.34	0.44	21.54	41.56	104.7	412	0.8	0.7	155	0.56	24.4	1.0	2.3	14.1	16.9
2024574	Drill Core	3.20	482	0.006	<0.01	<0.17	33.50	0.46	7.62	60.84	69.4	330	0.6	0.7	196	0.47	6.4	1.1	1.4	12.6	53.4
2024575	Drill Core	2.74	486	0.008	<0.01	<0.17	33.47	0.27	62.06	109.47	299.5	1576	0.5	1.1	157	0.55	2.8	1.0	4.0	15.9	12.8
2024576	Drill Core	2.79	503	0.005	<0.01	<0.17	33.46	0.14	11.41	48.57	46.0	296	0.2	0.2	78	0.29	0.8	1.2	1.3	16.6	15.3
2024577	Drill Core	2.39	407	0.016	0.01	<0.17	27.93	0.71	7.90	53.42	61.4	304	0.3	0.3	76	0.42	1.4	1.3	2.5	13.4	19.8
2024578	Drill Core	1.76	482	0.022	0.02	<0.17	34.65	1.89	4.89	24.76	29.5	210	0.6	1.0	133	0.44	0.5	1.0	3.1	10.7	39.0
2024579	Drill Core	2.89	366	<0.005	<0.01	<0.17	33.91	0.17	6.04	20.65	31.6	275	0.6	0.6	93	0.45	1.1	1.3	1.2	13.9	20.5
2024580	Rock	0.23	148	<0.005	<0.01	<0.17	26.67	0.43	1.34	1.69	3.4	13	1.5	0.6	82	0.75	0.9	0.2	1.1	1.2	2.5
2024581	Drill Core	2.88	464	<0.005	<0.01	<0.17	33.90	0.32	3.47	15.93	28.7	197	0.6	0.5	110	0.41	0.6	1.2	2.0	12.6	40.6
2024582	Drill Core	2.70	501	<0.005	<0.01	<0.17	32.92	0.13	3.69	15.60	20.5	264	0.4	0.4	100	0.43	1.7	1.1	1.8	12.5	35.7
2024583	Drill Core	3.43	457	<0.005	<0.01	<0.17	32.37	0.24	4.59	23.37	26.9	292	0.4	0.6	105	0.41	1.2	1.0	1.6	12.1	69.9
2024584	Drill Core	2.13	386	<0.005	<0.01	<0.17	30.55	0.18	3.19	9.85	9.0	117	0.5	0.6	125	0.39	1.2	1.2	2.3	10.1	52.1



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 6 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI19000454.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024569	Drill Core	0.25	0.46	0.06	26	1.97	0.061	26.7	23.0	0.79	463.0	0.022	<1	1.09	0.019	0.29	0.2	5.8	0.12	0.10	<5
2024570	Drill Core	0.24	0.48	0.08	17	0.48	0.063	25.6	16.1	0.70	671.3	0.039	<1	0.76	0.019	0.39	0.2	5.5	0.18	0.14	<5
2024571	Drill Core	0.52	0.43	0.06	26	0.86	0.066	22.2	26.3	0.90	201.5	0.045	<1	1.14	0.016	0.26	0.4	5.7	0.12	0.21	<5
2024572	Drill Core	0.91	0.59	0.29	24	0.46	0.063	34.9	28.2	1.00	168.4	0.002	<1	1.42	0.019	0.27	0.4	3.3	0.12	<0.02	7
2024573	Drill Core	2.35	0.60	0.34	2	0.51	0.007	30.1	1.9	0.18	227.0	<0.001	<1	0.36	0.006	0.23	0.1	1.3	0.06	<0.02	6
2024574	Drill Core	0.97	0.31	0.39	1	0.70	0.006	28.8	1.6	0.15	482.3	0.001	<1	0.36	0.013	0.25	<0.1	1.0	0.07	<0.02	10
2024575	Drill Core	0.59	0.34	0.70	2	0.13	0.006	34.4	1.6	0.13	230.4	0.001	<1	0.37	0.020	0.24	0.1	1.1	0.07	<0.02	12
2024576	Drill Core	0.20	0.20	0.18	<1	0.17	0.004	34.3	1.4	0.05	192.2	<0.001	<1	0.24	0.014	0.24	<0.1	0.7	0.05	<0.02	<5
2024577	Drill Core	0.78	0.20	0.22	1	0.23	0.005	28.1	1.4	0.09	289.5	0.001	<1	0.31	0.017	0.24	<0.1	1.0	0.05	0.03	31
2024578	Drill Core	0.67	0.24	0.17	1	0.52	0.007	20.4	2.0	0.11	753.6	<0.001	<1	0.34	0.002	0.28	<0.1	1.1	0.07	0.07	6
2024579	Drill Core	0.42	0.18	0.27	1	0.17	0.006	36.6	1.7	0.13	351.0	0.002	<1	0.39	0.009	0.30	<0.1	1.2	0.09	<0.02	7
2024580	Rock	<0.01	0.07	0.04	3	0.03	0.004	2.5	3.9	0.02	16.1	0.004	2	0.09	0.005	0.02	<0.1	0.5	<0.02	<0.02	<5
2024581	Drill Core	0.53	0.23	0.19	1	0.34	0.006	30.8	1.4	0.18	434.0	0.002	1	0.41	0.006	0.27	<0.1	1.2	0.08	<0.02	<5
2024582	Drill Core	0.39	0.25	0.18	1	0.29	0.006	37.2	1.4	0.06	411.9	0.003	<1	0.30	0.031	0.23	<0.1	1.6	0.06	0.05	<5
2024583	Drill Core	0.50	0.30	0.25	<1	0.48	0.006	28.2	1.7	0.10	860.3	0.001	<1	0.29	0.009	0.24	<0.1	1.0	0.05	0.02	<5
2024584	Drill Core	0.36	0.16	0.11	<1	0.56	0.007	25.5	1.5	0.03	419.3	0.001	<1	0.27	0.030	0.25	<0.1	1.1	0.05	0.06	<5



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 6 of 6 **Part:** 3 of 3

# CERTIFICATE OF ANALYSIS

WHI19000454.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2024569	Drill Core	<0.1	<0.02	5.4	8.73	<0.1	0.07	0.05	14.9	0.4	<0.05	3.2	12.95	50.0	0.04	<1	0.4	9.6	<10
2024570	Drill Core	<0.1	0.03	3.2	30.60	<0.1	0.19	0.09	27.9	0.4	<0.05	6.8	14.38	46.3	0.03	2	0.5	12.6	<10
2024571	Drill Core	0.3	0.02	4.5	2.15	<0.1	0.10	0.08	12.5	0.5	<0.05	3.5	15.60	41.4	0.03	2	0.4	19.7	<10
2024572	Drill Core	<0.1	0.03	5.9	2.93	<0.1	0.07	<0.02	16.9	0.4	<0.05	3.1	12.42	66.1	0.04	<1	0.6	29.9	<10
2024573	Drill Core	<0.1	0.02	1.0	0.58	<0.1	0.34	0.02	8.8	1.1	<0.05	11.1	7.16	56.9	<0.02	<1	0.3	8.5	<10
2024574	Drill Core	<0.1	0.03	1.1	0.55	<0.1	0.24	0.02	10.9	0.3	<0.05	10.5	8.57	56.0	<0.02	<1	0.2	6.1	<10
2024575	Drill Core	<0.1	0.03	1.4	0.59	<0.1	0.26	0.02	10.8	0.4	<0.05	8.6	8.09	64.5	0.03	<1	0.4	5.5	<10
2024576	Drill Core	<0.1	<0.02	0.8	0.41	<0.1	0.40	0.05	9.6	0.2	<0.05	10.9	5.26	66.1	<0.02	<1	0.2	2.2	<10
2024577	Drill Core	<0.1	<0.02	1.0	0.46	<0.1	0.28	0.03	9.0	0.3	<0.05	9.0	5.69	51.2	<0.02	<1	0.2	3.7	<10
2024578	Drill Core	<0.1	<0.02	0.8	0.29	<0.1	0.45	<0.02	9.8	0.3	<0.05	18.0	4.61	36.7	<0.02	<1	0.2	4.5	<10
2024579	Drill Core	<0.1	<0.02	1.1	0.74	<0.1	0.15	0.04	13.8	0.3	<0.05	6.1	10.71	68.7	<0.02	<1	0.1	6.7	<10
2024580	Rock	<0.1	<0.02	0.3	0.13	<0.1	0.12	0.05	1.3	<0.1	<0.05	3.0	1.30	5.0	<0.02	<1	0.1	1.6	<10
2024581	Drill Core	<0.1	<0.02	1.1	0.62	<0.1	0.19	0.05	12.1	0.2	<0.05	8.1	10.37	57.4	<0.02	<1	0.2	7.1	<10
2024582	Drill Core	<0.1	<0.02	1.2	0.51	<0.1	0.17	0.09	11.4	0.3	<0.05	7.3	16.34	70.1	0.02	<1	0.4	3.1	<10
2024583	Drill Core	<0.1	<0.02	0.8	0.39	<0.1	0.24	0.03	8.8	0.2	<0.05	9.4	5.75	51.6	<0.02	<1	0.2	2.8	<10
2024584	Drill Core	<0.1	<0.02	0.7	0.35	<0.1	0.11	0.04	8.5	0.2	<0.05	4.4	4.59	48.9	<0.02	<1	0.2	1.6	<10





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 23, 2019

Page:

1 of 4

Part:

1 of 3

## QUALITY CONTROL REPORT

WHI19000454.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
2024606	Drill Core	3.44	497	0.012	0.01	<0.17	30.90	0.31	3.90	10.83	21.2	554	0.4	0.7	241	0.71	1.6	1.4	9.2	8.0	5.7
REP 2024606	QC							0.35	3.80	11.29	22.3	557	0.4	0.7	246	0.73	1.7	1.4	10.2	8.0	5.7
2024495	Drill Core	2.05	407	0.005	<0.01	<0.17	24.27	0.30	8.17	17.44	35.4	287	3.9	3.1	225	1.20	0.9	1.8	2.6	13.9	40.2
REP 2024495	QC			0.005																	
2024504	Drill Core	3.27	373	<0.005	<0.01	<0.17	39.06	0.44	10.15	24.58	60.0	223	8.2	5.9	410	1.74	3.0	1.8	<0.2	6.4	167.3
REP 2024504	QC							0.51	9.91	25.16	59.6	230	8.3	5.8	419	1.72	3.1	1.9	<0.2	6.6	167.9
2024514	Drill Core	3.07	468	0.009	<0.01	<0.17	28.08	0.52	23.27	16.00	63.7	348	24.7	8.5	389	1.90	12.3	0.8	4.7	7.5	42.3
REP 2024514	QC			0.008																	
2024539	Drill Core	3.15	502	0.037	0.03	<0.17	37.83	2.52	70.28	21.23	456.3	591	24.5	13.5	818	3.64	27.5	0.7	2.3	4.4	22.9
REP 2024539	QC							2.59	70.50	21.04	440.8	586	24.6	13.3	849	3.55	27.3	0.7	3.2	4.4	22.1
REP 2024569	QC			0.034																	
2024573	Drill Core	2.94	420	0.006	<0.01	<0.17	30.34	0.44	21.54	41.56	104.7	412	0.8	0.7	155	0.56	24.4	1.0	2.3	14.1	16.9
REP 2024573	QC							0.40	20.46	41.95	99.0	386	0.8	0.7	152	0.55	24.0	0.9	2.5	13.8	16.7
Core Reject Duplicates																					
2024603	Drill Core	2.41	449	0.037	0.03	<0.17	37.90	0.67	10.15	22.33	29.9	296	0.6	1.1	370	0.87	10.3	2.4	27.6	13.0	6.6
DUP 2024603	QC		452	0.033	0.03	<0.17	32.69	0.61	10.27	22.60	29.9	298	0.7	1.0	373	0.86	9.9	2.4	23.2	12.5	6.9
2024501	Drill Core	3.53	404	0.014	0.02	<0.17	32.94	0.80	15.46	9.65	62.4	297	10.8	8.0	360	2.06	1.2	2.2	1.1	9.1	75.5
DUP 2024501	QC		391	<0.005	<0.01	<0.17	34.69	0.82	15.74	9.82	63.4	309	10.8	8.0	354	2.07	1.3	2.1	0.2	9.6	79.1
2024535	Drill Core	2.73	428	0.005	<0.01	<0.17	35.00	0.76	25.30	5.90	122.6	182	22.0	12.1	566	2.99	26.8	1.6	2.2	6.5	27.9
DUP 2024535	QC		415	0.006	<0.01	<0.17	32.79	0.71	24.33	5.64	114.2	176	21.3	11.7	542	2.92	25.4	1.5	1.6	6.0	27.6
2024569	Drill Core	2.29	443	0.010	<0.01	<0.17	35.26	1.53	20.57	9.98	65.2	245	15.1	10.2	501	2.45	26.8	1.5	2.9	9.1	90.2
DUP 2024569	QC	<0.01	441	0.020	0.02	<0.17	40.07	1.46	19.71	10.07	64.4	247	14.8	9.5	484	2.39	24.6	1.4	5.1	8.1	90.3
Reference Materials																					
STD BVGEO01	Standard							10.62	4251.65	183.69	1730.9	2512	154.2	25.2	699	3.52	111.2	3.7	217.9	13.8	51.0
STD BVGEO01	Standard							11.12	4362.76	198.51	1790.5	2578	163.2	24.6	737	3.78	119.6	3.9	239.4	16.5	56.4
STD DS11	Standard							15.63	151.54	146.70	341.1	1683	82.4	13.8	1046	3.11	43.5	2.7	75.8	8.6	64.9
STD DS11	Standard							14.78	154.49	145.19	337.0	1675	79.4	13.7	985	3.01	42.6	2.7	74.3	8.8	61.1
STD DS11	Standard							13.95	150.43	127.15	325.8	1623	80.4	13.9	1016	3.16	40.9	2.4	67.7	7.7	62.0



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 23, 2019

Page:

1 of 4

Part:

2 of 3

## QUALITY CONTROL REPORT

WHI19000454.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2024606	Drill Core	0.42	0.51	0.13	<1	0.04	0.011	25.4	1.8	0.05	326.4	0.001	1	0.29	0.013	0.21	1.7	1.8	0.06	<0.02	27
REP 2024606	QC	0.37	0.51	0.13	<1	0.04	0.011	25.2	1.9	0.05	326.2	0.001	<1	0.29	0.013	0.21	1.7	1.8	0.07	<0.02	30
2024495	Drill Core	0.40	0.28	0.15	7	0.55	0.030	41.8	9.9	0.41	409.5	0.004	<1	0.72	0.017	0.29	<0.1	2.3	0.12	0.03	<5
REP 2024495	QC																				
2024504	Drill Core	0.39	0.32	0.13	16	2.23	0.057	13.5	16.9	0.59	221.1	0.063	<1	0.78	0.029	0.25	0.1	4.4	0.11	0.08	<5
REP 2024504	QC	0.36	0.32	0.14	16	2.20	0.063	13.0	17.2	0.58	216.2	0.061	<1	0.77	0.029	0.24	0.1	4.6	0.11	0.08	<5
2024514	Drill Core	0.73	0.50	0.09	17	0.63	0.066	25.8	21.6	0.71	144.4	0.002	<1	1.05	0.015	0.25	0.2	3.7	0.11	<0.02	6
REP 2024514	QC																				
2024539	Drill Core	3.56	0.21	0.45	33	0.54	0.086	9.4	20.2	1.68	136.3	0.003	<1	1.73	0.012	0.16	0.2	2.6	0.04	<0.02	6
REP 2024539	QC	3.59	0.20	0.45	32	0.54	0.083	9.6	19.9	1.69	133.1	0.003	<1	1.76	0.012	0.16	0.2	2.6	0.04	<0.02	5
REP 2024569	QC																				
2024573	Drill Core	2.35	0.60	0.34	2	0.51	0.007	30.1	1.9	0.18	227.0	<0.001	<1	0.36	0.006	0.23	0.1	1.3	0.06	<0.02	6
REP 2024573	QC	2.24	0.62	0.34	2	0.50	0.007	27.7	1.8	0.17	218.4	<0.001	<1	0.34	0.005	0.22	0.1	1.1	0.05	<0.02	<5
Core Reject Duplicates																					
2024603	Drill Core	1.04	0.43	0.16	<1	0.04	0.007	40.6	1.9	0.04	400.8	<0.001	2	0.30	0.015	0.21	0.6	2.2	0.06	<0.02	101
DUP 2024603	QC	1.06	0.39	0.12	<1	0.04	0.007	42.2	1.7	0.04	401.6	<0.001	2	0.31	0.015	0.20	0.5	2.3	0.07	<0.02	90
2024501	Drill Core	0.38	0.69	0.06	22	1.00	0.068	20.5	24.8	0.82	293.1	0.115	<1	1.11	0.027	0.34	0.3	5.5	0.19	0.07	<5
DUP 2024501	QC	0.39	0.71	0.06	23	1.00	0.067	20.2	25.3	0.82	295.6	0.115	<1	1.12	0.028	0.34	0.3	5.4	0.21	0.07	<5
2024535	Drill Core	0.24	0.59	0.10	27	0.79	0.070	10.1	41.9	2.43	92.6	0.009	2	2.07	0.009	0.19	<0.1	3.0	0.10	0.27	<5
DUP 2024535	QC	0.23	0.59	0.09	27	0.80	0.067	9.5	40.6	2.40	88.2	0.008	2	2.04	0.008	0.18	<0.1	2.8	0.09	0.25	<5
2024569	Drill Core	0.25	0.46	0.06	26	1.97	0.061	26.7	23.0	0.79	463.0	0.022	<1	1.09	0.019	0.29	0.2	5.8	0.12	0.10	<5
DUP 2024569	QC	0.27	0.47	0.06	26	1.92	0.062	25.2	22.3	0.79	465.6	0.021	<1	1.05	0.017	0.27	0.2	5.7	0.11	0.10	<5
Reference Materials																					
STD BVGEO01	Standard	6.20	3.91	24.24	73	1.25	0.066	24.9	165.2	1.23	260.0	0.209	3	2.18	0.176	0.85	5.2	6.1	0.57	0.67	88
STD BVGEO01	Standard	6.63	3.89	25.93	74	1.30	0.081	28.1	187.0	1.30	306.1	0.233	3	2.35	0.193	0.86	5.6	6.4	0.64	0.64	96
STD DS11	Standard	2.35	8.88	11.66	48	1.05	0.069	19.3	62.3	0.83	367.3	0.091	6	1.14	0.071	0.40	3.0	3.2	4.94	0.27	245
STD DS11	Standard	2.38	8.40	11.53	48	1.04	0.073	18.8	58.2	0.83	352.0	0.089	8	1.15	0.070	0.39	2.9	3.1	4.92	0.27	254
STD DS11	Standard	2.19	8.41	11.48	48	1.05	0.068	16.4	59.0	0.84	351.2	0.094	5	1.14	0.072	0.40	2.9	3.2	4.65	0.27	253



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Page:** 1 of 4

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000454.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2024606	Drill Core	<0.1	<0.02	0.9	1.00	<0.1	0.02	0.04	8.8	0.2	<0.05	0.8	13.39	50.5	0.02	<1	0.2	1.3	<10	<2
REP 2024606	QC	<0.1	<0.02	0.9	1.05	<0.1	0.02	0.03	8.9	0.2	<0.05	0.9	13.66	51.5	0.02	<1	0.1	1.4	<10	<2
2024495	Drill Core	<0.1	<0.02	3.2	1.29	<0.1	0.10	0.03	16.5	0.3	<0.05	3.7	20.29	79.7	0.02	<1	0.4	12.2	<10	<2
REP 2024495	QC																			
2024504	Drill Core	0.3	<0.02	3.8	8.46	<0.1	0.07	0.18	16.3	0.5	<0.05	2.0	8.74	26.1	<0.02	<1	0.5	10.5	<10	<2
REP 2024504	QC	0.4	<0.02	3.9	8.55	<0.1	0.09	0.20	16.3	0.5	<0.05	2.0	8.28	26.1	<0.02	<1	0.5	10.8	<10	<2
2024514	Drill Core	0.1	0.02	3.9	3.58	<0.1	0.10	<0.02	15.4	0.1	<0.05	4.9	12.30	49.7	0.02	<1	0.5	21.5	<10	<2
REP 2024514	QC																			
2024539	Drill Core	0.9	0.04	4.5	0.50	<0.1	0.16	<0.02	5.3	0.4	<0.05	7.0	5.21	18.3	0.03	<1	0.1	15.9	<10	<2
REP 2024539	QC	0.8	0.04	4.6	0.50	<0.1	0.19	<0.02	5.3	0.4	<0.05	7.3	5.05	18.4	0.03	<1	0.1	15.9	<10	<2
REP 2024569	QC																			
2024573	Drill Core	<0.1	0.02	1.0	0.58	<0.1	0.34	0.02	8.8	1.1	<0.05	11.1	7.16	56.9	<0.02	<1	0.3	8.5	<10	<2
REP 2024573	QC	<0.1	<0.02	1.0	0.57	<0.1	0.31	0.03	8.6	0.9	<0.05	11.5	7.01	53.0	<0.02	<1	0.3	7.7	<10	2
Core Reject Duplicates																				
2024603	Drill Core	<0.1	<0.02	0.9	1.36	<0.1	0.14	<0.02	10.0	0.7	<0.05	5.0	18.00	73.8	0.03	<1	0.3	1.5	<10	<2
DUP 2024603	QC	<0.1	<0.02	0.9	1.38	<0.1	0.12	<0.02	9.5	0.7	<0.05	4.7	17.91	74.4	0.02	<1	0.2	1.5	<10	<2
2024501	Drill Core	0.3	<0.02	5.3	4.73	<0.1	0.09	0.24	23.1	0.6	<0.05	2.0	12.22	39.4	0.03	<1	0.6	17.5	<10	<2
DUP 2024501	QC	0.3	<0.02	5.3	4.73	<0.1	0.11	0.23	23.3	0.7	<0.05	2.1	12.26	40.2	0.02	<1	0.7	16.6	<10	<2
2024535	Drill Core	1.0	0.03	5.4	9.20	<0.1	0.22	<0.02	9.2	0.6	<0.05	7.4	9.39	20.2	<0.02	2	0.2	35.4	<10	<2
DUP 2024535	QC	0.9	<0.02	5.0	9.03	<0.1	0.20	<0.02	9.0	0.5	<0.05	7.3	9.05	19.9	<0.02	<1	0.2	35.5	<10	<2
2024569	Drill Core	<0.1	<0.02	5.4	8.73	<0.1	0.07	0.05	14.9	0.4	<0.05	3.2	12.95	50.0	0.04	<1	0.4	9.6	<10	<2
DUP 2024569	QC	<0.1	<0.02	5.2	9.05	<0.1	0.07	0.04	14.6	0.4	<0.05	2.7	12.62	47.0	0.03	<1	0.3	9.4	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.4	0.97	6.6	6.79	0.1	0.29	0.31	90.1	5.2	<0.05	8.4	14.02	50.1	0.43	3	0.7	19.3	116	176
STD BVGEO01	Standard	5.0	1.03	7.8	7.67	0.2	0.34	0.30	99.7	5.6	<0.05	8.4	14.93	57.5	0.49	5	0.8	22.5	140	202
STD DS11	Standard	2.1	4.68	5.0	3.02	0.1	0.06	1.52	33.2	1.7	<0.05	2.2	8.04	38.2	0.25	46	0.6	22.5	107	167
STD DS11	Standard	2.1	4.69	5.0	2.95	0.1	0.06	1.44	32.0	1.8	<0.05	2.3	7.64	38.1	0.24	42	0.7	22.0	108	179
STD DS11	Standard	2.5	4.34	4.7	2.75	0.1	0.08	1.42	32.2	1.6	<0.05	3.5	7.07	34.5	0.24	49	0.6	22.4	91	163



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Klondike Gold Corp.**

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 23, 2019

Page:

2 of 4

Part:

1 of 3

## QUALITY CONTROL REPORT

WHI19000454.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.71	115.47	56.04	144.8	430	60.4	27.2	508	3.13	33.9	1.2	70.1	9.2	31.7
STD OREAS262	Standard							0.68	116.61	57.98	143.8	449	62.1	26.7	531	3.13	34.0	1.2	71.6	10.5	32.6
STD OREAS262	Standard							0.71	119.60	56.95	150.2	467	62.7	26.7	527	3.17	33.7	1.2	69.6	9.3	34.2
STD OREAS262	Standard							0.66	115.33	56.31	142.0	435	61.4	26.3	538	3.25	35.0	1.2	75.7	9.9	34.6
STD OREAS262	Standard							0.66	120.46	54.61	156.5	459	62.5	26.3	525	3.25	35.0	1.1	68.4	9.0	33.7
STD OXC152	Standard			0.210																	
STD OXC152	Standard			0.213																	
STD OXC152	Standard			0.209																	
STD OXC152	Standard			0.213																	
STD OXC152	Standard			0.214																	
STD OXH139	Standard			1.286																	
STD OXH139	Standard			1.268																	
STD OXH139	Standard			1.329																	
STD OXI138	Standard			1.892																	
STD OXI138	Standard			1.827																	
STD OXN134	Standard			7.811																	
STD OXN134	Standard			7.473																	
STD OXN134	Standard			7.759																	
STD OXN134	Standard			7.794																	
STD OXN134	Standard			7.473																	
STD OXQ90	Standard					25.21	29.95														
STD OXQ90	Standard					25.38	30.14														
STD OXQ90	Standard					24.93	30.04														
STD OXQ90	Standard					25.02	29.94														
STD OXQ90	Standard					25.38	29.91														
STD OXQ90	Standard					24.94	29.99														
STD OXQ90	Standard					25.19	28.98														
STD OXQ90	Standard					24.22	29.32														
STD OXQ90	Standard					25.60	29.65														



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 2 of 4

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000454.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OREAS262	Standard	0.58	5.63	0.93	21	2.81	0.040	16.1	42.9	1.12	238.5	0.002	3	1.27	0.066	0.29	0.2	3.0	0.44	0.25	147
STD OREAS262	Standard	0.64	4.75	1.00	20	2.84	0.039	16.0	41.8	1.14	235.4	0.003	4	1.24	0.065	0.30	0.2	3.0	0.45	0.25	158
STD OREAS262	Standard	0.72	5.17	1.01	26	2.91	0.037	16.3	42.2	1.15	242.9	0.003	3	1.33	0.067	0.31	0.2	3.3	0.45	0.26	184
STD OREAS262	Standard	0.60	5.30	1.02	22	2.89	0.041	17.1	42.9	1.17	252.1	0.002	2	1.34	0.067	0.31	0.2	3.2	0.46	0.25	152
STD OREAS262	Standard	0.66	5.61	1.06	22	2.95	0.041	15.5	42.1	1.16	244.6	0.003	5	1.32	0.067	0.30	0.3	3.1	0.46	0.26	170
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 2 of 4

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000454.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OREAS262	Standard	0.3	0.24	3.7	2.95	<0.1	0.25	<0.02	17.7	0.5	<0.05	9.3	10.26	31.6	0.03	1	1.0	17.0	<10	<2
STD OREAS262	Standard	0.3	0.22	3.8	2.93	<0.1	0.21	<0.02	18.2	0.6	<0.05	9.1	10.16	32.5	0.04	1	1.1	16.7	<10	<2
STD OREAS262	Standard	<0.1	0.23	3.9	2.83	<0.1	0.27	<0.02	18.1	0.6	<0.05	11.2	10.57	32.3	<0.02	1	1.4	17.2	<10	<2
STD OREAS262	Standard	0.4	0.23	3.9	3.06	<0.1	0.27	<0.02	19.5	0.5	<0.05	10.0	10.87	35.0	0.03	1	1.1	17.8	<10	<2
STD OREAS262	Standard	0.7	0.24	4.2	3.03	<0.1	0.18	<0.02	18.5	0.4	<0.05	10.7	10.28	31.9	0.03	2	0.8	17.9	<10	<2
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			



**[www.bureauveritas.com/um](http://www.bureauveritas.com/um)**

PHONE (604) 253-3158

Project: LS  
Report Date: September 23, 2019

Part: 1 of 3

## WHI19000454.1

[illegible]



**[www.bureauveritas.com/um](http://www.bureauveritas.com/um)**

PHONE (604) 253-3158

Project: LS  
Report Date: September 23, 2019

Part: 2 of 3

## WHI19000454.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





**[www.bureauveritas.com/um](http://www.bureauveritas.com/um)**

PHONE (604) 253-3158

Project: LS  
Report Date: September 23, 2019

Part: 3 of 3

## WHI19000454.1

[illegible]



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 4 of 4

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI19000454.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank			<0.005																	
BLK	Blank			0.005																	
BLK	Blank			0.005																	
BLK	Blank							<0.01	0.04	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		410	<0.005	<0.01	<0.17	34.65	0.92	3.70	0.82	29.5	8	1.4	4.2	517	1.86	0.7	0.4	<0.2	1.9	16.3
ROCK-WHI	Prep Blank		403	<0.005	<0.01	<0.17	37.51	0.82	3.79	0.75	26.9	6	0.8	3.5	466	1.71	0.9	0.4	<0.2	2.0	15.6



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 4 of 4

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI19000454.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	<0.02	0.02	23	0.63	0.039	5.8	4.3	0.52	46.0	0.062	2	0.83	0.058	0.06	<0.1	2.4	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	0.03	<0.02	21	0.51	0.039	5.6	3.0	0.46	45.3	0.058	2	0.77	0.060	0.06	<0.1	2.3	<0.02	<0.02	<5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
3123-595 Burrard St.  
Vancouver British Columbia V7X 1K8 Canada

**Project:** LS  
**Report Date:** September 23, 2019

**Page:** 4 of 4

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI19000454.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.4	0.11	<0.1	0.10	0.15	1.7	0.3	<0.05	1.9	7.91	11.6	<0.02	<1	<0.1	1.1	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.2	0.12	<0.1	0.09	0.14	1.7	0.3	<0.05	1.9	7.45	11.2	<0.02	<1	0.1	1.2	<10