



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 27, 2019
Report Date: September 14, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000455.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-49
P.O. Number
Number of Samples: 120

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	115	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	120	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	120	Analysis sample split/packet			WHI
Split -150	120	Analysis sample split/packet			WHI
EN002	120	Environmental disposal charge-Fire assay lead waste			VAN
FS631	116	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	120	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	120	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 14, 2019

Page: 2 of 5 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000455.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2024627	Drill Core	1.49	390	<0.005	<0.01	<0.17	38.92	0.22	5.29	15.73	21.6	180	1.8	1.6	104	0.65	1.7	0.7	0.4	9.9	4.5
2024628	Drill Core	2.00	490	<0.005	<0.01	<0.17	30.27	0.22	2.97	21.02	10.0	222	0.5	0.4	93	0.42	0.3	0.7	1.0	10.8	3.6
2024629	Drill Core	2.49	473	<0.005	<0.01	<0.17	41.55	0.16	3.02	14.21	13.7	209	0.5	0.4	76	0.42	0.8	1.0	0.5	10.8	11.2
2024630	Drill Core	3.13	430	<0.005	<0.01	<0.17	39.67	0.22	2.60	20.88	13.7	152	0.4	0.4	94	0.54	1.0	1.1	0.7	11.8	13.3
2024631	Drill Core	2.70	375	0.006	<0.01	<0.17	28.48	0.27	4.04	23.31	16.3	189	0.6	0.8	96	0.64	4.5	0.9	2.1	12.9	7.5
2024632	Drill Core	3.16	461	<0.005	<0.01	<0.17	38.40	0.27	4.76	25.24	22.0	280	0.9	0.9	107	0.73	3.2	1.2	1.7	12.5	7.2
2024633	Drill Core	1.39	487	0.006	<0.01	<0.17	27.53	0.39	14.26	22.34	41.7	226	3.8	3.1	239	1.13	1.6	1.0	0.8	11.8	23.3
2024634	Drill Core	2.30	492	0.005	<0.01	<0.17	33.87	0.41	4.73	43.22	70.6	376	5.2	3.9	310	1.58	3.4	1.5	3.4	11.4	16.0
2024635	Drill Core	2.01	486	0.336	0.36	0.64	40.90	1.11	14.52	18.61	47.0	762	9.7	7.6	364	1.95	4.1	1.3	270.3	8.3	140.3
2024636	Drill Core	3.27	464	0.370	0.41	0.85	41.34	0.85	21.65	6.99	55.0	1225	11.7	8.7	337	2.21	7.1	2.6	376.9	9.0	110.3
2024637	Drill Core	1.84	457	<0.005	<0.01	<0.17	26.78	1.62	17.92	15.67	46.2	421	10.8	6.7	402	2.08	3.0	1.4	0.7	6.8	146.0
2024638	Drill Core	2.85	430	<0.005	<0.01	<0.17	39.35	0.96	18.70	9.58	60.6	340	13.8	9.1	371	2.27	3.5	1.3	<0.2	8.6	96.3
2024639	Drill Core	3.51	430	<0.005	<0.01	<0.17	31.85	0.99	14.97	10.18	72.0	231	16.1	9.1	296	2.31	3.6	1.6	0.5	8.5	71.4
2024640	Rock Pulp	0.12	75	0.014				4.02	19.70	0.81	29.3	15	6.9	4.0	553	2.27	1.1	0.3	0.4	1.9	24.6
2024641	Drill Core	3.34	500	<0.005	<0.01	<0.17	37.88	1.35	25.72	11.33	73.3	400	17.8	9.5	308	2.07	2.5	2.4	0.3	6.9	56.7
2024642	Drill Core	0.68	433	<0.005	<0.01	<0.17	30.44	0.58	12.00	5.60	35.4	193	9.2	6.8	236	1.44	1.4	0.8	0.2	6.6	39.9
2024643	Drill Core	1.68	482	<0.005	<0.01	<0.17	32.71	0.85	16.45	9.05	37.8	252	9.6	6.4	276	1.48	1.6	0.6	0.4	5.2	39.9
2024644	Drill Core	2.54	506	<0.005	<0.01	<0.17	36.21	0.63	14.64	11.97	47.6	215	10.6	6.5	312	1.72	1.7	0.6	0.3	4.4	28.5
2024645	Drill Core	3.24	465	<0.005	<0.01	<0.17	35.67	1.05	16.06	15.58	53.7	310	11.0	7.4	469	1.96	1.9	0.9	0.5	4.7	72.8
2024646	Drill Core	2.35	476	<0.005	<0.01	<0.17	31.25	0.38	14.37	21.15	80.1	221	13.1	8.6	494	1.96	1.4	0.9	0.6	6.4	77.8
2024647	Drill Core	1.59	462	<0.005	<0.01	<0.17	28.99	0.52	20.93	136.23	159.6	464	12.8	8.1	646	2.17	0.6	1.3	0.5	8.9	110.9
2024648	Drill Core	2.95	440	<0.005	<0.01	<0.17	28.74	0.47	25.55	61.30	101.3	391	10.0	7.4	384	2.05	1.4	1.2	1.1	10.7	59.4
2024649	Drill Core	1.84	397	<0.005	<0.01	<0.17	39.38	0.87	20.73	25.44	82.1	432	15.6	8.6	567	2.41	3.0	1.2	0.5	9.0	102.9
2024650	Drill Core	1.00	440	0.013	0.01	<0.17	43.72	0.58	24.66	19.67	84.2	422	18.4	10.1	470	2.71	22.9	1.2	9.8	11.1	30.5
2024651	Drill Core	2.58	392	0.013	0.01	<0.17	32.34	2.10	69.71	15.90	87.6	682	30.3	15.3	652	3.45	14.3	1.2	10.8	9.5	38.2
2024652	Drill Core	2.83	392	0.008	<0.01	<0.17	31.17	0.75	38.63	19.10	80.6	469	21.1	12.8	491	2.56	7.4	0.8	4.2	7.5	13.5
2024653	Drill Core	3.05	438	0.007	<0.01	<0.17	35.16	0.59	17.42	8.53	66.6	289	12.9	8.5	533	2.55	0.3	1.1	3.8	8.7	106.9
2024654	Drill Core	0.69	435	<0.005	<0.01	<0.17	29.73	0.29	9.10	11.26	77.9	245	14.2	9.9	579	2.46	1.3	1.2	1.1	10.9	67.0
2024655	Drill Core	1.86	409	0.044	0.04	<0.17	29.05	1.54	32.56	15.51	85.1	903	31.1	11.0	449	3.46	17.0	1.8	35.2	9.0	28.8
2024656	Drill Core	1.47	485	0.007	<0.01	<0.17	41.59	0.54	30.92	11.81	69.3	979	23.0	9.1	439	2.68	8.7	0.8	4.6	7.6	25.0



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 14, 2019

Page: 2 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000455.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024627	Drill Core	0.16	0.23	0.15	2	0.06	0.013	15.6	4.6	0.13	228.4	0.007	1	0.34	0.024	0.22	0.2	1.8	0.07	<0.02	8			
2024628	Drill Core	0.22	0.12	0.20	<1	0.02	0.006	28.3	2.4	0.05	174.7	0.001	2	0.25	0.017	0.25	<0.1	0.7	0.07	<0.02	12			
2024629	Drill Core	0.24	0.13	0.22	<1	0.08	0.005	29.6	2.0	0.06	178.1	0.009	1	0.29	0.022	0.25	<0.1	1.9	0.07	<0.02	5			
2024630	Drill Core	0.27	0.16	0.18	<1	0.10	0.006	32.2	2.5	0.07	205.9	0.008	1	0.35	0.027	0.28	<0.1	2.2	0.08	<0.02	<5			
2024631	Drill Core	0.39	0.27	0.19	<1	0.07	0.008	36.0	2.6	0.06	262.5	0.002	2	0.31	0.033	0.23	<0.1	1.3	0.07	<0.02	5			
2024632	Drill Core	0.36	0.23	0.23	1	0.09	0.011	33.0	3.6	0.10	254.4	0.002	<1	0.41	0.027	0.25	<0.1	1.8	0.08	<0.02	9			
2024633	Drill Core	0.39	0.34	0.22	5	0.43	0.025	33.0	8.7	0.40	241.2	0.003	<1	0.64	0.016	0.28	<0.1	2.3	0.11	<0.02	5			
2024634	Drill Core	0.54	0.40	0.21	9	0.17	0.029	33.4	15.4	0.68	223.1	0.002	<1	0.98	0.020	0.29	0.3	2.3	0.14	<0.02	12			
2024635	Drill Core	0.23	0.66	0.19	14	1.89	0.066	13.4	17.0	0.63	186.2	0.040	1	0.85	0.014	0.46	0.3	4.0	0.26	0.20	9			
2024636	Drill Core	0.27	0.81	0.07	19	1.48	0.070	11.8	21.5	0.80	212.9	0.059	<1	1.00	0.024	0.53	0.4	6.0	0.26	0.29	6			
2024637	Drill Core	0.17	0.58	0.29	17	2.05	0.058	13.1	20.0	0.80	172.9	0.057	<1	1.01	0.012	0.41	0.3	4.4	0.20	0.08	<5			
2024638	Drill Core	0.26	0.55	0.09	22	1.61	0.069	17.5	27.4	0.85	188.2	0.038	<1	1.12	0.024	0.44	0.2	5.6	0.23	0.09	<5			
2024639	Drill Core	0.24	0.50	0.15	27	0.94	0.063	21.7	35.6	0.93	380.8	0.043	<1	1.14	0.032	0.34	0.2	5.9	0.16	0.09	<5			
2024640	Rock Pulp	<0.01	0.14	<0.02	20	0.74	0.034	4.3	15.9	0.48	51.5	0.060	2	0.97	0.069	0.07	0.2	2.8	<0.02	0.04	<5			
2024641	Drill Core	0.32	0.34	0.16	22	0.87	0.066	15.5	29.6	0.94	300.0	0.061	<1	1.02	0.022	0.43	0.2	4.6	0.27	0.11	<5			
2024642	Drill Core	0.10	0.30	<0.02	10	0.58	0.062	11.1	12.3	0.51	254.4	0.076	<1	0.73	0.027	0.31	0.1	3.1	0.13	0.04	<5			
2024643	Drill Core	0.11	0.22	0.05	13	0.75	0.054	9.3	15.6	0.52	232.8	0.068	<1	0.71	0.039	0.26	0.1	3.2	0.10	<0.02	<5			
2024644	Drill Core	0.11	0.16	0.08	12	0.57	0.059	6.9	16.2	0.62	257.3	0.067	<1	0.85	0.029	0.29	<0.1	2.7	0.12	0.04	<5			
2024645	Drill Core	0.17	0.28	0.10	14	1.26	0.059	9.2	18.3	0.66	636.2	0.074	<1	0.80	0.035	0.30	0.1	4.0	0.13	0.10	<5			
2024646	Drill Core	0.35	0.77	0.03	19	1.39	0.064	14.9	26.7	0.84	258.5	0.066	<1	1.18	0.025	0.22	0.2	3.8	0.10	<0.02	<5			
2024647	Drill Core	1.15	1.14	0.09	20	2.02	0.060	22.0	27.9	0.85	335.1	0.049	<1	1.26	0.021	0.32	0.2	4.0	0.19	<0.02	<5			
2024648	Drill Core	0.92	0.22	0.08	13	1.04	0.059	16.4	17.8	0.67	526.0	0.008	<1	0.91	0.023	0.30	<0.1	4.5	0.13	0.05	<5			
2024649	Drill Core	0.46	0.30	0.15	24	1.75	0.065	19.8	29.9	0.81	230.3	0.011	<1	1.19	0.033	0.29	<0.1	5.1	0.14	<0.02	<5			
2024650	Drill Core	0.44	0.46	0.08	27	0.49	0.065	27.6	34.9	0.74	127.3	0.005	<1	1.21	0.023	0.20	0.2	4.2	0.11	<0.02	<5			
2024651	Drill Core	0.51	0.40	0.14	38	0.82	0.079	23.9	57.1	1.16	168.9	0.003	<1	1.52	0.027	0.21	0.1	5.6	0.09	<0.02	8			
2024652	Drill Core	0.64	0.26	0.12	30	0.25	0.065	20.2	37.8	1.05	127.8	0.003	<1	1.33	0.016	0.21	0.1	4.2	0.08	<0.02	<5			
2024653	Drill Core	0.27	0.46	0.06	22	1.90	0.059	21.1	30.4	1.10	270.4	0.014	<1	1.34	0.019	0.31	<0.1	4.4	0.15	<0.02	<5			
2024654	Drill Core	0.86	0.36	<0.02	22	1.14	0.069	25.4	35.9	1.06	102.7	0.012	<1	1.35	0.022	0.25	<0.1	4.8	0.13	<0.02	<5			
2024655	Drill Core	0.87	0.66	0.24	33	0.36	0.098	22.5	58.0	1.19	176.7	0.001	<1	1.67	0.020	0.29	0.1	3.0	0.09	<0.02	<5			
2024656	Drill Core	0.42	0.36	0.18	29	0.30	0.075	17.3	40.2	1.14	141.8	0.001	<1	1.48	0.011	0.23	<0.1	3.3	0.07	<0.02	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 14, 2019

Page: 2 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000455.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024627	Drill Core	<0.1	<0.02	1.2	0.75	<0.1	0.14	0.18	9.9	0.2	<0.05	4.5	7.68	45.2	<0.02	<1	0.3	4.2	<10	<2			
2024628	Drill Core	<0.1	<0.02	0.7	0.79	<0.1	0.08	0.06	11.4	0.2	<0.05	3.1	8.56	65.8	<0.02	<1	0.3	3.0	<10	<2			
2024629	Drill Core	<0.1	<0.02	1.0	0.22	<0.1	0.21	0.32	9.6	0.4	<0.05	7.7	20.46	60.1	0.02	<1	0.3	2.6	<10	<2			
2024630	Drill Core	<0.1	<0.02	1.1	0.34	<0.1	0.18	0.27	11.3	0.4	<0.05	6.6	20.32	66.0	0.02	<1	0.3	2.6	<10	<2			
2024631	Drill Core	<0.1	<0.02	1.0	0.64	<0.1	0.15	0.08	9.9	0.2	<0.05	6.2	20.50	73.3	<0.02	<1	0.3	3.1	<10	<2			
2024632	Drill Core	<0.1	<0.02	1.6	1.07	<0.1	0.08	0.09	12.6	0.3	<0.05	2.5	17.75	77.0	<0.02	<1	0.3	4.0	<10	<2			
2024633	Drill Core	<0.1	<0.02	2.0	1.50	<0.1	0.10	0.04	13.9	0.3	<0.05	4.3	16.00	70.2	<0.02	<1	0.3	11.1	<10	<2			
2024634	Drill Core	<0.1	<0.02	3.8	4.30	<0.1	0.08	<0.02	17.4	0.3	<0.05	2.7	17.72	69.7	<0.02	<1	0.6	19.6	<10	<2			
2024635	Drill Core	0.2	0.04	3.0	3.31	<0.1	0.06	0.09	24.5	0.3	<0.05	2.0	10.01	27.6	0.02	<1	0.4	11.0	<10	<2			
2024636	Drill Core	0.3	0.02	3.6	4.57	<0.1	0.09	0.13	28.9	0.4	<0.05	3.1	9.66	24.8	<0.02	<1	0.4	12.1	<10	<2			
2024637	Drill Core	0.1	0.02	3.3	2.97	<0.1	0.05	0.10	22.1	0.4	<0.05	1.3	11.53	27.4	<0.02	<1	0.4	15.8	<10	<2			
2024638	Drill Core	0.2	<0.02	4.3	3.73	<0.1	0.09	0.08	24.8	0.3	<0.05	2.6	13.79	35.6	0.02	1	0.5	15.5	<10	<2			
2024639	Drill Core	0.3	<0.02	4.7	7.92	<0.1	0.10	0.12	19.7	0.5	<0.05	2.8	14.11	42.9	0.02	2	0.5	16.3	<10	<2			
2024640	Rock Pulp	<0.1	<0.02	3.4	0.12	0.1	0.11	0.33	1.8	1.5	<0.05	2.5	6.47	9.2	<0.02	<1	0.2	1.1	<10	<2			
2024641	Drill Core	0.4	<0.02	3.7	9.66	<0.1	0.06	0.14	29.2	0.4	<0.05	1.7	9.96	31.7	<0.02	2	0.4	12.4	<10	<2			
2024642	Drill Core	0.1	<0.02	3.1	2.83	<0.1	0.05	0.38	15.8	0.4	<0.05	1.7	6.71	22.5	<0.02	<1	0.3	10.5	<10	<2			
2024643	Drill Core	<0.1	<0.02	3.0	2.13	<0.1	0.05	0.28	12.5	0.4	<0.05	1.1	5.79	18.5	<0.02	<1	0.4	8.5	<10	<2			
2024644	Drill Core	0.2	<0.02	2.8	4.98	<0.1	0.04	0.24	15.2	0.3	<0.05	0.7	4.88	14.5	<0.02	<1	0.3	7.5	<10	<2			
2024645	Drill Core	0.2	<0.02	2.7	15.04	<0.1	0.04	0.30	19.0	0.4	<0.05	0.9	6.02	18.2	<0.02	<1	0.4	6.6	<10	<2			
2024646	Drill Core	<0.1	<0.02	4.8	1.55	<0.1	0.06	0.18	12.1	0.4	<0.05	1.5	9.36	30.5	<0.02	<1	0.5	16.6	<10	<2			
2024647	Drill Core	0.2	<0.02	5.7	4.46	0.1	0.11	0.08	20.9	0.4	<0.05	2.7	12.83	43.4	<0.02	<1	0.9	18.1	<10	<2			
2024648	Drill Core	0.5	<0.02	3.5	7.46	<0.1	0.09	<0.02	16.0	0.4	<0.05	3.2	8.75	32.3	<0.02	<1	0.3	12.3	<10	<2			
2024649	Drill Core	<0.1	<0.02	5.1	3.91	<0.1	0.11	<0.02	15.8	0.3	<0.05	2.1	11.62	39.7	0.02	<1	0.5	20.3	<10	<2			
2024650	Drill Core	0.2	<0.02	6.9	5.54	<0.1	0.04	<0.02	13.0	0.4	<0.05	2.1	14.63	61.6	0.03	<1	0.5	24.9	<10	<2			
2024651	Drill Core	0.6	0.04	9.3	2.21	<0.1	0.05	<0.02	10.3	1.4	<0.05	2.4	12.47	48.4	0.05	<1	0.4	39.2	<10	<2			
2024652	Drill Core	0.2	<0.02	6.4	1.85	<0.1	0.05	<0.02	11.1	0.5	<0.05	1.8	9.75	40.1	0.02	<1	0.4	32.4	<10	<2			
2024653	Drill Core	<0.1	<0.02	5.6	3.84	<0.1	0.07	<0.02	19.1	0.3	<0.05	2.3	15.77	42.7	0.02	<1	0.6	23.3	<10	<2			
2024654	Drill Core	<0.1	<0.02	6.8	4.15	<0.1	0.08	<0.02	16.8	0.5	<0.05	2.7	17.27	58.5	0.02	<1	0.7	29.8	<10	<2			
2024655	Drill Core	1.0	0.04	10.4	2.61	<0.1	0.13	<0.02	14.1	0.7	<0.05	5.5	11.20	44.3	0.02	<1	0.5	28.0	<10	<2			
2024656	Drill Core	0.2	0.03	7.7	1.63	<0.1	0.17	<0.02	10.1	0.2	<0.05	7.6	6.74	34.4	<0.02	<1	0.5	29.5	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 14, 2019

Page: 3 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000455.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2024657	Drill Core	2.23	490	0.006	<0.01	<0.17	33.48	0.51	30.17	16.58	40.7	505	25.7	7.3	257	1.94	19.3	1.1	2.3	6.8	9.9
2024658	Drill Core	1.71	422	0.006	<0.01	<0.17	34.48	0.42	23.76	23.58	35.0	450	18.5	5.3	269	1.46	11.3	1.3	2.6	13.9	9.4
2024659	Drill Core	3.26	460	<0.005	<0.01	<0.17	30.54	0.42	18.26	20.73	23.8	273	7.5	4.6	233	1.02	6.0	1.1	1.9	13.3	7.5
2024660	Core DUP		453	<0.005	<0.01	<0.17	30.39	0.41	18.13	22.97	22.5	270	7.5	4.4	231	1.03	6.6	1.2	2.9	14.0	8.3
2024661	Drill Core	3.04	403	0.007	<0.01	<0.17	30.14	0.54	38.25	180.34	211.8	726	26.2	10.7	883	2.56	11.9	1.5	5.9	8.2	23.8
2024662	Drill Core	2.60	458	0.007	<0.01	<0.17	41.52	0.57	37.88	19.87	72.9	682	26.4	9.0	545	2.36	7.4	1.2	4.5	9.8	19.8
2024663	Drill Core	3.24	453	0.008	<0.01	<0.17	28.91	0.91	20.11	14.40	43.5	656	13.2	6.5	393	1.80	23.7	1.2	5.7	8.1	51.9
2024664	Drill Core	2.36	529	<0.005	<0.01	<0.17	34.57	0.38	28.94	8.80	50.8	299	26.4	8.8	280	1.74	48.5	0.7	1.4	7.3	24.8
2024665	Drill Core	1.36	464	0.006	<0.01	<0.17	37.43	0.33	19.65	3.22	57.7	216	28.4	8.2	330	2.27	13.9	0.7	3.8	8.3	20.1
2024666	Drill Core	1.96	439	0.022	0.02	<0.17	35.57	0.33	25.33	3.15	72.7	272	31.4	10.6	430	2.84	8.8	1.0	4.8	7.7	14.6
2024667	Drill Core	2.49	455	0.010	<0.01	<0.17	37.73	0.61	35.66	19.86	108.7	403	37.0	12.0	640	3.19	21.6	1.6	9.1	9.4	19.3
2024668	Drill Core	3.36	509	<0.005	<0.01	<0.17	26.81	0.39	27.10	13.60	71.6	267	25.5	9.4	332	2.34	9.5	1.0	2.9	7.9	13.8
2024669	Drill Core	2.55	447	<0.005	<0.01	<0.17	40.94	0.31	24.32	12.86	71.2	271	23.7	8.6	271	2.21	15.6	0.7	1.2	7.9	14.9
2024670	Drill Core	2.04	491	0.007	<0.01	<0.17	35.27	0.43	28.48	11.10	66.1	477	25.1	9.4	433	2.57	19.9	1.0	5.8	7.0	11.3
2024671	Drill Core	3.09	373	<0.005	<0.01	<0.17	31.07	0.34	25.56	10.41	67.8	212	23.3	8.9	346	2.37	7.0	0.9	1.3	7.4	9.6
2024672	Drill Core	1.05	455	0.006	<0.01	<0.17	33.00	0.41	27.16	14.79	67.4	267	28.1	10.5	391	2.20	8.7	1.0	5.1	8.0	10.2
2024673	Drill Core	1.33	477	0.008	<0.01	<0.17	39.90	0.43	24.14	12.04	91.5	369	34.3	12.2	514	2.96	10.8	1.1	5.6	9.3	13.0
2024674	Drill Core	2.79	350	0.011	<0.01	<0.17	38.32	0.41	39.87	7.19	86.2	455	32.6	11.8	495	3.58	10.9	1.1	7.3	9.5	11.5
2024675	Drill Core	2.99	443	0.006	<0.01	<0.17	32.64	0.53	29.44	7.35	71.3	340	28.1	10.9	446	3.10	11.2	1.3	4.0	9.0	12.4
2024676	Drill Core	2.46	435	0.248	0.25	0.32	34.04	2.15	15.86	13.14	87.8	607	29.5	14.6	699	3.51	50.9	3.2	281.1	12.9	21.8
2024677	Drill Core	2.48	460	0.033	0.04	<0.17	33.71	0.76	22.80	4.30	70.3	437	14.4	9.8	539	2.75	6.3	1.7	39.7	9.9	36.8
2024678	Drill Core	3.34	490	<0.005	<0.01	<0.17	31.96	0.98	22.18	17.02	79.3	382	13.4	8.8	542	2.54	2.1	1.3	4.5	7.7	50.5
2024679	Drill Core	1.58	416	<0.005	<0.01	<0.17	29.23	0.52	25.89	19.50	133.2	434	9.3	9.9	693	3.68	8.0	1.4	2.8	6.5	55.0
2024680	Rock	0.23	144	<0.005	<0.01	<0.17	35.56	0.53	1.51	1.44	3.6	11	1.8	0.6	93	0.71	0.7	0.2	0.6	1.3	2.4
2024681	Drill Core	2.03	468	<0.005	<0.01	<0.17	27.17	1.05	5.67	16.63	87.9	184	20.7	12.3	691	2.72	4.6	1.0	0.5	5.8	90.9
2024682	Drill Core	1.55	418	<0.005	<0.01	<0.17	31.71	1.91	31.56	9.37	58.7	269	27.2	12.7	376	2.13	15.1	1.5	0.5	6.5	37.1
2024683	Drill Core	2.87	393	0.006	<0.01	<0.17	39.73	1.17	24.29	5.68	44.2	225	19.6	8.2	242	1.58	14.2	0.9	0.9	4.6	21.6
2024684	Drill Core	3.11	434	0.006	<0.01	<0.17	24.19	1.03	24.50	10.42	112.8	265	20.4	13.7	248	1.50	13.4	0.6	2.0	3.6	19.3
2024685	Drill Core	3.34	480	<0.005	<0.01	<0.17	42.46	1.65	106.98	500.85	445.2	1376	20.1	11.4	540	2.32	5.5	0.9	2.1	6.0	40.0
2024686	Drill Core	2.67	386	0.006	<0.01	<0.17	45.69	1.14	297.13	2053.77	983.4	4512	23.7	13.3	874	3.04	1.5	1.5	3.2	6.2	66.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 14, 2019

Page: 3 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000455.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024657	Drill Core	0.67	0.51	0.41	16	0.17	0.044	21.0	17.5	0.29	188.3	0.003	<1	0.71	0.006	0.30	0.1	2.5	0.09	<0.02	<5			
2024658	Drill Core	0.56	0.37	0.28	11	0.19	0.054	28.3	10.9	0.24	170.2	0.003	<1	0.63	0.010	0.30	0.1	2.0	0.11	<0.02	<5			
2024659	Drill Core	0.38	0.25	0.23	6	0.15	0.045	33.4	8.9	0.17	190.1	0.003	<1	0.51	0.018	0.30	0.1	1.5	0.11	<0.02	<5			
2024660	Core DUP	0.43	0.30	0.30	6	0.15	0.046	37.0	7.0	0.16	195.7	0.003	<1	0.50	0.018	0.29	0.1	1.5	0.11	<0.02	8			
2024661	Drill Core	1.30	0.92	0.69	34	0.38	0.070	25.9	47.9	0.83	150.2	0.006	<1	1.36	0.013	0.27	0.6	3.8	0.20	<0.02	11			
2024662	Drill Core	0.56	0.77	0.41	37	0.32	0.070	27.6	44.9	0.63	179.7	0.019	<1	1.09	0.020	0.29	0.2	4.5	0.15	<0.02	<5			
2024663	Drill Core	0.37	1.05	0.31	16	1.04	0.071	23.0	15.4	0.35	320.7	0.050	<1	0.72	0.021	0.32	0.1	6.1	0.13	<0.02	<5			
2024664	Drill Core	0.49	0.65	0.07	10	0.61	0.059	23.9	9.8	0.47	216.5	0.003	<1	0.87	0.009	0.27	<0.1	4.7	0.07	<0.02	<5			
2024665	Drill Core	0.47	0.32	0.03	17	0.36	0.065	24.9	15.2	0.75	190.8	0.002	<1	1.21	0.009	0.25	<0.1	4.7	0.07	<0.02	7			
2024666	Drill Core	0.67	0.37	0.04	24	0.22	0.064	24.2	20.5	1.05	225.5	0.002	<1	1.56	0.013	0.29	<0.1	4.0	0.11	<0.02	<5			
2024667	Drill Core	1.14	0.70	0.15	28	0.32	0.079	30.6	32.2	1.15	247.1	0.003	<1	1.75	0.012	0.29	0.4	5.8	0.13	<0.02	<5			
2024668	Drill Core	0.49	0.31	0.10	19	0.22	0.067	25.2	24.0	0.89	180.7	0.004	<1	1.29	0.021	0.18	0.1	4.6	0.08	<0.02	<5			
2024669	Drill Core	0.51	0.39	0.08	18	0.20	0.060	27.0	20.9	0.86	169.8	0.003	<1	1.21	0.025	0.18	<0.1	4.9	0.07	<0.02	<5			
2024670	Drill Core	0.66	0.43	0.11	17	0.20	0.060	22.0	17.8	1.04	242.1	0.003	<1	1.41	0.009	0.22	0.1	4.7	0.08	<0.02	<5			
2024671	Drill Core	0.46	0.25	0.12	16	0.20	0.060	22.7	21.0	0.95	189.8	0.003	<1	1.30	0.016	0.19	<0.1	4.1	0.06	<0.02	<5			
2024672	Drill Core	0.44	0.37	0.18	17	0.22	0.074	26.6	30.6	0.82	174.7	0.003	<1	1.20	0.029	0.18	0.1	3.7	0.06	<0.02	<5			
2024673	Drill Core	0.56	0.35	0.15	23	0.27	0.077	30.3	39.3	1.22	179.2	0.003	<1	1.71	0.028	0.20	0.1	4.4	0.08	<0.02	<5			
2024674	Drill Core	0.48	0.37	0.12	28	0.26	0.077	28.4	44.0	1.71	182.6	0.003	<1	2.13	0.020	0.22	0.1	4.8	0.08	<0.02	<5			
2024675	Drill Core	0.63	0.39	0.11	29	0.25	0.071	25.0	34.8	1.39	174.0	0.003	<1	1.76	0.014	0.23	0.1	3.3	0.08	<0.02	<5			
2024676	Drill Core	1.62	1.20	0.23	25	0.33	0.096	34.8	34.8	0.81	240.7	0.002	<1	1.25	0.015	0.31	0.5	3.3	0.12	<0.02	7			
2024677	Drill Core	0.57	0.63	0.07	30	0.58	0.067	28.2	37.8	0.95	146.5	0.041	<1	1.31	0.026	0.23	0.1	5.4	0.11	<0.02	<5			
2024678	Drill Core	0.30	0.59	0.12	26	0.94	0.068	20.6	31.5	0.91	202.1	0.078	<1	1.31	0.028	0.25	0.2	5.4	0.13	<0.02	<5			
2024679	Drill Core	0.65	0.61	0.16	42	1.23	0.093	17.7	35.7	1.34	147.0	0.061	<1	1.82	0.030	0.22	0.2	7.2	0.12	0.18	18			
2024680	Rock	0.02	0.06	<0.02	2	0.04	0.003	2.4	4.5	0.03	14.2	0.003	1	0.11	0.008	0.03	<0.1	0.4	<0.02	<0.02	<5			
2024681	Drill Core	0.37	0.57	0.13	51	1.96	0.068	19.0	134.2	1.41	115.8	0.044	<1	1.57	0.026	0.29	0.3	5.8	0.18	<0.02	11			
2024682	Drill Core	0.42	0.43	0.09	37	0.87	0.067	13.3	99.1	1.06	178.4	0.092	<1	1.14	0.033	0.31	<0.1	2.7	0.18	<0.02	<5			
2024683	Drill Core	0.71	0.34	0.03	27	0.52	0.062	8.7	70.1	0.68	259.0	0.085	<1	0.92	0.028	0.22	<0.1	2.4	0.07	0.04	<5			
2024684	Drill Core	1.78	0.26	0.07	22	0.46	0.059	6.3	64.4	0.63	187.7	0.070	<1	0.78	0.024	0.19	<0.1	2.4	0.07	<0.02	<5			
2024685	Drill Core	1.86	0.28	0.08	42	0.77	0.063	13.0	110.8	1.29	167.6	0.093	<1	1.33	0.023	0.15	0.1	4.9	0.06	<0.02	8			
2024686	Drill Core	10.04	0.52	0.11	63	1.28	0.061	15.5	151.2	1.56	105.0	0.082	<1	1.59	0.033	0.09	0.1	8.5	0.04	0.03	22			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 14, 2019

Page: 3 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000455.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024657	Drill Core	0.3	0.04	2.6	4.45	<0.1	0.08	<0.02	13.9	0.4	<0.05	3.3	9.71	40.2	<0.02	<1	0.4	9.9	<10	<2			
2024658	Drill Core	0.1	0.04	2.4	3.69	<0.1	0.08	<0.02	15.5	0.4	<0.05	3.2	16.02	57.7	<0.02	<1	0.3	7.8	<10	<2			
2024659	Drill Core	<0.1	<0.02	2.1	2.30	<0.1	0.14	0.04	15.1	0.4	<0.05	5.3	16.01	68.7	<0.02	<1	0.3	6.0	<10	<2			
2024660	Core DUP	0.2	0.02	2.5	2.23	<0.1	0.15	0.04	14.7	0.5	<0.05	4.9	16.25	63.4	<0.02	<1	0.3	5.4	<10	<2			
2024661	Drill Core	<0.1	0.05	7.0	4.22	0.1	0.24	<0.02	19.5	0.8	<0.05	8.9	16.56	46.1	0.03	<1	0.8	23.3	<10	<2			
2024662	Drill Core	0.2	0.04	5.6	2.29	<0.1	0.32	0.05	17.3	0.6	<0.05	11.2	16.24	47.6	0.03	<1	0.5	19.6	<10	<2			
2024663	Drill Core	0.3	0.04	2.8	2.97	<0.1	0.15	0.12	14.0	0.4	<0.05	5.0	13.70	41.7	0.03	2	0.3	8.2	<10	<2			
2024664	Drill Core	<0.1	<0.02	2.3	0.98	<0.1	0.17	<0.02	9.1	0.4	<0.05	6.9	10.45	44.1	0.02	<1	0.4	17.2	<10	<2			
2024665	Drill Core	<0.1	<0.02	4.3	1.22	<0.1	0.14	<0.02	9.1	0.4	<0.05	6.1	9.19	46.7	0.04	<1	0.3	21.0	<10	<2			
2024666	Drill Core	<0.1	0.03	6.6	1.75	<0.1	0.06	<0.02	13.9	0.4	<0.05	2.8	11.94	46.4	0.04	<1	0.8	24.2	<10	<2			
2024667	Drill Core	0.6	0.05	8.8	2.17	<0.1	0.06	<0.02	13.8	0.3	<0.05	2.3	17.22	52.8	0.03	<1	0.9	27.3	12	<2			
2024668	Drill Core	<0.1	0.02	5.2	1.37	<0.1	0.05	<0.02	8.5	0.5	<0.05	2.2	12.22	45.5	0.03	<1	0.4	19.1	<10	<2			
2024669	Drill Core	<0.1	0.03	4.7	1.05	<0.1	0.16	<0.02	7.1	0.3	<0.05	4.9	9.01	45.3	0.02	<1	0.5	14.8	13	<2			
2024670	Drill Core	<0.1	0.03	4.9	1.44	<0.1	0.03	0.02	8.5	0.4	<0.05	1.0	11.92	41.8	0.03	<1	0.2	21.4	<10	<2			
2024671	Drill Core	0.2	<0.02	5.0	0.82	<0.1	0.03	<0.02	7.9	0.4	<0.05	1.0	11.93	42.2	0.02	<1	0.2	16.7	<10	<2			
2024672	Drill Core	0.3	0.03	5.5	0.98	<0.1	0.04	<0.02	8.5	0.6	<0.05	1.2	11.97	49.1	0.03	<1	0.6	13.7	<10	<2			
2024673	Drill Core	0.5	0.03	7.9	1.32	<0.1	0.03	<0.02	9.8	0.6	<0.05	1.7	12.40	55.4	0.03	<1	0.6	22.1	<10	<2			
2024674	Drill Core	0.4	0.04	9.0	1.35	<0.1	0.06	<0.02	10.2	0.4	<0.05	1.7	13.63	51.5	0.03	<1	0.6	29.9	<10	<2			
2024675	Drill Core	0.3	0.02	9.3	1.47	<0.1	0.03	<0.02	10.7	0.4	<0.05	1.6	12.59	47.1	0.03	<1	0.4	31.7	<10	<2			
2024676	Drill Core	1.5	0.08	6.7	1.91	<0.1	0.03	<0.02	16.1	0.6	<0.05	3.0	17.32	63.1	0.03	<1	1.2	27.2	<10	<2			
2024677	Drill Core	<0.1	0.04	6.7	2.35	<0.1	0.10	0.15	14.5	0.6	<0.05	3.1	15.56	52.0	0.03	<1	0.5	24.9	<10	<2			
2024678	Drill Core	<0.1	<0.02	5.1	2.24	<0.1	0.08	0.14	15.4	0.6	<0.05	2.2	12.74	38.8	0.03	<1	0.9	18.0	<10	<2			
2024679	Drill Core	1.0	0.02	9.3	2.83	<0.1	0.04	0.04	14.1	0.6	<0.05	1.2	17.35	33.8	0.04	<1	0.8	24.7	<10	<2			
2024680	Rock	<0.1	<0.02	0.4	0.15	<0.1	0.18	0.05	1.7	0.1	<0.05	3.8	1.32	4.8	<0.02	<1	<0.1	1.8	<10	<2			
2024681	Drill Core	<0.1	<0.02	7.3	4.17	0.1	0.06	0.03	20.2	0.6	<0.05	2.0	13.64	35.2	0.03	<1	0.7	25.2	<10	<2			
2024682	Drill Core	0.3	<0.02	4.6	2.67	<0.1	0.05	0.16	19.0	0.5	<0.05	1.2	9.75	25.5	<0.02	<1	0.1	10.8	<10	<2			
2024683	Drill Core	0.6	<0.02	3.4	0.39	<0.1	0.03	0.21	8.4	0.5	<0.05	1.0	7.09	16.1	<0.02	2	0.4	7.9	14	<2			
2024684	Drill Core	0.3	<0.02	3.0	0.74	<0.1	<0.02	0.21	8.6	0.5	<0.05	0.8	5.79	12.4	<0.02	2	0.2	7.2	<10	<2			
2024685	Drill Core	0.8	0.07	5.8	0.45	0.1	0.05	0.15	6.8	0.6	<0.05	1.5	9.95	24.4	0.03	<1	0.5	14.3	23	<2			
2024686	Drill Core	5.1	0.25	7.2	0.32	0.1	0.07	0.14	4.3	0.9	<0.05	2.3	11.20	28.9	0.08	<1	0.7	16.7	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 14, 2019

Page: 4 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000455.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2024687	Drill Core	2.78	386	<0.005	<0.01	<0.17	40.86	1.19	36.64	34.14	222.2	419	22.6	11.2	421	2.14	5.5	0.9	0.8	42.3
2024688	Drill Core	2.75	391	<0.005	<0.01	<0.17	32.29	1.65	16.74	19.53	153.5	262	26.4	12.0	550	3.10	6.5	1.1	0.4	70.7
2024689	Drill Core	1.82	375	0.005	<0.01	<0.17	28.32	0.99	30.04	10.38	107.2	330	27.9	10.6	630	3.21	16.0	1.0	0.8	84.7
2024690	Drill Core	1.67	505	0.025	0.02	<0.17	32.42	1.18	24.91	6.88	94.2	197	29.4	14.9	566	3.11	15.1	4.6	19.5	88.5
2024691	Drill Core	1.80	383	<0.005	<0.01	<0.17	31.19	0.73	28.13	22.56	138.6	341	31.2	13.9	556	2.92	13.7	0.5	<0.2	37.6
2024692	Drill Core	3.06	455	0.019	0.02	<0.17	37.49	1.77	23.06	9.10	94.5	236	20.6	10.0	398	2.96	11.2	1.1	19.9	21.3
2024693	Drill Core	2.82	454	0.007	<0.01	<0.17	27.35	0.75	21.48	24.18	77.8	275	17.3	8.6	480	2.48	10.7	0.4	1.5	28.5
2024694	Drill Core	3.11	418	<0.005	<0.01	<0.17	34.38	1.08	30.13	12.82	71.8	242	15.7	6.8	547	2.60	11.7	0.8	0.6	30.4
2024695	Drill Core	1.55	427	0.005	<0.01	<0.17	39.19	1.72	27.98	34.38	95.3	291	15.2	9.0	481	2.35	8.6	2.4	1.0	25.0
2024696	Drill Core	2.16	452	0.009	<0.01	<0.17	30.57	1.42	19.02	14.01	83.6	334	15.7	8.3	419	2.46	8.6	1.4	3.6	20.1
2024697	Drill Core	1.11	486	0.006	<0.01	<0.17	40.04	1.04	78.61	54.83	348.9	2184	28.6	12.5	785	3.08	2.9	0.6	<0.2	19.5
2024698	Drill Core	1.52	479	0.006	<0.01	<0.17	40.42	2.69	76.40	184.82	489.5	1256	28.4	14.3	932	3.02	1.9	0.5	1.3	64.7
2024699	Drill Core	3.05	410	0.035	0.03	<0.17	39.43	0.32	26.33	24.02	317.5	264	16.4	10.6	707	3.14	2.1	0.3	4.7	21.1
2024700	Rock Pulp	0.12	70	6.745				9.33	191.36	17.58	70.5	815	13.5	11.4	525	4.34	12.0	0.8	7080.6	49.7
2024701	Drill Core	3.08	522	0.006	<0.01	<0.17	38.05	1.53	90.62	184.30	609.1	1974	33.6	13.6	1230	3.39	1.1	0.4	1.2	67.9
2024702	Drill Core	2.74	459	<0.005	<0.01	<0.17	35.44	2.80	76.52	87.59	685.4	1195	33.2	15.4	690	3.00	9.4	2.0	0.7	26.9
2024703	Drill Core	1.49	456	<0.005	<0.01	<0.17	34.50	3.48	68.97	27.96	161.9	510	29.2	12.8	753	3.41	39.8	2.9	<0.2	30.2
2024704	Drill Core	2.79	481	<0.005	<0.01	<0.17	39.67	2.79	54.92	18.12	114.5	429	30.4	14.6	735	3.25	14.6	1.3	<0.2	34.8
2024705	Drill Core	2.72	397	<0.005	<0.01	<0.17	35.68	2.96	38.54	10.92	104.0	428	18.9	9.1	524	3.34	17.0	0.7	<0.2	36.7
2024706	Drill Core	3.00	485	<0.005	<0.01	<0.17	39.88	2.71	50.30	24.49	160.6	509	37.4	16.0	485	3.16	8.3	0.6	0.8	19.3
2024707	Drill Core	3.50	354	<0.005	<0.01	<0.17	24.64	2.36	42.48	44.07	138.0	537	19.5	7.0	456	3.13	12.7	0.8	0.8	26.8
2024708	Drill Core	3.09	531	<0.005	<0.01	<0.17	42.48	2.70	54.81	36.01	242.6	697	33.1	14.4	561	3.36	7.2	1.3	0.5	17.0
2024709	Drill Core	1.69	409	0.007	<0.01	<0.17	28.97	1.93	42.05	30.29	208.2	648	50.1	16.0	642	2.87	8.9	1.4	1.5	18.1
2024710	Drill Core	1.94	396	<0.005	<0.01	<0.17	31.23	2.57	40.65	6.90	102.8	368	25.0	7.9	321	2.79	9.4	0.8	<0.2	39.1
2024711	Drill Core	2.43	528	<0.005	<0.01	<0.17	37.87	2.36	63.81	19.76	205.3	350	68.9	34.1	907	2.90	7.3	0.8	0.6	16.2
2024712	Drill Core	2.77	478	0.008	<0.01	<0.17	39.99	2.77	64.17	17.05	220.7	433	39.2	17.3	802	3.37	10.9	0.7	0.9	15.4
2024713	Drill Core	2.91	466	0.005	<0.01	<0.17	29.66	3.13	68.40	56.03	462.7	836	32.4	15.9	925	3.42	10.9	0.5	1.0	29.7
2024714	Drill Core	2.66	431	0.005	<0.01	<0.17	33.04	2.55	57.98	61.11	370.3	862	35.0	18.6	945	3.03	6.9	0.5	1.0	35.2
2024715	Drill Core	2.12	435	0.006	<0.01	<0.17	35.37	2.63	70.53	29.94	370.7	769	26.7	12.3	846	3.98	15.6	0.7	1.4	34.8
2024716	Drill Core	1.60	399	0.050	0.04	<0.17	41.96	2.06	139.01	58.25	1388.1	1630	61.8	35.2	1430	4.26	34.0	0.7	11.9	14.9



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 14, 2019

Page: 4 of 5

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000455.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024687	Drill Core	3.08	0.30	0.09	44	1.02	0.062	11.1	116.1	1.19	125.8	0.090	<1	1.21	0.025	0.14	0.1	5.0	0.09	0.02	<5			
2024688	Drill Core	1.41	0.28	0.13	64	1.74	0.068	19.3	159.1	2.03	152.2	0.073	<1	1.99	0.027	0.18	0.2	8.3	0.11	<0.02	<5			
2024689	Drill Core	1.87	0.30	0.06	65	2.16	0.070	21.6	149.4	1.95	162.8	0.053	<1	2.07	0.032	0.16	<0.1	9.5	0.06	0.11	<5			
2024690	Drill Core	0.66	0.29	0.04	58	1.79	0.071	12.3	139.0	1.94	175.5	0.042	<1	2.00	0.027	0.16	<0.1	8.0	0.08	0.13	<5			
2024691	Drill Core	1.69	0.31	0.19	44	0.95	0.068	17.1	103.5	1.83	146.5	0.020	<1	1.87	0.021	0.14	0.1	5.8	0.05	<0.02	<5			
2024692	Drill Core	0.60	0.48	0.10	24	0.43	0.062	16.6	33.4	1.79	169.1	0.013	<1	1.91	0.017	0.21	<0.1	3.9	0.05	<0.02	<5			
2024693	Drill Core	0.54	0.30	0.03	26	0.60	0.053	16.2	26.6	1.62	120.5	0.004	<1	1.70	0.019	0.15	<0.1	2.9	0.04	<0.02	<5			
2024694	Drill Core	0.30	0.46	0.03	21	0.79	0.055	15.0	20.9	1.53	137.0	0.014	<1	1.70	0.018	0.25	<0.1	2.6	0.08	<0.02	<5			
2024695	Drill Core	0.83	0.56	0.17	17	0.65	0.052	8.1	19.1	1.17	122.2	0.030	<1	1.27	0.015	0.29	0.1	2.3	0.14	0.07	<5			
2024696	Drill Core	0.37	0.90	0.15	23	0.47	0.053	7.8	24.2	1.30	114.3	0.035	<1	1.40	0.015	0.29	0.2	2.6	0.15	0.03	<5			
2024697	Drill Core	1.17	0.43	1.70	40	0.31	0.077	4.2	32.8	2.02	89.0	0.034	<1	1.85	0.003	0.24	0.2	2.6	0.15	<0.02	11			
2024698	Drill Core	1.84	0.58	0.42	47	0.78	0.077	4.5	32.8	2.35	93.1	0.043	<1	1.96	0.004	0.36	0.4	3.5	0.25	<0.02	5			
2024699	Drill Core	2.72	0.22	0.07	30	0.40	0.076	14.2	35.5	2.27	73.5	0.022	<1	2.08	0.003	0.19	0.1	2.7	0.09	<0.02	<5			
2024700	Rock Pulp	0.14	3.88	0.48	98	0.86	0.059	6.4	19.5	0.81	113.7	0.102	3	1.52	0.158	0.23	3.6	3.2	0.07	<0.02	199			
2024701	Drill Core	4.74	0.34	1.52	56	1.29	0.084	9.8	46.3	2.39	64.0	0.017	<1	2.24	0.003	0.29	0.1	3.8	0.18	<0.02	17			
2024702	Drill Core	4.38	0.60	0.80	41	0.56	0.064	7.2	29.1	1.50	94.9	0.024	<1	1.62	0.007	0.23	0.2	3.1	0.12	0.03	8			
2024703	Drill Core	1.24	0.69	0.20	35	0.28	0.081	6.3	23.6	1.34	112.6	0.028	<1	1.45	0.009	0.29	0.2	3.3	0.15	0.05	<5			
2024704	Drill Core	0.40	0.51	0.19	43	0.81	0.074	5.6	25.8	1.85	79.4	0.032	<1	1.77	0.007	0.23	0.2	3.4	0.09	0.06	<5			
2024705	Drill Core	0.26	0.37	0.04	40	0.52	0.074	7.1	28.8	1.63	103.2	0.034	<1	1.71	0.009	0.25	0.2	3.2	0.11	0.10	<5			
2024706	Drill Core	0.29	0.30	0.05	50	0.29	0.079	7.2	33.6	1.63	67.1	0.051	<1	1.83	0.006	0.24	0.2	3.4	0.12	0.03	<5			
2024707	Drill Core	0.32	0.43	0.17	45	0.28	0.081	6.7	29.2	1.46	73.0	0.048	<1	1.67	0.007	0.29	0.3	3.3	0.14	0.06	<5			
2024708	Drill Core	1.08	0.32	0.11	57	0.37	0.078	8.2	36.6	1.77	73.1	0.060	<1	1.97	0.009	0.29	0.3	3.9	0.18	0.03	<5			
2024709	Drill Core	2.14	0.59	0.08	60	0.52	0.075	9.4	42.4	1.50	66.5	0.074	<1	1.69	0.006	0.45	0.4	4.6	0.27	<0.02	<5			
2024710	Drill Core	0.74	0.39	<0.02	46	0.34	0.073	8.6	35.6	1.09	79.7	0.075	<1	1.38	0.009	0.26	0.4	3.6	0.12	0.07	<5			
2024711	Drill Core	2.35	0.45	0.09	50	0.45	0.073	6.3	35.4	1.38	72.1	0.056	<1	1.51	0.010	0.29	0.4	3.6	0.18	<0.02	<5			
2024712	Drill Core	1.55	0.41	0.15	36	0.54	0.090	7.0	26.6	1.63	99.8	0.021	<1	1.68	0.008	0.24	0.2	2.9	0.12	0.05	<5			
2024713	Drill Core	4.34	0.41	0.65	33	1.12	0.065	6.0	23.2	1.65	113.2	0.011	<1	1.65	0.008	0.21	<0.1	2.8	0.09	0.06	<5			
2024714	Drill Core	3.03	0.98	0.77	30	1.02	0.069	5.6	21.6	1.44	125.0	0.009	<1	1.42	0.009	0.22	<0.1	2.5	0.09	0.08	<5			
2024715	Drill Core	1.78	0.84	0.76	33	0.65	0.073	5.8	22.9	1.60	135.8	0.011	<1	1.67	0.008	0.24	<0.1	2.7	0.09	0.08	<5			
2024716	Drill Core	8.28	0.22	2.14	28	0.19	0.053	5.1	18.8	1.36	119.9	0.006	<1	1.56	0.005	0.18	<0.1	2.0	0.07	0.06	11			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 14, 2019

Page: 4 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000455.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024687	Drill Core	<0.1	<0.02	5.4	1.03	<0.1	0.07	0.16	8.8	0.6	<0.05	1.8	8.92	21.1	0.02	<1	0.2	13.9	<10
2024688	Drill Core	<0.1	0.03	7.8	0.87	<0.1	0.08	0.09	11.5	0.6	<0.05	2.8	13.87	36.9	0.03	1	0.6	18.7	<10
2024689	Drill Core	0.6	<0.02	7.9	0.41	0.1	0.13	0.07	7.2	0.5	<0.05	3.8	14.37	40.0	0.04	<1	0.1	16.1	<10
2024690	Drill Core	2.3	<0.02	7.4	0.50	<0.1	0.12	0.06	6.8	0.4	<0.05	4.4	12.21	24.1	0.03	9	0.3	16.4	<10
2024691	Drill Core	<0.1	0.05	6.5	0.64	<0.1	0.13	0.02	5.6	0.4	<0.05	5.5	10.35	31.6	0.03	<1	0.6	17.8	<10
2024692	Drill Core	0.5	<0.02	5.9	0.60	<0.1	0.19	<0.02	7.5	0.4	<0.05	7.8	9.59	31.7	<0.02	1	0.5	18.1	<10
2024693	Drill Core	<0.1	<0.02	5.9	0.43	<0.1	0.23	0.04	6.0	0.3	<0.05	7.6	7.70	31.2	<0.02	<1	0.1	13.0	<10
2024694	Drill Core	0.2	0.02	5.1	1.14	<0.1	0.31	<0.02	10.1	0.4	<0.05	10.7	8.90	29.3	<0.02	<1	0.3	16.8	<10
2024695	Drill Core	1.2	0.04	4.1	2.37	<0.1	0.30	0.07	12.5	0.6	<0.05	8.6	8.26	16.1	<0.02	3	0.4	18.2	<10
2024696	Drill Core	0.7	0.05	4.3	2.37	<0.1	0.30	0.06	12.7	0.5	<0.05	8.5	6.46	15.4	<0.02	1	0.4	21.6	<10
2024697	Drill Core	0.7	0.13	4.1	2.58	<0.1	0.23	0.07	12.1	0.5	<0.05	8.0	6.58	8.6	0.06	<1	0.3	29.0	<10
2024698	Drill Core	0.7	0.11	4.9	3.98	<0.1	0.24	0.05	21.1	0.6	<0.05	8.0	6.87	9.8	0.03	<1	0.6	36.0	<10
2024699	Drill Core	<0.1	<0.02	5.6	1.44	<0.1	0.18	0.03	9.7	0.3	<0.05	6.7	9.20	28.6	<0.02	<1	0.3	34.6	<10
2024700	Rock Pulp	<0.1	0.16	4.7	0.63	0.1	0.09	0.12	7.3	1.5	<0.05	1.6	4.38	13.4	0.03	<1	0.1	6.4	<10
2024701	Drill Core	0.7	0.10	6.3	3.75	<0.1	0.20	<0.02	20.3	0.5	<0.05	7.0	9.83	20.4	0.06	<1	0.5	38.9	<10
2024702	Drill Core	1.1	0.07	4.3	2.37	<0.1	0.18	0.04	11.5	0.8	<0.05	6.9	8.15	14.0	0.05	<1	0.3	24.0	<10
2024703	Drill Core	1.9	0.07	4.0	2.76	<0.1	0.18	0.04	12.2	0.6	<0.05	7.4	5.60	12.8	<0.02	1	0.2	21.0	<10
2024704	Drill Core	0.9	0.04	4.4	1.43	<0.1	0.18	0.04	9.1	0.5	<0.05	7.3	6.18	11.1	<0.02	<1	0.2	24.5	<10
2024705	Drill Core	0.9	0.04	4.4	1.34	<0.1	0.23	0.05	12.0	0.3	<0.05	7.0	4.20	13.9	<0.02	<1	0.2	21.5	<10
2024706	Drill Core	0.7	0.02	4.6	1.21	<0.1	0.17	0.06	10.6	0.4	<0.05	5.6	5.63	15.2	<0.02	<1	0.3	23.0	<10
2024707	Drill Core	0.8	0.04	4.1	1.72	<0.1	0.16	0.07	13.4	0.3	<0.05	5.8	5.06	13.0	<0.02	<1	0.3	20.7	<10
2024708	Drill Core	1.1	0.03	5.1	2.07	<0.1	0.19	0.06	15.5	0.4	<0.05	6.7	6.91	15.9	<0.02	1	0.3	22.0	<10
2024709	Drill Core	0.5	0.04	5.6	4.19	<0.1	0.23	0.08	28.5	0.5	<0.05	8.4	10.23	17.8	<0.02	<1	0.6	22.0	<10
2024710	Drill Core	1.1	0.02	4.1	1.43	<0.1	0.14	0.10	12.5	0.4	<0.05	4.5	5.39	16.8	<0.02	<1	0.3	15.2	<10
2024711	Drill Core	0.7	0.03	4.0	3.65	<0.1	0.16	0.06	16.5	0.4	<0.05	6.1	10.66	13.8	<0.02	<1	0.4	18.7	<10
2024712	Drill Core	1.0	0.03	3.8	1.51	<0.1	0.16	0.03	11.0	0.3	<0.05	6.2	6.49	13.4	<0.02	<1	0.1	20.3	<10
2024713	Drill Core	1.5	0.07	3.8	0.66	<0.1	0.14	<0.02	7.3	0.5	<0.05	6.1	5.17	12.3	0.04	1	0.1	16.4	<10
2024714	Drill Core	1.1	0.06	3.3	0.74	<0.1	0.18	<0.02	7.9	0.4	<0.05	6.4	5.46	11.5	<0.02	<1	0.2	13.2	<10
2024715	Drill Core	1.7	0.06	4.2	0.65	<0.1	0.17	<0.02	8.5	0.5	<0.05	6.6	4.44	11.5	0.04	<1	0.2	15.1	<10
2024716	Drill Core	2.9	0.12	3.8	0.60	<0.1	0.16	<0.02	6.2	0.4	<0.05	5.2	6.27	10.4	0.07	<1	0.1	14.2	<10



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 14, 2019

Page: 5 of 5

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000455.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2024717	Drill Core	3.10	483	0.020	0.02	<0.17	29.87	2.69	72.23	16.63	379.8	468	36.6	21.5	922	3.58	23.3	0.6	4.5	4.1	21.0
2024718	Drill Core	3.07	452	0.064	0.06	<0.17	36.19	2.64	71.21	79.57	646.9	1124	38.8	18.0	955	3.77	84.4	0.5	97.1	3.6	33.6
2024719	Drill Core	3.09	528	0.011	<0.01	<0.17	33.73	2.75	56.04	17.12	189.4	349	42.0	19.4	619	3.20	98.9	0.5	4.2	3.8	42.5
2024720	Rock Pulp	0.12	74	0.500				2.55	459.24	16.68	45.9	270	591.2	29.2	412	2.53	16.4	0.5	444.6	1.4	44.4
2024721	Drill Core	2.96	462	0.007	<0.01	<0.17	34.28	2.89	55.10	16.50	133.1	380	32.6	14.1	621	3.06	74.7	0.6	0.4	4.0	44.0
2024722	Drill Core	2.86	398	0.006	<0.01	<0.17	33.74	3.25	60.08	17.75	239.6	401	29.9	14.1	813	3.51	154.5	0.8	1.6	3.8	62.3
2024723	Drill Core	2.95	474	0.006	<0.01	<0.17	34.00	2.70	64.05	11.53	342.2	392	37.3	18.2	698	3.84	511.5	0.6	1.4	4.5	34.5
2024724	Drill Core	3.26	444	0.008	<0.01	<0.17	28.87	2.49	47.20	23.72	108.8	471	26.3	11.3	790	2.90	352.6	0.6	1.9	3.5	35.1
2024725	Drill Core	3.08	411	<0.005	<0.01	<0.17	36.89	2.43	55.28	9.60	156.4	293	32.7	13.6	631	2.70	30.1	0.4	0.4	3.2	18.5
2024726	Drill Core	2.31	491	<0.005	<0.01	<0.17	34.10	3.33	65.73	18.35	181.0	426	55.8	22.5	870	3.43	14.6	0.6	<0.2	3.5	22.8
2024727	Drill Core	3.19	456	<0.005	<0.01	<0.17	34.10	2.93	59.47	30.00	131.2	433	30.3	13.7	1038	3.38	14.4	0.5	<0.2	3.5	42.2
2024728	Drill Core	1.39	540	<0.005	<0.01	<0.17	34.65	3.00	74.35	12.53	230.8	557	23.8	13.5	611	3.28	41.3	0.4	0.5	3.1	11.9
2024729	Drill Core	2.08	412	<0.005	<0.01	<0.17	42.34	3.03	85.91	1.81	218.4	575	28.8	15.0	634	4.14	11.7	0.6	<0.2	3.7	19.9
2024730	Drill Core	1.34	454	<0.005	<0.01	<0.17	40.74	1.63	42.04	11.53	164.8	344	18.7	9.4	560	2.87	10.5	0.7	1.2	3.4	33.4
2024731	Drill Core	2.78	457	<0.005	<0.01	<0.17	29.45	2.34	50.43	25.62	137.1	588	18.2	10.7	539	3.24	10.4	0.9	<0.2	6.8	12.8
2024732	Drill Core	1.54	423	<0.005	<0.01	<0.17	41.47	1.39	30.83	21.61	85.6	372	8.4	6.0	334	2.58	5.4	0.4	0.9	6.0	12.8
2024733	Drill Core	3.24	478	<0.005	<0.01	<0.17	29.10	1.65	23.23	9.13	62.2	191	13.9	7.8	455	2.49	7.4	0.8	<0.2	5.7	21.9
2024734	Drill Core	3.07	410	<0.005	<0.01	<0.17	36.34	2.01	31.51	18.76	61.1	414	25.1	10.4	536	2.56	7.2	1.0	0.3	5.2	25.9
2024735	Drill Core	3.26	463	0.009	<0.01	<0.17	41.71	3.27	42.82	8.22	83.1	360	22.8	9.1	590	2.73	9.0	1.0	4.5	4.4	40.9
2024736	Drill Core	2.95	399	0.007	<0.01	<0.17	31.43	1.83	33.28	6.46	105.1	309	39.9	11.1	689	2.77	22.4	0.9	1.4	5.1	68.5
2024737	Drill Core	1.64	367	0.045	0.04	<0.17	29.89	1.53	23.73	11.29	65.6	341	20.2	14.7	767	2.94	9.1	1.1	35.1	4.4	137.6
2024738	Drill Core	2.88	370	0.005	<0.01	<0.17	28.93	1.41	27.95	5.85	75.4	370	19.3	11.4	531	2.71	10.5	0.7	<0.2	4.9	37.9
2024739	Drill Core	2.97	391	0.031	0.03	<0.17	34.45	2.11	60.72	90.16	121.9	2363	19.8	11.9	609	2.71	6.7	0.6	13.2	5.1	48.7
2024740	Rock Pulp	0.12	75	0.009				4.10	22.57	1.02	32.5	21	7.2	4.2	567	2.37	1.3	0.4	0.9	2.0	29.8
2024741	Drill Core	1.57	505	0.011	0.01	<0.17	32.30	1.81	54.95	58.76	142.1	765	22.3	11.1	619	2.73	6.4	0.5	7.4	4.4	54.4
2024742	Drill Core	3.01	376	0.007	<0.01	<0.17	25.50	2.03	120.81	58.36	349.2	1400	19.7	13.0	553	2.99	45.8	1.3	1.6	5.0	47.0
2024743	Drill Core	2.94	374	0.089	0.08	<0.17	30.96	1.36	152.35	928.27	1084.7	2749	24.1	13.4	675	2.94	5.0	0.6	53.2	4.8	67.1
2024744	Drill Core	2.87	532	0.079	0.07	<0.17	37.89	2.18	58.39	16.96	167.5	1052	34.4	12.0	597	2.62	12.6	1.1	67.3	4.4	81.9
2024745	Drill Core	3.59	421	0.025	0.02	<0.17	32.58	2.36	49.30	30.43	109.6	899	23.2	11.4	431	2.69	9.8	0.7	17.1	4.9	46.9
2024746	Drill Core	0.93	393	0.007	<0.01	<0.17	26.29	2.59	26.16	9.39	71.9	474	24.4	12.7	369	2.63	10.8	0.9	3.2	4.6	27.8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 14, 2019

Page: 5 of 5 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000455.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024717	Drill Core	3.62	0.58	0.41	33	0.28	0.075	6.1	26.8	1.53	136.3	0.015	<1	1.62	0.008	0.25	<0.1	2.5	0.10	<5
2024718	Drill Core	4.77	0.92	0.96	46	1.13	0.070	3.5	28.7	1.85	107.1	0.019	<1	1.76	0.009	0.24	0.1	3.5	0.10	6
2024719	Drill Core	1.25	0.74	0.20	29	1.32	0.067	3.6	20.6	1.18	128.9	0.015	<1	1.23	0.009	0.29	<0.1	2.3	0.11	<5
2024720	Rock Pulp	0.15	0.30	0.23	50	1.25	0.029	3.4	103.2	1.66	67.2	0.065	3	1.82	0.184	0.14	1.1	2.6	0.09	21
2024721	Drill Core	0.49	0.84	0.23	25	1.67	0.069	3.5	20.0	1.07	125.5	0.013	<1	1.18	0.007	0.22	0.1	2.2	0.09	<5
2024722	Drill Core	1.42	1.70	0.25	28	1.90	0.073	2.5	22.0	1.38	131.0	0.006	<1	1.49	0.008	0.24	<0.1	2.3	0.10	<5
2024723	Drill Core	2.87	17.45	0.18	32	0.93	0.091	4.2	27.1	1.76	125.8	0.011	<1	1.80	0.010	0.29	<0.1	3.1	0.15	<5
2024724	Drill Core	0.63	12.61	0.28	31	0.59	0.075	4.9	24.1	1.13	140.3	0.027	<1	1.27	0.011	0.33	0.3	2.9	0.19	<5
2024725	Drill Core	0.55	1.06	0.11	30	0.61	0.068	3.7	25.5	1.16	109.9	0.032	<1	1.17	0.013	0.27	0.2	2.5	0.16	<5
2024726	Drill Core	0.44	0.79	0.16	39	0.93	0.085	3.6	31.2	1.78	106.6	0.054	<1	1.59	0.007	0.50	0.2	2.6	0.28	<5
2024727	Drill Core	0.66	0.68	0.28	35	1.77	0.080	3.2	27.8	1.60	100.9	0.046	<1	1.41	0.008	0.48	0.2	2.8	0.26	<5
2024728	Drill Core	2.66	0.97	0.20	38	0.29	0.070	3.0	29.6	1.71	111.8	0.048	<1	1.58	0.007	0.50	0.2	2.3	0.28	<5
2024729	Drill Core	1.68	0.85	0.05	46	0.27	0.085	3.0	34.2	2.24	130.5	0.059	1	2.07	0.007	0.63	0.2	2.9	0.40	<5
2024730	Drill Core	0.86	0.77	0.19	32	0.35	0.080	5.1	20.0	1.54	148.5	0.053	3	1.53	0.007	0.62	0.3	2.3	0.33	<5
2024731	Drill Core	0.69	0.54	0.45	31	0.25	0.069	4.8	26.4	2.01	118.2	0.051	2	1.88	0.007	0.49	0.2	2.5	0.25	<5
2024732	Drill Core	0.17	0.32	0.28	19	0.21	0.069	6.0	16.5	1.42	104.3	0.035	1	1.42	0.010	0.28	0.1	2.0	0.11	<5
2024733	Drill Core	0.19	0.22	0.14	19	0.58	0.059	6.1	13.4	1.40	142.0	0.015	<1	1.42	0.009	0.29	<0.1	1.8	0.08	<5
2024734	Drill Core	0.24	0.45	0.44	29	0.77	0.074	6.4	19.6	1.44	143.5	0.023	1	1.47	0.010	0.32	0.2	2.0	0.10	<5
2024735	Drill Core	0.48	0.33	0.27	30	1.19	0.073	5.6	26.2	1.29	146.0	0.015	1	1.41	0.007	0.29	<0.1	2.1	0.09	<5
2024736	Drill Core	0.52	0.59	0.15	30	1.71	0.073	7.1	36.2	1.44	148.8	0.022	<1	1.52	0.007	0.36	0.1	2.6	0.15	<5
2024737	Drill Core	0.54	0.35	0.22	29	2.55	0.058	5.5	21.1	1.55	183.9	0.049	3	1.48	0.011	0.71	0.4	3.0	0.27	<5
2024738	Drill Core	0.38	0.27	0.09	31	0.76	0.065	6.7	25.5	1.61	137.5	0.038	<1	1.60	0.008	0.47	0.2	2.6	0.20	<5
2024739	Drill Core	0.47	0.54	2.49	44	0.83	0.057	8.5	33.4	1.95	113.5	0.063	<1	1.70	0.013	0.91	0.3	3.4	0.35	<5
2024740	Rock Pulp	0.05	0.18	<0.02	23	0.74	0.037	5.4	14.7	0.50	53.2	0.074	2	1.02	0.070	0.08	0.2	2.6	<0.02	<5
2024741	Drill Core	0.51	0.66	0.39	44	0.77	0.060	6.9	33.4	1.97	118.0	0.063	<1	1.69	0.009	0.97	0.4	3.3	0.39	<5
2024742	Drill Core	8.79	0.52	0.74	29	0.85	0.069	6.1	23.0	1.73	138.5	0.037	1	1.67	0.009	0.68	0.2	2.6	0.46	<5
2024743	Drill Core	17.91	1.06	0.38	40	0.80	0.061	7.3	34.1	2.00	142.5	0.071	<1	1.76	0.009	1.12	1.0	3.1	0.64	<5
2024744	Drill Core	2.63	0.72	0.19	37	1.41	0.087	5.9	31.9	1.74	121.4	0.055	<1	1.49	0.006	0.96	0.3	2.4	0.62	<5
2024745	Drill Core	0.66	0.75	0.21	34	0.48	0.070	8.9	49.4	1.66	122.1	0.066	<1	1.64	0.009	0.71	0.3	2.7	0.32	<5
2024746	Drill Core	0.43	0.86	0.15	26	0.31	0.071	6.6	44.4	1.73	102.0	0.061	<1	1.55	0.008	0.85	0.3	2.2	0.40	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 14, 2019

Page: 5 of 5

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000455.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024717	Drill Core	1.8	0.04	3.9	0.85	<0.1	0.14	0.02	8.7	0.3	<0.05	5.5	4.62	12.7	<0.02	<1	0.1	14.9	<10
2024718	Drill Core	2.7	0.09	4.6	0.98	<0.1	0.17	0.02	9.5	0.2	<0.05	6.9	4.70	7.1	0.05	4	0.2	16.7	14
2024719	Drill Core	2.3	0.04	3.1	1.09	<0.1	0.16	0.03	12.1	0.2	<0.05	6.5	4.77	7.6	<0.02	2	0.2	11.7	<10
2024720	Rock Pulp	0.7	0.14	3.9	0.56	<0.1	0.06	0.03	5.3	0.3	<0.05	1.3	2.66	7.5	<0.02	2	<0.1	7.5	260
2024721	Drill Core	1.9	0.04	2.7	0.77	<0.1	0.18	0.02	7.5	0.2	<0.05	7.1	4.52	7.3	<0.02	<1	0.1	10.2	<10
2024722	Drill Core	2.1	0.05	3.5	1.75	<0.1	0.20	<0.02	9.4	0.2	<0.05	6.9	3.66	5.1	<0.02	<1	0.1	12.3	<10
2024723	Drill Core	1.8	0.04	4.5	4.08	<0.1	0.19	<0.02	11.4	0.2	<0.05	6.9	4.41	8.4	<0.02	<1	<0.1	18.1	<10
2024724	Drill Core	1.4	0.05	3.2	3.53	<0.1	0.20	0.03	11.5	0.3	<0.05	7.0	4.47	10.1	<0.02	<1	0.1	13.3	<10
2024725	Drill Core	2.0	0.02	2.9	2.17	<0.1	0.17	0.04	10.5	0.4	<0.05	5.3	5.63	7.8	<0.02	3	0.2	10.0	<10
2024726	Drill Core	1.8	0.03	3.7	4.58	<0.1	0.16	0.05	20.9	0.5	<0.05	6.1	6.66	7.8	<0.02	4	0.3	12.3	<10
2024727	Drill Core	2.5	0.06	3.2	4.75	<0.1	0.14	0.03	20.6	0.3	<0.05	5.0	5.46	6.8	<0.02	3	0.2	11.3	<10
2024728	Drill Core	2.1	0.07	3.3	4.67	<0.1	0.11	0.04	20.4	0.3	<0.05	4.4	4.08	6.2	<0.02	2	0.1	12.8	<10
2024729	Drill Core	2.8	0.03	4.6	7.21	<0.1	0.16	0.04	27.1	0.4	<0.05	5.4	5.05	6.5	<0.02	5	0.2	18.7	<10
2024730	Drill Core	0.3	<0.02	3.6	6.76	<0.1	0.23	0.03	29.0	0.5	<0.05	8.0	5.09	9.5	<0.02	<1	0.2	16.3	22
2024731	Drill Core	1.4	0.05	4.5	3.87	<0.1	0.30	0.05	19.8	0.3	<0.05	10.1	6.08	9.5	<0.02	2	0.2	21.9	<10
2024732	Drill Core	0.8	0.04	3.9	1.18	<0.1	0.19	0.04	9.6	0.2	<0.05	7.7	4.99	11.4	<0.02	<1	0.2	14.7	<10
2024733	Drill Core	0.8	0.03	3.6	0.67	<0.1	0.20	0.02	8.7	0.2	<0.05	7.0	4.01	12.1	<0.02	2	0.2	12.2	21
2024734	Drill Core	1.5	0.07	4.0	0.84	<0.1	0.18	0.03	10.7	0.3	<0.05	6.4	5.51	12.5	<0.02	5	0.1	12.7	<10
2024735	Drill Core	1.1	0.13	3.6	0.79	<0.1	0.10	0.03	9.1	0.3	<0.05	3.1	4.41	10.5	<0.02	2	0.2	12.3	<10
2024736	Drill Core	0.6	0.03	4.0	1.38	<0.1	0.11	<0.02	12.5	0.3	<0.05	4.7	5.22	13.1	<0.02	1	0.1	12.1	<10
2024737	Drill Core	0.8	0.04	4.1	3.72	<0.1	0.22	0.03	30.3	0.4	<0.05	9.3	6.80	10.3	<0.02	3	0.2	14.4	<10
2024738	Drill Core	0.8	0.02	4.2	2.15	<0.1	0.24	0.03	19.0	0.3	<0.05	8.9	5.83	12.3	<0.02	1	0.2	16.9	<10
2024739	Drill Core	0.3	0.26	5.5	4.80	<0.1	0.36	0.04	42.1	0.4	<0.05	12.4	6.93	16.0	<0.02	<1	0.5	18.3	<10
2024740	Rock Pulp	<0.1	<0.02	4.0	0.13	0.1	0.13	0.33	1.9	1.9	<0.05	3.4	7.24	10.4	<0.02	<1	0.2	1.0	<10
2024741	Drill Core	0.3	0.08	5.1	5.39	<0.1	0.26	0.03	46.5	0.5	<0.05	9.8	6.56	12.9	<0.02	<1	0.3	18.3	14
2024742	Drill Core	4.3	0.10	3.9	4.93	<0.1	0.25	<0.02	32.7	0.3	<0.05	10.5	5.31	11.4	0.02	3	0.2	15.4	<10
2024743	Drill Core	11.3	0.26	5.4	8.69	<0.1	0.30	0.03	59.6	0.5	<0.05	11.6	7.16	14.1	0.03	<1	0.5	17.2	<10
2024744	Drill Core	3.0	0.03	3.5	7.52	<0.1	0.27	0.02	50.2	0.2	<0.05	8.0	6.51	10.9	<0.02	2	0.4	15.9	<10
2024745	Drill Core	0.4	0.04	4.3	4.87	<0.1	0.33	0.02	33.2	0.3	<0.05	12.7	6.90	16.6	<0.02	<1	0.3	23.6	12
2024746	Drill Core	0.8	0.04	3.8	4.47	<0.1	0.30	0.02	37.5	0.7	<0.05	9.9	6.04	12.6	<0.02	3	0.4	19.8	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 14, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000455.1

		Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																						
2024630	Drill Core	3.13	430	<0.005	<0.01	<0.17	39.67	0.22	2.60	20.88	13.7	152	0.4	0.4	94	0.54	1.0	1.1	0.7	11.8	13.3	
REP 2024630	QC	<0.005																				
2024652	Drill Core	2.83	392	0.008	<0.01	<0.17	31.17	0.75	38.63	19.10	80.6	469	21.1	12.8	491	2.56	7.4	0.8	4.2	7.5	13.5	
REP 2024652	QC								0.82	39.06	19.73	82.8	478	21.8	12.4	507	2.51	7.4	0.8	4.2	7.9	13.7
2024684	Drill Core	3.11	434	0.006	<0.01	<0.17	24.19	1.03	24.50	10.42	112.8	265	20.4	13.7	248	1.50	13.4	0.6	2.0	3.6	19.3	
REP 2024684	QC	0.006																				
2024686	Drill Core	2.67	386	0.006	<0.01	<0.17	45.69	1.14	297.13	2053.77	983.4	4512	23.7	13.3	874	3.04	1.5	1.5	3.2	6.2	66.5	
REP 2024686	QC								1.16	293.50	1995.58	964.0	4467	24.1	14.4	888	3.11	1.6	1.5	4.3	6.1	65.9
2024703	Drill Core	1.49	456	<0.005	<0.01	<0.17	34.50	3.48	68.97	27.96	161.9	510	29.2	12.8	753	3.41	39.8	2.9	<0.2	4.1	30.2	
REP 2024703	QC	<0.005																				
2024721	Drill Core	2.96	462	0.007	<0.01	<0.17	34.28	2.89	55.10	16.50	133.1	380	32.6	14.1	621	3.06	74.7	0.6	0.4	4.0	44.0	
REP 2024721	QC								2.91	52.65	16.48	131.5	382	32.2	14.3	603	2.99	73.6	0.5	0.6	3.7	45.2
Core Reject Duplicates																						
2024637	Drill Core	1.84	457	<0.005	<0.01	<0.17	26.78	1.62	17.92	15.67	46.2	421	10.8	6.7	402	2.08	3.0	1.4	0.7	6.8	146.0	
DUP 2024637	QC		426	<0.005	<0.01	<0.17	28.32	1.52	18.19	15.79	47.3	437	11.4	7.5	453	2.08	2.8	1.4	0.6	7.5	152.4	
2024671	Drill Core	3.09	373	<0.005	<0.01	<0.17	31.07	0.34	25.56	10.41	67.8	212	23.3	8.9	346	2.37	7.0	0.9	1.3	7.4	9.6	
DUP 2024671	QC		382	<0.005	<0.01	<0.17	36.21	0.34	25.58	10.11	67.1	222	23.1	8.8	347	2.35	6.9	0.9	0.9	7.6	9.6	
2024705	Drill Core	2.72	397	<0.005	<0.01	<0.17	35.68	2.96	38.54	10.92	104.0	428	18.9	9.1	524	3.34	17.0	0.7	<0.2	4.1	36.7	
DUP 2024705	QC		395	0.006	<0.01	<0.17	26.35	2.91	39.29	10.83	114.5	434	18.7	8.4	462	3.33	16.7	0.8	<0.2	4.0	36.7	
2024739	Drill Core	2.97	391	0.031	0.03	<0.17	34.45	2.11	60.72	90.16	121.9	2363	19.8	11.9	609	2.71	6.7	0.6	13.2	5.1	48.7	
DUP 2024739	QC		400	0.022	0.02	<0.17	29.87	2.27	64.88	91.92	120.1	2393	20.6	11.7	618	2.75	7.4	0.6	15.7	5.2	50.2	
Reference Materials																						
STD BVGEO01	Standard								10.94	4386.66	191.65	1724.2	2474	155.0	24.4	692	3.52	112.5	4.1	211.5	14.9	52.2
STD BVGEO01	Standard								11.16	4369.60	185.10	1739.6	2463	154.1	26.3	720	3.58	119.0	3.7	222.7	14.5	55.1
STD DS11	Standard								14.66	143.52	133.41	325.8	1590	80.1	14.4	999	2.99	38.3	2.3	74.5	7.5	55.4
STD DS11	Standard								15.46	149.39	137.56	318.0	1679	84.9	14.9	997	3.01	38.4	2.5	68.7	7.4	62.8
STD OREAS262	Standard								0.72	109.83	54.53	141.5	424	63.1	28.2	482	3.16	32.6	1.1	67.1	9.1	31.7
STD OREAS262	Standard								0.74	109.56	50.89	133.2	425	61.6	28.0	480	3.10	32.2	1.1	75.9	8.3	30.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 14, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000455.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2024630	Drill Core	0.27	0.16	0.18	<1	0.10	0.006	32.2	2.5	0.07	205.9	0.008	1	0.35	0.027	0.28	<0.1	2.2	0.08	<0.02	<5
REP 2024630	QC																				
2024652	Drill Core	0.64	0.26	0.12	30	0.25	0.065	20.2	37.8	1.05	127.8	0.003	<1	1.33	0.016	0.21	0.1	4.2	0.08	<0.02	<5
REP 2024652	QC	0.70	0.29	0.12	29	0.24	0.074	19.4	38.7	1.02	126.3	0.003	<1	1.32	0.016	0.20	0.1	4.2	0.08	<0.02	5
2024684	Drill Core	1.78	0.26	0.07	22	0.46	0.059	6.3	64.4	0.63	187.7	0.070	<1	0.78	0.024	0.19	<0.1	2.4	0.07	<0.02	<5
REP 2024684	QC																				
2024686	Drill Core	10.04	0.52	0.11	63	1.28	0.061	15.5	151.2	1.56	105.0	0.082	<1	1.59	0.033	0.09	0.1	8.5	0.04	0.03	22
REP 2024686	QC	9.94	0.51	0.10	63	1.27	0.063	15.8	158.3	1.62	110.3	0.088	<1	1.71	0.036	0.09	0.2	8.9	0.04	0.02	26
2024703	Drill Core	1.24	0.69	0.20	35	0.28	0.081	6.3	23.6	1.34	112.6	0.028	<1	1.45	0.009	0.29	0.2	3.3	0.15	0.05	<5
REP 2024703	QC																				
2024721	Drill Core	0.49	0.84	0.23	25	1.67	0.069	3.5	20.0	1.07	125.5	0.013	<1	1.18	0.007	0.22	0.1	2.2	0.09	0.93	<5
REP 2024721	QC	0.44	0.85	0.23	24	1.57	0.070	3.5	19.0	1.04	121.9	0.013	<1	1.12	0.009	0.22	0.1	2.0	0.08	0.88	<5
Core Reject Duplicates																					
2024637	Drill Core	0.17	0.58	0.29	17	2.05	0.058	13.1	20.0	0.80	172.9	0.057	<1	1.01	0.012	0.41	0.3	4.4	0.20	0.08	<5
DUP 2024637	QC	0.18	0.60	0.29	17	2.03	0.065	13.9	21.1	0.79	180.6	0.058	<1	1.01	0.012	0.41	0.3	5.1	0.20	0.07	<5
2024671	Drill Core	0.46	0.25	0.12	16	0.20	0.060	22.7	21.0	0.95	189.8	0.003	<1	1.30	0.016	0.19	<0.1	4.1	0.06	<0.02	<5
DUP 2024671	QC	0.45	0.23	0.12	16	0.20	0.061	22.8	20.8	0.99	199.1	0.003	<1	1.36	0.017	0.19	<0.1	4.1	0.06	<0.02	<5
2024705	Drill Core	0.26	0.37	0.04	40	0.52	0.074	7.1	28.8	1.63	103.2	0.034	<1	1.71	0.009	0.25	0.2	3.2	0.11	0.10	<5
DUP 2024705	QC	0.28	0.36	0.04	39	0.48	0.081	6.7	28.4	1.57	98.9	0.033	<1	1.65	0.009	0.24	0.2	3.0	0.11	0.10	<5
2024739	Drill Core	0.47	0.54	2.49	44	0.83	0.057	8.5	33.4	1.95	113.5	0.063	<1	1.70	0.013	0.91	0.3	3.4	0.35	0.07	<5
DUP 2024739	QC	0.51	0.56	2.57	44	0.87	0.058	9.0	33.9	2.03	111.7	0.067	<1	1.75	0.011	0.92	0.4	3.6	0.36	0.06	<5
Reference Materials																					
STD BVGEO01	Standard	6.24	3.53	26.59	74	1.26	0.071	25.6	171.0	1.21	267.8	0.229	2	2.17	0.184	0.90	5.3	5.2	0.62	0.66	100
STD BVGEO01	Standard	6.39	3.78	25.68	71	1.31	0.070	27.4	190.2	1.25	271.4	0.236	2	2.32	0.189	0.84	4.7	5.6	0.60	0.64	98
STD DS11	Standard	1.99	7.91	10.27	46	1.03	0.066	15.7	62.4	0.81	326.3	0.084	6	1.09	0.068	0.38	2.8	3.1	4.72	0.26	246
STD DS11	Standard	2.01	7.70	10.50	48	0.96	0.067	16.1	64.0	0.81	332.3	0.087	6	1.10	0.067	0.39	2.9	2.9	4.88	0.25	254
STD OREAS262	Standard	0.54	5.55	0.90	19	2.96	0.036	12.5	41.6	1.13	231.0	0.002	3	1.15	0.066	0.27	0.2	3.0	0.44	0.23	160
STD OREAS262	Standard	0.52	5.02	0.87	20	3.04	0.037	12.3	42.8	1.08	219.9	0.002	2	1.15	0.065	0.29	0.2	2.7	0.43	0.25	144



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 14, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000455.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2024630	Drill Core	<0.1	<0.02	1.1	0.34	<0.1	0.18	0.27	11.3	0.4	<0.05	6.6	20.32	66.0	0.02	<1	0.3	2.6	<10	<2
REP 2024630	QC																			
2024652	Drill Core	0.2	<0.02	6.4	1.85	<0.1	0.05	<0.02	11.1	0.5	<0.05	1.8	9.75	40.1	0.02	<1	0.4	32.4	<10	<2
REP 2024652	QC	0.2	<0.02	6.7	1.88	<0.1	0.05	<0.02	11.4	0.6	<0.05	1.8	9.66	40.9	<0.02	<1	0.4	33.9	<10	<2
2024684	Drill Core	0.3	<0.02	3.0	0.74	<0.1	<0.02	0.21	8.6	0.5	<0.05	0.8	5.79	12.4	<0.02	2	0.2	7.2	<10	<2
REP 2024684	QC																			
2024686	Drill Core	5.1	0.25	7.2	0.32	0.1	0.07	0.14	4.3	0.9	<0.05	2.3	11.20	28.9	0.08	<1	0.7	16.7	<10	<2
REP 2024686	QC	5.2	0.27	7.7	0.31	0.1	0.10	0.10	4.3	0.9	<0.05	2.5	11.63	30.3	0.08	<1	0.7	17.4	12	<2
2024703	Drill Core	1.9	0.07	4.0	2.76	<0.1	0.18	0.04	12.2	0.6	<0.05	7.4	5.60	12.8	<0.02	1	0.2	21.0	<10	<2
REP 2024703	QC																			
2024721	Drill Core	1.9	0.04	2.7	0.77	<0.1	0.18	0.02	7.5	0.2	<0.05	7.1	4.52	7.3	<0.02	<1	0.1	10.2	<10	<2
REP 2024721	QC	1.8	0.04	2.7	0.78	<0.1	0.19	0.03	7.4	0.2	<0.05	6.6	4.41	7.0	<0.02	1	0.1	10.5	<10	<2
Core Reject Duplicates																				
2024637	Drill Core	0.1	0.02	3.3	2.97	<0.1	0.05	0.10	22.1	0.4	<0.05	1.3	11.53	27.4	<0.02	<1	0.4	15.8	<10	<2
DUP 2024637	QC	0.1	0.03	3.4	3.10	<0.1	0.06	0.12	23.0	0.4	<0.05	1.4	11.80	28.7	<0.02	<1	0.4	15.8	<10	<2
2024671	Drill Core	0.2	<0.02	5.0	0.82	<0.1	0.03	<0.02	7.9	0.4	<0.05	1.0	11.93	42.2	0.02	<1	0.2	16.7	<10	<2
DUP 2024671	QC	<0.1	0.02	5.0	0.80	<0.1	0.03	<0.02	8.1	0.3	<0.05	1.0	12.10	43.0	0.02	<1	0.4	17.7	<10	<2
2024705	Drill Core	0.9	0.04	4.4	1.34	<0.1	0.23	0.05	12.0	0.3	<0.05	7.0	4.20	13.9	<0.02	<1	0.2	21.5	<10	<2
DUP 2024705	QC	0.9	0.03	4.3	1.32	<0.1	0.18	0.05	11.8	0.4	<0.05	6.8	4.20	13.3	<0.02	1	0.2	20.6	<10	<2
2024739	Drill Core	0.3	0.26	5.5	4.80	<0.1	0.36	0.04	42.1	0.4	<0.05	12.4	6.93	16.0	<0.02	<1	0.5	18.3	<10	<2
DUP 2024739	QC	0.5	0.31	5.6	5.08	<0.1	0.31	<0.02	44.0	0.4	<0.05	13.5	7.28	16.7	<0.02	<1	0.2	19.0	<10	3
Reference Materials																				
STD BVGE001	Standard	4.8	1.04	7.2	6.78	0.1	0.31	0.27	86.6	5.7	<0.05	8.0	13.70	49.6	0.44	4	0.9	19.5	139	186
STD BVGE001	Standard	4.4	1.00	7.3	7.26	0.1	0.32	0.30	90.7	5.6	<0.05	8.0	14.63	51.7	0.49	5	0.4	18.8	123	177
STD DS11	Standard	2.1	4.35	4.4	2.75	<0.1	0.07	1.49	30.9	1.5	<0.05	3.5	7.11	33.1	0.22	41	0.7	21.3	114	159
STD DS11	Standard	2.1	4.39	4.7	2.83	0.1	0.08	1.40	31.4	1.6	<0.05	3.4	7.19	33.8	0.22	46	0.7	21.3	112	169
STD OREAS262	Standard	0.4	0.23	3.5	2.78	<0.1	0.26	<0.02	15.9	0.5	<0.05	9.3	9.42	26.1	0.03	2	1.0	18.3	<10	<2
STD OREAS262	Standard	0.3	0.23	3.4	2.73	<0.1	0.25	<0.02	16.2	0.4	<0.05	9.1	9.47	25.9	0.02	<1	1.0	16.0	<10	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 14, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000455.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OREAS262	Standard							0.65	117.68	55.99	140.8	433	61.9	26.0	502	3.06	34.2	1.2	72.0	8.8	33.6
STD OREAS262	Standard							0.67	119.28	56.03	139.4	448	63.8	27.6	529	3.19	34.9	1.2	69.3	9.2	34.1
STD OXC152	Standard			0.210																	
STD OXC152	Standard			0.219																	
STD OXH139	Standard			1.286																	
STD OXH139	Standard			1.304																	
STD OXN134	Standard			7.811																	
STD OXN134	Standard			7.450																	
STD OXQ90	Standard					25.33	29.92														
STD OXQ90	Standard					25.10	29.96														
STD OXQ90	Standard					25.12	29.94														
STD OXQ90	Standard					25.18	29.98														
STD OXQ90	Standard					25.12	30.10														
STD OXQ90	Standard					25.41	30.15														
STD OXQ90	Standard					25.28	30.10														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.005																	
BLK	Blank			<0.005																	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 14, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000455.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OREAS262	Standard	0.64	5.68	1.01	21	2.82	0.037	14.3	40.9	1.09	232.0	0.002	5	1.21	0.065	0.30	0.2	2.9	0.42	0.25	174
STD OREAS262	Standard	0.57	5.88	1.05	20	2.94	0.038	15.0	41.7	1.14	242.6	0.002	2	1.24	0.067	0.30	0.2	3.0	0.44	0.24	158
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	0.7	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	1.0	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 14, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000455.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OREAS262	Standard	0.5	0.24	3.7	2.72	<0.1	0.25	<0.02	17.0	0.5	<0.05	9.4	10.21	27.9	0.03	<1	1.1	16.8	<10	<2
STD OREAS262	Standard	0.3	0.25	3.8	2.77	<0.1	0.26	<0.02	17.6	0.5	<0.05	10.2	10.34	29.9	0.03	1	1.7	16.2	<10	<2
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 14, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000455.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		430	<0.005	<0.01	<0.17	35.62	0.93	4.88	0.74	26.8	6	1.0	3.6	477	1.86	0.9	0.3	1.0	1.7	15.2
ROCK-WHI	Prep Blank		428	<0.005	<0.01	<0.17	34.16	1.03	4.83	0.85	26.9	8	1.2	3.8	482	1.80	0.8	0.3	0.6	1.9	17.1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 14, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000455.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.01	0.05	<0.02	24	0.60	0.035	4.6	3.3	0.48	45.0	0.053	2	0.85	0.082	0.08	<0.1	2.6	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	<0.01	0.04	<0.02	22	0.54	0.037	4.8	3.5	0.46	50.8	0.058	2	0.83	0.088	0.08	<0.1	2.6	<0.02	<0.02	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 14, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000455.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	2.9	0.11	<0.1	0.08	0.15	1.6	0.3	<0.05	3.2	6.79	9.9	<0.02	<1	0.1	1.3	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.2	0.12	0.1	0.09	0.18	1.7	0.3	<0.05	2.0	7.09	10.3	<0.02	<1	0.1	1.3	<10