



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 27, 2019
Report Date: September 16, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000456.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-49
P.O. Number
Number of Samples: 86

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	83	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	86	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	86	Analysis sample split/packet			WHI
Split -150	86	Analysis sample split/packet			WHI
EN002	86	Environmental disposal charge-Fire assay lead waste			VAN
FS631	84	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	86	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	86	Per sample shipping charges for branch shipments			WHI
PULSW	86	Extra Wash with Silica between each sample			WHI

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 2 of 4 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000456.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2024405	Drill Core	2.95	479	<0.005	<0.01	<0.17	34.03	0.60	26.94	12.36	91.6	2307	31.6	11.3	526	2.51	13.9	1.3	1.5	7.1	22.7
2024406	Drill Core	0.23	385	<0.005	<0.01	<0.17	26.09	0.47	18.35	16.45	55.0	370	13.6	7.3	388	1.97	8.0	1.1	<0.2	7.2	19.1
2024407	Drill Core	1.01	448	<0.005	<0.01	<0.17	30.12	0.34	27.22	18.21	70.3	470	26.3	10.0	385	2.23	14.7	1.3	0.7	7.9	18.5
2024408	Drill Core	2.06	446	0.008	<0.01	<0.17	43.35	0.36	36.66	12.22	72.8	1251	42.1	30.2	701	4.56	21.5	1.5	5.4	3.9	34.0
2024409	Drill Core	3.21	424	<0.005	<0.01	<0.17	36.84	0.18	21.36	12.33	55.3	387	21.1	8.3	282	1.74	10.1	0.7	1.8	6.3	28.6
2024410	Drill Core	3.75	362	<0.005	<0.01	<0.17	24.13	0.21	27.10	13.39	54.3	410	25.7	9.0	217	1.25	5.3	0.6	<0.2	7.4	28.8
2024411	Drill Core	2.80	484	<0.005	<0.01	<0.17	25.63	0.23	25.67	13.22	44.1	432	24.6	8.2	245	1.32	4.1	0.6	0.7	7.8	24.7
2024412	Drill Core	3.18	538	<0.005	<0.01	<0.17	35.85	0.28	20.66	6.55	52.0	339	24.8	8.3	263	1.76	4.1	0.9	0.7	5.4	16.3
2024413	Drill Core	2.44	459	<0.005	<0.01	<0.17	43.89	0.22	27.85	8.07	64.9	385	27.7	9.4	308	2.08	5.2	1.0	0.4	6.1	11.4
2024414	Drill Core	3.98	396	<0.005	<0.01	<0.17	25.79	0.38	22.21	9.81	58.4	385	26.4	9.0	270	2.07	6.4	1.2	<0.2	5.7	15.4
2024415	Drill Core	3.16	496	0.006	<0.01	<0.17	36.78	0.31	42.02	22.03	100.7	549	32.2	9.4	315	2.80	15.1	1.2	3.1	6.6	10.1
2024416	Drill Core	1.01	424	0.010	<0.01	<0.17	44.36	0.23	31.99	12.07	99.6	864	28.8	9.4	334	2.81	16.1	1.1	7.9	6.3	11.7
2024417	Drill Core	2.13	451	<0.005	<0.01	<0.17	34.91	0.31	37.89	12.48	80.2	542	28.3	8.9	256	2.13	7.2	1.0	0.5	5.9	13.0
2024418	Drill Core	1.23	441	<0.005	<0.01	<0.17	29.12	0.35	42.66	10.96	60.0	492	29.9	9.0	352	2.05	19.7	0.9	<0.2	7.0	11.0
2024419	Drill Core	0.72	478	<0.005	<0.01	<0.17	25.62	1.16	25.86	18.68	43.9	857	15.7	6.9	251	1.65	19.4	1.7	0.9	11.0	19.4
2024420	Rock Pulp	0.12	77	0.461				2.21	432.23	19.41	45.0	269	582.9	25.7	366	2.39	17.6	0.6	490.8	1.7	46.4
2024421	Drill Core	0.91	447	<0.005	<0.01	<0.17	43.30	0.24	8.46	12.39	42.8	386	11.5	4.9	302	1.22	5.8	0.9	1.1	9.5	30.1
2024422	Drill Core	3.45	498	<0.005	<0.01	<0.17	26.71	0.36	22.32	26.16	79.4	272	11.0	4.7	187	1.27	9.9	1.4	40.5	14.7	10.8
2024423	Drill Core	3.14	517	<0.005	<0.01	<0.17	31.22	0.17	7.54	16.13	31.6	173	4.6	3.9	171	1.27	6.7	1.0	2.5	13.8	8.7
2024424	Drill Core	1.01	485	0.018	0.02	<0.17	38.34	0.16	6.65	10.03	36.5	222	2.4	2.1	173	0.61	0.8	0.9	30.1	11.2	16.0
2024425	Drill Core	3.12	534	0.007	<0.01	<0.17	36.96	0.46	25.47	68.57	119.6	722	14.0	10.2	565	2.53	2.3	1.3	3.7	10.7	37.3
2024426	Drill Core	2.13	359	0.012	0.01	<0.17	36.67	0.36	72.20	125.19	170.2	865	14.8	10.5	476	2.34	2.5	1.4	8.8	10.8	27.9
2024427	Drill Core	2.09	394	0.008	<0.01	<0.17	38.36	0.33	7.46	31.79	73.7	316	16.0	9.0	667	2.18	1.4	1.0	3.6	10.3	66.0
2024428	Drill Core	1.83	475	0.016	0.01	<0.17	33.54	0.85	14.23	20.20	63.4	419	10.1	7.1	320	1.37	2.8	1.1	31.3	8.1	54.4
2024429	Drill Core	2.29	345	0.093	0.26	1.87	31.58	1.32	6.18	17.56	33.9	430	9.4	6.4	437	1.56	5.3	1.6	179.0	11.4	36.6
2024430	Drill Core	1.84	344	0.015	0.01	<0.17	28.31	0.32	13.11	12.55	56.6	685	7.7	6.5	311	1.35	5.2	1.0	7.8	10.3	51.5
2024431	Drill Core	3.37	516	0.030	0.03	<0.17	33.51	0.19	3.04	22.08	20.0	120	0.6	0.6	73	0.33	3.4	1.0	27.5	12.4	3.9
2024432	Drill Core	2.69	516	0.057	0.05	<0.17	33.73	0.25	10.12	36.76	33.3	261	0.7	0.6	65	0.40	7.4	1.5	65.0	13.5	4.4
2024433	Drill Core	2.33	429	0.005	<0.01	<0.17	35.53	0.16	1.93	15.74	8.8	84	0.4	<0.1	69	0.25	0.4	0.8	2.7	15.9	8.6
2024434	Drill Core	2.62	510	0.006	<0.01	<0.17	31.89	0.22	2.51	25.19	9.5	93	0.4	<0.1	85	0.29	0.5	0.7	3.7	11.3	83.1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000456.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024405	Drill Core	0.90	0.80	0.08	36	0.41	0.069	17.1	52.6	0.85	220.1	0.043	<1	1.23	0.018	0.24	5.3	4.2	0.16	<0.02	<5
2024406	Drill Core	0.54	0.51	0.08	22	0.35	0.046	16.7	22.5	0.46	244.0	0.036	<1	0.94	0.037	0.24	0.3	4.0	0.11	<0.02	<5
2024407	Drill Core	0.66	0.53	0.14	32	0.36	0.080	19.4	43.7	0.70	276.9	0.015	<1	1.09	0.009	0.26	0.2	5.9	0.12	<0.02	9
2024408	Drill Core	1.11	1.20	0.09	81	0.79	0.087	12.9	32.4	1.69	411.6	0.225	<1	3.30	0.017	0.38	0.3	11.1	0.41	<0.02	9
2024409	Drill Core	0.49	0.49	0.06	21	0.28	0.061	14.8	20.0	0.62	173.9	0.025	<1	0.93	0.016	0.21	0.2	4.1	0.10	<0.02	<5
2024410	Drill Core	0.42	0.39	0.07	15	0.19	0.057	18.1	17.1	0.33	173.8	0.018	<1	0.57	0.021	0.19	0.1	3.7	0.13	<0.02	<5
2024411	Drill Core	0.46	0.49	0.07	15	0.22	0.056	19.0	16.6	0.41	168.4	0.028	<1	0.66	0.018	0.23	0.1	3.9	0.14	<0.02	<5
2024412	Drill Core	0.33	0.76	0.06	19	0.43	0.055	12.9	21.4	0.80	123.8	0.063	<1	1.04	0.009	0.24	0.3	3.0	0.16	<0.02	<5
2024413	Drill Core	0.39	0.90	0.10	24	0.36	0.059	13.1	25.8	0.83	122.8	0.063	<1	1.14	0.014	0.25	0.2	4.1	0.16	<0.02	<5
2024414	Drill Core	0.40	1.20	0.06	22	0.36	0.057	13.8	23.7	0.85	251.8	0.073	<1	1.17	0.017	0.29	0.2	4.7	0.19	<0.02	<5
2024415	Drill Core	0.58	0.51	0.16	35	0.24	0.059	19.0	36.9	0.97	133.7	0.005	<1	1.35	0.020	0.12	0.1	4.7	0.09	<0.02	8
2024416	Drill Core	0.63	0.47	0.13	34	0.24	0.060	21.9	33.8	0.99	139.4	0.002	1	1.40	0.016	0.12	0.1	3.9	0.09	<0.02	7
2024417	Drill Core	0.57	0.48	0.15	19	0.25	0.058	14.7	18.0	0.77	176.7	0.021	<1	1.08	0.008	0.31	0.2	4.2	0.19	<0.02	7
2024418	Drill Core	0.66	0.44	0.11	16	0.19	0.063	19.3	12.4	0.61	223.4	0.008	<1	0.87	0.008	0.23	0.1	4.1	0.12	<0.02	<5
2024419	Drill Core	0.34	1.33	0.94	14	0.25	0.069	21.5	15.6	0.40	232.5	0.041	1	0.72	0.016	0.27	0.4	3.9	0.12	<0.02	<5
2024420	Rock Pulp	0.16	0.29	0.29	50	1.13	0.029	3.5	90.2	1.66	67.8	0.062	3	1.77	0.165	0.13	1.1	2.6	0.09	0.19	20
2024421	Drill Core	0.38	0.63	0.28	13	0.41	0.054	28.6	15.6	0.56	154.3	0.044	<1	0.81	0.007	0.25	0.6	2.7	0.11	<0.02	<5
2024422	Drill Core	0.95	1.00	0.56	10	0.14	0.036	29.3	9.2	0.41	157.5	0.007	1	0.66	0.031	0.20	0.5	2.2	0.18	<0.02	51
2024423	Drill Core	0.20	0.28	0.15	10	0.12	0.034	32.0	8.8	0.45	108.3	0.009	<1	0.64	0.029	0.14	0.1	1.8	0.07	<0.02	12
2024424	Drill Core	1.27	0.41	0.05	4	0.35	0.026	25.4	4.8	0.19	241.9	0.007	1	0.47	0.010	0.24	0.2	1.5	0.10	<0.02	57
2024425	Drill Core	2.16	1.37	0.35	19	0.54	0.073	20.2	23.3	1.23	458.1	0.068	<1	1.63	0.009	0.61	0.9	3.9	0.49	<0.02	10
2024426	Drill Core	1.77	1.29	0.30	16	0.46	0.078	18.9	18.1	0.98	297.5	0.042	<1	1.43	0.006	0.49	0.6	3.2	0.36	<0.02	13
2024427	Drill Core	0.83	1.67	0.19	16	1.40	0.087	17.8	23.5	1.34	388.2	0.060	1	1.55	0.006	0.39	0.8	3.5	0.27	<0.02	9
2024428	Drill Core	0.80	1.01	0.12	8	1.07	0.058	13.2	10.7	0.77	529.5	0.023	<1	0.94	0.006	0.28	1.0	2.1	0.16	0.09	6
2024429	Drill Core	0.49	1.05	0.21	8	0.44	0.043	20.5	9.8	0.79	290.1	0.029	<1	0.95	0.004	0.41	0.8	2.9	0.25	<0.02	8
2024430	Drill Core	0.82	1.02	0.42	8	0.56	0.044	16.3	9.7	0.86	751.2	0.023	<1	1.01	0.003	0.38	0.4	2.6	0.21	<0.02	6
2024431	Drill Core	0.39	0.24	0.18	1	0.03	0.009	32.5	1.5	0.04	208.4	<0.001	1	0.26	0.008	0.22	0.1	0.7	0.07	<0.02	12
2024432	Drill Core	0.51	0.35	0.34	2	0.04	0.012	35.7	1.6	0.05	182.4	<0.001	2	0.29	0.006	0.23	0.3	0.9	0.07	<0.02	12
2024433	Drill Core	0.16	0.15	0.12	<1	0.12	0.006	33.0	1.3	0.05	91.6	<0.001	<1	0.21	0.011	0.21	<0.1	0.5	0.05	<0.02	<5
2024434	Drill Core	0.16	0.22	0.24	<1	0.92	0.005	24.8	1.9	0.05	71.7	<0.001	<1	0.18	0.004	0.18	<0.1	0.4	0.04	<0.02	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 16, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000456.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024405	Drill Core	<0.1	0.02	5.5	7.13	<0.1	0.07	0.08	17.4	0.5	<0.05	3.9	10.81	34.8	<0.02	1	0.4	17.5	<10	<2			
2024406	Drill Core	<0.1	<0.02	4.6	5.05	<0.1	0.07	0.10	14.1	0.7	<0.05	2.3	10.14	33.5	<0.02	<1	0.5	11.8	<10	<2			
2024407	Drill Core	<0.1	0.02	4.3	6.13	<0.1	0.06	0.03	16.5	0.5	<0.05	2.7	11.05	36.2	0.03	<1	0.4	18.0	<10	<2			
2024408	Drill Core	<0.1	<0.02	9.7	19.19	<0.1	0.26	0.04	34.7	0.6	<0.05	7.7	17.70	26.1	0.03	<1	0.6	51.5	<10	<2			
2024409	Drill Core	<0.1	0.02	3.7	4.63	<0.1	0.17	0.03	12.7	0.3	<0.05	7.4	10.24	28.2	0.02	<1	0.4	14.3	<10	<2			
2024410	Drill Core	<0.1	0.04	2.8	2.42	<0.1	0.21	0.03	11.4	0.2	<0.05	8.1	10.51	38.1	0.02	<1	0.4	10.2	<10	2			
2024411	Drill Core	<0.1	<0.02	2.8	2.51	<0.1	0.17	0.05	14.2	0.3	<0.05	7.1	11.08	37.4	0.02	<1	0.4	11.7	<10	<2			
2024412	Drill Core	<0.1	<0.02	4.0	2.18	<0.1	0.05	0.11	16.2	0.4	<0.05	1.3	8.94	25.1	<0.02	<1	0.4	19.3	<10	<2			
2024413	Drill Core	<0.1	<0.02	4.8	2.47	<0.1	0.04	0.11	16.5	0.4	<0.05	1.3	9.52	27.3	<0.02	<1	0.3	19.8	<10	<2			
2024414	Drill Core	<0.1	<0.02	4.6	2.57	<0.1	0.05	0.13	18.8	0.6	<0.05	1.4	10.21	26.8	<0.02	1	0.4	17.3	<10	<2			
2024415	Drill Core	<0.1	<0.02	6.5	4.59	<0.1	<0.02	<0.02	7.9	0.4	<0.05	1.2	12.00	43.2	0.04	<1	0.6	24.5	<10	<2			
2024416	Drill Core	<0.1	<0.02	6.8	5.08	<0.1	0.02	<0.02	8.4	0.7	<0.05	1.5	11.99	41.3	0.04	<1	0.6	26.6	<10	<2			
2024417	Drill Core	<0.1	<0.02	3.8	3.50	<0.1	0.05	0.03	19.6	0.3	<0.05	1.6	11.39	32.8	<0.02	<1	0.6	20.3	<10	<2			
2024418	Drill Core	<0.1	<0.02	3.3	2.26	<0.1	0.03	<0.02	12.0	0.2	<0.05	1.6	13.48	39.5	<0.02	<1	0.2	14.7	<10	<2			
2024419	Drill Core	<0.1	0.06	2.8	2.68	<0.1	0.27	0.10	15.3	0.4	<0.05	9.2	11.28	49.1	0.04	1	0.5	13.1	<10	<2			
2024420	Rock Pulp	0.6	0.14	3.8	0.55	<0.1	0.05	<0.02	5.3	0.4	<0.05	1.2	2.54	7.3	<0.02	1	<0.1	8.1	261	109			
2024421	Drill Core	<0.1	0.04	3.6	1.69	<0.1	0.14	0.14	15.7	0.5	<0.05	5.6	13.76	55.2	<0.02	<1	0.6	15.5	<10	<2			
2024422	Drill Core	<0.1	<0.02	4.2	1.50	<0.1	0.06	0.02	13.5	0.7	0.07	1.6	13.39	63.5	0.03	4	0.5	13.0	<10	<2			
2024423	Drill Core	<0.1	<0.02	4.0	0.99	<0.1	0.06	0.02	9.7	0.4	<0.05	1.5	12.91	62.5	<0.02	<1	0.5	11.3	<10	<2			
2024424	Drill Core	<0.1	<0.02	1.7	1.55	<0.1	0.03	0.07	13.4	0.2	<0.05	1.3	11.91	49.5	<0.02	<1	0.3	7.8	<10	<2			
2024425	Drill Core	<0.1	0.04	6.0	9.20	<0.1	0.08	0.12	50.5	0.5	<0.05	3.0	13.29	38.4	0.02	<1	0.6	45.6	<10	<2			
2024426	Drill Core	<0.1	0.03	5.2	6.84	<0.1	0.05	0.09	34.4	0.4	<0.05	2.1	13.72	36.1	<0.02	<1	0.6	34.6	<10	<2			
2024427	Drill Core	<0.1	0.06	6.4	6.19	<0.1	0.08	0.12	27.9	0.5	<0.05	2.5	12.21	32.4	0.02	<1	0.6	44.5	<10	<2			
2024428	Drill Core	<0.1	<0.02	2.7	3.24	<0.1	0.06	0.05	17.5	0.2	<0.05	2.3	12.12	23.4	<0.02	<1	0.5	25.5	<10	<2			
2024429	Drill Core	<0.1	<0.02	3.3	5.80	<0.1	0.31	0.12	26.9	0.5	<0.05	10.8	11.51	36.6	<0.02	<1	0.5	21.6	<10	<2			
2024430	Drill Core	<0.1	0.05	2.6	4.16	<0.1	0.32	0.07	24.7	0.5	<0.05	10.9	10.10	32.3	<0.02	<1	0.7	23.6	<10	2			
2024431	Drill Core	<0.1	<0.02	0.7	2.15	<0.1	0.07	<0.02	9.1	0.2	<0.05	3.4	6.94	61.9	<0.02	<1	0.3	2.6	<10	<2			
2024432	Drill Core	<0.1	<0.02	0.8	2.73	<0.1	0.08	<0.02	10.0	0.1	<0.05	3.6	8.62	66.6	<0.02	<1	0.2	2.4	<10	<2			
2024433	Drill Core	<0.1	<0.02	0.8	0.41	<0.1	0.29	0.03	8.6	<0.1	<0.05	8.4	6.18	60.7	<0.02	<1	0.3	1.8	<10	<2			
2024434	Drill Core	<0.1	<0.02	0.6	0.96	<0.1	0.23	<0.02	7.2	0.1	<0.05	7.8	5.38	45.8	<0.02	<1	0.1	2.0	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

CERTIFICATE OF ANALYSIS

WHI19000456.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2024435	Drill Core	1.57	539	0.023	0.02	<0.17	33.68	0.16	2.63	66.86	15.5	260	0.4	<0.1	48	0.30	1.8	1.0	37.9	15.9	2.5
2024436	Drill Core	3.44	476	<0.005	<0.01	<0.17	30.96	0.15	2.63	23.94	10.1	106	0.3	<0.1	70	0.26	0.8	1.1	1.5	16.0	4.9
2024437	Drill Core	1.55	399	<0.005	<0.01	<0.17	35.36	0.16	4.33	15.38	11.2	100	0.3	<0.1	53	0.27	1.2	1.1	1.4	15.8	4.1
2024438	Drill Core	2.11	460	<0.005	<0.01	<0.17	29.74	0.15	2.57	17.34	9.3	118	0.3	<0.1	38	0.23	0.7	1.1	3.9	16.7	3.4
2024439	Drill Core	3.51	403	<0.005	<0.01	<0.17	36.73	0.15	1.92	16.95	10.2	103	0.2	0.1	47	0.28	1.4	1.1	2.2	16.8	3.9
2024440	Rock Pulp	0.12	76	<0.005				3.69	21.14	0.97	30.2	20	6.7	4.1	536	2.46	1.3	0.4	7.7	2.3	33.9
2024441	Drill Core	3.12	450	0.006	<0.01	<0.17	39.33	0.14	2.01	20.30	15.2	108	0.4	0.1	49	0.24	1.6	1.2	1.6	17.7	3.0
2024442	Drill Core	2.79	494	<0.005	<0.01	<0.17	29.91	0.19	8.12	13.85	22.4	171	1.1	0.5	61	0.36	1.3	1.4	<0.2	17.0	4.0
2024443	Drill Core	2.31	530	0.038	0.04	<0.17	38.79	1.07	212.33	134.41	549.5	1634	41.5	34.1	1130	6.05	23.7	5.4	34.1	4.2	49.4
2024444	Drill Core	2.11	493	<0.005	<0.01	<0.17	32.53	0.17	2.55	9.46	9.1	129	0.5	0.2	47	0.26	0.5	1.1	<0.2	16.5	2.9
2024445	Drill Core	1.45	521	<0.005	<0.01	<0.17	26.86	0.16	5.19	10.51	9.6	134	0.3	0.1	30	0.21	0.6	0.9	<0.2	15.5	2.9
2024446	Drill Core	1.74	490	<0.005	<0.01	<0.17	36.08	0.17	2.88	14.73	13.4	128	0.3	0.1	41	0.24	0.7	1.1	<0.2	15.7	2.8
2024447	Drill Core	2.33	506	<0.005	<0.01	<0.17	31.29	0.17	1.78	9.20	5.6	101	0.2	0.2	31	0.22	0.5	0.8	0.4	15.9	2.0
2024448	Drill Core	0.60	532	<0.005	<0.01	<0.17	34.94	0.14	1.20	1.86	3.0	94	0.2	<0.1	22	0.17	0.2	1.0	0.3	18.2	2.2
2024449	Drill Core	1.14	512	<0.005	<0.01	<0.17	29.29	0.11	1.36	4.76	4.4	144	0.4	<0.1	30	0.20	0.3	1.1	<0.2	16.2	2.3
2024450	Drill Core	0.97	433	<0.005	<0.01	<0.17	34.11	0.15	3.29	7.02	9.9	131	0.2	<0.1	34	0.28	0.8	0.8	1.5	16.2	1.9
2024451	Drill Core	1.08	481	0.006	<0.01	<0.17	33.09	0.25	2.09	2.12	4.9	162	0.4	0.2	42	0.22	0.5	0.8	<0.2	17.1	2.4
2024452	Drill Core	3.46	411	<0.005	0.02	<0.17	44.75	0.10	2.65	3.54	5.8	137	0.3	<0.1	52	0.21	<0.1	0.9	0.3	16.2	2.0
2024453	Drill Core	0.89	386	<0.005	<0.01	<0.17	39.19	0.16	2.33	6.61	5.2	112	0.4	<0.1	40	0.25	0.6	0.7	<0.2	16.1	1.9
2024454	Drill Core	3.73	435	<0.005	<0.01	<0.17	34.49	0.16	3.79	8.57	12.4	125	0.3	<0.1	46	0.26	0.5	0.9	1.6	15.6	1.8
2024455	Drill Core	0.61	532	0.006	<0.01	<0.17	28.97	0.12	11.36	21.11	17.1	135	0.3	0.1	44	0.22	0.6	0.7	1.7	16.0	1.8
2024456	Drill Core	2.45	375	0.006	<0.01	<0.17	41.12	0.16	4.72	77.05	50.6	173	0.5	0.2	116	0.40	1.6	1.1	2.5	16.1	2.9
2024457	Drill Core	1.49	524	<0.005	<0.01	<0.17	34.19	0.14	1.84	27.97	17.9	133	0.3	<0.1	92	0.26	0.5	1.1	<0.2	15.3	3.0
2024458	Drill Core	0.58	510	<0.005	<0.01	<0.17	39.51	0.18	0.83	16.87	5.9	59	0.4	0.1	73	0.32	0.5	0.8	<0.2	13.1	1.8
2024459	Drill Core	2.32	468	0.007	<0.01	<0.17	24.21	0.27	12.00	6.31	38.9	247	6.2	6.8	349	1.35	2.7	0.8	3.3	10.7	29.9
2024460	Core DUP		380	0.008	<0.01	<0.17	37.43	0.21	12.43	6.10	38.3	283	6.5	7.0	337	1.35	3.0	0.8	77.6	10.7	29.3
2024461	Drill Core	1.52	427	0.010	<0.01	<0.17	36.69	0.28	16.33	17.31	43.8	334	5.9	7.4	300	1.36	4.8	0.8	2.9	10.8	21.4
2024462	Drill Core	3.43	367	0.007	<0.01	<0.17	25.48	0.32	12.96	35.73	46.8	258	3.2	3.4	257	1.05	4.6	1.1	2.0	11.6	11.2
2024463	Drill Core	2.53	375	0.100	0.09	<0.17	42.13	0.37	33.63	13.07	50.2	539	6.6	6.0	349	1.59	12.0	1.3	73.7	9.9	16.4
2024464	Drill Core	1.89	455	0.008	<0.01	<0.17	31.48	0.28	10.73	17.39	36.4	249	1.8	1.4	179	0.75	4.8	1.2	1.6	12.5	6.9



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000456.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024435	Drill Core	0.16	0.35	0.38	<1	0.02	0.007	32.1	1.6	0.05	96.3	<0.001	2	0.22	0.004	0.20	<0.1	0.5	0.04	<0.02	7			
2024436	Drill Core	0.27	0.16	0.14	<1	0.02	0.008	38.6	1.4	0.04	104.1	<0.001	<1	0.19	0.020	0.19	<0.1	0.8	0.04	<0.02	<5			
2024437	Drill Core	0.28	0.15	0.12	1	0.02	0.007	39.8	1.5	0.03	108.5	<0.001	<1	0.18	0.018	0.19	0.1	0.7	0.04	<0.02	<5			
2024438	Drill Core	0.29	0.13	0.11	<1	0.01	0.006	41.9	0.9	0.02	101.1	<0.001	1	0.20	0.016	0.21	0.1	0.7	0.05	<0.02	<5			
2024439	Drill Core	0.22	0.15	0.05	<1	0.02	0.006	38.4	0.9	0.02	135.5	<0.001	1	0.20	0.020	0.22	<0.1	0.7	0.05	<0.02	5			
2024440	Rock Pulp	0.02	0.16	<0.02	23	0.78	0.040	5.6	13.7	0.49	57.1	0.075	2	1.04	0.068	0.08	0.2	3.5	<0.02	0.05	<5			
2024441	Drill Core	0.24	0.16	0.09	<1	0.02	0.006	35.4	0.9	0.03	110.6	<0.001	2	0.19	0.022	0.21	0.1	0.7	0.06	<0.02	<5			
2024442	Drill Core	0.34	0.22	0.06	2	0.03	0.010	38.7	1.5	0.07	97.3	0.002	<1	0.31	0.016	0.24	0.2	1.0	0.08	<0.02	5			
2024443	Drill Core	8.15	1.06	1.60	92	0.79	0.108	16.6	36.9	2.52	484.8	0.088	<1	4.08	0.016	0.40	0.5	9.8	0.45	<0.02	17			
2024444	Drill Core	0.25	0.11	0.08	<1	0.02	0.006	39.7	0.9	0.04	99.0	<0.001	1	0.24	0.014	0.23	<0.1	0.8	0.07	<0.02	<5			
2024445	Drill Core	0.13	0.13	0.10	<1	0.01	0.007	39.1	0.8	0.02	85.6	<0.001	<1	0.20	0.009	0.21	<0.1	0.6	0.05	<0.02	7			
2024446	Drill Core	0.22	0.14	0.06	<1	0.01	0.006	38.0	0.9	0.03	111.5	<0.001	<1	0.22	0.016	0.22	<0.1	0.7	0.05	<0.02	<5			
2024447	Drill Core	0.07	0.09	0.04	<1	0.01	0.004	36.2	0.9	0.02	87.2	<0.001	1	0.23	0.007	0.23	<0.1	0.5	0.05	<0.02	9			
2024448	Drill Core	0.03	0.12	<0.02	<1	0.01	0.005	39.5	0.9	0.01	75.5	<0.001	<1	0.22	0.003	0.24	<0.1	0.6	0.06	<0.02	<5			
2024449	Drill Core	0.07	0.07	0.03	<1	0.02	0.006	37.4	0.7	0.02	94.9	<0.001	1	0.22	0.008	0.23	<0.1	0.5	0.05	<0.02	<5			
2024450	Drill Core	0.10	0.14	<0.02	<1	0.01	0.005	36.8	1.1	0.01	63.5	<0.001	2	0.24	0.003	0.22	<0.1	0.4	0.05	<0.02	<5			
2024451	Drill Core	0.13	0.08	<0.02	<1	0.02	0.006	37.6	0.9	0.02	78.3	<0.001	2	0.26	0.014	0.25	0.4	0.6	0.06	<0.02	<5			
2024452	Drill Core	0.26	0.08	<0.02	<1	0.01	0.005	35.8	0.8	0.02	92.0	<0.001	<1	0.23	0.012	0.24	0.1	0.5	0.05	<0.02	<5			
2024453	Drill Core	0.17	0.07	<0.02	<1	<0.01	0.006	35.4	0.9	0.03	98.6	<0.001	<1	0.25	0.025	0.24	0.1	0.8	0.05	<0.02	<5			
2024454	Drill Core	0.15	0.09	0.05	<1	0.01	0.005	36.3	1.0	0.04	84.1	<0.001	2	0.28	0.006	0.25	<0.1	0.5	0.06	<0.02	7			
2024455	Drill Core	0.19	0.09	0.04	<1	0.01	0.004	34.5	0.7	0.03	79.0	<0.001	1	0.23	0.010	0.21	0.1	0.6	0.05	<0.02	<5			
2024456	Drill Core	0.33	0.22	0.28	<1	0.03	0.007	36.1	1.0	0.10	83.6	<0.001	<1	0.36	0.015	0.24	0.2	0.9	0.07	<0.02	<5			
2024457	Drill Core	0.45	0.15	0.05	<1	0.02	0.007	38.3	0.8	0.06	85.8	<0.001	<1	0.28	0.004	0.24	<0.1	0.7	0.06	<0.02	<5			
2024458	Drill Core	0.28	0.11	0.05	<1	0.01	0.004	28.6	1.1	0.05	99.9	<0.001	<1	0.25	0.002	0.23	<0.1	0.6	0.05	<0.02	<5			
2024459	Drill Core	0.84	0.72	0.03	4	0.33	0.056	19.8	5.5	0.54	209.0	0.005	<1	1.13	0.006	0.35	0.2	1.9	0.15	<0.02	<5			
2024460	Core DUP	0.80	0.67	0.03	4	0.33	0.053	19.9	5.4	0.54	207.0	0.005	2	1.13	0.006	0.35	0.2	1.8	0.15	<0.02	9			
2024461	Drill Core	0.86	0.45	0.10	4	0.20	0.058	22.2	5.7	0.40	209.3	0.002	1	0.87	0.004	0.34	0.1	1.6	0.13	<0.02	8			
2024462	Drill Core	0.95	0.40	0.16	3	0.11	0.020	26.8	4.3	0.31	161.6	0.002	1	0.71	0.003	0.31	0.2	1.5	0.12	<0.02	8			
2024463	Drill Core	1.21	0.58	0.15	6	0.15	0.036	24.8	7.3	0.40	170.0	0.002	1	0.85	0.008	0.29	0.3	1.7	0.10	<0.02	<5			
2024464	Drill Core	0.74	0.28	0.12	2	0.06	0.010	36.4	2.7	0.17	146.3	<0.001	2	0.50	0.005	0.26	0.2	1.3	0.08	<0.02	7			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 16, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000456.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024435	Drill Core	<0.1	<0.02	0.6	2.21	<0.1	0.26	<0.02	8.2	0.1	<0.05	7.7	4.17	59.3	<0.02	<1	0.3	1.8	<10
2024436	Drill Core	<0.1	<0.02	0.7	0.43	<0.1	0.27	0.07	8.3	0.2	<0.05	7.4	9.85	68.1	<0.02	<1	0.3	1.9	<10
2024437	Drill Core	<0.1	<0.02	0.7	0.52	<0.1	0.27	0.09	9.2	0.2	<0.05	7.1	11.21	71.0	<0.02	<1	0.2	1.8	<10
2024438	Drill Core	<0.1	0.02	0.7	0.40	<0.1	0.22	0.08	10.2	0.2	<0.05	6.4	8.12	77.0	<0.02	<1	0.2	1.7	<10
2024439	Drill Core	<0.1	0.02	0.8	0.52	<0.1	0.27	0.11	10.8	0.2	<0.05	6.9	9.81	78.0	<0.02	<1	0.2	1.7	<10
2024440	Rock Pulp	<0.1	0.03	4.2	0.13	0.1	0.15	0.24	2.0	1.8	<0.05	4.3	7.60	10.7	<0.02	<1	0.2	1.0	<10
2024441	Drill Core	<0.1	<0.02	0.7	0.69	<0.1	0.12	0.10	11.0	0.3	<0.05	8.1	12.19	70.6	<0.02	<1	0.2	1.9	<10
2024442	Drill Core	<0.1	<0.02	1.1	1.10	<0.1	0.24	0.08	13.8	0.2	<0.05	7.8	10.70	74.2	<0.02	<1	0.2	4.5	<10
2024443	Drill Core	<0.1	0.06	13.2	16.90	0.1	0.18	<0.02	46.1	0.6	<0.05	5.5	25.75	36.0	0.04	<1	1.6	86.1	<10
2024444	Drill Core	<0.1	0.02	0.8	0.62	<0.1	0.21	0.04	11.5	0.1	<0.05	6.1	8.56	77.0	<0.02	<1	0.3	1.5	<10
2024445	Drill Core	<0.1	0.02	0.6	0.54	<0.1	0.16	0.06	10.1	0.1	<0.05	5.2	7.10	74.4	<0.02	<1	0.3	1.1	<10
2024446	Drill Core	<0.1	0.03	0.8	0.46	<0.1	0.27	0.07	10.7	0.2	<0.05	7.7	6.84	70.6	<0.02	<1	0.2	1.5	<10
2024447	Drill Core	<0.1	0.03	0.6	1.80	<0.1	0.15	0.03	9.7	0.1	<0.05	5.2	5.29	70.8	<0.02	<1	0.3	0.8	<10
2024448	Drill Core	<0.1	<0.02	0.7	4.25	<0.1	0.14	<0.02	10.4	0.1	<0.05	4.5	4.22	75.9	<0.02	<1	0.2	1.0	<10
2024449	Drill Core	<0.1	<0.02	0.6	0.94	<0.1	0.22	0.05	10.5	0.1	<0.05	7.8	4.76	78.3	<0.02	<1	0.1	2.0	<10
2024450	Drill Core	<0.1	<0.02	0.6	2.50	<0.1	0.13	<0.02	8.2	<0.1	<0.05	4.1	4.00	71.0	<0.02	<1	<0.1	0.7	<10
2024451	Drill Core	<0.1	0.04	0.6	1.84	<0.1	0.15	0.02	10.2	0.1	<0.05	4.1	6.54	71.9	<0.02	<1	0.3	1.1	<10
2024452	Drill Core	<0.1	<0.02	0.7	0.66	<0.1	0.19	<0.02	9.4	0.1	<0.05	6.3	5.37	65.6	<0.02	<1	0.1	1.4	<10
2024453	Drill Core	<0.1	<0.02	0.8	0.30	<0.1	0.19	0.04	10.1	0.2	<0.05	5.5	3.99	64.5	<0.02	<1	0.3	2.0	<10
2024454	Drill Core	<0.1	0.02	0.7	0.83	<0.1	0.28	<0.02	9.6	0.2	<0.05	8.7	5.15	69.5	<0.02	<1	0.2	1.9	<10
2024455	Drill Core	<0.1	<0.02	0.6	0.35	<0.1	0.26	0.03	8.1	0.1	<0.05	7.9	4.33	66.3	<0.02	<1	<0.1	1.5	<10
2024456	Drill Core	<0.1	0.02	1.3	0.63	<0.1	0.43	0.03	9.9	0.1	<0.05	12.9	9.71	68.1	<0.02	<1	0.4	5.0	<10
2024457	Drill Core	<0.1	<0.02	0.7	1.12	<0.1	0.30	0.03	10.1	0.1	<0.05	9.6	9.27	73.6	<0.02	<1	0.4	2.6	<10
2024458	Drill Core	<0.1	<0.02	0.5	2.54	<0.1	0.21	<0.02	7.9	<0.1	<0.05	6.7	4.10	54.8	<0.02	<1	0.2	1.5	<10
2024459	Drill Core	<0.1	0.03	2.5	4.01	<0.1	0.28	<0.02	20.0	0.2	<0.05	11.1	9.10	38.3	<0.02	<1	0.3	15.8	<10
2024460	Core DUP	<0.1	<0.02	2.6	3.84	<0.1	0.23	<0.02	20.0	0.2	<0.05	10.1	9.11	37.8	<0.02	<1	0.6	14.9	<10
2024461	Drill Core	<0.1	<0.02	2.0	4.47	<0.1	0.20	<0.02	18.7	0.2	<0.05	9.6	7.65	41.1	<0.02	<1	0.4	12.0	<10
2024462	Drill Core	<0.1	<0.02	1.7	4.98	<0.1	0.22	<0.02	16.9	0.2	<0.05	9.5	6.82	51.0	<0.02	<1	0.5	9.7	<10
2024463	Drill Core	<0.1	0.02	2.3	4.52	<0.1	0.18	<0.02	14.8	0.1	<0.05	7.7	6.97	45.9	<0.02	<1	0.5	12.0	<10
2024464	Drill Core	<0.1	<0.02	1.2	4.73	<0.1	0.13	<0.02	12.0	0.1	<0.05	6.4	7.91	65.8	<0.02	<1	0.2	5.6	<10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000456.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2024465	Drill Core	1.31	388	0.008	<0.01	<0.17	40.74	0.39	8.85	17.50	52.9	316	2.2	1.7	242	0.82	6.5	1.4	1.5	11.7	6.5
2024466	Drill Core	2.81	431	0.012	0.01	<0.17	32.02	0.43	18.58	14.60	59.5	407	4.4	4.0	382	1.32	10.3	1.8	6.1	13.9	16.7
2024467	Drill Core	2.70	387	0.047	0.05	<0.17	31.72	0.38	16.56	7.91	45.5	497	6.5	6.2	404	1.79	20.1	1.7	42.9	11.7	22.6
2024468	Drill Core	3.04	437	0.067	0.06	<0.17	30.59	0.41	28.48	10.32	55.1	725	6.7	6.2	334	1.63	39.8	1.7	60.7	11.3	19.8
2024469	Drill Core	3.11	465	0.033	0.03	<0.17	24.89	0.28	12.05	11.02	45.0	296	2.7	2.5	237	0.95	6.1	1.2	25.5	12.5	9.6
2024470	Drill Core	3.39	369	0.078	0.07	<0.17	30.33	0.46	18.92	12.46	53.2	477	7.3	5.9	425	1.65	15.5	1.3	69.4	10.6	17.0
2024471	Drill Core	1.18	542	0.062	0.06	<0.17	32.10	0.44	14.56	19.74	49.2	591	5.2	5.2	337	1.47	12.1	1.6	50.7	11.2	11.9
2024472	Drill Core	1.73	481	0.018	0.02	<0.17	28.53	0.66	17.08	41.99	97.8	493	7.6	6.7	419	1.88	10.2	2.0	17.8	12.8	16.8
2024473	Drill Core	3.00	507	0.010	<0.01	<0.17	25.95	0.48	12.28	13.39	52.9	256	4.5	5.0	409	1.51	8.3	1.4	7.0	9.9	29.6
2024474	Drill Core	2.40	439	<0.005	<0.01	<0.17	37.17	0.65	12.63	27.90	61.2	308	5.1	4.8	378	1.57	2.7	1.5	0.7	10.2	52.6
2024475	Drill Core	3.29	529	<0.005	<0.01	<0.17	34.97	0.54	16.33	25.58	73.3	309	10.7	8.4	442	2.09	5.1	2.1	1.6	12.6	77.2
2024476	Drill Core	2.91	497	0.007	<0.01	<0.17	32.73	0.98	19.12	17.27	56.2	266	10.0	8.5	397	2.01	4.0	2.2	1.9	12.7	78.0
2024477	Drill Core	3.31	429	<0.005	<0.01	<0.17	36.29	0.78	12.70	11.84	53.8	158	8.9	7.4	352	1.87	4.6	2.6	<0.2	13.0	85.6
2024478	Drill Core	1.47	541	<0.005	<0.01	<0.17	30.66	0.74	14.05	9.69	50.3	173	8.6	6.2	359	1.76	2.9	2.1	<0.2	12.8	87.4
2024479	Drill Core	3.38	450	<0.005	<0.01	<0.17	28.13	0.37	4.64	15.64	31.3	139	1.8	1.7	183	0.83	1.4	3.2	0.8	14.8	50.1
2024480	Rock	0.24	153	<0.005	<0.01	<0.17	30.35	0.36	0.89	0.81	1.8	8	1.1	0.5	59	0.54	0.4	0.1	<0.2	0.8	1.2
2024481	Drill Core	3.13	531	<0.005	<0.01	<0.17	41.95	0.67	12.38	16.95	54.5	221	8.2	6.4	383	1.74	3.3	2.0	1.4	11.4	62.5
2024482	Drill Core	3.29	468	<0.005	<0.01	<0.17	42.11	0.62	12.24	15.66	54.1	215	9.3	7.6	369	1.88	3.8	1.5	0.9	12.8	70.4
2024483	Drill Core	3.17	511	<0.005	<0.01	<0.17	41.69	0.61	14.50	11.86	56.2	209	8.9	7.2	336	1.88	3.8	2.5	0.5	13.4	62.0
2024484	Drill Core	1.62	510	<0.005	<0.01	<0.17	31.28	0.54	12.45	9.54	59.5	155	9.1	7.7	328	1.88	3.3	3.9	0.7	13.2	57.3
2024485	Drill Core	3.54	483	<0.005	<0.01	<0.17	38.62	0.77	12.49	13.12	64.2	161	10.4	7.6	375	2.04	3.4	1.6	<0.2	12.9	63.7
2024486	Drill Core	3.29	471	<0.005	<0.01	<0.17	35.44	1.85	23.77	83.08	128.8	317	9.8	7.3	428	2.17	4.3	2.1	<0.2	12.6	81.1
2024487	Drill Core	3.30	503	<0.005	<0.01	<0.17	40.40	1.07	16.15	16.37	74.7	175	12.2	8.2	397	2.30	5.3	2.2	0.3	11.6	62.2
2024488	Drill Core	3.04	506	<0.005	<0.01	<0.17	29.71	0.99	16.82	23.75	77.8	201	12.0	8.3	502	2.54	6.3	2.4	0.6	11.0	82.7
2024489	Drill Core	1.93	379	<0.005	<0.01	<0.17	36.39	1.73	13.01	12.89	49.0	148	9.1	6.6	413	2.00	8.9	1.7	1.0	12.4	77.3
2024490	Drill Core	2.11	440	<0.005	<0.01	<0.17	29.29	2.40	11.15	15.89	55.3	164	8.2	6.2	323	1.78	5.5	3.3	0.6	13.3	61.6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000456.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024465	Drill Core	0.85	0.30	0.11	2	0.06	0.007	31.7	3.0	0.27	144.1	0.001	1	0.57	0.003	0.24	0.4	1.2	0.09	<0.02	9			
2024466	Drill Core	1.41	0.49	0.12	5	0.13	0.023	38.1	5.7	0.38	180.0	0.001	1	0.81	0.005	0.25	0.9	2.0	0.10	<0.02	11			
2024467	Drill Core	1.49	0.66	0.09	6	0.21	0.068	33.1	7.3	0.55	179.8	0.002	<1	1.00	0.011	0.28	0.5	1.9	0.12	<0.02	16			
2024468	Drill Core	1.32	0.99	0.18	7	0.20	0.067	31.7	7.9	0.45	175.0	0.002	<1	0.89	0.007	0.27	0.4	2.2	0.11	<0.02	13			
2024469	Drill Core	0.56	0.34	0.11	2	0.09	0.024	38.2	4.3	0.30	178.3	<0.001	<1	0.61	0.003	0.27	0.3	1.5	0.09	<0.02	7			
2024470	Drill Core	0.95	0.59	0.12	7	0.19	0.056	34.6	8.2	0.50	205.9	0.002	<1	0.95	0.003	0.33	0.4	2.5	0.14	<0.02	14			
2024471	Drill Core	0.68	0.43	0.15	7	0.16	0.044	35.3	9.8	0.39	202.0	0.001	2	0.76	0.006	0.29	0.2	2.5	0.10	<0.02	21			
2024472	Drill Core	1.11	0.45	0.20	9	0.19	0.051	34.1	11.4	0.44	276.0	0.003	<1	0.85	0.015	0.26	<0.1	4.7	0.10	<0.02	11			
2024473	Drill Core	0.64	0.47	0.16	6	0.45	0.057	29.9	6.7	0.46	240.8	0.002	<1	0.78	0.020	0.25	0.1	3.1	0.08	<0.02	10			
2024474	Drill Core	0.53	0.34	0.23	7	0.92	0.073	31.1	7.8	0.67	239.8	0.003	<1	0.89	0.015	0.26	<0.1	2.5	0.08	0.02	9			
2024475	Drill Core	0.48	0.56	0.10	15	0.91	0.064	32.7	17.6	0.97	198.6	0.016	1	1.17	0.017	0.35	0.1	4.7	0.22	0.05	17			
2024476	Drill Core	0.39	0.44	0.14	13	0.99	0.066	21.6	13.3	0.81	184.6	0.049	<1	0.93	0.021	0.49	0.2	5.3	0.28	0.22	<5			
2024477	Drill Core	0.23	0.27	0.05	11	0.86	0.062	24.5	11.0	0.78	252.7	0.043	<1	0.88	0.020	0.48	0.1	4.5	0.26	0.19	<5			
2024478	Drill Core	0.18	0.30	0.04	11	0.94	0.063	28.3	10.3	0.72	249.9	0.055	<1	0.88	0.016	0.57	<0.1	4.7	0.31	0.08	<5			
2024479	Drill Core	0.43	0.21	0.13	2	0.51	0.022	41.1	2.8	0.34	207.4	0.002	<1	0.50	0.016	0.25	<0.1	2.3	0.07	0.05	<5			
2024480	Rock	<0.01	0.03	<0.02	1	<0.01	0.002	1.5	3.1	0.02	7.8	0.002	<1	0.05	0.005	0.01	<0.1	0.2	<0.02	<0.02	<5			
2024481	Drill Core	0.38	0.47	0.09	14	0.68	0.053	25.3	16.5	0.81	192.8	0.030	<1	0.89	0.018	0.36	0.1	3.7	0.18	0.15	<5			
2024482	Drill Core	0.13	0.60	0.15	15	0.64	0.060	29.0	18.0	0.95	183.7	0.026	<1	1.01	0.022	0.36	0.1	3.8	0.16	0.14	<5			
2024483	Drill Core	0.23	0.37	0.08	14	0.62	0.060	23.7	16.0	0.95	173.8	0.045	<1	0.98	0.025	0.35	0.1	4.5	0.15	0.20	<5			
2024484	Drill Core	0.24	0.37	0.05	14	0.61	0.063	21.4	15.1	0.96	172.7	0.049	<1	0.98	0.020	0.37	0.2	4.3	0.18	0.19	<5			
2024485	Drill Core	0.16	0.43	0.04	20	0.60	0.062	26.0	23.9	1.00	182.5	0.056	<1	1.07	0.029	0.36	0.3	4.7	0.17	0.13	<5			
2024486	Drill Core	1.18	0.64	0.08	20	0.79	0.062	30.5	22.0	1.00	162.6	0.049	<1	1.10	0.028	0.33	0.3	4.2	0.20	0.11	<5			
2024487	Drill Core	0.35	0.45	0.04	20	0.68	0.067	22.5	20.6	0.95	167.7	0.072	<1	1.09	0.026	0.56	2.6	5.0	0.33	0.24	<5			
2024488	Drill Core	0.34	0.51	0.02	25	0.93	0.071	25.8	28.8	1.06	143.6	0.034	<1	1.24	0.024	0.46	0.1	4.6	0.29	0.18	<5			
2024489	Drill Core	0.15	0.48	0.03	14	0.93	0.058	32.1	17.1	0.70	160.1	0.015	<1	0.96	0.023	0.34	0.1	2.9	0.18	0.13	<5			
2024490	Drill Core	0.17	0.53	0.04	11	0.73	0.056	33.9	13.4	0.60	165.3	0.014	<1	0.87	0.021	0.33	0.1	2.8	0.16	0.19	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 4 of 4 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000456.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2024465	Drill Core	<0.1	<0.02	1.5	3.77	<0.1	0.15	<0.02	11.6	0.1	<0.05	6.7	8.76	61.4	<0.02	<1	0.4	7.3	<10
2024466	Drill Core	<0.1	<0.02	2.4	5.03	<0.1	0.18	<0.02	13.1	0.1	<0.05	8.5	9.98	70.4	<0.02	<1	0.4	10.1	<10
2024467	Drill Core	<0.1	0.04	3.3	6.38	<0.1	0.21	<0.02	17.0	0.3	<0.05	8.0	10.09	59.5	<0.02	<1	0.5	17.0	12
2024468	Drill Core	<0.1	0.03	3.0	5.08	<0.1	0.18	<0.02	15.4	0.2	<0.05	7.0	9.19	58.2	<0.02	<1	0.5	14.3	<10
2024469	Drill Core	<0.1	0.02	1.6	4.25	<0.1	0.16	<0.02	14.2	0.2	<0.05	6.2	9.63	70.2	<0.02	<1	0.3	9.7	<10
2024470	Drill Core	<0.1	0.04	2.6	4.61	<0.1	0.10	<0.02	20.1	0.2	<0.05	5.3	13.17	62.4	<0.02	<1	0.6	15.3	<10
2024471	Drill Core	<0.1	<0.02	2.6	3.35	<0.1	0.03	<0.02	15.6	0.2	<0.05	1.7	15.44	64.4	<0.02	<1	0.3	12.6	<10
2024472	Drill Core	<0.1	0.03	3.5	2.89	<0.1	0.06	<0.02	13.2	0.4	<0.05	2.3	15.65	62.5	0.03	<1	0.4	18.8	<10
2024473	Drill Core	<0.1	<0.02	2.9	2.12	<0.1	0.09	<0.02	12.2	0.2	<0.05	3.4	15.30	55.5	0.03	<1	0.4	15.6	<10
2024474	Drill Core	0.1	<0.02	3.3	1.47	<0.1	0.21	<0.02	12.8	0.3	<0.05	8.1	14.71	58.2	<0.02	<1	0.4	17.5	<10
2024475	Drill Core	0.3	<0.02	4.0	4.15	<0.1	0.32	<0.02	23.5	0.3	<0.05	10.9	14.11	61.8	<0.02	<1	0.5	20.2	<10
2024476	Drill Core	0.4	<0.02	3.0	5.18	<0.1	0.32	0.07	31.2	0.4	<0.05	10.7	13.56	40.9	<0.02	<1	0.4	11.0	<10
2024477	Drill Core	0.2	<0.02	3.2	6.09	<0.1	0.29	0.05	29.0	0.3	<0.05	9.4	13.47	45.7	<0.02	2	0.4	11.0	<10
2024478	Drill Core	0.2	<0.02	3.0	6.15	<0.1	0.40	0.09	36.4	0.4	<0.05	13.3	16.28	52.9	<0.02	<1	0.4	10.0	<10
2024479	Drill Core	0.2	<0.02	1.4	0.91	<0.1	0.24	0.02	9.8	0.2	<0.05	9.6	12.91	76.2	<0.02	<1	0.2	7.2	<10
2024480	Rock	<0.1	<0.02	0.2	0.08	<0.1	0.06	0.04	0.7	<0.1	<0.05	1.4	0.87	3.0	<0.02	<1	<0.1	0.9	<10
2024481	Drill Core	0.3	<0.02	3.7	2.87	<0.1	0.22	0.04	21.9	0.4	<0.05	7.1	13.61	47.6	<0.02	1	0.5	15.8	<10
2024482	Drill Core	0.3	<0.02	4.1	2.54	<0.1	0.33	0.03	21.0	0.4	<0.05	11.0	15.60	54.2	<0.02	<1	0.4	18.3	<10
2024483	Drill Core	0.2	<0.02	3.8	2.45	<0.1	0.31	0.05	19.9	0.5	<0.05	9.2	15.20	45.5	<0.02	2	0.4	15.5	<10
2024484	Drill Core	0.3	<0.02	3.7	3.06	<0.1	0.32	0.06	22.2	0.4	<0.05	10.0	13.31	39.7	<0.02	2	0.5	17.4	<10
2024485	Drill Core	0.2	<0.02	5.2	2.86	<0.1	0.43	0.05	21.9	0.5	<0.05	12.8	13.19	49.1	0.02	<1	0.6	18.1	<10
2024486	Drill Core	0.9	0.02	5.6	3.26	<0.1	0.28	0.05	21.6	0.4	<0.05	8.7	14.96	56.7	0.02	<1	0.7	20.4	<10
2024487	Drill Core	0.3	<0.02	4.8	5.31	<0.1	0.30	0.05	36.4	0.4	<0.05	10.4	12.93	42.2	<0.02	<1	0.5	18.1	<10
2024488	Drill Core	0.5	<0.02	6.5	6.74	<0.1	0.26	<0.02	32.5	0.4	<0.05	8.4	12.41	47.8	0.02	<1	0.7	22.6	<10
2024489	Drill Core	0.2	<0.02	4.9	5.04	<0.1	0.39	<0.02	21.3	0.4	<0.05	13.2	12.84	59.3	<0.02	<1	0.4	17.0	<10
2024490	Drill Core	0.3	<0.02	4.0	5.07	<0.1	0.31	<0.02	21.0	0.4	<0.05	10.2	13.11	62.4	<0.02	<1	0.5	17.1	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000456.1

		Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th
		Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
Pulp Duplicates																					
2024415	Drill Core	3.16	496	0.006	<0.01	<0.17	36.78	0.31	42.02	22.03	100.7	549	32.2	9.4	315	2.80	15.1	1.2	3.1	6.6	10.1
REP 2024415	QC							0.30	40.78	21.46	103.2	536	31.1	9.2	309	2.76	15.1	1.1	2.5	6.6	9.9
2024422	Drill Core	3.45	498	<0.005	<0.01	<0.17	26.71	0.36	22.32	26.16	79.4	272	11.0	4.7	187	1.27	9.9	1.4	40.5	14.7	10.8
REP 2024422	QC			<0.005																	
2024439	Drill Core	3.51	403	<0.005	<0.01	<0.17	36.73	0.15	1.92	16.95	10.2	103	0.2	0.1	47	0.28	1.4	1.1	2.2	16.8	3.9
REP 2024439	QC			<0.005																	
2024441	Drill Core	3.12	450	0.006	<0.01	<0.17	39.33	0.14	2.01	20.30	15.2	108	0.4	0.1	49	0.24	1.6	1.2	1.6	17.7	3.0
REP 2024441	QC							0.12	1.95	20.26	16.3	101	0.4	0.2	44	0.25	1.5	1.2	0.6	18.6	3.3
2024449	Drill Core	1.14	512	<0.005	<0.01	<0.17	29.29	0.11	1.36	4.76	4.4	144	0.4	<0.1	30	0.20	0.3	1.1	<0.2	16.2	2.3
REP 2024449	QC							0.12	1.36	4.80	4.5	156	0.3	<0.1	31	0.20	0.4	1.2	<0.2	17.4	2.5
2024478	Drill Core	1.47	541	<0.005	<0.01	<0.17	30.66	0.74	14.05	9.69	50.3	173	8.6	6.2	359	1.76	2.9	2.1	<0.2	12.8	87.4
REP 2024478	QC							0.71	13.47	9.33	48.9	157	8.3	6.1	359	1.74	2.7	2.1	1.2	12.0	82.7
Core Reject Duplicates																					
2024408	Drill Core	2.06	446	0.008	<0.01	<0.17	43.35	0.36	36.66	12.22	72.8	1251	42.1	30.2	701	4.56	21.5	1.5	5.4	3.9	34.0
DUP 2024408	QC		448	0.009	<0.01	<0.17	42.98	0.31	35.39	11.68	72.2	1293	38.7	29.2	695	4.57	20.7	1.4	4.0	3.8	34.9
2024442	Drill Core	2.79	494	<0.005	<0.01	<0.17	29.91	0.19	8.12	13.85	22.4	171	1.1	0.5	61	0.36	1.3	1.4	<0.2	17.0	4.0
DUP 2024442	QC		440	<0.005	<0.01	<0.17	29.42	0.20	7.83	12.87	20.3	164	0.8	0.5	57	0.33	1.4	1.3	<0.2	15.9	3.8
2024476	Drill Core	2.91	497	0.007	<0.01	<0.17	32.73	0.98	19.12	17.27	56.2	266	10.0	8.5	397	2.01	4.0	2.2	1.9	12.7	78.0
DUP 2024476	QC		500	0.005	<0.01	<0.17	28.70	1.02	19.68	15.22	60.3	265	10.4	9.1	404	2.05	4.4	2.2	1.3	12.8	79.7
Reference Materials																					
STD BVGEO01	Standard							10.60	4271.91	186.49	1700.3	2519	157.9	24.3	715	3.69	116.8	3.7	218.1	14.2	58.6
STD DS11	Standard							15.01	153.38	145.72	345.0	1707	83.4	14.0	1009	3.13	43.2	2.7	70.7	8.8	65.2
STD DS11	Standard							13.56	154.69	142.59	332.5	1651	80.2	13.4	915	2.99	39.3	2.5	77.1	7.5	62.7
STD DS11	Standard							12.92	141.17	136.38	337.7	1723	81.2	13.0	999	3.07	42.1	2.4	69.2	9.7	57.1
STD OREAS262	Standard							0.73	118.80	61.57	153.2	477	67.3	28.5	560	3.30	36.5	1.3	73.4	10.4	36.2
STD OREAS262	Standard							0.67	120.47	57.41	151.5	449	65.5	28.1	517	3.13	33.1	1.2	66.3	9.1	34.1
STD OREAS262	Standard							0.68	112.25	53.50	154.9	467	60.0	27.4	539	3.21	33.4	1.1	69.0	8.8	34.4
STD OREAS262	Standard							0.62	115.18	53.09	150.2	420	61.6	26.6	499	3.27	34.2	1.0	69.4	10.1	31.4



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 16, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000456.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2024415	Drill Core	0.58	0.51	0.16	35	0.24	0.059	19.0	36.9	0.97	133.7	0.005	<1	1.35	0.020	0.12	0.1	4.7	0.09	<0.02	8
REP 2024415	QC	0.65	0.54	0.16	35	0.22	0.062	18.6	35.3	0.95	127.5	0.005	<1	1.28	0.020	0.11	0.1	4.6	0.08	<0.02	7
2024422	Drill Core	0.95	1.00	0.56	10	0.14	0.036	29.3	9.2	0.41	157.5	0.007	1	0.66	0.031	0.20	0.5	2.2	0.18	<0.02	51
REP 2024422	QC																				
2024439	Drill Core	0.22	0.15	0.05	<1	0.02	0.006	38.4	0.9	0.02	135.5	<0.001	1	0.20	0.020	0.22	<0.1	0.7	0.05	<0.02	5
REP 2024439	QC																				
2024441	Drill Core	0.24	0.16	0.09	<1	0.02	0.006	35.4	0.9	0.03	110.6	<0.001	2	0.19	0.022	0.21	0.1	0.7	0.06	<0.02	<5
REP 2024441	QC	0.23	0.15	0.08	<1	0.02	0.006	37.3	0.7	0.03	109.7	<0.001	<1	0.19	0.022	0.22	0.1	0.7	0.06	<0.02	<5
2024449	Drill Core	0.07	0.07	0.03	<1	0.02	0.006	37.4	0.7	0.02	94.9	<0.001	1	0.22	0.008	0.23	<0.1	0.5	0.05	<0.02	<5
REP 2024449	QC	0.08	0.09	0.03	<1	0.02	0.006	40.3	0.9	0.02	102.3	<0.001	1	0.22	0.008	0.23	<0.1	0.7	0.05	<0.02	6
2024478	Drill Core	0.18	0.30	0.04	11	0.94	0.063	28.3	10.3	0.72	249.9	0.055	<1	0.88	0.016	0.57	<0.1	4.7	0.31	0.08	<5
REP 2024478	QC	0.18	0.28	0.03	11	0.92	0.059	26.8	10.0	0.71	238.5	0.053	<1	0.86	0.016	0.56	0.1	4.4	0.30	0.08	<5
Core Reject Duplicates																					
2024408	Drill Core	1.11	1.20	0.09	81	0.79	0.087	12.9	32.4	1.69	411.6	0.225	<1	3.30	0.017	0.38	0.3	11.1	0.41	<0.02	9
DUP 2024408	QC	1.06	1.06	0.09	80	0.79	0.089	12.2	31.5	1.72	405.4	0.200	<1	3.27	0.017	0.38	0.3	10.4	0.39	<0.02	13
2024442	Drill Core	0.34	0.22	0.06	2	0.03	0.010	38.7	1.5	0.07	97.3	0.002	<1	0.31	0.016	0.24	0.2	1.0	0.08	<0.02	5
DUP 2024442	QC	0.27	0.19	0.05	2	0.03	0.008	38.0	1.3	0.05	91.6	0.002	2	0.30	0.017	0.24	0.2	0.9	0.08	<0.02	9
2024476	Drill Core	0.39	0.44	0.14	13	0.99	0.066	21.6	13.3	0.81	184.6	0.049	<1	0.93	0.021	0.49	0.2	5.3	0.28	0.22	<5
DUP 2024476	QC	0.37	0.44	0.11	13	1.00	0.064	22.0	13.5	0.82	193.1	0.049	<1	0.94	0.020	0.50	0.2	5.5	0.29	0.23	<5
Reference Materials																					
STD BVGEO01	Standard	6.37	3.65	24.77	72	1.27	0.076	25.5	183.6	1.29	267.2	0.221	4	2.33	0.207	0.88	5.1	6.0	0.59	0.65	89
STD DS11	Standard	2.43	9.12	11.77	49	1.04	0.074	19.0	60.4	0.84	366.7	0.091	8	1.17	0.074	0.39	3.2	3.2	4.99	0.27	266
STD DS11	Standard	2.28	8.12	11.48	50	1.00	0.065	16.1	57.5	0.81	349.4	0.088	6	1.08	0.067	0.38	2.9	2.9	4.83	0.27	277
STD DS11	Standard	2.30	8.50	10.70	48	1.01	0.071	14.9	58.7	0.82	351.8	0.078	7	1.06	0.064	0.40	3.3	2.7	4.95	0.27	263
STD OREAS262	Standard	0.66	5.57	1.07	22	2.89	0.043	17.1	45.9	1.18	265.3	0.002	4	1.35	0.072	0.31	0.3	3.4	0.50	0.24	172
STD OREAS262	Standard	0.63	4.54	1.01	25	2.92	0.035	13.8	42.3	1.14	228.7	0.003	5	1.24	0.065	0.28	0.2	3.1	0.43	0.25	167
STD OREAS262	Standard	0.57	6.11	0.98	21	2.85	0.038	15.7	40.2	1.12	235.6	0.002	4	1.29	0.068	0.31	0.2	2.8	0.45	0.25	143
STD OREAS262	Standard	0.58	5.33	0.91	21	2.99	0.035	11.2	37.5	1.14	242.1	0.002	3	1.11	0.067	0.28	0.3	3.2	0.44	0.25	159



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000456.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2024415	Drill Core	<0.1	<0.02	6.5	4.59	<0.1	<0.02	<0.02	7.9	0.4	<0.05	1.2	12.00	43.2	0.04	<1	0.6	24.5	<10	<2
REP 2024415	QC	<0.1	<0.02	6.9	4.66	<0.1	<0.02	<0.02	8.1	0.5	<0.05	1.1	12.39	43.1	0.04	<1	0.4	24.4	<10	<2
2024422	Drill Core	<0.1	<0.02	4.2	1.50	<0.1	0.06	0.02	13.5	0.7	0.07	1.6	13.39	63.5	0.03	4	0.5	13.0	<10	<2
REP 2024422	QC																			
2024439	Drill Core	<0.1	0.02	0.8	0.52	<0.1	0.27	0.11	10.8	0.2	<0.05	6.9	9.81	78.0	<0.02	<1	0.2	1.7	<10	<2
REP 2024439	QC																			
2024441	Drill Core	<0.1	<0.02	0.7	0.69	<0.1	0.12	0.10	11.0	0.3	<0.05	8.1	12.19	70.6	<0.02	<1	0.2	1.9	<10	<2
REP 2024441	QC	<0.1	<0.02	0.7	0.72	<0.1	0.18	0.09	10.9	0.3	<0.05	8.7	11.71	73.2	<0.02	<1	0.2	1.8	<10	<2
2024449	Drill Core	<0.1	<0.02	0.6	0.94	<0.1	0.22	0.05	10.5	0.1	<0.05	7.8	4.76	78.3	<0.02	<1	0.1	2.0	<10	<2
REP 2024449	QC	<0.1	0.02	0.7	0.99	<0.1	0.24	0.04	10.8	<0.1	<0.05	7.8	4.68	78.4	<0.02	<1	0.2	1.8	<10	<2
2024478	Drill Core	0.2	<0.02	3.0	6.15	<0.1	0.40	0.09	36.4	0.4	<0.05	13.3	16.28	52.9	<0.02	<1	0.4	10.0	<10	<2
REP 2024478	QC	0.2	<0.02	3.0	5.80	<0.1	0.41	0.07	35.2	0.4	<0.05	12.3	15.34	50.0	<0.02	<1	0.4	9.9	<10	<2
Core Reject Duplicates																				
2024408	Drill Core	<0.1	<0.02	9.7	19.19	<0.1	0.26	0.04	34.7	0.6	<0.05	7.7	17.70	26.1	0.03	<1	0.6	51.5	<10	<2
DUP 2024408	QC	<0.1	0.02	9.3	18.29	<0.1	0.25	0.04	33.3	0.5	<0.05	6.7	17.78	25.4	0.04	<1	0.9	49.0	<10	<2
2024442	Drill Core	<0.1	<0.02	1.1	1.10	<0.1	0.24	0.08	13.8	0.2	<0.05	7.8	10.70	74.2	<0.02	<1	0.2	4.5	<10	3
DUP 2024442	QC	<0.1	0.03	1.0	0.94	<0.1	0.21	0.05	12.6	0.2	<0.05	7.1	10.72	74.3	<0.02	<1	0.2	3.7	<10	<2
2024476	Drill Core	0.4	<0.02	3.0	5.18	<0.1	0.32	0.07	31.2	0.4	<0.05	10.7	13.56	40.9	<0.02	<1	0.4	11.0	<10	<2
DUP 2024476	QC	0.4	<0.02	2.9	5.53	<0.1	0.34	0.08	32.7	0.4	<0.05	11.2	13.98	41.7	0.02	<1	0.4	10.9	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.4	1.13	7.2	7.01	0.2	0.32	0.39	90.0	6.0	<0.05	9.2	14.01	51.3	0.45	6	0.5	22.1	109	178
STD DS11	Standard	2.3	4.80	4.7	3.07	<0.1	0.07	1.68	34.4	1.8	<0.05	2.8	8.20	38.6	0.24	47	0.7	23.5	114	176
STD DS11	Standard	1.8	4.34	4.5	2.82	<0.1	0.07	1.31	30.5	1.8	<0.05	2.7	7.24	32.1	0.24	46	0.7	22.5	99	183
STD DS11	Standard	2.6	4.81	4.5	2.84	0.1	0.08	1.34	33.1	1.6	<0.05	3.3	6.88	30.8	0.24	48	0.6	20.5	97	189
STD OREAS262	Standard	0.4	0.23	4.0	3.10	<0.1	0.32	<0.02	19.2	0.6	<0.05	10.8	11.15	34.0	0.03	<1	1.0	18.7	<10	<2
STD OREAS262	Standard	<0.1	0.20	3.6	2.73	<0.1	0.27	<0.02	16.9	0.5	<0.05	10.4	10.01	28.3	0.04	<1	1.2	18.6	13	<2
STD OREAS262	Standard	0.5	0.23	4.1	2.92	<0.1	0.27	<0.02	19.2	0.5	<0.05	11.6	9.83	31.6	<0.02	3	1.2	16.7	<10	2
STD OREAS262	Standard	0.6	0.23	3.5	2.79	0.1	0.18	<0.02	15.8	0.5	<0.05	13.2	9.74	23.4	<0.02	<1	1.0	15.5	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000456.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXC152	Standard			0.213																	
STD OXC152	Standard			0.216																	
STD OXC152	Standard			0.214																	
STD OXC152	Standard			0.211																	
STD OXH139	Standard			1.276																	
STD OXH139	Standard			1.313																	
STD OXH139	Standard			1.308																	
STD OXH139	Standard			1.247																	
STD OXN134	Standard			7.513																	
STD OXN134	Standard			7.758																	
STD OXN134	Standard			7.767																	
STD OXN134	Standard			7.416																	
STD OXQ90	Standard					25.02	29.98														
STD OXQ90	Standard					25.13	29.97														
STD OXQ90	Standard					25.37	30.03														
STD OXQ90	Standard					25.19	30.01														
STD OXQ90	Standard					25.60	29.65														
STD OXQ90	Standard					25.36	30.09														
STD OXQ90	Standard					25.26	30.05														
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
STD OXQ90 Expected						24.88															
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000456.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD BVGE001 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000456.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000456.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		426	<0.005	<0.01	<0.17	39.61	0.74	3.07	0.84	29.7	10	1.4	4.0	502	1.83	0.9	0.4	2.0	2.0	17.4
ROCK-WHI	Prep Blank		424	<0.005	<0.01	<0.17	40.66	0.77	3.01	0.84	28.7	10	1.4	3.8	498	1.74	0.8	0.4	0.5	2.0	14.9



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000456.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.2	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.07	<0.02	24	0.61	0.037	4.9	4.5	0.51	45.9	0.052	2	0.81	0.057	0.06	<0.1	2.5	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.01	0.03	<0.02	21	0.52	0.036	4.7	3.9	0.47	42.5	0.049	1	0.72	0.055	0.06	<0.1	2.4	<0.02	0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000456.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.2	0.12	<0.1	0.10	0.13	1.7	0.3	<0.05	2.3	6.79	10.2	<0.02	<1	0.2	1.3	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.1	0.11	<0.1	0.09	0.13	1.7	0.2	<0.05	2.3	6.79	9.6	<0.02	1	0.3	1.1	<10	<2