



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: August 27, 2019
Report Date: September 16, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000457.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-49
P.O. Number
Number of Samples: 67

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	65	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FS631	67	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	67	Analysis sample split/packet			WHI
Split -150	67	Analysis sample split/packet			WHI
EN002	67	Environmental disposal charge-Fire assay lead waste			VAN
FS631	66	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	67	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	67	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000457.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2024747	Drill Core	1.55	528	<0.005	<0.01	<0.17	35.24	1.58	20.15	15.86	67.6	725	15.1	8.4	518	2.17	16.3	1.3	2.1	5.5	45.1
2024748	Drill Core	3.87	447	<0.005	<0.01	<0.17	32.58	1.12	21.48	11.01	73.7	197	26.4	12.3	561	2.65	29.2	1.3	1.4	6.8	95.0
2024749	Drill Core	2.78	456	<0.005	<0.01	<0.17	41.03	1.52	28.69	12.09	79.4	696	26.0	11.7	589	2.77	101.6	1.0	1.2	6.6	94.5
2024750	Drill Core	3.04	442	<0.005	<0.01	<0.17	29.63	1.16	24.46	11.02	77.2	295	27.7	11.2	586	2.72	33.2	1.1	1.1	7.1	73.3
2024751	Drill Core	2.54	498	0.017	0.02	<0.17	42.78	1.16	25.40	4.75	69.6	233	15.5	8.4	523	2.61	75.4	1.6	17.4	7.0	40.6
2024752	Drill Core	3.49	409	<0.005	<0.01	<0.17	43.20	1.12	16.85	5.93	59.9	160	15.6	8.3	519	2.47	39.6	1.0	0.8	7.2	43.1
2024753	Drill Core	3.00	452	<0.005	<0.01	<0.17	29.21	1.32	16.11	9.81	72.2	149	13.8	7.8	464	2.36	19.4	1.4	1.2	9.2	63.1
2024754	Drill Core	2.89	483	0.026	0.02	<0.17	34.82	1.37	23.25	10.96	74.3	274	15.0	8.7	626	2.69	24.7	1.5	24.9	5.8	49.1
2024755	Drill Core	1.90	396	<0.005	<0.01	<0.17	24.96	1.10	12.84	14.01	65.8	139	10.6	6.9	546	2.32	14.5	1.4	1.0	9.5	49.9
2024756	Drill Core	2.53	493	<0.005	<0.01	<0.17	36.83	1.56	28.53	46.35	181.5	468	15.2	8.5	616	2.59	20.9	1.6	1.0	8.0	59.6
2024757	Drill Core	1.87	371	<0.005	<0.01	<0.17	24.06	1.26	19.29	16.23	87.0	200	16.6	8.8	515	2.36	8.9	1.7	0.4	8.0	32.5
2024758	Drill Core	3.16	481	<0.005	<0.01	<0.17	30.25	0.98	17.55	14.33	76.1	178	11.9	9.0	535	2.95	9.8	6.3	0.5	6.1	46.4
2024759	Drill Core	3.88	461	<0.005	<0.01	<0.17	31.19	1.05	21.38	12.34	63.8	184	13.1	7.7	440	2.35	9.5	4.8	<0.2	7.8	29.4
2024760	Core DUP		452	<0.005	<0.01	<0.17	40.24	1.04	21.47	13.02	65.2	203	13.4	7.9	439	2.34	9.6	5.0	<0.2	8.0	29.7
2024761	Drill Core	1.48	550	0.006	<0.01	<0.17	30.33	0.96	14.50	23.70	71.4	238	12.3	8.2	539	2.59	9.0	1.9	3.3	8.6	51.8
2024762	Drill Core	2.78	520	<0.005	<0.01	<0.17	31.28	0.77	15.56	12.95	66.1	172	11.4	7.5	533	2.33	60.3	1.8	2.1	7.5	69.4
2024763	Drill Core	2.96	472	0.007	<0.01	<0.17	32.65	0.86	10.83	16.85	68.4	222	7.8	7.5	546	2.61	58.7	1.8	3.4	6.7	80.7
2024764	Drill Core	2.69	438	0.006	<0.01	<0.17	43.13	1.20	18.89	16.99	66.2	259	15.7	8.5	557	2.39	35.6	2.0	3.6	9.8	83.4
2024765	Drill Core	3.04	505	0.006	<0.01	<0.17	33.15	0.92	17.36	13.29	65.5	219	13.7	7.6	542	2.49	36.6	2.1	1.6	8.7	76.6
2024766	Drill Core	3.16	505	0.005	<0.01	<0.17	29.28	1.13	16.20	12.15	73.3	162	11.5	8.8	564	2.73	28.4	2.5	2.1	9.1	84.9
2024767	Drill Core	2.47	495	0.007	<0.01	<0.17	31.61	0.75	14.73	12.22	84.0	155	7.8	9.2	621	3.21	27.1	2.2	5.1	7.9	92.3
2024768	Drill Core	2.96	507	<0.005	<0.01	<0.17	37.41	1.17	13.40	16.58	84.0	162	13.0	9.9	618	3.01	88.0	1.6	2.0	7.3	117.1
2024769	Drill Core	3.05	521	<0.005	<0.01	<0.17	38.51	1.00	17.90	14.76	71.0	192	14.4	8.4	514	2.42	59.0	1.6	0.7	8.7	75.2
2024770	Drill Core	2.08	445	<0.005	<0.01	<0.17	35.45	0.96	19.36	11.60	69.6	253	17.1	8.0	481	2.36	7.5	1.6	1.5	8.3	78.5
2024771	Drill Core	3.68	374	0.008	<0.01	<0.17	36.97	1.08	28.30	20.67	103.3	740	24.3	7.6	362	2.41	19.4	1.0	7.0	6.7	31.4
2024772	Drill Core	2.84	477	0.016	0.02	<0.17	33.00	3.90	49.50	69.91	221.3	1375	25.8	8.4	379	2.62	25.8	1.1	12.2	7.8	26.9
2024773	Drill Core	3.16	472	0.026	0.02	<0.17	33.92	2.59	54.13	87.98	261.3	1658	20.4	6.9	262	1.90	39.6	0.8	21.1	9.5	27.5
2024774	Drill Core	2.47	485	0.010	<0.01	<0.17	34.26	1.03	19.35	17.78	105.0	515	14.0	4.6	210	1.49	27.3	0.9	6.0	10.0	45.5
2024775	Drill Core	2.87	455	0.005	<0.01	<0.17	29.74	1.42	18.52	18.06	59.8	376	16.0	6.6	433	1.93	121.9	4.6	2.0	11.4	99.5
2024776	Drill Core	2.81	488	0.006	<0.01	<0.17	35.42	1.60	23.48	14.44	60.7	461	20.7	8.0	481	2.19	72.5	1.6	2.2	9.6	94.1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000457.1

Method Analyte Unit MDL			AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
			0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024747	Drill Core	0.31	1.41	0.14	34	1.03	0.055	12.0	67.2	1.06	150.6	0.022	2	1.15	0.023	0.25	4.1	5.3	0.15	<0.02	<5	
2024748	Drill Core	0.37	1.47	0.09	41	2.31	0.065	16.0	88.2	1.27	153.6	0.027	4	1.33	0.015	0.37	0.2	7.2	0.18	<0.02	<5	
2024749	Drill Core	0.46	3.30	0.04	46	1.96	0.065	16.2	106.8	1.55	151.3	0.022	3	1.61	0.013	0.28	0.2	7.1	0.15	<0.02	<5	
2024750	Drill Core	0.31	2.01	0.09	30	1.68	0.069	14.4	53.4	1.38	147.4	0.033	4	1.52	0.010	0.29	<0.1	5.7	0.13	<0.02	<5	
2024751	Drill Core	0.57	0.80	0.09	22	1.24	0.066	16.5	23.9	0.94	147.6	0.017	3	1.18	0.013	0.35	<0.1	3.7	0.17	<0.02	<5	
2024752	Drill Core	0.23	1.02	0.04	22	1.34	0.060	13.8	23.3	1.29	131.7	0.028	3	1.46	0.009	0.37	0.1	3.9	0.18	<0.02	<5	
2024753	Drill Core	0.15	1.33	0.05	20	1.19	0.058	21.0	17.6	1.15	128.1	0.015	3	1.36	0.014	0.25	<0.1	2.7	0.14	<0.02	<5	
2024754	Drill Core	0.39	2.32	0.21	22	1.74	0.066	16.3	24.2	1.02	149.1	0.008	3	1.33	0.013	0.25	<0.1	3.7	0.17	<0.02	<5	
2024755	Drill Core	0.16	0.43	0.11	14	1.18	0.053	22.9	13.2	1.07	124.8	0.005	3	1.29	0.012	0.24	<0.1	2.3	0.15	<0.02	<5	
2024756	Drill Core	1.28	1.77	0.36	20	1.05	0.061	17.6	15.5	1.33	118.8	0.006	2	1.46	0.007	0.25	<0.1	2.7	0.19	<0.02	<5	
2024757	Drill Core	0.33	1.98	0.11	24	0.47	0.056	16.7	40.5	1.33	133.0	0.019	1	1.27	0.010	0.23	<0.1	4.2	0.17	<0.02	<5	
2024758	Drill Core	0.32	2.90	0.08	41	0.66	0.078	12.6	61.8	1.16	135.3	0.082	2	1.44	0.016	0.20	0.5	7.1	0.16	<0.02	<5	
2024759	Drill Core	0.26	2.93	0.09	28	0.56	0.064	14.2	30.3	0.87	156.9	0.063	1	1.23	0.018	0.24	0.4	5.1	0.16	<0.02	<5	
2024760	Core DUP	0.23	3.12	0.09	28	0.56	0.065	14.1	30.3	0.88	188.0	0.064	1	1.24	0.020	0.26	0.5	5.1	0.17	<0.02	<5	
2024761	Drill Core	0.31	1.19	0.18	25	1.55	0.061	19.6	23.7	0.82	158.5	0.023	2	1.23	0.016	0.33	<0.1	6.2	0.26	<0.02	5	
2024762	Drill Core	0.28	0.91	0.10	23	1.95	0.057	23.3	19.0	0.71	168.5	0.004	3	1.08	0.016	0.23	<0.1	5.9	0.11	<0.02	<5	
2024763	Drill Core	0.31	0.72	0.17	18	2.30	0.075	22.0	15.3	0.73	168.9	0.003	3	1.28	0.012	0.22	<0.1	4.2	0.07	<0.02	<5	
2024764	Drill Core	0.31	0.76	0.17	20	1.89	0.070	31.5	17.2	0.75	183.4	0.002	<1	1.22	0.010	0.25	<0.1	3.9	0.08	<0.02	<5	
2024765	Drill Core	0.27	0.83	0.10	25	1.73	0.063	25.6	24.0	0.77	152.8	0.003	2	1.18	0.019	0.17	<0.1	4.7	0.06	<0.02	<5	
2024766	Drill Core	0.37	0.85	0.09	25	1.98	0.076	23.9	22.2	0.81	178.2	0.011	3	1.28	0.019	0.28	<0.1	6.8	0.14	0.03	<5	
2024767	Drill Core	0.36	1.25	0.06	22	2.23	0.084	22.9	21.1	0.96	196.1	0.007	2	1.59	0.015	0.26	0.1	5.1	0.14	0.03	<5	
2024768	Drill Core	0.32	0.84	0.15	26	2.54	0.077	22.4	37.4	0.95	184.0	0.004	2	1.57	0.014	0.22	<0.1	5.5	0.08	0.02	<5	
2024769	Drill Core	0.33	1.07	0.10	25	1.63	0.061	23.6	33.1	0.85	134.2	0.006	1	1.28	0.016	0.22	0.2	4.3	0.13	<0.02	<5	
2024770	Drill Core	0.36	0.71	0.11	22	1.74	0.060	26.0	25.9	0.90	133.4	0.006	1	1.31	0.015	0.26	0.1	4.4	0.18	<0.02	<5	
2024771	Drill Core	0.42	0.55	0.25	16	0.65	0.055	22.4	21.9	1.18	95.1	0.002	<1	1.46	0.007	0.18	0.2	2.4	0.09	<0.02	<5	
2024772	Drill Core	1.31	0.71	0.81	18	0.55	0.064	22.2	22.2	1.16	127.6	0.001	<1	1.45	0.006	0.17	0.2	3.3	0.07	<0.02	<5	
2024773	Drill Core	1.67	0.92	0.51	12	0.55	0.056	27.9	13.3	0.65	175.0	0.001	<1	1.01	0.009	0.22	0.1	2.7	0.08	<0.02	<5	
2024774	Drill Core	1.13	0.47	0.29	11	0.90	0.043	27.1	11.7	0.48	157.5	0.001	<1	0.76	0.012	0.20	<0.1	2.3	0.06	<0.02	<5	
2024775	Drill Core	0.46	1.12	0.46	15	1.82	0.065	25.5	17.7	0.59	311.7	0.003	<1	0.85	0.011	0.25	0.1	4.9	0.08	0.08	<5	
2024776	Drill Core	0.43	1.06	0.43	20	1.77	0.066	24.5	24.3	0.69	246.4	0.003	2	0.98	0.009	0.23	<0.1	5.8	0.09	<0.02	<5	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 2 of 4 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000457.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024747	Drill Core	0.1	0.02	4.5	2.61	<0.1	0.04	0.05	14.6	0.4	<0.05	1.6	9.16	22.3	0.02	<1	0.5	17.1	<10	<2			
2024748	Drill Core	0.3	0.03	4.9	5.15	<0.1	0.07	0.04	20.3	0.5	<0.05	5.0	12.24	30.5	0.02	<1	0.2	14.5	<10	<2			
2024749	Drill Core	<0.1	<0.02	5.2	3.38	<0.1	0.11	0.03	14.6	0.5	<0.05	3.1	10.05	31.5	0.02	<1	0.6	22.3	15	<2			
2024750	Drill Core	0.2	0.02	4.5	3.47	<0.1	0.12	0.05	13.6	0.4	<0.05	4.5	11.43	28.6	<0.02	<1	0.6	20.6	20	<2			
2024751	Drill Core	0.7	0.04	3.9	4.08	<0.1	0.27	0.04	16.6	0.4	<0.05	4.7	9.30	30.9	<0.02	<1	0.3	14.7	<10	<2			
2024752	Drill Core	<0.1	<0.02	4.1	3.85	<0.1	0.25	0.05	17.9	0.3	<0.05	9.4	8.89	26.6	<0.02	<1	0.5	21.1	<10	<2			
2024753	Drill Core	<0.1	0.02	4.6	3.55	<0.1	0.30	0.03	11.9	0.4	<0.05	11.2	10.44	40.7	<0.02	<1	0.6	19.7	<10	<2			
2024754	Drill Core	0.4	0.03	3.9	3.00	<0.1	0.13	<0.02	10.9	0.4	<0.05	6.1	8.26	30.6	<0.02	<1	0.3	19.5	<10	<2			
2024755	Drill Core	<0.1	0.02	3.7	3.54	<0.1	0.29	<0.02	10.9	0.4	<0.05	11.1	8.05	43.2	<0.02	<1	0.2	16.6	<10	<2			
2024756	Drill Core	0.5	0.06	3.8	3.74	<0.1	0.30	<0.02	12.7	0.4	<0.05	12.0	10.54	33.8	0.03	<1	0.3	26.2	<10	<2			
2024757	Drill Core	<0.1	0.02	4.2	3.16	<0.1	0.24	0.03	11.9	0.5	<0.05	9.3	12.92	31.9	0.02	<1	0.4	20.1	12	<2			
2024758	Drill Core	0.2	<0.02	7.5	2.34	<0.1	0.08	0.13	11.3	0.8	<0.05	2.5	11.61	24.2	0.03	<1	0.5	24.6	<10	<2			
2024759	Drill Core	<0.1	<0.02	6.7	2.16	<0.1	0.17	0.15	13.8	0.7	<0.05	2.1	10.29	26.0	0.03	<1	0.6	20.0	<10	<2			
2024760	Core DUP	<0.1	<0.02	6.6	2.17	<0.1	0.08	0.18	15.1	0.7	<0.05	2.6	10.56	25.9	0.03	<1	0.3	20.5	<10	<2			
2024761	Drill Core	<0.1	0.03	5.7	4.92	<0.1	0.05	0.04	21.8	0.7	<0.05	1.7	13.19	37.7	0.04	<1	0.7	15.1	<10	<2			
2024762	Drill Core	<0.1	<0.02	4.6	3.23	<0.1	0.05	<0.02	12.0	0.6	<0.05	1.2	11.26	44.2	0.03	<1	0.4	14.6	<10	<2			
2024763	Drill Core	<0.1	<0.02	4.5	2.49	<0.1	<0.02	<0.02	10.5	0.3	<0.05	0.9	10.57	40.8	0.02	<1	0.4	20.3	<10	<2			
2024764	Drill Core	<0.1	<0.02	5.2	2.36	<0.1	0.03	<0.02	12.3	0.4	<0.05	1.2	13.30	54.7	<0.02	<1	0.3	21.6	<10	<2			
2024765	Drill Core	<0.1	0.02	4.5	2.19	<0.1	0.03	<0.02	7.6	0.4	<0.05	1.2	11.18	48.3	0.03	<1	0.5	16.3	<10	<2			
2024766	Drill Core	0.2	<0.02	5.3	5.18	<0.1	0.03	<0.02	14.8	0.5	<0.05	1.4	13.49	46.4	0.04	1	0.3	12.8	<10	<2			
2024767	Drill Core	0.2	0.02	6.1	4.78	<0.1	0.05	<0.02	13.9	0.4	<0.05	1.6	13.06	43.5	0.02	2	0.3	20.5	10	<2			
2024768	Drill Core	0.1	0.04	5.4	3.56	<0.1	0.04	<0.02	9.8	0.3	<0.05	2.9	11.20	41.7	0.03	<1	0.3	22.7	<10	<2			
2024769	Drill Core	0.1	<0.02	5.7	4.05	<0.1	0.03	<0.02	13.8	0.4	<0.05	1.7	14.18	45.7	<0.02	1	0.7	18.8	<10	<2			
2024770	Drill Core	0.2	0.03	6.0	4.88	<0.1	0.07	<0.02	17.9	0.5	<0.05	2.2	15.27	48.1	0.03	<1	0.4	19.9	<10	<2			
2024771	Drill Core	0.2	0.04	5.3	2.69	<0.1	0.02	<0.02	11.5	0.3	<0.05	1.1	11.11	41.3	<0.02	<1	0.1	21.3	<10	<2			
2024772	Drill Core	0.3	0.06	5.9	2.02	<0.1	0.02	<0.02	9.2	0.3	<0.05	1.2	9.30	42.5	0.03	<1	0.3	25.0	<10	<2			
2024773	Drill Core	0.2	0.07	4.1	1.39	<0.1	0.06	<0.02	10.3	0.5	<0.05	2.5	9.75	52.1	0.03	<1	0.3	15.3	<10	<2			
2024774	Drill Core	0.1	0.03	3.4	1.24	<0.1	0.03	<0.02	9.5	0.4	<0.05	2.1	8.99	50.3	<0.02	<1	0.2	11.5	<10	<2			
2024775	Drill Core	1.1	0.06	2.7	2.64	<0.1	0.07	<0.02	11.8	0.3	<0.05	2.6	9.78	47.3	0.02	4	0.4	12.0	<10	<2			
2024776	Drill Core	0.5	0.04	3.4	2.36	<0.1	0.08	<0.02	11.0	0.4	<0.05	3.4	9.41	44.6	0.02	<1	0.6	14.5	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000457.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
2024777	Drill Core	2.86	433	<0.005	<0.01	<0.17	34.71	1.42	30.83	15.99	57.8	478	19.1	7.8	378	2.01	92.5	1.7	0.5	10.0	84.8
2024778	Drill Core	3.20	472	<0.005	<0.01	<0.17	28.74	1.37	22.99	17.78	67.5	391	13.4	5.3	294	1.71	43.4	1.6	0.8	10.8	71.7
2024779	Drill Core	3.11	534	<0.005	<0.01	<0.17	32.40	1.69	22.87	23.57	34.9	380	14.6	4.4	239	1.28	60.1	1.8	0.7	14.8	75.5
2024780	Rock	0.23	144	<0.005	<0.01	<0.17	30.17	0.39	1.39	1.42	3.1	7	1.5	0.6	75	0.62	1.4	0.2	<0.2	1.1	1.7
2024781	Drill Core	2.72	468	0.014	0.01	<0.17	40.02	1.70	21.19	27.47	38.1	549	14.9	4.9	320	1.40	42.7	1.6	9.3	12.8	79.0
2024782	Drill Core	2.97	498	0.012	0.01	<0.17	35.22	1.35	28.62	28.10	54.8	568	18.3	5.4	349	1.54	35.4	1.5	5.1	10.4	76.3
2024783	Drill Core	3.06	517	0.014	0.01	<0.17	32.63	0.86	18.40	17.41	50.7	498	7.4	2.9	139	1.03	87.3	1.2	6.7	16.5	38.1
2024784	Drill Core	2.81	353	0.010	<0.01	<0.17	36.31	1.31	28.54	29.41	109.8	621	13.4	5.8	253	1.97	66.7	1.6	5.6	10.9	21.8
2024785	Drill Core	3.35	380	0.019	0.02	<0.17	25.84	1.26	40.58	40.23	158.7	635	12.3	8.3	438	2.46	32.7	1.7	14.5	10.0	37.1
2024786	Drill Core	1.91	438	<0.005	<0.01	<0.17	39.59	0.94	28.16	11.20	76.9	404	13.9	9.1	467	2.26	2.2	1.7	1.9	10.6	97.2
2024787	Drill Core	1.97	426	0.045	0.04	<0.17	30.89	1.22	20.20	8.03	60.4	676	9.0	8.3	491	2.03	5.9	1.6	78.7	10.4	114.5
2024788	Drill Core	2.93	405	<0.005	<0.01	<0.17	34.31	0.80	18.94	16.23	63.4	275	12.8	7.6	313	2.30	7.8	1.4	1.7	9.7	70.0
2024789	Drill Core	2.81	361	<0.005	<0.01	<0.17	29.79	0.81	19.29	18.19	61.0	234	12.1	7.9	348	2.23	6.7	2.4	<0.2	10.3	109.0
2024790	Drill Core	2.65	486	<0.005	<0.01	<0.17	30.55	0.93	5.87	24.80	39.5	209	3.0	2.2	275	1.08	1.0	2.3	<0.2	12.8	121.5
2024791	Drill Core	3.22	349	<0.005	<0.01	<0.17	34.80	0.21	5.49	19.71	10.4	231	0.5	0.6	91	0.45	1.6	1.3	0.5	13.0	46.5
2024792	Drill Core	3.22	416	<0.005	<0.01	<0.17	30.29	0.23	9.24	25.65	11.1	262	0.3	0.2	59	0.36	1.2	1.4	0.4	16.4	51.9
2024793	Drill Core	2.02	422	0.007	<0.01	<0.17	40.05	0.59	15.43	54.81	21.6	353	0.3	0.2	86	0.37	1.1	1.6	<0.2	18.1	49.5
2024794	Drill Core	1.94	372	0.005	<0.01	<0.17	24.60	0.29	8.25	22.76	7.5	312	0.2	0.2	62	0.28	0.9	1.1	0.7	18.6	52.5
2024795	Drill Core	1.28	475	0.015	0.01	<0.17	34.36	0.20	8.42	20.98	4.3	402	0.2	0.1	69	0.26	0.7	1.3	25.1	17.9	46.2
2024796	Drill Core	2.82	452	0.017	0.02	<0.17	40.49	4.53	11.68	19.90	8.6	619	0.4	0.5	74	0.41	1.2	1.1	8.0	12.4	65.5
2024797	Drill Core	4.07	399	<0.005	<0.01	<0.17	42.07	8.06	5.31	21.38	17.2	263	0.8	0.8	106	0.52	1.2	1.2	<0.2	12.9	32.0
2024798	Drill Core	1.86	371	0.018	0.02	<0.17	35.47	0.87	3.82	25.69	5.2	244	0.2	0.2	62	0.28	1.4	1.4	7.4	16.6	36.2
2024799	Drill Core	1.51	509	<0.005	<0.01	<0.17	27.37	0.75	2.19	19.34	4.2	89	0.2	<0.1	46	0.22	1.0	1.2	<0.2	17.6	28.5
2024800	Rock Pulp	0.12	61	7.508				8.52	186.20	19.56	72.7	835	12.5	9.8	488	4.07	12.1	0.9	8112.4	2.9	54.4
2024801	Drill Core	2.97	462	<0.005	<0.01	<0.17	31.69	0.35	1.99	17.74	5.7	13	0.2	<0.1	60	0.24	0.5	1.7	<0.2	18.3	35.7
2024802	Drill Core	2.97	484	0.005	<0.01	<0.17	36.19	0.78	2.28	21.96	4.9	76	0.3	0.1	87	0.23	1.1	2.1	2.1	18.7	42.1
2024803	Drill Core	2.78	488	<0.005	<0.01	<0.17	37.75	0.51	4.39	22.37	4.1	148	0.3	0.1	60	0.22	0.6	1.5	1.0	17.7	47.1
2024804	Drill Core	3.28	428	<0.005	<0.01	<0.17	33.57	0.24	4.35	19.34	6.8	184	0.4	0.2	75	0.30	0.3	1.4	<0.2	15.9	46.1
2024805	Drill Core	0.56	493	0.013	0.01	<0.17	37.91	0.30	2.72	17.04	9.3	360	0.4	0.5	92	0.37	0.7	1.3	6.8	11.9	32.1
2024806	Drill Core	1.37	424	0.007	<0.01	<0.17	38.60	2.45	4.33	89.75	18.1	784	0.7	0.4	146	0.47	0.8	0.8	8.4	10.3	74.7



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000457.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
2024777	Drill Core	0.47	1.09	0.39	16	1.26	0.077	29.5	19.2	0.56	194.6	0.002	1	0.91	0.010	0.25	0.1	4.9	0.08	<5
2024778	Drill Core	0.53	1.35	0.33	13	1.15	0.064	30.2	13.2	0.42	209.3	0.003	1	0.77	0.019	0.24	0.1	3.6	0.10	<5
2024779	Drill Core	0.48	1.82	0.38	10	1.35	0.049	39.2	10.7	0.24	229.0	0.003	<1	0.60	0.021	0.25	<0.1	2.2	0.11	<0.02
2024780	Rock	<0.01	0.05	<0.02	2	0.03	0.003	2.0	3.9	0.02	12.0	0.004	1	0.07	0.004	0.02	<0.1	0.3	<0.02	<0.02
2024781	Drill Core	0.38	0.72	0.48	13	1.29	0.055	37.5	12.3	0.32	183.9	0.001	<1	0.64	0.014	0.24	0.1	1.9	0.10	<0.02
2024782	Drill Core	0.40	0.42	0.40	15	1.48	0.055	31.5	17.9	0.39	166.2	0.002	2	0.71	0.008	0.25	<0.1	1.9	0.09	<0.02
2024783	Drill Core	0.51	0.83	0.31	6	0.63	0.045	39.4	5.9	0.18	201.1	0.001	1	0.51	0.019	0.24	0.1	1.3	0.08	<0.02
2024784	Drill Core	1.03	0.92	0.29	17	0.33	0.057	28.9	15.7	0.54	158.5	0.001	<1	0.97	0.010	0.23	0.2	2.6	0.08	<0.02
2024785	Drill Core	1.27	0.87	0.09	24	0.60	0.071	20.5	28.3	0.87	121.9	0.016	<1	1.28	0.013	0.27	2.7	3.0	0.16	<0.02
2024786	Drill Core	0.53	0.48	0.08	23	1.45	0.071	20.5	24.9	0.85	295.6	0.054	<1	1.14	0.016	0.36	0.5	3.8	0.20	0.07
2024787	Drill Core	0.33	0.80	0.07	20	1.75	0.068	19.7	20.8	0.72	234.4	0.040	<1	1.05	0.016	0.38	0.4	3.2	0.17	0.14
2024788	Drill Core	0.24	0.26	0.11	21	1.21	0.061	13.2	18.4	0.72	148.5	0.004	<1	1.09	0.018	0.21	0.2	4.4	0.06	0.11
2024789	Drill Core	0.32	0.41	0.16	22	1.61	0.063	16.2	19.0	0.76	183.8	0.029	<1	0.98	0.024	0.38	0.2	6.1	0.18	0.21
2024790	Drill Core	0.49	0.36	0.20	5	1.91	0.022	23.1	5.6	0.49	192.0	0.006	1	0.54	0.004	0.30	0.1	3.2	0.11	0.06
2024791	Drill Core	0.28	0.35	0.23	<1	0.48	0.008	38.1	1.7	0.04	756.8	0.002	1	0.24	0.026	0.21	<0.1	1.3	0.07	0.06
2024792	Drill Core	0.19	0.41	0.33	<1	0.39	0.004	37.4	1.5	0.03	957.5	0.002	2	0.23	0.017	0.22	0.1	1.2	0.05	0.04
2024793	Drill Core	0.22	0.31	0.28	<1	0.33	0.004	39.8	1.5	0.05	1632.1	<0.001	<1	0.23	0.016	0.21	0.2	1.0	0.06	0.05
2024794	Drill Core	0.17	0.20	0.40	<1	0.48	0.003	41.1	1.5	0.03	930.9	<0.001	<1	0.21	0.014	0.21	<0.1	0.8	0.04	0.03
2024795	Drill Core	0.10	0.34	0.53	<1	0.47	0.003	37.4	1.3	0.03	183.3	<0.001	<1	0.20	0.013	0.21	<0.1	0.6	0.05	<0.02
2024796	Drill Core	0.40	1.18	0.32	<1	0.56	0.006	22.4	1.7	0.07	633.7	<0.001	<1	0.25	0.002	0.23	<0.1	0.8	0.05	0.04
2024797	Drill Core	0.53	0.83	0.23	<1	0.60	0.007	17.1	1.9	0.15	271.2	<0.001	<1	0.29	0.002	0.24	<0.1	1.1	0.06	0.07
2024798	Drill Core	0.05	1.23	0.07	<1	0.41	0.004	33.2	1.2	0.03	150.6	<0.001	<1	0.20	0.021	0.20	<0.1	0.6	0.04	0.05
2024799	Drill Core	0.07	0.18	0.09	<1	0.25	0.005	38.1	1.3	0.02	294.5	<0.001	<1	0.17	0.025	0.18	<0.1	0.6	0.04	<0.02
2024800	Rock Pulp	0.16	4.15	0.54	94	0.71	0.059	6.7	15.8	0.75	113.7	0.094	5	1.39	0.139	0.20	3.5	2.9	0.07	<0.02
2024801	Drill Core	0.04	0.13	0.05	<1	0.27	0.006	40.7	1.2	0.04	646.5	0.001	<1	0.21	0.029	0.20	<0.1	1.3	0.04	0.02
2024802	Drill Core	0.04	0.19	0.05	<1	0.41	0.005	41.4	1.2	0.04	535.9	<0.001	<1	0.19	0.022	0.19	<0.1	1.0	0.05	0.03
2024803	Drill Core	0.05	0.55	0.23	<1	0.39	0.004	34.0	1.2	0.05	472.3	<0.001	<1	0.20	0.015	0.21	<0.1	0.6	0.04	0.03
2024804	Drill Core	0.14	0.36	0.31	<1	0.40	0.004	33.0	1.3	0.05	374.0	<0.001	<1	0.22	0.015	0.22	<0.1	0.8	0.05	0.05
2024805	Drill Core	0.13	0.73	0.26	<1	0.41	0.005	16.6	1.2	0.07	241.4	<0.001	1	0.23	0.004	0.21	<0.1	0.8	0.06	0.10
2024806	Drill Core	0.62	0.99	0.85	<1	0.70	0.005	16.1	2.1	0.19	285.4	0.001	<1	0.28	0.001	0.22	<0.1	1.0	0.07	<0.02



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 16, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000457.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2024777	Drill Core	1.0	0.05	3.1	2.39	<0.1	0.19	<0.02	12.4	0.5	<0.05	7.6	10.56	55.0	0.03	2	0.7	15.9	<10
2024778	Drill Core	0.3	0.03	3.2	2.62	<0.1	0.28	<0.02	12.1	0.5	<0.05	11.1	12.05	54.2	<0.02	1	0.3	12.1	<10
2024779	Drill Core	0.9	0.05	2.7	2.37	<0.1	0.45	<0.02	13.2	0.5	<0.05	15.1	15.52	69.2	0.02	<1	0.4	10.1	<10
2024780	Rock	<0.1	<0.02	0.3	0.09	<0.1	0.06	0.05	0.9	<0.1	<0.05	2.0	1.10	4.3	<0.02	<1	0.1	1.2	<10
2024781	Drill Core	0.3	0.05	3.0	3.34	<0.1	0.24	0.02	13.2	0.4	<0.05	8.8	14.68	67.1	0.02	<1	0.4	11.6	<10
2024782	Drill Core	0.2	0.04	3.1	1.94	<0.1	0.16	0.02	14.1	0.3	<0.05	6.6	13.03	58.1	<0.02	<1	0.4	11.7	<10
2024783	Drill Core	0.6	0.04	2.0	2.18	<0.1	0.30	0.02	12.0	0.4	<0.05	11.3	11.07	72.0	<0.02	<1	0.3	8.0	<10
2024784	Drill Core	0.5	<0.02	3.9	3.17	<0.1	0.09	<0.02	12.5	0.4	<0.05	3.8	10.82	52.5	<0.02	<1	0.4	18.3	<10
2024785	Drill Core	0.5	<0.02	5.7	4.35	<0.1	0.08	0.03	18.7	0.7	<0.05	2.5	10.88	38.9	<0.02	<1	0.6	23.9	<10
2024786	Drill Core	0.3	<0.02	4.9	3.36	<0.1	0.06	0.10	22.7	0.5	<0.05	2.3	13.07	38.6	0.03	1	0.5	17.1	13
2024787	Drill Core	0.2	<0.02	5.0	3.19	<0.1	0.07	0.09	21.0	0.5	<0.05	2.3	13.28	38.3	<0.02	<1	0.7	17.9	<10
2024788	Drill Core	<0.1	<0.02	3.9	1.85	<0.1	0.20	<0.02	9.3	0.4	<0.05	4.0	7.72	25.5	0.03	<1	0.5	14.9	<10
2024789	Drill Core	0.4	<0.02	4.2	3.79	<0.1	0.12	0.07	21.4	0.6	<0.05	1.3	11.11	31.9	0.03	3	0.4	10.3	<10
2024790	Drill Core	<0.1	<0.02	1.7	2.16	<0.1	0.35	0.04	14.2	0.3	<0.05	12.2	8.28	44.0	0.02	<1	0.5	7.1	<10
2024791	Drill Core	<0.1	<0.02	1.0	0.87	<0.1	0.13	0.10	10.2	0.4	<0.05	4.6	16.59	71.3	0.02	<1	<0.1	2.2	<10
2024792	Drill Core	<0.1	<0.02	1.0	1.07	<0.1	0.11	0.12	8.2	0.5	<0.05	2.9	15.31	69.1	<0.02	<1	0.1	1.3	<10
2024793	Drill Core	<0.1	<0.02	0.9	1.45	<0.1	0.19	0.08	8.1	0.4	<0.05	3.9	13.10	77.9	<0.02	<1	0.2	1.6	<10
2024794	Drill Core	<0.1	<0.02	0.7	0.57	<0.1	0.19	0.11	7.5	0.4	<0.05	5.3	10.24	76.2	<0.02	<1	0.1	1.2	<10
2024795	Drill Core	<0.1	<0.02	0.7	0.72	<0.1	0.27	0.08	7.9	0.3	<0.05	8.0	9.48	72.3	<0.02	<1	0.3	1.0	<10
2024796	Drill Core	<0.1	<0.02	0.6	1.16	<0.1	0.47	0.04	7.5	0.4	<0.05	17.2	4.14	39.7	<0.02	<1	0.2	1.8	<10
2024797	Drill Core	<0.1	<0.02	0.7	1.22	<0.1	0.59	0.04	8.4	0.2	<0.05	20.5	3.97	32.1	<0.02	<1	0.1	2.4	<10
2024798	Drill Core	<0.1	<0.02	0.7	0.55	<0.1	0.67	0.07	7.4	0.2	<0.05	18.8	7.43	63.2	<0.02	<1	0.2	0.8	<10
2024799	Drill Core	<0.1	<0.02	0.8	0.46	<0.1	0.41	0.11	8.1	0.2	<0.05	12.1	7.60	71.3	<0.02	<1	0.1	0.9	<10
2024800	Rock Pulp	<0.1	0.12	4.1	0.66	<0.1	0.07	0.15	7.6	1.6	<0.05	1.6	4.42	13.4	0.03	<1	<0.1	6.4	<10
2024801	Drill Core	<0.1	<0.02	1.0	0.39	<0.1	0.29	0.12	8.8	0.2	<0.05	7.7	12.99	77.1	<0.02	<1	0.3	1.3	<10
2024802	Drill Core	<0.1	<0.02	0.8	0.37	<0.1	0.25	0.12	8.9	0.2	<0.05	6.6	10.79	77.8	<0.02	<1	<0.1	0.9	<10
2024803	Drill Core	<0.1	<0.02	0.8	1.02	<0.1	0.45	0.07	8.3	0.1	<0.05	12.1	6.84	65.5	<0.02	<1	<0.1	1.3	<10
2024804	Drill Core	<0.1	<0.02	0.8	0.71	<0.1	0.26	0.07	9.1	0.2	<0.05	8.6	7.43	63.4	<0.02	<1	0.3	1.9	<10
2024805	Drill Core	<0.1	<0.02	0.6	1.20	<0.1	0.25	0.02	8.3	0.1	<0.05	10.1	3.26	31.3	<0.02	<1	0.2	1.9	<10
2024806	Drill Core	<0.1	0.02	0.8	1.67	<0.1	0.53	0.05	10.6	0.2	<0.05	20.3	4.73	30.8	<0.02	<1	0.3	3.8	<10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000457.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
2024807	Drill Core	1.67	459	0.011	0.01	<0.17	29.48	0.55	3.53	17.61	7.8	481	0.5	0.7	87	0.40	1.8	1.2	8.1	13.4	27.6
2024808	Drill Core	3.43	370	0.014	0.01	<0.17	32.82	0.29	3.10	17.71	6.7	238	0.4	0.5	113	0.37	1.3	1.4	8.7	15.2	57.9
2024809	Drill Core	2.84	440	0.014	0.01	<0.17	30.68	0.27	3.54	16.68	8.1	319	0.3	0.6	102	0.38	1.6	1.4	12.1	14.2	39.7
2024810	Drill Core	2.41	457	<0.005	<0.01	<0.17	41.46	0.41	3.59	26.63	23.0	265	0.4	0.6	123	0.59	0.9	1.4	2.2	14.3	23.4
2024811	Drill Core	2.73	459	<0.005	<0.01	<0.17	36.82	1.68	1.61	29.78	54.0	211	0.9	0.8	280	1.11	0.7	1.1	0.7	15.5	170.4
2024812	Drill Core	2.34	498	0.007	<0.01	<0.17	32.68	0.71	17.96	8.92	55.5	201	12.8	8.8	349	2.00	2.8	2.0	1.1	11.3	92.1
2024813	Drill Core	3.29	390	0.008	<0.01	<0.17	39.13	2.39	22.07	11.61	60.8	277	16.4	10.0	413	2.19	3.9	2.1	2.2	7.9	78.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000457.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
2024807	Drill Core	0.39	0.42	0.15	<1	0.39	0.009	30.6	1.3	0.04	254.1	<0.001	1	0.23	0.022	0.21	<0.1	0.8	0.06	<0.02
2024808	Drill Core	0.31	0.33	0.21	<1	0.69	0.008	39.3	1.4	0.04	486.8	<0.001	<1	0.25	0.023	0.24	<0.1	0.9	0.07	<0.02
2024809	Drill Core	0.30	0.51	0.19	<1	0.57	0.009	35.7	1.5	0.05	259.5	0.002	<1	0.26	0.016	0.24	<0.1	1.1	0.07	0.03
2024810	Drill Core	0.33	0.36	0.25	1	0.32	0.008	40.3	1.2	0.24	203.3	0.001	<1	0.41	0.020	0.20	0.1	0.9	0.07	<0.02
2024811	Drill Core	0.71	0.50	0.35	2	1.65	0.010	32.9	1.6	0.87	392.9	0.009	3	0.74	0.003	0.46	<0.1	3.2	0.22	<0.02
2024812	Drill Core	0.34	0.59	0.08	18	1.46	0.061	23.9	15.9	0.86	260.4	0.029	<1	0.84	0.016	0.40	<0.1	5.6	0.24	0.30
2024813	Drill Core	0.32	0.33	0.22	19	1.38	0.064	19.7	20.3	0.91	174.4	0.030	<1	0.99	0.016	0.19	<0.1	4.9	0.09	0.32



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000457.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
2024807	Drill Core	<0.1	<0.02	0.8	0.94	<0.1	0.15	0.05	9.5	0.2	<0.05	7.0	6.09	57.8	<0.02	<1	<0.1	1.7	<10
2024808	Drill Core	<0.1	<0.02	0.9	1.07	<0.1	0.08	0.08	11.2	0.2	<0.05	3.7	10.19	73.9	<0.02	<1	0.3	1.4	<10
2024809	Drill Core	<0.1	<0.02	0.9	0.89	<0.1	0.09	0.18	10.3	0.2	<0.05	3.8	12.03	66.4	<0.02	<1	0.3	1.8	<10
2024810	Drill Core	<0.1	<0.02	1.7	1.55	<0.1	0.12	0.04	9.8	0.2	<0.05	5.4	15.08	78.2	<0.02	<1	0.4	7.3	<10
2024811	Drill Core	<0.1	0.03	2.1	6.70	<0.1	0.34	0.08	26.1	0.3	<0.05	13.7	10.76	62.6	0.03	<1	0.4	10.7	<10
2024812	Drill Core	0.3	<0.02	3.1	4.89	<0.1	0.17	0.07	24.4	0.4	<0.05	5.1	13.56	46.9	0.03	2	0.3	10.0	<10
2024813	Drill Core	0.5	<0.02	3.5	1.10	<0.1	0.06	0.08	8.6	0.4	<0.05	1.7	11.32	38.0	0.03	<1	<0.1	11.6	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 16, 2019

Page:

1 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000457.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
2024752	Drill Core	3.49	409	<0.005	<0.01	<0.17	43.20	1.12	16.85	5.93	59.9	160	15.6	8.3	519	2.47	39.6	1.0	0.8	7.2	43.1
REP 2024752	QC	<0.005																			
2024764	Drill Core	2.69	438	0.006	<0.01	<0.17	43.13	1.20	18.89	16.99	66.2	259	15.7	8.5	557	2.39	35.6	2.0	3.6	9.8	83.4
REP 2024764	QC	1.22 18.31 16.52 64.5 257 15.1 8.3 541 2.42 34.0 2.0 3.0 9.6 82.0																			
2024769	Drill Core	3.05	521	<0.005	<0.01	<0.17	38.51	1.00	17.90	14.76	71.0	192	14.4	8.4	514	2.42	59.0	1.6	0.7	8.7	75.2
REP 2024769	QC	<0.005																			
2024798	Drill Core	1.86	371	0.018	0.02	<0.17	35.47	0.87	3.82	25.69	5.2	244	0.2	0.2	62	0.28	1.4	1.4	7.4	16.6	36.2
REP 2024798	QC	0.85 3.58 24.39 5.0 238 0.2 0.1 57 0.27 1.2 1.4 8.2 16.4 35.8																			
Core Reject Duplicates																					
2024759	Drill Core	3.88	461	<0.005	<0.01	<0.17	31.19	1.05	21.38	12.34	63.8	184	13.1	7.7	440	2.35	9.5	4.8	<0.2	7.8	29.4
DUP 2024759	QC	458 <0.005 <0.01 <0.17 27.52 1.05 20.15 12.21 63.0 197 13.1 7.6 440 2.43 9.5 4.8 <0.2 8.0 32.0																			
2024793	Drill Core	2.02	422	0.007	<0.01	<0.17	40.05	0.59	15.43	54.81	21.6	353	0.3	0.2	86	0.37	1.1	1.6	<0.2	18.1	49.5
DUP 2024793	QC	422 0.007 <0.01 <0.17 37.53 0.60 14.74 51.47 23.0 334 0.2 0.2 85 0.37 0.8 1.6 1.5 17.1 48.9																			
Reference Materials																					
STD BVGEO01	Standard	10.75 4344.79 193.97 1767.9 2534 156.1 24.3 700 3.61 116.3 4.2 216.6 15.5 54.0																			
STD DS11	Standard	14.26 150.84 138.70 345.2 1720 77.8 13.7 969 3.05 41.9 2.8 81.0 8.1 65.9																			
STD OREAS262	Standard	0.69 115.17 55.28 148.2 465 63.1 26.9 509 3.05 33.8 1.2 70.9 8.8 34.2																			
STD OREAS262	Standard	0.71 113.34 57.83 148.7 467 62.0 26.0 504 3.08 34.6 1.2 77.2 9.6 34.3																			
STD OXC152	Standard	0.214																			
STD OXC152	Standard	0.221																			
STD OXH139	Standard	1.308																			
STD OXH139	Standard	1.329																			
STD OXN134	Standard	7.767																			
STD OXN134	Standard	7.626																			
STD OXQ90	Standard	25.61 30.10																			
STD OXQ90	Standard	25.13 29.77																			
STD OXQ90	Standard	24.71 30.39																			
STD OXQ90	Standard	25.09 30.29																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 16, 2019

Page:

1 of 2

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000457.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
2024752	Drill Core	0.23	1.02	0.04	22	1.34	0.060	13.8	23.3	1.29	131.7	0.028	3	1.46	0.009	0.37	0.1	3.9	0.18	<0.02	<5
REP 2024752	QC																				
2024764	Drill Core	0.31	0.76	0.17	20	1.89	0.070	31.5	17.2	0.75	183.4	0.002	<1	1.22	0.010	0.25	<0.1	3.9	0.08	<0.02	<5
REP 2024764	QC	0.31	0.74	0.16	21	1.91	0.068	31.2	16.9	0.76	183.3	0.002	2	1.23	0.009	0.26	<0.1	3.7	0.08	<0.02	<5
2024769	Drill Core	0.33	1.07	0.10	25	1.63	0.061	23.6	33.1	0.85	134.2	0.006	1	1.28	0.016	0.22	0.2	4.3	0.13	<0.02	<5
REP 2024769	QC																				
2024798	Drill Core	0.05	1.23	0.07	<1	0.41	0.004	33.2	1.2	0.03	150.6	<0.001	<1	0.20	0.021	0.20	<0.1	0.6	0.04	0.05	<5
REP 2024798	QC	0.05	1.22	0.06	<1	0.41	0.004	33.0	1.2	0.03	142.3	<0.001	<1	0.20	0.021	0.20	<0.1	0.6	0.04	0.05	5
Core Reject Duplicates																					
2024759	Drill Core	0.26	2.93	0.09	28	0.56	0.064	14.2	30.3	0.87	156.9	0.063	1	1.23	0.018	0.24	0.4	5.1	0.16	<0.02	<5
DUP 2024759	QC	0.26	3.14	0.09	29	0.59	0.063	15.4	31.0	0.88	207.3	0.073	2	1.32	0.024	0.28	0.5	5.7	0.16	<0.02	<5
2024793	Drill Core	0.22	0.31	0.28	<1	0.33	0.004	39.8	1.5	0.05	1632.1	<0.001	<1	0.23	0.016	0.21	0.2	1.0	0.06	0.05	<5
DUP 2024793	QC	0.23	0.28	0.27	<1	0.33	0.004	40.3	1.5	0.05	1615.3	<0.001	1	0.25	0.017	0.22	0.2	1.1	0.06	0.05	<5
Reference Materials																					
STD BVGEO01	Standard	6.53	3.61	26.08	74	1.25	0.071	26.0	164.9	1.24	299.1	0.227	4	2.22	0.183	0.86	5.7	5.6	0.62	0.66	103
STD DS11	Standard	2.39	8.94	12.09	47	1.05	0.067	18.4	57.8	0.84	355.2	0.092	9	1.16	0.072	0.40	2.8	3.1	4.90	0.27	260
STD OREAS262	Standard	0.58	5.94	0.99	20	2.83	0.035	14.5	39.7	1.11	231.6	0.002	5	1.21	0.064	0.29	0.2	2.9	0.43	0.24	142
STD OREAS262	Standard	0.61	6.07	1.06	23	2.83	0.038	13.4	39.3	1.11	234.2	0.003	4	1.19	0.064	0.27	0.2	3.0	0.43	0.25	159
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000457.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
2024752	Drill Core	<0.1	<0.02	4.1	3.85	<0.1	0.25	0.05	17.9	0.3	<0.05	9.4	8.89	26.6	<0.02	<1	0.5	21.1	<10	<2
REP 2024752	QC																			
2024764	Drill Core	<0.1	<0.02	5.2	2.36	<0.1	0.03	<0.02	12.3	0.4	<0.05	1.2	13.30	54.7	<0.02	<1	0.3	21.6	<10	<2
REP 2024764	QC	<0.1	<0.02	5.2	2.30	<0.1	0.03	<0.02	12.4	0.4	<0.05	1.2	13.21	54.5	0.02	<1	0.5	20.1	<10	<2
2024769	Drill Core	0.1	<0.02	5.7	4.05	<0.1	0.03	<0.02	13.8	0.4	<0.05	1.7	14.18	45.7	<0.02	1	0.7	18.8	<10	<2
REP 2024769	QC																			
2024798	Drill Core	<0.1	<0.02	0.7	0.55	<0.1	0.67	0.07	7.4	0.2	<0.05	18.8	7.43	63.2	<0.02	<1	0.2	0.8	<10	<2
REP 2024798	QC	<0.1	<0.02	0.7	0.55	<0.1	0.64	0.07	7.3	0.1	<0.05	18.4	7.15	62.3	<0.02	<1	0.3	0.8	<10	<2
Core Reject Duplicates																				
2024759	Drill Core	<0.1	<0.02	6.7	2.16	<0.1	0.17	0.15	13.8	0.7	<0.05	2.1	10.29	26.0	0.03	<1	0.6	20.0	<10	<2
DUP 2024759	QC	<0.1	<0.02	6.7	2.10	<0.1	0.08	0.18	15.8	0.8	<0.05	2.2	11.36	28.5	0.03	<1	0.6	18.8	12	<2
2024793	Drill Core	<0.1	<0.02	0.9	1.45	<0.1	0.19	0.08	8.1	0.4	<0.05	3.9	13.10	77.9	<0.02	<1	0.2	1.6	<10	<2
DUP 2024793	QC	<0.1	<0.02	1.0	1.39	<0.1	0.12	0.07	8.6	0.4	<0.05	3.9	13.07	74.7	<0.02	<1	0.1	1.6	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.9	1.04	7.2	7.06	0.2	0.31	0.34	93.7	5.9	<0.05	8.7	14.39	51.7	0.45	4	0.7	19.7	144	187
STD DS11	Standard	2.0	4.60	5.2	2.85	<0.1	0.05	1.43	33.6	1.7	<0.05	2.8	7.85	36.4	0.25	46	0.7	23.1	102	161
STD OREAS262	Standard	0.3	0.20	3.7	2.82	<0.1	0.26	<0.02	17.7	0.5	<0.05	10.6	10.19	28.8	0.03	<1	1.1	16.5	<10	<2
STD OREAS262	Standard	0.2	0.22	3.3	2.95	<0.1	0.24	<0.02	16.9	0.5	<0.05	9.9	9.99	27.2	0.04	<1	1.1	15.7	<10	<2
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000457.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33
STD OXQ90 Expected						24.88														
BLK	Blank					<0.17	30.00													
BLK	Blank					<0.17	30.00													
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1
BLK	Blank							<0.01	0.02	0.03	0.2	<2	<0.1	<0.1	<1	<0.01	0.4	<0.1	0.5	<0.1
BLK	Blank					<0.17	30.00													
BLK	Blank					<0.17	30.00													
BLK	Blank			<0.005																
BLK	Blank			<0.005																
BLK	Blank			<0.005																
BLK	Blank			0.007																
Prep Wash																				
ROCK-WHI	Prep Blank		468	<0.005	<0.01	<0.17	37.32	0.80	3.93	0.80	33.5	11	1.5	4.3	547	1.92	0.7	0.4	1.6	2.0
ROCK-WHI	Prep Blank		475	<0.005	<0.01	<0.17	35.08	0.94	4.67	0.80	29.4	7	1.0	3.8	486	1.76	0.5	0.4	1.1	1.9



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000457.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
STD OXQ90 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.02	0.03	<0.02	25	0.62	0.040	5.3	3.2	0.55	49.5	0.059	2	0.91	0.081	0.07	<0.1	2.8	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.02	0.05	<0.02	20	0.55	0.040	5.3	2.2	0.46	50.2	0.054	3	0.79	0.074	0.07	<0.1	2.2	<0.02	<0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 16, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000457.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
STD OXQ90 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.5	0.12	<0.1	0.11	0.15	1.8	0.3	<0.05	2.4	7.80	10.8	0.02	<1	0.3	1.1	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.1	0.12	<0.1	0.10	0.19	1.8	0.3	<0.05	2.3	7.50	10.6	<0.02	<1	0.2	1.2	<10	<2