



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 11, 2019
Report Date: September 27, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000547.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-53
P.O. Number
Number of Samples: 129

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	123	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	129	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	129	Analysis sample split/packet			WHI
Split -150	129	Analysis sample split/packet			WHI
EN002	129	Environmental disposal charge-Fire assay lead waste			VAN
FS631	125	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	129	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	129	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 27, 2019

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000547.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1884501	Drill Core	2.81	423	0.070	0.06	<0.17	34.16	1.63	5.20	338.87	10.8	1835	1.1	0.4	43	0.69	4.6	0.3	49.2	2.9	22.3
1884502	Drill Core	1.97	440	0.026	0.02	<0.17	32.26	1.50	116.80	878.53	200.0	2342	10.8	6.7	428	2.11	18.2	0.6	17.7	3.7	19.5
1884503	Drill Core	2.65	492	0.181	0.17	<0.17	32.50	2.19	42.10	433.23	51.9	1266	4.7	1.5	36	1.71	14.8	0.4	154.0	3.3	33.6
1884504	Drill Core	4.13	498	0.113	0.10	<0.17	35.12	2.11	22.96	613.54	39.8	1195	1.7	0.6	22	1.13	12.9	0.3	79.3	3.0	21.5
1884505	Drill Core	3.08	471	0.021	0.02	<0.17	38.90	1.96	27.08	154.38	63.0	544	6.9	4.0	48	1.86	21.1	0.6	14.0	3.3	21.4
1884506	Drill Core	4.18	460	0.023	0.02	<0.17	38.29	1.62	86.45	98.49	194.6	895	19.6	13.6	581	2.31	22.4	1.0	14.6	3.3	43.0
1884507	Drill Core	4.77	376	0.033	0.03	<0.17	33.51	2.08	58.26	214.27	97.3	951	4.0	1.7	64	2.18	18.4	0.9	13.5	4.9	24.2
1884508	Drill Core	3.07	497	0.027	0.02	<0.17	40.17	2.17	63.94	265.07	207.1	892	13.5	8.4	270	2.18	10.0	1.3	12.4	5.6	17.4
1884509	Drill Core	1.81	424	0.035	0.03	<0.17	38.08	0.93	110.73	289.03	584.0	591	19.2	14.2	705	2.64	16.5	1.6	23.7	3.7	42.6
1884510	Drill Core	3.55	385	0.020	0.02	<0.17	40.63	1.64	20.81	124.59	228.9	278	6.5	4.4	264	1.17	3.1	3.8	9.5	17.5	10.8
1884511	Drill Core	3.50	435	0.009	<0.01	<0.17	40.89	2.12	7.60	50.11	39.7	92	2.9	1.8	65	0.87	1.2	5.3	4.2	17.6	6.9
1884512	Drill Core	3.58	430	0.009	<0.01	<0.17	36.02	3.27	4.47	108.46	9.1	273	1.3	0.7	28	0.62	0.7	0.5	13.4	10.3	5.6
1884513	Drill Core	4.53	545	0.009	<0.01	<0.17	36.39	2.18	16.82	56.12	13.2	190	2.1	1.3	32	0.72	1.0	0.8	4.3	8.2	8.6
1884514	Drill Core	3.19	463	0.012	0.01	<0.17	33.49	2.81	11.17	113.02	18.1	265	3.2	2.2	30	1.02	1.3	1.4	5.6	8.8	9.7
1884515	Drill Core	3.52	447	0.010	<0.01	<0.17	37.94	1.24	4.37	48.79	22.6	183	2.2	1.6	58	0.91	2.3	1.4	5.2	16.4	8.3
1884516	Drill Core	2.91	510	0.008	<0.01	<0.17	39.51	1.96	6.76	35.88	53.6	124	3.3	2.2	70	1.01	2.3	4.5	2.9	16.7	8.7
1884517	Drill Core	2.09	490	0.009	<0.01	<0.17	39.52	2.34	4.39	61.16	85.4	167	2.5	2.5	250	0.90	1.9	2.2	3.6	11.9	18.5
1884518	Drill Core	3.44	434	0.012	0.01	<0.17	39.01	0.76	5.06	46.21	45.9	182	2.7	1.9	92	0.89	3.0	2.4	6.7	15.7	11.6
1884519	Drill Core	4.49	521	0.060	0.06	<0.17	41.22	0.53	41.47	268.78	263.0	858	24.7	11.1	193	2.42	13.4	3.8	20.5	9.8	28.9
1884520	Rock Pulp	0.12	76	0.647				6.99	120.99	78.26	137.8	688	12.7	5.2	646	2.56	40.8	0.4	509.2	2.5	37.7
1884521	Drill Core	3.73	434	0.175	0.18	0.20	39.88	1.39	67.58	527.73	283.8	1365	26.3	11.0	129	2.58	25.4	4.1	168.6	7.9	21.1
1884522	Drill Core	2.27	455	0.043	0.04	<0.17	34.70	0.36	83.07	431.86	342.9	1181	17.6	8.5	288	3.39	70.2	6.0	39.4	5.1	62.3
1884523	Drill Core	2.29	448	0.012	0.01	<0.17	38.88	1.45	12.79	125.89	88.3	285	23.3	9.8	270	2.02	30.3	0.9	5.1	10.1	69.3
1884524	Drill Core	3.12	526	0.155	0.14	<0.17	35.73	0.95	57.35	36.33	115.2	502	20.1	8.9	484	1.74	25.0	1.1	21.4	5.3	31.7
1884525	Drill Core	2.63	483	0.017	0.02	<0.17	40.54	1.38	48.51	9.43	135.7	349	19.5	9.1	373	1.65	46.5	0.9	11.1	3.2	39.2
1884526	Drill Core	3.60	474	0.020	0.02	<0.17	31.53	2.17	41.05	12.27	110.8	334	18.6	9.3	430	1.75	30.7	0.5	12.2	2.5	37.3
1884527	Drill Core	1.79	421	0.014	0.01	<0.17	37.30	1.51	48.53	11.74	104.0	240	35.3	14.1	539	2.11	74.7	0.6	8.1	3.0	29.0
1884528	Drill Core	2.05	474	0.021	0.02	<0.17	40.64	6.06	64.78	347.75	90.3	1387	16.3	6.3	74	2.09	55.6	0.6	15.8	3.1	51.4
1884529	Drill Core	3.73	443	0.079	0.07	<0.17	39.55	1.84	54.71	17.09	272.4	1320	44.6	24.4	1126	6.60	97.2	2.3	60.3	2.3	117.3
1884530	Drill Core	1.48	501	0.118	0.11	<0.17	40.89	1.44	119.87	5.66	346.2	456	108.9	31.4	484	6.27	91.2	5.0	38.4	2.2	76.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 27, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000547.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884501	Drill Core	<0.01	3.48	0.20	2	0.01	0.011	7.4	2.9	0.03	713.0	<0.001	1	0.18	0.025	0.18	0.5	0.6	0.05	0.17	56			
1884502	Drill Core	1.77	1.11	0.27	5	0.13	0.049	4.8	3.4	0.26	148.0	0.001	<1	0.33	0.010	0.16	0.2	1.1	0.05	0.49	169			
1884503	Drill Core	0.11	1.03	0.13	4	0.05	0.036	6.3	2.9	0.18	197.8	0.001	<1	0.30	0.014	0.21	0.2	0.7	0.07	0.49	151			
1884504	Drill Core	0.06	2.93	0.13	3	0.02	0.024	5.4	2.2	0.05	420.2	<0.001	<1	0.16	0.009	0.16	0.3	0.4	0.04	0.24	169			
1884505	Drill Core	0.20	1.73	0.06	5	0.05	0.053	4.1	3.3	0.08	225.2	<0.001	<1	0.20	0.003	0.17	0.2	0.6	0.05	0.68	37			
1884506	Drill Core	4.28	1.95	0.06	5	0.39	0.069	4.3	3.8	0.31	95.0	0.001	<1	0.36	0.002	0.19	0.2	1.5	0.05	1.40	43			
1884507	Drill Core	0.43	2.10	0.14	5	0.05	0.054	7.8	4.3	0.10	412.1	0.001	<1	0.24	0.017	0.18	0.3	1.2	0.06	0.28	67			
1884508	Drill Core	3.40	2.39	0.15	4	0.07	0.034	6.4	3.2	0.17	65.3	0.001	<1	0.33	0.022	0.19	0.1	1.4	0.06	1.57	52			
1884509	Drill Core	3.89	0.80	0.09	5	0.46	0.055	3.6	3.7	0.42	75.8	0.002	<1	0.44	0.007	0.20	<0.1	1.8	0.06	2.08	71			
1884510	Drill Core	1.57	0.38	0.05	1	0.09	0.024	7.9	2.6	0.14	162.4	<0.001	<1	0.30	0.010	0.18	0.2	0.6	0.05	0.83	24			
1884511	Drill Core	0.39	0.21	<0.02	<1	0.03	0.015	9.7	2.0	0.08	181.5	<0.001	<1	0.27	0.008	0.20	<0.1	0.4	0.05	0.53	10			
1884512	Drill Core	0.27	0.40	0.03	<1	0.01	0.008	9.4	1.7	0.03	227.0	<0.001	<1	0.19	0.011	0.18	<0.1	0.4	0.04	0.32	7			
1884513	Drill Core	0.24	0.23	0.02	<1	0.02	0.011	10.0	2.1	0.04	170.9	<0.001	<1	0.20	0.004	0.19	<0.1	0.3	0.05	0.42	7			
1884514	Drill Core	0.30	0.25	0.06	<1	0.05	0.021	9.0	2.2	0.05	170.4	<0.001	<1	0.21	0.007	0.17	<0.1	0.2	0.04	0.84	<5			
1884515	Drill Core	0.46	0.25	0.02	<1	0.03	0.012	9.9	2.3	0.10	154.9	<0.001	<1	0.26	0.010	0.19	<0.1	0.3	0.05	0.57	<5			
1884516	Drill Core	0.31	0.25	0.02	<1	0.05	0.014	9.6	1.5	0.12	157.1	<0.001	<1	0.29	0.011	0.16	<0.1	0.3	0.04	0.78	<5			
1884517	Drill Core	0.22	0.30	0.03	<1	0.15	0.016	7.7	2.0	0.16	232.6	<0.001	<1	0.24	0.009	0.17	<0.1	0.3	0.04	0.60	<5			
1884518	Drill Core	0.21	0.27	0.04	<1	0.09	0.012	8.2	1.8	0.11	188.9	<0.001	<1	0.24	0.010	0.17	<0.1	0.3	0.04	0.66	<5			
1884519	Drill Core	3.18	0.65	0.37	3	0.23	0.031	7.3	8.7	0.38	44.6	0.001	<1	0.43	0.013	0.17	<0.1	1.1	0.05	2.09	31			
1884520	Rock Pulp	0.49	2.70	0.08	31	0.86	0.035	6.2	24.7	0.51	82.8	0.094	7	1.16	0.095	0.11	4.7	3.3	0.21	0.09	150			
1884521	Drill Core	4.25	0.98	0.32	8	0.16	0.041	7.5	14.0	0.30	76.3	<0.001	<1	0.53	0.007	0.19	0.1	1.7	0.08	1.77	56			
1884522	Drill Core	3.71	1.17	0.18	26	0.39	0.070	8.2	34.0	0.67	124.6	0.001	<1	1.05	0.021	0.23	0.4	4.0	0.10	1.00	60			
1884523	Drill Core	0.67	0.86	0.04	35	0.71	0.045	11.1	29.4	0.73	225.4	0.015	<1	1.11	0.049	0.19	0.1	4.6	0.13	0.21	11			
1884524	Drill Core	0.56	0.30	0.03	2	0.32	0.028	7.0	2.7	0.33	100.9	0.001	<1	0.36	0.006	0.18	0.2	0.7	0.07	1.34	6			
1884525	Drill Core	0.91	0.22	<0.02	2	0.21	0.033	6.8	3.2	0.18	102.0	0.001	<1	0.27	0.003	0.19	0.3	0.8	0.07	1.08	7			
1884526	Drill Core	0.67	0.35	<0.02	2	0.26	0.031	5.5	2.1	0.22	104.9	0.002	<1	0.30	0.001	0.20	0.2	0.8	0.06	1.37	6			
1884527	Drill Core	0.46	0.30	<0.02	2	0.37	0.040	5.4	2.6	0.32	93.3	0.002	<1	0.36	0.001	0.19	<0.1	0.9	0.07	1.87	<5			
1884528	Drill Core	0.54	0.83	0.09	7	0.10	0.032	7.6	6.5	0.20	157.6	0.002	<1	0.38	0.003	0.24	0.2	1.1	0.10	1.10	24			
1884529	Drill Core	0.82	1.89	<0.02	116	1.00	0.135	12.9	32.4	2.74	228.3	0.009	<1	3.25	0.010	0.20	1.7	11.0	0.22	0.43	34			
1884530	Drill Core	3.13	1.34	<0.02	136	0.58	0.143	13.5	131.1	2.47	309.3	0.004	1	3.45	0.010	0.27	0.8	13.8	0.17	0.20	10			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 2 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000547.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1884501	Drill Core	0.6	0.05	0.5	0.12	<0.1	0.13	<0.02	5.5	0.2	<0.05	4.5	1.00	14.0	<0.02	<1	<0.1	1.1	<10	<2			
1884502	Drill Core	2.7	0.04	0.8	0.16	<0.1	0.28	<0.02	5.5	<0.1	<0.05	9.3	3.70	9.5	<0.02	<1	<0.1	3.9	16	<2			
1884503	Drill Core	2.0	0.05	1.0	0.29	<0.1	0.26	<0.02	7.3	0.1	<0.05	8.7	1.07	12.6	<0.02	<1	<0.1	3.2	<10	<2			
1884504	Drill Core	1.8	0.07	0.4	0.19	<0.1	0.23	<0.02	4.7	0.1	<0.05	7.5	0.72	10.3	<0.02	<1	<0.1	1.3	<10	<2			
1884505	Drill Core	1.2	<0.02	0.7	0.14	<0.1	0.22	<0.02	5.2	<0.1	<0.05	8.0	1.44	8.1	<0.02	2	<0.1	1.4	<10	<2			
1884506	Drill Core	1.7	0.03	0.8	0.15	<0.1	0.25	<0.02	6.2	0.2	<0.05	9.5	6.70	8.8	<0.02	2	0.1	2.7	18	<2			
1884507	Drill Core	1.1	0.04	1.0	0.22	<0.1	0.26	<0.02	5.7	<0.1	<0.05	9.0	2.02	14.2	<0.02	2	<0.1	1.8	<10	<2			
1884508	Drill Core	0.9	0.04	0.9	0.17	<0.1	0.27	<0.02	5.7	0.1	<0.05	11.5	3.24	12.3	<0.02	4	0.1	2.8	<10	<2			
1884509	Drill Core	1.1	0.03	0.9	0.28	<0.1	0.34	<0.02	7.1	0.4	<0.05	12.8	5.51	7.2	<0.02	2	0.2	4.3	12	<2			
1884510	Drill Core	0.4	<0.02	0.6	0.17	<0.1	0.23	<0.02	5.4	0.1	<0.05	6.9	3.46	14.9	<0.02	<1	<0.1	2.3	<10	<2			
1884511	Drill Core	0.1	<0.02	0.6	0.16	<0.1	0.18	<0.02	6.2	0.2	<0.05	5.6	1.91	18.1	<0.02	2	<0.1	1.6	<10	<2			
1884512	Drill Core	0.2	0.02	0.5	0.17	<0.1	0.22	<0.02	5.2	0.1	<0.05	5.8	0.88	18.8	<0.02	1	<0.1	0.7	<10	<2			
1884513	Drill Core	0.2	<0.02	0.5	0.75	<0.1	0.29	<0.02	6.1	0.2	<0.05	7.2	1.39	18.3	<0.02	<1	<0.1	1.1	<10	<2			
1884514	Drill Core	0.2	<0.02	0.5	0.27	<0.1	0.16	<0.02	4.9	0.2	<0.05	4.6	2.70	16.9	<0.02	<1	<0.1	1.2	<10	<2			
1884515	Drill Core	0.1	<0.02	0.7	0.21	<0.1	0.16	<0.02	6.0	0.2	<0.05	4.7	2.33	17.7	<0.02	<1	<0.1	1.8	<10	<2			
1884516	Drill Core	0.1	<0.02	0.6	0.21	<0.1	0.20	<0.02	5.1	0.3	<0.05	5.7	4.20	17.9	<0.02	<1	<0.1	2.0	<10	<2			
1884517	Drill Core	0.1	<0.02	0.6	0.16	<0.1	0.19	<0.02	5.3	0.2	<0.05	4.9	4.11	15.1	<0.02	<1	<0.1	1.6	<10	<2			
1884518	Drill Core	0.1	<0.02	0.6	0.17	<0.1	0.22	<0.02	5.4	0.2	<0.05	6.2	2.80	15.2	<0.02	<1	0.1	1.5	<10	<2			
1884519	Drill Core	1.1	0.04	0.9	0.29	<0.1	0.35	<0.02	5.6	0.3	<0.05	11.1	6.11	13.8	<0.02	<1	0.1	5.0	<10	<2			
1884520	Rock Pulp	<0.1	0.04	4.8	0.22	<0.1	0.16	0.34	2.9	1.8	<0.05	3.5	8.34	11.6	<0.02	2	0.2	1.3	<10	<2			
1884521	Drill Core	1.8	0.08	1.2	0.80	<0.1	0.27	<0.02	7.0	0.3	<0.05	8.6	5.04	14.6	0.03	<1	0.2	8.7	<10	<2			
1884522	Drill Core	1.1	0.05	2.8	1.03	<0.1	0.25	<0.02	10.5	0.5	<0.05	8.9	6.79	16.6	0.04	<1	0.4	22.3	<10	<2			
1884523	Drill Core	0.3	0.03	2.9	1.18	<0.1	0.23	0.02	6.0	0.5	<0.05	5.8	6.93	24.4	<0.02	<1	0.5	18.5	<10	<2			
1884524	Drill Core	1.1	0.02	0.9	0.28	<0.1	0.25	<0.02	6.0	0.1	<0.05	7.6	4.94	12.8	<0.02	<1	0.1	3.7	<10	<2			
1884525	Drill Core	1.3	<0.02	0.8	0.38	<0.1	0.31	<0.02	7.5	0.2	<0.05	9.4	3.90	13.3	<0.02	2	0.1	3.6	<10	<2			
1884526	Drill Core	1.3	<0.02	0.7	0.20	<0.1	0.27	<0.02	6.6	0.2	<0.05	8.4	3.78	10.9	<0.02	1	0.1	3.2	<10	<2			
1884527	Drill Core	1.5	<0.02	0.9	0.24	<0.1	0.28	<0.02	6.7	0.1	<0.05	8.4	3.79	10.1	<0.02	<1	0.1	4.2	<10	<2			
1884528	Drill Core	2.5	0.07	1.4	0.48	<0.1	0.29	<0.02	9.1	0.1	<0.05	9.3	1.86	14.0	0.03	3	0.1	5.3	<10	<2			
1884529	Drill Core	0.5	0.03	12.6	2.51	<0.1	0.13	<0.02	9.1	0.7	<0.05	4.7	16.13	29.9	0.06	3	0.6	63.1	<10	<2			
1884530	Drill Core	0.6	<0.02	12.0	5.04	<0.1	0.13	<0.02	9.8	0.9	<0.05	5.2	15.74	32.2	0.05	9	1.3	105.5	<10	<2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000547.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1884531	Drill Core	3.57	419	0.075	0.07	<0.17	39.66	4.24	80.51	26.29	83.1	543	52.3	18.5	564	2.79	72.0	0.7	67.6	3.3	101.7
1884532	Drill Core	2.20	523	0.529	0.52	0.37	37.83	4.72	107.78	135.86	229.1	717	53.5	18.5	644	2.83	63.3	0.6	496.7	3.5	84.9
1884533	Drill Core	2.87	420	0.157	0.14	<0.17	39.15	4.25	81.45	84.56	217.8	670	51.3	19.5	669	2.71	57.6	0.8	169.6	3.9	94.4
1884534	Drill Core	2.39	506	0.020	0.02	<0.17	33.08	3.41	48.34	12.51	72.1	269	34.4	13.0	553	2.29	61.0	0.6	18.5	3.8	70.7
1884535	Drill Core	2.03	433	0.038	0.04	<0.17	35.45	4.70	71.86	39.37	119.7	333	54.2	24.8	829	4.10	97.5	0.8	37.2	3.4	105.6
1884536	Drill Core	2.98	413	0.016	0.01	<0.17	34.05	5.80	118.26	22.54	104.1	279	74.3	21.8	809	2.99	391.2	0.7	10.5	3.4	119.6
1884537	Drill Core	3.52	400	0.013	0.01	<0.17	33.39	2.24	51.77	158.52	166.9	579	19.3	8.8	585	2.11	40.4	0.9	8.7	5.8	90.3
1884538	Drill Core	3.11	529	0.017	0.02	<0.17	40.21	3.53	139.97	255.48	568.5	1052	44.9	17.8	691	2.77	51.3	1.4	9.8	5.1	132.8
1884539	Drill Core	3.86	478	0.029	0.03	<0.17	33.68	2.19	64.60	281.54	429.6	799	15.8	8.8	356	2.62	34.0	1.9	19.8	5.5	72.5
1884540	Rock Pulp	0.12	76	0.009				3.92	19.91	0.81	28.5	19	7.2	3.8	608	2.39	1.1	0.4	23.5	2.1	29.9
1884541	Drill Core	1.70	490	0.049	0.05	<0.17	35.04	3.92	139.82	1521.42	2595.1	3498	20.5	10.6	701	2.43	23.6	1.3	93.6	6.0	134.2
1884542	Drill Core	3.24	420	0.014	0.01	<0.17	40.28	1.02	55.15	143.38	150.1	622	6.3	4.9	262	1.80	14.7	0.7	11.2	4.6	45.6
1884543	Drill Core	1.51	487	0.067	0.08	0.31	31.80	2.55	186.06	1157.26	2249.9	3654	32.0	12.1	924	2.70	41.6	0.9	38.7	3.6	153.7
1884544	Drill Core	3.48	435	0.069	0.06	<0.17	42.02	2.80	134.29	526.00	707.2	1441	34.6	16.2	597	3.04	49.2	1.1	54.2	3.4	111.3
1884545	Drill Core	1.93	427	0.040	0.04	<0.17	34.14	0.33	132.98	461.20	797.3	2217	13.1	9.1	350	2.49	29.2	0.9	35.6	2.4	39.9
1884546	Drill Core	3.18	439	0.025	0.02	<0.17	36.19	4.09	66.85	322.56	340.1	1296	11.1	8.0	164	2.08	18.2	2.4	19.1	8.9	25.4
1884547	Drill Core	1.47	462	0.016	0.01	<0.17	37.49	3.96	20.46	130.11	188.7	661	9.9	7.0	149	1.89	13.0	2.7	11.5	12.0	19.6
1884548	Drill Core	2.47	544	0.029	0.03	<0.17	39.14	2.68	101.04	451.38	706.5	2704	9.4	7.0	218	2.09	15.1	2.0	22.7	7.2	35.1
1884549	Drill Core	3.15	512	0.014	0.01	<0.17	36.76	1.92	13.83	64.55	74.4	435	4.2	3.2	84	1.22	11.6	4.7	7.6	15.0	10.0
1884550	Drill Core	3.36	490	0.027	0.03	<0.17	33.46	1.89	74.68	133.35	150.3	895	16.2	12.6	259	2.63	21.0	1.9	42.0	5.9	40.7
1884551	Drill Core	3.16	527	0.017	0.02	<0.17	35.72	2.11	39.88	130.79	128.3	764	10.9	7.5	217	1.87	9.6	2.4	10.5	9.7	46.7
1884552	Drill Core	2.84	521	0.021	0.02	<0.17	34.56	1.57	47.20	69.84	131.3	664	7.0	4.8	186	1.49	8.2	3.1	14.2	11.9	37.3
1884553	Drill Core	1.50	537	0.064	0.06	<0.17	37.94	4.63	47.79	270.24	405.9	1337	24.5	11.2	284	2.65	13.0	1.7	52.3	5.9	82.3
1884554	Drill Core	2.69	470	0.066	0.06	<0.17	35.65	5.70	97.11	516.66	2690.4	2662	31.6	12.8	474	2.41	14.7	1.2	79.6	4.0	105.2
1884555	Drill Core	2.48	423	0.023	0.02	<0.17	38.67	0.49	54.04	611.29	196.4	1226	19.2	7.3	455	1.86	7.2	2.6	18.4	9.0	102.2
1884556	Drill Core	2.42	445	0.316	0.37	0.98	35.67	0.53	68.25	183.25	142.3	639	20.2	8.9	1108	2.35	8.5	0.8	58.5	4.5	227.8
1884557	Drill Core	3.45	399	0.128	0.12	<0.17	38.48	1.32	69.42	33.37	88.7	412	16.5	8.9	460	2.19	7.9	0.9	224.9	4.9	103.7
1884558	Drill Core	2.11	531	0.049	0.05	<0.17	41.17	9.22	175.99	465.91	564.3	1519	49.2	16.6	487	3.03	24.4	0.5	62.0	2.1	122.9
1884559	Drill Core	3.55	457	0.123	0.11	<0.17	40.82	8.07	130.44	576.63	337.9	1630	55.1	22.0	407	3.34	32.2	0.5	33.4	1.7	98.0
1884560	Core DUP		453	0.052	0.05	<0.17	33.93	8.31	131.13	549.06	341.3	1642	56.0	23.5	441	3.41	32.6	0.5	37.9	2.0	100.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000547.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884531	Drill Core	0.35	0.71	0.08	5	0.99	0.055	5.0	5.7	0.58	102.6	0.002	<1	0.55	0.006	0.18	1.0	1.5	0.13	2.09	9			
1884532	Drill Core	2.29	0.76	0.20	4	1.12	0.050	3.6	4.8	0.56	83.6	0.002	<1	0.49	0.005	0.17	0.2	1.3	0.12	2.54	19			
1884533	Drill Core	1.71	0.85	0.12	8	0.76	0.051	5.1	6.8	0.55	92.1	0.002	<1	0.54	0.009	0.19	0.9	1.7	0.13	1.94	14			
1884534	Drill Core	0.33	0.70	0.03	4	0.94	0.043	3.0	2.7	0.44	84.6	0.001	<1	0.39	0.002	0.15	0.4	1.0	0.12	2.04	8			
1884535	Drill Core	0.65	1.73	0.08	40	1.25	0.088	6.1	10.2	1.46	92.7	0.004	<1	1.52	0.006	0.20	0.1	4.8	0.15	2.12	18			
1884536	Drill Core	0.46	0.64	0.05	5	1.54	0.059	2.8	4.1	0.66	82.0	0.002	<1	0.55	0.005	0.17	<0.1	1.4	0.10	2.64	6			
1884537	Drill Core	1.20	0.59	0.12	4	1.09	0.044	4.2	4.7	0.51	99.4	0.002	<1	0.48	0.008	0.19	0.2	1.1	0.08	1.87	43			
1884538	Drill Core	4.03	1.61	0.19	4	1.33	0.051	3.0	5.4	0.61	71.5	0.002	<1	0.44	0.005	0.16	<0.1	1.2	0.06	2.86	110			
1884539	Drill Core	3.14	2.08	0.16	3	0.54	0.041	4.2	4.2	0.31	59.6	0.002	<1	0.33	0.005	0.18	0.2	0.9	0.07	2.58	142			
1884540	Rock Pulp	<0.01	0.12	<0.02	23	0.76	0.034	5.4	14.6	0.50	49.1	0.069	3	1.03	0.069	0.08	0.2	2.9	<0.02	0.05	<5			
1884541	Drill Core	31.01	4.69	0.72	4	1.43	0.039	3.2	5.3	0.54	54.8	0.001	<1	0.36	0.014	0.16	<0.1	1.4	0.06	2.54	1058			
1884542	Drill Core	1.42	5.85	0.09	2	0.47	0.039	3.6	2.5	0.23	91.9	0.001	<1	0.25	0.003	0.15	<0.1	0.6	0.05	1.77	81			
1884543	Drill Core	17.60	15.80	0.48	3	1.54	0.070	2.6	4.4	0.60	61.9	0.002	<1	0.33	0.014	0.14	<0.1	1.3	0.04	2.81	1088			
1884544	Drill Core	6.75	11.26	0.24	3	0.92	0.048	2.7	4.7	0.56	60.1	0.002	<1	0.32	0.004	0.15	<0.1	0.9	0.06	3.15	358			
1884545	Drill Core	6.29	60.30	0.16	3	0.52	0.038	3.1	3.2	0.15	51.1	0.001	<1	0.27	0.003	0.19	<0.1	0.7	0.06	2.47	329			
1884546	Drill Core	3.09	28.28	0.14	3	0.34	0.043	5.6	2.7	0.13	59.6	0.001	<1	0.27	0.015	0.16	<0.1	0.7	0.05	2.11	115			
1884547	Drill Core	2.44	5.21	0.09	3	0.27	0.043	7.3	3.5	0.11	99.5	0.002	<1	0.28	0.028	0.17	<0.1	0.8	0.05	1.87	84			
1884548	Drill Core	6.59	39.28	0.20	2	0.38	0.030	4.1	2.7	0.16	82.4	0.001	<1	0.21	0.009	0.15	0.1	0.7	0.04	2.09	273			
1884549	Drill Core	0.98	1.87	0.02	<1	0.13	0.020	7.5	1.9	0.07	108.5	0.001	<1	0.25	0.027	0.17	<0.1	0.4	0.04	1.15	24			
1884550	Drill Core	1.45	5.81	0.08	3	0.47	0.057	4.2	4.5	0.18	60.1	0.001	<1	0.24	0.004	0.17	0.2	0.8	0.05	2.77	34			
1884551	Drill Core	1.15	14.67	0.08	1	0.47	0.045	4.2	3.1	0.21	82.7	0.001	<1	0.22	0.004	0.14	<0.1	0.6	0.04	1.92	47			
1884552	Drill Core	1.69	23.53	0.06	2	0.38	0.034	4.9	3.2	0.21	113.0	0.001	<1	0.28	0.007	0.17	0.3	0.6	0.05	1.43	74			
1884553	Drill Core	4.30	25.80	0.20	2	0.75	0.045	2.4	3.3	0.32	45.9	0.001	<1	0.24	0.003	0.14	0.1	0.8	0.05	2.85	176			
1884554	Drill Core	42.60	51.81	0.54	3	1.09	0.033	2.4	8.5	0.48	66.4	0.002	<1	0.34	0.012	0.14	<0.1	1.3	0.05	2.48	2974			
1884555	Drill Core	2.94	7.35	0.41	4	0.92	0.018	4.0	8.3	0.57	75.1	0.003	<1	0.34	0.030	0.10	<0.1	2.0	0.05	1.65	79			
1884556	Drill Core	1.01	1.52	0.20	7	1.94	0.044	3.7	13.1	0.89	86.3	0.006	<1	0.55	0.024	0.20	<0.1	3.7	0.10	2.02	43			
1884557	Drill Core	0.26	2.77	0.06	6	0.79	0.053	3.0	7.0	0.77	86.9	0.003	<1	0.60	0.008	0.22	0.2	1.3	0.09	1.96	30			
1884558	Drill Core	5.58	23.31	0.11	7	0.88	0.047	3.3	7.6	0.93	49.1	0.002	<1	0.68	0.013	0.19	0.1	1.6	0.10	2.91	231			
1884559	Drill Core	3.03	3.27	0.30	6	0.74	0.054	2.7	5.7	0.69	37.1	0.003	<1	0.53	0.007	0.21	0.1	1.7	0.10	3.41	119			
1884560	Core DUP	3.17	3.32	0.29	6	0.75	0.049	3.3	6.4	0.70	36.4	0.003	<1	0.57	0.009	0.23	0.1	1.8	0.11	3.42	125			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 3 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000547.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1884531	Drill Core	2.1	0.05	1.2	0.74	<0.1	0.30	<0.02	7.3	0.3	<0.05	8.6	4.05	9.1	<0.02	3	0.2	6.5	<10
1884532	Drill Core	2.1	0.07	1.3	0.49	<0.1	0.27	<0.02	6.6	0.1	<0.05	8.6	3.77	7.7	0.02	3	0.2	5.7	<10
1884533	Drill Core	2.1	0.05	1.7	0.70	<0.1	0.21	<0.02	7.4	0.2	<0.05	7.3	4.14	10.4	0.02	3	0.2	7.4	<10
1884534	Drill Core	1.4	<0.02	1.1	0.51	<0.1	0.21	<0.02	5.9	0.3	<0.05	6.4	3.06	6.4	<0.02	1	0.1	4.5	<10
1884535	Drill Core	1.8	0.03	4.7	2.07	<0.1	0.14	<0.02	9.1	0.3	<0.05	4.8	8.35	13.3	0.03	6	0.3	23.9	<10
1884536	Drill Core	2.5	0.05	1.1	0.51	<0.1	0.22	<0.02	6.6	0.2	<0.05	6.8	3.75	5.6	<0.02	3	0.1	6.3	<10
1884537	Drill Core	0.9	0.03	1.1	0.30	<0.1	0.23	<0.02	6.6	0.2	<0.05	6.5	3.02	7.7	<0.02	3	0.1	4.4	<10
1884538	Drill Core	1.5	0.05	1.0	0.29	<0.1	0.35	<0.02	5.7	0.2	<0.05	9.7	3.99	6.2	0.02	3	0.1	4.6	<10
1884539	Drill Core	1.0	0.06	0.7	0.41	<0.1	0.31	<0.02	6.7	0.2	<0.05	9.2	2.81	7.8	<0.02	1	0.1	3.4	<10
1884540	Rock Pulp	<0.1	<0.02	3.7	0.12	<0.1	0.12	0.29	1.9	1.6	<0.05	2.6	7.01	10.2	<0.02	<1	0.2	0.9	<10
1884541	Drill Core	3.3	0.39	0.9	0.30	<0.1	0.34	<0.02	5.3	0.2	<0.05	8.4	4.19	6.3	0.09	3	<0.1	3.4	34
1884542	Drill Core	0.5	0.04	0.6	0.14	<0.1	0.22	<0.02	5.2	0.1	<0.05	5.6	2.11	7.1	<0.02	<1	<0.1	1.8	<10
1884543	Drill Core	3.2	0.13	0.7	0.15	<0.1	0.26	<0.02	5.0	0.3	<0.05	6.4	4.76	5.3	0.09	2	<0.1	3.4	15
1884544	Drill Core	2.1	0.14	0.6	0.28	<0.1	0.29	<0.02	5.9	0.3	<0.05	8.1	4.22	5.6	0.04	3	0.1	3.3	12
1884545	Drill Core	1.3	0.18	0.6	0.16	<0.1	0.20	<0.02	6.5	0.3	<0.05	6.6	2.73	6.6	0.02	<1	<0.1	1.6	11
1884546	Drill Core	1.0	0.12	0.7	0.20	<0.1	0.24	<0.02	5.7	0.2	<0.05	6.6	2.78	10.7	<0.02	2	<0.1	1.6	<10
1884547	Drill Core	0.5	0.09	0.9	0.12	<0.1	0.24	<0.02	5.7	0.3	<0.05	6.9	2.80	14.4	<0.02	2	<0.1	1.2	<10
1884548	Drill Core	1.3	0.26	0.7	0.11	<0.1	0.20	<0.02	5.1	0.3	<0.05	5.9	2.39	8.9	0.02	2	<0.1	1.2	19
1884549	Drill Core	0.2	0.08	0.7	0.13	<0.1	0.14	<0.02	5.5	0.3	<0.05	4.0	2.25	14.4	<0.02	1	<0.1	1.0	<10
1884550	Drill Core	0.9	0.07	0.5	0.16	<0.1	0.20	<0.02	6.0	0.3	<0.05	6.7	3.04	8.1	<0.02	3	0.1	1.2	<10
1884551	Drill Core	0.6	0.04	0.5	0.16	<0.1	0.19	<0.02	4.9	0.2	<0.05	5.1	2.79	7.9	<0.02	<1	<0.1	1.4	<10
1884552	Drill Core	0.4	0.04	0.7	0.30	<0.1	0.18	<0.02	5.8	0.3	<0.05	4.9	2.46	9.2	<0.02	<1	0.1	1.9	<10
1884553	Drill Core	1.2	0.22	0.6	0.23	<0.1	0.22	<0.02	5.2	0.3	<0.05	6.9	3.53	5.1	<0.02	3	<0.1	3.5	<10
1884554	Drill Core	1.8	0.31	0.9	0.20	<0.1	0.24	<0.02	5.2	0.2	<0.05	6.7	3.48	5.4	0.17	4	0.1	4.3	66
1884555	Drill Core	1.4	0.07	0.8	0.33	<0.1	0.25	<0.02	4.9	0.2	<0.05	6.1	2.40	7.9	<0.02	<1	<0.1	4.0	<10
1884556	Drill Core	1.0	0.03	1.5	0.71	<0.1	0.30	<0.02	9.9	0.3	<0.05	8.5	3.87	7.2	<0.02	<1	<0.1	6.5	<10
1884557	Drill Core	0.7	<0.02	1.5	1.07	<0.1	0.24	<0.02	9.2	0.4	<0.05	7.8	2.62	6.9	<0.02	1	0.2	7.7	<10
1884558	Drill Core	2.2	0.07	1.7	1.12	<0.1	0.28	<0.02	8.5	0.3	<0.05	7.6	3.21	6.9	0.03	9	0.2	9.1	<10
1884559	Drill Core	2.6	0.09	1.2	1.06	<0.1	0.24	<0.02	9.8	0.2	<0.05	7.2	3.17	5.9	<0.02	8	0.1	6.4	<10
1884560	Core DUP	2.7	0.10	1.2	1.03	<0.1	0.23	<0.02	10.4	0.3	<0.05	7.2	3.16	6.9	<0.02	8	0.2	6.3	15



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000547.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1884561	Drill Core	3.34	521	0.031	0.03	<0.17	37.55	4.23	122.23	683.27	859.6	1876	35.4	15.3	800	2.88	21.1	0.9	35.0	3.6	155.8
1884562	Drill Core	3.07	393	0.024	0.02	<0.17	33.52	0.83	97.39	219.11	228.5	891	23.4	13.1	683	2.78	14.0	1.1	17.0	5.2	155.6
1884563	Drill Core	2.31	556	0.035	0.03	<0.17	39.53	0.35	23.44	9.31	53.3	333	8.4	6.8	625	1.55	3.3	1.3	20.6	5.2	172.6
1884564	Drill Core	2.32	391	0.062	0.06	<0.17	37.44	0.25	25.59	10.32	79.4	210	11.4	8.9	373	2.04	7.4	1.7	42.7	6.8	127.5
1882001	Drill Core	2.76	483	0.051	0.05	<0.17	39.17	0.47	16.92	24.51	42.0	2906	3.4	2.8	276	0.99	18.5	1.0	49.2	9.7	58.4
1882002	Drill Core	2.14	494	0.241	0.24	0.23	34.14	0.37	141.08	1070.85	226.8	1938	10.7	2.7	69	3.99	33.7	1.8	223.8	6.7	16.3
1882003	Drill Core	3.69	429	0.049	0.06	<0.17	37.21	0.28	74.98	350.65	102.6	1456	5.2	1.3	60	2.29	36.5	0.7	39.9	4.7	15.2
1882004	Drill Core	3.04	489	0.022	0.02	<0.17	37.85	0.32	54.60	149.10	80.2	1125	4.8	1.7	82	2.33	19.1	0.8	19.1	5.9	14.0
1882005	Drill Core	2.28	555	0.021	0.02	<0.17	36.08	0.32	29.05	4.16	105.1	330	5.9	3.4	199	1.71	6.6	1.5	12.0	8.0	21.4
1882006	Drill Core	2.62	500	0.159	0.16	0.20	39.10	0.30	24.47	5.24	175.7	422	16.1	14.6	978	2.24	56.1	2.3	119.4	8.0	55.1
1882007	Drill Core	3.19	542	0.046	0.05	<0.17	40.34	0.25	17.78	10.55	98.3	144	10.0	7.8	616	1.87	7.4	1.5	15.4	9.1	70.3
1882008	Drill Core	2.89	485	0.043	0.06	0.27	37.71	0.26	32.93	6.98	85.1	150	10.8	9.3	544	1.96	7.6	1.4	23.8	7.7	66.0
1882009	Drill Core	2.74	482	0.008	<0.01	<0.17	32.81	0.34	26.50	21.52	92.9	170	10.3	9.6	494	1.93	3.6	2.1	3.4	7.7	73.2
1882010	Drill Core	2.90	505	0.042	0.07	0.46	32.40	1.06	21.78	34.70	55.2	201	6.1	5.9	380	1.58	5.9	2.6	189.4	9.5	40.8
1882011	Drill Core	2.79	557	0.013	0.01	<0.17	36.81	0.76	14.44	5.34	52.5	100	6.0	5.7	292	1.57	8.9	3.2	12.2	10.4	33.4
1882012	Drill Core	2.46	479	0.010	<0.01	<0.17	39.40	0.25	16.98	5.98	92.5	122	8.8	6.5	458	1.69	3.8	2.0	4.4	8.7	60.5
1882013	Drill Core	2.27	547	0.006	<0.01	<0.17	40.27	0.95	19.34	17.12	48.7	196	4.9	5.4	440	1.21	2.1	3.0	3.4	12.2	60.6
1882014	Drill Core	3.27	514	0.008	<0.01	<0.17	37.21	1.19	19.75	9.78	60.2	189	4.7	3.9	148	1.48	5.0	3.2	3.7	11.8	29.6
1882015	Drill Core	1.44	533	0.008	<0.01	<0.17	32.33	0.20	37.85	4.56	19.6	166	2.7	2.4	72	1.06	4.3	2.7	5.6	11.4	24.4
1882016	Drill Core	3.02	485	0.011	0.01	<0.17	36.31	1.17	8.84	33.61	8.2	220	0.8	0.8	37	0.99	2.0	0.5	4.0	5.4	44.0
1882017	Drill Core	1.86	433	0.024	0.02	<0.17	39.43	1.32	53.52	105.69	63.4	425	3.6	2.4	125	1.13	4.8	3.8	15.9	13.5	29.3
1882018	Drill Core	2.13	512	0.016	0.01	<0.17	37.91	0.40	22.69	32.06	50.4	202	2.2	1.8	230	0.55	3.2	2.4	7.0	11.0	36.5
1882019	Drill Core	3.08	496	0.019	0.02	<0.17	37.86	0.34	3.82	20.38	44.7	65	0.5	0.4	99	0.47	4.1	4.6	8.4	18.9	13.8
1882020	Rock Pulp	0.12	75	0.615				6.89	113.43	86.35	141.3	661	11.4	4.6	607	2.58	43.1	0.5	499.0	2.4	38.6
1882021	Drill Core	2.54	466	0.018	0.02	<0.17	39.59	1.70	26.15	80.33	46.2	456	0.9	1.4	187	0.58	4.1	3.0	13.7	15.1	39.4
1882022	Drill Core	3.05	499	0.009	<0.01	<0.17	37.86	0.28	8.86	28.10	8.3	203	0.5	0.2	65	0.36	3.0	2.1	3.6	17.6	13.2
1882023	Drill Core	2.90	489	0.009	<0.01	<0.17	41.96	0.90	4.37	19.37	10.0	131	1.0	0.7	65	0.36	2.6	2.5	3.2	16.9	6.1
1882024	Drill Core	2.98	369	0.010	<0.01	<0.17	41.19	0.21	2.65	20.05	10.7	120	0.6	0.4	73	0.48	3.3	3.0	3.3	17.9	15.5
1882025	Drill Core	1.69	378	0.029	0.03	<0.17	37.88	0.71	10.79	31.20	23.3	189	0.9	0.5	147	0.51	2.2	3.2	26.2	16.2	60.1
1882026	Drill Core	1.51	498	0.010	<0.01	<0.17	37.63	0.26	5.62	10.78	12.2	62	0.9	0.9	90	0.40	1.1	2.3	2.7	15.1	22.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000547.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1884561	Drill Core	8.03	4.20	0.25	5	1.29	0.050	2.6	14.0	0.88	62.8	0.003	<1	0.58	0.005	0.20	0.1	1.7	0.09	2.80	276			
1884562	Drill Core	1.91	1.36	0.26	9	1.21	0.060	3.8	25.7	1.30	86.8	0.006	<1	0.87	0.023	0.30	0.1	2.8	0.16	2.22	61			
1884563	Drill Core	0.16	3.94	0.03	3	1.14	0.037	3.4	8.7	0.81	114.0	0.002	<1	0.55	0.006	0.18	<0.1	1.0	0.08	1.16	22			
1884564	Drill Core	0.15	2.10	0.03	4	0.63	0.051	4.3	12.5	1.22	112.3	0.002	<1	0.88	0.006	0.26	<0.1	1.4	0.12	1.48	13			
1882001	Drill Core	0.39	0.20	0.04	3	0.46	0.040	22.0	3.4	0.36	282.8	0.002	<1	0.51	0.020	0.19	12.9	1.3	0.05	0.03	<5			
1882002	Drill Core	0.52	1.82	0.21	6	0.07	0.077	6.6	6.3	0.23	737.2	0.001	<1	0.62	0.013	0.15	1.6	2.0	0.05	0.09	155			
1882003	Drill Core	0.17	0.98	0.16	6	0.05	0.050	7.6	6.5	0.30	310.2	0.001	<1	0.43	0.015	0.14	0.6	1.6	0.05	0.09	70			
1882004	Drill Core	0.10	0.53	0.13	8	0.05	0.055	8.6	8.3	0.44	310.7	0.002	<1	0.55	0.017	0.20	0.2	1.9	0.08	0.20	24			
1882005	Drill Core	0.68	0.38	0.05	4	0.10	0.057	12.6	5.4	0.50	288.5	0.002	<1	0.70	0.008	0.24	0.9	1.3	0.10	0.19	<5			
1882006	Drill Core	2.38	0.62	0.05	12	0.64	0.063	12.4	32.7	1.21	284.7	0.003	<1	1.10	0.010	0.25	0.6	2.9	0.11	0.54	8			
1882007	Drill Core	0.62	0.22	0.08	11	0.57	0.052	14.9	33.8	1.27	205.6	0.012	<1	0.93	0.022	0.28	<0.1	3.2	0.14	0.71	5			
1882008	Drill Core	0.34	0.25	0.04	10	0.52	0.054	10.6	32.1	1.39	153.8	0.011	1	1.00	0.011	0.30	<0.1	2.3	0.16	0.85	6			
1882009	Drill Core	0.23	0.32	0.10	11	0.55	0.048	6.7	40.5	1.59	227.2	0.033	<1	1.13	0.012	0.59	<0.1	2.5	0.39	0.68	9			
1882010	Drill Core	0.19	0.18	0.13	7	0.38	0.040	12.3	20.4	1.23	234.0	0.005	<1	0.92	0.010	0.26	<0.1	1.8	0.12	0.58	<5			
1882011	Drill Core	0.04	0.20	0.03	6	0.30	0.036	9.9	8.4	1.08	181.3	0.005	1	0.83	0.012	0.25	<0.1	1.3	0.12	0.65	<5			
1882012	Drill Core	0.42	0.21	0.03	7	0.54	0.046	9.7	19.9	1.01	226.7	0.007	2	0.75	0.014	0.26	<0.1	1.9	0.12	0.68	<5			
1882013	Drill Core	0.28	0.15	0.11	3	0.40	0.039	12.4	4.1	0.68	331.1	0.003	1	0.57	0.010	0.22	<0.1	1.2	0.10	0.52	<5			
1882014	Drill Core	0.12	0.29	0.07	2	0.09	0.036	10.8	3.2	0.49	356.7	0.002	<1	0.60	0.010	0.19	<0.1	1.2	0.09	0.51	<5			
1882015	Drill Core	0.08	0.23	0.03	2	0.10	0.041	13.0	3.1	0.28	330.2	0.002	1	0.42	0.013	0.17	<0.1	0.9	0.07	0.45	<5			
1882016	Drill Core	0.01	0.11	0.05	1	0.02	0.013	13.7	2.2	0.05	499.3	0.001	<1	0.22	0.034	0.21	0.3	0.4	0.06	0.30	<5			
1882017	Drill Core	0.60	0.29	0.29	2	0.07	0.026	14.5	5.3	0.26	490.7	0.001	<1	0.47	0.012	0.20	0.2	1.4	0.07	0.20	12			
1882018	Drill Core	0.60	0.27	0.13	<1	0.07	0.009	16.5	1.2	0.31	865.2	<0.001	<1	0.39	0.023	0.14	<0.1	1.2	0.04	0.12	<5			
1882019	Drill Core	0.19	0.16	0.08	<1	0.10	0.003	17.4	1.0	0.31	162.4	<0.001	<1	0.36	0.008	0.17	0.1	0.4	0.05	0.05	<5			
1882020	Rock Pulp	0.59	3.13	0.11	31	0.88	0.036	6.9	23.7	0.53	93.5	0.088	10	1.18	0.091	0.11	4.7	3.4	0.21	0.09	141			
1882021	Drill Core	0.47	0.56	0.38	<1	0.35	0.002	13.3	1.1	0.28	183.0	<0.001	<1	0.24	0.005	0.16	<0.1	0.4	0.04	0.32	<5			
1882022	Drill Core	0.09	0.23	0.17	<1	0.03	0.003	34.4	1.4	0.06	726.1	<0.001	<1	0.25	0.018	0.21	<0.1	0.4	0.05	0.10	<5			
1882023	Drill Core	0.09	0.13	0.15	<1	0.05	0.003	28.9	1.6	0.10	130.8	<0.001	<1	0.26	0.010	0.20	<0.1	0.5	0.04	0.06	<5			
1882024	Drill Core	0.07	0.17	0.14	<1	0.14	0.003	28.2	2.0	0.15	231.1	<0.001	<1	0.30	0.014	0.22	<0.1	0.7	0.05	0.09	<5			
1882025	Drill Core	0.26	0.27	0.13	<1	0.38	0.003	19.1	2.0	0.27	1230.7	<0.001	<1	0.32	0.009	0.21	<0.1	0.6	0.06	0.07	<5			
1882026	Drill Core	0.11	0.11	0.05	<1	0.22	0.030	28.4	1.9	0.17	194.1	<0.001	<1	0.35	0.008	0.26	<0.1	0.6	0.06	0.04	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 4 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000547.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1884561 Drill Core	2.6	0.11	1.2	0.87	<0.1	0.23	<0.02	8.9	0.3	<0.05	6.3	4.21	5.7	0.03	3	0.1	8.5	28	<2
1884562 Drill Core	1.3	0.07	2.0	1.88	<0.1	0.31	<0.02	15.8	0.3	<0.05	9.6	3.79	7.8	<0.02	1	0.2	13.0	<10	<2
1884563 Drill Core	0.3	0.03	1.0	0.81	<0.1	0.23	<0.02	7.7	0.3	<0.05	6.7	2.62	7.0	<0.02	<1	0.1	7.8	<10	<2
1884564 Drill Core	0.3	0.02	1.6	1.33	<0.1	0.28	<0.02	12.0	0.4	<0.05	9.8	2.90	8.6	<0.02	<1	0.2	11.9	<10	<2
1882001 Drill Core	<0.1	<0.02	1.5	0.18	<0.1	0.17	<0.02	6.7	0.1	<0.05	5.3	4.41	43.6	<0.02	<1	0.2	6.4	<10	<2
1882002 Drill Core	2.0	0.15	1.1	0.18	<0.1	0.13	<0.02	5.7	<0.1	<0.05	7.4	2.87	13.1	0.03	<1	0.1	5.3	<10	<2
1882003 Drill Core	1.4	0.05	1.2	0.19	<0.1	0.22	<0.02	5.6	0.1	<0.05	8.1	1.46	14.8	<0.02	<1	<0.1	6.2	<10	<2
1882004 Drill Core	1.0	<0.02	1.7	0.35	<0.1	0.27	<0.02	7.9	0.2	<0.05	10.2	1.59	16.1	<0.02	<1	<0.1	8.2	<10	<2
1882005 Drill Core	<0.1	<0.02	1.6	0.95	<0.1	0.18	<0.02	10.1	0.3	<0.05	8.6	3.03	22.1	<0.02	<1	0.2	10.2	<10	<2
1882006 Drill Core	0.2	<0.02	3.0	0.84	<0.1	0.18	<0.02	10.9	0.3	<0.05	8.6	8.46	23.1	<0.02	<1	0.5	21.3	<10	<2
1882007 Drill Core	0.2	<0.02	3.1	1.04	<0.1	0.27	<0.02	14.4	0.2	<0.05	9.9	6.78	28.3	<0.02	<1	0.3	16.2	<10	<2
1882008 Drill Core	0.1	<0.02	3.2	1.60	<0.1	0.35	<0.02	16.7	0.3	<0.05	12.2	5.07	19.8	<0.02	<1	0.3	20.3	<10	<2
1882009 Drill Core	0.2	<0.02	3.4	3.24	<0.1	0.48	<0.02	37.1	0.3	<0.05	15.4	3.94	12.4	<0.02	<1	0.6	25.0	<10	<2
1882010 Drill Core	0.1	<0.02	3.0	1.11	<0.1	0.25	<0.02	12.1	0.3	<0.05	7.8	4.04	22.8	<0.02	<1	0.2	16.6	<10	2
1882011 Drill Core	<0.1	<0.02	2.8	1.23	<0.1	0.18	<0.02	12.5	0.2	<0.05	5.3	3.16	19.5	<0.02	<1	0.2	16.5	<10	<2
1882012 Drill Core	0.2	<0.02	2.3	0.71	<0.1	0.38	<0.02	13.0	0.3	<0.05	13.7	4.87	17.9	<0.02	<1	0.3	14.4	<10	<2
1882013 Drill Core	<0.1	<0.02	2.0	0.22	<0.1	0.37	<0.02	9.7	0.4	<0.05	12.4	5.17	23.1	<0.02	<1	<0.1	8.9	<10	<2
1882014 Drill Core	<0.1	<0.02	1.7	0.33	<0.1	0.53	<0.02	8.8	0.2	<0.05	16.7	3.11	21.2	<0.02	<1	0.3	7.8	<10	<2
1882015 Drill Core	<0.1	<0.02	1.3	0.33	<0.1	0.16	<0.02	7.6	0.2	<0.05	4.9	2.02	24.7	<0.02	<1	0.2	4.6	<10	<2
1882016 Drill Core	<0.1	<0.02	0.8	0.15	<0.1	0.15	<0.02	6.7	0.3	<0.05	5.5	1.06	25.4	<0.02	<1	<0.1	1.2	<10	<2
1882017 Drill Core	<0.1	<0.02	1.1	0.17	<0.1	0.44	<0.02	8.2	0.3	<0.05	14.6	3.22	27.9	<0.02	<1	0.2	4.9	<10	3
1882018 Drill Core	<0.1	<0.02	0.9	0.14	<0.1	0.49	<0.02	5.4	0.2	<0.05	14.8	4.17	31.2	<0.02	<1	0.2	4.4	<10	<2
1882019 Drill Core	<0.1	<0.02	0.9	0.21	<0.1	0.53	0.17	5.9	0.3	<0.05	16.2	4.76	34.3	<0.02	<1	0.3	4.4	<10	<2
1882020 Rock Pulp	<0.1	0.05	4.3	0.24	<0.1	0.20	0.29	3.0	2.1	<0.05	4.5	8.72	13.5	<0.02	2	0.3	1.3	<10	<2
1882021 Drill Core	<0.1	<0.02	0.6	0.21	<0.1	0.46	0.02	5.8	0.4	<0.05	14.1	4.40	25.3	<0.02	<1	0.1	2.2	<10	<2
1882022 Drill Core	<0.1	<0.02	0.9	0.21	<0.1	0.63	0.06	7.7	0.3	<0.05	18.5	6.73	66.4	<0.02	<1	0.2	1.2	<10	<2
1882023 Drill Core	<0.1	0.02	0.8	0.15	<0.1	0.57	0.06	6.5	0.3	<0.05	16.4	5.09	57.7	<0.02	<1	0.2	1.7	<10	<2
1882024 Drill Core	<0.1	<0.02	1.0	0.17	<0.1	0.63	0.07	7.3	0.3	<0.05	18.3	5.81	56.8	<0.02	1	0.3	1.8	<10	3
1882025 Drill Core	<0.1	<0.02	0.8	0.28	<0.1	0.29	0.03	7.0	0.3	<0.05	9.3	3.99	38.3	<0.02	<1	0.2	2.4	<10	<2
1882026 Drill Core	<0.1	<0.02	0.9	0.26	<0.1	0.15	<0.02	8.4	0.3	<0.05	5.3	3.70	49.9	<0.02	<1	<0.1	2.1	<10	<2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000547.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1882027	Drill Core	3.48	417	0.022	0.02	<0.17	38.74	0.28	7.85	36.48	40.6	209	2.7	2.4	213	0.94	2.5	0.9	11.0	12.6	51.9
1882028	Drill Core	3.07	519	0.012	0.01	<0.17	34.25	0.39	12.06	12.28	46.6	76	5.2	6.8	316	1.51	3.0	1.0	4.6	8.9	80.1
1882029	Drill Core	2.66	426	0.015	0.01	<0.17	40.17	0.34	11.06	42.03	47.1	188	4.2	5.4	407	1.42	13.2	1.6	3.9	9.2	118.6
1882030	Drill Core	2.85	508	0.051	0.05	<0.17	37.06	0.41	4.03	24.53	25.9	125	1.8	1.6	264	0.80	48.8	1.7	38.4	10.6	58.2
1882031	Drill Core	3.02	360	0.835	0.83	0.81	37.11	0.31	12.30	15.47	59.3	523	3.1	2.8	205	1.10	453.9	2.3	795.9	13.8	22.8
1882032	Drill Core	1.34	452	0.354	0.36	0.42	37.65	0.22	6.35	13.38	30.8	433	1.9	2.4	162	0.94	24.7	1.2	298.4	10.0	27.6
1882033	Drill Core	1.68	506	0.327	0.34	0.49	40.65	0.18	9.10	19.73	19.2	1081	1.2	0.9	101	0.62	90.5	1.1	257.1	13.1	20.1
1882034	Drill Core	2.85	518	0.098	0.10	<0.17	38.99	0.15	6.77	14.22	19.7	543	1.3	1.0	160	0.69	42.4	0.8	78.3	11.7	32.2
1882035	Drill Core	3.10	551	0.034	0.03	<0.17	37.77	0.15	9.81	61.53	73.4	577	2.7	2.4	387	1.06	19.9	1.8	29.7	11.4	111.3
1882036	Drill Core	2.41	406	0.019	0.02	<0.17	37.82	0.15	5.40	38.84	73.1	298	3.2	2.8	288	1.45	27.8	2.4	16.9	11.1	112.4
1882037	Drill Core	3.60	427	0.101	0.09	<0.17	33.63	0.15	12.82	84.24	59.6	705	2.5	2.3	335	1.19	40.2	1.9	41.8	10.4	115.0
1882038	Drill Core	3.35	438	0.019	0.02	<0.17	36.51	0.58	4.38	18.94	60.7	143	3.4	3.3	315	1.44	17.0	2.4	24.9	11.9	96.7
1882039	Drill Core	2.98	498	0.017	0.02	<0.17	34.86	0.28	5.77	17.20	81.4	121	3.2	2.7	293	1.43	25.9	2.0	15.5	11.4	72.0
1882040	Rock Pulp	0.12	76	0.007				3.89	20.38	0.96	30.1	16	7.1	4.0	565	2.40	1.4	0.4	1.4	2.1	30.9
1882041	Drill Core	3.11	527	0.026	0.02	<0.17	32.23	0.73	9.42	17.70	32.4	223	2.5	3.0	274	1.00	15.9	2.4	17.4	9.2	69.8
1882042	Drill Core	1.72	464	0.014	0.01	<0.17	40.47	0.76	7.16	26.41	39.8	165	2.8	3.3	373	1.11	11.1	3.6	11.5	10.5	95.9
1882043	Drill Core	3.13	475	0.015	0.01	<0.17	38.10	0.66	14.36	28.60	52.4	294	3.3	3.5	322	1.32	6.7	3.7	12.4	10.6	99.8
1882044	Drill Core	3.14	487	0.034	0.03	<0.17	36.56	0.84	14.62	14.43	47.6	666	3.9	4.2	360	1.68	10.3	2.3	24.4	11.5	59.5
1882045	Drill Core	2.91	411	0.027	0.02	<0.17	35.86	0.44	12.53	17.79	49.1	459	4.4	4.0	373	1.67	8.7	2.7	9.2	12.3	58.1
1882046	Drill Core	3.36	472	0.006	<0.01	<0.17	40.22	0.79	12.60	18.67	41.3	394	4.3	4.0	334	1.57	6.1	1.8	2.7	11.4	62.0
1882047	Drill Core	3.23	460	0.030	0.03	<0.17	40.36	0.26	4.59	13.31	53.8	197	3.7	3.9	285	1.62	7.9	2.4	15.3	11.1	49.6
1882048	Drill Core	2.23	380	0.119	0.11	<0.17	39.52	0.33	3.25	14.09	37.4	107	2.7	3.4	294	1.34	7.6	2.1	74.5	11.1	66.3
1882049	Drill Core	3.28	380	0.015	0.01	<0.17	38.13	0.25	12.89	9.94	36.9	122	2.6	3.2	222	1.19	10.3	2.2	16.7	10.1	52.1
1882050	Drill Core	3.13	385	0.028	0.03	<0.17	34.91	1.31	9.61	12.38	46.6	210	3.6	3.7	224	1.35	173.4	1.8	18.7	10.7	49.9
1882051	Drill Core	2.15	369	0.058	0.05	<0.17	39.53	0.19	15.71	12.40	31.7	213	1.9	2.2	169	0.86	77.4	2.3	45.3	10.6	44.0
1882052	Drill Core	1.80	423	0.182	0.17	<0.17	41.31	0.22	19.25	6.22	18.3	284	1.4	1.5	168	0.74	59.0	2.3	192.5	10.7	35.5
1882053	Drill Core	1.28	459	0.495	0.53	0.89	39.12	0.19	31.12	24.43	56.5	2405	2.1	2.3	169	0.85	29.5	2.3	500.6	8.8	36.4
1882054	Drill Core	2.40	390	0.047	0.04	<0.17	37.20	0.13	17.05	17.78	43.2	300	1.2	1.9	224	0.81	24.2	2.7	276.9	11.5	69.5
1882055	Drill Core	2.89	468	0.025	0.02	<0.17	34.77	0.14	30.23	22.95	40.5	345	1.7	1.9	203	0.78	20.6	1.9	20.9	10.5	62.8
1882056	Drill Core	3.49	476	0.179	0.17	<0.17	34.63	0.15	11.91	42.45	67.3	692	1.6	2.8	395	1.02	8.9	3.2	103.3	11.2	127.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: September 27, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000547.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1882027	Drill Core	0.29	0.20	0.30	1	0.57	0.031	20.8	2.4	0.58	304.1	0.001	1	0.61	0.006	0.24	<0.1	0.9	0.08	0.08	<5			
1882028	Drill Core	0.19	0.24	0.09	4	1.02	0.056	12.3	3.8	0.90	127.8	0.003	<1	0.88	0.004	0.27	<0.1	1.8	0.10	0.11	<5			
1882029	Drill Core	0.33	0.28	0.26	4	1.28	0.053	12.9	3.8	0.89	168.0	0.003	<1	0.88	0.009	0.24	<0.1	2.1	0.10	0.13	<5			
1882030	Drill Core	0.23	0.46	0.15	1	0.54	0.030	18.5	2.3	0.46	133.2	0.002	<1	0.53	0.013	0.23	<0.1	1.0	0.07	0.16	<5			
1882031	Drill Core	0.51	2.60	0.20	2	0.23	0.033	21.0	2.7	0.49	145.4	0.002	<1	0.60	0.016	0.23	<0.1	0.8	0.07	0.42	<5			
1882032	Drill Core	0.17	0.31	0.09	<1	0.32	0.033	16.9	2.4	0.25	143.2	0.001	<1	0.39	0.011	0.23	<0.1	0.7	0.06	0.44	<5			
1882033	Drill Core	0.15	0.66	0.14	1	0.19	0.037	25.2	2.3	0.14	222.6	0.002	<1	0.32	0.021	0.23	<0.1	0.6	0.05	0.19	<5			
1882034	Drill Core	0.08	0.48	0.14	2	0.39	0.031	23.1	2.4	0.17	206.6	0.002	<1	0.37	0.020	0.25	<0.1	0.7	0.05	0.25	<5			
1882035	Drill Core	0.32	0.29	0.73	3	1.11	0.049	21.8	3.1	0.57	158.9	0.002	<1	0.66	0.012	0.23	<0.1	1.4	0.05	0.14	<5			
1882036	Drill Core	0.32	0.44	0.23	5	0.87	0.045	24.6	4.1	0.56	161.1	0.003	<1	0.76	0.018	0.23	<0.1	2.2	0.05	0.11	<5			
1882037	Drill Core	0.23	0.88	0.83	3	1.08	0.042	21.8	3.5	0.61	136.3	0.003	1	0.72	0.018	0.22	<0.1	1.8	0.07	0.13	<5			
1882038	Drill Core	0.27	0.48	0.04	4	0.83	0.048	23.7	3.5	0.60	167.4	0.003	<1	0.79	0.021	0.22	<0.1	1.9	0.07	0.12	<5			
1882039	Drill Core	0.58	0.39	<0.02	3	0.70	0.049	19.5	2.9	0.64	184.9	0.003	2	0.74	0.013	0.23	<0.1	1.9	0.06	0.10	<5			
1882040	Rock Pulp	0.02	0.18	0.03	22	0.80	0.038	5.3	14.1	0.49	57.4	0.071	3	1.00	0.066	0.08	0.3	2.9	<0.02	0.04	8			
1882041	Drill Core	0.16	0.31	0.04	4	0.84	0.038	15.2	3.3	0.46	125.3	0.002	<1	0.53	0.026	0.20	<0.1	1.3	0.04	0.18	<5			
1882042	Drill Core	0.20	0.28	0.03	4	0.95	0.041	17.7	3.6	0.52	152.0	0.003	2	0.59	0.014	0.21	<0.1	1.3	0.05	0.14	<5			
1882043	Drill Core	0.21	0.20	0.07	5	0.92	0.043	18.2	3.6	0.57	149.9	0.005	<1	0.68	0.016	0.23	<0.1	1.8	0.06	0.14	<5			
1882044	Drill Core	0.19	0.23	0.07	6	0.54	0.048	20.9	4.3	0.70	121.3	0.004	2	0.82	0.016	0.22	<0.1	1.6	0.06	0.19	<5			
1882045	Drill Core	0.18	0.20	0.07	6	0.57	0.051	23.0	3.7	0.74	131.0	0.003	1	0.84	0.010	0.23	<0.1	1.6	0.06	0.15	6			
1882046	Drill Core	0.12	0.20	0.07	5	0.64	0.049	20.5	3.9	0.73	127.4	0.003	<1	0.77	0.007	0.23	<0.1	1.4	0.05	0.12	<5			
1882047	Drill Core	0.14	0.19	0.02	5	0.50	0.044	19.3	3.5	0.71	126.0	0.003	<1	0.80	0.012	0.20	<0.1	1.5	0.05	0.12	13			
1882048	Drill Core	0.14	0.22	<0.02	4	0.75	0.041	20.5	3.0	0.62	409.8	0.002	<1	0.72	0.010	0.24	<0.1	1.4	0.05	0.07	6			
1882049	Drill Core	0.11	0.26	<0.02	3	0.60	0.041	15.5	2.2	0.50	140.0	0.002	<1	0.59	0.008	0.25	<0.1	1.2	0.06	0.10	<5			
1882050	Drill Core	0.09	1.87	0.07	4	0.54	0.044	16.8	2.9	0.51	189.6	0.002	<1	0.72	0.011	0.28	<0.1	1.6	0.09	0.21	6			
1882051	Drill Core	0.15	1.02	0.13	2	0.50	0.026	14.0	2.1	0.26	172.1	0.001	2	0.41	0.019	0.26	<0.1	0.9	0.07	0.33	<5			
1882052	Drill Core	0.12	0.67	0.11	2	0.46	0.032	16.9	2.6	0.22	215.8	0.002	<1	0.40	0.018	0.27	<0.1	0.7	0.06	0.17	<5			
1882053	Drill Core	0.99	0.32	0.15	2	0.42	0.026	10.8	2.4	0.20	216.5	0.001	<1	0.29	0.019	0.19	<0.1	0.6	0.04	0.45	19			
1882054	Drill Core	0.32	0.40	0.33	2	0.85	0.033	12.6	1.7	0.41	148.2	0.001	<1	0.51	0.006	0.27	<0.1	1.0	0.06	0.14	<5			
1882055	Drill Core	0.20	0.44	0.45	1	0.59	0.036	13.8	1.8	0.43	207.9	0.001	1	0.42	0.006	0.23	<0.1	0.8	0.06	0.16	6			
1882056	Drill Core	0.55	0.26	1.33	2	1.49	0.033	12.9	1.6	0.67	164.0	0.001	<1	0.52	0.004	0.25	<0.1	1.3	0.06	0.21	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 5 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000547.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1882027	Drill Core	<0.1	<0.02	1.5	0.78	<0.1	0.14	<0.02	9.4	0.3	<0.05	5.2	5.05	39.6	<0.02	<1	0.2	6.4	<10	<2
1882028	Drill Core	0.1	<0.02	1.9	0.74	<0.1	0.21	<0.02	11.1	0.2	<0.05	8.1	5.20	23.3	<0.02	1	0.2	12.9	<10	<2
1882029	Drill Core	<0.1	<0.02	1.9	0.65	<0.1	0.24	<0.02	9.9	0.3	<0.05	8.4	4.67	24.5	<0.02	2	0.2	13.0	<10	3
1882030	Drill Core	<0.1	0.03	1.5	0.22	<0.1	0.31	<0.02	7.5	0.2	<0.05	10.6	4.64	36.3	<0.02	<1	0.4	6.4	<10	<2
1882031	Drill Core	<0.1	0.88	2.0	0.34	<0.1	0.17	<0.02	7.7	0.3	<0.05	6.0	5.27	38.7	<0.02	<1	0.2	7.5	<10	<2
1882032	Drill Core	0.2	0.20	1.2	0.21	<0.1	0.25	<0.02	7.0	0.4	<0.05	8.0	4.90	31.1	<0.02	<1	0.2	4.8	<10	<2
1882033	Drill Core	<0.1	0.73	1.2	0.35	<0.1	0.13	<0.02	7.8	0.3	<0.05	4.8	5.97	48.8	<0.02	<1	0.2	3.1	<10	<2
1882034	Drill Core	<0.1	0.14	1.3	0.46	<0.1	0.11	<0.02	8.3	0.2	<0.05	4.3	6.03	45.2	<0.02	<1	0.2	3.3	<10	<2
1882035	Drill Core	0.1	0.02	2.0	0.26	<0.1	0.19	<0.02	8.1	0.3	<0.05	7.6	7.11	38.3	<0.02	<1	0.2	7.3	<10	<2
1882036	Drill Core	<0.1	<0.02	2.9	0.34	<0.1	0.11	<0.02	7.7	0.2	<0.05	4.4	6.06	47.3	<0.02	<1	0.2	9.5	<10	<2
1882037	Drill Core	0.1	0.03	2.5	0.47	<0.1	0.16	<0.02	8.2	0.2	<0.05	5.4	6.28	42.1	0.03	<1	0.2	9.5	<10	<2
1882038	Drill Core	<0.1	<0.02	3.0	0.61	<0.1	0.14	<0.02	8.6	0.1	<0.05	4.7	6.24	46.1	<0.02	<1	0.4	12.6	<10	<2
1882039	Drill Core	<0.1	<0.02	2.5	0.59	<0.1	0.18	<0.02	9.0	0.1	<0.05	7.2	6.42	39.1	<0.02	<1	0.4	10.8	<10	<2
1882040	Rock Pulp	<0.1	<0.02	3.8	0.13	<0.1	0.12	0.34	1.9	2.0	<0.05	3.3	7.24	11.0	<0.02	<1	0.2	0.8	<10	<2
1882041	Drill Core	<0.1	<0.02	1.8	0.33	<0.1	0.06	<0.02	5.8	0.3	<0.05	2.2	4.53	27.8	0.03	2	0.4	6.1	<10	<2
1882042	Drill Core	0.1	<0.02	2.3	0.23	<0.1	0.08	<0.02	6.9	0.2	<0.05	3.7	5.47	32.3	<0.02	<1	0.4	8.2	<10	3
1882043	Drill Core	0.1	<0.02	2.6	0.25	<0.1	0.16	<0.02	7.6	0.2	<0.05	5.2	5.77	32.7	<0.02	<1	0.3	9.1	<10	<2
1882044	Drill Core	<0.1	<0.02	3.1	0.25	<0.1	0.16	<0.02	7.7	0.2	<0.05	5.3	6.40	40.5	<0.02	<1	0.3	11.1	<10	<2
1882045	Drill Core	<0.1	<0.02	3.2	0.30	<0.1	0.18	<0.02	7.9	0.2	<0.05	7.2	7.15	43.0	<0.02	<1	0.4	13.8	<10	<2
1882046	Drill Core	<0.1	<0.02	2.8	0.34	<0.1	0.12	<0.02	7.5	0.2	<0.05	5.1	6.68	39.6	<0.02	1	0.5	11.7	<10	<2
1882047	Drill Core	<0.1	<0.02	3.4	0.35	<0.1	0.13	<0.02	6.5	0.2	<0.05	5.5	5.84	37.8	<0.02	<1	0.2	12.1	<10	<2
1882048	Drill Core	<0.1	<0.02	2.5	0.32	<0.1	0.13	<0.02	7.8	0.1	<0.05	5.4	5.03	38.8	<0.02	<1	0.3	9.5	<10	<2
1882049	Drill Core	<0.1	0.02	1.7	0.54	<0.1	0.15	<0.02	8.2	0.2	<0.05	5.4	4.21	30.1	<0.02	<1	0.2	7.8	<10	<2
1882050	Drill Core	<0.1	<0.02	2.1	2.95	<0.1	0.19	<0.02	11.1	0.3	<0.05	6.8	4.16	32.0	<0.02	<1	0.5	9.1	<10	<2
1882051	Drill Core	<0.1	0.03	1.2	1.29	<0.1	0.25	<0.02	9.2	0.4	<0.05	8.8	3.61	26.7	<0.02	<1	0.2	4.2	<10	<2
1882052	Drill Core	<0.1	0.11	1.4	0.43	<0.1	0.19	<0.02	8.9	0.4	<0.05	6.5	3.76	30.4	<0.02	<1	0.2	3.6	<10	<2
1882053	Drill Core	<0.1	1.26	1.0	0.36	<0.1	0.28	<0.02	6.0	0.2	<0.05	8.6	3.73	21.0	<0.02	<1	0.1	2.8	<10	<2
1882054	Drill Core	<0.1	0.04	1.4	0.39	<0.1	0.31	<0.02	8.9	0.4	<0.05	10.2	4.03	24.1	<0.02	<1	0.2	5.5	<10	<2
1882055	Drill Core	<0.1	<0.02	1.2	0.40	<0.1	0.19	<0.02	8.9	0.3	<0.05	5.6	4.68	24.7	<0.02	<1	0.1	5.0	<10	<2
1882056	Drill Core	<0.1	0.12	1.4	0.60	<0.1	0.26	<0.02	9.0	0.4	<0.05	8.9	5.58	24.4	0.02	<1	0.2	6.5	<10	<2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000547.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1882057	Drill Core	1.64	441	0.030	0.03	<0.17	39.45	0.57	10.26	51.62	46.2	903	1.3	2.1	254	0.68	3.3	4.4	35.2	11.2	78.8	
1882058	Drill Core	2.86	351	0.095	0.08	<0.17	36.73	0.33	9.31	21.82	76.8	272	2.7	3.2	272	1.36	8.5	2.7	79.4	11.9	86.1	
1882059	Drill Core	2.88	415	0.364	0.39	0.63	38.21	0.13	6.50	13.71	64.9	236	3.8	4.5	308	1.76	18.6	2.5	356.7	11.7	87.1	
1882060	Core DUP		411	0.422	0.42	0.37	38.08	0.13	6.26	12.07	62.3	197	3.8	4.6	280	1.75	18.6	2.3	278.2	11.0	82.5	
1882061	Drill Core	3.09	373	0.094	0.10	<0.17	36.86	0.23	5.54	13.73	35.4	69	2.2	3.6	290	1.27	10.0	3.1	68.8	10.8	83.2	
1882062	Drill Core	2.78	414	0.192	0.18	<0.17	35.41	0.90	9.26	17.50	48.3	212	3.4	4.7	263	1.49	28.1	2.7	184.7	10.9	60.8	
1882063	Drill Core	2.87	397	0.843	0.92	1.88	30.80	0.36	15.17	8.40	56.0	375	4.9	5.5	314	1.66	47.2	1.7	572.4	9.1	68.0	
1882064	Drill Core	1.53	400	0.055	0.05	<0.17	38.43	0.92	28.79	5.84	94.7	145	93.0	38.9	1018	6.02	193.2	1.0	43.0	3.3	377.8	
1882065	Drill Core	2.38	380	0.103	0.21	1.19	36.20	0.27	9.46	9.02	44.5	179	6.3	7.7	411	2.26	39.9	4.2	80.9	9.3	80.9	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000547.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02
1882057	Drill Core	0.34	0.20	2.15	1	0.96	0.035	12.8	1.3	0.46	132.2	0.001	<1	0.39	0.005	0.22	<0.1	0.8	0.05	0.05
1882058	Drill Core	0.28	0.36	7.71	3	0.91	0.037	14.4	3.3	0.78	157.4	0.002	<1	0.72	0.010	0.25	<0.1	1.7	0.07	0.21
1882059	Drill Core	0.20	0.35	0.32	7	0.91	0.043	18.2	5.3	0.83	162.2	0.003	<1	0.88	0.021	0.19	<0.1	2.6	0.05	0.17
1882060	Core DUP	0.19	0.33	0.26	7	0.83	0.040	16.1	4.9	0.81	152.0	0.003	<1	0.86	0.020	0.19	<0.1	2.5	0.05	0.20
1882061	Drill Core	0.13	0.28	0.03	4	0.86	0.044	19.7	3.2	0.51	208.8	0.003	<1	0.66	0.020	0.26	<0.1	1.8	0.07	0.14
1882062	Drill Core	0.19	0.59	0.19	4	0.64	0.051	15.9	3.3	0.67	138.6	0.003	1	0.77	0.008	0.25	<0.1	1.3	0.08	0.22
1882063	Drill Core	0.30	0.83	0.04	7	0.76	0.053	14.5	5.4	0.86	141.4	0.003	<1	0.85	0.007	0.25	<0.1	1.5	0.09	0.29
1882064	Drill Core	0.17	9.07	0.04	117	4.32	0.150	20.2	101.9	2.57	244.8	0.057	<1	3.28	0.227	0.16	<0.1	17.6	1.23	0.58
1882065	Drill Core	0.18	0.90	<0.02	24	0.93	0.056	16.6	6.4	1.10	246.1	0.002	<1	1.11	0.010	0.22	<0.1	2.4	0.07	0.38



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000547.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1882057	Drill Core	<0.1	0.09	1.0	0.27	<0.1	0.18	<0.02	7.2	0.2	<0.05	7.1	4.25	24.1	<0.02	4	0.2	4.9	<10
1882058	Drill Core	<0.1	0.08	2.2	0.38	<0.1	0.17	<0.02	8.6	0.3	<0.05	6.7	5.57	27.3	<0.02	<1	0.3	9.9	<10
1882059	Drill Core	<0.1	0.03	3.5	0.32	<0.1	0.08	<0.02	6.6	0.2	<0.05	3.9	5.54	34.8	<0.02	<1	0.4	13.2	<10
1882060	Core DUP	<0.1	0.05	3.6	0.30	<0.1	0.10	<0.02	6.2	0.2	<0.05	4.0	5.11	32.4	0.02	<1	0.4	11.9	<10
1882061	Drill Core	<0.1	0.03	2.2	0.34	<0.1	0.11	<0.02	9.4	0.2	<0.05	4.1	4.89	38.5	<0.02	<1	0.3	10.2	<10
1882062	Drill Core	<0.1	0.08	2.1	0.32	<0.1	0.21	<0.02	8.8	0.2	<0.05	7.6	4.90	30.4	<0.02	<1	0.2	12.4	<10
1882063	Drill Core	<0.1	0.11	2.5	0.85	<0.1	0.24	<0.02	9.5	0.3	<0.05	8.1	5.98	28.6	<0.02	<1	0.1	15.1	<10
1882064	Drill Core	0.2	<0.02	9.1	5.03	<0.1	0.22	<0.02	6.3	0.9	<0.05	7.0	24.81	44.0	0.06	<1	1.4	55.0	<10
1882065	Drill Core	<0.1	0.03	4.1	0.80	<0.1	0.09	<0.02	7.2	0.3	<0.05	3.0	7.18	32.6	<0.02	1	0.2	20.5	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000547.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
Pulp Duplicates																					
1884510	Drill Core	3.55	385	0.020	0.02	<0.17	40.63	1.64	20.81	124.59	228.9	278	6.5	4.4	264	1.17	3.1	3.8	9.5	17.5	10.8
REP 1884510	QC							1.59	21.98	124.21	230.7	272	6.1	4.3	246	1.15	3.1	3.5	8.5	16.6	10.4
1884520	Rock Pulp	0.12	76	0.647				6.99	120.99	78.26	137.8	688	12.7	5.2	646	2.56	40.8	0.4	509.2	2.5	37.7
REP 1884520	QC			0.566																	
1884543	Drill Core	1.51	487	0.067	0.08	0.31	31.80	2.55	186.06	1157.26	2249.9	3654	32.0	12.1	924	2.70	41.6	0.9	38.7	3.6	153.7
REP 1884543	QC							2.40	177.25	1149.66	2254.7	3534	31.2	11.4	932	2.71	39.5	0.8	38.4	3.0	150.0
1884554	Drill Core	2.69	470	0.066	0.06	<0.17	35.65	5.70	97.11	516.66	2690.4	2662	31.6	12.8	474	2.41	14.7	1.2	79.6	4.0	105.2
REP 1884554	QC			0.083																	
1882014	Drill Core	3.27	514	0.008	<0.01	<0.17	37.21	1.19	19.75	9.78	60.2	189	4.7	3.9	148	1.48	5.0	3.2	3.7	11.8	29.6
REP 1882014	QC							1.12	18.38	9.24	59.5	186	4.4	3.9	137	1.37	4.8	3.1	1.7	11.1	26.6
1882027	Drill Core	3.48	417	0.022	0.02	<0.17	38.74	0.28	7.85	36.48	40.6	209	2.7	2.4	213	0.94	2.5	0.9	11.0	12.6	51.9
REP 1882027	QC			0.017																	
REP 1882042	QC							0.67	6.11	15.45	39.4	139	2.7	2.9	361	1.11	10.4	3.5	9.1	10.2	90.9
1882048	Drill Core	2.23	380	0.119	0.11	<0.17	39.52	0.33	3.25	14.09	37.4	107	2.7	3.4	294	1.34	7.6	2.1	74.5	11.1	66.3
REP 1882048	QC							0.28	3.45	14.69	37.3	114	2.8	3.3	304	1.36	8.2	2.1	73.5	11.4	68.7
1882058	Drill Core	2.86	351	0.095	0.08	<0.17	36.73	0.33	9.31	21.82	76.8	272	2.7	3.2	272	1.36	8.5	2.7	79.4	11.9	86.1
REP 1882058	QC			0.077																	
Core Reject Duplicates																					
1884504	Drill Core	4.13	498	0.113	0.10	<0.17	35.12	2.11	22.96	613.54	39.8	1195	1.7	0.6	22	1.13	12.9	0.3	79.3	3.0	21.5
DUP 1884504	QC		460	0.083	0.08	<0.17	34.16	2.16	22.42	595.64	41.6	1224	1.7	0.6	24	1.15	13.3	0.3	81.4	2.8	21.4
1884538	Drill Core	3.11	529	0.017	0.02	<0.17	40.21	3.53	139.97	255.48	568.5	1052	44.9	17.8	691	2.77	51.3	1.4	9.8	5.1	132.8
DUP 1884538	QC		530	0.016	0.01	<0.17	39.20	3.53	140.76	248.56	562.7	1071	43.1	18.8	674	2.75	51.7	1.5	10.6	4.6	130.6
1882008	Drill Core	2.89	485	0.043	0.06	0.27	37.71	0.26	32.93	6.98	85.1	150	10.8	9.3	544	1.96	7.6	1.4	23.8	7.7	66.0
DUP 1882008	QC		439	0.052	0.05	<0.17	39.37	0.25	29.88	7.12	84.9	151	10.7	9.2	519	1.94	7.3	1.3	29.1	7.7	62.3
1882042	Drill Core	1.72	464	0.014	0.01	<0.17	40.47	0.76	7.16	26.41	39.8	165	2.8	3.3	373	1.11	11.1	3.6	11.5	10.5	95.9
DUP 1882042	QC		462	0.013	0.01	<0.17	37.70	0.71	6.09	15.08	37.6	152	2.8	2.9	338	1.11	9.7	3.4	7.1	9.9	87.3
Reference Materials																					
STD BVGEO01	Standard							10.45	4319.89	175.39	1706.7	2419	164.9	21.9	670	3.46	104.4	3.4	207.4	12.9	49.6



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 27, 2019

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000547.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1884510	Drill Core	1.57	0.38	0.05	1	0.09	0.024	7.9	2.6	0.14	162.4	<0.001	<1	0.30	0.010	0.18	0.2	0.6	0.05	0.83	24
REP 1884510	QC	1.61	0.38	0.05	1	0.09	0.023	7.6	2.8	0.14	171.5	<0.001	<1	0.30	0.010	0.18	0.1	0.7	0.04	0.81	27
1884520	Rock Pulp	0.49	2.70	0.08	31	0.86	0.035	6.2	24.7	0.51	82.8	0.094	7	1.16	0.095	0.11	4.7	3.3	0.21	0.09	150
REP 1884520	QC																				
1884543	Drill Core	17.60	15.80	0.48	3	1.54	0.070	2.6	4.4	0.60	61.9	0.002	<1	0.33	0.014	0.14	<0.1	1.3	0.04	2.81	1088
REP 1884543	QC	16.27	15.40	0.49	4	1.54	0.065	2.5	4.3	0.61	59.6	0.002	<1	0.34	0.013	0.14	<0.1	1.2	0.04	2.78	1078
1884554	Drill Core	42.60	51.81	0.54	3	1.09	0.033	2.4	8.5	0.48	66.4	0.002	<1	0.34	0.012	0.14	<0.1	1.3	0.05	2.48	2974
REP 1884554	QC																				
1882014	Drill Core	0.12	0.29	0.07	2	0.09	0.036	10.8	3.2	0.49	356.7	0.002	<1	0.60	0.010	0.19	<0.1	1.2	0.09	0.51	<5
REP 1882014	QC	0.11	0.26	0.06	2	0.09	0.038	10.5	2.9	0.46	315.4	0.002	1	0.56	0.009	0.18	0.1	1.2	0.09	0.47	<5
1882027	Drill Core	0.29	0.20	0.30	1	0.57	0.031	20.8	2.4	0.58	304.1	0.001	1	0.61	0.006	0.24	<0.1	0.9	0.08	0.08	<5
REP 1882027	QC																				
REP 1882042	QC	0.16	0.24	0.02	4	0.95	0.041	16.7	3.5	0.52	138.6	0.002	<1	0.59	0.015	0.21	<0.1	1.6	0.06	0.13	11
1882048	Drill Core	0.14	0.22	<0.02	4	0.75	0.041	20.5	3.0	0.62	409.8	0.002	<1	0.72	0.010	0.24	<0.1	1.4	0.05	0.07	6
REP 1882048	QC	0.17	0.21	<0.02	4	0.71	0.041	20.7	3.0	0.63	427.2	0.002	2	0.74	0.010	0.24	<0.1	1.3	0.05	0.06	8
1882058	Drill Core	0.28	0.36	7.71	3	0.91	0.037	14.4	3.3	0.78	157.4	0.002	<1	0.72	0.010	0.25	<0.1	1.7	0.07	0.21	<5
REP 1882058	QC																				
Core Reject Duplicates																					
1884504	Drill Core	0.06	2.93	0.13	3	0.02	0.024	5.4	2.2	0.05	420.2	<0.001	<1	0.16	0.009	0.16	0.3	0.4	0.04	0.24	169
DUP 1884504	QC	0.06	2.99	0.13	3	0.02	0.021	5.9	2.3	0.05	375.0	<0.001	<1	0.17	0.009	0.16	0.3	0.5	0.05	0.24	176
1884538	Drill Core	4.03	1.61	0.19	4	1.33	0.051	3.0	5.4	0.61	71.5	0.002	<1	0.44	0.005	0.16	<0.1	1.2	0.06	2.86	110
DUP 1884538	QC	3.90	1.64	0.20	4	1.30	0.047	3.1	5.5	0.60	75.9	0.002	<1	0.43	0.005	0.15	<0.1	1.1	0.06	2.83	109
1882008	Drill Core	0.34	0.25	0.04	10	0.52	0.054	10.6	32.1	1.39	153.8	0.011	1	1.00	0.011	0.30	<0.1	2.3	0.16	0.85	6
DUP 1882008	QC	0.32	0.23	0.05	10	0.51	0.051	10.2	32.3	1.38	152.8	0.010	<1	0.98	0.011	0.30	<0.1	2.2	0.17	0.83	<5
1882042	Drill Core	0.20	0.28	0.03	4	0.95	0.041	17.7	3.6	0.52	152.0	0.003	2	0.59	0.014	0.21	<0.1	1.3	0.05	0.14	<5
DUP 1882042	QC	0.20	0.23	0.04	4	0.92	0.039	15.7	3.1	0.52	132.3	0.002	2	0.58	0.015	0.20	<0.1	1.6	0.05	0.12	7
Reference Materials																					
STD BVGEO01	Standard	5.63	3.39	20.81	73	1.23	0.069	26.0	166.6	1.23	263.7	0.205	3	2.15	0.187	0.84	5.1	5.4	0.58	0.66	98



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 27, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000547.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1884510	Drill Core	0.4	<0.02	0.6	0.17	<0.1	0.23	<0.02	5.4	0.1	<0.05	6.9	3.46	14.9	<0.02	<1	<0.1	2.3	<10	<2
REP 1884510	QC	0.4	<0.02	0.6	0.17	<0.1	0.23	<0.02	5.3	0.1	<0.05	6.7	3.31	14.2	<0.02	<1	<0.1	2.3	<10	<2
1884520	Rock Pulp	<0.1	0.04	4.8	0.22	<0.1	0.16	0.34	2.9	1.8	<0.05	3.5	8.34	11.6	<0.02	2	0.2	1.3	<10	<2
REP 1884520	QC																			
1884543	Drill Core	3.2	0.13	0.7	0.15	<0.1	0.26	<0.02	5.0	0.3	<0.05	6.4	4.76	5.3	0.09	2	<0.1	3.4	15	<2
REP 1884543	QC	3.1	0.14	0.7	0.13	<0.1	0.23	<0.02	4.7	0.3	<0.05	6.2	4.60	5.4	0.08	3	<0.1	3.5	27	<2
1884554	Drill Core	1.8	0.31	0.9	0.20	<0.1	0.24	<0.02	5.2	0.2	<0.05	6.7	3.48	5.4	0.17	4	0.1	4.3	66	<2
REP 1884554	QC																			
1882014	Drill Core	<0.1	<0.02	1.7	0.33	<0.1	0.53	<0.02	8.8	0.2	<0.05	16.7	3.11	21.2	<0.02	<1	0.3	7.8	<10	<2
REP 1882014	QC	<0.1	<0.02	1.6	0.31	<0.1	0.52	<0.02	8.3	0.3	<0.05	15.4	2.91	20.0	<0.02	<1	0.3	7.5	<10	<2
1882027	Drill Core	<0.1	<0.02	1.5	0.78	<0.1	0.14	<0.02	9.4	0.3	<0.05	5.2	5.05	39.6	<0.02	<1	0.2	6.4	<10	<2
REP 1882027	QC																			
REP 1882042	QC	<0.1	<0.02	2.3	0.22	<0.1	0.09	<0.02	6.7	0.2	<0.05	3.0	4.80	29.6	<0.02	1	0.2	8.3	<10	<2
1882048	Drill Core	<0.1	<0.02	2.5	0.32	<0.1	0.13	<0.02	7.8	0.1	<0.05	5.4	5.03	38.8	<0.02	<1	0.3	9.5	<10	<2
REP 1882048	QC	<0.1	<0.02	2.8	0.33	<0.1	0.14	<0.02	8.0	0.2	<0.05	5.7	5.35	39.9	<0.02	<1	0.3	9.0	<10	<2
1882058	Drill Core	<0.1	0.08	2.2	0.38	<0.1	0.17	<0.02	8.6	0.3	<0.05	6.7	5.57	27.3	<0.02	<1	0.3	9.9	<10	2
REP 1882058	QC																			
Core Reject Duplicates																				
1884504	Drill Core	1.8	0.07	0.4	0.19	<0.1	0.23	<0.02	4.7	0.1	<0.05	7.5	0.72	10.3	<0.02	<1	<0.1	1.3	<10	<2
DUP 1884504	QC	2.0	0.07	0.5	0.19	<0.1	0.21	<0.02	5.0	0.1	<0.05	7.6	0.77	10.4	<0.02	<1	<0.1	1.3	<10	<2
1884538	Drill Core	1.5	0.05	1.0	0.29	<0.1	0.35	<0.02	5.7	0.2	<0.05	9.7	3.99	6.2	0.02	3	0.1	4.6	<10	<2
DUP 1884538	QC	1.5	0.05	0.9	0.29	<0.1	0.35	<0.02	5.6	0.2	<0.05	9.7	4.12	6.2	0.02	3	<0.1	4.6	11	<2
1882008	Drill Core	0.1	<0.02	3.2	1.60	<0.1	0.35	<0.02	16.7	0.3	<0.05	12.2	5.07	19.8	<0.02	<1	0.3	20.3	<10	<2
DUP 1882008	QC	0.3	<0.02	3.0	1.56	<0.1	0.38	<0.02	16.9	0.2	<0.05	12.1	5.12	19.4	<0.02	<1	0.2	19.7	<10	<2
1882042	Drill Core	0.1	<0.02	2.3	0.23	<0.1	0.08	<0.02	6.9	0.2	<0.05	3.7	5.47	32.3	<0.02	<1	0.4	8.2	<10	3
DUP 1882042	QC	<0.1	<0.02	2.0	0.22	<0.1	0.09	<0.02	6.3	0.2	<0.05	2.9	4.99	28.2	<0.02	2	0.3	7.8	<10	<2
Reference Materials																				
STD BVGEO01	Standard	4.7	0.97	6.3	6.28	0.1	0.26	0.34	90.5	4.6	<0.05	6.2	12.35	50.0	0.42	3	0.6	18.0	145	175



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

September 27, 2019

Page:

2 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000547.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD BVGE001	Standard							10.56	4446.36	189.53	1733.7	2604	161.7	22.9	694	3.70	120.2	4.0	217.4	14.8	57.9
STD DS11	Standard							14.67	145.24	130.07	345.4	1658	77.2	12.8	952	3.10	38.7	2.5	61.1	8.1	63.9
STD DS11	Standard							14.99	144.18	140.94	350.9	1782	75.3	13.1	1017	3.10	43.5	2.8	73.9	8.9	74.3
STD DS11	Standard							15.48	160.59	139.74	360.4	1737	81.9	14.0	993	3.19	43.2	2.6	80.2	8.9	67.3
STD OREAS262	Standard							0.68	118.68	57.01	142.2	475	68.0	25.1	565	3.25	35.1	1.3	68.9	9.3	34.9
STD OREAS262	Standard							0.69	119.99	58.10	150.3	487	67.7	25.0	543	3.24	34.6	1.3	71.0	9.6	36.3
STD OREAS262	Standard							0.73	117.71	61.58	166.9	489	67.6	26.9	593	3.34	38.8	1.3	70.3	10.1	38.5
STD OREAS262	Standard							0.64	116.65	60.83	157.7	456	62.3	26.5	552	3.28	36.2	1.3	76.7	10.4	36.8
STD OREAS262	Standard							0.73	126.77	59.55	158.0	482	66.9	30.1	570	3.38	37.5	1.3	72.0	10.5	36.6
STD OXC152	Standard			0.221																	
STD OXC152	Standard			0.227																	
STD OXI138	Standard			1.845																	
STD OXI138	Standard			1.892																	
STD OXN134	Standard			7.814																	
STD OXN134	Standard			8.041																	
STD OXQ90	Standard					25.11	29.59														
STD OXQ90	Standard					25.01	30.11														
STD OXQ90	Standard					25.03	29.97														
STD OXQ90	Standard					25.44	30.54														
STD OXQ90	Standard					25.07	29.68														
STD OXQ90	Standard					25.27	30.07														
STD OXQ90	Standard					25.24	30.11														
STD OXQ90	Standard					25.11	30.07														
STD OXQ90	Standard					25.11	30.03														
STD OXQ90 Expected						24.88															
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000547.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD BVGEO01	Standard	6.66	3.83	26.09	75	1.33	0.073	26.7	168.1	1.24	293.9	0.217	2	2.27	0.192	0.91	5.5	5.9	0.63	0.67	92
STD DS11	Standard	2.05	7.75	10.49	51	1.05	0.063	17.9	53.6	0.84	332.7	0.094	7	1.20	0.074	0.39	3.0	3.0	4.81	0.26	254
STD DS11	Standard	2.29	8.63	11.87	51	1.07	0.067	19.7	59.0	0.85	392.3	0.097	6	1.22	0.073	0.40	3.0	3.3	4.90	0.27	259
STD DS11	Standard	2.52	9.54	11.47	51	1.13	0.072	19.2	63.5	0.87	377.1	0.094	6	1.18	0.072	0.41	3.0	3.0	4.90	0.30	267
STD OREAS262	Standard	0.58	5.39	1.03	22	2.97	0.040	17.1	45.2	1.18	270.7	0.003	5	1.43	0.070	0.33	0.2	3.4	0.49	0.26	171
STD OREAS262	Standard	0.57	5.44	0.96	23	2.94	0.036	16.7	42.3	1.17	248.1	0.002	4	1.47	0.072	0.32	0.2	3.4	0.49	0.26	172
STD OREAS262	Standard	0.70	6.18	1.09	23	3.05	0.043	19.2	47.3	1.19	271.4	0.003	6	1.57	0.071	0.34	0.2	3.5	0.49	0.26	176
STD OREAS262	Standard	0.68	5.95	1.10	23	2.99	0.042	17.3	42.4	1.17	261.2	0.003	3	1.34	0.067	0.32	0.3	3.3	0.48	0.25	172
STD OREAS262	Standard	0.73	6.85	1.06	22	3.09	0.042	16.5	47.8	1.15	256.6	0.003	4	1.29	0.068	0.31	0.2	3.1	0.48	0.26	194
STD OXC152	Standard																				
STD OXC152	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000547.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD BVGEO01	Standard	4.5	1.15	7.6	7.44	0.2	0.35	0.27	96.7	5.9	<0.05	9.9	15.13	53.6	0.47	5	0.5	23.3	136	193
STD DS11	Standard	2.2	4.35	4.8	2.66	<0.1	0.08	1.46	32.3	1.6	<0.05	2.8	7.43	37.1	0.21	43	0.7	19.0	113	169
STD DS11	Standard	2.3	4.68	5.5	3.06	<0.1	0.07	1.66	36.5	1.8	<0.05	3.4	8.41	41.8	0.23	49	0.5	23.7	97	179
STD DS11	Standard	2.2	4.77	4.8	2.90	<0.1	0.07	1.54	34.0	1.9	<0.05	3.1	8.14	38.2	0.26	52	0.5	22.8	105	181
STD OREAS262	Standard	0.5	0.24	4.0	2.94	<0.1	0.24	<0.02	19.7	0.6	<0.05	8.9	10.79	37.0	0.03	<1	1.1	16.8	<10	<2
STD OREAS262	Standard	0.5	0.24	4.0	2.78	<0.1	0.25	<0.02	19.4	0.5	<0.05	7.9	10.49	36.7	0.03	1	1.1	16.0	<10	<2
STD OREAS262	Standard	0.6	0.25	4.5	3.24	<0.1	0.24	<0.02	22.4	0.6	<0.05	10.5	11.29	39.2	0.04	<1	1.0	18.9	<10	<2
STD OREAS262	Standard	0.2	0.28	4.5	2.99	<0.1	0.30	<0.02	20.4	0.6	<0.05	11.4	11.22	35.1	0.04	<1	0.8	19.4	<10	<2
STD OREAS262	Standard	0.5	0.22	3.8	2.99	<0.1	0.26	<0.02	18.7	0.6	<0.05	10.9	10.79	32.4	0.04	<1	1.1	17.8	<10	<2
STD OXC152	Standard																			
STD OXC152	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000547.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank			0.006																	
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	0.7	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	0.02	0.3	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		449	<0.005	<0.01	<0.17	41.48	0.90	4.70	1.82	30.9	15	1.7	4.2	527	1.90	0.7	0.3	0.7	2.1	17.7
ROCK-WHI	Prep Blank		462	0.005	<0.01	<0.17	40.94	1.21	6.97	0.97	29.0	9	1.6	4.3	503	1.96	0.8	0.4	0.4	2.1	19.8



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000547.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	8
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	7
Prep Wash																					
ROCK-WHI	Prep Blank	<0.01	0.03	<0.02	27	0.68	0.039	5.3	3.1	0.54	43.5	0.069	2	0.89	0.055	0.07	<0.1	2.9	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	<0.01	<0.02	<0.02	30	0.66	0.037	5.3	3.1	0.53	45.0	0.075	3	0.94	0.066	0.07	<0.1	2.9	<0.02	0.02	<5



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: September 27, 2019

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000547.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.2	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank																		
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10
Prep Wash																			
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.13	<0.1	0.10	0.18	1.7	0.4	<0.05	1.8	8.15	11.6	<0.02	<1	0.2	1.3	<10
ROCK-WHI	Prep Blank	<0.1	<0.02	3.7	0.10	<0.1	0.11	0.18	1.7	0.3	<0.05	2.3	8.28	11.4	<0.02	<1	0.1	1.1	<10