



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 18, 2019
Report Date: October 01, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI19000558.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-54
P.O. Number
Number of Samples: 77

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	74	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FS631	77	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	77	Analysis sample split/packet			WHI
Split -150	77	Analysis sample split/packet			WHI
EN002	77	Environmental disposal charge-Fire assay lead waste			VAN
FS631	75	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	77	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	77	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 01, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000558.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1813501	Drill Core	1.82	383	0.007	<0.01	<0.17	26.37	2.69	65.50	27.80	465.2	639	29.0	15.2	880	3.41	9.5	0.8	1.9	3.9	12.2
1813502	Drill Core	3.11	356	0.008	<0.01	<0.17	26.95	2.32	62.39	27.19	502.8	491	27.3	11.4	733	3.66	19.0	0.9	1.9	3.8	22.2
1813503	Drill Core	3.16	465	0.006	<0.01	<0.17	39.23	1.90	65.15	31.86	164.9	539	18.2	9.7	385	3.26	19.3	1.2	0.7	5.4	30.8
1813504	Drill Core	3.28	409	0.007	<0.01	<0.17	39.22	2.32	58.07	31.31	215.3	544	35.0	12.3	829	3.06	11.3	1.5	0.8	5.0	15.3
1813505	Drill Core	3.09	335	0.008	<0.01	<0.17	33.98	2.22	75.32	17.34	439.0	423	29.2	13.1	784	3.47	8.7	1.0	<0.2	3.7	18.6
1813506	Drill Core	4.04	401	0.006	<0.01	<0.17	37.26	2.58	81.34	38.41	535.3	645	33.3	15.0	1011	3.29	18.4	0.7	<0.2	4.3	10.8
1813507	Drill Core	2.64	359	0.006	<0.01	<0.17	27.60	2.53	62.88	44.44	404.0	589	32.0	14.6	988	3.25	11.8	0.7	<0.2	4.1	13.6
1813508	Drill Core	2.11	413	0.006	<0.01	<0.17	40.53	2.72	58.21	37.84	359.1	559	31.9	17.0	1051	3.06	41.9	0.7	<0.2	3.7	18.7
1813509	Drill Core	3.23	407	0.010	<0.01	<0.17	38.44	2.66	66.96	64.34	439.1	1102	25.3	14.0	1032	3.30	46.7	0.7	3.8	5.0	15.2
1813510	Drill Core	2.87	378	0.074	0.07	<0.17	32.74	3.22	87.10	34.39	573.4	699	33.2	17.0	1040	3.66	45.3	0.9	8.4	4.6	15.5
1813511	Drill Core	2.17	367	0.161	0.18	0.31	39.07	1.02	31.43	9.18	132.4	487	15.5	8.2	341	2.65	13.8	0.9	219.4	7.7	15.3
1813512	Drill Core	2.81	398	1.115	1.11	1.01	31.83	1.36	41.85	4.00	134.2	868	32.1	13.6	636	3.06	18.7	1.8	1018.8	4.8	21.2
1813513	Drill Core	2.61	467	0.039	0.04	<0.17	36.85	1.77	33.87	7.34	82.9	356	34.2	12.0	603	3.12	34.0	1.0	29.8	5.2	25.3
1813514	Drill Core	2.95	402	0.006	<0.01	<0.17	38.96	3.52	31.84	4.92	78.4	201	46.4	13.5	835	2.81	48.0	1.0	2.1	5.0	48.0
1813515	Drill Core	2.73	418	0.006	<0.01	<0.17	40.87	1.66	28.21	21.00	86.6	222	26.9	10.7	623	2.72	24.7	0.7	4.7	4.3	30.0
1813516	Drill Core	2.89	391	0.374	0.40	0.64	38.98	1.79	42.81	11.95	108.8	608	29.1	12.5	619	2.85	33.9	1.0	408.7	4.3	72.7
1813517	Drill Core	3.10	450	0.012	0.01	<0.17	39.20	0.99	29.26	13.07	109.6	285	22.0	10.1	516	3.12	147.4	0.6	3.7	5.5	53.5
1813518	Drill Core	2.77	399	0.006	<0.01	<0.17	39.35	1.80	27.92	9.16	108.5	189	29.7	12.9	711	3.21	52.3	0.8	1.6	4.7	40.4
1813519	Drill Core	3.04	370	0.007	<0.01	<0.17	39.49	1.76	45.78	13.09	139.0	260	30.9	13.1	596	3.25	21.1	0.8	1.5	4.6	28.7
1813520	Rock Pulp	0.12	95	0.575				6.77	121.75	84.57	141.3	652	12.1	5.0	619	2.57	41.1	0.4	586.6	2.2	37.0
1813521	Drill Core	2.84	349	0.008	0.02	<0.17	28.15	2.02	40.32	13.96	116.1	302	34.3	14.4	699	3.30	32.1	0.9	1.4	4.5	48.3
1813522	Drill Core	2.77	463	0.006	<0.01	<0.17	38.62	1.99	44.68	15.50	100.4	325	30.4	11.9	722	3.08	79.6	0.9	1.4	4.6	41.7
1813523	Drill Core	2.78	352	0.008	<0.01	<0.17	37.18	1.93	44.80	19.58	100.4	338	31.2	12.3	739	3.03	46.0	0.7	0.9	4.6	35.9
1813524	Drill Core	1.31	430	0.009	<0.01	<0.17	42.06	1.88	34.48	12.77	100.6	254	27.2	12.5	868	3.27	19.0	0.7	1.9	4.7	46.9
1813525	Drill Core	1.59	473	0.015	0.01	<0.17	31.41	1.97	48.78	12.11	117.6	258	29.8	14.8	812	3.23	20.0	0.7	7.9	4.7	51.2
1813526	Drill Core	2.83	401	0.008	<0.01	<0.17	33.14	2.59	42.19	9.78	91.7	252	27.3	12.9	626	3.40	18.1	1.2	2.3	5.2	33.3
1813527	Drill Core	2.76	440	0.007	<0.01	<0.17	40.19	1.98	29.31	16.45	99.8	200	28.0	11.0	737	3.22	24.9	0.9	0.8	4.5	53.9
1813528	Drill Core	3.27	434	0.006	<0.01	<0.17	35.06	2.25	50.09	8.91	121.0	322	34.7	14.3	587	3.57	30.8	1.4	4.2	5.3	39.1
1813529	Drill Core	2.78	392	<0.005	<0.01	<0.17	32.56	1.80	22.10	12.64	100.0	160	22.0	11.3	609	3.16	22.0	0.8	0.4	5.8	47.7
1813530	Drill Core	3.26	410	<0.005	<0.01	<0.17	33.65	2.32	41.97	4.21	82.0	210	38.9	13.1	483	3.00	19.0	1.2	1.0	4.9	34.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 01, 2019

Page: 2 of 4 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000558.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1813501	Drill Core	3.86	0.25	0.62	27	0.19	0.076	10.1	17.9	1.43	147.2	0.003	<1	1.55	0.008	0.17	0.5	2.3	0.05	<0.02	29			
1813502	Drill Core	3.28	0.21	0.66	29	0.21	0.074	10.7	16.8	1.51	162.9	0.003	<1	1.66	0.011	0.20	<0.1	2.4	0.04	<0.02	23			
1813503	Drill Core	0.82	0.20	0.43	27	0.15	0.068	10.9	23.6	1.21	141.7	0.003	<1	1.36	0.005	0.21	<0.1	1.8	0.05	0.04	12			
1813504	Drill Core	0.99	0.27	0.44	29	0.18	0.077	11.1	22.1	1.26	140.1	0.003	<1	1.33	0.005	0.20	<0.1	2.2	0.05	<0.02	6			
1813505	Drill Core	2.97	0.33	0.38	32	0.28	0.079	10.4	17.8	1.61	157.1	0.004	<1	1.71	0.015	0.22	<0.1	2.8	0.05	<0.02	6			
1813506	Drill Core	8.52	0.19	0.79	33	0.65	0.074	11.8	20.4	1.60	154.0	0.004	<1	1.64	0.008	0.20	<0.1	2.8	0.05	<0.02	43			
1813507	Drill Core	4.41	0.24	0.76	39	0.93	0.073	11.9	22.8	1.70	162.6	0.004	<1	1.77	0.008	0.19	<0.1	3.6	0.06	<0.02	17			
1813508	Drill Core	3.48	0.17	0.56	27	1.17	0.070	11.0	17.9	1.34	161.7	0.006	<1	1.42	0.006	0.20	<0.1	2.6	0.06	<0.02	13			
1813509	Drill Core	3.93	0.59	0.84	27	0.53	0.071	12.5	17.8	1.74	168.6	0.008	<1	1.82	0.005	0.24	<0.1	2.6	0.06	<0.02	<5			
1813510	Drill Core	5.25	0.61	0.46	31	0.49	0.078	14.7	20.5	1.92	171.1	0.008	<1	2.01	0.004	0.25	<0.1	3.0	0.08	<0.02	10			
1813511	Drill Core	0.20	0.27	0.14	19	0.30	0.062	21.3	16.2	1.55	180.4	0.007	<1	1.69	0.021	0.27	<0.1	2.3	0.09	<0.02	6			
1813512	Drill Core	0.41	0.32	0.06	31	0.51	0.071	14.0	21.4	1.16	266.7	0.011	1	1.35	0.019	0.35	0.3	3.2	0.12	<0.02	<5			
1813513	Drill Core	0.24	0.50	0.10	40	0.80	0.079	14.2	31.3	1.40	215.1	0.008	<1	1.62	0.016	0.24	<0.1	3.4	0.05	<0.02	<5			
1813514	Drill Core	0.45	1.38	0.02	34	1.53	0.094	11.7	29.3	1.57	159.5	0.007	<1	1.59	0.009	0.23	<0.1	2.9	0.07	<0.02	<5			
1813515	Drill Core	0.45	0.82	0.18	31	0.96	0.057	11.5	22.4	1.59	162.1	0.005	<1	1.70	0.024	0.21	<0.1	3.1	0.05	<0.02	<5			
1813516	Drill Core	1.16	0.53	0.16	29	1.33	0.070	8.4	22.9	1.36	227.4	0.012	<1	1.45	0.014	0.35	<0.1	3.3	0.08	0.09	<5			
1813517	Drill Core	0.28	0.50	0.13	36	0.84	0.074	11.4	47.9	2.00	154.9	0.008	<1	2.08	0.020	0.26	<0.1	3.8	0.06	<0.02	<5			
1813518	Drill Core	0.51	0.66	0.13	37	1.13	0.068	9.3	28.2	1.77	188.0	0.006	<1	1.96	0.020	0.27	<0.1	3.6	0.06	0.03	<5			
1813519	Drill Core	1.44	0.61	0.18	40	0.73	0.070	8.0	27.7	1.77	177.3	0.005	<1	1.93	0.010	0.25	<0.1	3.5	0.08	0.08	<5			
1813520	Rock Pulp	0.56	2.79	0.10	30	0.84	0.034	6.5	25.4	0.53	90.2	0.089	7	1.24	0.134	0.13	5.0	3.7	0.20	0.09	141			
1813521	Drill Core	0.87	0.33	0.18	37	1.23	0.080	9.4	27.7	1.63	214.9	0.009	<1	1.88	0.008	0.32	<0.1	3.5	0.09	0.11	<5			
1813522	Drill Core	0.46	0.33	0.31	38	0.98	0.069	8.3	22.6	1.69	165.8	0.009	<1	1.85	0.008	0.28	<0.1	3.5	0.07	0.05	<5			
1813523	Drill Core	0.54	0.36	0.31	40	0.98	0.068	8.5	22.4	1.77	180.8	0.008	1	1.95	0.008	0.29	<0.1	3.6	0.08	0.07	<5			
1813524	Drill Core	0.26	0.30	0.16	37	1.06	0.068	12.1	19.2	1.87	167.4	0.011	<1	1.99	0.007	0.31	<0.1	3.5	0.09	<0.02	<5			
1813525	Drill Core	0.65	0.31	0.15	43	1.30	0.063	11.3	25.9	1.97	161.0	0.011	<1	2.08	0.008	0.29	<0.1	4.0	0.10	<0.02	<5			
1813526	Drill Core	0.33	0.64	0.12	37	0.88	0.072	15.2	24.1	1.50	198.4	0.015	<1	1.73	0.015	0.34	<0.1	3.9	0.12	<0.02	<5			
1813527	Drill Core	0.38	0.34	0.20	48	1.45	0.065	15.3	30.7	1.67	181.3	0.006	3	1.93	0.014	0.25	<0.1	4.5	0.08	<0.02	<5			
1813528	Drill Core	0.57	1.34	0.07	47	0.75	0.074	17.9	30.2	1.64	203.2	0.008	2	1.99	0.008	0.33	<0.1	4.2	0.15	<0.02	6			
1813529	Drill Core	0.33	0.35	0.14	34	1.11	0.069	15.5	38.0	1.88	138.0	0.007	2	1.98	0.009	0.26	<0.1	3.7	0.09	<0.02	5			
1813530	Drill Core	0.29	0.70	0.05	36	0.76	0.083	6.4	27.5	1.47	174.9	0.005	1	1.58	0.005	0.25	<0.1	2.7	0.05	0.41	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 01, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000558.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1813501 Drill Core	0.9	0.04	3.6	0.30	<0.1	0.16	<0.02	5.2	0.2	<0.05	8.3	4.79	19.4	0.03	<1	0.2	10.5	<10	<2
1813502 Drill Core	0.5	0.05	3.9	0.35	<0.1	0.18	<0.02	5.8	0.2	<0.05	9.0	4.71	20.2	0.03	<1	0.1	11.1	14	<2
1813503 Drill Core	0.7	0.04	3.1	0.45	<0.1	0.25	<0.02	6.4	0.2	<0.05	12.1	3.43	20.7	<0.02	1	<0.1	9.0	<10	<2
1813504 Drill Core	0.5	0.05	3.5	0.38	<0.1	0.23	<0.02	5.8	0.2	<0.05	10.4	4.44	20.7	<0.02	<1	0.1	9.9	<10	<2
1813505 Drill Core	0.8	0.03	4.0	0.43	<0.1	0.22	<0.02	6.3	0.2	<0.05	10.1	4.62	19.7	0.02	<1	0.1	11.7	<10	<2
1813506 Drill Core	0.3	0.04	3.8	0.46	<0.1	0.27	<0.02	5.6	0.2	<0.05	10.5	4.49	22.5	0.09	<1	<0.1	11.2	37	<2
1813507 Drill Core	0.8	0.05	4.3	0.38	<0.1	0.24	<0.02	5.5	0.2	<0.05	10.6	4.36	22.4	0.03	<1	0.2	14.3	13	<2
1813508 Drill Core	1.6	0.05	3.3	0.70	<0.1	0.22	<0.02	8.3	0.2	<0.05	9.6	4.06	20.5	0.02	<1	0.1	12.8	<10	<2
1813509 Drill Core	1.6	0.10	4.2	0.67	<0.1	0.23	<0.02	9.3	0.3	<0.05	10.3	3.79	23.4	0.03	<1	0.4	14.4	14	<2
1813510 Drill Core	1.7	0.05	4.5	0.90	<0.1	0.22	0.02	8.7	0.2	<0.05	12.4	4.00	27.1	0.04	<1	<0.1	15.1	<10	<2
1813511 Drill Core	0.6	0.03	4.3	0.58	<0.1	0.34	<0.02	8.4	0.2	<0.05	13.1	3.45	39.7	<0.02	<1	0.4	13.8	13	<2
1813512 Drill Core	0.9	0.05	3.9	1.08	<0.1	0.32	<0.02	11.7	0.2	<0.05	11.8	5.60	26.2	<0.02	<1	0.4	12.0	<10	<2
1813513 Drill Core	1.0	0.04	4.6	0.52	<0.1	0.25	<0.02	9.0	0.2	<0.05	8.4	5.16	26.8	<0.02	<1	0.3	13.4	<10	2
1813514 Drill Core	0.7	0.03	4.1	1.02	<0.1	0.22	<0.02	8.2	0.1	<0.05	8.4	5.25	22.9	<0.02	2	0.2	12.5	<10	<2
1813515 Drill Core	0.4	0.03	4.4	0.45	0.1	0.30	0.02	6.5	0.2	<0.05	11.1	3.49	21.6	<0.02	<1	0.2	14.1	16	<2
1813516 Drill Core	0.8	0.04	4.0	1.08	<0.1	0.26	<0.02	14.6	0.3	<0.05	10.6	4.69	15.6	<0.02	<1	0.3	11.1	<10	<2
1813517 Drill Core	0.4	0.02	5.8	0.41	<0.1	0.31	<0.02	8.4	0.1	<0.05	13.8	4.60	21.5	<0.02	<1	0.3	15.8	<10	3
1813518 Drill Core	0.9	0.04	4.9	0.48	<0.1	0.27	<0.02	7.3	0.1	<0.05	10.4	4.01	17.5	<0.02	2	0.2	15.1	<10	<2
1813519 Drill Core	1.4	0.05	5.0	0.55	<0.1	0.20	<0.02	6.7	0.1	<0.05	10.1	4.30	15.0	0.02	3	0.3	16.9	<10	3
1813520 Rock Pulp	<0.1	0.05	4.2	0.22	0.1	0.18	0.37	2.8	2.1	<0.05	4.7	8.04	12.1	<0.02	<1	0.4	1.4	<10	<2
1813521 Drill Core	1.1	0.05	4.6	1.73	<0.1	0.22	<0.02	10.1	0.1	<0.05	8.9	4.45	17.7	<0.02	2	0.2	16.1	<10	<2
1813522 Drill Core	1.2	0.05	4.9	1.10	<0.1	0.27	0.02	8.5	0.1	<0.05	9.2	3.99	15.6	<0.02	1	0.2	16.2	<10	<2
1813523 Drill Core	1.6	0.05	5.0	0.95	<0.1	0.26	0.03	8.3	0.1	<0.05	9.8	4.27	15.6	<0.02	4	0.3	18.4	10	<2
1813524 Drill Core	0.4	0.03	5.1	1.83	<0.1	0.30	0.03	9.8	0.2	<0.05	11.4	4.84	22.1	<0.02	<1	0.2	19.0	<10	<2
1813525 Drill Core	0.4	0.04	5.4	1.94	<0.1	0.29	0.15	9.7	0.2	<0.05	10.9	4.84	20.5	0.02	<1	0.5	21.6	<10	<2
1813526 Drill Core	0.9	0.02	4.6	3.99	<0.1	0.28	0.02	12.6	0.3	<0.05	11.2	5.40	28.0	<0.02	<1	0.3	19.4	10	<2
1813527 Drill Core	0.3	0.04	5.0	2.96	<0.1	0.22	0.02	8.5	0.2	<0.05	9.0	6.07	28.9	<0.02	<1	0.2	24.0	11	<2
1813528 Drill Core	1.3	0.02	5.0	4.61	<0.1	0.20	<0.02	12.7	0.3	<0.05	8.6	8.02	33.2	<0.02	<1	0.5	26.4	<10	<2
1813529 Drill Core	<0.1	0.04	5.2	2.82	<0.1	0.34	<0.02	9.2	0.2	<0.05	14.0	4.89	29.5	0.02	<1	0.3	28.9	<10	<2
1813530 Drill Core	2.3	0.03	4.2	0.90	<0.1	0.17	0.04	7.2	<0.1	<0.05	5.9	4.40	12.3	<0.02	4	0.2	15.0	11	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

CERTIFICATE OF ANALYSIS

WHI19000558.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1813531	Drill Core	2.96	457	<0.005	<0.01	<0.17	34.87	2.04	31.41	10.49	111.2	216	28.2	12.7	579	2.97	10.3	1.2	0.3	4.6	39.2
1813532	Drill Core	2.84	383	<0.005	<0.01	<0.17	29.75	1.94	37.82	14.44	86.5	253	27.0	12.2	509	2.96	9.3	1.4	0.3	5.1	26.3
1813533	Drill Core	3.08	420	<0.005	<0.01	<0.17	33.63	2.60	35.93	14.47	92.7	251	25.7	13.5	521	2.91	9.5	2.5	1.0	4.9	41.9
1813534	Drill Core	3.12	456	0.006	<0.01	<0.17	39.27	2.04	33.52	11.95	105.3	228	28.8	11.6	561	2.94	10.1	1.1	2.5	4.7	26.4
1813535	Drill Core	2.91	446	<0.005	<0.01	<0.17	41.24	1.65	38.55	11.92	90.5	300	26.9	12.4	514	3.00	13.0	1.2	1.5	4.5	24.6
1813536	Drill Core	3.43	419	<0.005	<0.01	<0.17	37.02	1.83	39.14	12.95	87.5	317	28.0	12.2	604	3.01	25.3	1.1	0.9	4.3	44.5
1813537	Drill Core	2.18	535	0.051	0.05	<0.17	39.67	2.87	46.62	5.15	62.4	287	38.0	13.7	538	3.05	354.6	1.2	50.7	4.9	32.4
1813538	Drill Core	3.14	497	0.006	<0.01	<0.17	34.77	1.95	35.77	9.39	65.5	284	29.8	12.3	543	3.03	64.6	0.9	2.5	4.2	48.5
1813539	Drill Core	2.57	471	<0.005	<0.01	<0.17	36.51	2.15	31.52	8.83	68.0	211	36.1	11.6	570	2.98	34.4	1.1	2.7	4.3	71.2
1813540	Rock Pulp	0.12	88	<0.005				3.99	21.84	0.96	31.4	17	6.9	4.2	602	2.44	1.2	0.4	<0.2	2.2	31.8
1813541	Drill Core	5.50	464	1.038	2.01	14.26	34.16	1.32	23.54	13.55	95.9	977	26.4	9.0	563	2.71	54.1	1.0	3616.9	4.5	103.5
1813542	Drill Core	2.97	540	0.018	0.02	<0.17	42.13	1.12	35.27	12.76	86.3	403	38.2	11.3	527	3.00	273.9	1.2	15.8	6.4	74.3
1813543	Drill Core	3.33	435	0.034	0.03	<0.17	37.40	1.34	26.14	12.64	88.6	331	32.0	13.3	634	3.06	69.2	0.8	30.4	7.0	115.4
1813544	Drill Core	3.13	447	0.014	0.01	<0.17	41.91	1.50	23.38	9.87	90.6	238	25.4	10.1	648	3.04	44.7	0.7	13.9	7.3	104.2
1813545	Drill Core	3.29	526	0.008	<0.01	<0.17	42.04	1.71	24.72	9.80	91.4	185	30.7	13.7	645	2.97	47.5	1.9	6.4	7.2	110.6
1813546	Drill Core	3.09	498	<0.005	<0.01	<0.17	38.40	2.67	25.44	11.89	78.3	179	28.0	12.8	588	2.68	30.1	4.4	1.4	7.5	99.8
1813547	Drill Core	2.99	549	0.022	0.02	<0.17	33.64	4.17	14.58	7.50	83.7	209	8.2	9.6	617	3.23	53.3	2.1	20.0	7.8	99.0
1813548	Drill Core	3.07	567	<0.005	<0.01	<0.17	38.47	1.83	17.89	9.47	72.9	184	16.6	10.8	643	2.66	20.9	2.8	1.1	7.6	117.2
1813549	Drill Core	2.94	462	0.006	<0.01	<0.17	31.54	0.72	13.09	10.77	65.1	157	9.9	8.4	670	3.05	8.3	1.6	4.3	8.0	112.9
1813550	Drill Core	3.35	439	<0.005	<0.01	<0.17	34.19	1.18	14.85	17.79	68.4	148	12.8	7.5	606	2.64	16.1	2.7	2.4	9.2	122.6
1813551	Drill Core	3.26	396	0.007	<0.01	<0.17	40.96	2.57	29.44	10.04	89.6	262	28.0	10.9	448	2.49	29.9	2.4	1.9	8.1	77.4
1813552	Drill Core	3.01	457	0.010	<0.01	<0.17	37.85	1.04	21.50	29.93	73.7	346	20.1	9.0	381	2.08	27.2	1.1	5.9	8.8	101.8
1813553	Drill Core	2.90	435	<0.005	<0.01	<0.17	35.51	1.57	24.85	10.48	65.9	243	26.0	8.7	227	2.08	17.2	2.0	1.6	8.3	44.8
1813554	Drill Core	3.15	492	<0.005	<0.01	<0.17	38.03	1.39	27.73	9.14	59.6	260	24.5	8.3	274	2.06	14.9	2.0	2.4	7.6	55.4
1813555	Drill Core	3.13	472	<0.005	<0.01	<0.17	33.98	0.77	12.53	19.16	37.8	262	6.0	4.8	209	1.43	18.0	3.5	0.8	13.9	40.9
1813556	Drill Core	3.16	517	<0.005	<0.01	<0.17	35.31	0.98	12.24	20.73	28.6	302	6.2	3.6	208	1.16	42.8	2.0	<0.2	14.1	46.0
1813557	Drill Core	3.23	501	0.006	<0.01	<0.17	33.99	2.09	21.16	25.04	56.1	363	16.7	5.7	335	1.91	37.9	2.0	<0.2	10.8	60.6
1813558	Drill Core	2.14	449	<0.005	<0.01	<0.17	40.75	0.84	15.49	9.75	49.9	204	13.3	5.7	464	1.88	55.6	1.4	<0.2	9.1	123.4
1813559	Drill Core	3.22	471	<0.005	<0.01	<0.17	39.82	1.65	19.11	24.14	37.8	431	13.9	5.6	278	1.45	62.2	1.6	<0.2	12.1	59.0
1813560	Core DUP		473	<0.005	<0.01	<0.17	41.26	1.61	18.61	23.37	35.4	426	13.9	5.6	272	1.45	61.9	1.6	<0.2	11.4	58.8



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 01, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000558.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1813531	Drill Core	0.55	0.36	0.11	34	0.96	0.069	6.4	31.6	1.76	135.6	0.009	1	1.78	0.008	0.26	<0.1	3.4	0.06	0.13	<5
1813532	Drill Core	0.32	0.25	0.14	31	0.67	0.067	9.1	31.1	1.73	142.9	0.006	<1	1.78	0.008	0.24	<0.1	3.2	0.05	0.11	<5
1813533	Drill Core	0.37	0.19	0.18	31	0.82	0.067	8.6	40.8	1.81	129.7	0.008	<1	1.81	0.009	0.25	<0.1	3.2	0.05	0.17	<5
1813534	Drill Core	0.64	0.50	0.11	32	0.83	0.071	11.4	27.8	1.72	141.1	0.005	3	1.73	0.006	0.22	<0.1	2.5	0.06	<0.02	<5
1813535	Drill Core	0.31	0.65	0.24	33	0.64	0.069	7.7	22.9	1.67	174.6	0.003	2	1.69	0.006	0.19	<0.1	2.9	0.06	0.10	<5
1813536	Drill Core	0.36	0.58	0.19	32	1.02	0.068	8.4	25.7	1.70	136.3	0.006	3	1.74	0.005	0.27	<0.1	3.1	0.10	0.15	<5
1813537	Drill Core	0.18	0.84	0.05	34	0.62	0.083	12.4	23.8	1.67	133.4	0.008	3	1.62	0.006	0.28	<0.1	3.0	0.09	<0.02	<5
1813538	Drill Core	0.24	0.75	0.18	37	0.91	0.074	10.1	23.4	1.79	129.2	0.008	1	1.76	0.008	0.26	<0.1	3.3	0.08	<0.02	<5
1813539	Drill Core	0.18	0.77	0.13	36	1.17	0.074	9.7	25.5	1.64	150.5	0.010	3	1.64	0.007	0.38	<0.1	3.3	0.15	<0.02	<5
1813540	Rock Pulp	<0.01	0.15	<0.02	22	0.79	0.040	5.6	15.0	0.50	59.9	0.075	4	1.04	0.082	0.08	0.2	3.2	<0.02	0.03	<5
1813541	Drill Core	0.33	0.86	0.11	25	1.57	0.062	9.2	23.3	1.47	170.0	0.012	2	1.49	0.006	0.40	0.1	3.2	0.17	0.05	10
1813542	Drill Core	0.44	0.86	0.32	32	1.77	0.071	21.9	66.4	1.54	182.6	0.004	<1	1.69	0.016	0.22	<0.1	5.6	0.07	<0.02	<5
1813543	Drill Core	0.94	0.50	0.37	47	2.53	0.064	20.0	111.7	1.85	153.9	0.005	1	1.90	0.023	0.16	<0.1	7.7	0.04	<0.02	<5
1813544	Drill Core	0.42	0.55	0.05	56	2.47	0.068	21.8	123.4	1.70	142.9	0.004	1	1.83	0.026	0.16	<0.1	8.3	0.05	<0.02	8
1813545	Drill Core	0.43	0.80	0.07	54	2.94	0.062	21.5	110.1	1.36	172.3	0.010	3	1.49	0.029	0.23	<0.1	8.4	0.08	0.07	<5
1813546	Drill Core	0.42	0.45	0.09	42	2.21	0.066	21.4	80.0	1.09	220.6	0.033	3	1.20	0.025	0.36	<0.1	8.9	0.15	0.16	<5
1813547	Drill Core	0.41	0.49	0.05	22	2.03	0.086	22.3	21.1	0.96	251.7	0.009	3	1.49	0.022	0.24	<0.1	6.7	0.08	0.20	<5
1813548	Drill Core	0.34	0.41	0.06	38	2.55	0.072	23.5	65.9	1.09	222.5	0.009	2	1.28	0.020	0.25	<0.1	9.0	0.09	0.07	<5
1813549	Drill Core	0.28	0.27	0.06	26	2.37	0.077	22.9	23.2	1.06	213.2	0.004	3	1.55	0.020	0.23	<0.1	6.3	0.07	0.08	10
1813550	Drill Core	0.25	0.83	0.10	24	2.34	0.065	25.4	22.9	0.86	213.3	0.016	1	1.26	0.025	0.35	<0.1	6.7	0.15	0.06	15
1813551	Drill Core	0.90	1.52	0.06	33	1.37	0.071	25.0	35.9	0.84	277.1	0.008	2	1.13	0.018	0.36	<0.1	7.1	0.18	0.03	<5
1813552	Drill Core	0.64	1.18	0.11	20	1.43	0.059	29.3	20.4	0.74	216.0	0.004	2	1.04	0.028	0.23	<0.1	4.9	0.08	<0.02	<5
1813553	Drill Core	0.41	2.41	0.06	20	0.67	0.061	24.7	21.1	0.79	193.9	0.025	<1	1.04	0.026	0.36	<0.1	5.0	0.17	0.12	<5
1813554	Drill Core	0.37	3.84	0.08	20	1.04	0.063	20.1	18.7	0.80	230.8	0.075	1	1.04	0.019	0.47	0.2	6.5	0.22	0.05	<5
1813555	Drill Core	0.27	1.96	0.30	11	0.81	0.061	33.3	10.7	0.48	244.6	0.068	2	0.74	0.032	0.35	0.5	4.7	0.15	0.14	<5
1813556	Drill Core	0.20	2.72	0.43	8	0.93	0.043	31.4	7.6	0.30	227.2	0.053	3	0.61	0.030	0.30	0.4	2.5	0.09	<0.02	<5
1813557	Drill Core	0.52	4.40	0.42	26	1.19	0.049	25.1	26.6	0.63	183.0	0.072	<1	0.92	0.026	0.25	0.5	4.2	0.11	0.04	<5
1813558	Drill Core	0.33	3.45	0.12	23	2.51	0.060	20.4	25.6	0.62	173.6	0.043	2	0.89	0.017	0.34	0.4	4.7	0.18	0.13	6
1813559	Drill Core	0.33	4.96	0.56	13	1.20	0.061	29.5	15.4	0.42	235.0	0.040	1	0.73	0.018	0.30	0.4	3.1	0.08	<0.02	7
1813560	Core DUP	0.34	4.81	0.54	13	1.19	0.061	28.4	15.0	0.42	223.8	0.039	2	0.73	0.018	0.30	0.3	3.1	0.09	<0.02	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 01, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000558.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1813531	Drill Core	1.3	0.04	4.6	1.29	<0.1	0.25	0.03	8.2	0.2	<0.05	7.0	4.43	12.6	<0.02	2	0.2	17.2	18	<2			
1813532	Drill Core	1.9	0.04	4.9	0.84	<0.1	0.23	0.03	6.6	0.2	<0.05	9.7	4.34	17.5	<0.02	5	0.5	16.6	<10	<2			
1813533	Drill Core	2.1	0.03	4.8	1.00	<0.1	0.21	0.02	7.5	0.1	<0.05	8.6	4.07	16.4	<0.02	10	0.3	18.1	10	<2			
1813534	Drill Core	1.4	0.03	4.9	0.99	<0.1	0.25	<0.02	7.0	1.2	<0.05	9.7	4.71	23.1	<0.02	2	0.3	16.9	<10	<2			
1813535	Drill Core	2.6	0.05	4.7	0.77	<0.1	0.23	<0.02	5.8	0.3	<0.05	10.0	3.87	14.9	<0.02	4	0.2	17.0	11	<2			
1813536	Drill Core	1.4	0.02	4.6	1.68	<0.1	0.29	<0.02	9.1	0.2	<0.05	10.9	3.83	16.1	<0.02	3	0.3	17.6	<10	<2			
1813537	Drill Core	1.0	0.05	4.4	2.22	<0.1	0.23	<0.02	10.3	0.2	<0.05	8.6	4.38	25.5	<0.02	1	0.2	18.2	<10	<2			
1813538	Drill Core	0.9	0.02	4.8	1.64	<0.1	0.24	<0.02	9.1	0.2	<0.05	8.7	3.57	19.5	<0.02	<1	0.2	18.3	<10	<2			
1813539	Drill Core	0.5	0.05	4.3	3.87	<0.1	0.22	<0.02	15.6	0.2	<0.05	10.4	4.05	18.6	<0.02	1	0.5	17.7	<10	3			
1813540	Rock Pulp	<0.1	<0.02	4.0	0.14	0.1	0.12	0.38	2.1	2.0	<0.05	3.6	7.80	11.0	<0.02	<1	0.2	1.2	<10	<2			
1813541	Drill Core	0.4	0.04	3.9	3.37	<0.1	0.28	<0.02	17.3	0.2	<0.05	11.5	5.44	18.1	<0.02	<1	0.2	19.3	<10	<2			
1813542	Drill Core	0.8	0.08	4.8	1.70	<0.1	0.08	<0.02	8.0	0.2	<0.05	3.9	6.91	41.9	0.03	<1	0.2	20.1	<10	<2			
1813543	Drill Core	0.3	0.04	6.5	1.32	<0.1	0.05	<0.02	5.9	0.2	<0.05	3.5	7.20	38.5	0.05	2	0.2	20.9	<10	<2			
1813544	Drill Core	<0.1	0.03	6.4	1.71	<0.1	0.04	<0.02	6.3	0.3	<0.05	2.2	8.77	43.2	0.04	<1	0.4	22.4	15	<2			
1813545	Drill Core	0.6	<0.02	6.3	3.22	<0.1	0.02	<0.02	10.1	0.4	<0.05	1.7	11.22	43.0	0.03	3	0.6	20.5	<10	<2			
1813546	Drill Core	0.9	<0.02	4.7	4.57	<0.1	0.06	0.02	16.1	0.5	<0.05	1.7	13.21	42.1	0.04	4	0.4	12.0	<10	<2			
1813547	Drill Core	0.9	<0.02	6.0	2.49	0.1	0.04	<0.02	9.2	0.3	<0.05	1.0	12.79	42.0	0.05	7	0.3	18.7	<10	<2			
1813548	Drill Core	0.5	<0.02	4.5	2.79	<0.1	0.02	<0.02	10.7	0.5	<0.05	4.8	11.64	46.7	0.04	2	0.4	17.3	<10	<2			
1813549	Drill Core	0.3	<0.02	6.8	1.89	<0.1	0.02	<0.02	9.1	0.4	<0.05	0.9	11.76	42.4	0.03	<1	0.4	18.4	<10	<2			
1813550	Drill Core	0.7	<0.02	5.3	4.46	<0.1	0.06	<0.02	16.7	0.5	<0.05	2.3	13.92	49.8	0.02	3	0.5	15.6	<10	<2			
1813551	Drill Core	0.6	<0.02	3.8	4.02	<0.1	0.11	<0.02	15.6	0.4	<0.05	5.3	11.77	46.6	0.04	2	0.3	16.0	<10	<2			
1813552	Drill Core	<0.1	<0.02	4.5	1.89	<0.1	0.18	<0.02	9.2	0.4	<0.05	9.1	13.63	57.9	0.04	<1	0.4	20.2	<10	<2			
1813553	Drill Core	0.9	<0.02	4.3	3.70	<0.1	0.18	0.04	17.6	0.4	<0.05	7.0	13.09	48.4	0.03	3	0.3	20.0	<10	<2			
1813554	Drill Core	0.7	<0.02	3.7	4.19	<0.1	0.12	0.10	23.2	0.5	<0.05	4.2	15.30	39.2	0.02	<1	0.6	16.2	<10	<2			
1813555	Drill Core	0.6	<0.02	3.1	2.05	0.1	0.15	0.26	17.6	0.6	<0.05	4.9	19.79	66.0	<0.02	4	0.4	12.0	<10	<2			
1813556	Drill Core	0.3	<0.02	2.5	1.50	<0.1	0.19	0.20	13.2	0.6	<0.05	5.4	16.56	59.7	<0.02	2	0.4	9.9	<10	<2			
1813557	Drill Core	0.5	0.06	4.5	1.44	<0.1	0.23	0.14	11.7	0.6	<0.05	8.2	14.82	46.7	<0.02	3	0.4	18.2	<10	2			
1813558	Drill Core	0.5	<0.02	3.5	3.26	<0.1	0.28	0.08	19.0	0.5	<0.05	10.7	13.53	39.6	<0.02	<1	0.4	15.4	<10	<2			
1813559	Drill Core	0.6	0.06	3.1	1.25	0.1	0.33	0.13	12.9	0.5	<0.05	12.6	17.33	56.1	<0.02	<1	0.5	13.0	<10	<2			
1813560	Core DUP	0.3	0.02	3.2	1.23	<0.1	0.34	0.12	12.5	0.5	<0.05	11.9	16.94	53.6	0.03	1	0.4	13.7	<10	<2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 01, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000558.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1813561	Drill Core	2.94	447	<0.005	<0.01	<0.17	35.06	1.06	12.87	22.67	44.4	314	11.9	6.1	320	1.88	24.2	2.1	<0.2	11.2	58.3			
1813562	Drill Core	3.15	449	<0.005	<0.01	<0.17	36.46	1.04	12.04	10.56	60.9	120	11.4	7.1	440	2.30	11.2	3.5	<0.2	11.4	64.8			
1813563	Drill Core	3.17	518	<0.005	<0.01	<0.17	34.74	0.55	14.01	13.32	66.8	109	11.2	7.3	339	2.17	8.5	4.4	<0.2	12.8	71.2			
1813564	Drill Core	3.33	398	0.009	<0.01	<0.17	38.72	1.04	18.20	15.64	73.4	176	13.5	9.1	476	2.62	5.5	3.9	<0.2	11.1	88.7			
1813565	Drill Core	2.16	514	0.006	<0.01	<0.17	37.55	1.12	17.50	16.32	60.7	169	11.7	7.4	539	2.39	9.5	3.2	<0.2	11.6	119.2			
1813566	Drill Core	3.00	420	<0.005	<0.01	<0.17	40.40	0.81	21.52	12.54	68.5	323	13.7	8.1	373	2.42	14.4	3.5	<0.2	9.9	97.4			
1813567	Drill Core	2.62	389	<0.005	<0.01	<0.17	38.09	0.50	2.49	21.82	30.9	242	0.7	0.6	145	0.71	0.3	1.3	<0.2	16.1	48.0			
1813568	Drill Core	2.98	408	<0.005	<0.01	<0.17	39.77	0.61	4.60	22.51	39.2	339	0.9	0.7	119	0.68	2.1	1.0	1.0	14.0	17.7			
1813569	Drill Core	2.89	481	0.009	<0.01	<0.17	38.18	0.42	4.74	18.81	34.6	318	0.7	0.6	75	0.48	5.9	1.5	8.3	15.9	10.5			
1813570	Drill Core	1.91	415	0.016	0.01	<0.17	35.58	1.16	4.98	38.89	49.5	481	0.8	0.5	69	0.49	4.8	1.1	13.3	14.4	8.2			
1813571	Drill Core	1.48	433	0.007	<0.01	<0.17	40.89	0.73	5.31	22.73	12.1	407	0.6	0.2	79	0.39	1.5	1.2	3.8	15.1	19.6			
1813572	Drill Core	1.74	492	0.007	<0.01	<0.17	33.48	0.18	5.06	19.86	10.5	428	0.6	0.1	92	0.31	0.8	1.0	9.9	15.0	28.9			
1813573	Drill Core	3.19	435	<0.005	<0.01	<0.17	36.90	0.20	3.61	14.45	14.6	241	0.7	0.4	85	0.38	1.2	1.2	1.4	17.2	13.3			
1813574	Drill Core	1.50	473	0.020	0.02	<0.17	33.62	1.40	62.03	9.16	87.3	805	19.6	17.0	625	3.28	12.1	2.9	16.1	9.8	67.5			
1813575	Drill Core	3.21	407	<0.005	<0.01	<0.17	30.87	1.24	31.32	20.91	150.8	360	10.2	7.5	446	2.00	1.0	1.5	1.5	11.2	47.9			
1813576	Drill Core	2.38	371	<0.005	<0.01	<0.17	34.26	1.95	37.84	43.84	139.9	483	14.2	9.1	634	2.35	2.3	1.7	0.5	9.8	86.7			
1813577	Drill Core	2.30	434	<0.005	<0.01	<0.17	31.19	2.05	38.92	13.59	79.3	447	28.1	12.5	481	2.53	5.5	1.5	0.3	6.6	43.9			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 01, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000558.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1813561	Drill Core	0.31	1.47	0.38	20	1.27	0.051	28.2	18.7	0.85	186.0	0.045	1	1.08	0.028	0.26	0.4	4.7	0.09	<0.02
1813562	Drill Core	0.27	1.82	0.04	21	1.51	0.066	25.9	19.3	0.68	235.0	0.052	1	1.10	0.028	0.44	0.5	6.2	0.25	0.04
1813563	Drill Core	0.40	1.24	0.03	18	1.43	0.059	28.7	16.6	0.63	233.9	0.031	2	0.87	0.041	0.41	0.1	7.4	0.20	0.06
1813564	Drill Core	0.42	2.06	0.09	26	1.62	0.070	26.1	24.2	0.80	244.5	0.053	2	1.13	0.030	0.46	0.2	8.5	0.32	0.12
1813565	Drill Core	0.33	3.03	0.07	23	2.24	0.084	26.2	22.8	0.65	247.3	0.039	2	1.01	0.034	0.41	0.3	7.9	0.34	0.05
1813566	Drill Core	0.34	1.62	0.13	24	1.89	0.066	24.2	22.3	0.81	215.2	0.028	2	1.05	0.035	0.40	0.3	7.6	0.19	0.22
1813567	Drill Core	0.35	0.50	0.19	<1	0.78	0.007	46.7	1.6	0.25	232.8	<0.001	3	0.51	0.009	0.29	<0.1	2.0	0.07	<0.02
1813568	Drill Core	0.71	0.62	0.29	<1	0.32	0.009	37.7	1.7	0.12	201.2	<0.001	2	0.36	0.009	0.26	<0.1	1.2	0.07	<0.02
1813569	Drill Core	0.85	0.54	0.26	<1	0.20	0.011	49.4	1.6	0.06	233.5	0.001	<1	0.31	0.020	0.26	0.2	1.2	0.09	<0.02
1813570	Drill Core	0.78	0.46	0.23	<1	0.13	0.007	39.3	1.6	0.07	202.3	<0.001	<1	0.29	0.018	0.25	0.1	0.8	0.07	<0.02
1813571	Drill Core	0.32	0.58	0.37	<1	0.42	0.004	35.6	1.6	0.07	301.9	<0.001	1	0.26	0.007	0.24	<0.1	0.8	0.07	<0.02
1813572	Drill Core	0.15	0.50	0.31	<1	0.62	0.003	28.6	1.7	0.05	274.1	<0.001	<1	0.20	0.007	0.22	0.1	0.6	0.05	0.02
1813573	Drill Core	0.21	0.55	0.32	<1	0.30	0.004	37.8	1.6	0.12	111.2	<0.001	1	0.30	0.010	0.24	<0.1	0.7	0.08	<0.02
1813574	Drill Core	3.66	2.04	0.22	33	2.07	0.050	29.7	17.3	1.26	119.2	0.003	<1	1.94	0.009	0.31	0.2	2.9	0.18	<0.02
1813575	Drill Core	2.23	1.38	0.09	12	1.14	0.060	33.8	19.1	0.86	186.9	0.008	2	1.21	0.020	0.31	0.2	2.9	0.15	<0.02
1813576	Drill Core	1.81	1.74	0.17	23	1.70	0.058	29.8	27.7	1.09	420.5	0.048	1	1.39	0.025	0.39	0.6	4.9	0.22	0.03
1813577	Drill Core	0.52	1.08	0.12	33	1.12	0.070	17.1	35.4	1.15	151.6	0.095	<1	1.32	0.022	0.47	0.4	8.0	0.33	0.18



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 01, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000558.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1813561	Drill Core	<0.1	<0.02	4.2	1.66	<0.1	0.11	0.07	10.7	0.7	<0.05	2.9	16.49	54.8	0.03	1	0.6	18.2	<10	<2
1813562	Drill Core	0.3	<0.02	4.6	6.33	<0.1	0.08	0.07	24.3	0.7	<0.05	2.9	15.55	49.3	0.02	<1	0.6	13.5	<10	3
1813563	Drill Core	0.4	0.02	3.4	7.06	<0.1	0.13	0.04	20.6	0.7	<0.05	4.7	16.19	56.3	0.02	3	0.2	7.9	<10	<2
1813564	Drill Core	0.5	<0.02	5.0	7.37	<0.1	0.03	0.05	24.8	0.7	<0.05	1.7	18.91	50.4	0.04	<1	0.7	15.0	<10	<2
1813565	Drill Core	0.5	0.03	4.6	7.07	<0.1	0.06	0.05	23.5	0.7	<0.05	1.6	18.87	52.3	0.04	2	1.0	14.7	<10	2
1813566	Drill Core	0.4	<0.02	3.7	5.59	<0.1	0.09	0.02	20.3	0.6	<0.05	3.3	16.98	48.0	0.04	3	0.5	15.5	<10	2
1813567	Drill Core	<0.1	<0.02	1.3	1.12	<0.1	0.17	0.02	11.1	0.2	<0.05	7.9	14.15	90.8	0.03	<1	0.2	5.7	<10	<2
1813568	Drill Core	<0.1	<0.02	1.1	1.52	<0.1	0.07	<0.02	10.7	0.2	<0.05	4.7	13.01	79.0	<0.02	<1	0.2	4.1	<10	<2
1813569	Drill Core	0.2	<0.02	1.3	2.62	0.1	0.06	0.07	13.2	0.3	<0.05	2.0	19.75	90.1	0.05	<1	0.2	2.9	<10	<2
1813570	Drill Core	0.2	<0.02	1.0	2.47	<0.1	0.14	0.05	12.1	0.2	<0.05	6.4	12.03	74.6	<0.02	<1	0.3	2.8	<10	<2
1813571	Drill Core	<0.1	<0.02	0.9	2.25	<0.1	0.36	0.06	10.2	0.2	<0.05	12.2	9.68	68.0	<0.02	<1	0.2	2.4	<10	<2
1813572	Drill Core	<0.1	<0.02	0.9	1.23	<0.1	0.49	0.08	9.2	0.2	<0.05	14.4	7.53	55.5	<0.02	<1	0.2	1.7	<10	<2
1813573	Drill Core	<0.1	<0.02	1.2	2.45	<0.1	0.53	0.04	10.6	0.2	<0.05	15.9	8.04	72.6	<0.02	<1	0.3	3.5	<10	<2
1813574	Drill Core	0.2	<0.02	6.8	9.42	<0.1	0.20	<0.02	20.7	0.3	<0.05	8.2	16.07	58.9	0.03	<1	1.0	31.1	<10	<2
1813575	Drill Core	<0.1	<0.02	4.9	4.43	<0.1	0.03	0.05	18.5	0.3	<0.05	1.3	18.88	65.5	0.03	<1	0.6	19.2	<10	<2
1813576	Drill Core	0.2	<0.02	5.4	5.37	<0.1	0.09	0.09	24.4	0.6	<0.05	2.6	18.92	57.6	<0.02	<1	0.7	23.6	<10	<2
1813577	Drill Core	0.6	<0.02	4.1	7.02	<0.1	0.17	0.18	33.9	0.5	<0.05	2.8	13.48	34.6	<0.02	<1	0.5	17.2	<10	<2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 01, 2019

Page:

1 of 2

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000558.1

Method		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																					
1813502	Drill Core	3.11	356	0.008	<0.01	<0.17	26.95	2.32	62.39	27.19	502.8	491	27.3	11.4	733	3.66	19.0	0.9	1.9	3.8	22.2
REP 1813502	QC	0.009																			
1813529	Drill Core	2.78	392	<0.005	<0.01	<0.17	32.56	1.80	22.10	12.64	100.0	160	22.0	11.3	609	3.16	22.0	0.8	0.4	5.8	47.7
REP 1813529	QC							1.78	22.00	12.53	99.9	159	22.7	11.1	602	3.14	22.1	0.7	0.4	5.8	47.2
1813538	Drill Core	3.14	497	0.006	<0.01	<0.17	34.77	1.95	35.77	9.39	65.5	284	29.8	12.3	543	3.03	64.6	0.9	2.5	4.2	48.5
REP 1813538	QC	<0.005																			
1813564	Drill Core	3.33	398	0.009	<0.01	<0.17	38.72	1.04	18.20	15.64	73.4	176	13.5	9.1	476	2.62	5.5	3.9	<0.2	11.1	88.7
REP 1813564	QC							1.08	19.62	15.44	72.2	171	13.8	8.1	461	2.58	5.4	4.0	0.3	11.2	85.1
1813573	Drill Core	3.19	435	<0.005	<0.01	<0.17	36.90	0.20	3.61	14.45	14.6	241	0.7	0.4	85	0.38	1.2	1.2	1.4	17.2	13.3
REP 1813573	QC	<0.005																			
1813576	Drill Core	2.38	371	<0.005	<0.01	<0.17	34.26	1.95	37.84	43.84	139.9	483	14.2	9.1	634	2.35	2.3	1.7	0.5	9.8	86.7
REP 1813576	QC							1.91	38.32	42.90	139.0	492	14.2	8.9	633	2.31	2.2	1.7	0.6	10.0	88.4
Core Reject Duplicates																					
1813512	Drill Core	2.81	398	1.115	1.11	1.01	31.83	1.36	41.85	4.00	134.2	868	32.1	13.6	636	3.06	18.7	1.8	1018.8	4.8	21.2
DUP 1813512	QC	374		1.231	1.22	1.14	32.45	1.40	43.24	3.98	137.4	812	33.7	14.0	628	3.08	19.8	1.8	1209.1	5.0	21.9
1813546	Drill Core	3.09	498	<0.005	<0.01	<0.17	38.40	2.67	25.44	11.89	78.3	179	28.0	12.8	588	2.68	30.1	4.4	1.4	7.5	99.8
DUP 1813546	QC	478		0.007	<0.01	<0.17	33.69	2.77	24.70	11.23	83.9	173	26.9	13.0	574	2.69	28.7	4.4	1.7	7.4	102.8
Reference Materials																					
STD BVGEO01	Standard							10.78	4489.16	194.94	1766.1	2663	163.7	23.8	756	3.73	120.9	3.9	220.3	15.4	55.0
STD DS11	Standard							14.06	159.33	131.07	342.8	1710	81.1	14.1	1013	3.02	41.4	2.5	69.3	7.7	64.3
STD DS11	Standard							14.57	157.85	136.46	343.5	1675	81.9	13.7	995	3.13	41.1	2.6	76.6	7.8	66.0
STD OREAS262	Standard							0.66	122.75	52.67	149.8	437	65.1	28.0	535	3.21	34.5	1.2	52.4	8.8	34.2
STD OREAS262	Standard							0.70	123.28	55.48	151.6	453	65.9	27.4	529	3.29	35.2	1.3	65.8	9.2	35.8
STD OREAS262	Standard							0.65	125.23	57.06	167.2	475	65.0	26.7	544	3.31	34.4	1.2	58.6	9.5	35.5
STD OXB130	Standard	0.119																			
STD OXB130	Standard	0.130																			
STD OXI138	Standard	1.854																			
STD OXI138	Standard	1.817																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 01, 2019

Page:

1 of 2

Part:

2 of 3

QUALITY CONTROL REPORT

WHI19000558.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1813502	Drill Core	3.28	0.21	0.66	29	0.21	0.074	10.7	16.8	1.51	162.9	0.003	<1	1.66	0.011	0.20	<0.1	2.4	0.04	<0.02	23
REP 1813502	QC																				
1813529	Drill Core	0.33	0.35	0.14	34	1.11	0.069	15.5	38.0	1.88	138.0	0.007	2	1.98	0.009	0.26	<0.1	3.7	0.09	<0.02	5
REP 1813529	QC	0.31	0.35	0.10	35	1.11	0.067	16.0	38.3	1.87	141.5	0.008	2	1.98	0.011	0.26	<0.1	3.8	0.10	<0.02	<5
1813538	Drill Core	0.24	0.75	0.18	37	0.91	0.074	10.1	23.4	1.79	129.2	0.008	1	1.76	0.008	0.26	<0.1	3.3	0.08	<0.02	<5
REP 1813538	QC																				
1813564	Drill Core	0.42	2.06	0.09	26	1.62	0.070	26.1	24.2	0.80	244.5	0.053	2	1.13	0.030	0.46	0.2	8.5	0.32	0.12	<5
REP 1813564	QC	0.41	2.01	0.08	26	1.60	0.069	25.2	23.0	0.79	254.7	0.050	3	1.11	0.031	0.45	0.3	8.3	0.30	0.11	<5
1813573	Drill Core	0.21	0.55	0.32	<1	0.30	0.004	37.8	1.6	0.12	111.2	<0.001	1	0.30	0.010	0.24	<0.1	0.7	0.08	<0.02	9
REP 1813573	QC																				
1813576	Drill Core	1.81	1.74	0.17	23	1.70	0.058	29.8	27.7	1.09	420.5	0.048	1	1.39	0.025	0.39	0.6	4.9	0.22	0.03	6
REP 1813576	QC	1.81	1.73	0.18	22	1.75	0.057	29.2	27.5	1.10	416.8	0.049	1	1.40	0.025	0.38	0.6	4.9	0.24	0.03	9
Core Reject Duplicates																					
1813512	Drill Core	0.41	0.32	0.06	31	0.51	0.071	14.0	21.4	1.16	266.7	0.011	1	1.35	0.019	0.35	0.3	3.2	0.12	<0.02	<5
DUP 1813512	QC	0.37	0.31	0.05	31	0.50	0.072	14.5	22.3	1.21	269.3	0.011	1	1.40	0.017	0.34	0.1	3.1	0.11	<0.02	<5
1813546	Drill Core	0.42	0.45	0.09	42	2.21	0.066	21.4	80.0	1.09	220.6	0.033	3	1.20	0.025	0.36	<0.1	8.9	0.15	0.16	<5
DUP 1813546	QC	0.42	0.43	0.09	43	2.21	0.072	21.9	77.7	1.09	221.8	0.034	1	1.21	0.026	0.36	<0.1	9.3	0.14	0.15	<5
Reference Materials																					
STD BVGE001	Standard	6.23	2.80	25.31	73	1.32	0.072	28.1	182.3	1.29	258.0	0.231	4	2.32	0.190	0.89	5.0	6.1	0.62	0.68	99
STD DS11	Standard	2.43	8.49	11.96	50	1.08	0.070	17.3	60.8	0.83	333.8	0.094	6	1.14	0.072	0.40	3.0	3.1	4.94	0.28	277
STD DS11	Standard	2.25	8.89	12.19	49	1.03	0.064	18.8	61.1	0.83	352.2	0.095	6	1.15	0.075	0.39	3.3	3.1	5.03	0.27	274
STD OREAS262	Standard	0.63	4.91	1.02	22	3.07	0.038	14.7	44.7	1.14	232.7	0.003	4	1.30	0.069	0.31	0.2	3.1	0.43	0.26	134
STD OREAS262	Standard	0.59	4.73	1.07	22	2.95	0.037	17.1	45.7	1.15	250.9	0.003	3	1.36	0.072	0.31	0.2	3.4	0.46	0.25	166
STD OREAS262	Standard	0.65	3.82	1.02	21	3.01	0.037	15.8	42.9	1.20	235.6	0.003	5	1.29	0.070	0.30	0.2	3.0	0.46	0.27	199
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 01, 2019

Page:

1 of 2

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000558.1

Method Analyte Unit MDL		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																				
1813502	Drill Core	0.5	0.05	3.9	0.35	<0.1	0.18	<0.02	5.8	0.2	<0.05	9.0	4.71	20.2	0.03	<1	0.1	11.1	14	<2
REP 1813502	QC																			
1813529	Drill Core	<0.1	0.04	5.2	2.82	<0.1	0.34	<0.02	9.2	0.2	<0.05	14.0	4.89	29.5	0.02	<1	0.3	28.9	<10	<2
REP 1813529	QC	<0.1	0.04	5.1	2.79	<0.1	0.37	<0.02	9.3	0.2	<0.05	15.1	4.77	30.5	<0.02	<1	0.2	28.2	<10	<2
1813538	Drill Core	0.9	0.02	4.8	1.64	<0.1	0.24	<0.02	9.1	0.2	<0.05	8.7	3.57	19.5	<0.02	<1	0.2	18.3	<10	<2
REP 1813538	QC																			
1813564	Drill Core	0.5	<0.02	5.0	7.37	<0.1	0.03	0.05	24.8	0.7	<0.05	1.7	18.91	50.4	0.04	<1	0.7	15.0	<10	<2
REP 1813564	QC	0.6	<0.02	4.7	7.56	<0.1	0.05	0.06	24.5	0.8	<0.05	1.7	18.59	52.3	0.04	1	0.5	14.9	10	<2
1813573	Drill Core	<0.1	<0.02	1.2	2.45	<0.1	0.53	0.04	10.6	0.2	<0.05	15.9	8.04	72.6	<0.02	<1	0.3	3.5	<10	<2
REP 1813573	QC																			
1813576	Drill Core	0.2	<0.02	5.4	5.37	<0.1	0.09	0.09	24.4	0.6	<0.05	2.6	18.92	57.6	<0.02	<1	0.7	23.6	<10	<2
REP 1813576	QC	0.3	<0.02	5.4	5.30	<0.1	0.08	0.09	24.5	0.6	<0.05	2.7	18.78	57.0	0.03	<1	0.5	23.7	<10	<2
Core Reject Duplicates																				
1813512	Drill Core	0.9	0.05	3.9	1.08	<0.1	0.32	<0.02	11.7	0.2	<0.05	11.8	5.60	26.2	<0.02	<1	0.4	12.0	<10	<2
DUP 1813512	QC	1.0	0.04	4.0	1.11	<0.1	0.31	<0.02	11.9	0.3	<0.05	12.3	5.82	27.1	<0.02	<1	0.3	13.2	19	3
1813546	Drill Core	0.9	<0.02	4.7	4.57	<0.1	0.06	0.02	16.1	0.5	<0.05	1.7	13.21	42.1	0.04	4	0.4	12.0	<10	<2
DUP 1813546	QC	0.6	<0.02	4.8	4.41	<0.1	0.05	0.02	16.7	0.5	<0.05	1.4	13.80	42.8	0.03	2	0.5	12.6	<10	<2
Reference Materials																				
STD BVGE001	Standard	4.8	1.00	7.4	7.53	0.2	0.31	0.23	98.7	6.1	<0.05	8.9	15.17	56.8	0.48	4	0.8	20.8	138	200
STD DS11	Standard	2.1	4.45	4.7	2.76	<0.1	0.08	1.64	31.6	1.8	<0.05	2.8	7.78	35.3	0.24	42	0.8	21.8	124	160
STD DS11	Standard	2.2	4.48	4.6	2.81	0.1	0.06	1.63	32.1	1.8	<0.05	2.9	7.80	37.4	0.26	48	0.8	22.3	121	185
STD OREAS262	Standard	0.3	0.23	3.7	2.39	<0.1	0.30	0.02	16.7	0.5	<0.05	11.3	10.55	29.8	0.03	<1	1.2	16.6	<10	<2
STD OREAS262	Standard	0.6	0.21	4.0	2.56	<0.1	0.25	<0.02	17.7	0.6	<0.05	10.4	10.57	33.8	0.02	1	1.0	17.8	<10	<2
STD OREAS262	Standard	0.3	0.21	3.8	2.44	<0.1	0.26	<0.02	17.3	0.6	<0.05	10.2	10.32	33.0	0.04	<1	0.9	16.8	<10	<2
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 01, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000558.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD OXN134	Standard			7.448																	
STD OXN134	Standard			7.665																	
STD OXQ90	Standard					24.96	30.29														
STD OXQ90	Standard					24.93	30.20														
STD OXQ90	Standard					25.16	29.85														
STD OXQ90	Standard					25.33	29.88														
STD OXQ90	Standard					24.72	29.93														
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OXQ90 Expected						24.88															
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36
BLK	Blank					<0.17	30.00														
BLK	Blank			0.006																	
BLK	Blank			0.005																	
BLK	Blank							<0.01	0.02	<0.01	0.2	<2	0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
Prep Wash																					
ROCK-WHI	Prep Blank		409	<0.005	<0.01	<0.17	37.33	0.84	1.73	1.09	29.2	10	1.1	3.5	501	1.82	0.6	0.4	1.4	2.0	17.9
ROCK-WHI	Prep Blank		460	0.009	<0.01	<0.17	35.21	0.97	6.29	1.15	33.2	15	1.6	4.4	529	1.91	0.9	0.4	3.5	2.0	24.1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 01, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000558.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OXQ90 Expected																					
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
Prep Wash																					
ROCK-WHI	Prep Blank	0.04	0.04	0.03	22	0.59	0.037	5.8	2.5	0.47	46.6	0.073	2	0.84	0.102	0.10	<0.1	2.7	<0.02	<0.02	8
ROCK-WHI	Prep Blank	0.04	0.05	0.04	29	0.75	0.036	5.8	3.8	0.54	51.3	0.083	1	0.97	0.099	0.09	<0.1	2.9	<0.02	0.02	9



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 01, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000558.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OXQ90 Expected																				
STD BVGE001 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.3	0.10	0.1	0.14	0.22	1.9	0.3	<0.05	2.8	8.18	11.6	<0.02	<1	0.1	1.1	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.11	<0.1	0.14	0.17	2.0	0.3	<0.05	3.0	8.70	11.8	<0.02	<1	<0.1	1.3	<10	<2