



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Submitted By: Notification Distribution List
Receiving Lab: Canada-Whitehorse
Received: September 18, 2019
Report Date: October 05, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI19000559.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: KG19-54
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	133	Crush, split and pulverize 500g rock to 200 mesh			WHI
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FS631	138	Metallic Sieve 500g to 150 mesh			WHI
Split +150 mesh	138	Analysis sample split/packet			WHI
Split -150	138	Analysis sample split/packet			WHI
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
FS631	134	Metallics Fire Assay for Au	30	Completed	VAN
AQ251_EXT	138	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8
Canada

CC: Ian Perry
Graeme Joyce
Peter Tallman
Erika Cayer



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000559.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1887001	Drill Core	2.61	429	0.214	0.24	0.59	33.65	0.52	29.96	29.32	159.8	2306	9.3	6.1	382	1.24	17.5	2.0	107.5	9.6	18.0
1887002	Drill Core	3.14	395	0.144	0.19	0.71	32.43	0.43	23.77	10.80	133.4	606	5.0	4.6	265	1.41	25.1	2.6	141.2	12.1	12.9
1887003	Drill Core	3.05	421	0.010	<0.01	<0.17	29.88	0.47	6.17	10.69	43.4	172	4.4	3.4	358	1.40	2.2	0.7	4.0	10.0	72.1
1887004	Drill Core	2.89	431	0.010	<0.01	<0.17	37.68	0.54	6.02	18.34	55.0	158	3.1	2.8	311	1.24	1.4	1.2	2.3	13.2	52.7
1887005	Drill Core	2.47	403	0.016	0.01	<0.17	38.28	0.56	9.54	14.41	54.3	147	9.7	11.2	502	2.46	4.2	1.0	8.8	9.6	108.8
1887006	Drill Core	3.16	376	0.013	0.01	<0.17	39.27	0.71	7.90	7.06	49.3	75	8.2	9.8	469	2.49	5.4	1.4	9.5	11.4	112.5
1887007	Drill Core	1.35	423	1.133	1.36	3.77	35.83	0.30	18.73	101.05	52.4	4048	5.3	4.7	284	1.39	3.9	2.1	1873.4	8.7	66.7
1887008	Drill Core	2.51	365	0.061	0.05	<0.17	34.12	0.55	10.82	6.31	52.2	123	11.0	5.7	350	1.66	4.5	1.3	102.6	10.6	68.2
1887009	Drill Core	3.21	393	0.015	0.01	<0.17	39.72	0.30	7.59	12.27	45.2	119	2.4	3.1	262	1.26	14.3	1.0	8.8	13.4	30.8
1887010	Drill Core	1.90	421	0.009	<0.01	<0.17	36.18	0.27	8.15	12.90	51.7	122	4.2	3.9	229	1.44	8.8	1.2	9.2	12.4	20.8
1887011	Drill Core	1.40	368	0.049	0.04	<0.17	33.39	1.51	47.07	4.16	181.8	411	90.3	32.6	1338	7.22	333.6	9.6	42.3	3.9	103.7
1887012	Drill Core	2.26	515	0.011	<0.01	<0.17	36.22	1.06	34.93	2.10	101.9	166	79.3	38.1	843	5.42	29.5	1.9	7.0	2.1	133.6
1887013	Drill Core	2.24	412	0.037	0.03	<0.17	34.20	0.94	36.24	2.52	113.3	234	89.6	38.0	940	6.91	52.5	1.8	36.9	2.4	97.5
1887014	Drill Core	1.61	402	0.006	<0.01	<0.17	40.49	1.01	32.59	2.47	96.2	143	75.6	35.9	877	6.02	24.7	1.2	2.4	2.0	105.6
1887015	Drill Core	2.32	509	0.010	<0.01	<0.17	33.03	0.40	12.70	14.62	56.8	139	8.7	5.1	452	1.57	19.6	0.9	6.4	10.8	20.5
1887016	Drill Core	2.30	375	0.008	<0.01	<0.17	28.12	0.20	19.93	12.89	36.7	223	4.1	2.6	182	1.12	9.5	0.7	4.8	12.2	15.4
1887017	Drill Core	2.51	476	0.021	0.02	<0.17	28.82	0.22	10.04	10.74	29.8	139	3.9	2.1	228	0.90	19.3	0.7	16.4	11.0	22.7
1887018	Drill Core	2.53	391	0.009	<0.01	<0.17	27.65	0.22	9.51	10.86	38.6	111	3.3	2.4	197	0.96	10.8	0.8	5.6	11.4	22.2
1887019	Drill Core	3.70	392	0.027	0.02	<0.17	41.40	0.24	24.03	17.37	32.8	458	2.6	2.0	194	0.95	16.3	0.9	21.5	11.9	18.2
1887020	Rock Pulp	0.12	94	0.597				6.66	114.36	89.44	151.0	655	11.8	5.2	588	2.49	40.6	0.5	565.1	3.3	36.0
1887021	Drill Core	2.57	382	0.007	<0.01	<0.17	35.35	0.41	8.33	16.97	66.0	247	1.7	2.3	236	0.98	5.6	0.8	2.0	12.1	16.9
1887022	Drill Core	1.73	352	0.028	0.02	<0.17	40.91	0.98	34.10	41.59	104.7	922	3.0	3.9	400	1.26	26.6	0.8	20.3	12.1	22.9
1887023	Drill Core	3.25	363	0.121	0.11	<0.17	28.17	1.01	20.60	100.28	88.3	1884	4.5	4.1	956	1.56	50.4	2.0	140.3	14.0	44.9
1887024	Drill Core	2.61	517	0.008	<0.01	<0.17	30.96	0.19	14.12	12.03	36.1	191	2.6	3.1	247	1.21	6.0	1.0	4.0	11.1	56.4
1887025	Drill Core	3.72	432	0.015	0.01	<0.17	35.98	0.72	51.17	10.77	53.8	238	2.7	3.6	239	1.13	5.5	2.2	10.7	10.3	41.8
1887026	Drill Core	3.31	436	0.010	<0.01	<0.17	39.26	1.47	10.29	12.69	50.7	143	3.7	3.9	204	1.43	8.4	1.5	6.7	9.5	21.6
1887027	Drill Core	2.70	383	0.263	0.34	1.17	33.33	0.30	12.63	14.38	38.9	192	3.1	3.4	217	1.52	2.2	2.3	164.6	9.5	50.8
1887028	Drill Core	3.19	378	0.613	0.81	3.02	30.10	0.25	10.38	7.15	27.0	388	2.1	2.7	257	1.15	3.0	2.2	514.9	8.5	82.9
1887029	Drill Core	2.56	407	0.133	0.13	<0.17	35.53	0.28	14.19	9.77	55.5	390	3.2	2.9	188	1.37	19.6	1.0	132.5	9.5	30.2
1887030	Drill Core	2.97	444	0.017	0.02	<0.17	39.65	0.33	8.41	14.53	76.1	218	4.6	4.1	244	1.78	11.0	1.1	45.2	10.1	22.3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000559.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1887001	Drill Core	0.76	0.41	0.19	9	0.19	0.062	23.6	9.8	0.39	258.0	0.003	2	0.80	0.014	0.22	3.6	2.1	0.05	<0.02	<5
1887002	Drill Core	0.66	0.32	0.10	4	0.13	0.039	31.6	6.0	0.50	204.6	0.001	<1	0.83	0.017	0.25	0.2	1.7	0.07	0.02	5
1887003	Drill Core	0.54	0.12	0.12	3	0.83	0.033	24.4	3.9	0.56	216.2	0.002	<1	0.77	0.025	0.23	0.1	1.7	0.05	0.08	<5
1887004	Drill Core	0.43	0.10	0.16	2	0.58	0.033	29.8	2.5	0.49	248.2	0.002	<1	0.75	0.017	0.30	0.1	1.7	0.07	0.06	<5
1887005	Drill Core	0.30	0.14	0.08	21	1.12	0.059	17.4	46.2	1.33	144.4	0.003	<1	1.42	0.027	0.21	<0.1	5.2	0.05	0.10	5
1887006	Drill Core	0.17	0.17	0.03	19	1.32	0.043	22.6	36.5	1.31	163.5	0.004	<1	1.42	0.026	0.24	<0.1	4.2	0.06	0.10	<5
1887007	Drill Core	0.50	0.21	0.19	3	0.54	0.032	13.9	3.9	0.42	339.3	0.001	<1	0.56	0.014	0.22	<0.1	1.3	0.05	0.38	6
1887008	Drill Core	0.56	0.18	0.03	6	0.86	0.042	19.0	12.9	0.78	214.9	0.002	1	0.95	0.013	0.28	<0.1	2.2	0.07	0.15	8
1887009	Drill Core	0.39	0.19	0.08	2	0.40	0.038	29.4	3.1	0.45	295.7	0.002	<1	0.72	0.024	0.24	<0.1	1.2	0.06	0.06	7
1887010	Drill Core	0.24	0.20	0.09	4	0.29	0.038	26.1	4.0	0.51	178.1	0.003	<1	0.81	0.021	0.24	<0.1	1.2	0.09	0.03	<5
1887011	Drill Core	1.88	6.31	0.03	135	1.23	0.184	28.3	125.0	2.56	782.0	0.038	<1	5.06	0.054	0.13	<0.1	18.8	0.38	0.02	21
1887012	Drill Core	0.77	1.28	<0.02	89	1.94	0.177	23.1	102.1	2.56	373.0	0.147	<1	2.99	0.312	0.13	<0.1	14.0	1.09	0.06	8
1887013	Drill Core	0.70	2.63	<0.02	146	1.56	0.183	25.9	125.2	3.17	415.1	0.090	<1	3.91	0.163	0.11	<0.1	22.9	0.73	0.02	10
1887014	Drill Core	0.31	1.76	<0.02	122	1.77	0.191	23.1	114.3	2.52	197.8	0.110	<1	3.13	0.283	0.13	<0.1	17.8	0.65	0.03	6
1887015	Drill Core	0.26	0.67	0.06	11	0.22	0.054	21.0	8.9	0.71	163.8	0.012	1	1.04	0.020	0.26	<0.1	2.2	0.11	<0.02	11
1887016	Drill Core	0.08	0.28	0.03	4	0.15	0.046	28.3	3.3	0.48	144.2	0.003	<1	0.74	0.024	0.23	<0.1	1.2	0.07	<0.02	<5
1887017	Drill Core	0.15	0.35	0.04	3	0.16	0.061	22.4	3.1	0.40	153.6	0.002	<1	0.59	0.015	0.23	<0.1	1.1	0.05	<0.02	5
1887018	Drill Core	0.19	0.35	0.03	3	0.28	0.052	21.9	2.8	0.37	149.6	0.002	<1	0.63	0.016	0.25	<0.1	1.1	0.06	<0.02	<5
1887019	Drill Core	0.19	0.53	0.09	2	0.22	0.058	22.8	2.8	0.39	156.7	0.001	<1	0.57	0.017	0.22	<0.1	1.0	0.05	0.02	<5
1887020	Rock Pulp	0.52	2.95	0.10	28	0.84	0.037	6.3	25.0	0.50	87.0	0.082	7	1.17	0.101	0.10	4.5	3.7	0.22	0.08	144
1887021	Drill Core	0.26	0.15	0.30	2	0.36	0.034	18.0	2.3	0.51	202.5	0.002	<1	0.63	0.007	0.25	<0.1	1.1	0.06	0.03	<5
1887022	Drill Core	0.79	0.46	0.90	3	0.18	0.039	20.3	3.0	0.65	1103.4	0.002	<1	0.77	0.013	0.24	0.5	1.1	0.06	0.10	6
1887023	Drill Core	1.01	0.72	0.18	3	0.65	0.048	29.8	3.5	0.63	287.0	0.001	<1	0.80	0.018	0.25	0.3	1.4	0.07	0.11	14
1887024	Drill Core	0.13	0.19	0.07	4	0.73	0.042	20.3	4.0	0.55	153.2	0.002	<1	0.70	0.022	0.21	<0.1	1.2	0.04	0.11	5
1887025	Drill Core	0.20	0.25	0.05	3	0.46	0.048	19.1	3.0	0.43	225.8	0.002	<1	0.61	0.016	0.24	<0.1	1.3	0.05	0.06	6
1887026	Drill Core	0.19	0.25	0.10	4	0.26	0.046	17.8	3.3	0.57	160.1	0.002	<1	0.76	0.010	0.23	<0.1	1.3	0.05	0.04	5
1887027	Drill Core	0.11	0.18	0.04	4	0.65	0.039	15.1	3.0	0.65	123.7	0.003	<1	0.77	0.023	0.22	<0.1	1.6	0.05	0.18	<5
1887028	Drill Core	0.25	0.15	<0.02	2	0.97	0.042	12.6	2.3	0.44	204.0	0.002	<1	0.51	0.019	0.25	0.1	1.5	0.05	0.23	<5
1887029	Drill Core	0.44	0.45	0.03	3	0.40	0.038	19.2	2.9	0.44	214.3	0.002	<1	0.72	0.021	0.27	<0.1	1.6	0.06	0.06	<5
1887030	Drill Core	0.42	0.43	<0.02	6	0.28	0.043	21.4	6.0	0.70	161.0	0.003	<1	0.95	0.022	0.23	<0.1	2.4	0.05	<0.02	<5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 2 of 6 **Part:** 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000559.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1887001 Drill Core	<0.1	0.22	2.0	0.47	<0.1	0.16	0.03	7.3	0.6	<0.05	6.3	7.96	46.1	<0.02	<1	0.3	11.2	23	<2
1887002 Drill Core	<0.1	0.10	2.1	0.99	<0.1	0.16	<0.02	8.7	0.2	<0.05	5.2	8.16	57.9	<0.02	<1	0.3	12.2	17	<2
1887003 Drill Core	<0.1	<0.02	2.0	0.61	<0.1	0.02	<0.02	8.0	0.2	<0.05	0.8	6.04	46.3	<0.02	<1	0.2	9.3	10	<2
1887004 Drill Core	<0.1	<0.02	1.9	0.66	<0.1	0.08	<0.02	10.0	0.2	<0.05	2.0	6.26	55.8	<0.02	1	0.3	8.7	<10	<2
1887005 Drill Core	0.1	<0.02	4.1	0.46	<0.1	0.17	0.02	6.8	0.2	<0.05	5.4	8.67	32.2	<0.02	<1	0.4	27.4	19	<2
1887006 Drill Core	0.1	<0.02	4.0	0.43	<0.1	0.25	<0.02	7.6	0.2	<0.05	8.0	7.66	42.4	<0.02	<1	0.3	25.6	33	<2
1887007 Drill Core	0.3	1.97	1.3	0.31	<0.1	0.28	<0.02	6.9	0.1	<0.05	8.5	4.81	26.1	<0.02	<1	0.2	6.9	21	<2
1887008 Drill Core	<0.1	<0.02	2.2	0.45	<0.1	0.02	<0.02	9.6	0.1	<0.05	1.1	6.39	35.7	<0.02	<1	0.3	15.0	<10	<2
1887009 Drill Core	<0.1	<0.02	2.0	0.39	<0.1	<0.02	<0.02	8.7	0.1	<0.05	0.6	6.81	52.9	<0.02	<1	0.3	9.3	<10	<2
1887010 Drill Core	<0.1	<0.02	1.9	0.71	<0.1	0.04	0.04	8.3	0.2	<0.05	1.0	6.06	49.2	<0.02	<1	0.2	9.9	<10	<2
1887011 Drill Core	0.3	<0.02	12.3	5.23	<0.1	0.06	0.02	5.9	1.4	<0.05	4.3	45.88	53.4	0.07	<1	1.6	102.6	14	<2
1887012 Drill Core	0.1	<0.02	7.5	6.68	0.1	<0.02	0.09	6.1	1.0	<0.05	3.1	33.99	50.1	0.04	<1	0.8	33.7	<10	<2
1887013 Drill Core	0.3	0.02	10.0	6.54	0.1	0.02	<0.02	5.6	1.1	<0.05	3.0	38.40	56.0	0.07	<1	1.0	76.7	<10	<2
1887014 Drill Core	<0.1	<0.02	8.9	6.62	0.1	0.03	0.08	7.2	0.9	<0.05	3.5	33.49	51.2	0.06	<1	0.7	42.5	14	<2
1887015 Drill Core	<0.1	<0.02	2.8	1.42	0.1	0.22	<0.02	9.8	0.5	<0.05	7.7	6.04	40.5	<0.02	<1	0.4	16.7	37	<2
1887016 Drill Core	<0.1	<0.02	2.3	0.54	<0.1	0.18	<0.02	7.4	0.3	<0.05	7.0	5.11	54.5	<0.02	<1	0.2	7.9	19	<2
1887017 Drill Core	<0.1	<0.02	2.0	0.86	<0.1	0.24	<0.02	7.5	0.3	<0.05	7.8	5.14	41.6	<0.02	<1	0.2	7.8	24	<2
1887018 Drill Core	<0.1	<0.02	1.7	0.85	<0.1	0.23	<0.02	8.0	0.1	<0.05	7.6	4.96	43.2	<0.02	<1	0.2	8.9	23	<2
1887019 Drill Core	<0.1	0.03	2.0	0.85	<0.1	0.22	<0.02	7.3	0.2	<0.05	8.0	5.86	47.3	<0.02	<1	0.2	7.7	30	<2
1887020 Rock Pulp	<0.1	0.05	4.7	0.23	0.1	0.16	0.31	2.8	2.0	<0.05	3.8	8.68	12.6	<0.02	<1	0.2	1.5	21	<2
1887021 Drill Core	<0.1	<0.02	1.6	0.32	<0.1	0.10	<0.02	8.1	0.1	<0.05	4.0	4.42	34.7	<0.02	<1	0.3	9.5	25	<2
1887022 Drill Core	0.2	0.07	2.2	0.40	<0.1	0.23	<0.02	8.1	0.3	<0.05	7.7	5.58	39.4	<0.02	<1	0.3	11.2	31	<2
1887023 Drill Core	0.1	0.57	2.4	0.77	<0.1	0.29	<0.02	8.3	0.1	<0.05	9.8	13.70	54.6	<0.02	<1	0.4	11.4	40	<2
1887024 Drill Core	0.1	<0.02	2.6	0.34	<0.1	0.23	<0.02	7.1	0.2	<0.05	7.1	5.17	39.8	<0.02	<1	0.2	8.9	28	<2
1887025 Drill Core	<0.1	<0.02	1.8	0.41	<0.1	0.29	<0.02	7.7	0.1	<0.05	9.0	5.15	36.0	<0.02	<1	0.2	7.6	40	<2
1887026 Drill Core	<0.1	<0.02	1.9	0.39	<0.1	0.27	<0.02	7.5	0.2	<0.05	9.7	5.04	32.1	<0.02	<1	0.2	10.5	42	<2
1887027 Drill Core	<0.1	0.05	2.3	0.46	<0.1	0.27	<0.02	6.9	0.2	<0.05	7.6	4.15	29.7	<0.02	2	0.2	11.1	36	<2
1887028 Drill Core	0.2	0.10	1.6	0.29	<0.1	0.25	<0.02	7.3	0.1	<0.05	8.8	4.89	23.3	<0.02	<1	0.2	6.3	45	<2
1887029 Drill Core	<0.1	0.10	2.0	0.38	<0.1	0.29	<0.02	7.9	0.2	<0.05	10.3	5.39	35.3	<0.02	<1	0.3	8.4	36	<2
1887030 Drill Core	<0.1	0.02	3.5	0.43	0.1	0.31	<0.02	7.2	0.1	<0.05	10.6	5.95	40.3	<0.02	<1	0.3	13.9	48	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000559.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1887031	Drill Core	2.80	363	0.091	0.08	<0.17	35.69	0.41	6.18	16.11	39.9	171	4.2	4.6	286	1.72	6.0	1.4	59.8	9.5	48.4
1887032	Drill Core	2.76	491	0.920	1.05	3.05	29.49	0.28	13.17	8.94	30.7	425	2.1	2.6	209	1.11	14.5	1.1	532.9	11.4	13.2
1887033	Drill Core	2.85	390	0.021	0.02	<0.17	40.72	0.25	12.48	12.62	85.6	161	22.1	22.2	955	4.22	21.4	2.0	19.3	2.6	218.1
1887034	Drill Core	2.29	500	0.159	0.19	0.57	38.48	0.12	14.03	8.46	68.3	194	23.7	28.1	1078	4.21	39.2	1.5	125.8	1.2	321.4
1887035	Drill Core	2.40	544	1.446	2.47	15.41	39.97	0.20	7.76	9.11	33.5	564	3.0	3.5	105	1.38	9.2	0.9	1545.5	11.6	23.2
1887036	Drill Core	2.79	456	0.138	0.13	<0.17	37.07	1.02	10.96	9.76	83.1	410	10.5	5.5	471	1.89	73.9	2.1	140.0	13.0	17.9
1887037	Drill Core	2.77	451	0.214	0.25	0.63	39.47	0.76	54.62	101.87	74.1	3270	7.6	5.2	459	1.69	64.4	1.3	174.3	12.4	21.7
1887038	Drill Core	2.99	438	0.125	0.11	<0.17	40.16	0.60	13.86	22.93	78.0	345	13.5	7.1	497	1.84	64.7	1.0	29.8	12.0	50.1
1887039	Drill Core	1.79	450	0.072	0.07	<0.17	39.63	0.34	71.03	180.31	98.8	1070	1.3	1.6	153	1.24	78.0	0.8	52.4	14.4	8.8
1887040	Rock Pulp	0.13	94	<0.005				3.95	21.56	0.94	32.2	20	6.7	4.5	559	2.36	1.4	0.4	<0.2	3.1	30.3
1887041	Drill Core	1.72	419	1.202	1.23	1.53	39.98	0.21	29.31	8.96	91.4	952	2.6	4.0	311	1.37	23.5	0.6	848.3	11.4	25.2
1887042	Drill Core	1.93	462	0.143	0.15	0.28	39.73	0.37	52.75	34.11	30.2	1485	1.5	1.4	96	0.95	18.4	1.2	188.0	8.7	16.6
1887043	Drill Core	3.00	392	0.215	0.20	<0.17	29.86	0.36	57.03	71.38	36.6	875	1.3	2.2	170	1.07	60.6	2.0	248.6	14.3	26.3
1887044	Drill Core	3.83	431	0.164	0.15	<0.17	35.34	1.72	44.67	121.78	83.7	1269	4.0	2.5	237	1.31	91.8	3.1	169.0	16.7	19.3
1887045	Drill Core	3.13	372	0.074	0.07	<0.17	34.26	0.68	6.92	13.95	36.1	722	2.4	1.9	183	1.50	82.8	2.9	69.7	15.7	62.9
1887046	Drill Core	3.16	388	0.104	0.09	<0.17	35.62	0.45	10.24	17.52	37.7	767	2.2	2.7	204	1.63	86.0	3.0	126.5	17.7	59.8
1887047	Drill Core	1.49	392	0.025	0.02	<0.17	32.22	0.56	11.78	15.12	29.4	321	2.3	2.9	441	1.28	97.1	2.6	26.3	13.9	68.0
1887048	Drill Core	1.54	436	0.099	0.09	<0.17	27.77	0.47	7.60	15.45	41.5	803	2.3	3.1	419	1.58	130.1	2.6	88.7	14.6	43.3
1887049	Drill Core	1.74	420	0.036	0.03	<0.17	36.74	0.25	7.09	11.58	30.5	270	1.9	3.2	385	1.33	64.6	2.6	38.0	13.5	89.3
1887050	Drill Core	1.67	463	0.134	0.24	1.37	40.08	0.35	12.09	11.62	15.0	541	1.8	3.2	253	1.35	81.1	1.5	135.5	13.5	12.5
1887051	Drill Core	1.58	502	0.218	0.21	<0.17	41.90	1.03	14.69	6.77	13.2	2064	1.6	5.6	407	1.40	57.7	1.7	286.9	14.7	15.5
1887052	Drill Core	3.26	442	0.093	0.13	0.76	26.37	0.54	6.96	9.86	12.5	718	1.2	2.7	238	1.12	93.6	1.2	103.8	11.8	12.5
1887053	Drill Core	1.94	399	0.314	1.20	9.16	40.16	0.80	10.59	8.72	16.8	1453	2.3	2.5	171	1.33	49.7	1.8	1179.7	15.5	14.0
1887054	Drill Core	2.76	476	0.244	0.25	0.31	42.02	0.90	14.47	4.35	30.0	1534	5.2	4.3	272	1.48	34.3	2.0	152.7	15.1	18.3
1887055	Drill Core	1.74	384	0.489	1.08	6.26	39.16	0.55	16.77	5.26	26.6	760	6.3	5.7	484	1.54	24.4	2.4	667.2	13.3	81.4
1887056	Drill Core	1.49	415	0.633	0.67	1.12	31.34	0.26	20.45	5.65	16.5	577	2.0	3.4	307	1.20	6.2	1.2	1267.5	12.5	83.9
1887057	Drill Core	1.53	472	1.651	1.69	2.11	39.30	0.26	80.06	3.75	20.0	1847	9.2	5.2	303	1.26	7.3	2.2	1452.7	12.0	61.5
1887058	Drill Core	1.39	464	0.510	0.50	0.38	39.33	0.29	52.66	2.56	16.3	1374	10.1	4.2	334	1.04	6.6	1.8	852.2	11.2	72.5
1887059	Drill Core	1.34	466	0.726	0.72	0.66	36.41	0.17	14.76	3.95	30.7	593	34.0	12.9	578	1.90	67.3	3.0	675.2	6.0	242.6
1887060	Core DUP		464	0.847	0.86	1.01	35.75	0.16	13.82	4.42	31.6	576	33.0	12.7	577	1.88	67.0	2.9	709.8	5.7	235.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000559.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1887031	Drill Core	0.44	0.23	0.06	6	0.92	0.036	18.8	16.7	0.64	212.3	0.003	<1	0.85	0.020	0.27	<0.1	2.6	0.06	0.09	<5			
1887032	Drill Core	0.34	0.24	0.02	2	0.12	0.030	24.2	2.5	0.26	292.6	0.001	<1	0.51	0.024	0.25	<0.1	1.4	0.07	0.06	<5			
1887033	Drill Core	0.62	0.65	0.07	56	3.35	0.056	7.1	126.0	2.58	350.6	0.028	<1	2.21	0.007	0.40	0.1	10.3	0.16	0.06	<5			
1887034	Drill Core	0.31	0.75	0.04	61	4.80	0.066	3.6	105.8	2.93	210.7	0.024	1	1.97	0.004	0.34	0.1	9.6	0.11	0.36	11			
1887035	Drill Core	0.13	0.28	0.08	3	0.12	0.035	19.4	2.9	0.40	675.8	0.001	1	0.59	0.026	0.20	<0.1	1.7	0.05	0.17	<5			
1887036	Drill Core	0.99	1.56	0.09	7	0.15	0.042	29.0	6.0	0.39	434.3	0.001	1	0.75	0.014	0.24	0.2	2.0	0.07	0.06	<5			
1887037	Drill Core	0.53	1.47	0.11	6	0.37	0.043	27.1	8.2	0.45	547.2	<0.001	2	0.71	0.013	0.23	6.1	1.4	0.07	0.15	7			
1887038	Drill Core	0.61	0.58	0.10	10	0.75	0.038	19.0	25.2	0.86	163.9	0.002	1	0.96	0.012	0.26	0.1	2.0	0.07	0.35	<5			
1887039	Drill Core	0.31	0.68	0.15	2	0.14	0.045	26.5	2.5	0.37	176.5	0.001	<1	0.55	0.013	0.24	0.2	0.9	0.08	0.09	8			
1887040	Rock Pulp	0.03	0.17	<0.02	23	0.79	0.040	5.5	14.8	0.51	56.2	0.074	2	1.04	0.076	0.09	0.2	3.5	<0.02	0.05	<5			
1887041	Drill Core	0.86	0.21	0.07	2	0.50	0.035	17.3	2.1	0.40	171.0	0.001	<1	0.58	0.018	0.24	0.1	0.9	0.05	0.42	<5			
1887042	Drill Core	0.12	0.29	0.10	2	0.10	0.041	16.3	2.1	0.11	139.2	0.001	1	0.30	0.020	0.20	0.1	0.6	0.05	0.07	15			
1887043	Drill Core	0.30	0.63	0.07	2	0.11	0.061	27.0	2.0	0.19	666.1	0.001	<1	0.45	0.017	0.29	0.1	0.7	0.08	0.08	8			
1887044	Drill Core	0.39	1.03	0.14	2	0.11	0.055	36.4	2.8	0.26	1682.1	0.001	2	0.55	0.015	0.26	0.1	1.1	0.08	0.07	10			
1887045	Drill Core	0.27	3.11	0.14	3	0.10	0.040	40.4	2.9	0.22	735.6	<0.001	<1	0.54	0.018	0.29	<0.1	1.2	0.13	0.14	15			
1887046	Drill Core	0.13	3.46	0.14	3	0.45	0.045	34.2	2.9	0.26	265.2	0.001	1	0.53	0.019	0.27	<0.1	1.3	0.10	0.47	15			
1887047	Drill Core	0.20	1.23	0.12	3	0.95	0.038	24.9	3.4	0.28	186.8	0.002	<1	0.53	0.017	0.24	<0.1	1.3	0.08	0.40	<5			
1887048	Drill Core	0.24	4.35	0.09	2	0.80	0.031	17.2	2.7	0.33	134.9	0.001	<1	0.48	0.020	0.22	<0.1	1.1	0.07	1.03	9			
1887049	Drill Core	0.20	0.92	0.09	3	1.25	0.034	19.2	2.9	0.32	138.1	0.002	<1	0.50	0.029	0.22	<0.1	1.5	0.06	0.56	<5			
1887050	Drill Core	0.06	1.12	0.14	2	0.23	0.034	21.7	2.7	0.29	173.2	0.001	<1	0.46	0.020	0.21	<0.1	1.0	0.07	0.33	<5			
1887051	Drill Core	0.09	0.65	0.09	1	0.12	0.047	26.4	2.1	0.16	819.1	<0.001	<1	0.40	0.018	0.21	0.1	1.0	0.06	0.11	<5			
1887052	Drill Core	0.12	1.21	0.09	2	0.10	0.040	25.8	3.2	0.23	979.7	0.001	<1	0.43	0.012	0.25	<0.1	0.9	0.07	0.07	<5			
1887053	Drill Core	0.20	0.50	0.02	2	0.12	0.056	29.3	3.5	0.22	205.9	0.001	<1	0.44	0.020	0.23	0.1	1.0	0.07	0.07	<5			
1887054	Drill Core	0.20	0.41	0.02	2	0.16	0.047	22.6	3.6	0.34	208.3	0.001	<1	0.59	0.019	0.27	0.1	1.4	0.06	0.07	<5			
1887055	Drill Core	0.25	0.38	<0.02	4	0.92	0.049	17.2	7.1	0.48	207.8	0.002	<1	0.67	0.018	0.30	0.2	2.0	0.08	0.34	<5			
1887056	Drill Core	0.10	0.13	0.05	2	0.98	0.035	14.7	3.3	0.35	183.5	0.002	<1	0.48	0.025	0.25	0.1	1.5	0.06	0.54	<5			
1887057	Drill Core	0.22	0.91	<0.02	3	0.70	0.037	13.4	7.8	0.37	216.1	0.002	<1	0.39	0.024	0.26	<0.1	1.7	0.06	0.44	<5			
1887058	Drill Core	0.17	0.15	<0.02	3	1.14	0.048	12.2	5.6	0.53	211.7	0.001	<1	0.34	0.014	0.26	<0.1	1.5	0.06	0.46	6			
1887059	Drill Core	0.20	0.81	<0.02	12	3.52	0.051	6.0	32.7	1.63	191.0	0.002	<1	0.64	0.008	0.29	<0.1	3.7	0.08	0.46	<5			
1887060	Core DUP	0.18	0.78	<0.02	12	3.37	0.050	5.7	31.0	1.61	189.7	0.002	<1	0.62	0.007	0.28	<0.1	3.8	0.06	0.47	6			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000559.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1887031 Drill Core	<0.1	0.06	2.4	0.37	<0.1	0.17	<0.02	9.1	0.1	<0.05	5.1	6.02	34.6	<0.02	<1	0.3	9.8	28	<2
1887032 Drill Core	<0.1	0.11	1.3	0.40	<0.1	0.09	<0.02	8.0	0.1	<0.05	3.2	4.92	45.5	<0.02	<1	0.2	5.1	18	<2
1887033 Drill Core	<0.1	<0.02	5.4	1.25	<0.1	0.05	<0.02	14.5	0.1	<0.05	1.6	16.48	16.4	<0.02	<1	0.7	29.5	<10	<2
1887034 Drill Core	<0.1	0.03	4.3	1.37	<0.1	0.02	<0.02	10.0	0.2	<0.05	0.4	16.28	10.5	<0.02	<1	0.5	33.3	<10	<2
1887035 Drill Core	<0.1	0.13	1.7	0.51	<0.1	0.33	<0.02	6.5	0.5	<0.05	9.0	4.88	38.1	<0.02	<1	0.2	7.3	34	2
1887036 Drill Core	<0.1	0.05	1.7	1.44	<0.1	0.06	<0.02	8.6	0.2	<0.05	2.1	8.44	51.6	0.02	<1	0.4	10.2	12	<2
1887037 Drill Core	<0.1	0.64	1.7	1.54	<0.1	0.02	<0.02	8.6	0.2	<0.05	1.2	9.41	49.8	<0.02	<1	0.4	10.0	<10	<2
1887038 Drill Core	0.1	0.05	2.2	0.38	<0.1	0.02	<0.02	8.8	0.2	<0.05	0.8	7.93	36.5	<0.02	<1	0.2	13.9	<10	<2
1887039 Drill Core	<0.1	0.20	1.3	0.70	<0.1	0.04	<0.02	9.4	0.2	<0.05	1.4	6.06	52.3	<0.02	<1	0.1	7.6	<10	<2
1887040 Rock Pulp	<0.1	<0.02	4.0	0.13	0.1	0.17	0.46	2.0	2.0	<0.05	2.8	7.65	11.5	<0.02	<1	0.3	1.0	15	<2
1887041 Drill Core	<0.1	0.21	1.2	0.42	<0.1	<0.02	<0.02	7.7	<0.1	<0.05	0.9	6.44	33.2	<0.02	<1	0.2	7.3	<10	<2
1887042 Drill Core	<0.1	0.40	0.8	0.47	<0.1	<0.02	<0.02	7.5	<0.1	<0.05	0.6	4.19	31.8	<0.02	<1	0.2	3.1	<10	<2
1887043 Drill Core	<0.1	0.20	1.1	0.72	<0.1	0.03	<0.02	10.6	0.1	<0.05	0.8	9.40	52.6	<0.02	<1	0.2	4.3	<10	<2
1887044 Drill Core	<0.1	0.30	1.7	0.85	<0.1	0.03	<0.02	11.3	0.2	<0.05	1.5	10.94	69.7	<0.02	<1	0.2	7.2	<10	<2
1887045 Drill Core	<0.1	0.03	1.6	1.67	<0.1	0.02	<0.02	11.6	0.2	<0.05	1.2	7.75	72.4	<0.02	<1	0.3	6.7	<10	<2
1887046 Drill Core	<0.1	0.05	1.6	1.14	<0.1	<0.02	<0.02	12.0	0.2	<0.05	0.7	9.28	65.8	<0.02	<1	0.2	7.4	<10	<2
1887047 Drill Core	<0.1	<0.02	1.7	0.45	<0.1	<0.02	<0.02	10.2	0.1	<0.05	0.5	8.39	46.5	<0.02	<1	0.2	9.2	<10	<2
1887048 Drill Core	<0.1	0.11	1.5	0.75	<0.1	<0.02	<0.02	8.6	0.2	<0.05	0.6	7.19	32.8	<0.02	<1	0.2	6.6	<10	<2
1887049 Drill Core	0.1	<0.02	1.4	0.44	<0.1	0.02	<0.02	7.8	0.2	<0.05	0.5	6.73	37.8	<0.02	<1	0.2	7.3	<10	<2
1887050 Drill Core	0.1	0.11	1.2	0.54	<0.1	<0.02	<0.02	8.4	0.3	<0.05	0.5	6.00	42.2	<0.02	<1	0.2	6.2	<10	<2
1887051 Drill Core	<0.1	0.77	0.9	1.01	<0.1	<0.02	<0.02	7.8	0.1	<0.05	0.5	6.79	53.1	<0.02	<1	0.2	3.5	<10	<2
1887052 Drill Core	<0.1	0.20	1.3	0.60	<0.1	0.02	<0.02	9.2	0.1	<0.05	0.6	7.88	50.4	<0.02	<1	0.2	4.8	<10	<2
1887053 Drill Core	<0.1	0.49	1.4	0.78	<0.1	0.03	<0.02	9.4	0.3	<0.05	0.8	7.68	53.4	<0.02	<1	0.2	5.6	<10	<2
1887054 Drill Core	<0.1	0.53	1.2	0.99	<0.1	0.12	<0.02	9.1	0.1	<0.05	3.7	6.56	44.2	<0.02	<1	0.3	6.9	18	<2
1887055 Drill Core	0.2	0.27	1.7	1.01	<0.1	0.11	<0.02	10.0	0.1	<0.05	3.3	7.03	33.3	<0.02	<1	0.3	8.4	18	<2
1887056 Drill Core	0.1	0.11	1.3	0.33	<0.1	0.03	<0.02	9.2	0.1	<0.05	1.0	4.03	29.1	<0.02	<1	0.2	5.8	<10	<2
1887057 Drill Core	0.1	0.61	1.2	0.52	<0.1	0.20	<0.02	8.6	0.2	<0.05	6.0	7.58	25.1	<0.02	<1	0.3	4.2	26	<2
1887058 Drill Core	<0.1	0.66	0.9	0.58	<0.1	0.20	<0.02	8.8	0.1	<0.05	5.9	7.94	22.2	<0.02	<1	0.3	4.4	37	<2
1887059 Drill Core	<0.1	0.21	1.4	0.75	<0.1	0.14	<0.02	8.7	<0.1	<0.05	5.5	10.16	12.0	<0.02	<1	0.5	10.4	22	<2
1887060 Core DUP	<0.1	0.17	1.4	0.71	<0.1	0.19	<0.02	8.4	<0.1	<0.05	5.5	10.02	11.4	<0.02	<1	0.5	10.1	29	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000559.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1
1887061	Drill Core	3.06	415	0.054	0.05	<0.17	34.71	0.57	2.70	10.13	50.3	239	72.2	23.1	904	2.99	159.8	3.1	41.8	3.0	324.2
1887062	Drill Core	1.99	468	0.035	0.03	<0.17	35.41	0.96	21.12	18.69	20.7	379	14.8	6.9	503	1.17	61.3	2.5	33.1	13.0	66.4
1887063	Drill Core	1.49	370	0.069	0.06	<0.17	35.33	0.44	6.04	10.70	12.2	211	2.6	1.3	154	0.58	22.9	1.1	76.3	14.4	18.1
1887064	Drill Core	2.73	435	0.064	0.06	<0.17	35.17	0.27	9.06	14.05	7.5	207	1.7	0.9	76	0.52	23.2	1.1	52.3	13.6	17.1
1887065	Drill Core	2.31	436	0.086	0.08	<0.17	39.75	0.25	7.02	17.80	11.1	279	1.4	1.2	109	0.73	108.4	1.5	83.8	14.9	27.4
1887066	Drill Core	2.41	431	0.176	0.22	0.66	37.96	0.34	9.09	23.76	15.0	454	4.5	2.8	305	0.95	21.4	1.8	158.5	13.0	65.2
1887067	Drill Core	3.15	442	0.031	0.03	<0.17	35.84	0.27	11.19	14.65	9.6	226	3.5	2.1	229	0.74	28.5	1.7	23.3	12.3	93.9
1887068	Drill Core	3.90	492	0.030	0.03	<0.17	39.74	0.29	5.45	10.57	8.7	219	1.2	1.1	127	0.54	29.0	1.2	20.9	14.3	28.0
1887069	Drill Core	2.62	555	0.049	0.05	<0.17	34.24	0.19	9.28	12.47	8.5	207	1.2	1.0	139	0.52	22.4	1.9	49.9	10.5	26.2
1887070	Drill Core	1.47	498	0.035	0.03	<0.17	35.73	0.36	31.59	19.82	10.4	285	1.3	1.7	108	0.55	32.1	1.6	44.7	13.4	32.1
1887071	Drill Core	1.71	438	0.054	0.05	<0.17	39.85	0.26	16.94	27.20	28.3	417	1.1	1.5	173	0.69	49.9	1.1	47.1	13.2	35.5
1887072	Drill Core	2.62	485	0.039	0.04	<0.17	39.74	0.35	21.39	47.12	39.7	373	3.0	2.1	243	0.78	43.2	2.4	31.7	14.6	38.8
1887073	Drill Core	3.11	454	0.159	0.15	<0.17	40.72	0.92	4.33	41.54	35.6	763	5.2	4.0	260	1.14	263.3	4.0	160.4	16.0	70.2
1887074	Drill Core	3.12	482	0.041	0.04	<0.17	37.93	0.32	3.31	18.94	21.0	355	1.3	2.2	199	0.82	60.4	3.6	35.0	15.6	42.1
1887075	Drill Core	1.40	407	0.024	0.02	<0.17	40.35	0.60	15.70	10.32	48.6	278	49.0	20.7	766	3.52	127.3	5.6	18.1	11.8	181.0
1887076	Drill Core	3.90	467	<0.005	<0.01	<0.17	41.32	0.90	29.77	2.05	81.1	94	73.3	34.0	1050	5.31	36.5	1.1	<0.2	2.3	240.6
1887077	Drill Core	2.89	357	<0.005	<0.01	<0.17	37.93	1.03	31.38	1.65	75.6	77	75.6	34.5	1035	5.24	9.0	0.5	1.2	1.7	187.9
1887078	Drill Core	3.32	482	<0.005	<0.01	<0.17	37.06	0.25	7.77	21.26	22.7	243	4.1	3.8	173	0.97	8.2	4.0	8.7	13.8	60.3
1887079	Drill Core	3.14	486	0.008	<0.01	<0.17	35.41	0.49	8.78	18.72	25.5	191	1.8	2.0	236	0.83	11.3	3.4	4.3	14.0	69.3
1887080	Rock	0.23	168	<0.005	<0.01	<0.17	40.76	0.33	0.69	0.79	1.3	10	0.7	0.3	54	0.45	0.5	0.2	<0.2	1.8	1.2
1887081	Drill Core	1.59	478	0.049	0.04	<0.17	35.80	0.18	8.50	6.78	17.0	181	1.5	3.1	197	0.79	24.3	3.0	36.8	12.2	50.1
1887082	Drill Core	2.36	498	0.038	0.04	<0.17	32.83	0.95	25.86	23.32	86.1	465	73.1	34.7	1252	6.17	227.1	1.4	34.3	4.2	364.4
1887083	Drill Core	2.77	405	0.011	0.01	<0.17	37.02	0.30	6.51	16.46	25.1	164	2.6	2.7	240	0.98	36.8	2.9	6.7	13.8	73.6
1887084	Drill Core	3.21	494	0.034	0.03	<0.17	37.97	0.28	4.86	18.25	19.3	270	1.8	2.6	241	0.80	46.8	4.2	21.9	15.7	77.4
1887085	Drill Core	2.98	501	0.053	0.05	<0.17	37.86	0.54	6.61	18.65	19.4	482	1.6	2.3	325	0.84	63.5	2.6	43.8	14.6	72.3
1887086	Drill Core	1.53	405	0.427	0.42	0.40	32.81	0.44	13.52	12.19	18.8	1671	2.7	3.5	304	1.02	34.0	3.0	380.2	16.8	87.6
1887087	Drill Core	2.01	434	0.139	0.13	<0.17	37.26	0.20	25.07	81.10	13.3	877	1.1	1.7	146	0.62	55.0	1.5	243.8	12.6	29.8
1887088	Drill Core	2.34	463	0.133	0.13	<0.17	37.51	0.27	5.62	15.65	11.4	1028	1.7	3.0	169	0.73	44.4	2.2	65.7	13.2	30.2
1887089	Drill Core	3.02	426	0.210	0.20	<0.17	39.35	0.16	6.84	13.36	22.2	610	2.2	3.3	293	1.01	52.9	2.8	145.4	13.9	54.9
1887090	Drill Core	1.46	374	0.065	0.06	<0.17	30.55	0.18	5.70	17.85	22.8	491	2.0	2.7	251	0.96	58.8	1.8	53.5	15.1	43.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000559.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
					0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1887061	Drill Core	0.16	1.61	<0.02	36	4.33	0.040	5.2	117.9	2.93	204.1	0.005	<1	1.63	0.002	0.24	<0.1	7.3	0.07	0.53	10			
1887062	Drill Core	0.33	0.73	0.04	7	1.29	0.058	20.3	16.0	0.56	161.6	0.002	<1	0.53	0.004	0.31	<0.1	2.7	0.08	0.13	<5			
1887063	Drill Core	0.06	0.27	0.11	1	0.11	0.040	34.9	2.8	0.14	171.3	0.001	<1	0.34	0.018	0.25	<0.1	0.9	0.06	0.04	<5			
1887064	Drill Core	0.05	0.30	0.06	1	0.09	0.037	26.0	2.8	0.11	297.5	0.001	<1	0.29	0.022	0.25	<0.1	0.9	0.06	0.08	<5			
1887065	Drill Core	0.07	1.04	0.04	2	0.23	0.030	29.3	2.7	0.14	168.9	0.002	<1	0.32	0.029	0.22	<0.1	0.9	0.05	0.20	<5			
1887066	Drill Core	0.08	0.25	0.13	3	0.80	0.036	16.0	7.2	0.42	163.7	0.001	<1	0.49	0.018	0.25	0.1	1.1	0.06	0.27	<5			
1887067	Drill Core	0.05	0.27	0.07	3	0.92	0.033	23.4	4.8	0.29	167.6	0.002	<1	0.40	0.022	0.25	<0.1	1.2	0.06	0.23	<5			
1887068	Drill Core	0.05	0.51	0.07	1	0.32	0.033	30.6	2.3	0.15	281.4	0.002	<1	0.32	0.020	0.23	<0.1	0.7	0.05	0.14	5			
1887069	Drill Core	0.06	0.35	0.12	1	0.35	0.033	22.7	2.3	0.18	164.3	0.002	<1	0.32	0.022	0.25	<0.1	0.8	0.07	0.15	<5			
1887070	Drill Core	0.07	0.49	0.09	1	0.23	0.030	21.8	2.4	0.14	614.1	0.001	<1	0.28	0.025	0.23	<0.1	0.7	0.05	0.25	<5			
1887071	Drill Core	0.28	0.46	0.12	1	0.34	0.032	19.9	2.5	0.24	463.0	<0.001	<1	0.29	0.022	0.21	<0.1	0.7	0.05	0.28	<5			
1887072	Drill Core	0.32	0.69	0.18	2	0.63	0.029	17.3	4.5	0.39	430.7	0.001	1	0.47	0.011	0.26	<0.1	0.9	0.08	0.32	<5			
1887073	Drill Core	0.18	2.76	0.47	2	0.81	0.026	21.2	4.1	0.53	144.9	0.001	1	0.58	0.012	0.24	<0.1	1.1	0.09	0.62	7			
1887074	Drill Core	0.15	1.42	0.14	<1	0.59	0.029	29.3	2.1	0.23	176.3	0.001	<1	0.40	0.015	0.26	<0.1	0.9	0.08	0.46	8			
1887075	Drill Core	0.10	1.15	0.08	64	2.46	0.077	22.4	54.9	1.97	304.9	0.004	<1	2.10	0.010	0.29	0.1	8.3	0.10	0.17	5			
1887076	Drill Core	0.10	1.10	<0.02	74	2.66	0.152	17.9	90.1	2.82	95.7	0.122	<1	2.42	0.322	0.12	<0.1	8.7	0.38	0.30	9			
1887077	Drill Core	0.11	0.51	<0.02	65	2.10	0.161	18.3	81.5	2.87	65.7	0.140	<1	2.20	0.340	0.13	<0.1	5.8	0.29	0.21	5			
1887078	Drill Core	0.19	0.25	0.36	6	0.64	0.033	22.6	5.8	0.52	178.4	0.009	<1	0.57	0.026	0.24	<0.1	1.9	0.09	0.11	<5			
1887079	Drill Core	0.18	0.31	0.18	1	0.78	0.026	15.0	2.0	0.61	324.8	0.001	1	0.52	0.008	0.22	<0.1	1.0	0.07	0.13	<5			
1887080	Rock	<0.01	0.05	<0.02	<1	<0.01	0.001	2.0	2.8	<0.01	7.1	0.002	<1	0.03	0.002	<0.01	<0.1	0.2	<0.02	<0.02	<5			
1887081	Drill Core	0.11	0.25	0.08	<1	0.56	0.027	12.1	2.0	0.36	160.8	<0.001	<1	0.33	0.017	0.21	<0.1	0.8	0.06	0.44	<5			
1887082	Drill Core	0.18	3.22	0.08	97	4.21	0.170	20.6	93.5	3.51	201.2	0.042	<1	3.40	0.164	0.17	0.1	16.0	0.28	0.39	36			
1887083	Drill Core	0.11	0.26	0.12	4	0.76	0.032	23.9	4.6	0.48	185.7	0.002	<1	0.60	0.022	0.23	<0.1	1.3	0.07	0.10	8			
1887084	Drill Core	0.11	0.79	0.16	1	0.77	0.029	24.1	2.8	0.41	215.0	0.001	<1	0.50	0.015	0.24	<0.1	1.0	0.07	0.33	<5			
1887085	Drill Core	0.11	1.46	0.14	1	1.05	0.029	20.1	2.7	0.42	271.7	<0.001	<1	0.47	0.010	0.22	<0.1	0.8	0.08	0.46	<5			
1887086	Drill Core	0.20	0.52	0.07	1	0.88	0.040	20.3	2.8	0.30	258.6	0.001	<1	0.41	0.018	0.22	0.2	1.1	0.08	0.67	<5			
1887087	Drill Core	0.20	0.43	0.23	1	0.38	0.030	18.8	2.2	0.20	181.5	0.001	<1	0.33	0.025	0.22	<0.1	0.9	0.06	0.33	<5			
1887088	Drill Core	0.08	0.23	0.07	1	0.42	0.029	17.1	2.4	0.26	193.7	0.001	<1	0.38	0.022	0.21	<0.1	0.9	0.08	0.42	<5			
1887089	Drill Core	0.15	0.95	0.10	2	0.83	0.030	16.3	2.9	0.39	173.4	0.001	<1	0.49	0.026	0.22	<0.1	1.2	0.07	0.59	<5			
1887090	Drill Core	0.12	1.15	0.16	1	0.61	0.028	17.6	2.6	0.30	220.2	0.001	<1	0.43	0.027	0.22	<0.1	0.9	0.08	0.62	<5			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: LS
Report Date: October 05, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000559.1

	Method	Analyte	Unit	MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251			
					Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
					0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1887061	Drill Core	<0.1	0.03	4.4	0.97	<0.1	0.22	<0.02	7.9	<0.1	<0.05	8.1	13.68	12.1	<0.02	2	0.5	30.3	42	<2			
1887062	Drill Core	<0.1	0.03	1.2	0.77	<0.1	0.33	<0.02	10.4	0.3	<0.05	9.2	9.91	36.3	<0.02	1	0.3	8.5	44	<2			
1887063	Drill Core	<0.1	0.02	0.8	0.80	<0.1	0.16	<0.02	9.1	0.1	<0.05	4.6	5.40	62.7	<0.02	<1	0.2	3.9	26	<2			
1887064	Drill Core	<0.1	0.04	0.9	0.36	<0.1	0.18	0.02	8.6	0.5	<0.05	5.2	4.30	46.1	<0.02	<1	0.2	3.0	22	<2			
1887065	Drill Core	<0.1	0.06	1.0	0.39	<0.1	0.11	<0.02	7.6	0.3	<0.05	3.6	5.24	51.9	<0.02	<1	0.2	3.9	16	<2			
1887066	Drill Core	<0.1	0.13	1.4	0.53	<0.1	0.23	<0.02	8.1	0.2	<0.05	6.3	4.86	30.4	<0.02	<1	0.3	6.4	31	<2			
1887067	Drill Core	<0.1	<0.02	1.2	0.45	<0.1	0.14	<0.02	8.3	0.2	<0.05	3.7	5.17	42.2	<0.02	<1	0.2	5.2	18	<2			
1887068	Drill Core	<0.1	0.04	0.9	0.69	<0.1	0.12	<0.02	8.3	0.2	<0.05	3.8	5.86	52.4	<0.02	<1	0.2	3.3	17	<2			
1887069	Drill Core	<0.1	0.05	0.9	0.54	<0.1	0.11	0.04	8.5	0.8	<0.05	2.7	4.93	43.9	0.06	<1	0.2	3.3	17	<2			
1887070	Drill Core	<0.1	0.05	0.9	0.61	<0.1	0.12	0.02	7.8	1.5	<0.05	3.8	5.03	40.3	<0.02	<1	0.2	2.6	21	<2			
1887071	Drill Core	<0.1	0.12	0.6	0.67	<0.1	0.17	<0.02	6.6	0.2	<0.05	4.6	5.49	36.3	<0.02	<1	0.2	2.8	24	<2			
1887072	Drill Core	<0.1	0.04	1.1	0.64	<0.1	0.13	<0.02	8.8	0.4	<0.05	3.6	6.35	32.1	<0.02	<1	0.2	6.0	20	<2			
1887073	Drill Core	0.2	0.12	1.4	1.48	<0.1	0.05	<0.02	9.6	0.3	<0.05	1.5	6.36	39.4	<0.02	2	0.2	8.7	16	<2			
1887074	Drill Core	<0.1	0.06	1.1	0.76	<0.1	0.02	<0.02	10.5	0.2	<0.05	0.8	8.27	52.7	<0.02	<1	0.3	4.3	<10	<2			
1887075	Drill Core	<0.1	0.05	6.2	3.75	<0.1	0.11	<0.02	11.3	0.6	<0.05	3.5	17.71	44.6	0.04	<1	0.8	56.4	22	<2			
1887076	Drill Core	0.1	<0.02	6.7	9.29	0.1	0.04	0.05	7.1	0.9	<0.05	3.4	23.31	44.0	<0.02	<1	0.8	23.2	24	<2			
1887077	Drill Core	<0.1	<0.02	5.7	14.67	0.1	0.03	0.10	8.7	0.8	<0.05	2.8	21.10	43.1	0.03	<1	0.6	19.3	17	<2			
1887078	Drill Core	<0.1	<0.02	1.3	0.68	<0.1	0.26	0.03	8.8	0.3	<0.05	6.8	5.27	42.8	<0.02	<1	0.3	7.4	38	<2			
1887079	Drill Core	<0.1	<0.02	1.2	0.89	<0.1	0.26	<0.02	8.1	0.2	<0.05	8.2	4.96	28.1	<0.02	1	0.2	8.8	43	<2			
1887080	Rock	<0.1	<0.02	0.1	0.06	<0.1	0.07	0.05	0.5	<0.1	<0.05	1.6	0.70	4.1	<0.02	<1	<0.1	0.6	<10	<2			
1887081	Drill Core	<0.1	0.04	0.8	0.81	<0.1	0.16	<0.02	8.0	0.1	<0.05	5.2	4.84	23.5	<0.02	<1	0.2	3.5	28	<2			
1887082	Drill Core	<0.1	0.10	9.8	5.84	<0.1	0.27	<0.02	8.6	0.9	<0.05	8.5	26.84	46.1	0.07	<1	1.8	78.2	50	<2			
1887083	Drill Core	<0.1	0.04	1.6	1.47	<0.1	0.18	<0.02	9.4	0.2	<0.05	5.1	4.95	41.8	<0.02	<1	0.3	9.7	27	<2			
1887084	Drill Core	<0.1	0.04	1.3	0.90	<0.1	0.06	<0.02	9.4	0.1	<0.05	2.0	4.83	43.8	<0.02	<1	0.2	7.6	<10	<2			
1887085	Drill Core	<0.1	0.07	1.3	0.74	<0.1	0.04	<0.02	8.3	0.2	<0.05	1.5	6.82	37.2	<0.02	2	0.2	6.4	<10	<2			
1887086	Drill Core	<0.1	0.79	1.2	1.53	<0.1	0.08	<0.02	9.3	0.2	<0.05	2.3	5.68	37.2	<0.02	3	0.3	6.3	12	<2			
1887087	Drill Core	0.2	0.24	1.0	0.81	<0.1	0.17	<0.02	7.4	0.2	<0.05	4.9	4.53	36.3	<0.02	<1	0.3	3.6	28	<2			
1887088	Drill Core	<0.1	0.50	1.0	0.71	<0.1	0.10	<0.02	7.1	0.2	<0.05	2.9	4.88	32.1	<0.02	<1	0.2	4.7	<10	<2			
1887089	Drill Core	<0.1	0.21	1.2	0.57	<0.1	0.02	<0.02	7.7	0.1	<0.05	1.0	4.77	31.2	<0.02	<1	0.3	7.7	<10	<2			
1887090	Drill Core	<0.1	0.11	1.1	0.65	<0.1	0.03	<0.02	8.5	0.2	<0.05	1.1	5.77	33.9	<0.02	<1	0.3	5.8	<10	<2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000559.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
1887091	Drill Core	3.05	403	0.051	0.05	<0.17	41.85	1.44	3.09	22.29	22.2	272	2.0	2.3	312	0.83	59.5	5.9	47.8	17.0	58.4
1887092	Drill Core	2.45	450	0.028	0.03	<0.17	40.87	0.26	6.21	14.73	21.2	170	1.2	2.3	290	0.76	6.3	3.8	40.3	13.0	109.8
1887093	Drill Core	1.54	372	0.013	0.01	<0.17	30.87	0.37	2.56	25.46	32.8	110	0.3	0.4	104	0.60	1.2	4.8	7.4	16.6	68.2
1887094	Drill Core	1.39	378	0.009	<0.01	<0.17	39.83	1.04	7.96	18.92	42.9	118	0.3	0.5	160	0.82	4.3	3.1	2.0	18.3	63.1
1887095	Drill Core	1.59	423	0.005	<0.01	<0.17	33.70	4.71	3.50	16.38	48.6	98	0.9	0.4	99	0.74	1.3	4.8	0.6	22.3	34.0
1887096	Drill Core	3.24	385	0.020	0.02	<0.17	38.06	1.69	3.88	20.83	35.6	102	0.5	0.6	103	0.61	0.6	4.4	3.6	18.9	47.7
1887097	Drill Core	1.76	404	<0.005	<0.01	<0.17	39.01	1.83	2.00	25.09	37.3	131	0.5	0.5	114	0.66	0.6	4.0	<0.2	17.7	52.2
1887098	Drill Core	2.90	397	0.018	0.02	<0.17	32.08	1.09	8.12	19.87	35.3	146	5.7	5.0	298	1.28	8.2	3.8	13.9	12.7	165.1
1887099	Drill Core	3.20	450	0.025	0.02	<0.17	33.01	0.56	5.78	14.00	42.8	215	6.9	6.2	277	1.72	39.4	4.2	21.3	15.2	106.5
1887100	Rock Pulp	0.12	79	7.401				9.93	186.69	19.01	81.6	895	14.0	11.8	588	4.83	13.6	0.9	7866.3	4.0	66.0
1887101	Drill Core	2.92	435	0.026	0.02	<0.17	32.51	0.24	5.09	11.69	27.9	130	2.4	2.7	267	1.00	4.9	4.0	12.6	15.9	147.8
1887102	Drill Core	3.03	505	0.006	<0.01	<0.17	33.47	0.31	5.36	14.09	27.5	112	3.1	2.6	216	0.97	1.3	3.2	1.4	16.9	117.9
1887103	Drill Core	2.93	472	0.086	0.08	<0.17	33.69	0.43	5.89	17.86	22.6	176	2.4	2.3	221	0.86	4.5	3.1	104.0	16.4	96.2
1887104	Drill Core	2.07	524	0.006	<0.01	<0.17	36.39	0.41	5.31	18.98	22.6	122	2.1	2.2	219	0.83	0.8	3.7	3.4	13.2	102.2
1887105	Drill Core	3.00	430	<0.005	0.01	<0.17	39.32	0.57	5.11	18.98	27.8	73	2.0	3.0	185	1.01	1.2	2.6	0.9	13.0	97.2
1887106	Drill Core	1.49	398	0.009	<0.01	<0.17	33.80	0.31	5.55	17.77	16.1	69	1.7	2.7	175	0.81	2.5	2.6	3.8	13.4	142.9
1887107	Drill Core	1.44	391	0.314	0.33	0.47	33.80	0.35	6.53	18.16	19.3	961	1.7	2.3	207	0.92	17.9	3.1	218.0	10.7	84.8
1887108	Drill Core	3.00	444	0.018	0.02	<0.17	38.62	0.49	5.11	13.62	16.9	187	1.3	2.0	174	0.76	36.8	1.8	13.8	14.0	63.6
1887109	Drill Core	3.22	482	0.054	0.05	<0.17	39.62	0.41	8.40	17.81	21.6	336	1.6	2.1	205	0.88	85.3	3.6	51.3	16.1	73.7
1887110	Drill Core	3.21	424	0.054	0.05	<0.17	34.34	0.24	6.34	18.70	24.9	404	2.2	2.4	213	0.91	63.8	5.5	42.1	14.8	86.8
1887111	Drill Core	3.30	509	0.026	0.02	<0.17	34.95	0.99	5.12	23.54	19.9	296	1.6	2.4	177	0.84	52.0	2.5	19.9	12.5	104.2
1887112	Drill Core	2.95	413	0.018	0.02	<0.17	40.30	0.84	7.13	18.72	22.8	110	1.4	2.4	182	0.86	3.3	3.0	14.3	12.5	142.9
1887113	Drill Core	1.56	371	0.513	0.59	1.40	33.50	0.28	19.34	38.85	13.0	1351	1.4	1.9	205	0.84	1.8	3.8	382.2	11.7	137.9
1887114	Drill Core	1.59	421	0.224	0.25	0.51	33.27	0.39	5.01	22.10	31.9	223	2.1	3.0	192	1.08	1.1	1.9	279.2	11.9	140.7
1887115	Drill Core	3.07	437	<0.005	<0.01	<0.17	36.07	0.54	5.51	18.47	43.4	58	2.8	3.2	177	1.32	0.9	1.9	1.4	11.1	137.6
1887116	Drill Core	3.16	440	<0.005	<0.01	<0.17	34.26	0.33	3.07	14.80	40.8	38	2.9	3.2	150	1.45	4.5	1.0	<0.2	8.9	85.7
1887117	Drill Core	3.05	428	0.005	<0.01	<0.17	37.23	0.19	6.35	16.19	42.2	68	3.4	3.3	181	1.31	3.6	2.5	1.4	9.2	111.1
1887118	Drill Core	2.93	472	0.350	0.37	0.55	38.43	0.21	10.20	11.88	31.0	268	2.1	2.4	165	1.03	1.1	2.2	216.4	11.2	114.1
1887119	Drill Core	1.59	521	0.692	0.69	0.73	39.87	0.16	7.85	10.75	12.0	399	0.8	1.1	190	0.78	0.5	2.8	605.6	12.1	101.1
1887120	Rock Pulp	0.12	81	0.574				6.44	115.52	81.63	138.9	636	12.2	4.6	572	2.57	39.1	0.4	543.2	3.4	33.9



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 5 of 6 **Part:** 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000559.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1887091	Drill Core	0.09	0.76	0.18	2	0.73	0.012	20.4	4.6	0.65	399.5	<0.001	<1	0.54	0.011	0.21	<0.1	1.1	0.06	<5
1887092	Drill Core	0.20	0.24	0.08	1	1.25	0.024	20.3	3.1	0.64	228.8	<0.001	<1	0.50	0.007	0.21	<0.1	1.2	0.05	<5
1887093	Drill Core	0.18	0.11	0.14	<1	0.53	0.002	29.8	1.7	0.51	240.8	<0.001	<1	0.49	0.012	0.19	<0.1	0.9	0.04	<5
1887094	Drill Core	0.17	0.22	0.11	<1	0.59	0.002	32.6	1.6	0.87	130.7	<0.001	<1	0.65	0.010	0.18	<0.1	1.0	0.04	<5
1887095	Drill Core	0.11	0.11	0.11	<1	0.22	0.002	43.9	1.8	0.87	137.0	<0.001	<1	0.65	0.008	0.17	<0.1	0.8	0.04	<5
1887096	Drill Core	0.16	0.07	0.13	<1	0.41	0.003	36.0	1.6	0.57	138.1	<0.001	<1	0.51	0.011	0.19	<0.1	0.9	0.04	<5
1887097	Drill Core	0.11	0.09	0.17	<1	0.45	0.003	37.2	2.0	0.59	188.3	<0.001	<1	0.55	0.013	0.18	<0.1	1.1	0.04	<5
1887098	Drill Core	0.28	0.32	0.11	7	1.67	0.029	16.8	13.6	1.03	285.6	0.002	<1	0.82	0.012	0.23	<0.1	3.2	0.07	<5
1887099	Drill Core	0.18	0.59	0.16	13	1.04	0.037	21.7	20.5	0.94	190.8	0.006	<1	0.91	0.031	0.19	<0.1	4.1	0.10	8
1887100	Rock Pulp	0.21	5.18	0.55	111	0.91	0.062	7.6	17.7	0.88	118.9	0.117	2	1.70	0.180	0.23	4.0	3.9	0.08	193
1887101	Drill Core	0.12	0.12	0.13	3	0.98	0.033	34.0	3.8	0.32	295.2	0.007	<1	0.52	0.037	0.23	<0.1	1.9	0.07	<5
1887102	Drill Core	0.10	0.14	0.13	3	0.84	0.032	40.5	4.0	0.25	338.4	0.019	<1	0.47	0.034	0.24	<0.1	2.0	0.09	<5
1887103	Drill Core	0.13	0.17	0.15	3	0.98	0.032	38.2	3.2	0.18	295.2	0.011	<1	0.40	0.029	0.23	<0.1	2.4	0.08	<5
1887104	Drill Core	0.18	0.14	0.19	2	0.99	0.033	35.2	2.3	0.19	209.7	0.025	1	0.39	0.029	0.23	<0.1	1.6	0.07	<5
1887105	Drill Core	0.14	0.08	0.06	4	0.95	0.033	19.3	2.7	0.41	205.6	0.012	2	0.54	0.023	0.32	<0.1	2.0	0.11	<5
1887106	Drill Core	0.10	0.09	0.06	2	1.02	0.030	23.0	2.1	0.27	188.3	0.004	2	0.41	0.030	0.23	<0.1	1.5	0.06	<5
1887107	Drill Core	0.17	0.17	0.06	2	0.80	0.032	11.2	2.0	0.38	245.7	0.002	1	0.47	0.013	0.25	<0.1	1.2	0.06	<5
1887108	Drill Core	0.13	0.68	0.13	2	0.70	0.035	24.5	2.2	0.28	384.1	0.002	1	0.44	0.018	0.26	<0.1	1.0	0.07	<5
1887109	Drill Core	0.42	1.09	0.21	3	0.74	0.032	29.5	3.2	0.30	213.2	0.002	1	0.45	0.028	0.24	<0.1	1.5	0.08	<5
1887110	Drill Core	3.43	1.24	0.11	3	0.72	0.037	26.5	2.9	0.34	204.6	0.002	<1	0.45	0.023	0.26	<0.1	1.3	0.06	6
1887111	Drill Core	0.18	0.91	0.17	2	0.85	0.036	16.1	2.2	0.37	171.4	0.002	<1	0.45	0.013	0.28	<0.1	1.4	0.07	7
1887112	Drill Core	0.16	0.12	0.15	2	0.97	0.036	20.3	2.4	0.43	186.2	0.003	<1	0.49	0.018	0.28	<0.1	2.0	0.06	<5
1887113	Drill Core	0.16	0.14	0.45	2	0.99	0.033	15.3	2.4	0.39	402.6	0.002	1	0.40	0.018	0.28	<0.1	1.6	0.05	<5
1887114	Drill Core	0.14	0.11	0.16	3	0.69	0.040	21.6	2.6	0.45	205.6	0.015	1	0.53	0.018	0.31	0.1	2.2	0.12	<5
1887115	Drill Core	0.13	0.11	0.03	5	0.55	0.042	22.2	3.2	0.51	261.2	0.053	2	0.62	0.023	0.48	<0.1	3.0	0.27	<5
1887116	Drill Core	0.10	0.13	<0.02	6	0.44	0.037	15.4	3.0	0.64	392.7	0.059	1	0.71	0.021	0.55	<0.1	2.5	0.32	<5
1887117	Drill Core	0.12	0.18	<0.02	5	0.43	0.042	14.5	3.2	0.60	813.9	0.056	<1	0.67	0.020	0.52	<0.1	2.3	0.33	<5
1887118	Drill Core	0.10	0.17	0.04	3	0.62	0.039	16.7	2.6	0.38	414.9	0.017	<1	0.46	0.024	0.31	<0.1	2.0	0.15	<5
1887119	Drill Core	0.11	0.08	0.04	1	0.92	0.028	17.9	1.6	0.27	234.3	0.002	<1	0.35	0.019	0.25	<0.1	1.2	0.05	<5
1887120	Rock Pulp	0.49	2.86	0.08	30	0.80	0.032	5.6	23.5	0.53	79.7	0.075	7	1.15	0.102	0.11	4.4	3.7	0.21	137



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000559.1

Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
Analyte	Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL	0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
1887091 Drill Core	<0.1	0.03	1.6	0.67	<0.1	0.09	<0.02	7.6	0.3	<0.05	2.8	7.58	38.4	<0.02	<1	0.2	7.9	12	<2
1887092 Drill Core	<0.1	<0.02	1.2	0.52	<0.1	0.07	<0.02	6.8	0.1	<0.05	2.7	4.95	40.1	<0.02	<1	0.2	6.3	<10	<2
1887093 Drill Core	<0.1	<0.02	1.2	0.36	<0.1	0.04	0.03	6.2	0.3	<0.05	1.3	5.07	56.9	<0.02	<1	0.1	6.3	<10	<2
1887094 Drill Core	<0.1	<0.02	1.5	0.58	<0.1	0.05	0.03	5.8	0.5	<0.05	1.7	7.65	66.3	<0.02	1	0.1	9.3	<10	<2
1887095 Drill Core	<0.1	<0.02	1.4	0.30	<0.1	0.08	0.04	5.5	0.3	<0.05	2.2	6.42	84.1	<0.02	4	0.1	8.0	21	<2
1887096 Drill Core	<0.1	<0.02	1.3	0.31	<0.1	0.06	0.05	5.9	0.2	<0.05	1.7	4.63	69.4	<0.02	2	0.2	6.4	<10	<2
1887097 Drill Core	<0.1	<0.02	1.4	0.36	<0.1	0.07	0.06	5.7	0.2	<0.05	2.0	5.22	72.9	<0.02	<1	0.2	6.2	13	<2
1887098 Drill Core	<0.1	<0.02	2.2	0.42	<0.1	0.09	0.03	7.8	0.1	<0.05	2.8	5.58	31.3	<0.02	<1	0.1	9.1	12	<2
1887099 Drill Core	<0.1	0.03	3.8	0.58	<0.1	0.04	<0.02	8.9	0.3	<0.05	1.2	7.58	41.6	<0.02	<1	0.2	10.7	<10	<2
1887100 Rock Pulp	<0.1	0.17	5.1	0.67	0.1	0.09	0.10	8.2	1.8	<0.05	1.2	5.01	16.3	0.05	<1	0.1	7.0	13	<2
1887101 Drill Core	<0.1	<0.02	2.1	0.41	<0.1	0.05	0.05	11.0	0.2	<0.05	1.5	9.42	67.8	<0.02	<1	0.2	4.8	<10	<2
1887102 Drill Core	<0.1	<0.02	2.3	0.54	<0.1	0.06	0.20	12.4	0.4	<0.05	1.1	13.03	72.2	<0.02	<1	0.3	3.4	<10	<2
1887103 Drill Core	<0.1	<0.02	1.7	0.98	<0.1	0.05	0.13	12.0	0.4	<0.05	1.3	12.84	74.3	<0.02	<1	0.2	2.6	<10	<2
1887104 Drill Core	<0.1	<0.02	1.6	0.38	<0.1	0.03	0.30	11.4	0.4	<0.05	0.7	11.15	68.1	<0.02	<1	0.2	2.3	<10	<2
1887105 Drill Core	<0.1	<0.02	1.7	0.77	<0.1	0.09	0.04	12.9	0.2	<0.05	2.6	4.04	37.7	<0.02	1	0.2	4.6	<10	<2
1887106 Drill Core	<0.1	<0.02	1.3	0.47	<0.1	0.07	<0.02	8.5	0.3	<0.05	1.6	5.11	42.9	<0.02	<1	0.2	3.9	<10	<2
1887107 Drill Core	<0.1	0.44	1.3	0.48	<0.1	0.20	<0.02	9.0	0.2	<0.05	6.3	3.46	20.3	<0.02	<1	0.2	5.8	26	<2
1887108 Drill Core	<0.1	<0.02	1.2	0.55	<0.1	0.09	<0.02	9.4	0.2	<0.05	2.9	6.66	46.8	<0.02	<1	0.2	5.8	<10	<2
1887109 Drill Core	<0.1	0.02	1.5	0.43	<0.1	0.23	<0.02	9.4	0.2	<0.05	6.6	9.32	55.5	<0.02	<1	0.2	6.5	27	<2
1887110 Drill Core	<0.1	0.08	1.7	0.44	<0.1	0.27	<0.02	8.8	0.2	<0.05	10.8	8.44	50.8	<0.02	<1	0.2	6.6	54	<2
1887111 Drill Core	<0.1	0.05	1.4	0.49	<0.1	0.14	<0.02	9.1	0.1	<0.05	5.0	4.58	32.6	<0.02	<1	0.2	5.9	18	<2
1887112 Drill Core	<0.1	<0.02	1.5	0.50	<0.1	0.11	<0.02	9.2	0.2	<0.05	4.3	4.01	37.3	<0.02	<1	0.3	5.0	15	<2
1887113 Drill Core	<0.1	0.65	1.2	0.30	<0.1	0.10	<0.02	8.2	0.2	<0.05	3.4	4.08	30.1	<0.02	<1	0.2	2.9	17	<2
1887114 Drill Core	<0.1	0.06	1.6	0.92	<0.1	0.21	0.03	13.0	0.3	<0.05	5.8	3.22	41.5	<0.02	<1	0.2	5.5	30	<2
1887115 Drill Core	<0.1	<0.02	2.4	2.19	<0.1	0.15	0.04	25.8	0.3	<0.05	4.7	3.78	45.3	<0.02	<1	0.2	5.8	18	<2
1887116 Drill Core	<0.1	<0.02	2.4	2.88	<0.1	0.18	0.04	28.3	0.2	<0.05	5.0	3.01	30.6	<0.02	<1	0.2	5.9	21	<2
1887117 Drill Core	<0.1	<0.02	2.4	2.92	<0.1	0.16	0.04	29.9	0.1	<0.05	4.5	3.24	28.6	<0.02	<1	0.3	6.6	17	<2
1887118 Drill Core	<0.1	0.09	1.7	1.29	<0.1	0.18	0.03	14.0	0.2	<0.05	4.8	3.90	33.5	<0.02	<1	0.2	4.7	22	<2
1887119 Drill Core	<0.1	0.18	1.0	0.29	<0.1	0.12	<0.02	8.0	0.2	<0.05	3.5	4.28	34.3	<0.02	<1	0.3	2.5	12	<2
1887120 Rock Pulp	<0.1	0.05	4.0	0.21	0.1	0.14	0.40	2.6	1.9	<0.05	3.1	7.80	11.2	0.02	<1	0.2	1.4	15	<2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI19000559.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.2	0.1
1887121	Drill Core	1.54	463	0.141	0.13	<0.17	38.66	0.22	10.79	13.22	21.9	134	1.1	1.7	196	0.91	0.6	4.0	92.2	11.7	112.5
1887122	Drill Core	1.50	398	0.223	0.29	0.94	38.37	0.28	8.19	17.31	16.9	186	1.7	1.9	281	0.85	1.1	4.3	347.8	14.7	124.3
1887123	Drill Core	1.58	558	0.666	0.98	5.95	32.76	0.34	5.70	9.37	16.4	298	1.1	1.7	275	0.84	1.4	4.8	515.7	13.4	104.0
1887124	Drill Core	3.14	551	0.935	0.94	0.98	33.53	0.14	12.54	10.15	22.1	770	1.4	2.2	241	1.07	1.0	3.3	823.8	14.8	98.1
1887125	Drill Core	3.11	427	0.055	0.05	<0.17	38.94	0.34	3.19	17.82	24.8	117	1.3	1.9	313	0.99	1.0	4.7	52.6	15.3	105.1
1887126	Drill Core	3.11	426	0.019	0.03	<0.17	32.04	0.44	4.31	15.40	33.1	87	3.4	2.6	191	0.98	1.1	2.1	<0.2	10.4	65.4
1887127	Drill Core	2.99	431	0.112	0.10	<0.17	36.78	0.33	7.64	11.62	44.8	89	22.4	13.9	462	2.55	1.1	1.8	7.7	9.5	151.3
1887128	Drill Core	2.90	549	0.007	<0.01	<0.17	36.53	0.38	12.88	18.76	48.0	227	2.1	2.0	220	1.11	12.2	2.2	2.9	11.7	75.4
1887129	Drill Core	2.73	560	0.118	0.11	<0.17	33.56	0.56	13.01	30.12	35.7	961	1.8	1.5	123	1.24	70.7	2.2	67.7	17.9	86.8
1887130	Drill Core	2.73	394	0.054	0.07	0.22	36.16	0.30	7.55	15.92	45.7	337	1.7	2.2	272	1.21	107.2	4.1	50.7	17.4	77.7
1887131	Drill Core	3.00	386	0.028	0.02	<0.17	40.63	0.36	3.72	13.94	38.0	175	3.7	5.2	288	1.64	41.1	3.1	24.8	12.9	81.3
1887132	Drill Core	3.09	540	<0.005	<0.01	<0.17	37.73	0.69	4.21	14.09	39.2	58	6.0	10.8	317	2.18	1.3	1.2	<0.2	6.8	88.5
1887133	Drill Core	2.66	558	<0.005	<0.01	<0.17	39.14	0.75	4.29	12.45	27.7	58	2.3	4.2	208	1.16	1.4	2.4	<0.2	9.8	72.1
1887134	Drill Core	1.99	496	<0.005	<0.01	<0.17	38.34	0.59	15.05	13.61	38.1	70	23.4	14.4	507	2.54	1.9	0.7	<0.2	4.0	120.1
1887135	Drill Core	1.50	399	0.365	0.53	2.39	32.65	0.20	10.29	5.64	28.6	116	4.3	4.4	201	1.60	1.9	2.0	265.8	12.3	78.5
1887136	Drill Core	3.08	387	0.005	<0.01	<0.17	34.79	1.19	10.79	10.60	38.2	124	7.0	7.6	326	1.95	5.3	2.1	1.1	9.5	120.3
1887137	Drill Core	3.17	373	<0.005	<0.01	<0.17	33.99	0.36	6.60	23.62	35.2	252	3.1	3.3	211	1.09	2.7	4.6	2.9	16.7	114.4
1887138	Drill Core	3.00	392	0.005	<0.01	<0.17	38.83	0.33	4.29	12.46	45.4	81	9.0	5.5	292	1.41	1.0	3.2	0.9	16.0	167.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI19000559.1

	Method	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
	MDL	0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
1887121	Drill Core	0.23	0.16	0.05	2	1.03	0.028	15.9	1.9	0.39	230.4	0.003	<1	0.45	0.020	0.25	<0.1	1.5	0.06	0.13	<5
1887122	Drill Core	0.13	0.14	0.11	2	1.29	0.029	25.2	2.7	0.27	204.0	0.002	1	0.42	0.023	0.26	0.1	1.4	0.06	0.09	<5
1887123	Drill Core	0.11	0.12	0.03	1	1.31	0.033	19.3	1.8	0.26	280.5	0.002	<1	0.38	0.022	0.21	0.1	1.1	0.05	0.23	<5
1887124	Drill Core	0.12	0.13	0.07	1	1.08	0.031	19.2	1.6	0.22	230.7	0.002	<1	0.36	0.027	0.22	<0.1	1.3	0.05	0.33	<5
1887125	Drill Core	0.13	0.07	0.14	1	1.51	0.031	29.8	1.7	0.32	199.6	0.002	<1	0.41	0.018	0.25	<0.1	1.6	0.07	0.07	<5
1887126	Drill Core	0.09	0.11	0.12	3	0.91	0.032	23.1	5.5	0.31	192.0	0.024	<1	0.60	0.026	0.23	<0.1	1.9	0.06	0.04	<5
1887127	Drill Core	0.11	0.09	0.07	41	2.09	0.036	19.4	81.3	2.01	238.0	0.043	<1	1.66	0.015	0.17	<0.1	6.4	0.05	<0.02	<5
1887128	Drill Core	0.20	0.11	0.15	3	0.47	0.031	22.4	2.6	0.29	237.1	0.011	<1	0.52	0.028	0.19	<0.1	1.6	0.07	0.22	<5
1887129	Drill Core	0.18	2.53	0.14	2	0.15	0.031	41.5	2.6	0.17	361.1	0.001	<1	0.32	0.030	0.20	0.2	1.0	0.11	0.54	<5
1887130	Drill Core	0.18	0.98	0.11	2	0.84	0.033	36.1	2.0	0.20	156.8	0.002	<1	0.45	0.023	0.24	<0.1	1.5	0.09	0.66	<5
1887131	Drill Core	0.08	0.29	0.11	11	1.02	0.034	26.0	20.4	0.87	151.1	0.019	<1	0.92	0.019	0.21	<0.1	2.8	0.06	0.26	<5
1887132	Drill Core	0.08	0.14	0.09	25	0.87	0.042	14.2	51.1	1.55	123.1	0.068	<1	1.33	0.010	0.17	<0.1	3.9	0.03	0.02	<5
1887133	Drill Core	0.08	0.12	0.08	8	0.84	0.034	19.3	14.3	0.78	165.7	0.054	<1	0.74	0.009	0.32	<0.1	2.1	0.08	0.05	<5
1887134	Drill Core	0.17	0.13	0.06	37	2.26	0.045	7.6	71.1	2.06	166.0	0.120	<1	1.65	0.004	0.74	<0.1	5.2	0.25	0.06	<5
1887135	Drill Core	0.04	0.12	<0.02	11	0.80	0.044	28.7	5.8	0.75	202.4	0.038	<1	0.81	0.023	0.38	0.1	3.4	0.13	0.18	<5
1887136	Drill Core	0.11	0.20	0.11	17	1.30	0.044	21.4	29.2	1.11	219.5	0.081	<1	1.14	0.015	0.40	<0.1	3.7	0.14	0.12	<5
1887137	Drill Core	0.14	0.13	0.49	3	0.93	0.036	42.9	3.6	0.51	346.0	0.014	<1	0.67	0.019	0.33	0.1	1.8	0.13	0.11	<5
1887138	Drill Core	0.13	0.09	0.13	7	1.24	0.045	38.7	19.3	0.77	276.3	0.022	<1	0.84	0.018	0.40	0.1	3.1	0.14	0.07	<5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI19000559.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
1887121	Drill Core	<0.1	0.03	1.2	0.39	<0.1	0.09	<0.02	8.7	0.2	<0.05	3.1	3.83	31.7	<0.02	<1	0.2	3.3	10
1887122	Drill Core	<0.1	0.04	1.2	0.41	<0.1	0.02	<0.02	10.2	0.2	<0.05	0.8	4.80	50.5	<0.02	<1	0.2	3.3	<10
1887123	Drill Core	<0.1	0.09	1.1	0.30	<0.1	0.03	<0.02	7.8	0.1	<0.05	0.7	3.89	37.2	<0.02	<1	0.2	3.0	<10
1887124	Drill Core	<0.1	0.36	1.1	0.33	<0.1	0.02	<0.02	9.2	0.2	<0.05	0.7	4.59	38.6	<0.02	<1	0.2	3.1	<10
1887125	Drill Core	<0.1	0.02	1.4	0.41	<0.1	0.02	0.04	9.9	0.1	<0.05	0.5	6.62	55.4	<0.02	<1	0.3	3.6	<10
1887126	Drill Core	<0.1	<0.02	2.2	0.48	<0.1	0.03	0.32	9.8	0.3	<0.05	0.5	8.71	43.9	<0.02	<1	0.2	2.7	<10
1887127	Drill Core	<0.1	<0.02	5.1	0.52	<0.1	0.05	<0.02	7.4	0.3	<0.05	0.4	11.36	36.8	<0.02	<1	0.2	17.5	<10
1887128	Drill Core	<0.1	<0.02	2.4	0.85	<0.1	0.03	0.15	10.2	0.4	<0.05	0.7	9.58	42.5	<0.02	<1	0.1	4.9	<10
1887129	Drill Core	<0.1	0.12	1.7	1.25	<0.1	<0.02	<0.02	12.1	0.3	<0.05	0.8	11.15	79.0	<0.02	<1	0.2	4.0	<10
1887130	Drill Core	<0.1	0.04	2.1	1.62	<0.1	0.03	<0.02	13.7	0.3	<0.05	0.8	15.52	69.8	0.02	<1	0.3	5.3	<10
1887131	Drill Core	<0.1	<0.02	3.0	0.98	<0.1	<0.02	<0.02	8.4	0.2	<0.05	0.5	12.34	52.9	<0.02	<1	0.2	9.9	<10
1887132	Drill Core	<0.1	<0.02	3.6	0.41	<0.1	<0.02	0.05	5.8	0.3	<0.05	0.3	8.29	27.6	<0.02	<1	0.2	13.6	<10
1887133	Drill Core	<0.1	<0.02	2.3	0.67	<0.1	0.03	0.17	11.6	0.3	<0.05	0.4	9.87	38.5	<0.02	<1	0.2	6.2	<10
1887134	Drill Core	<0.1	<0.02	4.3	2.33	0.1	0.06	0.04	31.6	0.2	<0.05	0.5	6.67	15.6	<0.02	<1	0.3	13.8	<10
1887135	Drill Core	<0.1	<0.02	2.8	1.47	<0.1	0.06	0.10	15.8	0.3	<0.05	1.1	11.75	59.4	0.02	<1	0.3	8.3	<10
1887136	Drill Core	<0.1	<0.02	3.8	1.23	<0.1	0.03	0.09	16.4	0.3	<0.05	0.7	9.65	44.3	0.02	<1	0.2	9.6	<10
1887137	Drill Core	<0.1	<0.02	2.4	0.76	<0.1	0.04	0.11	13.9	0.5	<0.05	0.7	15.93	82.3	<0.02	<1	0.2	5.0	<10
1887138	Drill Core	<0.1	<0.02	2.8	1.27	<0.1	0.05	0.04	17.1	0.3	<0.05	1.1	13.07	74.9	0.02	<1	0.2	5.9	<10



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 05, 2019

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI19000559.1

		Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
Pulp Duplicates																						
1887031	Drill Core		2.80	363	0.091	0.08	<0.17	35.69	0.41	6.18	16.11	39.9	171	4.2	4.6	286	1.72	6.0	1.4	59.8	9.5	48.4
REP 1887031	QC								0.40	6.18	16.39	37.9	195	4.5	4.6	299	1.68	6.1	1.4	78.1	10.2	48.8
1887033	Drill Core		2.85	390	0.021	0.02	<0.17	40.72	0.25	12.48	12.62	85.6	161	22.1	22.2	955	4.22	21.4	2.0	19.3	2.6	218.1
REP 1887033	QC				0.023																	
1887059	Drill Core		1.34	466	0.726	0.72	0.66	36.41	0.17	14.76	3.95	30.7	593	34.0	12.9	578	1.90	67.3	3.0	675.2	6.0	242.6
REP 1887059	QC				0.700																	
1887066	Drill Core		2.41	431	0.176	0.22	0.66	37.96	0.34	9.09	23.76	15.0	454	4.5	2.8	305	0.95	21.4	1.8	158.5	13.0	65.2
REP 1887066	QC								0.35	9.41	23.80	17.1	481	4.3	2.8	333	0.95	21.3	1.9	184.7	13.7	72.3
1887101	Drill Core		2.92	435	0.026	0.02	<0.17	32.51	0.24	5.09	11.69	27.9	130	2.4	2.7	267	1.00	4.9	4.0	12.6	15.9	147.8
REP 1887101	QC								0.27	5.26	11.77	27.3	120	2.1	2.5	260	1.02	5.0	3.9	12.1	17.6	135.4
1887104	Drill Core		2.07	524	0.006	<0.01	<0.17	36.39	0.41	5.31	18.98	22.6	122	2.1	2.2	219	0.83	0.8	3.7	3.4	13.2	102.2
REP 1887104	QC				0.006																	
1887131	Drill Core		3.00	386	0.028	0.02	<0.17	40.63	0.36	3.72	13.94	38.0	175	3.7	5.2	288	1.64	41.1	3.1	24.8	12.9	81.3
REP 1887131	QC				0.038																	
1887136	Drill Core		3.08	387	0.005	<0.01	<0.17	34.79	1.19	10.79	10.60	38.2	124	7.0	7.6	326	1.95	5.3	2.1	1.1	9.5	120.3
REP 1887136	QC								1.09	10.51	10.41	39.2	117	6.7	7.6	304	1.93	4.8	2.0	0.7	9.2	111.6
Core Reject Duplicates																						
1887024	Drill Core		2.61	517	0.008	<0.01	<0.17	30.96	0.19	14.12	12.03	36.1	191	2.6	3.1	247	1.21	6.0	1.0	4.0	11.1	56.4
DUP 1887024	QC			523	0.008	<0.01	<0.17	41.15	0.19	12.69	11.19	37.0	153	2.9	2.9	244	1.16	5.9	0.9	3.2	10.9	53.0
1887058	Drill Core		1.39	464	0.510	0.50	0.38	39.33	0.29	52.66	2.56	16.3	1374	10.1	4.2	334	1.04	6.6	1.8	852.2	11.2	72.5
DUP 1887058	QC			467	0.552	0.55	0.49	39.11	0.23	46.94	2.41	13.2	1236	8.5	4.0	251	0.99	5.5	1.6	510.0	10.6	61.9
1887092	Drill Core		2.45	450	0.028	0.03	<0.17	40.87	0.26	6.21	14.73	21.2	170	1.2	2.3	290	0.76	6.3	3.8	40.3	13.0	109.8
DUP 1887092	QC			439	0.054	0.05	<0.17	32.57	0.24	5.97	18.09	24.1	184	1.4	2.7	263	0.75	6.1	4.2	38.0	12.6	111.8
1887126	Drill Core		3.11	426	0.019	0.03	<0.17	32.04	0.44	4.31	15.40	33.1	87	3.4	2.6	191	0.98	1.1	2.1	<0.2	10.4	65.4
DUP 1887126	QC			372	0.012	0.03	0.18	39.13	0.48	4.13	15.83	29.8	99	3.2	2.4	193	0.97	0.9	2.0	9.9	10.7	63.8
Reference Materials																						
STD BVGEO01	Standard								11.42	4417.29	202.71	1741.1	2657	161.5	24.8	733	3.55	117.4	3.9	234.4	17.9	58.5
STD BVGEO01	Standard								11.02	4438.71	185.00	1771.1	2512	161.1	23.2	739	3.79	117.1	3.8	212.6	15.5	54.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000559.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
Pulp Duplicates																					
1887031	Drill Core	0.44	0.23	0.06	6	0.92	0.036	18.8	16.7	0.64	212.3	0.003	<1	0.85	0.020	0.27	<0.1	2.6	0.06	0.09	<5
REP 1887031	QC	0.51	0.25	0.06	6	0.89	0.041	18.7	16.8	0.65	221.1	0.002	<1	0.82	0.020	0.27	<0.1	2.8	0.06	0.09	<5
1887033	Drill Core	0.62	0.65	0.07	56	3.35	0.056	7.1	126.0	2.58	350.6	0.028	<1	2.21	0.007	0.40	0.1	10.3	0.16	0.06	<5
REP 1887033	QC																				
1887059	Drill Core	0.20	0.81	<0.02	12	3.52	0.051	6.0	32.7	1.63	191.0	0.002	<1	0.64	0.008	0.29	<0.1	3.7	0.08	0.46	<5
REP 1887059	QC																				
1887066	Drill Core	0.08	0.25	0.13	3	0.80	0.036	16.0	7.2	0.42	163.7	0.001	<1	0.49	0.018	0.25	0.1	1.1	0.06	0.27	<5
REP 1887066	QC	0.08	0.27	0.13	3	0.80	0.037	17.1	7.6	0.42	175.0	0.002	<1	0.50	0.018	0.25	0.1	1.2	0.05	0.29	<5
1887101	Drill Core	0.12	0.12	0.13	3	0.98	0.033	34.0	3.8	0.32	295.2	0.007	<1	0.52	0.037	0.23	<0.1	1.9	0.07	0.08	<5
REP 1887101	QC	0.12	0.11	0.13	3	1.01	0.034	37.5	3.7	0.32	289.6	0.006	<1	0.53	0.036	0.24	<0.1	2.0	0.08	0.08	<5
1887104	Drill Core	0.18	0.14	0.19	2	0.99	0.033	35.2	2.3	0.19	209.7	0.025	1	0.39	0.029	0.23	<0.1	1.6	0.07	0.04	<5
REP 1887104	QC																				
1887131	Drill Core	0.08	0.29	0.11	11	1.02	0.034	26.0	20.4	0.87	151.1	0.019	<1	0.92	0.019	0.21	<0.1	2.8	0.06	0.26	<5
REP 1887131	QC																				
1887136	Drill Core	0.11	0.20	0.11	17	1.30	0.044	21.4	29.2	1.11	219.5	0.081	<1	1.14	0.015	0.40	<0.1	3.7	0.14	0.12	<5
REP 1887136	QC	0.12	0.16	0.11	17	1.25	0.042	19.9	26.9	1.07	199.8	0.071	<1	1.10	0.015	0.39	<0.1	3.5	0.13	0.12	<5
Core Reject Duplicates																					
1887024	Drill Core	0.13	0.19	0.07	4	0.73	0.042	20.3	4.0	0.55	153.2	0.002	<1	0.70	0.022	0.21	<0.1	1.2	0.04	0.11	5
DUP 1887024	QC	0.14	0.16	0.06	4	0.72	0.045	19.5	4.8	0.54	149.9	0.002	<1	0.66	0.020	0.20	<0.1	1.3	0.04	0.11	<5
1887058	Drill Core	0.17	0.15	<0.02	3	1.14	0.048	12.2	5.6	0.53	211.7	0.001	<1	0.34	0.014	0.26	<0.1	1.5	0.06	0.46	6
DUP 1887058	QC	0.14	0.12	<0.02	3	0.97	0.042	11.3	4.7	0.48	175.0	0.001	<1	0.33	0.013	0.26	<0.1	1.1	0.05	0.42	<5
1887092	Drill Core	0.20	0.24	0.08	1	1.25	0.024	20.3	3.1	0.64	228.8	<0.001	<1	0.50	0.007	0.21	<0.1	1.2	0.05	0.13	<5
DUP 1887092	QC	0.19	0.26	0.11	1	1.34	0.022	20.4	3.1	0.63	213.4	<0.001	<1	0.50	0.007	0.21	<0.1	1.2	0.05	0.14	<5
1887126	Drill Core	0.09	0.11	0.12	3	0.91	0.032	23.1	5.5	0.31	192.0	0.024	<1	0.60	0.026	0.23	<0.1	1.9	0.06	0.04	<5
DUP 1887126	QC	0.10	0.12	0.14	3	0.96	0.031	23.0	5.5	0.30	201.5	0.025	<1	0.61	0.029	0.23	<0.1	1.6	0.06	0.04	<5
Reference Materials																					
STD BVGEO01	Standard	6.48	3.69	25.08	76	1.30	0.074	27.2	192.1	1.26	301.1	0.228	4	2.24	0.189	0.91	5.3	6.6	0.62	0.69	71
STD BVGEO01	Standard	6.16	3.49	23.16	76	1.28	0.070	25.6	189.2	1.29	303.2	0.217	3	2.29	0.194	0.90	5.8	6.5	0.58	0.64	90



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

3123-595 Burrard St.

Vancouver British Columbia V7X 1K8 Canada

Project:

LS

Report Date:

October 05, 2019

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI19000559.1

	Method Analyte Unit MDL	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Se	Te	Ga	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb
		0.1	0.02	0.1	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10
Pulp Duplicates																			
1887031	Drill Core	<0.1	0.06	2.4	0.37	<0.1	0.17	<0.02	9.1	0.1	<0.05	5.1	6.02	34.6	<0.02	<1	0.3	9.8	28
REP 1887031	QC	<0.1	0.06	2.3	0.39	<0.1	0.24	<0.02	8.9	0.1	<0.05	5.4	5.97	33.0	<0.02	<1	0.4	10.5	22
1887033	Drill Core	<0.1	<0.02	5.4	1.25	<0.1	0.05	<0.02	14.5	0.1	<0.05	1.6	16.48	16.4	<0.02	<1	0.7	29.5	<10
REP 1887033	QC																		
1887059	Drill Core	<0.1	0.21	1.4	0.75	<0.1	0.14	<0.02	8.7	<0.1	<0.05	5.5	10.16	12.0	<0.02	<1	0.5	10.4	22
REP 1887059	QC																		
1887066	Drill Core	<0.1	0.13	1.4	0.53	<0.1	0.23	<0.02	8.1	0.2	<0.05	6.3	4.86	30.4	<0.02	<1	0.3	6.4	31
REP 1887066	QC	<0.1	0.13	1.4	0.54	<0.1	0.23	<0.02	8.4	0.1	<0.05	6.4	5.55	31.6	<0.02	<1	0.2	6.8	35
1887101	Drill Core	<0.1	<0.02	2.1	0.41	<0.1	0.05	0.05	11.0	0.2	<0.05	1.5	9.42	67.8	<0.02	<1	0.2	4.8	<10
REP 1887101	QC	<0.1	<0.02	2.3	0.42	<0.1	0.06	0.04	11.4	0.3	<0.05	1.5	9.59	69.4	<0.02	<1	0.2	4.9	<10
1887104	Drill Core	<0.1	<0.02	1.6	0.38	<0.1	0.03	0.30	11.4	0.4	<0.05	0.7	11.15	68.1	<0.02	<1	0.2	2.3	<10
REP 1887104	QC																		
1887131	Drill Core	<0.1	<0.02	3.0	0.98	<0.1	<0.02	<0.02	8.4	0.2	<0.05	0.5	12.34	52.9	<0.02	<1	0.2	9.9	<10
REP 1887131	QC																		
1887136	Drill Core	<0.1	<0.02	3.8	1.23	<0.1	0.03	0.09	16.4	0.3	<0.05	0.7	9.65	44.3	0.02	<1	0.2	9.6	<10
REP 1887136	QC	<0.1	<0.02	3.5	1.17	<0.1	0.04	0.09	15.2	0.3	<0.05	0.6	9.20	41.7	<0.02	<1	0.2	8.6	<10
Core Reject Duplicates																			
1887024	Drill Core	0.1	<0.02	2.6	0.34	<0.1	0.23	<0.02	7.1	0.2	<0.05	7.1	5.17	39.8	<0.02	<1	0.2	8.9	28
DUP 1887024	QC	<0.1	<0.02	2.6	0.33	0.1	0.19	<0.02	6.8	0.1	<0.05	7.2	5.12	37.8	<0.02	<1	0.2	9.1	23
1887058	Drill Core	<0.1	0.66	0.9	0.58	<0.1	0.20	<0.02	8.8	0.1	<0.05	5.9	7.94	22.2	<0.02	<1	0.3	4.4	37
DUP 1887058	QC	<0.1	0.57	0.8	0.52	<0.1	0.19	<0.02	7.8	0.1	<0.05	5.3	7.73	21.3	<0.02	<1	0.2	3.8	28
1887092	Drill Core	<0.1	<0.02	1.2	0.52	<0.1	0.07	<0.02	6.8	0.1	<0.05	2.7	4.95	40.1	<0.02	<1	0.2	6.3	<10
DUP 1887092	QC	0.2	<0.02	1.2	0.52	<0.1	0.06	<0.02	7.0	0.2	<0.05	2.1	5.18	39.3	<0.02	<1	0.2	7.8	14
1887126	Drill Core	<0.1	<0.02	2.2	0.48	<0.1	0.03	0.32	9.8	0.3	<0.05	0.5	8.71	43.9	<0.02	<1	0.2	2.7	<10
DUP 1887126	QC	<0.1	<0.02	2.2	0.46	<0.1	<0.02	0.29	10.1	0.3	<0.05	0.5	9.19	44.2	<0.02	<1	0.2	2.4	<10
Reference Materials																			
STD BVGEO01	Standard	4.6	1.01	7.4	7.38	0.3	0.30	0.38	95.2	5.5	<0.05	6.5	13.93	56.5	0.50	4	0.7	22.1	187
STD BVGEO01	Standard	4.9	0.97	6.9	7.08	0.2	0.33	0.32	91.6	5.3	<0.05	7.0	14.41	53.3	0.44	5	0.6	20.5	163



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000559.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
STD DS11	Standard							14.34	151.14	137.07	329.0	1710	72.7	12.2	1042	3.14	42.5	2.7	76.1	9.3	63.1
STD DS11	Standard							14.62	141.09	133.25	322.1	1642	76.4	13.2	994	3.04	40.7	2.5	111.8	8.2	61.3
STD OREAS262	Standard							0.68	114.78	54.35	135.8	444	58.2	25.1	561	3.26	34.0	1.2	75.5	10.2	33.7
STD OREAS262	Standard							0.62	115.30	56.95	142.5	477	57.8	25.5	501	3.07	35.4	1.2	77.9	10.6	35.7
STD OREAS262	Standard							0.61	107.79	54.16	152.1	455	64.1	26.2	507	3.26	34.4	1.1	68.0	10.8	32.8
STD OREAS262	Standard							0.70	110.81	55.93	149.5	465	62.5	27.3	546	3.23	35.6	1.2	77.4	11.0	34.9
STD OXB130	Standard			0.132																	
STD OXB130	Standard			0.127																	
STD OXB130	Standard			0.122																	
STD OXI138	Standard			1.887																	
STD OXI138	Standard			1.912																	
STD OXI138	Standard			1.824																	
STD OXI138	Standard			1.843																	
STD OXN134	Standard			7.615																	
STD OXN134	Standard			7.898																	
STD OXN134	Standard			7.714																	
STD OXN134	Standard			7.476																	
STD OXQ90	Standard					25.31	29.48														
STD OXQ90	Standard					25.30	30.43														
STD OXQ90	Standard					25.00	29.96														
STD OXQ90	Standard					25.23	30.24														
STD OXQ90	Standard					25.26	29.69														
STD OXQ90	Standard					25.09	29.69														
STD OXQ90	Standard					25.13	30.32														
STD OXQ90	Standard					25.22	30.05														
STD OXQ90 Expected						24.88															
STD BVGE001 Expected								11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55
STD DS11 Expected								14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3
STD OREAS262 Expected								0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000559.1

		AQ251 Cd ppm 0.01	AQ251 Sb ppm 0.02	AQ251 Bi ppm 0.02	AQ251 V ppm 1	AQ251 Ca % 0.01	AQ251 P % 0.001	AQ251 La ppm 0.5	AQ251 Cr ppm 0.5	AQ251 Mg % 0.01	AQ251 Ba ppm 0.5	AQ251 Ti % 0.001	AQ251 B ppm 1	AQ251 Al % 0.01	AQ251 Na % 0.001	AQ251 K % 0.01	AQ251 W ppm 0.1	AQ251 Sc ppm 0.1	AQ251 Ti ppm 0.02	AQ251 S % 0.02	AQ251 Hg ppb 5
STD DS11	Standard	2.32	8.77	11.30	49	1.08	0.068	19.3	58.9	0.84	377.3	0.093	7	1.20	0.075	0.41	3.2	3.2	5.02	0.27	243
STD DS11	Standard	2.25	8.26	10.86	50	1.06	0.069	18.2	55.9	0.86	357.3	0.086	6	1.14	0.071	0.40	2.9	3.3	4.69	0.29	250
STD OREAS262	Standard	0.65	5.68	0.98	21	3.06	0.041	16.2	42.3	1.16	251.8	0.002	4	1.32	0.067	0.31	0.2	3.1	0.46	0.24	148
STD OREAS262	Standard	0.63	5.50	0.99	22	2.89	0.040	14.9	42.5	1.13	235.0	0.003	4	1.24	0.068	0.31	0.2	3.2	0.44	0.27	169
STD OREAS262	Standard	0.60	5.45	0.95	22	2.95	0.041	15.0	40.8	1.15	237.9	0.003	3	1.30	0.069	0.31	0.3	3.2	0.44	0.27	151
STD OREAS262	Standard	0.59	5.58	0.96	22	3.10	0.035	15.4	43.4	1.14	244.5	0.003	4	1.30	0.069	0.31	0.2	3.3	0.46	0.28	174
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXB130	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXI138	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXN134	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90	Standard																				
STD OXQ90 Expected																					
STD BVGEO01 Expected		6.5	3.39	25.6	73	1.3219	0.0727	25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100
STD DS11 Expected		2.37	8.74	12.2	50	1.063	0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260
STD OREAS262 Expected		0.61	5.06	1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI19000559.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
STD DS11	Standard	1.9	4.73	5.0	2.93	0.1	0.07	1.54	33.6	1.8	<0.05	3.4	8.45	40.4	0.26	50	0.7	23.0	129	164
STD DS11	Standard	2.1	4.35	4.5	2.68	<0.1	0.07	1.56	32.1	1.9	<0.05	2.6	7.38	36.3	0.24	50	0.7	22.1	126	162
STD OREAS262	Standard	0.3	0.25	3.8	2.93	0.1	0.30	<0.02	19.1	0.6	<0.05	9.4	10.58	32.8	0.04	<1	1.0	18.3	34	<2
STD OREAS262	Standard	0.2	0.25	3.8	2.88	<0.1	0.20	<0.02	18.2	0.6	<0.05	7.1	9.70	31.9	0.03	4	1.0	17.4	30	<2
STD OREAS262	Standard	0.5	0.21	3.8	2.79	<0.1	0.20	<0.02	18.4	0.6	<0.05	7.6	9.94	30.8	0.04	<1	1.1	18.8	37	<2
STD OREAS262	Standard	0.3	0.20	3.6	2.97	<0.1	0.21	<0.02	18.5	0.5	<0.05	8.2	10.06	30.0	0.04	2	1.1	17.5	33	3
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXB130	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXI138	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90	Standard																			
STD OXQ90 Expected																				
STD BVGEO01 Expected		4.84	1.02	7.37	7.36	0.15	0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		2.2	4.56	5.1	2.88	0.08	0.06	1.53	33.6	1.8		3.1	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.4	0.23	3.73	2.8		0.27		18.6	0.5		11.7	11.2	32	0.033		1.14	17.8		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI19000559.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.3	<0.1	<0.2	0.2	<0.5
BLK	Blank							<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	0.3	<0.5
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		434	0.005	<0.01	<0.17	36.46	0.77	4.15	0.86	26.5	9	1.2	4.1	444	1.78	0.9	0.3	2.3	1.9	17.5
ROCK-WHI	Prep Blank		421	<0.005	<0.01	<0.17	38.71	0.86	3.16	1.03	31.2	9	1.8	4.1	535	1.88	0.8	0.4	0.7	2.3	20.3



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
3123-595 Burrard St.
Vancouver British Columbia V7X 1K8 Canada

Project: LS
Report Date: October 05, 2019

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI19000559.1

		AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	AQ251	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb
		0.01	0.02	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank	<0.01	<0.02	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.04	0.05	0.02	22	0.58	0.036	5.3	2.4	0.48	49.7	0.057	2	0.87	0.088	0.08	<0.1	2.4	<0.02	<0.02	<5
ROCK-WHI	Prep Blank	0.03	0.04	<0.02	22	0.65	0.044	5.9	4.4	0.50	51.9	0.068	2	0.88	0.085	0.08	<0.1	2.8	<0.02	<0.02	6



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: October 05, 2019

Part: 3 of 3

WHI19000559.1

		AQ251 Se ppm 0.1	AQ251 Te ppm 0.02	AQ251 Ga ppm 0.1	AQ251 Cs ppm 0.02	AQ251 Ge ppm 0.1	AQ251 Hf ppm 0.02	AQ251 Nb ppm 0.02	AQ251 Rb ppm 0.1	AQ251 Sn ppm 0.1	AQ251 Ta ppm 0.05	AQ251 Zr ppm 0.1	AQ251 Y ppm 0.01	AQ251 Ce ppm 0.1	AQ251 In ppm 0.02	AQ251 Re ppb 1	AQ251 Be ppm 0.1	AQ251 Li ppm 0.1	AQ251 Pd ppb 10	AQ251 Pt ppb 2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.1	<0.02	<0.1	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	<0.1	<0.02	3.0	0.12	<0.1	0.08	0.17	1.9	0.3	<0.05	1.7	7.68	10.4	0.02	<1	0.1	1.3	<10	<2
ROCK-WHI	Prep Blank	<0.1	<0.02	3.6	0.14	<0.1	0.12	0.20	2.0	0.3	<0.05	2.4	8.98	12.5	<0.02	<1	0.2	1.6	11	<2